# Entomology Abstracts

AUG 2 1976 LIBRARY

nual Subject Index to Volume 1 1969



oiled and published monthly by mation Retrieval Limited on and Washington DC

Entomology Abstracts started publication in 1969 and is published monthly. Each issue contains approximately 750 abstracts followed by an author index and a taxonomic index; the latter lists all genera and suprageneric taxa.

Arrangement of subject matter The table of contents shows the full scope of the journal. Within the sections (subsections) the order of the abstracts is: (a) alphabetically by family and by genus and species within family, but with abstracts dealing with groups or collections above family level coming first in the given section and ordered alphabetically by title (Nomenclature and Taxonomy); (b) alphabetically by title (all other sections). All Insecta cited in the abstracts are classified to family. Abstracts are allocated to the section (subsection) to which they are most relevant and cross-referenced to other sections (subsections) where appropriate.

Bibliographic data

Titles of English-language papers are quoted verbatim, and English translations are provided for foreign-language papers. In the case of papers in the European languages the original title is also quoted. Bibliographic details cited are the names of all authors, journal title, volume and issue numbers, page numbers and date of publication. The address given is that from which reprints are obtainable and is the address of the first-named author (unless some other author's name is asterisked). If no address is stated in the primary journal, then the editorial address of the latter is given. Journal titles are abbreviated in accordance with the procedures laid down by the American National Standards Institute. The language in which the paper is written and the language(s) in which summaries are provided are indicated at the end of the abstract.

# The abstract

The IRL editorial policy is as follows: where the author's summary or abstract, as published in the source journal, is written in English and is editorially acceptable, it is cited verbatim except for (a) minor alterations (concerned principally with style) and (b) abbreviations (see inside back cover). In all other cases new abstracts are prepared, based as far as possible on any abstract or summary

provided in the source journal. Abstrate are given for all papers in published proceedings of meetings, etc., where papers have been printed in full; when published proceedings themselves coonly abstracts the papers are listed by only in 'Notification of Proceedings'.

Coverage

In compiling each month's issue, IRL' editorial staff monitor approximately 4300 primary journals and other sourceferences for papers falling within the scope of Entomology Abstracts.

# Annual indexes

A subject index is compiled simultane with the preparation of each issue and supplied together with cumulative au and taxonomic indexes after completit of the volume.

Copies of abstracted material
Due to copyright restrictions the publicannot supply copies of material from which the abstracts are prepared. How provided the necessary copyright declarations are made, copies will not be obtainable from your local library. case of difficulty, the publishers will be pleased to give any assistance they can

# **Entomology Abstracts**

78

innual Subject Index to Volume 1 1969

ndex compiled and edited by M.G.Walker



SN 0013-8932

empiled and published by formation Retrieval Limited and Washington DC

Information Retrieval publications
Abstract journals
Amino-acid, Peptide & Protein Abstracts
Animal Behaviour Abstracts
Applied Ecology Abstracts
Aquatic Sciences & Fisheries Abstracts
Biological Membrane Abstracts
Calcified Tissue Abstracts
Chemoreception Abstracts
Entomology Abstracts
Feeding & Weight Abstracts
Genetics Abstracts
Immunology Abstracts
Microbiology Abstracts (published in 3 sections)

Nucleic Acids Abstracts
Virology Abstracts

Periodical

Information Retrieval Ltd. 1 Falconberg Court London W1V 5FG England

Nucleic Acids Research
Symposium proceedings
Transduction Mechanisms in
Chemoreception
Structure-Activity Relationships in
Chemoreception
Third Symposium on the Chemistry of
Nucleic Acids Components
Biological Separations in Iodinated Density
Gradient Media
Bibliographies
Obesity 1964-1973
Bibliography on Mycoplasma (forthcoming)
Time: A Bibliography (forthcoming)

A list of source periodicals used in the preparation of this abstracting service is available free of charge on request.

© 1976 Information Retrieval Ltd.
All rights reserved by the publisher.
No part of this book may be reproduced or transmitted in any form by any means, electronic or mechanical, including photocopying, recording or any information storage and retrieval system, without permission in writing from the publisher.

Printed by Information Printing Ltd. Oxford, England

# ENTOMOLOGY ABSTRACTS VOLUME I: SUBJECT INDEX

The entries in this Index are arranged under headings (emboldened) which can be broadly grouped into nine main categories: taxonomic entities, chemical compounds (including hormones and pesticides), morphological terms, diseases, personal names, geological periods, names of institutions, geographical entities, and topics.

There follow lists of geographical entities, morphological terms and topics. The user should consult as many as seem relevant to the enquiry being pursued.

# 1. Geographical entities

Acores Is.

Aden Adornara Is. (Indonesia) Afghanistan Africa Algeria Alps America Andaman Is. Andorra Angola Annobon I. Antarctic Antilles Arabian Sea Arctic Argentina Asia Atlantic Ocean

Bahama Is. Balkan Peninsula Baltic Region Bangladesh Belgium Bismarck Is. Bolivia Bonin Is. Borneo Botswana Brazil Britain British Guiana British Honduras Bulgaria Burma

Australasia

Australia

Austria

Australasian Region

Cambodia
Cameroun
Canada
Cape Verde I.
Cayman Is.
Celebes (Indonesia)

Chad
Channel Is.
Chile
China
Colombia
Congo
Congo Basin
Corse
Costa Rica
Cuba
Curaçao
Cyprus

Central African Republic

Dampier Is.
Danube R.
Denmark
Dominica
Ecuador
Egypt
Ethiopia

Dahomey

Czechoslovakia

Ethiopian Region Europe Faeroe Is. Fiji Finland

Flores I.(Indonesia)
France
Gabon
Galápagos Is.
Germany
Ghana
Greece
Guatemala
Guiana
Haiti
Hawaii
Hawaii

Hungary Iceland îles Comores îles Crozet îles de la Possession

îles de la Société îles Loyauté India

Indian Subregion
Indochina
Indonesia
Iran
Iraq
Ireland
Is.Baleares
Is.Canarias
Israel
Italy
Ivory Coast

Izu Is. (Japan)
Jamaica
Japan
Java (Indonesia)
Jordan
Kangean Is. (Indonesia)
Kashmir
Kazan Retto Is.

Langkawi Is. (Malaysia)
Laos
Lebanon
Leeward Is.
Libya
Lomblen Is.(Indonesia)

Kenva

Korea

Lord Howe I. (Australia)
Louisiade Is.
Luxembourg
Madagascar
Madeira
Malawi
Malaysia
Mali
Malta
Mariana Is.

Mauritania Mauritius Mediterranean Basin Mentawi Is.(Indonesia) Mexico

Mexico Micronesia Middle East

Molucca Is. (Indonesia)

Mongolia Morocco Mozambique Nearctic Region Neotropical Region

Nepal Nepean I. Netherlands New Britain New Caledonia

New Guinea New Hebrides New Ireland New Zealand Nias I. (Indonesia) Nicaragua Niger Republic Nigeria

Norway Nosv Be I. (Madagascar)

Oceania Oriental Region Orkney Is. Pacific Ocean Pakistan

Norfolk I.

North Sea

Palaearctic Region

Palestine Panama Papua

Papuan Subregion

Paraguay Pemba I. Peru Philip I. Philippine Is. Poland Polynesia

Portugal

Puerto Rico Republic of South Africa Réunion I.

Rhodesia Rodriguez I. Romania Rvnkvn Is. Sahara Desert St. Helena I. Samoa São Tomé I. Sarawak Sardegna Saudi Arabia Scandinavia

Senegal Sevchelle Is. Shetland Is. Sierra Leone Sokotra I. Solomon Is. Somalia

Schouten Is.

South-West Africa

Spain Sri Lanka Sudan

Sulawesi I. (Indonesia) Sumatra (Indonesia) Sumba L. (Indonesia)

Surinam Sweden Switzerland Svria Taiwan

Tanzania

Ternate I. (Indonesia)

Thailand Togo Trinidad Tunisia Turkey Uganda Upper Volta Uruguay TISA USSR Venezuela Vietnam Virgin Is. Vlieland I. Wadden Is. West Indies World Yemen

# 2. Morphological terms

Abdomen Acanthae Alimentary system Anal pyramid Antennae Aorta Appendages Book-lungs Cartilage Cells

Central nervous system Centrioles

Cerci Chaetae

Chemoreceptors

Claws Cornicles Corpora allata Corpora cardiaca Corpora lutea Coxae

Crop Elvtra Epidermis Eves Fat-body

Gaster Genitalia Gills Glands Gonads Gut Haemocoel

Haemocytes Haemolymph

Halteres Head Heart Hypodermis Hypopharynx

Imaginal discs Integument Johnston's organ Leucocytes

Malpighian tubules

Muscles Mycetome Nephridia

Yugoslavia Zambia

Nerves Nuclei Nucleoli Nurse cells Ocelli Oenocytes Oothecae Osmeterium

Ovaries Oviducts Pedipalps

Perisympathetic organs Peritrophic membrane Plastrons

Prothoracic glands

Prothorax Scales Spiracles Synapses Testes

Thorax Tissues Tracheae Tympanal organs

# 3. Topics

Aberrations (chromosomal)

Acaricides
Acclimation
Adaptation
Aeration
Aerosols
Aestivation

Age Aggregation Air Aircraft

Allergy Allometry Allomones Altitude Amber

Anemo-menotoxis Anemotaxis Aneuploidy Antibiotics Apparatus

Applied entomology

Arrestants
Arrhenotoky
Attachment
Attractants
Attraction
Autogeny
Baits
Baltic amber

Baltic amber Behaviour Benthos Bibliography Biochemistry Biology Biomass Biometrics Bionomics

Birth
Bites
Blastemas
Brachyptery
Brain
Breeding
Brood

Buoyancy Cages Carcinogens Carrion Case-building Caste Castration

Central nervous system

Centrifugation Cereals

Ce Is

Character release

Chemoreception
Chemoreceptors
Chemosterilants
Chemosterilization
Chemotaxis
Chemotaxonomy
Chiasmata
Chromosomes
Chromatography
Cinematography

Chromatography
Cinematography
Cistrons
Clasmatotenesis
Classification
Climate
Climbing
Clines
Cocoons
Codd
Collagen
Colonies

Coloration
Colour
Commensalism
Communication
Competition
Complement
Conservation
Control
Copal
Courtship
Crowding

Culture
Cuticle
Cytology
Defecation
Defence
Density
Deserts
Detoxification
Deuterotoky
Development
Diapause
Diet
Differentiation

Crypsis

Differentiation
Digestion
Dimorphism
Dispersal
Diuresis
Drift
Dung
Dusts

Dung
Dusts
Dyes
Ecdysis
Ecology
Economic e

Economic entomology Economic importance Eggs

Electricity Electrophoresis Embryology Embryos

Embryos
Emergence
Energy
Enzymes
Epidemiology
Evolution
Excretion
Faeces
Fecundity
Feeding

Fertilization Fertilizers Fire Fitness Fixation Flight Fluorescence

Fertility

Food-processing
Forest
Fossils
Frass
Fruit
Fumigants
Galls

Gametogenesis
Garbage pits
Genes
Geotaxis
Glaciation
Gloger's rule
Glycolysis
Gravity

Group effects
Growth
Gynandromorphism

Gynandromorph
Haemolymph
Handling
Hatching
Hearing
Heat
Herbicides
Histochemistry
HIstology
Homeostassis

Histology
Homeostassis
Honeydew
Hormones
Houses
Humidity
Humus
Hybridization
Hypopi
Immunity
Immunodiffusion

Immunofluorescence

Inbreeding Inflammation Information science Inorganic content Inquilines

Insecticides Intersexes Introgression Ions

Islands Isolation Isotopes Isozymes **Tuvenilization** Krebs cycle

Lakes Language Larvae Latin Latitude Lawns Learning

Life-cycle Life-tables Ligaturing Light Livestock Locomotion Longevity Mating Meconium Media Mejosis Melanism

Memory Metabolism Metals

Metamerization Metamorphosis

Methods Microorganisms Migration

Mimicry Minerals Mines Mitosis

Monomorphism Moon

Morphogenesis Morphology Mortality Mosaics Moulting Mountains Mouthparts Mutations

Nests

Neurosecretion Neutrons Nymphs Oil Olfaction Oogenesis Organic wastes

Ornamentals Osmoregulation Overwintering Ovicides

Oviparity Oviposition Oxidation lagoons Paedogenesis

Paralysis

Parasitism Parthenogenesis Pathology

Petroleum oils рН

Phenology Pheromones Phoresy Photography Photometry

Photoperiod Phylogeny Pigments Plants Pollen Pollination Pollution Polymorphism

Ponds Pools Populations Poultry Predation Pressure

Propolis Proteins Pupae

Puparia Pupation Quarantine Radiation Rain

Rearing Recombination Regeneration Repellents Reproduction Resistance Respiration Rhythms

Salinity

Salte

Sex

Salt-marshes Sampling Sand Secretion Selection Sense-organs Serology

Sex-determination Sex-dimorphism Sex-ratio

Silk Size Sociality Soil Sound Speciation Sperm

Spermatogenesis Springs

Sterility Stored products Streams Sun Swarming Symbiosis Taste Taxonomy

Techniques Temperature Teratology Touch Toxicity Toxins Trapping

Tullgren apparatus Tumours

Tundra Ultrastructure Vapour pressure deficit

Variation Vegetables Venoms Vibration Vision Vitamins Vitellogenesis

Water Webs Weeds Weight Wind Wings Wood Wounds Zoogeography



Abacaria orkeni sp.n., (Trich., Leptoceridae), described. 1951

Abacarus hystrix (Arach., Acari, Erlophyidae), plant-host and dispersal in Ohio, USA. 2769 transmission of plant viruses. 5440

Abacetus (Col., Carabidae), new spp described.

Abacion lacterium (Myriap., Diplop.,

Lysiopetalidae), tolerance to desiccation. 4558

# Abate,

selection of Aedes aegypti and Culex pipiens fatigans for resistance. 4169

susceptibility of Attagenus alfierii and A. megatoma larvae. 4454

toxicity for Tribolium confusum and T. castaneum. 5819

Abax ater contractus (Col., Carabidae), ecology in Alpes-Maritimes, France. 2167

# Abdomen,

abdominal and genital homologies between larva and adult in Cochliomyia hominivorax. 4424

abnormal abdomen in adult Drosophila hydei due to "aa" gene. 4155

abnormalities in a 9 Trirhabda virgata, 5280 metasomal abdominal glands of 7 Nomia melanderi, 1732

new abdominal structure in Coccinellidae, 1972 presence of medium glandular structure in segment VII in African Perinthina, 4287

sensory control of abdomen posture in flying Schistocerca gregaria. 5843

supernumerary leg in Epinotia solandriana.
2673

true location of ♀ sex-pheromone gland in Prodenia litura. 4573

ultrastructure of longitudinal muscles in larva of Ecdyonurus helveticus and Baëtis rhodani, 5834

ventral phasic mechanoreceptors in Blaberus craniifer. 3416

yield of g virus from CNS in Drosophila melanogaster, 5175

# Aberrations, see also Teratology

in Anatis. 4995

autosomal duplication in DNA-synthesis in salivary-gland cell nuclei of Hybosciara fragilis, 1137

behaviour of SD chromosomes in heterozygosis with structural rearrangements in Drosophila melanogaster. 885 of bristle development in X-irradiated Drosophila melanogaster. 256

chromosomal aberrations due to tepa and hempa in Musca domestica, 2186

chromosomal aberrations induced by oncogenic viruses and crystalline hormones in Drosophila melanogaster. 3986

chromosomal aberrations induced by tepa in Culex pipiens fatigans. 4152

due to apholate in testis germ-cells of Melanoplus differentialis, 4153

deletions due to methylthiophosphonic acid diethyleneimide in Drosophila melanogaster. 6088

development rate in relation to inversion polymorphism in Drosophila pavani. 1777

due to enzyme inhibition in Drosophila melanogaster. 238

due to 5-fluoro-2-deoxyuridine in Drosophila melanogaster. 238

extra-terrestrial radiation and chromosome non-disjunction in Drosophila melanogaster. 388, 390, 402, 406

extra-terrestrial radiation in relation to translocation frequency in reproductive cells of Drosophila, 388

In(2L)B and In(2R)C inversions as adaptive
 gene-complexes in Drosophila melanogaster.
4181

induced by mercury compounds in Drosophila melanogaster. 252

induction of chromosome aberrations by X-rays in Oncopeltus fasciatus. 5546

interchromosomal effect on inversions on crossing-over in Drosophila texana X D. virilis hybrids, 6076

inversions in chromosomes of Chironomus oppositus. 1752

inversion heterozygosity in relation to X-rayinduced mitotic recombination in Drosophila melanogaster. 1764

inversions in long arm of X-chromosome in eastern and western strains of Drosophila athabasca, 3652

inversions in phylogeny of Drosophila affinis subgroup. 372

inversion polymorphism in Chironomidae, Culicidae and Drosophila. 1347

inversion polymorphism maintenance in Drosophila ananassae. 415

inversion polymorphism in natural populations of Drosophila tetrachaeta in Papua-New Guinea, 414

inversion polymorphisms in Drosophila grimshawi subgroup. 1348

inversions from TEM treatment in Drosophila sperm. 392

inversions of 'Xasta' mutant of Drosophila melanogaster. 403

KL-1 Brosseau Y-chromosome deletion in

# Aberrations, contd.

relation to spermiogenesis and sterility in Drosophila melanogaster. 226

long-term changes in inversion-polymorphic laboratory populations of Drosophila pavani. 1346

mechanism of rearrangement following formaldehyde treatment in Drosophila melanogaster. 4143

of meso- and metathoracic legs in Diprion similis. 1622

method for production of chromosome translocation in Glossina austeni. 900

due to N-methyl-N'-nitro-N-nitrosoguanidine in Drosophila melanogaster. 895

neutron RBE values for translocations in sperm and spermatids of Drosophila melanogaster. 4907

non-disjunction in relation to melotic interchange in Drosophila. 380

protective action of indenes on X-ray-induced chromosomal aberrations in Drosophila melanogaster. 4897

radiation-induced partially sterile mutants of Glossina austeni, 900

recombination disequilibrium in natural populations of Drosophila subobscura. 884 significance of rare inversions in Chironomus.

translocation heterozygotes in control of Glossina austeni. 383

translocations between eu- and heterochromatic chromosomes in Pseudococcus obscurus, 5548

translocations in 'bubble pronotum', 'curly wing' and 'pro-wing' mutants of Blattella germanica, 865

translocation in relation to chromosome number in Didymuria violescens. 4135

translocations in control of Culex pipiens. 389
DNA-replication in a translocation stock of
Drosophila melanogaster. 1334

translocations enhanced by zero-gravity and extra-terrestrial radiation in Drosophila melanogaster. 390

translocations induced by heliotrine in Drosophila melanogaster. 405

new translocation [I(2;3)spy] from Drosophila melanogaster. 6084

translocations induced by TEM treatment in Drosophila sperm. 392

translocations in Planococcus citri. 5530

translocations in relation to semi-incompatibility system in Pissodes, 4164

translocations transmitted by progeny in chromosomal translocation heterozygotes of Musca domestica. 3662

translocations transmitted through generations in Oncopeltus fasciatus, 2840 translocations of 'Xasta' mutant of Drosophila melanogaster. 403

wing abnormalities in pupal Tribolium confusum. 705

Abgrallaspis (Hem., Hom., Diaspididae), revised. 2518

# Abies (Pinaceae),

diseases affecting predators of Adelges on in GFR, Switzerland and Turkey. 5150

food-plant of Boarmia ribeata. 5978

JH-mimicking activity of bark and wood extracts. 3462

Lycoriella solani and Bradysia amoena reared from cones in North-West USSR, 4190

occurrence of coccinellid larvae in pitfalltraps among Abies in GDR. 4104

oviposition of Gilpinia hercyniae in relation to. 5369

Abies alba, honeydew production of Coccidae and Lachnidae. 2152

Abies amabilis, host of Tetropium cinnamopterum in British Columbia, Canada. 3129

Abies balsamea (balsam fir),

ecology of Adelges piceae in Maritime Provinces, Canada. 6028

JH-mimicking activity of wood and bark extracts. 3462

Abies concolor, distribution of Hemerocampa pseudotsugata cocoons in N.E. California, USA. 4084

# Abies fraseri (Fraser fir),

frequency distribution of Adelges piceae in N. Carolina, USA. 1957

method for sampling Adelges piceae in N. Carolina, USA. 1957

Abies grandis, resistance to Scolytus ventralis. 2766

Abies nordmanniana, host of Marchalina caucasica sp.n. in Kavkaz, USSR. 1445

Ablaberoides somaliola sp.n. (Col., Scarabaeidae), described. 5012

Ablabesmyia (Dipt., Chironomidae), abundance in Hungarian section of R. Danube. 1736, 3163

Ablabesmyia gr. tetrasticta, on Phragmites and Typha in Danube Delta, Romania. 2824

Ablemothrips maxillatus gen. et sp.n. (Thysanopt., Phlaeothripidae), described. 3017

Ablepton (Col., Scymaenidae), new spp described and treforti redescribed. 3751

Aborolabis gen.n. (Derm., Carcinophoridae), new spp described. 504

Abromus (Col., Colydidae), new spp described and key to spp. 1849

Absidia (Col., Cantharidae), new synonymy. 967 AC-47470 [cyclic propylene diethoxphosphinyl dithioimido carbonate], control of Ostrinia nubilalis and Diabrotica virgifera in Missouri and Iowa, USA. 5334 Acacia (Leguminosae),

galls of Phlaeothripidae in Australia, 3043 host of Ectomyelois ceratoniae in Israel, 318 host of Ramsesseus follioti gen, et sp. n. in Egypt, 2516

Acacia aneura, host of Dunatothrips aneurae. 4402 Acacia catechu, Lobopteromyia bivalviae comb.n. causing galls in India. 3763

Acacia confusa, Caryedon gonagra recorded from for first time in India, 5443

Acacia drepanolobium, host of Eurycoccus monodi sp.n. in Kenya. 1004

Acacia farnesiania, Caryedon gonagra recorded from for first time in India. 5443

Acacia giraffae, Argas theilerae sp.n. on. 3283 Acacia greggii, not Mimosa fragrans, USA hostplant of Merobrunchus julianus, 2479

Acacia mearnsii, host of Dactylothrips tasmani sp.n. 4402

Acacia oswaldii, galls of Brithrothrips fuscus in Australia. 3043

Acacia phyllodes, galls of Phlaeothripidae in Australia. 3043

Acaciothrips gen.n. (Thysanopt., Phlaeothripidae), established. 1024

Acaena anserinifolia (Rosaceae), biological control in New Zealand by Antholcus varinervis.

Acalitus vaccinii (Arach., Acari, Eriophyidae), immature stages and life-cycle. 4709

Acellepitrix (Col., Chrysomelidae),

Epitrix niteus transferred to. 4255

new spp described. 4255

Acallis mitchellis (Lep., Pyralidae), transferred to Zaboba, 3825

Acalypha (Euphorbiaceae), feeding of Culex pipiens quinquefasciatus on. 3565

Acalyptratae (Dipt.),

new genera and spp. 57

origin of forms of courtship behaviour. 1225

Acanthae, of proventricular intima in Panorpidae and Hystrichopsyllidae. 3915

canthinus (Col., Anthicidae),

albicinctus group and unplaced spp revised. 4258

Australian spp revised and new spp described. 4256

leporinus, scitulus, cuyabanus and myrmecops groups revised. 4257

myrmecops Casey, Dilandius unicus Casey syn.n. of. 4257

new spp described. 3732

New World spp partly revised. 3732

canthiophilus helianthi (Dipt., Tephritidae), control of weed Compositae in Hungary. 6014 canthiophilus ramulosus, new for Spain. 2212

canthoceridae (Col.), 481, 519

canthocnemidae fam.n. (Col.), established within Cleroidea. 4985

Acanthocnemus nigricus (Col., Acanthocnemidae), possible larva described. 4985

Acanthoderes (Col., Cerambycidae), Neotropical spp. 4952

Acanthoderes nigrovittata sp.n., described. 1844 Acantholeria vockerothi sp.n. (Dipt., Heleomyzidae), described 536

Acantholyda nemoralis (Hym., Pamphiliidae), 1-carbon pathways in amino-acid interconversion. 5868

Acanthomymar nigrum gen. et sp.n. (Hym., Mymaridae), described. 3807

Acanthomyops (Hym., Formicidae), larvae described. 4430

Acanthomyops claviger, citronellal, citronellol and myrcene from. 661

Acanthopetalium (Myriap., Diplop.), new for Bulgaria. 3022

Acanthoplusia gen.n. (Lep., Noctuidae), established and new spp described. 4379

Acanthopteroctetes (Lep., Eriocraniidae), reviewed and new sp described. 3347

Acanthorhogas (Hym., Braconidae), removed from Rogadinae. 1908

Acanthoscelides (Col., Bruchidae), new spp described. 1401

Acanthoscelides chiricahuae, not Bruchus schrankiae, bred in USA from Mimosa borealis. 2479

Acanthoscelides distinguendus, USA host-plant Rhynchosia americana, not Mimosa strigillosa. 2479

Acanthoscelides obtectus,

age and take-off activity. 5847 economic importance in Gruziya, USSR. 1791 temperature and light in relation to flight initiation and take-off rate. 2705

Acanthoscelides tridenticulatus sp.n., described. 2479

Acanthosoma haemorrhoidale (Hem., Het., Acanthosomatidae), claw setae. 3853

Acanthosomatidae (Hem., Het.), 3853, 4802 relationships to Urostylidae. 3853

Acaphylla salicobius (Arach., Acari, Eriophyidae), systematic position. 1826

Acarapis vagans (Arach., Acari, Trombidiformes), on Apis mellifera in New Zealand for first time. 3634

Acari (Arach.),

associated with Apodemus sylvaticus thuleo on Foula, Shetland Islands. 5594

associated with apple in Nova Scotia, Canada. 4064

associated with Halogeton sativus in Morocco and Spain, 3585

attacking stored sugarbeet seed. 5434
of birds from Norfolk I., Australia. 2744
bovine manure as overwintering medium in
S. Dakota, USA. 744
of Bulgarian caves. 6070

Acari (Arach.), contd.

control of Dipt. in caged-poultry houses. 5350 ecology in bulk grain. 3185, 4822

economic damage in Ontario, Canada, in 1968. 3158

ectoparasitic on small mammals in C. Sweden. 4186

evolution and modes of reproduction, 5531 field key to fauna of a hill-stream in Shrop-

shire, England. 4132 injurious to crops in Middle East. 4061

interactions with fungi in forest ecosystems. 1684

method for preparation of thin sections. 1035 method for studying population growth in soil spp. 2822

new spp from Tanzania. 3718

parasitic on mammals in Netherlands. 2757 parasitic on small mammals in Dobrogea,

Romania. 2746

physical gradients in Tullgren funnels during extraction from poultry litter. 2566

in Sarracenia purpurea pitchers at Lac Carré, Quebec, Canada. 3589

population changes on citrus in response to cessation of spraying. 2807

possible role of Typhlodromus mcgregori in control of fruit-tree Acari. 4796

predators of Cecidomyiidae, 4101

predators of Collembola, 5504

present work on at Naturhistorisches Museum, Basel, Switzerland. 4211

prey of Rhyacophila in an experimental stream. 769

of a Quercus-Carpinus forest at Louvain, Belgium. 3598

of soil at a farm at Giza, Egypt. 6054 soil populations in Hidaka-Mombetsu, Southern Hokkaido, Japan. 2146

from Tatra Mts., Poland and Czechoslovakia.

Turnbull and Nicholls' quick trap in Alpine grassland communities. 1499 vectors of plant viruses. 5440

Acaricides,

differential responses of red and green forms of Tetranychus telarius in Egypt. 3289 laboratory methods for testing. 5358 resistance in Ixodoidea. 4580

resistance in Tetranychus cinnabarinus in Israel. 5358

Acaridae (Arach., Acari), Pedetopinae subfam.n. established. 1823

Acaroldea (Arach., Acari), distribution in rodent-nests in Poles'e of Belorussia, USSR. 1292

Acarus (Arach., Acari, Acaridae),

attacking stored sugarbeet seed. 5434 ecology in grain-bulk ecosystems. 3185 review, new spp and key to spp. 3721

Acarus farris, hypopi associated with Brachymeria and Diadromus in Poland. 3572 Acarus siro,

biology and ecology of laboratory populations.

ecology in grain-bulk ecosystems. 4822 feeding and reproduction on wood-inhabiting Hymenomycetes. 1684

Acarus telarius L.1758, suppression of specific name proposed. 956

Acaudinum (Hem., Hom., Aphididae), new synonymy. 3332

Acadinum longisetosum sp.n., described, 3332
Acclimation, and survival of Ptinus tectus and
Tenebrio molitor at low temperatures. 5888

Acelyphus (Dipt., Celyphidae), new spp described and key to spp. 2942

Acemyia (Dipt., Tachinidae), French spp. 443 Acemyia acuticornis, adult from S. France for first time. 5683

Acemyia rufitibia, described. 443

Acentropus niveus (Lep., Pyralidae), tracheal system and spiracles. 3906

Acer (Aceraceae),

Araneae associated with in Michigan, USA. 3592

larval feeding-sites of Agrilus putillus and A. masculinus. 2764

leaves as food substrate for Oniscus and Julida. 2822

Acer campestre, biology of Eupulvinaria hydrangeae on in S.W. France. 3126

Acer negundo, haemolymph proteins of Hyphantria cunea in relation to. 3928

Acer saccharum, feeding responses of Rhinotermitidae. 4762

Acerella danica (Prot., Acerentomidae), unusual habitat. 5593

Accrella montana sp.n., described. 5769 Accrentomidae (Prot.), 4397, 4398, 5593, 5769

Accrentomon cf. hylophilum (Prot., Accrentomidae) morphology, 5593

Acerentulus (Prot., Acerentomidae), morphology of confinis and exiguus. 5593

Aceria (Arach., Acari, Eriophyidae), new spp described. 3720

Aceria chondrillae, control of Chondrilla juncea in Australia. 3155

Aceria ficus, transmission of plant viruses. 5440

Aceria medicaginis, association with Medicago sativa in Imperial Valley, California, USA. 5454

Aceria sheldoni, behaviour and dispersal. 2606 Aceria tulipae,

plant-host and dispersal in Ohio, USA. 2769 transmission of plant viruses. 5440

Acerophagus texanus (Hym., Encyrtidae), establishment as parasite of Ferrisia virgata in California, USA. 797 Acetaldehyde, component of metathoracic-gland secretion of adult Dysdercus intermedius. 1251

Acetate, metabolism in adult σ' Schistocerca gregaria. 3456

Acetazolamide, effect of Cu<sup>++</sup> on Malpighian tubule secretion in Rhodnius prolixus. 1108

# Acetic acid,

mutagenicity in combination with formaldehyde in Drosophila melanogaster. 3223

response of mouthpart receptors in Schistocerca gregaria and Locusta migratoria migratorioides. 2731

13-Acetoxy-cis-8-, cis-10-heptadecadien-1-o1,
not a sex-pheromone for Porthetria dispar.
4649

4-p-Acetoxyphenyl butan-2-one (cue lure), as attractant for Dacus tryoni, 5137

Acetylcholine,

action on lateral cardiac nerve in Periplaneta americana. 5192

antagonists and anti-cholinesterases in relation to CNS of Periplaneta americana. 1526

in relation to endogenous activity and synaptic transmission in nerve-cord of Periplaneta americana. 1528

and neuromuscular transmission in Blatt., Orth. and Lepidoptera. 4467

Acetylcholine chloride, and type-3 water receptor in Phormia terranovae. 5199

# Acetylcholinesterase,

in 6th abdominal ganglion in Periplaneta americana. 1528

circadian changes in activity in brain of Acheta domestica. 3403

and CNS of winter larvae of Odagmia. 3881 during development in Celerio euphorbiae. 5940

inhibition by bis-[(m-hydroxyphenyl)trimethylammonium iodide esters of polymethylenedicarbamic acid in Musca domestica. 5236

location in photoreceptors of Mitopus morio. 3893

n-Acetyldopamine, oxidized by cuticular phenoloxidase preparation from white puparia of Drosophila virilis. 1558

Acetylesterase, from thoracic muscles of Periplaneta americana. 4528

N-Acetylglucosamine, degradation of polymers by enzyme from Periplaneta americana cells in vitro. 3935

# Achaea janata (Lep., Noctuidae),

feeding structures, 301

host of Trichogramma achaeae sp.n. in India. 5135

Thuricide for control on Ricinus communis. 5357

Achaearanea saxatilis (Arach., Aran., Theridiidae), brood-care. 1215

Achalcus (Dipt., Dolichopodidae), Systenus oregonensis and S. utahensis transferred to. 5026

Acherontia atropos (Lep., Sphingidae), larval feeding on Ligustrum vulgare. 6013

Acherontiinae (Lep., Sphingidae), genitalia. 121 Acheta (Orth., Gryllidae), see also Gryllus

ultrastructure of microcylinders in A. domestica and A. assimilis. 5271

# Acheta domestica,

acoustical and sexual behaviour following sublethal doses of insecticide. 5252

Aldrin treatment in relation to diet for Tegenaria atrica. 3923

amplification of ribosomal cistrons in oocyte heterochromatin. 1111

artificial stimulus chirps in relation to chirping. 1156

castration in relation to degeneration of flight-muscles. 1173

central neurons of cercal auditory system. 5838

chronology of embryonic development. 5913

circadian changes in acetylcholinesterase activity in brain. 3403

circadian changes in protein synthesis in CNS neurosecretory cells. 2587

circadian changes in RNA-synthesis in neurosecretory cells of brain and suboesophageal ganglion. 617

corpora pedunculata. 3407 cuticle structure. 2583

cytochemistry and ultrastructure of primary and secondary nucleoli of oocytes. 1603

development of grafted supernumerary legs.

developmental changes in fatty-acid composition of larval lipid. 3507

diel changes in RNA-synthesis in epithelium cells of egg vesicles. 5946

DNA-content of spermatids, 2183

DNA of oocyte heterochromatic DNA-body.

energy assimilation. 4759

extra-chromosomal DNA in early oogenesis.

histones. 4536

γ-irradiation and life-span, 254

isolation of ribosomes from adults. 4534

light in relation to circadian rhythm of locomotor activity. 3949

mathematical model of chirping in unstimulated males. 1156

median-cord development in egg. 2661 multiple synaptinemal complexes at region of gene amplification. 5534

neuronal control of circadian rhythm of locomotor activity. 5837

Acheta domestica, contd.

nuclease activity of ribosomal and soluble fractions. 4540

nucleic-acid synthesis associated with DNAbody in oocytes. 4547

oesophageal multipolar neurons and ventricular nerves, 1062

regeneration of legs and associated muscles and nerves. 688

role of brain-neurons in control of circadian rhythm of behaviour. 1066

satellite DNA in ovaries and body tissues. 4546 sensitivity to  $\gamma$ -irradiation. 4616

sex dimorphism of behaviour and activity. 5204 songs. 674

songs and auditory system. 2044

sound-production. 674

ultrastructure of egg shell. 3863 yolk-protein synthesis and incorporation. 4645

Achillea lanulosa (Compositae), host of

Pleotrichophorus hottesi in Colorado, USA. 5691

Achillea millefolium, host of Macrosiphoniella sudhakaris sp.n. 2978

Achromobacter pestifer (Bacteria), fate in gut of larval Bibio marci. 3919

Achrysocharis (Hym., Eulophidae), new spp described. 1451

taxonomy of doubtful African spp. 1451

Achrysocharis sp, parasite of Dasineura balsamicola in Maine, USA. 4786

Achrysopophagus aegyptiacus (Hym., Chalcididae), hyperparasitic on Homalotylus flaminius in Chilocorus bipustulatus in Israel. 1701

Acid phosphatase, distribution in compound eye of Polistes. 164

Acid phosphatase-1, gene-enzyme polymorphism in natural populations of Drosophila. 902

Acids,

behavioural and electro-physiological responses of Phormia regina. 3887

linked respiratory inhibition in flight-muscle mitochondria of Apis mellifera, 5224 resistance of larval epicuticle of Calpodes ethlius, 4462

Aclastus caudator (Hym., Ichneumonidae),
of described. 110

Aclerdidae (Hem., Hom.), 1327

heterochromatization of chromosomes. 1327

Acleris gloverana (Lep., Tortricidae), laboratory mating. 5777

Acleris nigrilineana, new for Denmark. 2871 Acleris variana, laboratory development. 2664

Aclonempis nubes sp.n. (Dipt., Empididae), described, 538

Acmaeodera (Col., Buprestidae), new spp described. 1403

Acmaeodera rubromaculata fracta, distribution extended, 3733

Açores Islands (Atlantic Ocean), Calosoma and related genera. 438

Coleoptera new for. 3232

Acorns, insect spp causing damage in N. America. 78
Acraea ansorgei (Lep., Acraeidae), new forms and
key to subspecific taxa. 4381

Acraea encedon,

inheritance of sex-ratio. 3672

sex-ratios and genetic variation in Ugandan populations. 1302

Acraeidae (Lep.), 1302, 3672, 4381

Acragas taczanowskii (Arach., Aran.), type-sp of Hypaeus. 1395

Acrida conica (Orth., Acrididae), protein and pigments. 2021

Acrida gigantea, arginine content of brain of neurosecretory cells, 3875

Acrida lata.

chiasma formation in translocation heterozygote. 377

cortex and cytoplasm in temperature-induced unequal division of spermatocytes. 5828

local variation in B-chromosome frequency.
4915

temperature and cell-division in spermatocytes. 5827

Acrididae (Orth.),

150, 171, 185, 215, 224, 265, 277, 316, 377, 416, 443, 493, 581, 582, 589, 601, 611, 625,

632, 639, 641, 645, 652, 657, 706, 722, 787,

829, 869, 871, 1022, 1047, 1049, 1053,

1054, 1055, 1063, 1070, 1071, 1093, 1098,

1109, 1134, 1145, 1152-1154, 1160, 1169, 1208, 1241, 1478, 1480, 1518, 1525, 1533,

1200, 1241, 1470, 1400, 1510, 1525, 155

1557, 1573, 1584, 1591, 1635, 1648, 1720,

1991, 2030, 2044, 2067, 2075, 2078, 2155,

2183, 2536, 2583, 2598, 2607, 2610, 2672,

2731, 2837, 2857, 3011, 3012, 3050, 3061,

3083, 3098, 3104, 3120, 3146, 3157, 3214,

3393, 3401, 3408, 3413, 3414, 3429, 3439,

3451, 3456, 3463, 3487, 3498, 3502, 3508,

3515, 3645, 3648, 3699, 3869, 3872, 3875,

3880, 3891, 3899, 3903, 3931, 3932, 3958,

3978, 3991, 4001, 4006, 4047, 4105, 4118,

4147, 4153, 4444, 4467, 4476, 4480, 4483,

4491, 4535, 4560, 4561, 4595, 4596, 4617,

4664, 4793, 4915, 5161, 5189, 5207, 5233,

5262, 5293, 5310, 5320, 5456, 5474, 5497,

5529, 5533, 5537, 5559, 5764, 5765, 5814,

5818, 5827, 5828, 5831, 5835, 5839, 5843,

5845, 5852, 5857, 5869, 5880, 5893, 5924,

5935, 5936, 6021, 6080, 6081

absence of tympanal organ in Lithidiinae. 3899 distribution on North and South Islands, New Zealand. 3699

gut alkaline phosphatases. 1110

head and mouthparts. 150

locust control. 829

from Morocco. 5764

from Nagarjuna Sagar Dam area, India. 3275 nervous control of flight system. 1063

new taxa from Morocco. 5764

Acrididae (Orth.), contd.

N. American spp suitable as hosts for Acridomyia sacharovi and Blaesoxipha lineata, 4793

phylogenetic affinities. 150

songs and auditory system. 2044

time-lapse cinematography for studying feeding behaviour. 601

tympanal organs in 16 subfamilies. 3899

Acridoidea (Orth.),

of fles Comores. 3011

concealed copulatory structures. 3472 families with tympanal organs keyed. 3899 from Nagarjuna Sagar Dam area, India. 3275 of Niokola-Koba National Park, Senegal. 2239 from Saharan Morocco. 5764 sound-production by tegmina. 5086 taxa new for Morocco. 5764

tympanal organ in 16 families. 3899

Acridomyia sacharovi (Dipt., Muscidae),
N. American Acrididae as hosts for, 4793
Acrobasis carvivorella (Lep., Phycitidae).

host of Sympiesis acrobasidis sp.n. 5725
Acrobasis comptoniella, life-history, habits and

parasites in Michigan, USA, 4037

Acrocera trigramma (Dipt., Acroceridae), new for Romania, 2205

Acroceridae (Dipt.), 1864, 2205 from S. Spain, 1864

Acrocomia sclerocarpa (Palmae), Triatominae from in Uberaba municipality, Minais Gerais, Brazil. 5511

Acroectasis campanulata (Dipt., Cecidomylidae), Eurytoma sabiae sp.n. from gall of, 4352

Acrolepia (Lep., Acrolepiidae), of Balkan Peninsula.

Acrolepiidae (Lep.), 5583 of Balkan Peninsula. 5583

Acrolepiopsis (Lep., Acrolepiidae), of Balkan Peninsula, 5583

Acromyrmex octospinosus (Hym., Formicidae), phytochemical arrestants from grapefruit and Hibiscus. 4128

Acromyrmex versicolor, volatile compounds. 2017 Acroneuria californica (Plec., Perlidae),

feeding habits and life-history. 2110

Acronicta rumicis (Lep., Noctuidae), 6-methyl uridine in relation to moulting and diapause. 5293

Acronomastax curvicerca (Orth., Eumastacidae), Madagascan records. 4393

Acrostalagmus aphidum (Fungi), in relation to Sipha flava in Puerto Rico. 4847

Acrosternum hilare (Hem., Het., Pentatomidae), method for infecting with Nematospora coryli. 5428

Acrotrichis (Col., Ptillidae), new spp described.
45

Acrotrichis platonoffi, from Kent and the London area, England, 3247

Acrotrichis satsumanis, nom. dub. 45

Acrotylus insubricus (Orth., Acrididae), electroretinogram described. 2598

Acruroperla gen.n. (Plec., Austroperlidae), established, 1946

Actebia fennica (Lep., Noctuidae), new for Denmark. 2871

Actias selene (Lep., Ceratocampidae),

chromosome number and silk-production. 2834

Actidione, and development of wild-type and mutant Drosophila. 699

'Actidione-sensitive' ('act'), mutation in Drosophila melanogaster, 4904

Actin, Mg<sup>++</sup> inhibition of actin-myosin interaction in fibrillar flight-muscle of Lethocerus maximus. 1046

Actinomycetes, in relation to Arthropoda in bulk-grain ecosystems. 4822

Actinomycin D.

in relation to cellular RNA-synthesis and cytoplasmic polyhedrosis virus replication in Malacosoma disstria, 5540

and differentiation of ommatidium-forming cells in Drosophila melanogaster. 3481

in relation to epidermal metamorphosis and nucleic-acid synthesis in Tenebrio molitor. 4610

and histolysis of intersegmental muscle in Antheraea polyphemus. 1207

in relation to homochromy in insects. 5880

in relation to protein- and RNA-synthesis in salivary glands of larval Chironomus tentans, 216

Actinoptera filaginis (Dipt., Tephritidae), new for Spain. 2212

Actinotrichida (Arach., Acari), Tarsonemida established. 4213

Actornithophilus canuti sp.n. (Mall., Menoponidae), described. 1474

Aculeata (Hym.),

European work of last 30 years. 3714 from Tanzania. 5600 probable origin in Jurassic. 2986 of St. Pietersberg, Maastricht, Netherlands. 4929

Aculodes (Arach., Acari, Eriophyidae), plant host and dispersal in Ohio, USA, spp. 2769

Aculus (Arach., Acari, Eriophyidae), systematic position of acraspis and epiphyllus. 1825

Aculus cornutus, facultative parthenogenesis and spermatophore structure. 4586

Acuminochernes (Arach., Pseudoscorp.), new for Michigan, USA. 3706

Acyglossa pollinosa (Dipt., Anthomyiidae), parasitized by Brachymeria moerens. 316

Acyl-hydrolase, from thoracic muscles of Periplaneta americana. 4528

Acyrthosiphon calvulus (Hem., Hom., Aphididae), described, 92

Acyrthosiphon chandrani sp.n., described. 91

Acyrthosiphon (Metropolophium) spireae sp.n., described, 4327

Acyrthosiphon pisum,

air-temperature and light-intensity in relation to dispersal. 819

antennae as mediators for response to crowding. 710

Asaphes vulgaris hyperparasitic on primary parasites. 796

colour of light in relation to fertility. 747 consumption by Lygus lineolaris. 4838

crowding and alate production. 710

host-plant in relation to production of alates.

host-plant not required for determination of  $\sigma' \sigma'$  and oviparae. 741

host selection behaviour. 6002

interactions with Lygus lineolaris and Medicago sativa. 4838

intrinsic factor affecting alate production. 5937 intrinsic rate of increase on resistant and susceptible alfalfa. 3614

key to Aphidius parasitic on. 4446 method for determining dosage mortality

curve for malathion. 3029 method for rearing and maintenance. 3029

multilateral approach to control. 3182 population dynamics on Medicago sativa in

New Jersey, Delaware and Maryland, USA. 5503

pre-acquisition starvation in relation to virus transmission. 1259

prey of Chrysopa oculata. 2736

recovery from effects of crowding. 4606 reproductive behaviour of Aphidius parasitic

on. 2088

reproductive system and occurrence of amphiphasic ♀♀. 3965

salivation and transmission of bean yellow mosaic virus. 2105

sexual forms produced on artificial diet. 741 size-related effects of crowding and rearing temperature in apterae, 4606

size variation. 4607

starvation in relation to feeding behaviour on Vicia faba. 1259

structure and function of cornicles. 607 temperature and photoperiod in relation to development of Aphidius smithi in. 704 ultrastructure of bacteria of gut, 5854

Adactylidium (Arach., Acari, Pyemotidae), parasite of Gynaikothrips ficorum on Ficus nitida. 6047

Adalia (Col., Coccinellidae), overwintering at Kew, London, England. 2097

Adalia bipunctata,

abundances at Kew, London, England, from 1964 to 1968. 2097

attraction to Juniperus virginiana for oviposition. 2084

colour discrimination. 166 fecundity, feeding and survival in laboratory. 1665

food-seeking and survival in larvae. 2730 new abdominal structure. 1972

phototaxis. 166

pigmentation of elytra. 1972

predator of Phorodon humuli in Czechoslovakia. 6055

response to monochromatic light. 166 temperature in relation to development,

feeding and survival. 1624 weather conditions in relation to aphid consumption. 3567

Adalia conglomerata, occurrence of larvae in pitfall-traps among Abies in GDR, 4104

Adalia decempunctata, new abdominal structure.

# Adaptation,

adaptive significance of brachyptery in Q Limnophila platyptera. 2510

adaptive significance of differences between forest and field Carabidae. 1234

adaptive significance of homochromy in Insecta. 5880

adaptive significance of larval symbiosis in the Simulium neavei species-group. 1356 adaptive significance of melanism in

Lepidoptera. 6099 of leaf-mining insects. 1706

by natural selection in laboratory populations of Drosophila pseudoobscura. 3688 role in evolution, 948

Adarrus taurus (Hem., Hom., Cicadellidae), host of Halictophagus languedoci sp.n. in S. France. 3015

Adelencyrtoides novaezealandiae gen. et sp.n. (Hym., Encyrtidae), described. 2990

Adelges (Hem., Hom., Adelgidae), diseases affecting predators in GFR, Switzerland and Turkey. 5150

Adelges cooleyi, control on Pseudotsuga menziesii in Washington, USA. 4667

Adelges piceae,

ecology in maritime Provinces, Canada, in relation to climate. 6028

as food of Aphidecta obliterata. 781

method for sampling on Fraser fir. 1957 Adelges viridana, new for Britain. 3266

Adelgidae (Hem., Hom.), see also Phylloxeridae,

89, 1957, 3266, 4667, 5150, 6028 delgoidea (Hem., Hom.), defined, 89

Adelgoidea (Hem., Hom.), defined. 89 Adelognathinae (Hym., Ichneumonidae), of French Mediterranean coast. 110

Adelopsis bellator sp.n. (Col., Leiodidae), described. 22

Adelopsis linaresi sp.n., described. 1842 Adelowalkeria (Lep., Saturniidae), new spp described. 117

Adelphocoris (Hem., Het., Miridae), spatial

Adelphocoris (Hem., Het., Miridae), contd. distribution in cotton fields. 347

Adelphocoris saturalis, salivary-gland amylase. 2629

Ademon (Hym., Braconidae), from Agromyzidae and Ephydridae in Poland. 4936

Aden, new records of Masaridae. 112

Adenacarus (Arach., Acari), relationships and arabicus redescribed. 2466

Adenine, feeding stimulant for Hypera postica. 1252

Adenosine, feeding stimulant for Hypera postica. 1252

Adephaga (Col.), origin of Gyrinidae. 225

Aderidae (Col.), 3046, 3235, 5620

Aderpas griseus ghanaensis subsp.n. (Col. Cerambycidae), described. 3737

Aderus brevicornis, new British record. 3046

Adornara Islands (Indonesia), new Nymphalidae from. 1936

Adoretus franzi sp.n. (Col., Scarabaeidae), described. 5006

Adoretus gressitti sp.n., described. 5011

Adoroleptus (Col., Scarabaeidae), syn.n. of Trigonostoma. 4282

Adoxomyia (Dipt., Stratiomyidae),

reviewed and new spp described. 1434 N. American spp keyed. 1434

Adoxophyes euryomis (Lep., Tortricidae), lectotype designated. 5760

Adraneothrips stannardi sp.n. (Thysanopt., Phlaeothripidae), described. 3017

Adrenalin, absence from thoracic ganglia of Anabolia nervosa. 4477

Adzuki-bean weevil, see Callosobruchus chinensis. Aedes (Dipt., Culicidae),

breeding in tree-holes in S. India. 4666 control by ULV applications of concentrated insecticides. 4698

feeding-brushes of larva not homologous to cephalic fans of Simuliidae. 1167

host preferences in Wisconsin, USA. 4752 intercepted in aircraft at Nairobi airport,

Kenya. 4816 varipalpus complex keyed. 3765

RNA-DNA hybridization studies. 4147

Aedes abserratus, storage temperature and RH in relation to egg-hatching. 2639

Aedes aegypti,

alanine and aspartic-acid metabolism in relation to age. 1554

amino-acid composition of ♀ in relation to diet. 1119

amino acids during development. 190

apholate and hempa in relation to nucleic-acid and protein synthesis. 2624

apholate in relation to ovarian biochemistry in susceptible and resistant strains. 714 biotin in relation to fertility. 719 breeding in tree-holes in S. India. 4666 breeding-sites in Kuching area, Sarawak. 5493

circadian rhythm of flight-activity in relation to light. 1232

citrulline in larval instars. 190

CNS in regulation of blood-meal size. 1687

density and species-ratio in competition with Ae. albopictus. 2778

dioxane and dioxaspira derivatives as attractants for males. 1682

egg hatch. 4615

free amino-acid composition and content of ♀♀ in relation to age and diet. 1119, 1641

genetics of esterase 6. 2185

genetics of insecticide resistance. 2851

growth of adapted cell-lines. 1607

growth retardant produced by larvae. 2778 growth of ventral diverticulum during

metamorphosis, 4597 in vitro induction of proteins in cultured

tissue cells. 5864 lactic acid as factor in attraction to human

hosts. 4767 mating ability and duration of sterility in

hempa-sterilized of . 5303 mating behaviour and mating effectiveness in

relation to age. 1218

methyl phenyldiazenecarboxylate azoester in relation to feeding behaviour. 1254 midgut during blood digestion. 644

midgut contents of larvae. 1551

overcrowding factors in relation to larval Culex pipiens quinquefasciatus. 4843

ovicidal aliphatic amines. 2685 permeability of larval peritrophic membrane. 4519

photoperiod factors affecting geographical distribution, 1232

population dynamics in relation to dengue haemorrhagic fever in Bangkok, Thailand. 2145

protein components of matrone. 4643

response to Betalight. 5094

selection for resistance to insecticides. 4169

sense-organs of palps in  $\mbox{$9$}$  . 5202

sensilla sensitive to water-vapour on 9 antenna. 1539

sensillum previously undescribed from 9 antenna. 165

sensillum sensitive to CO<sub>2</sub> concentration on \$\partial \text{maxillary palps. 1539}

soluble proteins of developmental stages. 1134 spectrophotometric method for estimating time since blood-meal. 1688

spiracular behaviour in relation to external conditions. 4504

spiracular responses to  ${\rm CO_2}$  and  ${\rm O_2}$ . 4506 taste sensitivity. 5998

ultrastructure of hindgut of adult \?. 3065 urea excretion in larvae. 190

Aedes albopictus,

breeding-sites in Kuching area, Sarawak. 5493 breeding in tree-holes in S. India. 4666 competitive displacement of Ae. polynesiensis

in laboratory populations. 5467

control agent for Ae. polynesiensis. 4638 density and species-ratio in competition with

Ae. aegypti. 2778 estimation of physiological age. 260 larval head-width for instar determination.

sterility induced in Ae. polynesiensis by crossinsemination with Ae. albopictus. 4638

Aedes annulipes, ecology and biology in Dorset, England. 835

Aedes atropalpus,

kojic acid in relation to larval development.

method for maintenance in laboratory. 5780 scanning electron microscopy of mouthparts. 3922

Aedes canadensis.

larvae and pupae attacked by Entomophthora aquatica sp.n. 1737

pollination of Habenaria obtusata. 816

Aedes cantans.

ecology and biology in Dorset, England. 835 flight periodicity and aerial density in Britain, 2166

Aedes caspius.

ecology and biology in Dorset, England. 835 new for Lahore Division, Pakistan. 4075

Aedes cinereus, ecology and biology in Dorset, England. 835

Aedes communis, pollination of Habenaria obtusata. 816

Aedes (Ochlerotatus) deserticola sp.n., described. 3765

Aedes detritus,

ecology and biology in Dorset, England. 835 flight periodicity and aerial density in Britain. 2166

histology of hindgut and rectal glands. 1552 Aedes dorsalis.

biology and ecology in Dorset, England. 3128 duration of mitotic cycle in brain cells. 1984 successful light-trapping in S. England. 2574

Aedes excrucians,

biology and ecology at George Lake, Alberta, Canada, 2156

gynandromorph. 5525

Aedes fitchii, biology and ecology at George Lake, Alberta, Canada, 2156

Aedes geniculatus, ecology and biology in Dorset, England. 835

Aedes japonicus, ecology of larvae in rock pools in Nagatoro R., Japan. 2165

Aedes (Finlaya) mohani sp.n., described. 1428 Aedes natorii, ecology of larvae in rock pools in Nagatoro R., Japan. 2165

Aedes nigromaculis,

populations in areas of Texas, USA, treated and untreated with ULV malathion. 4831 RE-11775 for control of organophosphateresistant strains. 5354

Aedes notoscriptus, agar-gel immunodiffusion method for blood-meal identification. 3358

Aedes polynesiensis,

Coelomomyces macleayae as parasite of larva in Fiji. 4882

competitive displacement by Ae. albopictus in laboratory populations. 5467

sterility due to cross-insemination with Ae. albopictus. 4638

Aedes punctor, ecology and biology in Dorset, England. 835

Aedes rempeli,

autogeny and stenogamy in Arctic Canada. 4073 new for USSR and larva described. 4432

Aedes (Diceromyia) scanloni sp.n., described. 4301

Aedes scatophagoides, new for Pakistan. 4075 Aedes sollicitans.

intercepted in aircraft at Nairobi airport, Kenya. 4816

nuclear-polyhedrosis virus infection of gut. 2009

paraldehyde-fuchsin technique for neurosecretory system. 4418

Aedes sticticus, biology and ecology. 1191 Aedes stimulans,

development of ? reproductive system. 2655 iridescent virus infecting larvae. 5812 scanning electron microscopy of mouthparts.

Aedes taeniorhynchoides, new for Pakistan. 4075 Aedes taeniorhynchus,

CNS in regulation of blood-meal size. 1687 flight-behaviour and phage-polymorphism. 1239 food quantity in relation to growth. 697 neurosecretory suppression of glycogen

synthesis. 2636 rhythmicity of physiology and metabolism in

immature stages. 697 Aedes (Finlaya) terrens group, revised and new spp described. 3766

Aedes thibaulti, new for USSR. 4927 Aedes togoi, response to Betalight. 5094

Aedes triseriatus,

CNS in regulation of blood-meal size. 1687 growth of ventral diverticulum during metamorphosis. 4597

polyhedrosis virus infections of gut. 2009 spiracular behaviour in relation to external conditions, 4504

spiracular responses to  $CO_2$  and  $O_2$ . 4506 Aedes vexans,

anomalous dimorphism. 685 biology and ecology at George Lake, Aedes vexans, contd.

Alberta, Canada. 2156

nocturnal activity at Utsunomiya City, Japan.

population dynamics in Gunma Prefecture, Japan. 1679

populations in areas of Texas, USA, treated and untreated with ULV malathion. 4831

storage temperature and RH in relation to egg-hatch. 2639

successful light-trapping in S. England. 2574 water uptake and loss by eggs. 2640

Aedes vittatus, hydrolase isoenzymes of Italian and Rhodesian strains and hybrids. 1560

Aedes w-albus, new for Pakistan. 4075

Aedes yusafi, new for Lahore Division, Pakistan.

Aegeria melanocephala (Lep., Aegeriidae), new for Denmark. 2871

Aegeriidae (Lep.),

1312, 1653, 2558, 3526, 5107, 5108, 5113

Aegilips (Hym., Figitidae), immature stages described, 313

Aegilips striolata, biology in N. Germany. 313

Aeglothrips denticulus gen. et sp.n. (Thysanopt., Phlaeothripidae), described. 1482

legus (Col., Lucanidae), new spp described. 5001 regypiphilus gypsis (Mall., Menoponidae), further description. 575

egyptobia (Arach., Acari, Tenuipalpidae), new for New Zealand and S. Hemisphere. 3287

egyptobia pomaderrisae sp.n., described. 3287 egyptobia wainsteini, new for Hungary. 1379

elia acuminata (Hem., Het., Pentatomidae),

diapause induction, 2676

proteolytic activity of saliva on wheat, 210 elia sibirica, proteolytic activity of saliva on wheat, 210

eneolamia varia saccharina (Hem., Hom., Cercopidae), free amino acids and sugars.

enigmatiinae (Dipt., Phoridae), status recognized. 70

enigmephemeridae (Ephem.), phyletic relationships within Siphlonuroidea. 2245

and DDT, toxicity to simuliid larvae. 5472 importance in interactions of Sitophilus zeamays and Rhizopertha dominica. 1718

erobacter (Bacteria), bloating disease of adult Rhagoletis pomonella, 2136

eropteryx linearis (Neur., Myrmeleonidae), described, 3010

erosols, control of Trialeurodes vaporariorum. 5349

eschna, see Aeshna

eschnidae, see Aeshnidae

eschrithmysus (Col., Cerambycidae), of

Hawaiian Islands revised. 3739

Aeshna (Odon., Aeshnidae),

neural patterns associated with ventilatory movements in larvae. 3425

oocyte-envelope formation and yolk-uptake.

sympathetic centres. 1991

Aeshna cyanea,

anal pyramid of larva. 3570

neural projection of visual fields on 1st and 2nd ganglia of eye. 3891

ommatidia. 624

spectral transmission of dioptric apparatus.

stimuli releasing predatory strike in larvae.

Aeshna draco sp.n., described. 5082

Aeshna grandis, new for Romania. 1808

Aeshna mixta, sex-chromosomes and sexdetermination. 912

Aeshna psilus, new for Lesser Antilles. 3830 Aeshnidae,

> 624, 703, 758, 764, 912, 1808, 1943, 1991, 2133, 3425, 3427, 3570, 3830, 3891, 4722,

of M. Auyantepui and Sierra de Lema region, Venezuela. 5082

sex-chromosomes. 912

temperature and photoperiod in relation to larval development. 703

types in British Museum (Natural History), London, England. 1943

Aestivation,

of Apion spp on winter Leguminosae in Israel.

of Coccinella septempunctata. 173

of Culex fatigans and C. pipiens in highveld region of Republic of S. Africa. 756

of Epilachna vigintioctopunctata. 173

of Hypera postica in W. Virginia, USA. 5376

pupal aestivation in relation to energy content in Sierra Leone Sphingidae, 4855

temperature rhythm regulating diapause in Saturnia pyri. 5926

Aetalion (Hem., Hom., Aetalionidae), endosymbionts. 4053

Aetalionidae (Hem., Hom.), 4053

Aethiopomyia (Dipt., Muscidae), revised and patersoni sp.n. described. 539

Afghanistan,

Ethmia revised. 4367

Gelechiidae from. 2528

Mydaidae new for. 5673

Nemopteridae from. 1942

Nemopteridae new for. 1942

new Bethylidae from. 5722

new Bombyliidae from. 4298

new Cerambycidae from. 3300

new Chironomidae from. 3317

new Ethmiidae from. 4367

new Gelechiidae from. 2528

Afghanistan, contd.

new Mydaidae from. 5673

new Nemopteridae from. 1942

new Pamphagidae from. 5086

new Ulidiidae from. 5687

Afghanocroce vartianorum gen. et sp.n. (Neur., Nemopteridae), described. 1942

**Aflatoxin,** toxicity to Glyciphagus domesticus and Histiostoma sp. 1722

Afrephialtes (Hym., Ichneumonidae), Indian spp described and keyed. 2994 redefined and new synonymy. 2994

Africa.

affinities of Ethiopian and non-Ethiopian Blissinae. 4316

Amarygmini revised. 1834

Amblypygi from. 2877

Anastatus parasitic on pupal Glossina palpalis in W. Africa. 2754

aquatic Insecta of L. Chad and their biology and ecology. 3597

Argas walkerae sp.n. the only Argas (Persicargas) on domestic chickens in Southern Africa. 509

attractiveness of animal baits and  ${\rm CO}_2$  to W. African Culicidae. 2723

behaviour of Southern African Empididae. 3772

bibliography of Trichoptera of Africa and adjacent islands. 4960

Bombyliidae from Sahara borderland. 4297

Brentidae monographed. 18

Catopteryx revised. 4394

Chaetospania keyed. 4293

Coelioxys of C. Africa revised. 113

Contarinia sorghicola present. 436

Culicidae and other Diptera intercepted in aircraft in Kenya. 4816

dispersal of Argas streptopelia sp.n. on avian hosts, 4220

distribution of Agromyzidae associated with Phaseolus vulgaris in E. Africa. 2502

distribution of aquatic Coleoptera in Tropical Africa. 3274

distribution of Cladoxeninae and Languriinae. 5000

distribution of Pediobius furvus, 4055 dytiscid larvae from Southern Africa, 3041 ecology and speciation in Simuliidae, 1356 ecology of Afrotroglorrhynchus on Mt. Kenya.

Elaterinae genera keyed, 5660 epizootiology of African swine fever. 3147 Erigonidae new for E. and C. Africa. 2470 genetics of E. African forms of Danaus chrysippus. 2176

geographical isolation in Gryllidae. 3231 Helopeltis monographed. 2513

Hemilecanium imbricans in Africa  $S_{\star}$  of the Sahara. 1001

hosts of Palexorista quadrizonula, 4054 karyotypes and meiosis in Eumastacidae from E. Africa, 6075

Linyphiidae new for E. and C. Africa. 2470 Lymexylonidae of Musée Royal de l'Afrique

Centrale, Tervuren, Belgium. 2878

Mayrencyrtus new for. 5724

Membracidae of Gerstaecker. 561 Mylabrini of N. Africa and Middle East

revised. 4280 N. African genera of Melicharellini keyed.

new Anthophoridae from. 1446

new Bethylidae from. 1448

new Bombyliidae from Sahara borderland. 4297

new Carabidae from C. Africa. 5624

new cave-dwelling Phaeophilacris from Tropical Africa. 363

new Cicadellidae from N. Africa. 5699

new Delphacidae from. 1897

new Empididae from Southern Africa. 3772

new Ereynetidae from. 3284

new Erigonidae from E. and C. Africa. 2470

new Eumenidae from Spanish Sahara. 3339

new Hydrachnellae from C. Africa. 10

new Languriidae from. 5000

new Linyphiidae from E. and C. Africa. 2470  $\,$ 

new Lycaenidae from Tropical and Equatorial Africa. 1466

new Lygaeidae from. 4318

new Nymphalidae from. 4381

new Pentatomidae from W. Africa. 5711

new Pselaphidae from C. Africa. 3307

new Pteromalidae from. 1925

new records of Anoplura. 2745

new records of Eumenidae from Spanish Sahara. 3339

new Scarabaeidae from. 3310, 5650

new Staphylinidae from. 3312, 5653

new Tettigoniidae from. 4394

occurrence and ecology of Formicidae in great dunes of N.W. Sahara. 4827

occurrence of Argas persicus in Southern Africa doubtful. 509

origin of insect fauna of L. Chad. 3597 Oxycarenus revised and keyed. 4318

phylogeny of Southern African Empididae. 3772

Pithitis sp groups defined, 2988

Pseudosphingonotus paradoxus new for. 5764 Scolytidae of Cedrus in N. Africa. 3159

S. African Gymnopleurus, Allogymnopleurus and Garreta keyed. 529

Tiphiinae types in British Museum (Natural History) and at Oxford University, England.

water level in relation to larval chironomid communities of L. Kariba. 4087

African elephant, see Loxodonta africana African swine fever, epizootiology in Africa. 3147

1715

- Afroccidens lodosi gen. et sp.n. (Hem., Hom., Cicadellidae), described. 557
- Afrodromia gen.n. (Dipt. Empididae), established. 3772
- Afroempis gen.n. (Dipt. Empididae), established. 3772
- Afrohybos gen.n. (Dipt. Empididae), established. 3772
- Afroneta gen.n. (Arach., Aran.), established. 2470
- Afropeltis subgen.n. (Hem., Het., Miridae), established within Helopeltis. 2513
- Afrosorius (Col., Staphylinidae), new spp described. 3312, 5653
- Afrotroglorrhynchus (Col., Curculionidae), ecology on Mt. Kenya, Africa. 1715
- Agabus congener (Col., Dytiscidae), biology and larva, 142
- **Agabus melanocornis,** German and Palaearctic distributions reviewed. 2489
- Agabus uliginosus, biology and larva. 142
  Agallia (Hem., Hom., Cicadellidae), new spp
- Agallia (Hem., Hom., Cicadellidae), new spp described. 5042
- Agallia constricta, multiplication and cytopathology of wound tumour virus. 3984
- Agalliopsis (Hem., Hom., Cicadellidae), new spp described and partial revision. 5045, 5046
- Agama stellio (Lacertilia), behaviour of Hyalomma aegyptium. 4774
- Agamopus (Col., Scarabaeidae), American taxa revised and keyed. 5649
- Agaonidae (Hym.), 99, 1707, 2128
- from Ficus gnaphalocarpa. 2128
  Agapeta (Lep., Cochylidae), revised. 118
- Agapetus fuscipes (Trich., Glossosomatidae),
  - time of emergence from a stream in N. Wales.
- Agapythinae subfam.n., established in Phloeostichidae fam.n. 964
- Agasicles sp.n. (Col., Chrysomelidae), hostplant specificity. 2763
- Agathapyo foveicollis (Col., Phloeostichidae), larva. 964
- Agathis pumila (Hym., Braconidae), ecology in relation to Chrysocharis laricinellae on Coleophora laricella. 6005
- Age,
  - absence of programmed ageing in normotypic cultures of Drosophila imaginal discs.
  - acetylcholinesterase and cholinergic system in relation to physiological ageing in Apis mellifera, 1196
  - age-dependent behaviour in Zeiraphera diniana. 1028
  - age distribution in laboratory populations of Acarus siro. 1303
  - age sensitivity of wing abnormalities in larval Tribolium confusum. 705 ageing in Brachinus. 284

- ageing of Cubitermes severus colonies in Ivory Coast. 350
- ageing and temperature in Macrocheles peniculatus, 3996
- in relation to alanine and aspartic acid metabolism in \$\mathbb{2}\$ Aedes aegypti. 1554
- alcohol dehydrogenase in relation to age in Drosophila melanogaster. 1632
- and antennal responsiveness to sex-pheromones in of Trichoplusia ni. 4489
- and attachment rate in Amblyomma americanum. 4780
- in relation to carbohydrate metabolism in Calliphora erythrocephala, 3943
- In relation to chemical response to hosts in Atemeles pubicollis. 3422
- cholinergic system in relation to ageing. 1196 and crossover frequency in d Drosophila ananassae. 1765
- and DDT susceptibility of larval Culex fatigans.
- and diapause induction in Aelia acuminata.
- in relation to ERG of pupal and adult Tenebrio molitor. 1538
- and fatty-acid composition of larval lipid in Acheta domestica. 3507
- and feeding behaviour in Glossina morsitans submorsitans and G. tachinoides. 2729
- and P reproductive system in Musca vetustissima. 687
- and flight-activity in Drepanosiphum platanoides.
- and flight tendency in single-reared Schistocerca gregaria. 5831
- in relation to free amino acids of ♀ Aedes aegypti. 1119, 1641
- in relation to heart of Drosophila repleta. 2615
- host age and parasitism by Trichogramma minutum. 2750
- larval age-range and survival of Tribolium castaneum strains in mixed cultures. 4086
- larval Arrenurus agrionicolus as age indicators in Cercion hieroglyphicum, 3034
- and of response to sex-pheromone in Trogoderma granarium. 270
- and Malpighian tubules in Drosophila melanogaster. 3446
- maternal age in relation to carbohydrate content of Aulocara elliotti eggs. 722
- in relation to mating in \$\varphi\$ Aedes aegypti. 1218 and mating-propensity in Drosophila persimilis. 731
- in relation to mating success in Glossina morsitans orientalis. 1650
- method for determining in Corixidae. 2053
- and multiple molecular forms of esterase in Periplaneta americana, 4530
- and O2-consumption in larval Anax junius. 3427

Age, contd.

optimum mating age in Musca autumnalis. 4665

in relation to oviposition and egg-hatch in Musca autumnalis. 5316

parental age in relation to egg size, development duration and thorax size in Drosophila melanogaster, 1175

photoresponse and age in adult Apis mellifera ligustica, 3421

physiological age of Culex fatigans in relation to Wuchereria bancrofti transmission. 725

physiological age in Culex pipiens pallens and Aedes alboptictus. 260

physiological age estimation in Simuliidae. 5907

and protein metabolism in Drosophila melanogaster. 664

radiation-induced life-shortening and natural ageing in Drosophila melanogaster. 5291

rearing density in relation to larval age structure in Drosophila melanogaster, 4172

and reproductive behaviour in Anagasta kuehniella. 5939

and respiration rate in larval Hypoderma bovis. 5311

in relation to respiration and transpiration in Anthonomus grandis. 3464

and segregation distortion in Drosophila melanogaster. 4134

in relation to sex-pheromone release by ♀ Tenebrio molitor. 666

and spontaneous sex-linked recessive lethal mutations in Drosophila melanogaster spermatozoa, 410

and succinate dehydrogenase activity of mitochondrial preparations of Musca domestica, 3941

and take-off activity of Acanthoscelides obtectus. 5847

and taste sensitivity in Aedes aegypti. 5998 temperature in relation to X-chromosome non-disjunction in eggs of aged Drosophila melanogaster \$9.889

and temperature sensitivity in Hypera postica. 1257

in relation to water and fat content of adult Drosophila melanogaster. 5889

Agelena labyrinthica (Arach., Aran., Agelenidae), prey location. 633

systematic deviations from homing direction during visual orientation. 3905

trichobothria in prey location. 633 ultrastructure of sperm flagellum. 5276

Ageniaspis fuscicollis praysincola (Hym., Encyrtidae), parasitic on Prays oleae in Mediterranean Basin. 320

Ageratum conyzoides (Compositae), winter

food-plant of Diacrisia obliqua in E. Pakistan. 1228

Aggregation,

behaviour in Amphipyra pyramidoides. 3904 of Collem. in Pinus sylvestris forest soil in Perthshire, Scotland. 2162

pheromone masking in Dendroctonus pseudotsugae. 1725

site-odour sexual stimulation in Lucilia cuprina and Drosophila melanogaster. 2690

Aglais urticae (Lep., Nymphalidae),

from Faroe Is., North Sea. 6138 toxicity of DDT and dieldrin for larvae. 1714

Aglaopteryx absimilis montana subsp.n. (Blatt., Blattidae), described. 56

Aglenus brunneus chilensis subsp.n. (Col., Colydidae), described. 4274

Agnesiella gen.n. (Hem., Hom., Cicadellidae), established. 5696

Agonoderus comma, methyl bromide, heptachlor and furadan in relation to populations. 825

Agonum (Col., Carabidae), partly phytophagous.
783

Agonum dorsale, predaceous on Oscinella frit larvae in oats. 2695

Agramma laeta (Hem., Het., Tingidae), ecological distribution in chalk grassland in Bedfordshire, England. 2782

Agraulis (Lep., Nymphalidae), available names. 3818

Agraulis vanillae, citations and synonyms. 3818 Agrilodia (Col., Buprestidae), new subsp described. 3298

Agrilus (Col., Buprestidae),

ecology in relation to Acer spp and Gleditsia triacanthos. 2764 new synonymy. 5621

Agrilus ater, biology and ecology in relation to Populus in USSR. 1658

Agrilus (s.str.) lanzarotensis sp.n., described.

Agrilus masculinus, Gleditsia triacanthos new host for. 2764

Agriogomphus (Odon., Gomphidae), complex discussed and Ischnogomphus included in. 5763

Agrion equabile (Odon., Agriidae), new for Newfoundland, Canada. 942

Agrion ornatum.

distribution in Europe and Middle East. 3038 larva described. 3038

tarsal spines in prey capture. 3038

 $\begin{array}{c} \textbf{Agrion puella,} \\ \textbf{photo-geotactic angle-transposition.} \\ \\ \textbf{5207} \end{array}$ 

Agrion virgo, regeneration of supernumerary antenna. 3490

Agrionidae, see Coenagrionidae

Agriotes bogatschevi sp.n. (Col., Elateridae), described. 4997 **Agriotes ponticus,** biology and ecology in USSR. 1659

Agriphila (Lep., Crambidae), aeneociliella and poliella new for Romania. 1932

Agrobacterium radiobacter (Bacteria), fate in gut of larval Bibio marci. 3919

Agrochola (Lep., Noctuidae), dispersal of circellaris and macilenta in Basses-Pyrénées, France, 334

Agromyza alnivora sp.n. (Dipt., Agromyzidae), described, 5022

Agromyza orobi, adaptation to the leaf-mining habit. 1706

Agromyzidae (Dipt.),

136, 147, 1421, 1706, 2125, 2502, 3587, 5022, 5097, 5216, 6016

hosts of Opius pulicariae sp.n. in GDR. 1449 Opiinae from in Poland. 4936 taxonomic changes in European spp. 5022

Agropyron repens (Compositae),

ecology of Abacarus hystrix and Aculodes mckenziei in Ohio, USA. 2769 ecology of Eriophyidae in Ohio, USA. 2769

Agrothereutes australis (Hym., Ichneumonidae),

\$\phi\$ described and valid spp reviewed, 110

Agrothereutes lanceolatus, parasitic on conifer type of Dechocrocis punctiferalis. 1272

Agrothrips insolitus sp.n. (Thysanopt., Phlaeothripidae), described. 3017

Agrotidae, see Noctuidae

Agrotiphila Grote 1875 (Lep., Noctuidae), proposed recognition of generic name. 1016

Agrotiphilus colorado Smith 1891 (Lep., Noctuidae), proposed designation as type-sp of Agrotiphila. 1016

Agrotis (Lep., Noctuidae), seasonal differences between activity periods in relation to competition for nectar. 5986

Agrotis fucosa, diapause induction and egg and larval development. 2071

Agrotis infusa, at Palmerston North, New Zealand, in 1968. 3697

Agrotis ipsilon,

biology of Microplitis feltiae in relation to. 4713

diapause induction and egg and larval development. 2071

new host for Microplitis feltiae. 4713 time of flight in Egypt. 6059

Agrotis segetum,

6-methyl uridine and l-methyl-2mercaptomidazole in relation to moulting and diapause. 5293

temperature in relation to development of Plistophora schubergi noctuidae in. 5158

**Agrotis venustula,** biology and ecology in Hungary. 4031

Agrypnia pagetana (Trich., Phryganeidae), salinity preference and tolerance of larvae. 362

Agulla (Megal., Raphidiidae), new synonymy. 129

Agulla xanthostigma, in N.E. Danube Delta, Romania. 2228

Air,

barriers for control of Musca domestica. 4472

composition in relation to stored-product insects. 5257

forced air for separating pupal Musca domestica from rearing medium. 5109

Aircraft, carriers of Culicidae within and between continents. 4816

Aixaphis gen.n. (Hem., Hom., Aphididae), established. 5689

Akephorus (Col., Carabidae), S. American spp transferred to Dyschirius. 3736

Aklerobunus (Myriap., Diplop., Paradoxosomatidae), revised and uganonus shirensis subsp.n. described. 1025

Akotettix (Hem., Hom., Cicadellidae), Banosa syn.n. of. 5694

Alamella kerrichi sp.n. (Hym., Encyrtidae), described. 5724

Alamirinae (Dipt., Phoridae), recognized. 70 Alamine,

biosynthetic pathways in wild and blackpuparium strains of Musca domestica. 204

glutamic acid in relation to alanine concentration in Drosophila melanogaster, 5235

haemolymph concentration in larval Sarcophaga bullata. 3459

metabolism in relation to age in  $\mbox{$\mathbb{P}$}$  Aedes aegypti. 1554

metabolism in wild-type and lethal mutant larvae of Drosophila melanogaster. 664 in relation to phenylalanine and glucose catabolism in Drosophila melanogaster. 1561

 $\beta$ -Alanyl-L-tyrosine (sarcophagine),

concentration in larval Sarcophaga bullata.

in development of Sarcophaga bullata. 184 in relation to puparium formation in Sarcophaga bullata. 3459

Alaotypus maenamii sp.n. (Cot., Elateridae), described. 527

Alarm.

behaviour of Bia actorion, 4819 behaviour of larval Notonecta glauca and N. lutea, 3426

isosteres of 2-heptanone and behaviour of Conomyrma pyramica. 3562

release of preening in Blaberus craniifer. 4563

Alastor Lepeletier 1841 (Hym., Eumenidae), made official. 3801

Alastoroides de Saussure 1856 (Hym., Eumenidae), made official. 3801

Alathrips gen.n. (Thysanopt., Thripidae), established. 4404

Alauda arvensis (Aves)(lark), population dynamics of Siphonaptera in nests in Belorussia, 1809

Albareda parabates (Lep., Pyralidae), development, 3095

Albizzia (Læguminosae), host of Empoasca albizziae sp.n. in Bangladesh and Pakistan.

## Albumin.

bovine serum albumin in relation to inhibition of microsomal mixed-function oxidases in Prodenia eridania, 3930

egg albumin in relation to egg hatch in Urbanus proteus. 5312

Alcaligenes faecalis (Bacteria), fate in gut of larval Bibio marci. 3919

Alcohol dehydrogenase,

and age in Drosophila melanogaster. 1632 gene-enzyme polymorphism in natural population of Drosophila melanogaster and D. simulans. 902

genotype frequency in relation to egg-toadult viability of Drosophila melanogaster. 883

## Aldicarb,

control of nematodes and insects in potatoes. 4692

control of Trialeurodes vaporariorum. 5349 longevity and fecundity of Anthonomus grandis exposed to sublethal doses. 5302 Aldolase.

activity in flight muscle in Glossina morsitans and Sarcophaga nodosa. 3067 amino-acid composition of pupal aldolase

## Aldrin,

development of resistance in Psila rosae in E. Anglia, England. 338, 339 in relation to development of Tegenaria

atrica. 3923

of Drosophila melanogaster. 1571

enzymes effecting epoxidation in larval Prodenia eridania. 220

epoxidation activity in relation to DDT and phenobarbital in Aedes aegypti cells. 5864 oxidative metabolism in Musca domestica. 221 sesamex in relation to toxicity and metabolism of photoaldrin in Musca domestica. 5230

resistance in Hylemya platura in Illinois, USA. 2810

and soil invertebrate populations. 1721 toxicity to larval Euxoa messoria. 5182

Alenapthirus spinosissimus gen. et sp.n.
(Anopl., Hoplopleuridae), described. 2475

Aleochara albovillosa (Col., Staphylinidae), in Strix aluco nest in Norway, 1690

Aleochara bilineata, parasitic on Hylemya brassicae and H. floralis in Norway. 1702 Aleochara diversa, new for Britain and key to

British spp of group. 2202

Aleochara tristis, predation on Musca autumnalis.

Aleochara verna, new for Britain. 2203

Aleocharinae (Col., Staphylinidae),

integumentary glands and integration with host. 214

relationship between Perinthina and Corotocini. 4287

Aleiodes (Hym., Braconidae), raised to genus. 1908 Aleucis distinctata (Lep., Geometridae), new for

Portugal, 6136
Aleurocanthus spiniferus (Hem., Hom.,

Aleyrodidae), life-cycles and overwintering stages at Ooshima, Japan. 4729

Aleurochiton pseudoplatani (Hem., Hom., Aleyrodidae), taxonomy. 4326

Aleurotrachilus citri (Hem., Hom., Aleyrodidae), association with Gynaikothrips ficorum in leaf-rolls on Ficus nitida. 6047

Aleyrodes (Hem., Hom., Aleyrodidae), taxonomy of lonicerae and proletella. 4326

Aleyrodidae (Hem., Hom.),

1177, 2516, 3784, 4326, 4729, 5221, 5338, 5349, 5351, 6047, 6052

of C. Asia and Kazakhstan, USSR. 4326 parasites of on citrus in Israel. 5578

seasonal populations on Gossypium in Egypt. 6052

Alfalfa, see also Medicago sativa

biology of Hypera postica in N.E. Mississippi, USA. 2708

host-plant preference and temperature in Therioaphis maculata. 2768

Alfalfa seed, uric acid analysis for evaluation of Bruchophagus raddi infestation. 1962

Alfalfa seed chalcid, see Bruchophagus raddi Alfalfa weevil, see Hypera and Hypera postica Algae,

dispersal by aquatic insects. 4131 dispersal by Lethocerus uhleri in Texas, USA. 3169

food of larval Trichoptera. 3542

Algarobius prosopsis (Col., Bruchidae), of genitalia. 1164

# Algeria,

Atomyria new for. 2477

Contarinia sorghicola probably present. 436 Nabidae from. 3328

new Anobiidae from. 3731

new Apidae from, 4340

new Cantharidae from, 3734

new Carabidae from. 5622

new Chrysomelidae from. 2477

new Formicidae from. 4355

new localities for Aphaenogaster praedo and A. rupestris. 1733

# Aliesterase,

activity in relation to DDT, metepa and diazinon in Musca domestica. 712

liesterase, contd.

activity in eggs and adults of Musca domestica. 712

activity in resistant and susceptible strains of Chrysomya putoria, 1158

in Culex pipiens fatigans. 2020

and DEF-potentiation of malathion toxicity in Anthonomus grandis. 5159

modification of properties by selection in Chrysomya putoria. 1158

in Musca domestica susceptible and resistant to organophosphates. 3961

in relation to ootheca production and vitellogenesis in Blattella germanica. 711

recovery in organophosphate-treated Musca domestica. 5905

limentary system,

ascorbic acid synthesis in Periplaneta americana. 178

of Cardiochiles nigriceps. 2616

of Serrodes inara. 181

of Tetrigidae, 170

lioranus avanturus sp.n. (Arach., Aran., Micryphantidae), described, 5618

lkali bee, see Nomia melanderi Ikanes, cuticular alkanes of Atta colombica,

lkylating agents,

and mutational response of spermatozoa after storage, 394

patterns of mutations induced in Drosophila melanogaster. 397

lkylation, storage of spermatozoa of Drosophila melanogaster in relation to mutagenicity of monofunctional alkylation. 3222

Ikylsulphonates, chemosterilants of of Bracon hebetor. 258

llacta (Blatt., Blattellidae), new spp described. 3756

llantoic acid.

end-product of uric-acid degradation in Schistocerca gregaria. 3451

in faeces of Atta colombica tonsipes. 1689

llantoin, in faeces of Atta colombica tonsipes.

llantoinase, activity in adult Schistocerca gregaria.

lleculidae (Col.), 2092, 5463

biological bases for control in the USSR. 5463

Henic ketone, of Acrididae synthesized. 185

llergy,

in relation to Dermatophagoides pteronyssinus numbers and house-dust, 1308

to hairs of Tenebroides mauretanicus and Ephestia sp. 5515

possible involvement of Ixodoidea in Switzerland, 4187

lethrin, laboratory tests on larval Hemerocampa pseudotsugata, 5353

Alligatorweed flea beetle, see Agasicles

Allium cepa (Liliaceae) (onion),

host of Eumerus strigatus. 291 phenology and population size of Thrips

tabaci in Hungary. 3616

susceptibility of varieties to Thrips tabaci.

Thrips tabaci involved in transmission of yellow dwarf virus in Hungary. 3616

Allium sativum (Liliaceae), host of Eumerus strigatus. 291

Allium ursinum (Liliaceae), Cheilosia fasciata associated with. 2955

Allochernes (Arach., Pseudoscorp.), morphology and growth of flagellum, 145

Allochernes dubius, life-cycle, phenology and

longevity. 4854 Allochernes elbursensis sp.n., described, 4249

Allochotes yuwanensis (Col., Cleridae), described. 525

Allodape facialis (Hym., Anthophoridae), type-sp of Braunsapis gen.n. 1446

Allodape nigrinervis, type-sp of Halterapis gen.n. 1446

Allodape palliceps, type-sp of Allodapulodes gen.n. 1446

Allodapulodes gen.n. (Hym., Anthophoridae), established. 1446

Allodontermes (Isopt., Termitidae), new for Senegal. 1929

Allognosta (Dipt., Stratiomyidae), new spp described. 2507

Allograpta obliqua (Dipt., Syrphidae), abundance on cabbage in S. California, USA. 5479

Allogymnopleurus (Col., Scarabaeidae), S. African spp keyed. 529

Allometry,

in Dorylinae. 686

exponential and power functions for study of allometry, 686

in Formica japonica. 3483

growth in embryonic Ornithacris turbida.

in larval development of Draeculacephala mollipes. 4711

size allometry in Leptophlebia cupida. 5459

Allomones, exocrine products in robbing bees and ants. 5260

Alloneura lyneborgi sp.n. (Dipt., Pipunculidae), and of of nigronitida described. 72

Alloneura oryzaetora, parasitization in relation to larval Nephotettix cincticeps. 4434

Allopauropus (Myriap., Pauropoda), ultrastructure of antennal flagellum and glomerulus. 1981

Alloperla deminuta sp.n. (Plec., Perlidae), described. 5768

Allopiopsis ingeniosa sp.n. (Dipt., Mycetophilidae), described. 1874

Alloprosopaea algerica (Dipt., Tachinidae), new for Mongolia. 1435

Allos maitia pion (Lep., Lycaenidae), new for USA. 4950

Allothrombium lerouxi (Arach., Acari, Trombidiidae), reproductive system. 3974

Allygidius sp (Hem., Hom., Cicadellidae), new for Egypt. 6052

Allyl isothiocyanate,

attractant for Phyllotreta cruciferae and Ph. striolata. 4763

and fecundity in Plutella maculipennis. 2077

Almond moth, see Cadra cautella

Almunisna bulbosa gen. et sp.n. (Hem., Hom., Cicadellidae), described. 1894

Alniphagus aspericollis (Col., Scolytidae),

life-history and habits in S.W. British Columbia, Canada. 2099

Alnus (Betulaceae),

host of Dechtiria turbidella at Wicken Fen, England. 5586

leaves as food substrate for Oniscus and Julida. 2822

preferred food substrate for larval Peltoperla maria, 4755

Rhynchaenus testaceus a miner of. 5642 Alnus glutinosa, cytology and development of gall of Eriophyes brevitarsus. 4057

Alnus incana, host of Agromyza alnivora sp.n. 5022

Alnus rubra, life-history of Alniphagus aspericollis. 2099

Alopecurus pratensis (Gramineae), Contarinia merceri and Dasyneura alopecuri attacking seeds in Poland, 5435

**Alphitobius (Col., Tenebrionidae),** diaperinus and laevigatus differentiated. 4427

Alphitobius diaperinus,

Salmonella and Escherichia coli in poultry brooder-house populations, 4520 sex-ratio, 2072

temperature in relation to development, 2072

Alps,

application of Gloger's rule to Collembola of Switzerland, 2797

new Chironomidae from. 2503

new Cymatophoridae from. 5064

soil-living Palpigrada recorded from for first time. 5523

Altagonum sedlaceki sp.n. (Col., Carabidae), described. 2897

Alternanthera phylloxeroides (Potamogetonaceae), food-plant of Agasicles sp.n. 2763

Alternaria sp (Fungi), ingestion and transmission by adult Musca domestica. 3564

Althaea (Malvaceae), development of Phytoseius plumifer. 2710

Althaea rosea, overwintering host for Aphis gossypii. 6017

Altica carduorum (Col., Chrysomelidae), released against Cirsium arvense in Canada. 4068 Alticinae, see Halticinae Altitude.

> biological effects in Palaeolecanium bituberculatum in Armenian SSR, USSR. 4825

distribution of Psychodidae in Italy. 73

habits of synanthropic Diptera in relation to in Tyan'-Shan' Mts., USSR. 4860

and life-histories of Plec. in Lake District, England. 1322

and pigmentation in Collembola, 2797

Alucitidae (Lep.), 2992

Aluminium, penetration of foil by larval Trogoderma inclusum and Tenebroides mauritanicus. 5403

Alvarinus pallidipennis (Col., Melolonthidae), Plectris rectangula syn.n. of, 5005

Alveonasus canestrinii sp.n. (Arach., Acari, Argasidae), described. 12

Alydidae (Hem., Het.), 4103, 5375, 5599

new for Congo-Brazzaville. 5599

Alyssum (Cruciferae), oviposition of Pieris krueperi. 5141

Alytes obstetricans (Amphibia), infection by Lucilia. 5984

Amara (Col., Carabidae), partly phytophagous. 783

Amara (Zezea), Palaearctic spp revised. 5622 Amara chaudoiri transcaucasiens subsp.n., described. 5622

Amara cupreolata, mainly herbivorous. 783 Amara gorevillei sp.n., described. 5622

Amarygmina (Col., Tenebrionidae), genera keyed. 1834

Amarygmini (Col., Tenebrionidae), of Africa revised. 1834

Amathes c-nigrum (Lep., Noctuidae), climbing responses of larva, 2605 response of larva to light, 638

Amathes glareosa, gene-flow and polymorphism in Shetland Islands. 417, 418

Amathes glareosa f.edda, frequency in Shetland Islands. 417

Amathes lychnidis, electroretinogram. 2598 Amaurobiidae (Arach., Aran.), of Tadzhikistan, USSR. 959

Amauronematus (Hym., Tenthredinidae), of Finland discussed and keyed. 4363 new spp described. 4363

Amber,

history, nature and biological significance of Canadian amber. 2243

new Scelionidae from Oligocene Mexican amber. 1927

Scolytidae and Platypodidae from Baltic amber. 5651

- Amblycera (Mall.), differentiation of families and relationships, 5079
- Amblycercus cf. hoffmannseggi (Col., Bruchidae), of genitalia. 1164
- Amblymerus bruchophagi (Hym., Pteromalidae), laboratory rearing and biology, 4705
- Amblymerus (sp.n.?), parasitic on Coleophora laricella in British Columbia, Canada. 3152
- Amblyomma (Arach., Acari, Ixodidae), from Philippines and Bismarck Islands. 2192
- Amblyomma americanum,
  - age in relation to attachment rate, 4780 control by ULV applications of concentrated insecticides, 4698
  - occurrence and hosts in E.C. Oklahoma, USA. 4775
- Amblyomma hebraeum Koch 1844, A. theilerae Santos Dias 1947 synonymous with. 507
- Amblyomma lepidum, accompanying Argas streptopelia sp.n. on avian hosts in Cyprus. 4220
- Amblyomma theilerae Santos Dias 1947, synonymous with A. hebraeum Koch 1844. 507
- Amblypygi (Arach.), 2877, 3525, 4503 similarities with Uropygi in reproductive biology. 3525
- Amblyseius (Arach., Acari, Phytoseiidae), feeding habits, post-embryonic survival and
  - oviposition, 5313
    population changes on orange following
    cessation of spraying, 2807
- Amblyseius fallacis, life-cycle in relation to temperature and photoperiod. 4708
- Amblyseius swirskii, toxicity of acaricides against Phyllocoptruta oleivora to. 5360
- Amblyteles sp (Hym., Ichneumonidae), parasitic on larval Chorizagrotis auxillaris.
  - pathogens of larvae. 802
- Amblythrips (Thysanopt., Thripidae), systematic position. 4404
- Amblyseiulus (Arach., Acari, Phytoseiidae), new spp described. 5616
- Amblytylus nr albidus (Hem., Het., Miridae), from Provence, France. 5705
- Ambrosanolides, required for development of Tarachidia candefacta. 6019
- Ambrosia (Compositae), introduction of Tarachidia candefacta into USSR for control. 6019
- Ambrosia artemisiifolia, host of Pleotrichophorus ambrosiae sp.n. in Pennsylvania, USA. 5691
- Ambrosia beetles, see Scolytidae and Platypodidae Ambrysus magniceps (Hem., Het., Naucoridae), food-pump. 2007
- Ambulicinae (Lep., Sphingidae), genitalia. 121
  Ameletopsinae (Ephem.), relationship with
- Prosopistomatidae. 2246

  Ameletus (Ephem., Siphlonuridae), ecological segregation between spp. 1717

- Ameniinae (Dipt., Calliphoridae), of Philippines, Bismarck Is., New Guinea and Moluccas. 2864
- America,
  - Acanthinus partly revised. 3732, 4257
  - Agalliopsis novella complex revised. 5045 Andrena revised. 1901
  - Arthrolytus of N. America reviewed. 1926
  - Austroperlidae of S. America revised. 1946 authorship of synopses of N. American
  - Rhopalocera published in 1878-1885, 3280 birth and post-birth behaviour in N. American Scorpiones, 4013
  - Caecilius of N. America partly revised. 1948
  - Canthonina revised. 5649
  - Castianeirinae subfam.n. in N. and C. America.  $2469\,$
  - Chamaemyia 'polystigma' of America and Europe probably not identical. 4658
  - chromosome number of N. American Rhopalocera. 866
  - Dimecoenia from America N. of Panama reviewed and keyed. 4303
  - distribution of Amitermes in N. America. 3195
  - distribution of Argas (Persicargas). 4219
  - distribution of Euchloe in N. America. 4117
  - distribution of Lithophane laticinerea in N. America. 3541
  - distribution of Paria in N. America and taxonomy. 4272
  - distribution and rate of spread of Loxosceles reclusa in N. America. 939
  - distribution of Scaphinotus (Brennus) in N. America. 523
  - distribution of Sepedon in N. America. 541 Dryudella revised and keyed. 570
  - Dyschirius of N. America lacking discal elytral setae keyed. 3736
  - Eriophyidae of S. America. 4204
  - Euglossella of C. America revised and new spp described. 5050
  - geographical isolation in Gryllidae of N. and S. America. 3231
  - geographical variation in N. American Lygaeus kalmii and L. reclivatus. 1888
  - Gerstaeckeria new for S. America. 2907
  - Gerstaeckeria occurring N. of Mexico revised, 3304
  - Hybolasioptera new for N. America. 1869
  - $\label{eq:hydracarina new for continental N. America.} 3172$
  - identity of 'beet leafhopper'. 4333
  - immigration of Porthetria dispar from USA into Canada. 3176
  - insects affecting acorns in N. America. 785 karyotype and meiosis in Eumastacidae of S. America. 6075
  - lectotypes and neotypes for N. American Carabidae described by Thomas Say. 2896

America, contd.

Leuctra of N.E. America keyed. 3355 Metamasius ranges extended. 2908 Neotropical and Nearctic Stenodemini

reviewed. 4321

new Aphididae from. 2982

new Braconidae from N. America. 1907

new Caeciliidae from N. America. 1948

new Cerambycidae from C. America. 2899

new Cicadellidae from C. America. 1444

new Clubionidae from N. and C. America. 2469

new Hydrophilidae from C. America. 1411, 2914 new Leiodidae from C. America. 22

new N. American records for Anatis mali stat.

n. and A. quindecimpunctata. 4995

new Saldidae from C. and S. America. 2975 new Staphylinidae from C. and S. America. 5656

new Syrphidae from N. and S. America. 1881

new Tabanidae from C. America. 987

new Thomisidae from N. and C. America. 1397

new World Meloe revised. 3745

N. American Acrididae suitable as hosts for Acridomyia sacharovi and Blaesoxipha lineata.

N. American Euxoa revised. 5752

Pemphiginae associated with roots of conifers in N. America. 553

Pleistocene in relation to N. American insects. 1388

Pleotrichophorus apterous viviparae keyed. 2982

Podoctidae new for. 4980

Pseudoplisus of N. America reviewed. 2999

Psorophora pupae of N. America. 1967

Psychoglypha reviewed. 3356

Rhinomyzini recorded from S. America. 3775

Sciocharis of C. and S. America keyed. 5656

secondary sexual characters in N. American Ips. 1978

semi-spp of Drosophila paulistorum in C. and S. America. 1354

S. American Akephorus transferred to Dyschirius. 3736

Spathius of America N. of Mexico revised and keyed. 4346

tabanid larvae and pupae of eastern N. America. 5680

Thinoseius spinosus new for New World. 3189

Tillomorphini of C. America. 2899 treehole Anopheles of New World revised. 3767

American copper underwing moth, see Amphipyra pyramidoides

American foul brood, in relation to haemolymph proteins of Apis mellifera, 3911

Amerozercon gen.n. (Arach., Acari, Zerconidae), established. 955

Ameroseius (Arach., Acari, Ameroseiidae), new spp described. 4216

Ametropodidae (Ephem.), inclusion of Mesoneta confirmed. 3323

Amides, as excretory product in Lipaphis erysimi. 5858

Amidithion,

contact toxicity to Neodiprion pratti banksianae, N. swainei and Pristiphora erichsonii. 5180 indirect effects on Eutetranychus orientalis.

Amilenus gen.n. (Arach., Opil., Phalangiidae), established. 1398

Amines, aliphatic amines ovicidal for Aedes aegypti. 2685

Amino acids,

amino-acid composition of aldolase of pupal Drosophila melanogaster. 1571

amino-acid composition of rRNA peptides, fibroin and sericin in Bombyx mori. 1570 amino-acid concentration of haemolymph in

relation to larval Bombyx mori. 4509 associated with lipoglycoprotein of larval

haemolymph from Popillia japonica. 5866 and attraction of adult Musca domestica to M. domestica excrement and vomit. 3135

1-carbon pathways in interconversion in Acantholyda nemoralis. 5868

concentration in artificial diet in relation to wing production in Myzus persicae. 4632

concentration in relation to protein synthesis in silk-gland of Bombyx mori. 1140

constitution of peptide chains of haemoglobin CTT-III from Chironomus thummi thummi. 3450

during development of Aedes aegypti. 190 of Dolichopoda geniculata. 176

as energy source in Cardiochiles nigriceps. 3062

of faeces of Atta colombica tonsipes. 1689 during flight in Schistocerca gregaria. 1557 food acceptability for Solenopsis saevissima. 4760

free amino-acid composition and content in relation to age in ? Aedes aegypti. 1119

free amino acids of Formicidae, 2016

free amino acids of haemolymph in Apis mellifer 5226

free amino acids of haemolymph in castrated of of Periplaneta americana. 5232

free amino acids of Musca domestica during metamorphosis. 4647

free amino acids in tissues of ageing  $\mbox{$\mathbb{P}$}$  Aedes aegypti. 1641

glutamic acid in relation to concentration of free amino acids in Drosophila melanogaster. 5235

U-<sup>14</sup>C-glutamic acid for determining nutritionally essential amino acids. 3380 of haemolymph of Dolichopoda geniculata. 176

of haemolymph in Heliothis virescens in relation to parasitism. 3062

of honeydew of Saccharicoccus sacchari. 1114

of host-plant in relation to wing dimorphism in

# Amino acids, contd.

Acyrthosiphon pisum, 1617

incorporation by template-active RNA from Tenebrio molitor, 3072

incorporation by X-chromosome of Rehnia spinosus spermatocyte. 3942

and B-indoleacetic acid for production of Viteus vitifolii galls on Vitis. 325

leucine level in Musca domestica tissues during metamorphosis, 4647

lysozyme injection in relation to amino-acid concentration in Periplaneta americana haemolymph, 1094, 2609

metabolism during egg maturation in Culex pipiens. 726

metabolism of nurse-cell nucleoli in Musca domestica. 723

metabolism and uptake of leucine in Locusta migratoria migratorioides. 1093

methionine and cystine metabolism in Stegobium paniceum and Lasioderma serricorne. 2023

as nitrogen source for fungal symbionts of Xyleborus ferrugineus. 3574

non-enzymatic binding of silk-gland amino-acids to soluble proteins.  $3954\,$ 

phagostimulation in  $\mbox{$9$}$  Chrysops vittatus. 2108

as primary feeding stimulants for Lygus hesperus. 3566

of pupal Glossina palpalis. 3066

of puparium of Lucilia cuprina. 5227

semi-synthetic diet in relation to concentration in larval haemolymph of Pieris brassicae. 1547

sequences of haemoglobin peptides in Chironomus thummi, 881

sequences of peptides from silk fibroin of Bombyx mori. 1125

streptomycin in relation to amino-acid pattern of sericine in Bombyx mori, 4891

and symbionts of Lasioderma serricorne. 790 utilization by Lipaphis erysimi. 5858

utilization by hymphal cells of Rhipicephalus sanguineus in vitro. 1139

of Xyleborus ferrugineus. 3574

Amino-acid naphthylamides, substrates for amino-peptidases in Drosophila melanogaster. 1336

Aminoacyl-tRNA binding enzymes, partial purification from larval Drosophila melanogaster. 4541

Aminoalcohols, ovicidal for Aedes aegypti. 2685 γ-Aminobutyric acid (GABA),

in relation to CNS neurons of Periplaneta americana. 1526

responses of leg preparations of Gromphadorhina portentosa. 4468

# Aminocarb.

control of Epitrix hirtipennis on flue-cured tobacco. 5355 laboratory tests on larval Hemerocampa pseudotsugata. 5353

# Aminopeptidases,

alleles of Lap-D locus and their inheritance in Drosophila melanogaster. 1336

life-cycle distribution and substrates in Drosophila melanogaster. 1336

p-Aminophenol, oxidized by cuticular phenoloxidase from white puparia of Drosophila virilis. 1558

# Aminopterin,

interaction with dihydrofolate reductase from Galleria mellonella. 5865

and morphology in Drosophila melanogaster. 238

and oogenesis and fecundity in Bombyx mori. 1638

Amiota (Dipt., Drosophilidae), abundance in S. Hokkaido, Japan. 2144

Amiota alboguttata, forms elongata and clavata new for Hokkaido, Japan. 2144

Amitermes (Isopt., Termitidae),

distribution in N. America and flightperiods. 3195

new records in Arizona, USA, 3195

Amitermitinae (Isopt., Termitidae), biology of colonies from Ivory Coast. 350

Amlure (propyl 1, 4-benzodioxan-2-carboxylate), attractant for Amphimallon majalis. 4691

# Ammonia,

in faeces of Atta colombica tonsipes. 1689 glutamic acid in relation to concentration in Drosophila melanogaster. 5235 and probing in Stomoxys calcitrans. 4766 sensitivity of Macrocheles muscaedomesticae.

Ammonium acetate, attraction for Rhagoletis pomonella and Tachinidae. 2720

Ammonium salts, as excretory product in Lipaphis erysimi. 5858

Ammophila campestris (Hym., Sphecidae), larval mouthparts. 1977

Ammophila sabulosa infesta, larva described. 1963

Ammotheidae (Arach., Pycnogonida), of Antarctica reviewed. 2473

Amonostherium (Hem., Hom., Pseudococcidae), in Mediterranean Basin. 2977

Ripersia delassusi and Coccus rorismarinus transferred to. 2977

Amorpha canescens (Papilionaceae), effect of extracts on growth and survival in Melanoplus femurrubrum. 3978

Amorphacarus parvus sp.n. (Arach., Acari, Myobiidae), described. 4230

Amphibia, host-feeding association of Culicidae in Wisconsin, USA. 4752

Amphibicorisae (Hem., Het.), histology of rectal glands and hindgut. 1552

Amphibolus linnavuorii sp.n. (Hem., Het., Reduviidae), described. 5704

Amphidasis betularia (Lep., Geometridae), protection of tree-stands by fertilization in GFR. 4797

Amphimallon majalis (Col., Scarabaeidae), new attractants. 4691

Amphinemura (Plec., Nemouridae), new spp described. 3014

spp doubtfully occurring in C. Asia. 1481

Amphinemura sulcicollis, biology and ecology in a stream in the Lake District, England. 1322

Amphipsalta gen.n. (Hem., Hom., Cicadidae), established. 3337

Amphipterygidae (Odon.), types in British Museum (Natural History), London, England. 1943

Amphipyra (Lep., Noctuidae), berbera svenssoni differentiated from pyramidae, 1467

Amphipyra berbera, distribution in Britain. 1806 Amphipyra pyramidae, distribution in Britain. 1806

Amphipyra pyramidoides, resting and aggregation behaviour. 3904

Amphitetis sulcipennis (Col., Curculionidae), ecology in alpine zone of Mt. Kenya, Africa. 1715

Amphizoa isolens (Col., Amphizoidae), pygidial glands. 3134

Amphizoidae (Col.), 3134

Amradiplosis allahabadensis (Dipt., Cedidomyiidae), biology in relation to Mangifera indica. 4023

Amrapalia gen.n. (Hym., Ichneumonidae), established. 5733

Amrasca splendens (Hem., Hom., Cicadellidae), biology in relation to Mangifera indica. 4714

Amritodus gen.n. (Hem., Hom., Cicadellidae), established. 5697

Amylase,

activity in Chrysomphalus aonidum and Aonidiella aurantii, 5238

activity during larval development in Philosamia ricini. 4000

biochemistry and genetics of  $\alpha$ -amylases in 'Amy' strains of Drosophila melanogaster. 2622

in gut of Clavigerella gibbosa. 5853

in gut of last-instar larva of Eublemma amabilis. 2024

in gut of Lygus disponsi. 4526

of hepatopancreas of Heterometrus scaber. 3925

isoenzymes of Musca domestica. 191

in relation to neurosecretion in midgut of Blatta orientalis, 4522

in salivary gland of Lygus disponsi. 2628 in salivary glands of Heteroptera. 2629

Amylostereum areolatum (Fungi), probable fungal symbiont of Sirex noctilio. 1263

Amyrsidea oculeae sp.n. (Mall. Menoponidae), described. 1475 Anabolia nervosa (Trich., Limnephilidae), catacholamine of thoracic ganglia. 4477 diel activity patterns of larvae. 3542

Anabrus simplex (Orth., Tettigoniidae), new for Tennessee, USA. 4951 seasonal dry-weight composition of diet and food preferences. 4772

Anacanthiocnemis linnavuori sp.n. (Hem., Het., Reduviidae), described. 997

Anaceratagallia (Hem., Hom., Cicadellidae), new sp described. 5042

Anaceratagallia laevis, new for Egypt. 6052 Anacharis (Hym., Figitidae), immature stages. 313

Anacharis ensifera, biology in N. Germany. 313 Anaclinusa lopesi gen. et sp.n. (Dipt., Phoridae), described. 5674

Anacridium aegyptium (Orth., Acrididae), stimulatory effect of antennae on phototaxis.

Anadastus (Col., Languriidae), new spp described. 5000 spp new for Ivory Coast. 40

Anaea phoebe (Lep., Nymphalidae), \$\varphi\$ described for first time. 5071

Anagasta kuehniella (Lep., Phycitidae), cytochemistry of Y-chromosome in

trophocytes. 3048 duration of DNA-synthesis in developing wing-discs. 713

ecdysis and number of larval instars. 5985 ecology in flour-mills in Cairo, Egypt. 6033 effect of age, photoperiod and light-intensity on sex behaviour. 5939

effect of changing nucleator numbers on freezing-temperature distribution. 5884

genetic effects of DNA with respect to eye colour and tryptophan pyrrolase, 3655

histopathology of Biotrol BTB process 183 in larvae. 3468, 3469

light-conduction and image perception in eye. 1076

mortality factors in the laboratory. 4111 predator of Blattisocius tarsalis eggs. 4111 retarding effect of Bacillus thuringiensis on fecundity. 5306

scale-development on forewing in Us-mutant. 3865

tyrosine changes in Us and He mutants. 3865 uptake of DNA by eggs. 3513

Anagrini (Hym., Mymaridae), key to genera. 3807 Anagrus sp (Hym., Mymaridae),

parasitic on Edwardsiana crataegi and E. frogatti eggs in Tambov region, USSR. 2093 parasitic on eggs of Sogatella furcifera on rice in India. 1276

Anagrus nr. flaveolus, rate of parasitism of delphacid eggs. 5106

Anagyrina (Hym., Encyrtidae), of Hawaiian Is. revised. 3800

Anagyrus (Hym., Encyrtidae),

Nesoanagyrus subgen.n. for A. major. 3800 non-endemic Hawaiian spp keyed. 3800 parasitism of burelli and subalbipes in Pseudococcus comstocki. 315

Anagyrus ceroplastae, transferred to Mayrencyrtus. 5724

Anagyrus mirzai, biology. 288

Anal pyramid, use by larval Aeshna cyanea for prey capture. 3570

Anamalaia nathani gen. et sp.n. (Lep., Pyralidae), described. 2533

Anamesacris (Orth., Acrididae), key to spp. 5764 Anaphes flavipes (Hym., Mymaridae),

biological evaluation of 5 European cultures. 5363

container for release from parasitized eggs of Oulema melanopus. 5100

development in relation to temperature and superparasitism. 2677

development in X-irradiated Oulema melanopus eggs. 4784

post-release dispersal and effectiveness. 4834

Anaphes tarsalis sp.n., described. 3343

Anaphothrips (Thysanopt., Thripidae), 2nd-instar larva described for first time. 5597

Anaphothrips atroapterus, not a British sp. 3272

Anaphothrips obscurus, sex-index and populations on cereals in Finland, 1309

Anaphothrips validus, new for Britain. 5597

Anaplasma marginale (Protozoa), fluorescent antibody method for recognition in Dermacentor andersoni, 4788

Anaplecta (Blatt., Anaplectidae), new spp described.

Anaplectoidea (Blatt., Anaplectidae), new spp described. 3756

Anarsia guiera sp.n. (Lep., Gelechiidae), described. 571

Anastatus sp (Hym., Eupelmidae), parasitic on pupal Glossina palpalis in W. Africa. 2754

Anastoechus (Dipt., Bombyliidae), new spp described. 4297

Anastoeelus (Dipt., Bombyliidae), Palaearctic taxa and new sp described. 4298

Anastrepha ludens (Dipt., Tephritidae), control by induced sterilization. 1298 flight-mill for studying, 135

**Anastrepha suspensa,** laboratory culture and life-history. 4315

Anatis (Col., Coccinellidae), aberrations and new N. American records. 4995

Anatis ocellata, predaceous on Choristoneura pinus in Michigan, USA. 3615

Anatis ocellata mali, raised to species. 4995

Anatolica atshitmura sp.n. (Col., Tenebrionidae), described. 532

Anax guttatus (Odon., Aeshnidae), captures at weather-station "Tango' in the Pacific, 2133

Anax imperator, neural patterns associated with ventilatory movements in larvae.

Anax junius,

larval biology in S. Minnesota, USA. 758

O<sub>2</sub>-consumption in larvae. 3427 status in S. Minnesota, USA. 758

time of spring emergence in C. Pennsylvania, USA. 4722

Anax parthenope julius, captures at weatherstation "Tango' in the Pacific. 2133

Anaxipha (Orth., Gryllidae), predator of Leptocorisa oratorius in Sarawak. 4103

Anchirithra viettei sp.n. (Lep., Lasiocampidae), described. 4371

Ancistronycha (Col., Cantharidae), key to related genera. 4261

Anconatus gilletei (Hem., Hom., Aphididae), transferred to Siphonophoroides. 5689

Ancylis (Lep., Olethreutidae), new spp described. 1021

Ancylolomia (Lep., Crambidae),

Chilo locupletellus transferred to. 5757

Oriental spp revised and new spp described. 5757

Ancylolomia chrysographella, Jartheza responsella syn.n. of 5757

Ancyrophorus strandi (Col., Staphylinidae), not a British sp. 2922

Ancystrocheira porphyrica gen. et sp.n. (Lep., Tineidae), described. 1473

Andaman Islands (Indian Ocean), new Cerambycidae from. 3300

new Nymphalidae from. 1936

Andiella spathacea (Collem., Sminthuridae), transferred to Deuterosminthurus. 4981

Andorra, new records of Formicidae. 3639

Andrena (Hym., Andrenidae),

abundance, phenology and flower preferences in Hokkaido, Japan. 2163

new for Israel. 5719

new taxa described. 5719

subgenera Plastandrena, Aporandrena and Charitandrena revised.

1901

subgenus Charitandrena recorded from W. Hemisphere for first time. 1901 **Andrena albofasciata,** pollination frequency for Medicago sativa. 5449

Andrena astragalina, distribution in Hokkaido, Japan. 2163

Andrena bipartita, a variety of nigroaenea. 4340 Andrena bodemeyeri sp.n., described. 4340

Andrena confinis, a large population in Wiltshire, England. 5521

Andrena hypopolia, syn.n. of A. numida. 4340 Andrena morio, labro-maxillary complex. 1973

Andrena nigroaenea, A. bipartita Lepeletier a variety of. 4340

Andrena numida, A. hypopolia syn.n. of. 4340 Andrena ovatula, pollinator of Medicago sativa in Hungarian Great Plain. 1280

Andrena sublevigata, distribution in Hokkaido, Japan. 2163

Andrena (Charitandrena) toluca sp.n., described. 1901

Andrenidae,

1280, 1901, 1973, 1977, 2163, 4340, 5215, 5449, 5521, 5719

abundance, phenology and flower preferences in Hokkaido, Japan. 2163 rectal pads. 5215

Andrewesella kuscheli sp.n. (Col., Carabidae), described. 2895

Andricus (=Cynips) (Hym., Cynipidae), oak-galls in Méhes collection in Museum of Natural History, Budapest, Hungary. 1278

Andricus brunneus, Arthrolytus muesebecki sp.n. reared from gall. 1926

Androctonus australis (Arach., Scorp.), haemolymph sugar content. 5851

Androgenesis, artificial androgenesis in Bombyx mori. 5552

Androlaelaps fahrenholzi (Arach., Acari, Laelapidae), Ondatra zibethica new host. 2746

Androlaelaps pakistanicus sp.n., described. 4228 Andropogon sp (Gramineae), food-plant of Proceras venosatus in Japan. 1281

Andropogon bicornis, life-history of Saccharosydne saccharivora in Jamaica and British Honduras, 2719

Andropogon glomeratus, host-plant of Saccharosydne saccharivora in Jamaica and British Honduras, 2719

Androprosopa larvata (Dipt., Thaumaleidae), European distribution, 2958

Δ<sup>1,4</sup>-Androstadien-17β-o1-3-one, in prothoracic defence-gland secretion of Ilybius fenestratus. 761, 5387

Δ<sup>4</sup>-Androsten-17β-ol-3-one, in prothoracic defence-gland secretion of Ilybius fenestratus, 761

**Anemo-menotaxis,** in Pimelia, Tenebrio and Geotrupes. 635

Anemone sylvestris (Ranunculaceae), host of Phytomyza anemonantheae sp.n. 5022 Anemotaxis, in Atemeles pubicollis. 3422
Anepsion (Arach., Aran., Argiopidae), revised and new spp described. 2468

Aneuploidy,

correlation with chromosome mutations in Drosophila melanogaster. 6090

in embryology of parthenogenetic strain of Bacillus rossius. 3975

X-chromosome and chromosome 4 in relation to radiation-induced aneuploidy in Drosophila melanogaster. 6086

Aneurhynchus inermis (Hym., Diapriidae), status. 2987

Angelica seed oil, response of 9 Ceratitis capitata. 4660

Angelica sylvestris (Umbelliferae), host of Melanagromyza angeliciphaga sp.n. 5022 Angola,

new Coccidae from, 5040 new Labiidae from, 55 new Laelapidae from, 2884 new Scelionidae from, 5716 new Staphylinidae from, 3312

Angolobaeus gen.n. (Hym., Scelioniae), established. 5716

Angoumois grain moth, see Sitotroga cerealella Anguillula silusiae (Nematoda), establishment of standard diet and rearing technique for Culicoides, 598

Anicetus toumeyella (Hym., Encyrtidae), attacking Toumeyella liriodendri. 3535

Animert V-101,

populations of Panonychus ulmi in relation to treatments. 6046

Typhlodromus pyri not affected, 6046

Anirama gen.n. (Hym., Platygasteridae), established. 5716

Anisandrus dispar (Col., Scolytidae), protection of tree-stands by fertilization in GFR. 4797

Anisobas bostilis (Hym., Ichneumonidae), biology in relation to Lycaena helle. 5990

Anisocampa sp (Dipl., Campodeidae), muscle attachment to cuticle. 4464

Anisodactylus (Col., Carabidae), partly phytophagous. 783

Anisolabis annulipes (Derm., Labiduridae), predaceous on Collembola. 2170

**Anisolabis incerta,** transferred to Idolopsalis. 5018

Anisolabis maritima,

notes on. 54

of Galápagos Islands. 2194

Anisolabis pervicina, type-sp of Aboralabis gen.n. 1418

Anisolampra panfilovi gen. et sp.n. (Blatt., Epilampridae), described. 3756

Anisopodidae (Dipt.), 1420, 4096 corrections and additions to British list, 1420 Anisops (Hem., Het., Notonectidae), Australian spp revised and new spp described. 550 Anisoptera (Odon.),

relative density variation. 1983

temperature and photoperiod in relation to larval development. 703

Anisorrhynchus barbatus (Col., Curculionidae), general and Italian distributions. 3240

Anisoscapus chlorovittatus gen. et sp.n. (Dipt., Stratiomyidae), described. 3320

Anisota (Lep., Citheroniidae), method for sexing pupae. 572

Anisotomidae (Col.), see Leiodidae and Catopidae

Anneckia oophaga gen. et sp.n. (Hym., Mymaridae), described, 3806

Annelida, as prey of Solenopsis saevissima richteri in S.E. Louisiana, USA. 3136

Annobon Island (Gulf of Guinea), new Oribatei from. 3724

Oribatei from. 3724

Anobiidae (Col.),

17, 790, 935, 963, 1181, 2023, 3131, 3731, 4123, 4562, 4637

larvae distinguished from those of Lyctus and Bostrychidae. 1229

unusual aggregations. 3131 Anocaudus taxus gen. et sp.n. (Hem., Hom.,

Aphididae), described. 4327

Anoecia corni (Hem., Hom., Thelaxidae), successful laboratory-rearing. 1031

Anoetidae (Arach., Acari),

cytological basis for reproductive variability. 5531

inhibition of Schiff reaction in chromosomes of ovigerous tissue. 1956

Anoetoidea (Arach., Acari), new spp from Tanzania. 3718

Anomala sandersoni sp.n. (Col., Scarabaeidae), described. 3309

Anomala (s.str.) laotica sp.n., described. 4986
Anomalagrion hastatum (Odon., Coenagrionidae),
new for Wisconsin, USA. 3705

Anomis sabulifera (Lep., Noctuidae), crowding and larval coloration. 5882

Anommatus (Col., Colydiidae), new spp described and key to spp. 1849

Anonoderus pallipes (Col., Carabidae), mainly herbivorous. 783

Anoura geoffroyi (Chiroptera), host of Chirorhyncobia matsoni sp.n. 4221

Anopheles (Dipt., Culicidae),

chromosome numbers and karyotypes of Asian spp. 870 infectivity of Plasmodium brasilianum. 5809

intercepted in aircraft at Nairobi airport,
Kenya, 4816

larval head-width for instar determination. 2576

treehole spp of New World revised. 3767

Anopheles albimanus, overcrowding factors of larval Culex pipiens quinquefasciatus in relation to. 4843

Anopheles annularis, chromosome number and karyotype. 870

Anopheles (s.str.) arboricolus sp.n., described. 3767

Anopheles atroparvus,

partial absence of ommochromes in red-eyed strain. 5881

pterines in normal and eye-colour mutant. 5883

Anopheles balabacensis,

chromosome number and karyotype. 870 susceptibility to Plasmodium cynomolgi. 3625

Anopheles barbari, redescribed. 1870

Anopheles barbirostris, salivary-gland chromosomes and chromosome map. 3651

**Anopheles claviger,** ecology and biology in Dorset, England. 835

Anopheles culicifacies,

chromosome number and karyotype. 870 feeding behaviour in relation to DDT-resistance in Gujarat State, India. 2732

Anopheles deemingi sp.n., described. 3768

Anopheles freeborni,

infectivity of Plasmodium lalariae. 4680 physiological condition of overwintering ♀ in California, USA. 3518

Anopheles funestus, DDT in relation to behaviour and mortality. 845

Anopheles gambiae,

DDT in relation to behaviour and mortality.

ecology of Coelomomyces indicus infections in Zambia. 817

intercepted in aircraft at Nairobi airport, Kenya. 4816

survival of 99 through dry season in Sudan. 4859

Anopheles judithae sp.n., described. 1870
Anopheles labranchiae, response to Betalight.
5094

Anopheles maculipennis messeae, overwintering of Čalovo virus in artificially infected \$9, 5356

Anopheles melas, attraction to animal baits and  ${\rm CO}_2$ . 2723

Anopheles nigerrimus, chromosome number and karyotype. 870

Anopheles plumbeus, ecology and biology in Dorset, England. 835

Anopheles pretoriensis, atypical adult Q described. 3768

Anopheles punctipennis, overwintering of inseminated \$9 in California, USA. 4744

Anopheles quadrimaculatus,

CNS in regulation of blood-meal size. 1687 infection levels of Coelomomyces punctatus in

Anopheles quadrimaculatus, contd.

natural population. 5807

32P assimilation by larvae and transfer during mating. 1572

susceptibility to Plasmodium cynomolgi. 3625

Anopheles sinensis,

nocturnal activity at Utsunomiya City, Japan.  $5380\,$ 

population dynamics in Gunma Prefecture, Japan. 1679

Anopheles sineroides, nocturnal activity at Utsunomiya City, Japan. 5380

Anopheles stephensi,

anatomy and secretion cycles of salivary glands. 1146

control of Nosema algerae by egg-rinsing technique. 5101

establishment of diploid cell-lines. 2551 genetics of esterase activity in larva. 879 method for maintenance in laboratory. 5780 midgut changes during blood digestion. 644 susceptibility to Plasmodium cynomolgi. 3625

Anopheles superpictus, overwintering in Sulaimanyyah and Kirkuk Liwas, N. Iraq. 5989

Anophthalmolabis leleupi (Derm., Carcinophoridae), from Galápagos Islands. 2194

Anoplitis weyrauchi sp.n. (Col., Chrysomelidae), described. 969

Anoplognathus sp (Col., Scarabaeidae), larvae in relation to grasses and clover. 2122

Anoplonyx destructor (Hym., Tenthredinidae), cytoplasmic polyhedrosis. 5801

Anoplotermes schwarzi (Isopt., Termitidae), RH and starvation in relation to survival. 207

Anoplura, see also Phthiraptera

new records from Africa. 2745 of New Zealand. 3694

relationships between spp on Insectivora and Primata. 1833

from Rwanda and Congo. 2475

Anostirus machnovskyi sp.n. (Col., Elateridae), described. 4997

Anourosorex squamipes (Insectivora), host of Placomyobia wilsoni gen. et sp.n. 4230

Antalastor de Saussure 1856 (Hym., Eumediidae), suppressed. 3801

Antarctic,

criticism of Hennig-Brundin 'Phylogenetic Systematics' in relation to Antarctic biogeography. 6107

evidence for Gondwana Palaeozoic insect distribution. 946

new Pycnogonida from. 2473 Pycnogonida partly reviewed. 2473

stenoviciid (?) wing from Permian of Sentinel
Mts. 946

Antarctotachinus crozetensis (Col., Staphylinidae), populations on Possession I., Crozet Archipelago, 441 Antaxius chopardi (Orth., Tettigoniidae), habits and of described. 127

Antelope, see Antilocapra americana Antennae,

abnormalities in 3 spp of Carabidae. 5918 accelerating effect on phototaxis in Locusta migratoria. 639

amputation in relation to preening in Blaberus craniifer. 4563

antennal ratio in Clunio aquilonius and C. tsuchimensis. 1971

and attraction to light in Heliothis zea. 4500 axon pathways from sense-organs to brain in Calliphora vicina and Periplaneta

americana. 3406 in relation to behaviour of Apis mellifera during visit to food-source. 3900

chemoreceptors of Lema trilineata daturaphila. 4270

ciliary fibril continuity with microtubules in dendrites in Forficula auricularia. 4487

CNS and phototaxis stimulation in Anacridium aegyptium and Locusta migratoria. 632

development of flagellar annuli of Blattella germanica. 3486

in Drosophila pseudoobscura populations selected for opposite geotaxes and phototaxes. 3676

ecdysone analogues in relation to eye-antennal disc differentiation in Drosophila melanogaster. 3485

electromagnetic sensitivity and olfaction in Heliothis zea. 4485

and flight control in Calliphora erythrocephala. 3874

of 4 spp of Plecoptera. 4425

and geotactic responses of Tenebrio molitor. 3901

and gregarization pheromone in Locusta migratoria migratorioides. 5262

growth in embryonic Ornithacris turbida. 4595

joint-receptor of Calliphora vicina in relation to air-flow perception. 3892 and location of host-plant in Epilachna

vigintioctopunctata. 161 longevity decreased in Glossina spp by

removal. 2734

and mating in Diptera. 1225

and mating in  $\ensuremath{\mbox{\sigma}}$  Callosobruchus chinensis. 1214

membranous lobe in Speophyes lucidulus an olfactory receptor. 1085

mutations in Dahlbominus fuscipennis. 4161 new sensillum in ? Aedes aegypti. 165

and olfaction in Danaus gilippus berenice. 3897

olfactory receptors for trail substances in Hodotermes and Trinervitermes. 217 of Oncopsis flavicollis. 5196

# Antennae, contd.

proteins in relation to sex-pheromone perception in Antheraea pernyi, 3885

regeneration of supernumerary antenna in Agrion virgo. 3490

response to aggregation pheromone in ovipositing \$\mathbb{2}\$ Schistocerca gregaria, 5320

response of cold receptor to temperature change in Periplaneta americana. 629

response to crowding in Acyrthosiphon pisum.

responsiveness to sex-pheromones in of Trichoplusia ni. 4489

sense-organs and behaviour in Myrmica laevinodis and Aphaenogaster gibbosa. 4492

sense-organs in 9 Culex tarsalis. 2593 sense-organs perceiving wind-direction in Pimelia, Tenebrio and Geotrupes. 635

sensillum sensitive to water-vapour in \$\varphi\$ Aedes aegypti. 1539

and sex-pheromone perception in Danaus gilippus berenice. 3522

and sex-pheromone perception in Periplaneta americana. 5958

and supplementary reproductives in Kalotermes flavicollis. 4724

and temperature reactions of Cimex lectularius.

ultrastructure of membranous lobe in Speophyes lucidulus, 1085

ultrastructure of flagellum and glomerulus in Pauropoda, 1981

ultrastructure of sensory dendrite in Forficula auricularia, 4487

as wind-sensitive organs in Locusta migratoria. 4483

Antennocrossotus curticornis gen. et sp.n. (Col., Cerambycidae), described. 1407

Antennoseius (Arach., Acari, Phytoseiidae), Israel taxa reviewed and new sp described. 4969

Antepipona ovalis (Hym., Eumenidae), Vespa quadripunctata Fabricius identical with. 3346

Antestia clymeneis amserensis (Hem., Het., Pentatomidae), transferred to Antestiopsis. 1438

Antestia tethys sp.n., described. 5712

Antestiopsis (Hem., Het., Pentatomidae), Madagascan spp reviewed. 1438

Anthaxia (Col., Buprestidae), larvae of USSR spp described and keyed. 5795

Anthaxia (Haplanthaxia), new spp described. 2894 Anthaxia senilis palmensis subsp.n., described.

Antheraea (Lep., Saturniidae),

egg differentiation by follicular imprint, 3851 tubercular setae, 3035

Antheraea assama, chorionic pattern of eggs. 3851

Antheraea eucalypti, adaptation of established cell-line to culture medium, 1607

Antheraea mylitta,

body-colour in 'almond' larva. 2844 chorionic pattern of eggs. 3851 larva attacked by Penicillium citrinum. 5164 Antheraea pernyi.

antennal proteins in relation to sexpheromone perception in of . 3885

CA histochemistry and ultrastructure. 5896 denervation and high O<sub>2</sub>-tension in relation to dorso-longitudinal muscle development. 1060

diapause in relation to photoperiodism and hormones. 5284

diapause termination. 4599

DNA pyrimidine sequences. 1113, 4894

ecdysone in relation to RNA- and proteinsynthesis in larva. 5243

gut and osmoregulation during metamorphosis.  $2614\,$ 

haemolymph for in vitro culture of tick cells. 600

haemolymph osmolality during metamorphosis.  $2614\,$ 

neuroendocrine control of ecdysis. 3987

Antheraea polyphemus,

adhesive properties of dissociated fat-body cells. 3047

antennal proteins in relation to sex-pheromone perception in of. 3885

eyes of JH-produced deuteropupae. 1616 head and neck musculature. 3866

histolysis of intersegmental muscle in newly emerged adult, 1207

image formation in compound eye. 1531 monoglyceride lipase activity in flightmuscle. 1128

neuroendocrine control of ecdysis. 3987 transplantation of pupal and adult CA of Bombyx mori into diapausing pupae. 1184

Antheraea roylei, chorionic pattern of eggs. 3851 Antheraea sivalika, chorionic pattern of eggs. 3851

Anthicidae (Col.),

1835, 3732, 4256, 4257, 4258, 4988 of Niokolo-Koba National Park, Senegal. 1835 redefined. 4988

Anthidiinae (Hym., Megachilidae), Old World genera and subgenera. 5734

Anthidium (Hym., Megachilidae), new spp described. 5735

Anthio, indirect effects on Eutetranychus orientalis. 6035

Anthocharis (Lep., Pieridae), interactions with Euchloe spp. 4117

Anthocomus (Col., Malachiidae), Malachius limbellus transferred to. 4987

Anthocomus bipunctatus, new for Norway. 452

Anthocoridae (Hem., Het.),

834, 1510, 1885, 2792, 2966, 3183, 4715, 5705, 5915, 6047, 6051

relationships to Thaumastocoridae. 1510 seasonal populations on Gossypium in Egypt. 6051

types in Institut Royal des Sciences Naturelles de Belgique, Bruxelles, Belgium. 1885

Anthocoris (Hem., Het., Anthocoridae),

consumption of Drepanosiphum platanoides during development of nemorum and confusus. 5915

Anthocoris amplicollis, new for France. 5705 Anthocoris nemorum, predation on Oscinella frit in oats. 2792

Antholcus varinervis (Hym., Tenthredinidae), biological control of Acaena anserinifolia in New Zealand. 6027

Anthomylidae, see also Muscidae

274, 316, 836, 1287, 1702, 1866, 2068, 2722, 2777, 2810, 2937, 3381, 3521, 3838, 4805-4807, 5884, 6027

migrations through Alpine passes of Switzerland in autumn 1968. 1287

distribution, ecology and systemics of syanthropic spp in Tyan'-Shan' Mts., USSR. 4860

Anthonomus grandis (Col., Curculionidae), antibiosis towards larvae in Hampea sp. 811 cotton-bud constituents attractive to. 5431 development on Gossypium hirsutum and Hampea sp. 811

developmental period in relation to rearing temperature. 3494

energy balance and natural heat sources. 3465 U-<sup>14</sup>C-glycine absorption and metabolism in irradiated and normal animals. 5860 gut alkaline phosphatases. 1110 life-history in field cages. 2709 light-wavelengths in relation to diapause response, 1621

Leptus spp parasitic on in S. Carolina, USA.

longevity and fecundity in Arizona, USA. 3552 longevity and fecundity in relation to sublethal doses of systemic insecticides. 5302

marking adults with dyes fed in cottonseed-oil bait. 1494

Mattesia grandis in relation to insecticide susceptibility and fat content. 4450

methyl parathion, DDT and toxaphene for control in N. Carolina, USA. 5337 oxidation metabolism of 1-<sup>14</sup>C-hexadecane. 193 population increase in field cages. 2709 population suppression by dominant conditional lethal traits. 4108

racemic pheromone synthesis. 5247 respiration and transpiration in relation to age. 3464

sex-pheromone of ♂. 2651

sterilization. 2683

temperature relationships in organophosphorus poisoning. 5259

toxicity potentiation of organophosphates by defoliants, 5159

Anthonomus pomorum, host of Bracon fulvus in Romania. 2220

Anthophila (Lep., Glyphipterygidae), new spp described and key to spp. 4369

Anthophora edwardsii (Hym., Anthophoridae), ecology and biology in California, USA. 2817 Anthophoridae (Hym.),

100, 352, 1446, 1504, 2748, 2817, 2988, 5215, 5379, 5670

biology of Physocephala bimarginipennis in relation to. 5670

partial key to African genera of Ceratinini. 1446

rectal pads. 5215

Anthracoides (Bacteria), in gut contents of 3 spp of Collembola. 4769

Anthracosiphoniella maculatum gen. et sp.n. (Hem., Hom., Aphididae), described. 1441

Anthramycin methyl ester, chemosterilant effect in Drosophila melanogaster, 1636

Anthranilic acid, and kynurenine-3-hydroxylase activity in Calliphora erythrocephala. 1123
Anthrax (Dipt., Bombyliidae), structure of seminal

receptacle. 5910

Anthrax conspircuta, Synargris analis and

Chalicodoma cincta combusta new hosts for. 6007

Anthrax umbrosus sp.n., described. 4297 Anthreninae (Col., Dermestidae), hastate setae of larvae in defence. 295

Anthrenus fasciatus, feeding and nutrition. 6000 Anthrene flavipes, sound-production during mating. 1599

Anthrenus muscorum, external disturbance and time of day in relation to light reactions. 5848

Anthrenus vorax, behaviour of of Trogoderma granarium in relation to \$\mathbb{2}\$ assembling scent. 3902

Anthribidae (Col.), 4456

Anthriscus sylvestris (Umbelliferae), food value of nectar to Erioischia brassicae. 2722

Anthyllis sp (Papilionaceae), pigments present in Polyommatus icarus. 3458

Antibiotics,

effect on Rhodnius prolixus. 2120 in relation to epidermal metamorphosis and nucleic-acid synthesis in Tenebrio molitor. 4610

and fecundity in Ceratitis capitata. 4611 and larval growth in Ceratitis capitata. 4612 and longevity in newly-emerged Apis mellifera. 3633

nature of metathoracic gland secretion in Myrmicinae. 2647

- Anticheira Eschscholtz 1818 (Col., Scarabaeidae), replaces Oogeneius Solier 1857. 4282
- Antichloris eriphia (Lep., Ctenuchidae), imported into Netherlands with bananas. 444
- Antidiuretic factor, in larval Chaoborus crystallinus. 3947
- Antidiuretic hormone, level in haemolymph during ecdysis in Periplaneta americana. 2633
- Antidorcas marsupialis (Artiodactyla), Linognathidae of. 517

# Antilles (Caribbean Sea),

- Aeshna psilus and Telebasis sanguinalis new for Lesser Antilles. 3830
- new Naucoridae and Ranatridae from Netherlands Antilles, 5706
- Odonata of Lesser Antilles keyed.
- Pleidae, Naucoridae and Ranatridae from Netherlands Antilles. 5706
- Trypoxylon and Trypargillum of Greater Antilles keyed, 4362
- Antillus gen.n. (Dipt., Syrphidae), established.
- Antilocapra americana (Artiodactyla), association of Musca autumnalis with in Montana, USA, 4701
- Antipa biguttata (Col., Chrysomelidae), Clytra atraphaxidis ab. nigrithorax syn.n. of. 4269
- Antipapria depressa gen. et sp.n. (Hym., Diapriidae), described. 1918
- Antisphodrus balachowskyi sp.n. (Col., Carabidae), described, 4262
- Antitrygodes cuneilinea (Lep., Geometridae), frequenting eyes of domestic mammals in Bangladesh. 4033
- Antocha (s.str.) subdentifera sp.n. (Dipt., Tipulidae), described. 547
- Antongilus subgen.n. (Col., Histeridae), established in Bacanius. 39
- Antrocephalus apicalis yaeyamanus subsp.n. (Hym., Chalcididae), described. 1913
- Antrokoreana (Myriap., Diplop.), new spp described, 3357
- Anura (Amphibia), hosts of Vercammenia. 4245 Anurida maritima (Collem., Hypogastruridae),
  - segregation of germ plasm. 3089
- Aonidiella aurantii (Hem., Hom., Diaspididae), amylase and invertase activity. 5238
- annual treatments in relation to population size and intra-tree distribution. 5488
- control by Aphytis spp in Libya. 312
- as diet for Amblyseius chilenensis and A. hibisci. 5313
- economic threshold and treatment forecase in citrus groves in Israel. 5483
- efficacy of natural enemies on citrus in Israel, 2793

- flight activity and dispersal of of in California, USA. 3544
- olfactometer for sex-pheromone bioassay.
- pheromone production on lemons and potatoes. 2646
- response of of to ♀ sex-pheromone. 737
- Aonidiella citrina, prey of Hemisarcoptes dzhashii sp.n. in Gruziya, USSR. 1393

#### Aorta.

- association of cephalic aorta with recurrent nerve in Aphaenogaster senilis. 4478 clover phyllody mycoplasmas in Euscelidius variegatus and Aphrodes bicinctus. 806
- Aotus trivirgatus (Primata), infectivity of Plasmodium malariae to Anopheles freeborni. 4680
- Apalochrus omega (Col., Cantharidae), of described for first time. 4987
- Apamea (Lep., Noctuidae), furva and remissa differentiated. 4939
- **Apamea crenata**, new for Faroe Is., North Sea. 6138
- Apamea finitima, attacking barley in New Brunswick, Canada. 6010
- Apamin, structure in Apis mellifera venom. 760
  Apanteles sp (Hym., Braconidae), parasitic on
  Eucos ma monitorana larvae. 2762

# Apanteles congregatus,

- biology in relation to Manduca sexta. 793 laboratory rearing and sex-ratio manipulation. 793
- and larval trehalose levels in Manduca sexta. 4512
- **Apanteles epinotiae,** parasitic on Homoeosoma electellum in Texas, USA. 2808

### Apanteles flavipes,

- biology and ecology at Delhi, India. 278 parasite of Chila zonellus at Delhi, India. 278 parasite of Sesamia inferens in Sarawak. 5498
- Apanteles fumiferanae, parasitism rate in relation to Choristoneura pinus in Michigan, USA.

### Apanteles glomeratus.

- and haemocyte count in Pieris rapae crucivora larva. 2004 infection by Nosema mesnili. 2804 protection from haemocytic reaction of Pieris rapae crucivora. 294
- structure of egg membranes. 4595

### Apanteles militaris,

- control of Pseudaletia unipunctata in Hawaii.
- parasitic on Heliothis zea larvae in S. California, USA. 5420
- responses to high temperature. 2682
- Apanteles rubecula, attempt to establish in the USA as parasite of Pieris rapae. 5414

Apanteles schoenobii, parasite of rice stem borers on Luzon I., Philippines. 799

Apanteles starki, parasitic on Eucosma rescissoriana in N. Idaho, USA. 2531

Apantania muliebris (Trich., Limnephilidae), new subspp described. 2538

**Apatetorina (Hym., Ichneumonidae),** Burmese taxa. 1006

Apatura iris (Lep., Nymphalidae), of entering houses in summer in England. 5982

Apechthis compunctor (Hym., Ichneumonidae), larval merphology. 2580

Apegus (Hym., Scelionidae), new spp described and key to spp. 3809

Aphaenogaster gemella (Hym., Formicidae), distribution, ecology and habits in Mamora Forest, Morocco. 4862

Aphaenogaster gibbosa, antennal sense-organs in relation to behaviour. 4492

**Aphaenogaster praedo,** new Algerian localities and redescription. 1733

Aphaenogaster senilis, brain, retrocerebral complex and suboesophageal ganglion. 4478

Aphaereta (Hym., Braconidae), new spp described. 1909

Aphaereta colei, in brown slime-fluxes in S. New England, USA. 4096

Aphaereta pallipes,

new host records in USA. 1909 parasitic on Haematobia irritans in N.E. Mississippi, USA. 2751

parasitic on Musca autumnalis at Guelph, Ontario, Canada. 273

**Aphaereta varipedis,** new localities in Virginia, USA. 1909

Aphanobius unicolor (Col., Elateridae), syn.n. of Elater sieboldi Candèze 1873. 972

Aphanocephalus hemisphericus (Col., Propalticidae), larva. 143

Aphanocephalus laeanus sp.n., described. 2488 Aphanognathus hiekei sp.n. (Col., Lucanidae),

described. 5001

Aphanostigma piri (Hem., Hom., Phylloxeridae),
biology in Krym, USSR. 5384

susceptibility of Pyrus. 6020 Aphelinidae (Hym.),

288, 312, 565, 796, 2113, 2793, 2862, 4741, 4820, 5410, 5503, 5720, 5721, 6038, 6045, sex differentiation by differential mortality. 2113

Aphelinus (Hym., Aphelinidae),

new hosts. 5410

RH in relation to parasitism. 5410

Aphelinus chaonia, pigmentation. 5410

Aphelinus flavipes, new for France. 5410 Aphelinus semiflavus,

hyperparasitized by Asaphes vulgaris in Acyrthosiphon pisum. 796 parasitic on Therioaphis maculata in Delaware, Maryland and New Jersey, USA. 5503 Aphelinus varipes, new for France. 5410 Apheliona (Hem., Hom., Cicadellidae), Sujitettix syn.n. of. 5694

Aphelocheirus (Hem., Het.), proposed removal from Naucoridae to Aphelocheiridae. 2007

Aphelocheirus aestivalis,

food pump. 2007

labium and systematic position. 606

Aphelogaster (Col., Cerambycidae), placed in Megacoelini trib.n. 2898

Aphelonyx (Hym., Cynipidae), oak-galls in
Méhes collection in Museum of Natural
History, Budapest, Hungary. 1278
Aphidesta obliterata (Col., Coccinellidae).

Aphidesta obliterata (Col., Coccinellidae), developmental period and feeding behaviour in relation to Adelges piceae in the laboratory, 781

occurrence of larvae in pitfall-traps among Abies in GDR. 4104

predaceous on Adelges piceae. 32

Aphidencyrtus (Hym., Encyrtidae),

hyperparasitic on primary parasites of Trioza erytreae in E. Transvaal and Swaziland. 792

hyperparasitic on Tetrastichus flavigaster. 4741

new synonomy. 5724

Aphidencyrtus cassatus sp.n., described. 5724 Aphididae (Hem., Hom.),

89, 90-96, 306, 313, 328, 342, 458, 496, 553-556, 596, 607, 709, 710, 741, 747, 796, 819, 820, 932, 1171, 1197, 1246, 1259, 1282

1294, 1442, 1568, 1617, 1665, 1685, 1710, 1729, 1744, 2079, 2088, 2105, 2129, 2158,

2517, 2594, 2700, 2724, 2736, 2768, 1869, 2978-2982, 3029, 3084, 3086, 3094, 3119,

3122, 3161, 3182, 3332-3335, 3382, 3418,

3549, 3603, 3614, 3785-3790, 3965, 4066, 4070, 4191, 4201, 4327, 4328, 4330, 4446,

4466, 4471, 4527, 4606, 4607, 4632, 4670,

4692, 4743, 4770, 4800, 4809, 4838, 4847,

5336, 5341, 5427, 5441, 5456, 5461, 5462

5479, 5495, 5689-5691, 5854, 5858, 5895, 5915, 5937, 5952, 5980, 6000, 6002, 6017, 6025, 6055

additions to Danish list. 2869

association with Hippodamia tredecimpunctata on Zea mays in N. America. 834

bionomics and physiology of Syrphidae feeding on. 1230

consumption by Adalia bipunctata in the laboratory. 1665

cytotaxonomy. 1744

distal apical structure of siphunculi. 3382 ecology of Chrysopidae and Syrphidae in N.E.

Belorussia. 1306 food source for sa vannah ants. 1729

from Himachal Pradesh, India. 4327

Aphididae (Hem., Hom.), contd.

integrated control in relation to aphids and their enemies in an Ohio, USA, apple orchard. 5461

integrated control in peach orchards. 5462 interactions with Medicago sativa and Lygus lineolaris. 4838

from Kula Valley and Punjab plains, India. 4201

Myzinae of Norway surveyed, 4191

neurosecretion and photoperiodism in relation to reproduction. 709

new for Norway. 4191

numbers on crops in a rotation system. 5495 parasites on citrus in Israel. 5578 photoperiod and temperature in relation to

development of Aphidius smithi in
Acyrthosiphon pisum, 704

predation by Orius insidiosus in relation to populations. 834

stochastic model of plant-to-plant movement.  $4070\,$ 

of Tertiary re-described, 5689

vectors of mycoplasma and phytarboviruses. 5441

visited by Polyrhachis simplex in Israel. 4874 from W. Bengal, India. 4328

Aphidiidae (Hym.),

702, 704, 747, 796, 819, 2088, 2121, 3182, 4446, 5503, 5912

fecundity and P reproductive system. 5912

Aphidius (Hym., Aphidiidae),

sculpture of first segment of gaster, 4446 spp attacking Acyrthosiphon pisum keyed, 4446

subgenera and sp-groups keyed. 4446

Aphidius ervi.

A. pulcher a geographical subsp of. 2088 courtship and mating behaviour. 2088 distinct from A. smithi. 2088 seasonal variation in parasitization of Acyrthosiphon pisum. 3182

Aphidius pilstvorus, see Aphidius pulcher Aphidius pulcher,

air-temperature and light-intensity in relation to dispersal. 819

courtship and mating behaviour. 2088 hyperparasitized by Asaphes vulgaris in Acyrthosiphon pisum. 796

a semi-species and geographical subsp of A. ervi. 2088

Aphidius rosae, fecundity and ? reproductive system. 5912

Aphidius smithi,

courtship and mating behaviour. 2088 colour of light in relation to oviposition behaviour towards Acyrthosiphon pisum. 747

distinct from A. ervi. 2088 suggested introduction into habitats of

Acyrthosiphon pisum. 3182

Aphidoidea (Hem., Hom.),

and their parasites on Quercus in Kurdistan, Iraq. 2121

effectiveness of Turnbull and Nicholls' quick trap in Alpine grassland communities. 1499

effectiveness of yellow sticky traps for sampling. 596

Formicidae and parasites associated with in Iraq. 4818

methods for sampling, 596

protection of tree-stands by fertilization in GFR. 4797

of Sweden. 447, 459

Aphis (Hem., Hom., Aphididae), of Denmark. 458 Aphis craccivora, prey of larval Syrphus latifasciatus in S. India. 4743

Aphis fabae,

methods for sampling. 596

responses of alates to coloured fluorescent lamps, 3418

Aphis fabae group, relationships on biological characters. 5980

Aphis gossypii,

prey of larval Syrphus latifasciatus in S. India. 4743

primary host-plants and colonization of secondary hosts. 6017

Aphis longini sp.n., described. 554

Aphis nasturtii, alate of from Himachal Pradesh, India, 4327

Aphis nerii, presence of cardiac glycosides when fed Asclepias curassavica and Nerium oleander. 4527

Aphis pomi,

chemical control on apple trees, 4670 glycerol and mannitol contents and supercooling points of overwintering eggs.

integrated control in relation to populations and natural enemies in an Ohio, USA, apple orchard. 5461

populations on apple under autumnal conditions.  $6025\,$ 

prey of Balaustium putmani. 3549

Aphis rubiradicis sp.n., described. 2517

Aphis ruborum longisetosus subsp.n., described. 4328

Aphodiinae (Col., Scarabaeidae), of Niokolo-Koba National Park, Senegal, 1852

Aphodius (Col., Scarabaeidae), new spp from USSR. 5013

Aphodius quadriguttatus, present in England in Bronze Age. 2244

Aphodius venyigei sp.n., described. 3730 Aphoebantus lyneborgi (Dipt., Bombyliidae), described. 60

Apholate,

chemosterilization of adult Diabrotica undecimpunctata howardi. 3100

Apholate, contd.

chromosomes of testis germ-cells in Melanoplus differentialis. 4153

in relation to egg-development in Musca domestica. 244

in relation to embryonic development in Musca domestica. 231

in relation to egg-hatch and fecundity in Locusta migratoria migratorioides. 5935

in relation to nucleic-acid and protein synthesis in Aedes aegypti. 2624

in relation to  ${\rm O}_2$ -consumption of eggs of Musca domestica. 244

in relation to ovarian biochemistry in Aedes aegypti. 714

Aphrodes bicinctus (Hem., Hom., Cicadellidae), cell and tissue lesions during infection with clover phyllody mycoplasma. 806

Aphthona famula sp.n. (Col., Chrysomelidae), described. 3741

Aphycomorpha aspidioti sp.n. (Hym., Encyrtidae), described. 2991

Aphycus stanleyi (Hym., Encyrtidae), not established in lower Rio Grande Valley, USA, as parasite of Coccus hesperidum. 830

Aphylla (Odon., Gomphidae), new spp described. 5763

Aphytis (Hym., Eulophidae),

biology, distribution and mass-rearing. 312 biology, ecology and taxonomy of Libyan spp. 312

characters of use in taxonomy, 312 control of Aonidiella aurantii on grapefruit in Libya, 312

interrelations with Aonidiella aurantii on citrus in Israel. 2793

introduction into Israel for control of Chrysomphalus aonidum. 6038

mass-rearing, 312

parasite of Chrysomphalus dictyospermi in Egypt. 6034

reproductive isolation between interspecific hybrids and parental spp. 2862

sexual isolation, 5720

validity of spp and hybridization studies. 5720

Aphytis holoxanthus,

biology, ecology, laboratory rearing and introduction attempts. 6045

introduction into Israel for control of Chrysomphalus aonidum. 6038

successful control of Chrysomphalus aonidum in Florida, USA. 1694

Aphytis libanicus sp.n., described. 312

Aphytis maculicornis, parasitic on Parlatoria oleae in Lenkoran', USSR. 1674

Aphytis proclia, parasitic on Quadraspidiotus perniciosus on Sakhalin, USSR. 1289

Apicotermitimae (Isopt., Termitidae), biology of colonies from Ivory Coast. 350

Apidae (Hym.),

101, 166, 626, 627, 630, 657, 675, 760, 812 839, 850, 851, 853, 903, 1069, 1073, 1106, 1113, 1196, 1313, 1316, 1318, 1366, 1582, 1680, 1813, 1902-1904, 1913, 1973, 1983,

1990, 2006, 2015, 2040, 2046, 2123, 2152, 2565, 2571, 2598, 2630, 2648, 2761, 2811,

2818, 3058, 3070, 3071, 3267, 3413, 3414

3478, 3495, 3633-3635, 3870, 3888, 3891, 3900, 3911, 3948, 3953, 3976, 4051, 4122,

4340, 4342, 4426, 4488, 4498, 4499, 4524,

4537, 4571, 4627, 4672, 4865, 4870, 4871, 4876, 4894, 4935, 5050, 5098, 5179, 5185,

5209, 5215, 5219, 5222, 5224, 5226, 5260,

5270, 5272, 5314, 5381, 5402, 5449, 5518-5520, 5522, 5842, 5849, 5862, 5867, 5897,

5962, 6063, 6064, 6067, 6129 anatomy and morphology. 1316

rectal pads. 5215

Apioeicoceras (Dipt., Therevidae), Thereva xestomyzina transferred to. 1864

Apion (Col., Curculionidae),

distribution and ecology in Dagestan, USSR. 938 phenology on winter Leguminosae in Israel. 5510 spp new for Kavkaz, USSR. 938

Apion hookeri, new for Norway. 452 Apion longirostre, general and Italian distributions. 3240

Apion tubiferum, general and Italian distributions. 3240

**Apion ulicis,** biological control of Ulex europaeus in New Zealand. 6027

Apioninae (Col., Curculionidae), associated with wild Leguminosae in the Leningrad, USSR, area. 4794

Apis (Hym., Apidae),

meta-geotaxis in direction communication. 4498 9-oxodec-trans-2-enoic acid in queens of cerana, dorsata and mellifera. 5867 phylogeny of geotaxis. 4498

Apis indica, prey of Chaeturia dubia in Philippines. 839

Apis leucomelana, transferred to Hoplitis. 5057 Apis mellifera,

absence of tryptophan oxidation via glutarate pathway. 657

Acarapis vagans on in New Zealand for first time. 3634

acetylcholinesterase and cholinergic system in relation to physiological ageing. 1196

amino-acid sequence of MCD-peptide of venom. 760

anomaly of vagina in workers. 5270

antibiotics and pollen in relation to longevity of newly-emerged bees. 3633

apamin and MCD-peptide of venom. 760 approach of newly recruited bees to food-site. 5402

behaviour in relation to Chamaenerion angustifolium, 2123

```
Apis mellifera, contd.
```

behaviour in relation to electric current, 3948 behaviour in relation to monochromatic light, 166

behaviour during visit to food-source. 3900 biochemical basis of eye-colour mutations. 1582 brood measurement as index to value as pollinators. 4865

brood-rearing capability in relation to diet. 4627

carbohydrate metabolism in post-embryonic development, 5862

carbon-number distribution of triglycerides. 3070

collecting and counting with vacuum-cleaner. 5098

colony size in relation to foraging ability. 351 colour-vision. 166, 627, 1073

conditioning to pheromones and other odours.

control of filling of honey-stomach. 4051 control of sugar-water uptake. 2006 cytochrome-c content during development.

diluents and temperature in relation to instrumental insemination of queens. 3495

directionally selective motion-detecting units in optic lobe. 5842

discrimination between flicker frequencies. 626 discrimination among flowers and flowerscents of Medicago sativa, 4122

dis-inhibition hypothesis for displacement activities. 853

DNA pyrimidine sequences. 1113, 4894 drone congregation areas and effects of

attractants and repellents. 5522 electroretinogram. 2598

exact neural projection of visual fields on eye optic ganglia. 3891

extracellular space in rhabdom. 630 fluorescent systems and UV-sensitivity of

eyes. 3413 foraging activity on cucumber and importance

of pollination, 812 free-amino-acid composition in haemolymph of healthy and Nosema-infected workers and queens, 5226

generalization of visual stimuli and solution of abstract problems. 1069, 5209

glucose, fructose, sorbitol and sucrose utilization during flight. 4537

haemolymph dehydrogenase isoenzymes during development. 2015

haemolymph proteins of normal and diseased individuals, 3911

2-heptanone and isopentyl acetate as alarm substances. 1680

honeydew collection on Quercus in Hungary. 2761

honeydew producers in relation to honey yield. 2152

inter-receptor coupling in ommatidia. 3414

iron metabolism of pupa. 4524

learning of colour-stimuli at food-source. 6063

learning in relation to scents. 851 light-perception mechanisms, 627

melittin in relation to cellular and lysosomal

membranes of rabbit polymorphonuclear leucocytes. 1246

memory for scents. 851

memory for spectral colours. 850

multiple learning of colours and reversal learning, 850

nervous control of indirect flight-muscles. 3870 neurohormonal control of mating-flights and ovidosition. 5314

neurosecretion in brain of drone. 1990 Nosema heliothidis spore purification, 5090

Nosema infection in relation to hypopharyngeal glands of workers. 2648

nutrition. 4870

optics of compound eye. 4488

origin of nucleic-acid bases of royal jelly. 3071

origin of propolis. 5219

photoelectric counting of bees entering and leaving hive. 2565

phototaxis. 166

pollination frequency for Medicago sativa. 5449

periplasm distribution during egg-cleavage. 3976

pollination of strawberry. 5437

preening-behaviour and foraging-tendency. 853 preening behaviour during nectar-gathering.

prey of Chaeturia dubia in Philippines, 839 protein of pollen and pollen substitute in relation to development of hypopharyngeal glands, 4571

proteins of haemolymph, seminal vesicles and spermathecae. 2630

queen pheromones in relation to worker foraging behaviour. 3953

respiratory rate of flight-muscle mitochondria in relation to acid and phosphate, 5224

scenting behaviour on Hoya carnosa flowers. 4499

scenting behaviour release. 4499

selection for resistance to American foulbrood. 2046

semen retention in lateral oviducts in artificially inseminated queens. 3478

sound-background of colony. 6067 sound-production and sounds. 675

sound- and vibration-perception and associated behaviour. 6064

substrate vibration in relation to flight activity. 2571

technique for protection from insecticides. 2571

Apis mellifera, contd.

toxicity of carbaryl-contaminated pollen. 5179 training to sinusoidal modulated flickering light. 626

light. 626
tylosin for control of Bacillus larvae. 5185
ultrastructural basis of colour vision. 627
ultrastructure of Koshewnikow gland. 2040
ultrastructure of peritrophic-membrane
development in worker larvae. 5222
ultrastructure of retinula cells. 627
ultrastructure of spermatozoa. 5272
ULV trichlorfon in New York State, USA,
not toxic. 4672

venom collection by electrical stimulation.

Apis mellifera carnica,

biometrics, distribution and hybridization in Austria. 4426

rate of visual learning and ability for it. 5849

Apis mellifera caucasica, individual experience in relation to distance-communication. 1318

Apis mellifera ligustica,

esterase and protein polymorphism. 903 weight of crop contents in foraging workers. 1106

Apis mellifica, see Apis mellifera

Aplodontopinae subfam.n. (Arach., Acari), established in Glycyphagidae. 1823

Apoanagyrus (Hym., Encyrtidae), spp introduced into Hawaii. 3800

**Apocrypha (Col., Tenebrionidae),** new taxa from Chile. 2497

Apocrypta (Hym., Torymidae), spp from Ficus gnaphalocarpa. 2128

**Apodemes**, ultrastructure of myo-apodeme junction in Latrodectus mactans, 2584

Apodemus (Rodentia), hosts of Neotrombicula talmiensis carpathicum subsp.n. 4238

Apodemus argenteus,

ectoparasites in Aomori Prefecture, Japan. 3150

Siphonaptera on in Yatsugatake mountains, Japan. 2787

Apodemus flavicollis,

Acaroidea of nests in Belorussia, USSR, 1292 infestation rates by ectoparasitic Acari in C. Sweden, 4186

**Apodemus speciosus**, ectoparasites in Aomori Prefecture, Japan. 3150

Apodemus sylvaticus,

host of Ixodes trianguliceps in Netherlands. 2757

infestation rates by ectoparasitic Acari in C. Sweden. 4186

Siphonaptera from in Ireland, 5595

new host for Eulaelaps novus, Hirstionyssus criceti and Typhlodromus meridionalis. 2746

Apodemus sylvaticus thuleo, Ctenophthalmus

nobilis and Nosopsyllus fasciatus from on Foula, Shetland Islands. 5594

Apoderus sissu (Col., Curculionidae), host of Poropoea indica sp.n. in India. 4366

Apoidea (Hym.),
agents for dispersal of Acalitus vaccinii.

4709 bee-mediated pollen- and gene-dispersal in

relation to plant density. 3192 colour-vision in relation to evolution of flower colour. 1073

phylogeny of geotaxis. 4498

pollinating Medicago sativa in the Hungarian Great Plain. 1280

pollination frequency for Medicago sativa. 5449

rectal pads. 5215

social behaviour. 1317

Apolabis marginalis (Derm., Carcinophoridae), transferred to Gelotolabis. 54

Apolohmannia (Arach., Acari, Perlohmaniidae), syn.n. of Perlohmannia. 3286

Apolohmannia gigantea, new for USSR. 4973
Apolysis montivaga sp.n. (Dipt., Bombyliidae), described. 60

Apomecyna excavatipennis sp.n. (Col., Cerambycidae), described. 3737

Aponomma (Arach., Acari, Ixodidae), from Bismarck and Philippine Islands. 2192

Aponychus vannus sp.n. (Arach., Acari, Tetranychidae), described and key to spp. 15

Aporophlebus aporus gen. et sp.n. (Hym., Scelionidae), described. 5716

Aporophyla lutulenta (Lep., Noctuidae), distribution in Mark Brandenburg, GDR. 6142

Aporophyla nigra, GDR localities. 2874

Apotoforma (Lep., Torticidae), control of Rubus in Hawaii. 4110

Apotomis (Lep., Olethreutidae), new spp described. 1021

Apotomopterus (Col., Carabidae), japonicus sp-group established. 2480

Apparatus,

boxes for rearing small and medium-sized insects. 5784

cage for confining ticks on cows and horses.  $5089\,$ 

cage for maintaining Trichogramma in the laboratory. 4419

for cleaning and counting eggs of Porthetria dispar. 5103

for collecting eggs of Delphacidae and Cicadellidae. 5776

container for releasing Anaphes flavipes from parasitized eggs of Oulema melanopus. 5100

dispensers for pheromone black-light traps for Trichoplusia ni. 4408 for dividing large samples of stream

Apparatus, contd.

arthropod drift, 2570

for external application of substances to insects. 3839

liquid-N<sub>2</sub>-operated chamber for insect supercooling studies, 4409

for maintaining Simulium larvae in flowing water. 2555

for mechanical dispensing of Erioischia brassicae eggs. 3838

micro-chamber for insect virus studies, 3841 modified Tullgren apparatus for extraction of Oribatei from soil, 4410

photometric device for measuring foliage loss due to insects. 4413

portable platforms for watering leaves in acrylic cages containing small leaf-feeding arthropods. 5122

for rearing Dermaptera. 5131

rearing devices for stream insect larvae.
4415

for recording insect emergence. 3363 simple rearing containers for Dacus oleae. 5125

stream-insect drift-nets compared, 2545
thermal conductivity device for detecting
discontinuous release of CO<sub>2</sub>, 4422
thermo-adjustable wire loop for wax application
in repair of insect specimens, 2553

thermo-separator described, 2547

Appendages,

abnormalities in 3 spp of Carabidae, 5918 anomalous foreleg in a d'Dodonidia helmsii, 3482

claw setae in Acanthosomatidae and Urostylidae. 3853

differences between Drosophila pseudoobscura populations selected for opposite geotaxes and phototaxes. 3676

ecdysterone in relation to regeneration in Leucophaea maderae in vitro. 3979

electrical activity from stretch-receptors of metathoracic leg of Schistocerca gregaria. 625

hairs of tarsomere III in relation to climbing ability of Sitophilus. 5830

means of extension and muscles in Haemogamasus ambulans. 3868

micromorphology of tibio-tarsal joint of mesothoracic leg in Periplaneta americana. 2600

mode of functioning of adhesive pads in Rhodnius prolixus. 4445

nervous control of activity of muscles in Insecta, 1065

proprioceptors and gravity perception in Pterygota. 4495

pulvillar structure in terrestrial Heteroptera.

regeneration in Acheta domestica. 688

regeneration in Caloglyphus boharti.

scanning electron microscopy of tarsi in Macrocheles muscaedomesticae. 4502

supernumerary leg in Epinotia solandriana. 2673

tarsal contact chemoreceptors in Tabanidae. 5197

tarsal spines for prey capture by adult Agrion ornatum. 3038

teratology in Coleoptera. 5280

terminology for pretarsus in Heteroptera. 3392

ultrastructure of pro-leg metamorphosis in Galleria mellonella. 1988

ultrastructure of tarsal apical organs in Stylopauropus pedunculatus. 5826

Appendisotoma montana sp.n. (Collem., Isotomidae), described. 4982

Appias paulina ega (Lep., Pieridae), new for Lord Howe I., Australia. 4925

Apple, see Malus

 $\begin{array}{c} \textbf{Applied entomology,} \ \ \text{language distribution.} \\ 5611 \end{array}$ 

Aprionus (Dipt., Cecidomyiidae), biology and life-cycle in the laboratory. 3962

Apristomimus megacephalus gen. et sp.n. (Col., Carabidae), described. 1839

Apristus latipennis occidentalis subsp.n. (Col., Carabidae), described.

Apsida (Col., Tenebrionidae), reviewed and keyed with new taxa and new synonymy. 4289

**Apsinota (Dipt., Curtonotidae),** revised and new spp described. 2947

Apterogyna invreai sp.n. (Hym., Apterogynidae), described. 1447

Apterogynidae (Hym.), 1447

Apterygota,

larval prothoracic structure. 3855

of New Zealand. 3693

relationship to Pterygota on basis of external genital structure. 1161

Aptinothrips karnyi (Thysanopt., Thripidae), new for Britain. 3272

Apus aequatorialis (Aves), host of Dennyus aequatorialis sp.n. 576

Arabia

Acari and Insecta injurious to crops. 4062

Nemopteridae new for. 1942 new Aphelinidae from. 5721 new Cerambycidae from. 3300 Arabia, contd.

new Cicadellidae from. 5699

new Megachilidae from. 5735

new Pentatomidae from. 1440

new Reduviidae from. 5704

new Tenebrionidae from. 5017

**Arabian Sea,** new Ornithodoros sp from Hasikiya Island. 1824

#### Arabinose.

phagostimulant for Erioischia brassicae. 2722 toxic to Erioischia brassicae. 2722

Aracerus levipennis (Col., Curculionidae),

biology of Pyemotes boylei reared on in the laboratory. 4026

Arachis hypogaea (Leguminosae) (groundnut),

Caryedon gonagra from for first time in India. 5443

damage by Cadra cautella to stored grain. 786 development of Oncopeltus fasciatus on seeds. 813

resistance to Diabrotica undecimpunctata howardii. 5448

#### Arachnida,

attacking plants in Philippines. 3593 among bananas at Arras, France. 4815 of British caves. 5561

from caves in Bulgaria and Yugoslavia. 6069 found in caves and mines in Great Britain in 1968. 6068

chemoreceptors. 4490

collection in Frost Entomological Museum, Pensylvania State University, USA. 949 digestion and feeding. 3917

metabolic rates in relation to acclimation and respiratory surface. 4503

of Meteor cave, Hungary. 3202

Palaeocharinidae (?) from Devonian of GFR. 945

and reproductive behaviour of Ischyropsalis. 3728

soil fauna at a farm at Giza, Egypt. 6054 transition from water to land. 945

Arachnocephalus maculifrons sp.n. (Orth., Mogoplistidae), described. 1945

Aradidae (Hem., Het.), 148, 2967, 5442

Aradus cinna momeus (Hem., Het., Aradidae), mechanism of conifer resistance, 5442

Araeocerus fasciculatus (Col., Anthribidae), ultrastructure of gut parasite Epicavus araeoceri, 4456

Araeoncoides berolinensis gen. et sp.n. (Arach., Aran., Erigonidae), described. 4246

Araeopidae, see Cercopidae

Araeopsylla phnomensis sp.n. (Siphon., Ischnopsyllidae), described. 5770

Araeoschizus armatus (Col., Tenebrionidae), inquiline of Pogonomyrmex occidentalis. 847

Araneae,

from an abandoned nest of muskrat in Ontario, Canada. 5602

on Acer in Michigan, USA. 3592 associated with ants and termites. 3571 of Babadag Forest, Dobrogea, Romania. 2197 of caves of Romania. 5562 from caves in Tunisia. 4248

classification of life-histories. 4728 ecology in coastal habitats at Kiel, GFR. 4095 ecology and phenology on a raised beach in

England, 3555

of ecotone between alderwood and a mixed wood in Poland. 5508

factors affecting population size on jack-pine. 3615

life-histories of alpine tundra spp in Colorado, USA, 4730

from Lower Silesia, Poland. 6111 method for studying development. 5117 new for Poland. 6111

parasitized by Ichneumonidae on W. Coast of Schleswig-Holstein, GFR. 5478

as predators of Cecidomyiidae. 4101

as predators of Chilocorus bipustulatus in Israel. 1701

as predators of Choristoneura pinus in Michigan, USA. 3615

as predators of Culicidae. 5508

predators of Diatraea saccharalis eggs in Louisiana, USA. 2795

as predators of Hodotermes mossambicus. 5517

as predators of Rhyacionia frustrana. 5494 predators of Schistocerca gregaria in Ethiopia. 2155

as prey of Coptoformica exsecta and Formica polyctena. 2721

as prey of Lycosa lugubris in Scotland. 2109 of Romania. 2197

seasonal growth in dune-living spp in Sweden.  $2138\,$ 

of soil at a farm at Giza, Egypt. 6054 from Switzerland. 934

vertical distribution in soil in Japan. 2813 web types and taxonomic relationships. 1233 from Whitburn, Durham, England. 3555

Araneidae (Arach., Aran.), of Babadag Forest, Dobrogea, Romania. 2197

Araneus cornutus (Arach., Aran., Araneidae), abundance in Babadag Forest, Dobrogea, Romania, 2197

Araschnia levana (Lep., Nymphalidae), diapause, seasonal forms and pigmentation. 3470

Araschnia levana-prorsa, pigment of wings in seasonal-dimorphic forms. 4555

Araucodynerus gen.n. (Hym., Eumenidae), established. 1005

Araucoxenia paradoxa gen. et sp.n. (Dipt., Trichoceridae), described. 5684

Arbanitis inornatus (Arach., Aran., Ctenizidae), syn.n. of Cataxia maculata. 3727

Arbutus canariensis (Ericaceae), host of Lithocolletis klimeschiella sp.n. in Islas Canarias, 5067

Archaea (Arach., Aran., Archaeidae),

? reproductive system. 4584

Archaeognatha (Thysanura s. lato), of New Zealand. 3693

Archaeogomphus (Odon., Gomphidae), discussed. 5763

Archaeopsylla erinacei maura (Siphon., Pulixi Pulicidae), new for France. 4942

Archenomus arabicus sp.n. (Hym., Aphelinidae),
described. 5721

Archicarabus monticola (Col., Carabidae), abnormalities of antennae and legs. 5918

Archicoliuris gibbosa (Col., Carabidae), new spp described. 5624

Archiearis notha (Lep., Geometridae), new for Netherlands. 2873, 6139

Archipolydesmus osellai sp.n. (Myriap., Diplop., Polydesmidae), described. 3023

Archips (Lep., Tortrioldae), food-selection in larvae of mitterbachiana and podana, 1253

Archisphex crowsoni gen. et sp.n. (Hym., Sphecidae), described. 2986

Archodonata,

ephemeropteran larvae from Permian transferred to. 3322

placed in Ephemeromorpha nom.n. 3322

Arcopagus Leach 1817 (Col., Pselaphidae), invalid. 1414

Arctia caja (Lep., Arctiidae), particles in defensive and egg fluids. 4457

Arctic,

adaptations to Arctic life in Upis ceramboides.

autogeny and stenogamy of Aedes rempeli in Arctic Canada. 4073

ecological significance of temperature differences between Arctic and Alpine meadows. 5308

ecology of soil-inhabiting Collembola and Oribatei of Olderfjord region, N. Norway. 4130

Olethreutidae of. 2863

Arctiidae (Lep.).

233, 930, 1121, 1128, 1228, 1801, 1931, 2613, 3154, 3228, 3697, 3928, 4457, 4954, 5412, 5986, 6027, 6134

of Cumberland County, New South Wales, Australia. 4954

Arctocorisa carinata (Hem., Het., Corixidae), biology and dispersal in rockpools in Finland. 2770

seasonal changes in sex-ratio. 2809

Arcynopteryx watertoni (Plec., Perlodidae), new for Wyoming, USA. 3355

Arcyophora bothrophora (Lep., Noctuidae),

frequenting eyes of domestic mammals in Bangladesh. 4033

Arcyophora icterica, feeding on Axis axis and Bos indicus in Nepal. 1385

Ardea cinerea (Aves), Coleoptera in nests at Bergen, Norway, 311

Ardeicola hardayali sp.n. (Mall., Philopteridae), described. 579

Ardeiphilus incertus (Mall., Menoponidae), Osborniella crotophargae syn.n. of, 5080

Ardeiphilus vittatus, syn.n. of Cuculiphilus mirzai. 5080

Ardonia diactinoides gen. et sp.n. (Col., Tenebrionidae), described, 3754

Arecastrum romanzoffianum (Palmae), Triatominae from at Uberaba, Minais Gerais, Brazil.

Argas (Arach., Acari, Argasidae), distribution of New World spp of subgenus Persicargas. 4219

Argas arboreus, gametogenesis and gonad development. 4624

Argas becklemishevi, second USSR locality. 4218

Argas boueti, new for USSR. 5564

Argas hermanni, new for USSR. 4218

Argas lagenoplastis, amino-acid, cation and sugar concentrations of haemolymph. 600

Argas persicus,

histochemistry of developing oocytes, 4635 presence in Southern Africa doubtful, 509 reservoir and possible vector of avian tuberculosis in USSR, 4776 circadian rhythm of 'drop-off', 2760

Argas (Persicargas) streptopelia sp.n., described. 4220 on migrating and resident doves in Senegal.

Argas (Persicargas) theilerae sp.n., described. 3283

Argas (Persicargas) walkerae sp.n., described.

Argasidae (Arach., Acari), of Switzerland. 4187
Arge pavana (Hym., Argidae), biology and ecology in Belorussia. 1227

Argentina,

biology, distribution, ecology and economic importance of Lecanium deltae in Tucuman. 4058

Contarinia sorghicola present. 436

distribution of Planipennia. 4205

insect and myriapod types in Instituto Miguel Lillo. 950

Neoponera and Parectatomma keyed. 4354

Neuroptera catalogued. 1387

new Anthicidae from. 4988

new Bethylidae from. 3796, 5718

new Blaberidae from, 985

new Braconidae from, 1450

new Diapriidae from. 1918

new Eumenidae from, 4351

new Formicidae from. 4354

new Melolonthidae from, 5007

Argentina, contd.

new Miridae from. 2514, 5037, 5708

new Mymaridae from. 1007

new Osmylidae from. 5081

new Pieridae from. 3823

new Pompilidae from, 5737, 5738

new records of Tabanidae, 987

new Riodinidae from. 1019

new Sarcophagidae from. 5675

new Scarabaeidae from. 5649

new Scutacaridae from. 516

new Sphecidae from. 1009

new Tabanidae from, 987

new Tydeidae from, 3291

Phytocoris from, 5708

Pseudisobrachium revised, 3796

Sarcophagidae from Gastropoda. 5675

Tenebrionidae from. 2498

Argia concinna (Odon., Coenagrionidae), larva described for first time. 3830

Argidae (Hym.), 1227, 1378, 4344

of Poles'e of Belorussia. 1378

**Arginase**, activity and proline formation during development in Hyalophora gloveri. 1633

Arginine,

binding with soluble proteins in silk-glands of Bombyx mori. 3954

content in neurosecretory cells of brain in Acrida gigantea. 3875

fortification of dandelion pollen diet for Apis mellifera, 4627

level in Musca domestica tissues during metamorphosis. 4647

in protocerebral neurosecretory cells in Musca domestica. 3879

Argiope (Arach., Aran., Argiopidae), predators of Leptocorisa oratorius in Sarawak. 4103

Argodrepana (Lep., Drepanidae), numerical taxonomy. 1359

Argohesma gen.n. (Hym., Colletidae), established.

Argopus riedeli sp.n. (Col., Chrysomelidae), described, 3741

Argynnis charlotta (Lep., Nymphalidae), case for continuance of specific name, 1469

Argyrophylax aureiventris (Dipt., Tachinidae), puparium resembling those of Glossina. 1507

Argyroploce anisoptera (Lep., Tortricidae), transferred to Engelana gen.n. 122

**Argyroploce electana,** new host for Teleutaea japonica from Japan. 321

Argyrotaenia velutinana (Lep., Tortricidae),

chemical control on apple trees. 4670 effectiveness of cis-11-tetradecenyl acetate (RiBLuKe) for trapping in Hudson Valley,

fluorescent powder for marking in dispersal studies. 5108

sex-pheromone, 1593

sex-pheromone trapping. 5130

Arhopala (Lep., Lycaenidae), new taxa described. 5750

Ariarathus (Col., Tenebrionidae), Teneatopus synonymous with. 2928

Aricia artaxerxes salmacis (Lep., Lycaenidae), cross-breeding with other Aricia spp. 3203

Aridella nana gen. et sp.n. (Hym., Ichneumonidae), described. 5731

Arisocerus amapensis gen. et sp.n. (Arach., Acari, Trombiculidae), described. 4239

Aristolochic acid, extracted from adult
Pachlioptera aristolochiae. 186

Arixyleborus (Col., Scolytidae), new spp described. 1850

Arixyleborus granulifera, of described for first time. 1850

Armadillo, see Dasypodidae and Dasypus

Armatocillenus yokohamae (Col., Carabidae), new variety from Philippines. 2897

Armigeres (Dipt., Culicidae),

breeding-sites in Kuching area, Sarawak. 5493 larval head-width for instar determination. 2576

Armigeres subalbatus,

CNS and regulation of blood-meal size. 1687 protein constitution in relation to development. 5945

simultaneous infection with Breinlia sergenti and Brugia pahangi. 4675

Armothyas indicus gen. et sp.n. (Arach., Acari, Hydracarina), described. 4214

Armoured scales, see Diaspididae

Armyworm, see Leucania separata

Arocephalus (Hem., Hom., Cicadellidae), host of Halictophagus languedoci sp.n. in S. France. 3015

Arocephalus roborovskii sp.n., described. 5044 Arphia conspersa (Orth., Acrididae), acoustical and visual social displays. 3083

Arpiella (Lep., Saturniidae), status. 117 Arrenurus (Arach., Acari, Hydracarina),

damage caused by larvae to wings of Sympetrum meridionale, 6006 new spp from India, 4215

Arrenurus agrionicolus.

age in relation to colour and size, 3034 ecology, 1299

larvae as indicators of age in Cercion hieroglyphicum. 3034

Arrenurus kissi sp.n., described. 10 Arrenurus mitoensis, ecology. 1299

Arrestants, phytochemical arrestants for Acromyrmex octospinosus and Atta cephalotes, 4128

Arrhapytarsa kadeci sp.n. (Col., Scarabaeidae), described, 5012

Arrhenatherum elatius (Gramineae), Contarinia arrhenatheri attacking seeds in Poland. 5435 Arrhenotoky,

in Brachycoryphus nursei. 2114 meiosis in an arrhenotokous strain of

Histiostoma feroniarum. 5531

in Phanerotoma flavitestacea. 5371

in Tetranychidae. 4146

Arrhopalites aggtelekensis buekkensis subsp.n., (Collem., Sminthuridae), described. 2933

Arrhopalites hungaricus intermedius subsp.n., described. 2933

Arrthenothrips acuminatus sp.n. (Thysanopt., Phlaeothripidae), described. 1482

Artepityophthorus aries gen. et sp.n. (Col., Scolytidae), described. 2495

Arthroconus (Col., Tenebrionidae), new taxa from Chile. 2497

Arthrolytus (Hym., Pteromalidae), N. American spp reviewed and muesebecki sp.n. described. 1926

Arthropleura (Myriap.), relationships with Chilopoda. 2249

Arthropoda,

band-period links of collagen. 4542

bibliography on manifestations of overcrowding. 4963

circadian and seasonal rhythms in terrestrial Arthropoda. 4448

cohabiting with social spiders. 3571

communities of Carpinus-Quercus forest at Louvain, Belgium, 3598

ecology and evolution of cave-dwelling forms. 3605

prey of Anabrus simplex. 4772

ontogeny in relation to phylogeny. 4924

pests important in Ontario, Canada, in 1968. 3181

prey of Ischyropsalis. 3728

studies in progress in Norway in 1970. 4019

Artibeus jamaicensis (Chiroptera), host of Paralabidocarpus artibei in Puerto Rico. 5607

Artichoke plume moth, see Platyptilia carduidactyla
Artiodactyla, host distribution of Haemophysalis
bispinosa in Borneo and Malay Peninsula.

4782 Arvicola terrestris (Rodentia), Arcaroidea of nests in Belorussia, USSR. 1292

Arylesterase, from thoracic muscles of Periplaneta americana. 4528

Arzama densa (Lep., Noctuidae), diapause, ecology, larva and life-history. 282

Asaphes vulgaris (Hym., Pteromalidae),

hyperparasitic on Aphelinus semiflavus and Aphidius pulcher in Acyrthosiphon pisum. 796

Asaphidion pallipes (Col., Carabidae), overwintering. 4093

Ascalaphidae (Neur.), 4205 Argentine distribution, 4205 Ascarops strongyline (Nematoda), presence in Scarabaeidae in S. Georgia, USA. 4669

Asclepias curassavica (Asclepiadaceae), cardiac glycosides ingested by Aphis nerii. 4527

Asclepias syriaca,

carriage of pollen by Lepidoptera. 3583 development of Oncopeltus fasciatus on seeds. 813

extracts in relation to growth and survival in Melanoplus femurrubrum. 3978

mode of feeding by Oncopeltus fasciatus. 5397

Asclepias tuberosa rolfsii, sense-organs perceiving in 9 Danaus gilippus berenice. 3410

Ascogaster dentatus (Hym., Braconidae), parasite of Laspeyresia pomonella. 5430

Ascomycetes (Fungi), effect on larval growth of Hylotrupes bajulus. 692

Ascorbic acid.

concentration in artificial diet in relation to wing-production in Myzus persicae. 4632

haemolymph concentration during Aspergillus flavus infection in Odontotermes obesus. 663

in relation to phase and perinatal mortality in Schistocerca gregaria. 2075

preventing melanosis in Odontotermes obesus queen during Aspergillus flavus infection. 663

synthesis in gut of Periplaneta americana. 178

Ascoschoengastia (Laurentella) (Arach., Acari, Trombiculidae), new spp from E. New Guinea. 4237

Ascoschoengastia latyshevi,

biology, behaviour and ecology in Austria. 5365

histology of stylostome. 6001

Asemosyrphus (Dipt., Syrphidae), o' genitalia. 1166

Asia,

dispersal of Argas streptopelia sp.n. on bird hosts. 4220

distribution of Dacus dorsalis. 3777 geographical isolation in Gryllidae, 3231 new Acrididae, Eumastacidae and Tettigoniidae from. 1478

new Capniidae from C. Asia. 1481

Plecoptera of C. Asia. 1481

S.E. Asian Aedes (Diceromyia) reviewed and keyed. 4301

Tiphiinae types in British Museum, (Natural History) and at Oxford University, England, redescribed. 3345

Tylopsis lilifolia new for C. Asia. 1478

Asiarcha (Hem., Het., Tessaratomidae), Mattiphus oblongus transferred to. 5715

**Asidobothris (Col., Tenebrionidae),** inclusion in Cnodalonini argued. 533

Asilidae (Dipt.),

59, 316, 1422, 1666, 1716, 1867, 2092,

Asilidae (Dipt.), contd.

2205, 2206, 2938, 2939, 3082, 3569, 4295

of Congo Basin reviewed and keyed and new taxa described, 4295

ecological morphology. 1716

from N.E. Danube Delta, Romania. 2206

predation on Chironomus at Solberg Lake, Wisconsin, USA, 3558

salivary glands in Provence (France) spp. 3082

Asilinae (Dipt., Asilidae), salivary-gland structure in Provence (France) spp. 3082

Asilini (Dipt., Asilidae), ecological morphology. 1716

Asioplateros flavipennis gen. et sp.n. (Col., Lycidae), described. 528

Aslauga camerunica sp.n. (Lep., Lycaenidae), described. 1466

Aslauga vininga, forms A and B of ♀ described. 1466

Asparagine, activation of salivary amylase in Lygus disponsi. 1562

Aspartic acid,

activation of salivary amylase in Lygus disponsi. 1562

 $\beta$ -alanine, noradrenaline and dopamine in relation to aspartic acid metabolism in Drosophila melanogaster. 1561

metabolism in relation to age in 2 Aedes aegypti. 1554

Aspergillus (Fungi),

in relation to arthropods and environmental variables in bulk-grain ecosystems. 4822 food of Onychiurus armatus. 4769

Aspergillus flavus,

and haemolymph biochemistry in Odontotermes obesus queen. 663

inhibition of growth by antimicrobial substance in excrement of Cingalobolus bugnioni. 1250

and integument of Odontotermes obesus queens. 611

and multiplication of Glycyphagus domesticus and Histiostoma sp. 1722

strains toxic to Hylotrupes bajulus larvae. 692 toxicity of culture filtrates to Isoptera. 2168
Aspergillus flavus var.columnaris, effects of

kojic acid on larval development in Aedes atropalpus and Musca domestica. 1643

Aspergillus niger, toxicity of culture filtrates to Isoptera. 2168

Asphondyliidi (Dipt., Cecidomyiidae), Luzonomyia transferred to. 2941

Asphragis aequalis sp.n. (Hym., Ichneumonidae), described. 1919

Aspidiotus hederae (Hem., Hom., Diaspididae), method for rearing in laboratory. 312

Aspidiotus nerii, host of Aphycomorpha aspidioti sp.n. in New Zealand. 2991

Aspidiotus perniciosus,

anatomy, histology and morphology. 677 biology and ecology in relation to orchard and

ornamental trees in British Columbia, Canada. 1703

prey of Balaustium putmani. 3549

Aspilota (Hym., Braconidae),

Nearctic spp of section B revised and new spp described. 1910

Nearctic spp of signifrons group revised, 5051
Aspilota compresignaster sp.n., described, 1910

Asplenium (Pteridophyta), presumed host of Utamphorophora alpicola sp.n. in Switzerland, 3786

Aspongopus holasi sp.n. (Hem., Het., Pentatomidae), described. 5711

Assipala aquila sp.n. (Dipt., Tabanidae), described. 987

Assiuta camena gen. et sp.n. (Hem., Hom., Cicadellidae), described. 3792

Astegistidae (Arach., Acari), relationships within Liacaroidea. 514

Astehelius crypticus gen. et sp.n. (Orth., Acrididae), described. 2536

Asteia (Dipt., Asteiidae), new spp described. 58 Asteiidae (Dipt.). 58

Astenus melanurus (Col., Staphylinidae), not a British sp. 2922

Aster tripolium (Compositae), Dasyneura tripolii sp.n. from galls. 1872

Aster yellows, chemical control of Macrosteles fascifrons in relation to incidence in carrots. 4830

Asterobemisia dentata (Hem., Hom., Aleyrodidae), described. 4326

Asthenochirus foveolatus (Col., Tenebrionidae), type-sp of Pseudolymon gen.n. 1834 Astichus (Hym., Eulophidae),

hosts and distribution of 12 spp. 4350 new spp described and spp keyed. 4350

**Astichus auratus,** transferred to Chrysocharis.

Astichus ciliatus, not an Astichus. 4350

Astichus minutus, transferred to Tetrastichus.
4350

Astictoneura gen.n. (Dipt., Cecidomyiidae), established, 1869

Astromula nitidum (Col., Cerambycidae), immature stages and reproductive biology. 140

Astrothrips bhattii sp.n. (Thysanopt., Thripidae), described. 4403

Astrothrips roboris, redescribed. 4403

Astylus atromaculatus (Col., Melyridae), biology in relation to Sorghum. 4024

Atachniotes (Lep., Cochylidae), spp transferred to Eupoecilia. 119

Ataenius (Col., Scarabaeidae), havanensis and scabrelloides new for Jamaica, W. Indies. 3309

Atanyjoppa (Hym., Ichneumonidae), new spp described and Burmese spp keyed. 109

- Atelechira (Col., Chrysomelidae), new spp described. 2484
- Ateles paniscus (Primata), transmission of Plasmodium brasilianum to by Anopheles freeborni. 5809
- Atemeles pubicollis (Col., Staphylinidae), host finding by odour. 3422 physiology of relations with Formica and

Myrmica. 4052

Athalia (Hym., Tenthredinidae), European spp keyed. 3000

Athalia alpina sp.n., described, 3000

Athalia circularis, subspp described. 3000 Athemus (Col., Cantharidae), Japanese spp reviewed and new taxa described. 1404

Atherigona (Dipt., Anthomyiidae), screening of maize varieties for resistance. 4806

Atherigona naquil, attacking Hordeum in India. 4805

Atherigona orientalis, pest of maize in India. 4806 Atherigona varia soccata, factors affecting oviposition on sorghum. 3530

Atheta elongatula balcanica (Col., Staphylinidae), new for Britain. 3252

Atheta granigera, from Devon, England. 3253
Atheta harwoodi, in Strix aluco nest in Norway.
1690

Atheta laticeps, not a British sp. 2922

Athous subfuscus (Col., Elateridae), abundance in pine woods in Netherlands. 2161

Athripsodes (Trich., Leptoceridae), associated with Spongilla fragilis in Savannah R., USA. 1692

Atilax paludinosus (Carnivora), host of Felicola minimus, F. pygidalis and Suricatoecus paralaticeps in Nigeria, 1940

Atlantic Ocean, insect fauna of N. Atlantic islands in relation to Quaternary history. 4955

Atlides neora (Lep., Lycaenidae), transferred to Thereus. 4374

Atomaria (Col., Cryptophagidae),

of Islas Canarias and Madeira. 5639 new synonomy. 5639

Atomaria atricapilla, new for Jordan. 1410

Atomaria atripennis, new for Jordan, 1410

Atomaria (Anchicera) semusta sp.n., described.

Atomaria strandi, new for Norway. 452

Atomarlinae (Col., Cryptophagidae), from Cyprus and Jordan. 1410

Atomyria (Col., Chrysomelidae), new for Algeria. 2477

Atomyria mateui sp.n., described. 2477

activity in relation to fibre elongation in glycerinated fibrillar flight-muscle in Lethocerus cordofanus. 612

in relation to butyrate oxidation by adult tissues of Lucilia cuprina in vitro, 1141 in relation to choline kinase of Periplaneta americana, 3936

and isoleucine incorporation by templateactive RNA from Tenebrio molitor. 3072

metabolism in oscillation cycles of glycerinated flight-muscle fibres of Lethocerus maximus, 1044

not specific energy-source in fibrillar muscle of Lethocerus maximus. 613

phagostimulation in \$\footnote{2}\$ Chrysops vittatus, 2108 in relation to reception by type-3 water receptor in Phormia terranovae, 5199

stimulation of phosphatidylcholine synthesis in fat-body of Phormia regina larvae. 1555

synthesis in last larval instar of Donacia simplex. 1087

synthesis in mitochondria of locomotory and strike muscles of Mantodea. 1043

synthesis in mitochondria of 'Minute' mutants of Drosophila melanogaster. 1345

ATP citrate lyase, during adult of development in Schistocerca gregaria. 4001

ATPases,

ATPase and contraction independent of Ca<sup>++</sup> in glycerinated muscle-fibres of Lethocerus maximus. 1042

effects of chlorinated hydrocarbon insecticides on inhibition in muscle and nerves of Periplaneta americana. 614

ultrastructural localization in midgut cells of Bombyx mori larvae. 1104

Atrachya menestriesi (Col., Chrysomelidae), termination of diapause by mercury compounds. 2066

Atractides levipalpis sp.n. (Arach., Acari, Hydrachnellae), described. 10

Atractides nodipalpis, periodicity of drift activity. 1321, 5385

Atractocerus pygmaeus (Col., Lymexylonidae), syn.n. of brevicornis. 1412

Atractomorpha australis (Orth., Eumastacidae), pigments and proteins. 2031

Atractothrips (Thysanopt., Phlaeothripidae), new spp from Solomon Islands. 5773

Atractotomus mali (Hem., Het., Miridae), adverse effects of Ryania treatment in apple orchards. 6046

Atrax robustus (Arach., Aran.), effects of venom. 763

Atriadops cinnamomea (Dipt., Nemestrinidae), new for Socotra. 4296

Atrichopogon pollinivorus (Dipt., Ceratopogonidae), from Cornwall and Surrey, England. 3259 macrotrichia of \$. 3259 ovary development in relation to diet. 3259

Atriplex patula var. hastata (Chenopodiaceae), not fed on by Agasicles sp.n. 2763

Atrophonysia intertidalis (Arach., Aran.), description, distribution and ecology. 2467 Atropidae (Psoc.), 3185

Atta cephalotes (Hvm., Formicidae),

arrestants from grapefruit and Hibiscus.

Atta colombica, cuticular alkanes. 5225

Atta colombica tonsipes,

biochemical basis of symbiosis with food fungus. 1689

cellulose-utilization by symbiotic fungus. 2112
Atta laevigata, egg-production by workers. 4125

Atta sexdens, metathoracic gland secretion. 2647 Attachment.

age in relation to attachment rate in Amblyomma americanum. 4780

pairs in Choriopsoroptes kenyensis gen. et sp.n. and Psoroptes natalensis on Syncerus caffer. 4232

skin reaction to repeated attachment and feeding of Ixodidae. 4787

Attacidae, see Saturniidae

Attagenus alfierii (Col., Dermestidae),

susceptibility of larvae to organophosphates. 4454

Attagenus megatoma,

CO<sub>2</sub>-anaesthesia in relation to toxicity of malathion to larvae. 4562

quasical assembling scent in relation to of Trogoderma granarium. 3902

meconium structure in relation to Pyxinia frenzeli infection. 5217

natural control by Pyxinia frenzeli, 1097 post-emergence changes in adult eye. 2597 starvation in relation to last-instar larvae and adults infected with Pyxinia frenzeli, 1097

and adults infected with Pyxinia frenzell, 10' susceptibility of larvae to organophosphates.

4454

Attagenus piceus,  $\gamma$ -irradiation in relation to life-span. 254

Attelabus (Col., Curculionidae),

brood parasitism of Pterocolus in N. America.  $4047\,$ 

Lasiorhynchites sericeus an inquiline of. 4047

Atteva punctella (Lep., Yponomeutidae), pteridines. 5250

Attini (Hym., Formicidae), protease activity in rectal fluid. 2628

Attractants, see also Pheromones

allyl isothiocyanate attractive to
Phyllotreta cruciferae and Ph. striolata.
4763

attractiveness of baited and unbaited lures to Rhagoletis pomonella and Tachinidae. 2720

1, 4-benzo-dioxan-2-carboxylates attractive to Amphimallon majalis. 4691

n-butyl benzoate and dimethyl benzyl carbinyl acetate attractive to Vespidae. 5811

Chrysopa attracted to terpenyl acetate bait. 2741

citral as attractant for Trigona subterranea workers. 5260

cotton-bud constituents attractive to Anthonomus grandis. 5431

cue-lure and 4-p-hydroxyphenyl-2-butanone mixtures as attractants for Dacus cucurbitae. 5332

dioxane and dioxaspira derivatives for attraction of \*Aedes aegypti. 1682

excretion of virgin Q Periplaneta americana attractive to off. 3437

heptyl butyrate an effective attractant of Vespula. 2554

L-lactic acid as attractant of Aedes aegypti to man. 4767

Luffa aegyptiaca attractive to Epilachna vigintioctopuncta. 1256

lures for Popillia japonica. 4685 fattractants for Dacus tryoni. 5137

method for detection of olfactory stimulants.

methyl cyclohexanepropionate and related chemicals as attractants for Popillia japonica. 4684

mobile attractants for Glossina. 1958 mortality of f Ceratitis capitata and Dacus cucurbitae sprayed with f attractants + naled and Myverol or CAB-O-SIL. 4686

mustard oils and their glycosides as attractants for Phyllotreta. 4763

new attractants for Amphimallon majalis. 4691

polythene wick for sex-pheromone trapping of Argyrotaenia velutinana. 5130

repellent substance of Trogoderma granarium not a sex-attractant. 762 response of 9 Ceratitis capitata to 5 lures in

the relative absence of of. 4660 for Rhagoletis pomonella and Tachinidae.

for Rhagoletis pomonella and Tachinidae. 2720

sex-attractant of  $\mbox{\ensuremath{$\circ$}}\mbox{\ensuremath{$\sim$}}\m$ 

for Sitophilus zeamais in rice grains. 299

for Tetanops myopaeformis. 1489

trans-7-tetradecen-1-ol acetate as attractant for of Heliothis zea. 5120 cis-11-tetradecenyl acetate probable sex-

pheromone of Ostrinia nubilalis. 667

Attraction.

of adult Musca domestica to M. domestica excrement and vomit. 3135

bloassay of attractancy of rice grains for Sitophilus zeamais. 133

of Ceratitis capitata to host tree rather than baited trap, 5346 of Culex pipiens quinquefasciatus to modified

light-trap. 5093 of Haematobia irritans to testosterone-

treated bulls. 5394

# Attraction, contd.

of Musca domestica and Stomoxys calcitrans to 2 types of trap. 5111

of Rhagoletis pomonella to red spheres and yellow panels in combination. 5127

of Silphidae to carrion. 3167

of W. African Culicidae to animal baits and  $\mathrm{CO}_2$ . 2723

# Atya africana (Crustacea Decapoda),

association with immature stages of Simulium dukei sp.n. 1431

phoresy of Simulium atyophilum  $sp.n.\ 4313$ 

# Atylotus (Dipt., Tabanidae),

biotype distribution at Great Swamp, New Jersey, USA. 3620

larvae and pupae of eastern  $N_{\star}$  American spp. 5680

spp keyed. 988

taken by dry-ice trapping in Okayama Prefecture, Japan. 1670

Atypus milberti (Arach., Aran., Atypidae), established in S. Michigan, USA, 3708

Aubertia Viktorov 1968 (Hym., Ichneumonidae), Aubertiana new name for. 5732

Aubertiana (Hym., Ichneumonidae), new name for Aubertia Viktorov 1968. 5732

Auchenorrhyncha (Hem., Hom.), from N.E. Danube Delta, Romania. 2216

Audre (Lep., Riodinidae), new spp described.

Audreia fugax sp.n. (Blatt., Blattidae), described.

Aulacidea (Hym., Cynipidae), oak-galls in Méhes collection in Museum of Natural History, Budapest, Hungary, 1278

Aulacigaster leucopeza (Dipt., Aulacigastridae), host of Aphaereta colei sp.n. in Connecticut and Massachusetts, USA. 1909

in brown slime-fluxes in S. New England, USA. 4096

Aulacigastridae (Dipt.), 1909, 4096 classification reviewed. 57

Aulacophora foveicollis (Col., Chrysomelidae),

excretion in relation to temperature and feeding. 3448

feeding behaviour in relation to cucurbitacin E. 5401

Malpighian tubules. 2621

Aulacorthum capilanoensis sp.n. (Hem., Hom., Aphididae), described. 2517

Aulacorthum (Neomyzus) dendrobii sp.n., described, 1441

Aulacorthum solani, taxonomic status of monophagous and polyphagous races. 5690

Aulis rufopilosa sp.n. (Col., Coccinellidae), described. 28

Aulocara elliotti (Orth., Acrididae), carbohydrate content of eggs. 722, 1635

Aulonogyrus coccinnus (Col., Gyrinidae), sex appendages. 225

Aureomycin,

in relation to bloating disease of adult Rhagoletis pomonella. 2136

in relation to fecundity of Ceratitis capitata. 4611

in relation to larval growth of Ceratitis capitata. 4612

Aureothrips (Thysanopt., Thripidae), syn.n. of Microcephalothrips. 4404

Aurotalis dionisa gen. et sp.n. (Lep., Pyralidae), described. 5756

Aurungabada (Hem., Het., Pentatomidae), transferred to Eusthenarina, 88

Australargyria gen.n. (Lep., Pyralidae), established. 5756

#### Australasia,

bird ectoparasites from Norfolk Island. 2744 chromosome map for Australasian Chironomus. 1752

developmental stages of Oncomerinae. 1890 genera and subgenera of Blepharoceridae keyed. 3758

Lepidoptera from Norfolk Island. 4953 occurrence of Vanessa kershawi on Norfolk I. during migration. 2772

Ornithodoros capensis new for Norfolk I. 2744

Rhopalocera of Nepean, Norfolk and Philip Islands. 2865

# Australasian Region,

Euparia keyed. 4259 location of types of Odonata of Tillyard. 4390 new Muscidae from. 3318 Parapalaeosepsis revised. 2506

Speleognathopsis galli new for. 3581

#### Australia.

Acanthinus revised. 4256

Anisops keyed. 550

Arctiidae of Cumberland County, New South Wales. 4954

Austroperlidae revised. 1946

checklist of Microvelia. 1891

classification, primary types and synonomy of Pyrgomorphidae. 1479

Coleoptera new for. 4206

Curculio interruptus Fabricius 1781 absent. 2906

cytogenetics of Moraba viatica on Kangaroo I., S.E. Australia. 1781

Dichaetomyia revised. 1873

distribution, economic importance and hostplants of Pectinophora scutigera in Queensland, 838

distribution of Hesperioidea and Papilionoidea. 2880

Euryglossa (Xenohesma) revised. 1917 galls of Phlaeothripidae on Acacia. 3043 Lamingtoniidae fam.n. from. 4252 Lepidoptera of Lord Howe Island. 4925 Lophocateridae fam.n. from. 4985 Australia, contd. migrations of Vanessa kershawi in 1963-1968. Muscidae with facial carina revised and keyed. 3318 nasal mites keyed. 510 nasal mites of birds in Queensland, 510 Neptini revised, 1936 new Anthicidae from, 4256 new Archaeidae from, 3293 new Aulacigastridae from. 57 new Austroperlidae from. 1946 new Cicadellidae from. 2983 new Colletidae from. 1915, 3798, 4347, 4348 new Crambidae from. 5756 new Diapriidae from, 2989 new Entomobryidae from. 3729 new Incurvariidae from. 3814 new Lestoniidae from, 1887 new Lycaenidae from. 3815 new Menoponidae from. 3008, 3009 new Muscidae from, 1873, 3318 new nasal mites from. 510 new Peltidae from. 4985 new Perissommatidae from. 1875 new Phlaeothripidae from. 4402 new Propalticidae from. 4253 new Scarabaeidae from. 4986 new Sepsidae from, 2506 new Sminthuridae from, 1859 new Syrphidae from. 1881 new Thripidae from. 4403 new Toxopidae from, 3293 new Trogossitidae from. 4985 new Trombiculidae from. 4245 new Tydeidae from. 3291 new Veliidae from, 1891 numerical taxonomy of Drepanidae. 3813 range for Euryglossina argocephala extended. range of Euryglossula flava extended. 3798 relationships of Psocoptera with New Zealand. seasonal fluctuations in oviposition by Pieris in S. Australia, 3995 Sigara revised and keyed. 3781 Spilopsyllus cuniculi introduced for spread of myxomatosis. 801 Stenus keyed, 2926 Xanthesma revised. 1916 terminifera

Australian plague locust, see Chortoicetes Australostigus hottentotus gen. et sp.n. (Col., Scydmaenidae), described, 47 Austria, behaviour, biology and ecology of Ascoschoengastia latyshevi. 5365 biometrics and hybridization of Apis mellifera carnica. 4426

Cinara pinihabitans rediscovered in

distribution of Apis mellifera carnica. 4426 Neuroptera of. 5590 new Aphididae from. 3786, 4330 new Chironomidae from, 3317 new Oribatidae from, 3725 new Phalangiidae from. 1398 Physocyclus simoni new for. 6112 Protura of N.E. Alps and foot-hills. 4941 Austroagallia canopus sp.n. (Hem., Hom., Cicadellidae), described. 3792 Austrochares (Hym., Pompilidae), transfer of spp to Dicranoplius, 5737 Austroheptura neboissi gen. et sp.n. (Plec., Austroperlidae), described. 1946 Austrolimnius (Col., Elminthidae), plastron. 174 Austropentura victoria gen. et sp.n. (Plec., Austroperlidae), described, 1946 Austroperla (Plec., Austroperlidae), redescribed. 1946 Austroperlidae (Plec.), 1946 revised. 1946 Austropria serraticeps gen. et sp.n. (Hym., Diapriidae), described. 2989 Austrosyrphus subgen.n. (Dipt., Syrphidae), established within Melangyna. 1881 Austrotritia kinabaluensis gen. et sp.n. (Arach., Acari, Orbibotritidae), described. 506 Austrozetes gen.n. (Arach., Acari, Oribatei), established. 2462 Autalia brevicornis (Col., Staphylinidae), occurrence in Britain questioned, 2922 Autogeny, of Aedes rempeli in Arctic Canada. 4073 in Culicoides and related genera. 598 in a Florida, USA, population of Culicoides furens. 4011 larval ecology of autogenous and anautogenous strains of Leptoconops becquaerti in Jamaica. 840 in Leptoconops. 4113, 4114 in Simuliidae. 5907 Autographa californica (Lep., Noctuidae), nuclear polyhedrosis virus and parasites in S. California, USA. 3153 preferred host of Campoletis perdistinctus in laboratory, 5413 Autographa gamma, experiments on migration. 1287 reproductive physiology of migrant populations in Hungary, 3533 Automeris fieldi sp.n. (Lep., Saturniidae), described. 117 Autoplusia egena (Lep., Noctuidae), nuclear polyhedrosis virus and parasites in S.

California, USA. 3153

described. 4986

Avena (Gramineae).

Autoserica dalatensis sp.n. (Col., Scarabaeidae),

effects of weather and insecticide treatment

Steiermark, 5429

# Avena (Gramineae), contd.

on Oscinella frit and predators. 2792

host of Schizaphis graminum biotype attacking Sorghum bicolor. 2724

oviposition and larval development of Oscinella frit on seedlings, 2695

#### Aves.

Argas persicus as reservoir and possible vector of avian tuberculosis in USSR. 4776

biology and taxonomy of intranasal Trombiculidae, 4237

defence reaction of Stagmatoptera biocellata.

dispersal agents for larval Boophilus microplus.
4071

ectoparasites from Norfolk I., Pacific Ocean. 2744

expendable surface-area of wings in Lepidoptera in relation to bird predation. 5188

flesh as diet for larval Sarcophaga tibialis. 4659 host-feeding associations of Culicidae in

Wisconsin, USA. 4752 hosts of 4 Argas spp of New World. 4219 hosts of Argas streptopelia sp.n. in S.W. Africa. 4220

hosts of Ixodidae in E.C. Oklahoma, USA.

hosts of Simulium at Darjeeling, India. 4821 Mallophaga from Foula, Shetland Islands. 5594

Mallophaga from migratory and resident birds in Egypt. 6147, 6148

nasal mites of Queensland (Australia) birds.  $510\,$ 

new Rhinonyssidae from Belém region, N. Brazil. 4975

not fed on by Stomoxys calcitrans near California, USA, poultry ranches. 5404

Ornithomyia associated with on Vlieland I., Netherlands, 2208

in relation to overwintering populations of Diatraea grandiosella in Mississippi, USA. 4851

Picidae as predators of Agrilus, 2764 predation as limiting factor for populations of Perthida glyphopa, 5464

predation by Passer on larval Manduca sexta. 2799

predators of Cecidomyiidae. 4101

predators of Ectropis bhurmitra in Sri Lanka. 2164

predators of Lycosa lugabris in Scotland. 2109 predators of Paropsis charybdis in New Zealand. 3553

predators of Schistocerca gregaria in Ethiopia. 2155

thermo-separator for extracting microarthropods from nests. 2547

Avicularia avicularia (Arach., Aran.), life-cycle in the laboratory. 4721

Avocado, see Persea gratissima

Avocado brown mite, see Oligonychus punicae

**Awatrechus (Col., Carabidae),** new taxa described and spp keyed. 1405

Awatrechus religiosus, larva described. 1405

Axacalia spiraenthi gen. et sp.n. (Hem., Hom., Aleyrodidae), described. 4326

Axillanthidium (Hym., Megachilidae), new spp described. 5734, 5735

Axillofebra gen.n. (Col., Chrysomelidae), established. 1846

Axis axis (Artiodactyla), host of Arcyophora icterica in Nepal. 1385

Ayubiana gen.n. (Hem., Hom., Cicadellidae), established. 998

Azanus soalalicus (Lep., Lycaenidae), redescribed. 4373

**Azauracil**, effects on morphology in Drosophila melanogaster. 238

#### 6-Azauridine.

in relation to embryonic development in Musca domestica. 231

in relation to fat-body metabolism in Pyrrhocoris apterus. 1200

Azelina (Lep., Geometridae), 4 New Zealand spp transferred to Ischalis. 5065

### Azide,

in relation to kynurenine-3-hydroxylase activity in Calliphora erythrocephala. 1123 in relation to Malpighian tubule secretion in Rhodnius prolixus, 1108

# Azinphosmethyl,

control of Epitrix hirtipennis on flue-cured tobacco. 5355

tobacco. 5335
control of Hypera meles. 4671, 4681
control of Trialeurodes vaporariorum. 5349
Mattesia grandis in relation to susceptibility
of Anthonomus grandis. 4450
toxicity to Anthonomus grandis. 5259
use in integrated control of aphids in apple
orchards. 5461

# Aziridines.

candidate chemosterilants against Popillia japonica. 5169

chemosterilants of of Bracon hebetor. 258

Azoester (methyl phenyldiazenecarboxylate), effect on feeding behaviour of blood-sucking Diptera. 1254

Azuki bean weevil, see Callosobruchus chinensis

Babesia caballi (Protozoa), pathogen of Dermacentor nitens. 5151

Bacanius (Col., Histeridae), new spp from Madagascar. 39

Bacanius (Antongilus) franzi sp.n., described. 5645

Baccha costata (Dipt., Syrphidae), predator of Toumeyella liriodendri. 3535

Baccha tribeni sp.n., described. 5030

Bacchini (Dipt., Syrphidae), Orphnabaccha transferred to Syrphini. 1881

Bacchisa (s.str.) nigricornis sp.n. (Col., Cerambycidae), described. 524

Bacillus (Bacteria), lysis by cell-free pupal haemolymph of Drosophila melanogaster. 1546

Bacillus cereus (Bacteria),

in gut flora of larval Bibio marci, 3919 mortality produced in Chrysops vittatus populations at Great Swamp, New Jersey, USA, 2774

Bacillus larvae (Bacteria), see also Foulbrood relation of peritrophic membrane development

to infection in worker larvae of Apis mellifera. 5222

selection for resistance to American foulbrood in larval Apis mellifera. 2046

Bacillus popilliae (Bacteria),

growth pattern in larval Popillia japonica. 5155 infection in relation to haemolymph lipoglycoprotein in larval Popillia japonica. 5866

infectivity of spores produced on laboratory medium for Popillia japonica. 5810

sensitization of larval Melolontha melolontha to Beauveria tenella mycosis, 5170

Bacillus rossius (Phasm., Phasmatidae),

automatic parthenogenesis. 2660 cytology of embryonic development in a parthenogenetic strain. 3975

Bacillus sphaericus (Bacteria), fate in gut of larval Bibio marci. 3919

Bacillus subtilis (Bacteria), fate in gut of larval Bibio marci. 3919

Bacillus thuringiensis (Bacteria),

for control of Zeiraphera diniana. 4102 effectiveness of media for serological tests. 5147

in relation to fecundity in Anagasta

kuehniella. 5306

lack of toxicity of crystals and crystal digests for Carausius morosus. 5178 method for measuring dose ingested by larval

Galleria mellonella. 5781

mode of action of toxic crystals in larval Bombyx mori. 3440

mortality of laboratory populations of Anagasta kuehniella. 4111

pathogen of Dysdercus cingulatus. 4695 pathogenicity to larval Choristoneura fumiferana. 5800

susceptibility of larval Diatraea grandiosella. 5822

teratology induced in Leptinotarsa decemlineata by thermostable toxin. 2062

toxicity to larval Tineola bisselliella. 3491

Bacillus thuringiensis var. alesti, insecticidal activity of strain HD-1. 5964

Bacillus thuringiensis var. thompsoni, serotype 1 from Galleria mellonella. 5817

Bacteria,

antibacterial compounds in cell-free haemolymph of Drosophila melanogaster pupae. 1546

antimicrobial substances absent from eggcapsules of Glomeris marginata and Narceus annularis. 3501

competition in gut of Calliphora vicina. 2013 cyst formation as defence reaction in Neodiprion swainei. 3431

diseases of Insecta, 5166

electron microscopy of gut bacteria in Acyrthosiphon pisum. 5854

Entomophthoraceae mycotoxins in relation to bacterial growth in Galleria mellonella larvae. 5815

experimental infection of mycetocytes of Euscelis plebejus in vitro. 3918

experimental transmission of Salmonella by Dermestes maculatus. 588

gut flora in larval Bibio marci. 3919

from gut contents of Collembola. 4769 from gut of Reduviidae. 2005

importance in development of Drosophila melanogaster, 3442

indicators for oviposition-sites of Culex pipiens quinquefasciatus. 6036

lytic enzyme produced by Periplaneta americana cells in vitro, 3935

mycobacteria isolated from Argas persicus in USSR, 4776

persistence and transmission in Drosophila melanogaster. 3442

transmission by Friesea mirabilis. 2111 trehalase from symbiotic gut flora of Blaberus cranifer. 5873

ultrastructure of intracellular symbionts of Euscelis plebejus embryos. 1693 Bactra (Lep., Olethreutidae), sex-chromosome trivalent in furfurana and lacteana. 5547

Bactrocantharis (Col., Cantharidae), key to related genera, 4261

Badiasis gen.n. (Col., Scarabaeidae), established.

Badister anomalus (Col., Carabidae), new for Sweden, 445

Baeckmanniolus (Col., Histeridae), reduced to subgenus of Hypocaccus, 974

Baeocera (Col., Scaphidiidae), 5 spp transferred to Eubaeocera. 3748

Baeonotidae fam.n. (Dipt.), 1423, 2940 similarity to Cecidomyiidae Lestremiinae.

Baeonotus microps gen. et sp.n. (Dipt., Baeonotidae fam.n.), described. 1423

Baëtidae (Ephem.),

1216, 1884, 2213, 2549, 2570, 2781, 2815, 2962, 3201, 3977, 4184, 5834 dispersal of Algae, Fungi and Protozoa. 4131 evolutionary trends of larvae. 4184 possible origin from Siphlonurinae. 3323 from S.E. Asia. 2962

Baëtis bicaudatus (Ephem., Baëtidae), drift catches of larvae. 2549

Baëtis rhodani,

abundance on Orkney Islands. 2213 diel periodicity of drift in an English Lake District stream. 2781 embryonic development and diapause. 3977

ultrastructure of longitudinal muscles of larval abdomen. 5834

upstream movements in a stream in S. Sweden. 2815

Baëtis sacishimensis sp.n., described, 2962 Baëtis tricaudatus, abundance and life-cycle in Bigoray R., Alberta, Canada. 3201

Baëtis vagans, drift catches. 2570

Baëtis vernus, embryonic development and diapause, 3977

Baetisca laurentina, O2-consumption of larvae.

Baetiscidae (Ephem.), 2245, 2246 origin and systematic position. 2246

phyletic relationships within Siphlonuroidea.

Bagoinae (Col., Curculionidae), evolution of plastrons, 1999

Bagous (Col., Curculionidae), Nordic spp reviewed and new spp described. 30 Bagous limosus, swimming movements. 3056

Bahama Islands,

new Curculionidae from, 4277 new Eulophidae from. 1451

Baits, see also Attractants

attraction of Chrysopa to terpenyl acetate bait.

bait factors for Blattella germanica. 5813 for Glischrochilus quadrisignalus. 3116

host and non-host plants compared as sites for baited traps for Ceratitis capitata. 5346 for sampling mosquito populations, 2574

Bakera (Hem., Hom., Cicadellidae), new synonomy, 5694

Typhlocyba nigrobilineata transferred to. 5694

Bakerdania (Arach., Acari, Oribatei), new spp from Brazil and Bolivia. 1392

Bakericheyla chanayi (Arach., Acari, Cheyletidae), biology in California, USA, 317

Bakerini (Hem., Hom., Cicadellidae), validity discussed. 5694

Bakerocoptes cynopteri (Arach., Acari, Bakerocoptidae), distribution and ecology in Malaysia. 2747

Balaustium putmani (Arach., Acari, Erythraeidae), biology and ecology. 3549

Balboa ampliata (Hem., Het., Lygaeidae), Dieuches occidentalis syn.n. of. 2893

Bald cypress, see Taxodium distichum

Baliothrips (Thysanopt., Thripidae), Stenothrips svn.n. of 4404

Balkan Peninsula, Acrolepiidae of. 5583 Baloghianestes gen.n. (Col., Acanthoceridae),

established. 519 Balsam fir, see Abies balsamea

Balsam woolly aphid, see Adelges piceae Baltic amber,

Dromius bakeri sp.n. from. 4991 microlepidopterous larvae. 2881 Platypodidae and Scolytidae from. 5651

Baltic region, distribution of Pterochilus phalesatus. 461

Bambus (Gramineae), biology of Lyctus brunneus.

Bambusana gen.n. (Hem., Hom., Cicadellidae), established. 1892

Banana, see Musa paradisiaca

Banchinae (Hym., Ichneumonidae), new for France.

Bandicota bengalensis (Rodentia), new Leptotrombidium from in Nepal. 4978

Bangladesh, population dynamics of Scirpophaga of sugar-cane and parasites. 4841

Banosa (Hem., Hom., Cicadellidae), syn.n. of Akotettix. 5694

Baphikothrips gen.n. (Thysanopt., Phlaeothripidae), established, 5773

Baphothrips (Thysanopt., Phlaeothripidae), new spp from Solomon Islands. 5773

N. Baranov, type-material of Tachinidae. 4314 Barathra brassicae (Lep., Noctuidae),

6-methyl uridine in relation to diapause and moulting, 5293

vitamins C and E in relation to phenology and physiology. 4516

Barbara (Lep., Olethreutidae), 3031 new spp described. 1021

Barbara colfaxiana, rearing on artificial diet in laboratory. 3031

Barbarea vulgaris (Cruciferae),

importance in seasonal development of crucifer fauna in New York, USA. 329

population dynamics of Brevicoryne brassicae. 2158

Barbaropus decellei sp.n. (Col., Languriidae), described. 40

Barbaropus moucheti, new for Ivory Coast. 40

Barbitistes fischeri (Orth., Acrididae), Brachymeria moerens hyperparasitic in. 316

planidia of Perilampus from. 316

Barichneumon erythraeus rufipes (Hym., Ichneumonidae), new form described. 110

Barium, effect on ocellar electroretinogram in Blaberus craniifer, 3890

Bark beetles, see Platypodidae and Scolytidae Barley, see Hordeum

Baronia brevicornis (Lep., Papilionidae), osmeterial secretion of larva. 4749

Barybas (Col., Melolonthidae), new spp described. 5005

Barypithes mollicum (Col., Curculionidae), new for Jylland, Denmark. 2201

Barytarbes (Hym., Ichneumonidae), record of illuminator from France. 110

Basalys ruficornis (Hym., Diapriidae), status. 2987

Basilia hispida (Dipt., Nycteribiidae), ecology in W. Malaysia. 2789

Basilia mongolensis, description supplemented.

Basilia (s.str.) rybini sp.n., described. 2505 Bathyplectes (Hym., Ichneumonidae), biology of Dibrachys cavus. 3144

Bathyplectes anurus, survival value of jumping cocoons. 5426

Bathyplectes curculionis,

control agent of Hypera postica in Massachusetts, USA. 5331

effects from insecticidal control of Hypera postica in N. Utah, USA. 4681

laboratory host of Amblymerus bruchophagi.

phenology and population dynamics in Indiana, USA. 3599

use with methyl parathion for control of Hypera postica. 5330

Bathypluta triphaenella (Lep., Tortricidae), colour forms. 5761

Battus polydamas (Lep., Papilionidae), osmeterial secretion of larva. 4749

Bauhinia (Leguminosae), host of Schizotetranychus rhynosperus sp.n. in Brazil. 3288

Bauhinia galpani, Caryedon gonagra recorded from for first time in India. 5443

Bay S-2758 [4(methylthio)-m-tolyl methylcarbamate], toxicity to larvae of Heliothis zea, H. virescens and Pectinophora gossypiella. 5359 Bay 37289 [O-ethyl O-2, 4, 5-trichlorophenyl ethylphosphothioate],

toxicity to larval Euxoa messoria. 5182 toxicity to larval Hemerocampa pseudotsugata, 5353

Bay 37344[4-(methylthio)-3, 5-xylyl methyl-carba mate],

toxicity to larvae of Heliothis zea, H. virescens and Pectinophora gossypiella. 5359

Bay 37344 sulphone, toxicity to larvae of Heliothis zea, H. virescens and Pectinophora gossypiella, 5359

Bay 37344 sulphoxide [4-(methylsulphinyl)-3,5xylyl methyl-carbamate], toxicity to larvae of Heliothis zea, H. virescens and Pectinophora gossypiella. 5359

Bay 62863 [2,3-dihydro-2-methyl-7-benzofuranyl methylcarbamate], contact spray against adult Musca domestica. 4451

Bay 65258 [O-ethyl S-methyl phosphoroamidothioate toxicity to larvae of Heliothis zea, H. virescens and Pectinophora gossypiella. 5359

Bay 77488 [O,O-diethyl phosphorothioate O-ester with phenylglyoxylonitrile oxime], toxicity to Tribolium confusum and T. castaneum.

Bay 78182 [O, O-diethyl phosphorothioate O-ester with (o-chlorophenyl) glyoxylonitrile oxime], contact spray against Musca domestica, 4451

toxicity to Tribolium confusum and T. castaneum. 5819

Baygon [o-isopropoxyphenyl methylcarbamate], control of Adelges cooleyi on Pseudotsuga menziesii in Washington, USA. 4667

control of Hypera meles on crimson clover. 4671

control of Sphenophorus parvulus in W. New York, USA. 4824

Baytex, toxicity to larval Telmatoscopus albipunctatus. 5987

Bdella lignicola (Arach., Acari, Bdellidae), new for Poland. 5434

Bdellia (Dipt., Muscidae), oviposition by Stylogaste on adults. 1268

Bdellodes (Hoploscirus) (Arach., Acari, Prostigmata),

new spp from Japan. 504 from S. Korean cave. 2825

Bean aphid, see Aphis fabae

Bean leaf roller, see Urbanus proteus Beans.

Aphididae and Coccinellidae on in a field-rotation system. 5495

effect of dry beans on egg hatch in Urbanus proteus. 5312

phenology of Callosobruchus in relation to growth of host beans. 3610

Beauveria (Fungi), mortality agent for predators of Adelges on Abies in Germany,

Beauveria (Fungi), contd.

Switzerland and Turkey. 5150

Beauveria bassiana.

control of Chalcodermus aeneus. 5177 infecting Bupalus piniarius pupae in Poland in 1964-1968, 5417

Beauveria tenella, sensitization of larval Melolontha melolontha to mycosis by a previous infection with Bacillus polilliae. 5170

Beccimyia papuana gen. et sp.n. (Dipt., Muscidae), described, 3318

Beckerinini (Dipt., Phoridae), validity recognized. 70

Beckiella (Arach., Acari, Oribatei), S. American spp keyed. 2462

Beet leafhopper, see Circulifer tenellus Behaviour.

abdomen-dipping and preening by of Mormoniella vitripennis after courtship. 2696

abnormalities in 'ebony' and 'tan' mutants of Drosophila melanogaster. 890

of Acari in relation to dry funnel extraction techniques. 2566

acceleration of phototaxis by mechanical vibration in Locusta migratoria. 639

accomplishment of complex communal tasks in Formica polyctena. 4126

acoustic behaviour of USA spp of Cyrtoxipha.

acoustic and sexual behaviour of Acheta domestica following sublethal doses of insecticide, 5252

of Acraea encedon in relation to sex-ratios of Ugandan populations. 1302

action spectrum of spontaneous phototaxis in Drosophila melanogaster, 3417

activity cycles of Prodenia eridania. 5095

activity rhythms of Periplaneta americana. 5253

adaptive polymorphism in laboratory populations of Drosophila willistoni. 5553

of Agapostemon nasutus. 3193

age, light-intensity and photoperiod in relation to reproductive behaviour in Anagasta kuehniella. 5939

aggregation of Dendroctonus brevicomis in response to synthetic pheromones. 1288

aggregation-pheromone and -response absent from ovipositing Nomadacris septemfasciata Q. 5320

aggregation-pheromone and -response in ovipositing ? Schistocerca gregaria. 5320

aggregation of predaceous Coccinellidae in response to Juniperus odour. 2084

aggregation and resting behaviour of Amphipyra pyramidoides. 3904

aggression in laboratory populations of larval Cheumatopsyche. 5473

of Agriotes ponticus and Melanotus fusciceps. 1659

alarm behaviour in Schedorhinotermes derosus. 4878

alarm-pheromones in analysis of behaviour. 1242

alarm-reaction of Crematogaster peringueyi produced by alarm-pheromone. 1148

alarm ventilation in larval Notonecta, 3426 of Amathes glareosa populations in Shetland Islands, 418

anal pyramid of Aeshna cyanea larvae for prey-capture and other aggression. 3570

antennae and compound eyes of Heliothis zea in attraction to light. 4500

antennal joint-receptor of Calliphora vicina in air-flow perception. 3892

antennal movements in flight-control in Calliphora erythrocephala. 3874

antennal sense-organs in relation to behaviour in Aphaenogaster gibbosa and Myrmica laevinodis. 4492

of Anthophora edwardsii. 2817

of Apis mellifera during visit to the food-source. 3900

aposematic display in Pseudocreobotra wahlbergi. 4727

approach of newly recruited Apis mellifera to a food-site. 5402

of Araneae associated with Acer in Michigan, USA, 3592

of Araneae on a raised beach in England. 3555 arrestants and repellents for Acromyrmex octospinosus and Atta cephalotes in grapefruit and Hibiscus. 4128

artificial and natural selection for phototaxis in Drosophila pseudoobscura. 916, 920

artificial selection for dispersal in Tribolium. 4910

of Ascoschoengastia latyshevi. 5365

of Atemeles pubicollis in relation to myrmecophily. 4052

attachment behaviour of larval Diatraeophaga striatalis. 5415

attack and mating behaviour of Leucostoma simplex. 4702

attraction to artificial light in Insecta an unnatural escape reaction. 5848

attraction of ♂ Zygaena filipendulae to ♀ Lasiocampa quercus. 5327

attraction of Musca domestica to colours as basis for control. 4668

attraction of Odonata to lights at sea. 2133 attraction of Scarabaeidae to mammal dung. 4753

attraction of Tabanus iyoensis to coloured electric lights. 1678

in relation to auditory system of Homorocoryphus. 1529

avoidance response of Heliothis zea and

Ostrinia nubilalis to ultrasound, 2550 avoidance response of Ostrinia nubilalis to sound, 1992

of Balaustium putmani. 3549

birth, copulation and feeding behaviour in Pyemotes boylei. 4026

birth and post-birth behaviour in N. American scorpions. 4013

of Blattodea. 5269

of Bradysia impatiens, 4704

brain-neurons in control of circadian behaviour rhythm in Acheta domesticus. 1066 of Braunsapis towards Echthrodape africana.

breeding behaviour of Glossina tachinoides.
4041

brood-care, feeding and reproductive behaviour in ground-dwelling Theridiidae. 1215

of Camponotus infected by Brachylecithum mosquensis. 2816

cannibalism, fighting and predation by adult of Tetranychus urticae. 4028

case-building and choice of building materials in larval Potamophylax latipennis. 5211

case-building and its control in Limnephilus. 3641

castes and trophallaxis in Kalotermes flavicollis. 3640

of cave-dwelling Trichoptera of Italy.

cemeteries of Polyrhachis simplex.

central and peripheral conditions in relation to courtship song in Gomphocerippus rufus. 3958

of Chaetosiphon fragaefolii in relation to diet and host-plant.  $2700\,$ 

of Chrysopa chrysops. 3701

of Cimex lectularius in relation to RH and temperature. 5205, 5206

circadian rhythmicity in Zeiraphera diniana. 1028

citral in robbing behaviour of Lestrimelitta limao. 5260

in relation to citral in Trigona subterranea.

climbing responses of larval Amathes c-nigrum. 2605

of Coenagrionidae. 2094

in relation to colony O2-consumption in Cubitermes. 4866

colour-discrimination in Apis mellifera and Bombus, 1073

colour, light and olfactory responses of Rhagoletis cerasi. 5212

colour of light in relation to trapping Manduca and Hleiothis zea, 3374

comparative social behaviour of Apoidea. 1317 compensation theory for taxis-reversal. 635

cone-attack behaviour of Conophthorus ponderosae in relation to Pinus ponderosa. 4703

courtship in 'black', 'ebony' and 'tan' mutants of Drosophila melanogaster. 4166 courtship in relation to pheromone perception

in Danaus gilippus berenice. 3522

courtship and predation behaviour of S. African Empididae. 3772

courtship of Pseudeucoila bochei. 2085

courtship and sperm-transfer in Mastigoproctus giganteus. 3525

courtship, stridulation and related behaviour in Steatoda bipunctata and Teutana grossa. 5954

courtship of Swedish Hercostomus. 4014

crowding in relation to activity in Spodoptera littoralis larvae, 5933

crowding in relation to locomotor activity in Leucania separata larvae. 2585

crowding, season and temperature in relation to spontaneous take-off activity in Blastophagus piniperda. 1237

of Cryptolestes ferrugineus. 2039

of culicid 9 adults at George L., Alberta, Canada. 2156

of Culicidae towards baits,  ${\rm CO_2}$  and light. 2574

of Cybister lateralimarginalis, 2546

dancing over water by Nephrotoma flavipalpis. 5372

of Danish Trichocera. 5364

DDT in relation to behaviour of Culicidae in Tanzania. 845

defence behaviour, flight-pattern and resting position in Cephise cephise. 4735

defence behaviour of Panamanian Orthopteroides 5390

defence reactions of larval Hypera postica to Tetrastichus incertus oviposition. 5324

of desert Calyptratae in Egypt in relation to temperature. 4829

deimatic reaction of Stagmatoptera biocellata. 4494

diel activity patterns of larval Culicidae. 5094 diel activity patterns of larval Trichoptera. 3542

differences in Iowa, USA, populations of Pterophylla camellifolia. 5514

dimensions and position of stimulus in relation to landing reaction in Musca domestica, 4496

of Diplopoda of a Cheshire (England) wood. 4839

dis-inhibition hypothesis for displacement activities in Apis mellifera. 853, 3900 in relation to dispersal in Eriophyidae. 2769

distance-communication in Apis mellifera caucasica in relation to individual experience, 1318

- disturbance behaviour of Exyra rindingsi, 4032 division of labour in nest construction by Lasius fuliginosus, 4124
- division of labour in worker Paravespula vulgaris. 4746
- of drift arthropods in the stream ecosystem. 832
- drone congregation areas of Apis mellifera. 5522
- in relation to ecdysis in Saturniidae. 3987
- effect of other members of the sp on oviposition behaviour in Locusta migratoria cinerascens. 1648
- egg-eating in Bombus lapidarius. 2818
- in relation to egg-production in worker Atta laevigata. 4125
- emergence and flight activity of Tabanidae in New Jersey, USA. 3543
- of Epicauta albida group. 1413
- of Erannis leucophaearia larvae and adults. 5556
- estimation of catching distance by eye fovea in Stagmatoptera biocellata. 3894
- of Eumicromus paganus. 3701
- of Euphaedra in relation to humidity, light and temperature. 5846
- evolution of nest architecture and social behaviour in Halictidae. 2169
- in the evolution of sex-dimorphism in diurnal rhythms of Insecta. 3557
- evolution and trophallaxis in Formicidae. 3636 of Evylaeus nigripes. 4127
- experimental apparatus in relation to reaction of Calliphora erythrocephala to light. 1996
- external conditions and wounding in relation to frequency of redirected preening in Blaberus craniifer. 4563
- external distrubance and time of day in relation to light-reactions of Coleoptera, Diptera, Lepidoptera and Orthoptera. 5848
- eye pigmentation and wing vibration in courtship of Drosophila melanogaster. 2697
- factors affecting flight activity in Tabanus iyoensis. 1678
- factors affecting larval behaviour of dendrophile Tortricidae. 1253
- factors affecting of sexual behaviour in Stictochironomus crassiforceps. 4648
- factors affecting net-spinning in Hydropsyche instabilis. 3118
- factors affecting onset of flight activity in Myzus persicae. 1171
- factors affecting oviposition-site selection in Hippelates dissidens. 4651
- factors affecting site-selection and oviposition in Dacus tryoni. 1217
- factors releasing scenting behaviour in Apis mellifera. 4499
- factors responsible for rare-type mating

- advantage in Drosophila melanogaster. 4175
- in relation to faunal distribution pattern in coastal areas of Kiel, GFR, 4095
- feeding behaviour of Chrysops suavis adults. 1677
- feeding behaviour of Culicoides barbosai and furens in Jamaica. 765, 766
- feeding behaviour elicited by olfaction and vision in Danaus gilippus berenice, 3897
- feeding behaviour of Epilachna vigintioctopuncta. 1256
- feeding behaviour of Glossina pallidipes in relation to developmental state of host. 2726
- feeding behaviour of Medetera sp A towards wood-boring Coleoptera. 2739
- feeding behaviour of Oncopeltus fasciatus. 5397
- feeding behaviour of Pyrgomorpha conica. 6003
- feeding and defecation of Rhodnius prolixus, Triatoma gerstaeckeri and T. sanguisuga texana. 4707
- feeding and mating in Ischyropsalis. 3728
- feeding and mating in Selasia unicolor. 4737 feeding and oviposition behaviour in chrysidid
- feeding and oviposition behaviour in chrysidid parasites of Solierella. 4740
- field responses of laboratory-reared of Trichoplusia ni to synthetic sex-pheromones. 4693
- fighting between of Tetranychus urticae. 4028 flight activity and settling behaviour of
- Glossina morsitans in the laboratory. 3950 flight-behaviour of Nearctic Euchloe. 4117
- flight-behaviour and oviposition in Hypoderma.
- flight-behaviour and phase-polymorphism in Aedes taeniorhynchus. 1239
- flight-behaviour and thoracic muscle development in Glossina morsitans orientalis in laboratory, 1514
- flight and resting behaviour of Blini and Haeterini in Venezuela. 4819
- flower-visiting activity of Epuraea domina and Oxycetonia jucunda. 4742
- food-location by taste in Carabus cancellatus and Phormia terraenovae. 4497
- food-seeking behaviour in larval Adalia bipunctata. 2730
- food-selection behaviour of Manduca sexta larvae. 3415
- foraging behaviour of Hodotermes mossambicus.
- foraging behaviour of Vespula germanica and V. vulgaris. 4754
- foraging and nesting behaviour of Agapostemon nasutus. 1728
- foraging-tendency in relation to preeningbehaviour in Apis mellifera. 853

of forest Oeneis. 3609

fractionation of Drosophila melanogaster populations by optomotor traits. 4167

of Gastrimargus africanus with respect to alpha auditory interneuron. 1071

of Gea heptagon. 3111

generalization of visual stimuli and solution of abstract problems by Apis mellifera. 1069, 5209

genetic background in relation to migratory behaviour in Drosophila melanogaster. 4168

genetics of mating-speed in Drosophila pseudoobscura, 1786

geotaxis and gravity perception in Tenebrio
molitor. 3901

geotaxis and leg proprioceptors in Pterygota.
4495

of Gerstaeckeria occurring N. of Mexico. 3304 giant- and small-fibre pathways involved in evasive behaviour in Periplaneta americana. 3878

of Glossina morsitans submorsitans and G. tachinoides towards man and ox in N. Nigeria. 2729

grooming behaviour of worker Paravespula vulgaris. 4746

group effects on behaviour of alate Hodotermes mossambicus. 1730

of Gyrinidae. 2794

of Halacarus basteri. 1319

of Helluomorphoides texanus in relation to ant hosts. 3139

2-heptanone isosteres in relation to alarm behaviour in Conomyrma pyramica. 3562

heritability of phototaxis in Drosophila pseudoobscura, 1331

of Hermannia convexa under dieldrin poisoning.
5892

of Hodotermes mossambicus in the laboratory. 846

homing ability in Osmia cornifrons and O. pedicornis. 331

host-finding by odour in Atemeles pubicollis. 3422

host-selection in Acyrthosiphon pisum. 6002 host-selection and oviposition in egg parasites. 5407

host-selection in Tetrastichus flavigaster. 4741 house-building behaviour in larval Silo pallipes. 357, 358, 359

house-entering by Apatura iris, 5982 humidity and temperature preferences of Euthypoda acutipennis, 4717

hunting in Neoitamus bulbus. 3569

Hydracarina larvae for study of Culicidae and Odonata. 3034

initiation of mating behaviour in Dociostaurus curvicercus by CA implantation, 4664

of intersexes in Scatophaga stercoraria. 5325 interspecific response to sex-pheromones in Torgoderma. 4650

intraspecific displays in Pseudocreobotra wahlbergi. 4727

of Kalotermes flavicollis towards supplementar reproductives. 4724

kinesis towards Medicago sativa in Hypera postica. 2733

of Lachlania. 5034

of larvae of aphidophagous Syrphidae. 1230 larval activity patterns in Chaoborus punctipennis and Protonemura meyeri. 3113

larval behaviour in Acrobasis comptoniella.
4037

larval behaviour in development of an epizootic in Porthetria dispar. 6048

larval behaviour in Erioptera squalida and Notiphila riparia. 2174

larval behaviour in Euura, Phyllocolpa and Pontania. 3538

larval behaviour in mass-reared Manduca sexta, 3370

larval behaviour in Monostegia abdominalis. 4063

larval behaviour in Nesaeocarabus interruptus. 4443

larval behaviour in Paropsis charybdis. 5969 larval behaviour in relation to spread of epizootic in Porthetria dispar. 4109

larval response to light in Medetera aldrichii. 4745

of Lasius (Dendrolasius) in Japan. 108 of Laspeyresia funebrana larvae. 1675

learning of colour-stimuli at food-source by Apis mellifera. 6063

of Lepidoptera associated with pig carrion in S. Carolina, USA, 3545 Lepidoptera frequenting eyes of domestic

mammals in Bangladesh, 4033

light in relation to circadian rhythm of locomot activity in Acheta domestica. 3949

light and temperature in relation to behaviour of Zeiraphera diniana. 1028 light-trap response of Blissinae in Indochina

and Thailand. 2969 light-wavelength in relation to behaviour of

Aceria sheldoni. 2606 of Limnephilidae in an Italian cave. 862

of Limnephilidae in an Italian cave. 862 of Lixus algirus. 1226

locomotory behaviour of Schistocerca

gregaria towards light, 3061 of Macrocheles muscaedomesticae in relation

to phoresy on Musca domestica. 4502 of gonads in peripheral inhibition of flashing

in Luciola lusitanica. 3960 of responses to pheromone in Schizaphis borealis. 5952

fresponses to sex pheromone in Prodenia eridania. 5095

- mating behaviour of Blatta orientalis. 5958 mating behaviour of Cylindrojulus punctatus.
- mating behaviour of Epiphyas postvittana in relation to pheromone concentration, 734
- mating behaviour of Heliothis zea, 1219
- mating behaviour of Hypolimnas misippus and Papilio, 4653
- mating behaviour of Joppeicus paradoxus, 4706
- mating behaviour of Lucanidae. 2694
- mating behaviour of Musca autumnalis, 4665
- mating behaviour of Nephus regularis. 759
- mating behaviour of Nezara viridula, 2698
- mating behaviour of Perlesta placida, 2657
- mating behaviour and sex-attraction in Glossina morsitans orientalis, 1650
- mating behaviour of sibling spp of Rhagoletis. 2859
- mating, flight and swarming of Diptera. 1225 mating and oviposition behaviour of Blattella germanica, 1222
- mating and oviposition behaviour of Blattodea. 5269
- mating and oviposition behaviour of Oncopera. 4652
- mating, oviposition and 'sex-drive' of Polydesmus angustus. 4663
- at the mating and oviposition site in Scatophaga stercoraria, 3531
- mating and oviposition behaviour of Voria ruralis. 3536
- mating and swarming behaviour of Leptoconops irritans and L. kerteszi. 4043
- of Medetera aldrichii larvae and pupae in relation to Dendroctonus pseudotsugae. 4745
- meeting of the sexes and mating in Phasiinae. 3529
- of Melecta separata callura. 2748
- of Melipona and Trigona. 1316
- of Melolontha melolontha larvae during locomotion. 5919
- menotaxis in Agelena labyrinthica. 3905
- method for studying pattern discrimination. 1034
- method for studying feeding behaviour in Acrididae, 601
- of Microplitis croceipes in relation to Heliothis. 3548
- migratory behaviour of Nymphalis antiopa.
- modifications produced in ant host by Dicrocoelium dendriticum. 2816
- molecular shape in relation to alarm activity of alarm-pheromones of Iridomyrmex pruinosus and Pogonomyrmex badius. 1314
- morphological differences between Drosophila pseudoobscura populations selected for opposite geotaxes and phototaxes. 3676

- of Musca autumnalis, 273
- of Myzus in relation to isolation mechanisms.
- of Nasonia vitripennis of towards parasitized host puparia, 1695
- of Nephila clavipes in relation to Uloborus mundior in Panama. 2805
- nervous control of stridulation in Gryllus campestris, 3957
- nesting behaviour of Crabro advenus and C. latipes, 4021
- nesting behaviour of Megachile rotundata. 2819
- nesting behaviour in relation to morphology in Miscophus and Nitelopterus. 3112
- nesting of stem- and twig-inhabiting African Apoidea, 5379
- in relation to neurosecretion in Eurygaster integriceps brain, 5193
- nocturnal activity of Culicidae at Utsunomiya City, Japan, 5380
- of Nomia melanderi within the nest. 4864
- in relation to nutrition in Porthetria dispar populations, 4097
- object-location and swimming by Dineutes carolinus, 1520
- olfactory and tactile behaviour of Trogoderma granarium in relation to assembling
- optical orientation in Cataglyphis bicolor.
- orientation behaviour of newly-hatched larvae of Choristoneura fumiferana, 1542
- orientation of Lasius fuliginosus at fork in scent-trail, 353
- orientation of Locusta migratoria migratorioides to light after unilateral injury. 3903
- orientation by olfaction and vision in Formica polyctena, 309
- oriented flight in Formica subnuda and Leptothorax muscorum, 2773
- of Osmia cornifrons and O. pedicornis. 331
- osmoklinotaxis in Atemeles pubicollis. 3422
- oviposition behaviour of Chrysopa perla. 4644 oviposition behaviour of Empoasca fabae on
  - Vicia faba. 4657
- oviposition behaviour of Hylemya seneciella on Senecia jacobaea. 3521
- oviposition behaviour of Megachile rotundata. 4017
- oviposition behaviour of Orthosia advena, 4654 oviposition behaviour of Phanerotoma flavitestacea in relation to Ectomyelois
- oviposition behaviour of Polynema in relation to Nabis americoferus, 4702
- oviposition behaviour of Tetrastichus incertus in relation to Hypera postica. 5324
- oviposition-site selection in Sitophilus. 5321
- of Pardosa lapidicina, 1669

ceratoniae, 5371

particle selection in Silo pallipes larvae. 358, 359

persistence of larval learning in adult Tenebrio molitor, 3423

in relation to pheromone mask in Dendroctonus pseudotsugae. 1725

photo-geotactic angle-transposition in Pterygota.

in relation to photoperiod in unfed nymphs of Ixodes ricinus. 4604

photoresponse in relation to age in Apis mellifera ligustica. 3421

phototaxis in Adalia bipunctata. 166

phototaxis in Apis mellifera. 166

phototaxis of Attagenus megatoma in early adult life, 2597

phototaxis in Coccinellidae, 166

phototaxis in Dacus ciliatus, 636

phototaxis in larval Amathes c-nigrum. 638 phototaxis in larval Potamophylax stellatus.

phototaxis in Leptinotarsa decemlineata. 166 phototaxis in Meligethes aeneus. 166

phototaxis in newly-hatched larvae of Choristoneura fumiferana, 1542

phototaxis stimulation via antennae in Anacridium aegyptium and Locusta migratoria migratoriodes, 632

phototaxis in Trichogrammatidae. 166 phylogeny of geotaxis in Apoidea, 4498

plant and population factors affecting oviposition by Atherigona varia soccata on sorghum.

of Polistes snelleni and P. biglumis in Sapporo, Japan. 2102

pollination behaviour of Insecta in relation to Chamaenerion angustifolium. 2123

population density in relation to exploratory activity of Blattella germanica in choiceboxes. 5208

positive rheotaxis in larval Hydropsyche instabilis. 857

post-feeding behaviour in Leptoconops irritans, 4113

of Potamophylax stellatus larva. 1540

predatory behaviour of Scatophaga stercoraria in California, USA. 3556

preening behaviour of nectar-gathering Apis mellifera, 5520

preening of Steatoda bipunctata and Teutana grossa. 5954

prey-capture in Diplacodes trivalis and Pantala flavescens, 4840

prey-capture and feeding in Ranatra linearis.

prey-capture in Lycosa lugubris. 2109 prey-centring by eye fovea in Stagmatophora biocellata. 3896

probing behaviour of Chaetosiphon fragaefolii. 4770

of Proctolaelaps nauphoetae in relation to Nauphoeta cinerea. 1667

provisioning behaviour of Nomia melanderi.

of Pterinochilus, 763

of Pterostichus brevicornis in relation to temperature, 4548

queen pheromones of Apis mellifera in relation to worker foraging behaviour. 3953

y-radiation in relation to larval behaviour of Thyridopteryx ephemeraeformis. 707

of Ranzovius moerens in relation to Hololena curta. 3138

rare-type mating-advantage of Drosophila pseudoobscura simulated. 4182

rearing in isolation in relation to flight tendency in Schistocerca gregaria. 5831

reproductive behaviour of Anaphes flavipes. 2677

reproductive behaviour of Aphidius, 2088 reproductive behaviour of Cercoma schaefferi.

reproductive behaviour of Meloe. 3745 reproductive behaviour of Nepytia phantasmaria.

reproductive behaviour of Orgilus lepidus.

reproductive behaviour and swarming in Psychidae, 5960

reproductive behaviour of Tettigonioidea of Trinidad, 3103

reproductive behaviour of Trichatelura manni.

responses to acids in Phormia regina. 3887 responses to artificial oviposition-sites in Manduca sexta. 4661

responses of Ips grandicollis of to attractant of Mattacking Pinus taeda. 2714

responses to CO<sub>2</sub> in Culicidae. 5202

responses to colour and light in Musca domestica, 5210

responses to colour in Papilio troilus. 5198 responses to coloured fluorescent lamps in alate bean aphids. 3418

responses to crowding in Tetranychus urticae. 4911

responses to electric current in Apis mellifera.

responses to faeces of Periplaneta in Blattella

responses to light-intensity in Calliphora erythrocephala. 1996

germanica. 4567

responses to male lures in relative absence of fo in Ceratitis capitata. 4660

responses to pathogenic fungi in brood-cells in Nomia melanderi. 1313

responses to sex-attractant in Malacosoma disstria. 5326

- responses to sex-pheromone after Bidrin treatment in Plodia interpunctella of to 2691
- responses to sex-pheromone in Diatraea saccharalis. 3523
- responses to sex-pheromones in of Trichoplusia ni. 4489
- responses to ultrasound during feeding, resting and reproduction in Heliothis. 1079
- responses to water currents in Brachyptera risi larvae. 361
- resting behaviour of Amphipyra pyramidoides. 3904
- resting behaviour of Catocala adults. 5374
- resting behaviour of Cecidomyiidae. 3761
- resting behaviour of Culex tritaeniorhynchus summorosus after blood-meal. 1664
- of Rhagoletis pomonella reared on artificial diet. 2569
- of Rhagoletis pomonella in relation to red spheres and yellow panels in combination. 5127
- rheotaxis of larval Hydropsyche instabilis. 857
- scenting behaviour of Apis mellifera on flowers of Hoya carnosa, 4499
- searching behaviour in Dibrachys cavus. 3144 searching behaviour of Typhlodromus
- mcgregori on apple. 4796 selection in relation to 'escape' behaviour in Drosophila melanogaster. 3675
- selection for sternopleural bristle number in relation to mating-behaviour in Drosophila melanogaster. 1649
- sex dimorphism in adult Acheta domestica.
- sexual isolation in semi-spp of Drosophila paulistorum, 1354
- shore-line aggregation behaviour of adult Chironomus. 3558
- short-range visual orientation in pheromonestimulated of Trichoplusia ni. 4662
- social displays by Arphia conspersa. 3083
- in relation to soil temperature in Pogonomyrmex occidentalis. 847
- in relation to solar near-UV-irradiation on behaviour of wheat-stem Symphyta. 822
- song of Metrioptera sphagnorum. 3959
- song synchronization in Oecanthus fultoni. 1598
- songs in mating in Tritomegas bicolor. 673 and sound-production in Fidicina rana. 1157
- in relation to sounds and vibration in Apis mellifera. 6064
- space and time relationships at the mating and oviposition site in Scatophaga stercoraria. 3532
- spermatophore deposition by Tydeus schusteri. 5956

- of Spodoptera mauritia acronyctoides in Sarawak. 732
- spontaneous electrical activity in control of behaviour in Insecta, 1068
- starvation in relation to feeding behaviour in Acyrthosiphon pisum on Vicia faba. 1259
- in relation to starvation in Porthetria dispar.
- starvation in relation to response of of Periplaneta americana to sex- and food-stimuli, 3496
- stimulus parameters affecting landing reaction in Musca domestica, 4496
- stimulus parameters releasing predatory strike in larval Aeshna cyanea. 764
- stinging pattern in prey-paralyzation by Podalonia hirsuta. 4501
- substrate vibration in relation to flight activity in Apis mellifera. 2571
- sugar-feeding behaviour of 9 Chrysops vitattus and Hybomitra lasiophthalma. 4761
- Sulphuretylenchus elongatus infection in relation to behaviour of Scolytus ventralis.
- survival value of jumping cocoons of Bathyplectes anurus. 5426
- swarming in Chironomus salinarius. 1221
- of synanthropic Diptera in relation to temperature in Tyan'-Shan' Mts., Kirgizia, USSR, 4860
- of Syntropis longiunguis sp.n. 2892
- of Syrphus latifasciatus larvae, 4743
- systematic deviation from homing direction during visual orientation in Agelena labyrinthica. 3905
- of Tabanus iyoensis. 1678
- of Tabanus quinquevittatus in relation to horses in New Jersey, USA. 4853
- tactile behaviour of Amphipyra pyramidoides.
- take-off behaviour of Schizaphis graminum. 4471
- temperature in relation to orientation to hostplant by Hypera postica. 1257
- temperature preference of Melanoplus sanguinipes, 2607
- territoriality in Oeneis of forest. 3609 territoriality in Pseudocreobotra wahlbergi.
- 4727 thermoregulation in Colias eurytheme, 3226
- thigmotaxis in Aceria sheldoni. 2606 thigmotaxis in feeding of Hylurgopinus rufipes.
- of Tourneyella liriodendri on yellow poplar.
- training of Apis mellifera to sinusoidal modulated flickering light. 626 trophallaxis in adult Mesoponera caffrafia. 3636

of Triatoma rubrofasciata. 5988

of Trichogramma minutum in the laboratory. 3154

of Tropisternus lateralis nimbatus in solutions of inorganic ions. 859

of Trypoxylon figulus larva. 2083

of Uloborus mundior in relation to Nephila clavipes in Panama. 2805

of univoltine Pyraloidea in Belorussia. 1235 of Vatesus in relation to ant hosts. 3137

visual orientation in Agelena labyrinthica. 3905

water-conserving behaviour of adult Chironomus at Solberg L., Wisconsin, USA. 3558 weaving in colony life of Polyrhachis simplex.

4874

# Belgium,

arthropod communities of a Carpinus-Quercus forest at Louvain. 3598

Bombus magnus new for. 3267, 6129

Cydnidae, Gelastocoridae and Pentatomidae of the Institut Royal des Sciences Naturelles de Belgique, 3326

Listrophorus parasitizing Ondatra zibethica. 4229

Lymaenon listed, 3343

Myocoptidae parasitic on rodents. 6008 new records of Mymaridae. 3343

Bellanthidium (Hym., Megachilidae), new spp described. 5735

Belletochlamys erebus gen. et sp.n. (Hem., Hom., Cercopidae), described. 3336

Cercopidae), described, 3336
Bellicositermes bellicosus rex (Isopt., Termitidae),

effects of implantation of termitaria on savannah soil structure in Central African Republic. 4869

Bellieria novercoides (Dipt., Sarcophagidae), new for Czechoslovakia. 456

Belostoma flumineum (Hem., Het., Belostomatidae), host of Eylais belostomatis sp.n. 2882

Belostoma indicum, gut. 2617

Belostoma malkini,

biology in Trinidad. 1661 cuticle. 2583

Belostomatidae (Hem., Het.),

488, 606, 612, 613, 631, 1042, 1044, 1046, 1517, 1545, 1661, 1738, 2106, 2583, 2617, 2882, 3169, 4572

labium. 606

Belothrips acuminatus (Thysanopt., Thripidae), biology in relation to Gallium verum. 1671

Bembidini (Col., Carabidae), habitats and lifehistory on river banks in C. and N. Norway. 4093

Bembidion (Col., Carabidae),

callosum-schmidti group discussed. 5625 of Dora Baltea R., Val d'Aosta, Italy. 6114 Pleistocene spp from Northamptonshire, England. 500 taxa of subgenus Peryphus with 4 elytral spots keyed. 6114

Bembidion callosum demontei subsp.n., described.

Bembidion hasti, overwintering. 4093

Bembidion lampros, predation on Oscinella frit in oats. 2695, 2792

Bembidion lunatum, overwintering as larvae. 4093
Bembidion oppositum quadrimaculatum, insecticide
and populations. 825

Bembix hungaricus japonicus (Hym., Sphecidae), larva described, 1964

Bembix niponica niponica, larva described. 1964
Bembisia (Hem., Hom., Aleyrodidae), new spp
described and key to C. Asian taxa.
4326

Bemisia gossypiperda, gut. 5221 Bemisia tabaci,

insecticidal control on cotton in Sudan. 5338 post-ecdysal development of setae in pupa.

seasonal populations on cotton in Egypt. 6052 Bengalia (Dipt., Calliphoridae), oviposition by Stylogaster on adults. 1268

Benickia athetoides gen. et sp.n. (Col., Staphylinidae), described, 2923

Benthos.

changes in L. Chad. 4849 chaoborid and chironomid life-cycle patterns in a floodplain lake in Minnesota, USA.

ecology in brackish-water basins of Primor'e, USSR. 6039

food conditions for larval Chironomus anthracinus. 6041

successional changes and production in Volta L., Ghana. 3604, 4100

vertical distribution of invertebrates in a stream. 6062

Bentonite, prevention of nuclease contamination of ribosomes in Acheta domestica. 4540

Benzamide, effects on embryonic development in Musca domestica nebulo. 5932

Benzene hexachloride,

BHC diesel oil spray for control of Dendroctonus terebrans in C. Louisiana, USA. 4676 control of Eumerus strigatus. 291 control of Nomadacris septemfasciata in

Rukwa Valley, Tanzania. 5497 genetics of resistance in Diptera. 2851

possible synergistic effect in Phytonomus variabilis, 4845

resistance in Phytonomus variabilis in Ararat Valley, Armenia, USSR. 4845

resistance in Psila rosae in E. Anglia, England. 338, 339

Benzo-α-pyrene, abnormal cellular responses to injection in Periplaneta americana. 3436

1,3-Benzodioxan-2-carboxylates, attractants for Amphimallon majalis. 4691

1,3-Benzodioxole, effect on aldrin epoxidation by Prodenia eridania larval gut in vitro, 220 p-Benzoquinone.

in defence secretion of Uroblaniulus canadensis. 2653

production of feeding in Scolytus multistriatus.
4771

Beraea maurus (Trich., Beraeidae), time of emergence from a stream in N. Wales. 3198

Beraeidae (Trich.), 3198

Bergiola popovi (Orth., Tettigoniidae), ? described for first time. 1478

Berothidae (Neur.), 4205

Argentine distribution. 4205

Berytidae (Hem., Het.), 1885, 3264, 3479, 3611 relationship to Cyminae. 3479

types in Institut Royal des Sciences Naturelles de Belgique, Bruxelles, Belgium. 1885

Berytinus (Hem., Het., Berytidae), spermathecae of minor and signoretti. 3479

Beta (Chenopodiaceae) (sugarbeet),

top in Near East. 4333

Acari attacking stored sugar-beet seeds. 5434 biology of Cosmobaris americana. 4710 identity of Cicadellidae transmitting curly

vitamin E and C content in relation to phenology and physiology of Barathra brassicae. 4516

Setasyrphus (Dipt., Syrphidae), valid genus. 78 Sethylidae (Hym.),

318, 1448, 1905, 2520, 2986, 3795, 3796, 4338, 5718, 5722

Bruesia and Dermasothes transferred to Tiphiidae. 4338

Bethylus antipai sp.n. (Hym., Bethylidae), described. 2520

Setrequia ocellata gen. et sp.n. (Dipt., Tabanidae), described. 3775

Betula (Betulaceae),

biology of Messa nana. 4025

outbreak of Oporinia autumnata in Finland. 2153

Setula platyphylla, main host of Quadraspidiotus perniciosus on Sakhalin, USSR. 1289

Setula pumila, host of Cepegillettea viridis sp.n. in Ontario, Canada. 1442

exiocoris linnavuorii gen. et sp.n. (Hem., Het., Lygaeidae), described. 994

hattithrips gen.n. (Thysanopt., Thripidae), established. 4403

ia actorion (Lep., Satyridae), biology in Venezuela. 4819

ibio marci (Dipt., Bibionidae), bacterial flora of larval gut. 3919

ibio abdominalis Fabricius 1805 (Dipt.,

Therevidae), redescribed and systematic position discussed. 2509

ibionidae (Dipt.), 3919

ibliography,

of Cesare Mancini (1881-1967). 5609

of Chaoborus, 4962

Finnish entomological literature published in 1968, 5610

of Francesco Redi (1626-1697). 4965

of Insecta and other animal groups in Ohio, USA, 1389

on Lake Kinnereth, Israel. 2450

language distribution of entomological literature, 5611.

on manifestations of overcrowding in Arthropoda. 4963

of Paul Blüthgen. 5612

selective bibliography of Oulema melanopus. 4964

of Trichoptera from Africa and adjacent islands. 4960

of R.L. Usinger on Homoptera. 1390

of Vespoidea of Italy, 2

of World literature on elaterid larvae. 4961

Bidrin, in relation to cholinesterase activity of head and thorax and response to pheromone in \*Plodia interpunctella. 2691

Bienkoa fedtshenkoi marmorata subsp.n. (Orth., Acrididae), described. 581

Biini (Lep., Satyridae), biology of Venezuelan spp. 4819

**Bile-pigments,** present in Tettigonia viridissima. 1143

Biliverdin, diet and environment in relation to concentration in Carausius morosus. 1143

Biliverdin IXα, presence in Chrysopa carnea.

Bilobatus (Col., Scarabaeidae), new name for Homotropus Waterhouse 1878. 4282

Bimichaellia (Arach., Acari, Prostigmata), new spp from Japan. 504

Binapacryl, resistance in Tetranychus cinnabarinus in Israel. 5358

Bindahara phocides chromis (Lep., Lycaenidae), comb. et stat.n. from Sithon. 440

**Biochemistry,** use of radioactive isotopes and ionizing radiation. 4414

Biology,

of Acari and Insecta attacking crops in the Middle East. 4062

of Acari and Insecta attacking Vitis vinifera in Cinque Terre zone, Spezia Province, Italy. 5427

of Acarus siro. 1303, 1684

of Acridoidea in Lebanon. 4726

of Acrobasis comptoniella in relation to Comptonia peregrina in Michigan, USA. 4037

activity curve for Ixodes ricinus in C. Europe. 5509

of Adelges viridana, Pineus pineiodes and P. orientalis in Britain. 3266

adult emergence in Erioptera squalida and Notiphila riparia. 2174

of Aedes dorsalis in Dorset, England. 3128

- of Aedes sticticus. 1191
- of Aegilips striolata in N. Germany. 313
- of Agabus congener and A. uliginosus. 142
- of Agapostemon nasutus in Costa Rica. 3193
- of Agrilus ater in relation to Populus in USSR. 1658
- of Agriotes ponticus in USSR. 1659
- of Agrotis venustula in Hungary. 4031
- of Amara, 5622
- of Amblymerus bruchophagi in relation to Bruchophagus roddi in the laboratory. 4705
- of Amblyseius fallacis in the laboratory. 4708
- of Amitermes in N. America. 3195
- of Amradiplosis allahabadensis in relation to Mangifera indica. 4023
- of Anacharis ensifera in N. Germany. 313
- of Anagyrus mirzai. 288
- of Anax junius in S. Minnesota, USA. 758
- of Anopheles freeborni overwintering ♀♀ in California, USA. 3518
- of Anopheles gambiae 99 with relation to dry season in Sudan. 4859
- of Anopheles punctipennis in relation to overwintering in California, USA. 4744
- of Anthophora edwardsii in California, USA. 2817
- of Aphanostigma piri in Krym, USSR. 5384
- of Aphididae on peach. 5462
- of aphidophagous Syrphidae. 1230
- of Aphis of Denmark, 458
- of Aphytis in Libya. 312
- of Aphytis holoxanthus. 6045
- of Apis mellifera in relation to cucumber. 812
- of Apoidea. 1317
- of Apoidea pollinating Medicago sativa in Hungarian Great Plain. 1280
- of Aprionus in the laboratory. 3962
- of aquatic Heteroptera of R. Grabia and its inundation area, Poland. 4934
- of aquatic Insecta of L. Chad, Africa. 3597
- of Araneae on Acer in Michigan, USA, 3592
- of Araneae associated with Formicidae and Isoptera. 3571
- of Arctocorisa carinata in rock-pools in Finland. 2770
- of Arge pagana in relation to Rosa in Belorussia. 1227
- of Aricia in relation to the population genetics. 3203
- of Arrenurus agrionicolus and A. mitoensis in relation to Cercion hieroglyphicum. 1299
- in relation to arthropod distribution pattern in coastal areas of Kiel, GFR. 4095
- of Arzama densa in Louisiana, USA. 282
- of Ascoschoengastia latyshevi in Austria. 5365
- of Aspidiotus perniciosus on orchard and ornamental trees in British Columbia, Canada. 1703

- of Astylus atromaculatus in relation to Sorghum. 4024
- of Atemeles pubicollis in relation to Formica and Myrmica. 4052
- of Autographa gamma in Hungary. 3533
- of Baeonotidae fam.n. 1423
- of Bakericheyla chanayi in California, USA. 317
- of Balaustium putmani. 3549
- of Barbara colfaxiana reared on artificial diet. 3031
- of Belostoma malkini in Trinidad. 1661
- of Belothrips acuminatus in relation to Galium verum. 1671
- of Bembidiini on river banks in C. and N. Norway. 4093
- bibliography for Oulema melanopus. 4964
- bibliography for Trichoptera of Africa and adjacent islands. 4960
- of Biini and Haeterini in Venezuela. 4819
- of Blaesoxipha paolii in France. 3146
- of blood-sucking Ceratopogonidae. 2790
- of Bombycoidea and Noctuoidea in Siljan, S. Norway. 1672
- of Boriomyia subnebulosa in N. Germany, 313
- of Brachycoryphus nursei at Karachi, Pakistan. 2114
- of Brachymeria moerens. 316
- of Brachyschendyla dentata. 4943
- of Bracon mollitor in relation to Anthonomus grandis in the laboratory. 1656
- of Braconidae, 1906
- of Bradysia impatiens. 4704
- breeding sites of Aedes rempeli in USSR. 4432
- of Buphonella murina in relation to maize in Zambia. 804
- of Cabera pusaria and C. exanthemata in Belorussia. 1236
- of Callicorixa productus in rock-pools in Finland. 2770
- of Callosobruchus chinensis and C. maculatus.
- of Carabidae of field and forest. 1234
- of Carabidae of Sweden. 450
- of Casca smithi. 6045
- of Cataxia, 3727
- of cave-dwelling Phaeophilacris, 363
- of cave-dwelling Trichoptera in Italy, 863
- of Cenopalpus lanceolatisetae in the laboratory. 275
- of Cerambycidae of S. Italy. 465
- of Ceratiscada canaris sp.n. 5755
- of Ceratophyllus gallinae, 3124
- of Chamaemyia. 5668
- of Chaoborus crystallinus in a pond in the Netherlands. 3547
- characters illuminating relationships within and outside Aphis favae group. 5980
- of Cheilosia fasciata and Ch. semifasciata. 2955

- of Cheiropachus colon in relation to Scolytus multistriatus. 4779
- of Chelonus curvimaculatus in relation to Phthorimaea operculella in Republic of S. Africa. 791
- of Chiloagamemnon. 5981
- of Chilo partellus in Peshawar, Pakistan, 1657
- of Chilocorus bipustulatus, distigma and stigma. 595
- of Chironomus nuditarsis. 1223
- of Chironomus salinarius. 1221, 2667
- of Chrysopa chrysops. 3701
- of Chymomyza costata. 5975
- of Coccinellidae in GDR, 4104
- of Coccinellidae at Kew, London, England. 2097
- of Coleoptera of R. Llobregat delta, Spain. 1364
- of Comperiella bifasciata. 288
- of Conops ceriaeformis, 3260
- of Conophthorus ponderosae in relation to Pinus ponderosa in S. New Mexico, USA. 4703
- of Conotrachelus nenuphar in Missouri Ozarks, USA, 2717
- of Contarinia coffeae sp.n. in Uganda. 3762
- of Contarinia medicaginis on Medicago sativa. 332
- of Contarinia pisi. 4029
- continuous winter development in larval Odagmia. 3881
- of blood-sucking Ceratopogonidae. 2790
- of Cordyluridae. 2953
- of Cosmobaris americana in relation to Beta vulgaris. 4710
- of Culex modestus in relation to West Nile virus in Camargue, France. 6037
- of Culex portesi in laboratory. 5496
- of Culicidae in Dorset, England. 835
- of Culicidae at George L., Alberta, Canada. 2156
- of Culicidae in rock pools on Nagatoro R., Japan. 2165
- of Culicidae of Central African Republic.
- of Culicoides in S. England. 1261
- of Cybister lateralimarginalis in the laboratory. 2546
- of Cycloneda limbifer. 2091
- of Dactylochelifer latreillei. 3383
- of Dacus dorsalis. 3777
- of Dasyneura ignorata in C. Bohemia. 324
- of Dectes in relation to soybean in Arkansas and Missouri, USA. 808
- of Dendroctonus rhizophagus sp.n. in relation to Pinus in Mexico. 3749
- of Dermestes laniarius. 4826
- of desert Calyptrata in Egypt. 4829
- developmental biology of C. European

- Clytrinae and Cryptocephalinae. 4030
- of Diacrisia obliqua in relation to jute in Bangladesh, 1228
- of Diatraeophaga striatalis in relation to Chilo sacchariphagus in the laboratory. 5415
- of Dibrachys. 6130
- of Dichaetomyia of Australia. 1873
- diet and food preferences of Anabrus simplex in relation to season. 4772
- of Dioryctria castanea sp.n. 574
- of Diplolaboncus tumorificus in relation to Carex riparia in N. Italy. 3117
- of Diplopoda in a Cheshire, England, wood. 4839
- of Diptera attacking Elephas maximus and Loxodonta africana. 5416
- diurnal and nocturnal flight of Caria ino melicerta. 4731
- diurnal and seasonal changes in population density of Scatophaga stercoraria at the mating and oviposition site. 3531
- of Dociostaurus curvicercus in Israel. 277
- of Dorytomus hirtipennis in relation to Salix alba. 3127
- of Draeculacephala mollipes in relation to Zea mays. 4711
- of Drosophila picta. 3130
- of Dryudella. 570
- of Dysmachus fuscipennis in Romania. 2092
- of Agrotis venustula in Hungary. 4031
- of desert Calyptrata in Egypt.
- of Euxoa ochrogaster. 4034
- of Tabanidae in New Jersey, USA. 3543
- of Ectropis bhurmitra on tea in Sri Lanka.
- of Edwardsiana crataegi and E. froggatti on Malus in Tambov region, USSR. 2093
- of egg parasites of Entypotrachelus meyeri and E. micans on tea and Cinchona. 2755
- of elaterid larvae. 1360
- of Embioptera. 5033
- emergence and flight-activity in Oncopera. 4652
- emergence and oviposition in Haematobia irritans. 3540
- emergence of Trichoptera from a stream in N. Wales. 3198
- of Empoasca albizzia sp.n. 999
- of Empoasca kraemeri and E. phaseola in C. America. 827
- of Ennomos subsignarius in relation to diet. 4633
- of Entedon leucogramma in relation to Scolytus multistriatus. 4779
- of Epinotia cedricida in relation to Cedrus in France.  $3110\,$
- of Eriophyidae in Brazil and Paraguay. 4204

- of Eriosoma ulmi in Warszawa area, Poland. 4039
- of Eumicromus paganus, 3701
- of Eurytoma martellii in the laboratory. 3114
- of Eupulvinaria hydrangeae in S.W. France. 3126
- of Euthypoda acutipennis. 4717
- of Euxoa ochrogaster. 4034
- of Euxoa tristicula. 2701
- of Evylaeus nigripes. 4127
- eye ultrastructure in relation to habits in Opiliones. 3059
- fat content in relation to seasonal activity in adult Odontopus calceatus. 3125
- feeding and flight-activity of Culicidae in Changa Manga National Forest, Pakistan. 4075
- feeding of Gypsonoma oppressella in England in autumn. 5586
- of Feltia subterranea in the laboratory. 1037
- of Feltiella ? tetranychi. 1240
- fertilization rate and space and time relationships at the mating and oviposition site in Scatophaga stercoraria. 3532
- flight-direction in relation to wind in nocturnal insects, 4732
- flight-periodicities of Culicidae in Britain. 2166
- of Florinia externa in Maryland, USA. 2718 flower-visiting activity of Epuraea domina.
- flower-visiting activity of Oxycetonia jucunda. 4742
- foraging activity in relation to population size in Microcerotermes beesoni. 4877
- foraging activity and possible alarm behaviour in Schedorhinotermes derosus. 4878
- of Formicidae of Iberian Peninsula. 3638
- of Formicidae in Mamora Forest, Morocco.
- of Gastrimargus africanus in relation to alpha auditory neuron. 1071
- of Gea heptagon in the laboratory. 3111
- geographical variation between Callosobruchus chinensis populations, 3610
- of Geromyia (=Cecidomyia) penniseti comb.n. 1425
- of Gerstaeckeria occurring N. of Mexico. 3304
- of Glischrochilus quadrisignalus in S.W. Ontario, Canada. 3116
- of Glossina morsitans submorsitans and G. tachinoides in N. Nigeria. 2729
- of Glyphonotus thoracicus semenovi, 1478
- of Gomphidae of Surinam. 5763
- of Graphognathus in laboratory, 3368
- of Grapholitha molesta on Niagara Peninsula, Ontario, Canada, 2812
- of ground-dwelling Theridiidae. 1215
- of Gryon flavipes in relation to Leptocorisa oratorius in Sarawak, 5375

- of Gyrinidae. 2794
- of Halacarus basteri. 1319
- of Helluomorphoides texanus in relation to Neivamyrmex. 3139
- of Helopeltis of Africa, 2873
- of Hemisarcoptes dzhashii sp.n. 1393
- of Hemiteles brunneus in N. Germany. 313
- of Herpystis cuscutae in Pakistan. 323
- of Heterotylenchus in relation to Musca vetustissima. 4679
- of Hexagenia in an Oklahoma, USA, reservoir. 3173
- of Holotrichia diomphalia in Amur Region, USSR. 5366
- of Humerobates rostrolamellatus. 3123
- of Hyalophora cecropia under mass-rearing in the laboratory. 3369
- Hydracarina larvae for study of Culicidae and Odonata. 3034
- of Hylobius pales in S. Carolina, USA. 280
- of Hylobius rhizophagus in Wisconsin, USA. 281
- of Hymenoptera parasitic on Neodiprion tsugae in S.E. Alaska, USA. 3149
- of Hypera brunneipennis. 5973
- of Hypera postica in N.E. Mississippi, USA. 2708
- of Hyposoter placidus in relation to Lycaena helle and Thersamonia dispar. 5990
- individual experience in relation to distancecommunication in Apis mellifera caucasica. 1318
- of Insecta in springs in Corbières Mts., Franc 2142
- intermediate morphs of Elatobium abietinum in Scotland. 3122
- of intranasal Trombiculidae of New Guinea. 4237
- of Ips cembrae in N.E. Scotland. 4036
- of Ischyropsalis. 3728
- of Isoptera of Sudan. 4199
- of Itoplectis cristatae in Japan. 276
- of Joppeicus paradoxus in the laboratory. 4706
- of Kuzinia laevis in relation to Bombus in Poland. 5381
- of Lachlania. 5034
- of Lamiinae of Mozambique. 4266
- of Lamyctes in Iceland. 4928
- of larvae of C. European Lamiinae. 4440
- of larvae of Chrysomya rufifacies on new-born calves in Hawaii. 4040
- of larvae of Chrysops suavis. 1677
- of larvae of Cordilura deceptiva and C. varipes 290
- of larvae of Molorchus bimaculatus semiustus and Rhopolophora rugicollis in relation to Celtis. 5445
- of larvae of Omaliinae. 4441
- of larvae of Pristiphora acidovalva in Ontario, Canada. 1506

- of larvae of Sciaridae in Abies cones in USSR, 4190
- of Lasius (Dendrolasius) in Japan. 108
- of Laspyresia funebrana in Rostov area, USSR. 1675
- of Laspeyresia pseudotsugae sp.n. 1468
- of leaf-mining Microlepidoptera in Romania.
- of Lecanium deltae in Tucamán, Argentina. 4058
- of Lema trilineata, 4270, 4712
- of Leptocera caenosa in the laboratory. 4045
- of Leptoconops irritans and L. kerteszi in Grossetano, Italy, 4043, 4113
- of Leptocorisa oratorius in Sarawak. 4103
- of Leptothorax spinosus. 5728
- of Lethocerus maximus in Trinidad. 1661
- light-responses of Trigonoscelis nodosa and Trogoderma glabrum in relation to time of day. 5848
- of Limnephilidae in Grotta di Mt. Cucco, Italy. 862
- of Limnophila platyptera brachypterous ? . 2570
- of Lithobius in Iceland. 4928
- of Lixus algirus in Madrid Province, Spain. 1226
- of Lyctidae, 4016
- of Lyctus brunneus in relation to bamboo in India. 1229
- of Malayan Gerridae, 1886
- of Marchalina caucasica sp.n. 1445
- of Margarodes vitium on Vitis. 742
- of Marietta javensis. 288
- of Melanotus fusciceps in the USSR, 1659
- of Melecta separata callura. 2748
- of Melipona and Trigona, 1316
- of Melolontha melolontha in Luho, China. 292
- of Metaseiulus occidentalis in laboratory, 749
- methods for studying biology of soil animals. 2822
- of Microbracon kirkpatricki in Egypt. 5991
- of microlepidopteran leaf-miners in Romania.
- of Microplitis croceipes in relation to Heliothis. 2752, 3548
- of Microplitis feltiae in relation to Agrotis ipsilon and other hosts. 4713
- of Miltogramma of Poland, 4931
- of Molophilus ater. 2090
- of Monostegia abdominalis in relation to Lysimachia terrestris. 4063
- of Musca autumnalis, 273
- of Nanophyes telephii. 5569
- of Nematus ribessii in Belorussia. 1290
- of Neodiprion virginianus. 4094
- of Neoschoengastia americana in relation to turkeys in Texas, USA. 1660
- of Nephila clavipes in relation to Uloborus mundior in Panama. 2805
- of Nepytia phantasmaria in Pseudotsuga

- menziesii in California, USA, 2703
- of Nomia melanderi, 4864
- of Notonecta undulata in the laboratory, 3028
- of Nymphalis antiopa in relation to migration. 6024
- of Nymphomylidae, 3319
- of Obuchovia segusina sp.n. 5676
- of Odites artigena on Coffea arabica in Kenya. 5368
- of Oeneis of forest. 3609
- of Oichillus minutus in relation to
  Pheidole pallidula and Uroctea durandi, 3573
- of Olethreutidae of Arctic. 2863
- of Olethreutidae from Primor'e and Kuril Is., USSR, 1021
- of Oligonychus ununguis in Finland. 5977
- of Onychiurus bhattii. 2170
- of Orgilus lepidus in relation to Phthorimaea operculella. 2702
- of Orgyia australis postica. 287
- of Orius indicus in relation to Taeniothrips nigricornis. 4715
- of Orthacheta hirtipes. 274
- of Oryctes elegans. 3115
- of Ostrinia nubilalis in S. Carolina, USA. 2716
- of Otiorrhynchus ovatus. 4720
- overwintering stages of Finnish Macrolepidoptera. 1673
- of Pachydiplosis oryzae in relation to rice. 4061
- of Palaeolecanium in Armenian SSR, USSR. 4825
- of Pamphilius ochreipes in Ontario, Canada.
- of Panonychus ulmi in relation to Pyrus in Giza, Egypt. 5976
- of Papilio demoleus in relation to citrus in Sudan. 5971
- of Paralosalda innova gen. et sp.n. 2975
- of Parapsectra, 2504
- of Pararge megera, 3360
- of parasites of Lycaena helle and Thersamonia dispar. 5990
- of parasites and predators of Gynaikothrips ficorum on Ficus nitida. 6047
- of parasites of Spodoptera littoralis in Israel. 5418
- of Pardosa lapidicina. 1669
- of Paropsis charybdis in New Zealand. 3553
- of Pectinophora scutigera in Queensland, Australia. 838
- of Pediobius furvus. 4055
- of Pemphiginae associated with roots of conifers in N. America. 553
- of Pentalonia nigronervosa on banana in Gujarat, India. 328
- of Perilitus coccinellae. 1266
- of Perthida glyphopa in relation to Eucalyptus. 5464
- of Petrobia latens in relation to barley and

wheat in Rajasthan, India. 4718

- of Phanerotoma flavitestacea in relation to Ectomyelois ceratoniae. 5371
- of Pharoscymnus ovoideus. 595
- of Phasmatidae of New Zealand. 4185
- of Phenacaspis pinifoliae. 841
- of Phlebotominae in British Honduras. 4046
- of Phymatodes fasciatus in relation to Vitis sylvestris in Romania. 2127
- of Physocephala bimarginipennis. 5670
- of Phytobia in relation to Fraxinus americana in S.C. Pennsylvania, USA. 3587
- of Phytoseiidae in Belorussia. 1305
- of Planococcus citri on Coffea arabica in Kenya. 6056
- of Platypodidae of Sierra Leone. 5648
- of Plecoptera of Gaitscale Gill, Lake District, England. 1322
- of Plecoptera of Laurentides, Canada. 1668
- of Pleolophus basizonus. 1619
- of Pnigalio of Nearctic. 5725
- of Polistes biglumis and P. snelleni in Sapporo, Japan. 2101
- of Polistes exclamans in Kansas, USA. 355
- pollination of Ficus by Agaonidae. 1707
- of Polyrhachis simplex in Israel, 4874
- population biology of Choristoneura fumiferana and artificial control methods. 3168
- of Proctolaelaps nauphoetae in relation to Nauphoeta cinerea. 1667
- production biology of Lipara lucens. 4820
- of Psenini of Nearctic. 1010
- of Pseudatomoscelis seriatus in Rio Grande Valley, USA. 2798
- of Pseudorhyssa sternata. 1663
- of Pseudoscorpions of Britain. 4854
- of Pseudoscorpiones of Michigan, USA. 3706
- of Psilococcus parvus. 2713
- of Psylla pyricola in Nova Scotia, Canada. 6057
- of Pterinochilus. 763
- of Pteromalidae of N.W. Europe. 5059
- of Pyralidae of L. Tiberias region, Israel. 6144
- of Pytho depressus in Mark Brandenburg, GDR. 4042
- of Quadraspidiotus perniciosus on Sakhalin, USSR. 1289
- of Ranzovius moerens in relation to Hololena curta, 3138
- of reproduction in Amblypygi and Uropygi. 3525
- of reproduction in Anthicidae. 4988
- of reproduction in Plagiolepis. 5955
- of reproduction of Polydesmus angustus. 4663
- of reproduction in Tettigonioidea of Trinidad. 3103
- of Rhipicephalus sanguineus in Denmark. 2196
- of Rhyacophila in an experimental stream. 769
- of Rhynchaneus hungaricus and Rh. sparsus. 2486

- of Ricinulei. 757
- of Saccharosydne saccharivora in British Honduras and Jamaica. 2719
- of Salticidae of Germany. 1396
- of Sarcophagidae reared from Gastropoda. 5675
- of Schizaphis graminum following flight. 4466
- of Scolytidae. 3590
- of Scolytus numidicus in relation to Cedrus in N. Africa. 3159
- of Scolytus ventralis in relation to
  - Sulphuretylenchus elongatus. 4074
- seasonal activity of pond-shore populations of Collembola. 4817
- seasonal forms of Araschnia levana. 3470
- seasonal selection in relation to temperature acclimation of respiration in Culex pipiens pipiens. 3910
- seasonal trends in captures of d Trichoplusia ni in pheromone-baited traps. 4566
- seasonal variation in attractiveness of lures to Rhagoletis pomonella. 2720
- of Seira iricolor. 2170
- of Sericostoma personatum in Lake District, England. 360
- of Sesamia cretica. 5969
- of Simuliidae of N. Italy. 468
- of Simuliidae in Taimyr National District, USSR.4719
- of Simulium arcticum in Alberta, Canada. 2157
- of Simulium damnosum in Tanzania. 824
- of Sirex juvencus and Urocerus gigas in Finland. 1455
- of Smithurus mime. 2170
- of Solierella blaisdelli and S. peckhami in relation to chrysidid parasites. 4740
- of Spathius canadensis in relation to Scolytus multistriatus. 4779
- of Sphenophorus venatus confluens in relation to orchard grass. 1655
- of Spodoptera mauritia acronyctoides in Sarawak. 732
- of Stenischia. 4399
- supercooling points and mannitol and glycerol contents in overwintering eggs of Aphididae. 1568
- of surface-dwelling Collembola in coniferous forest soil, 2160
- of Sympiesis of Nearctic. 5725
- of Synanthropic Diptera in Tyan'-Shan' Mts., Kirgizia, USSR. 4860
- of Syntropis longiunguis sp.n. 2892
- of Syrphus latifasciatus in S. India. 4743
- of Systema frontalis larvae in Zea mays roots. 27
- of Tabanidae in New Jersey, USA, 3543
- of Tabanus iyoensis in Toyama Prefecture, Japan. 1678
- of Tabanus quinquevittatus in New Jersey, USA. 4853
- temperature inversion in relation to development

of Dendroctonus obesus. 3099

- of Tenuipalpus eriophyoides in relation to Phoenix dactylifera in Iraq. 5370
- of Tentanops myopaeformis in S.C. Idaho, USA. 1489
- of Tetanura pallidiventris. 5974
- of Tetranychus evansi on Solanum douglasii in laboratory. 743
- of Tetrastichus flavigaster in relation to Paurocephala calodendri. 4741
- of Tetropium cinnamopterum in British Columbia, Canada, 3129
- of Thomasiella tomentosae. 4027
- time of day in relation to antennal responsiveness to sex-pheromones in of Trichoplusia ni, 4489
- time of day in relation to light-reactions of Coleoptera, Diptera, Lepidoptera and Orthoptera. 5848
- time of flight of nocturnal Lepidoptera in Egypt. 6059
- of Tingis buddleiae in relation to CNS, endocrine glands and sense-organs. 1061
- of Toumeyella liriodenderi. 3535
- of Toxomyia fungicola in Jamaica. 1662
- of Triatoma rubrofasciata in Java and Philippines. 442, 5988
- of Triatoma sanguisuga texana and T. gerstaeckeri. 4707
- of Trichocera of Denmark, 5364
- of Trichogramma minutum in the laboratory. 3154
- of tricopteran larvae. 3542
- of Trioza erytreae in relation to citrus in E. Transvaal and Swaziland, 805
- of Trishormomyia crataegifolia in Illinois, USA. 755
- of Tryphon. 1454
- of Typhlochoromus. 5632
- of Tyrophagus putrescentiae on wood-inhabiting Hymenomycetes. 1684
- of Ulobaris loricata in Romania. 2098
- of Uloborus mundior in relation to Nephila clavipes in Panama. 2805
- of univoltine Pyraloidea in Belorussia. 1235
- unusual aggregations of Anobiidae. 3131
- upstream flight by ovigerous ? Philopotamus montanus. 5516
- of Vatesus in relation to ant hosts. 3137
- of Vercammenia, 4245
- voltinism of Polyommatus icarus in Britain. 2102
- of Xylocopinae of Congo-Brazzaville. 1813 Biomass.
  - in relation to crowding and rearing-temperature in Acyrthosiphon pisum. 4606
  - estimation by stochastic models in Chorthippus parallelus and Neophilaenus lineatus. 4118
  - host biomass necessary for reproductive

- success in Nasonia vitripennis. 4792
- length/volume biomass relationship for Leptophlebia cupida and other stream invertebrates, 5459
- production in Chaoboridae and Chironomidae in a Tennessee, USA, pond. 3631
- production in Diplopoda of a Cheshire, England, wood, 4839
- production in Lipara lucens. 4820
- production in mutant and wild-type Musca domestica, 4180
- in relation to water-level in Chironomidae in L. Kariba. 4087

#### Biometrics.

- of Agulla xanthostigma and Raphidia ophiopsis. 129
- of Austrian populations of Apis mellifera carnica. 4426
- of Gryllidae, 3231

### Bionomics,

- of Aedes (Finlaya) terrens group. 3766
- of Anthicidae, 4988
- of Apanteles flavipes at Delhi, India. 278
- of Arzama densa. 282
- of Chrysops suavis larva. 1677
- of Epicauta albida group. 1413
- of Eucelatoria armigera. 1631
- of Eucosma monitorana. 2762
- geographical variation between populations
  of Callosobruchus chinensis. 3610
- of Hypera postica. 2765
- of Leptophlebia cupida. 5459
- of Lipara lucens. 4820
- of Melichares tarsalis. 267
- of Meloe. 3745
- of Monopis speculella. 5992
- of Musca autumnalis. 273
- of Orgyia australis postica. 287
- of Oulema melanopus. 3554
- of Paropsis charybdis. 3553
- of Pogonomyrmex occidentalis. 847
- of Pseudocoila bochei. 3575
- of Sirex juvencus and Urocerus gigas. 1455
- of Synthesiomyia nudiseta. 4748
- of Telmatoscopus albipunctatus, 5987
- of Thanasimus dubius, 3537
- of Thomaseilla tomentosae. 4027
- of treehole Anopheles of New World. 3767
- of Triatoma rubrofasciata. 5988

# Biopterin,

- in Atteva punctella. 5250
- conversion to drosopterin blocked in 'claret' mutants of Drosophila melanogaster. 4906
- laboratory synthesis. 1564
- Biorrhiza (Hym., Cynipidae), oak-galls in Méhes collection in Museum of Natural History, Budapest, Hungary. 1278
- Biorrhiza pallida, cold-hardiness and glycerol content. 206

Biosatellite II, egg-production and embryo lethality in Habrobracon juglandis. 3994 Biotin, in relation to fertility in Aedes aegypti. 719

Biotrol BTB Process 183, histopathology in larval Anagasta kuehniella. 3468, 3469

Birch leaf miner, see Fenusa pusilla

Birds, see Aves

Birlane [2-chloro-1-(2, 4-dichlorophenyl)-vinyl diethyl phosphate], control of Diabrotica virgifera and Ostrinia nubilalis in Iowa and Missouri, USA, 5334

Birth.

behaviour in Pyemotes boylei. 4026 deterministic matrix model for birth, death and migration processes in spatially distributed populations. 4080 and post-birth behaviour in N. American scorpions. 4013

 $\beta$ -Bisabolol, cotton-bud constituent attractive to Anthonomus grandis, 5431

# Bismarck Islands (Pacific Ocean),

Ameniinae of, 2864 Carabidae from, 3299 Ephemeroptera from. 1884 Ixodidae from. 2192 Lycaenidae of. 440 new Argiopidae from. 2468 new Caenidae from, 1884 new Carabidae from. 2897, 3299 new Leptophlebiidae from. 1884 new Nymphalidae from, 1936 new Scollidae from, 5739 Nitidulidae from. 2193 Scoliidae from. 5739

Bisolenopsis dalli sp.n. (Hym., Formicidae), described, 4354

Bispironympha unica gen. et sp.n. (Protozoa), from Cryptocercus relictus. 5816

Bison bison (Artiodactyla) (bison), Musca autumnalis as pest in Montana, USA, 4701

Bites.

effect of Latrodectus mactans bite on man. 296 of Loxosceles in Arizona and California. USA, 5388

of Loxosceles rufescens on man in Israel. 293

Bittacidae (Mec.), 1476

Bittacus taraiensis sp.n. (Mec., Bittacidae), described, 1476

Bitter brush, see Purshia tridentata Blaberidae (Blatt.),

> 223, 243, 618, 985, 1074, 1098, 1530, 1550, 1667, 2183, 2563, 2612, 2936, 3078. 3091, 3416, 3438, 3476, 3644, 3756, 3890, 3979, 4467, 4468, 4563, 4576, 4690, 4893,

Blaberoidea (Blatt.), of Institut Royal des Sciences Naturelles de Belgique, Bruxelles, Belgium. 1862

Blaberus (Blatt., Blaberidae),

Blaberus craniifer,

evolution of aedeagus and prepuce. 2936 f genitalia of 12 spp. 2936

Blaberus atropos, sp-group defined and chromosomes. 2936

Blaberus brasilianus, sp-group defined. 2936 Blaberus collosseus, a valid sp. 2936

barium and tetraethylammonium chloride in relation to ocellar electroretinogram. 3890

B. trapezoideus syn.n. of 2936

cell determination during regeneration of thoracic appendages. 3091

experimental conditions and wounding in relation to frequency of redirected preening, 4563

innervation of sense-organs of mesothoracic tibiae. 1530

mode of action of midgut lipase. 1550 sodium replacement in relation to ocellar electroretinogram. 1074

spermatozoon. 223

trehalase from symbiotic gut bacterium. 5873 ventral phasic mechanoreceptors of abdomen.

# Blaberus discoidalis.

growth. 243

method for sexing first instars. 243

Blaberus fuscus,

DNA-content of spermatids, 2183 gut peristalsis stimulated by CC extracts from Locusta migratoria. 1098

Blaberus giganteus.

development, longevity and moulting. 2563 long-term laboratory rearing. 2563 species-group defined. 2936

Blaberus trapexoideus, syn.n. of B. craniifer.

Blabomma uenoi sp.n. (Arach., Aran.), described. 5617

Black cherry, see Prunus serotina

Black-headed budworm, see Acleris variana Black turpentine beetle, see Dendroctonus

terebrans

Black walnut, see Juglans nigra

Black-widow spider, see Latrodectus mactans Blackburneus villiersianus sp.n. (Col.,

Scarabaeidae), described. 1852

Blaesia atra (Col., Scarabaeidae), larva described, 4433

Blaesoxipha (Dipt., Sarcophagidae), 4793

larvae in Sarracenia purpurea pitchers at L. Carré, Quebec, Canada, 3589

Blaesoxipha filipjevi, predaceous on Schistocerca gregaria in Ethiopia. 2155

Blaesoxipha lineata, N. American Acrididae hosts.

Blaesoxipha paolii,

biology, French distribution, hosts and morphology, 3146

Blaesoxipha paolii, contd.

new for France. 3146

Blaesoxipha ungulata, parasitized by Brachymeria moerens. 316

Blaisdelliana vanduzeei gen. et sp.n. (Col., Coccinellidae), described. 4994

Blankaartia acuscutellaris (Arach., Acari, Trombidiformes),

defecation by schizeckenosy. 180 development of blind gut. 3917

Blaps freibergi sp.n. (Col., Tenebrionidae), described, 4288

Blaptica (Blatt., Blaberidae), new spp described. 985

### Blastemas.

proliferation and dynamics of cell heredity in blastema cultures of Drosophila. 3985 stability of position-effect variegation in normal and transdetermined larval blastemas from Drosophila melanogaster. 4583

Blastobesidae (Lep.), 785

attacking acorns in N. America. 785

Blastopha psenes (Hym., Agaonidae),

importance for pollination of Ficus carica. 1707

pollen-vector for Ficus virens. 1707

Blastophagus piniperda (Col., Scolytidae),

crowding, season and temperature in relation to spontaneous take-off activity, 1237

RH and light-intensity in relation to flight initiation. 5890

Blatta orientalis (Blatt., Blattidae),

compounds related to cyanoacetic acid as repellents. 5148

fluorescent systems and UV-sensitivity of eyes. 3413

gut digestive enzymes in relation to neurosecretion. 4522

γ-irradiation and life-span. 254

mating behaviour. 5958

neuroendocrine relationship with Hammer-schmidtiella diesingi. 4522

population changes in relation to other spp of Blattodea. 2806

## Blattella germanica,

absorption and metabolism of DDT. 1602 aliesterase in relation to ootheca production and vitellogenesis. 711

bait factors. 5813

compounds related to cyanoacetic acid as repellents. 5148

'curved' and 'yellow and curved' mutants.

dieldrin resistance in relation to nerve components. 4577

DNA-content of spermatids. 2183

flagellar annuli during post-embryonic development. 3486

genetics of dieldrin-resistance. 2188

histology of leg muscle. 1048

incomplete species-specificity of aggregation pheromone, 4567

γ-irradiation and life-span. 254

mating and oviposition. 1222

metepa in relation to reproduction. 1222

Nematoda and Protozoa parasitic on in New York City, USA. 4689

population density in relation to exploratory activity and mortality rate, 5208

population changes when maintained with other spp of Blattodea. 2806

temperature in relation to heart activity. 5258 translocations in 'prowing', 'curly wing' and 'bubbly pronotum' mutants. 865

Blattellidae (Blatt.).

254, 711, 865, 1048, 1222, 1602, 2183, 2188, 2806, 3413, 3486, 3756, 4567, 4577, 4689, 4905, 5148, 5208, 5258, 5813, 6121

evolution and taxonomic significance of reproduction, 5269

# Blattidae (Blatt.),

56, 178, 183, 254, 608, 614, 620, 623, 629, 648, 650, 657, 678, 718, 1048, 1056, 1059, 1094, 1095, 1101, 1195, 1212, 1247, 1419, 1512, 1513, 1516, 1526, 1528, 1549, 1550, 1609, 1640, 1998, 2583, 2589, 1590, 2598, 2600, 2609, 2623, 2626, 2633, 2661, 2806, 3057, 3101, 3400, 3402, 3409, 3420, 3436, 3437, 3441, 3443, 3445, 3461, 3466, 3559, 3569, 3857, 3860, 3877, 3913, 3935, 3936, 3946, 4449, 4467, 4473, 4479, 4481, 4522, 4528, 4530, 4551, 4559, 4567, 4579, 4636, 5148, 5156, 5190, 5192, 5218, 5232, 5234, 5246, 5253, 5254, 5392, 5942, 5958, 6149

Blattisocius patagiorum (Arach., Acari, Ascidae), supposed nematode larvae from a 9 on Spaelotis clandestina. 4700

#### Blattisocius tarsalis,

associated with Epizeuxis aemula. 4022 predator of Anagasta kuehniella. 4111

#### Blattodea,

from the Appennino Toscano, Italy. 6149 classification system of McKittrick supported. 642

gravity perception in relation to leg proprioceptors. 4495

new genera and spp from Far and Near East. 3756

of New Zealand. 3696

population changes in spp maintained together in small containers. 2806

proventriculi. 642

seminal receptacle, 3472

subfamilies keyed. 642

spermatozoon. 223

taxonomy of symbiotic Protozoa. 4129

ultrastructure of rectal cuticle. 3444

Blechnum (Pteridophyta), isolation of insect moulting substances from amabile and niponicum. 5439

Blepharocera fasciata gynops subsp.n. (Dipt., Blepharoceridae), described. 5666

Blepharoceridae (Dipt.), 3758, 3699, 5666 Australasian genera and subgenera keyed.

Australasian genera and subgenera keyed. 3758

distribution on North and South Islands, New Zealand, 3699

New Zealand spp revised, 3758

Bliastes (Orth., Tettigoniidae), reproductive biology, 3103

Bliastes insularis, reproductive biology and morphology, 3103

Blissinae (Hem., Het., Lygaeidae),

affinities of Madagascan fauna. 4316 of Indochina and Thailand revised. 2969

new taxa from Indochina and Thailand. 2969

Bloeteomedes borneensis gen. et sp.n. (Hem., Het., Velocipedidae), described. 2515

Blondelia nigripes (Dipt., Tachinidae), parasitic on Bupalus piniarius in Poland in 1964-1968. 5417

Blowfly, see Calliphora, Phormia and Calliphoridae Blueberry, see Vaccinium

Blueberry bud mite, see Acalitus vaccinii Bluegrass billbug, see Sphenophorus parvulus

P. Blüthgen, bibliography. 5612 Boarmia ribeata (Lep., Geometridae), rearing

from eggs. 5978
Bocchar (Hem., Hom., Membracidae), Centronotus

fenestratus transferred to. 561

Bocchus (Hym., Dryinidae), redefined and spp keyed. 2522

Bocchus pedunculatus sp.n., described, 2522 Bocchus scobiolae, new for Romania, 2520

Bochartia (Arach., Acari), on Bagrada cruciferarum in India. 307

Bodenheimera (Hem., Hom., Coccidae), redefined.

Bodenheimera rachelae, new name for B. racheli Bodenheimer 1924, 4334

Boeria gen.n. (Hym., Pteromalidae), established.

Boettcherisca peregrina (Dipt., Sarcophagidae), toxicity of 5 insecticides to larvae and adult 99. 4578

ultrastructure of interpseudotracheal papillae. 1077

Boganiidae (Col.), 964

divided into 3 families. 964

Bohartella gen.n. (Hym., Sphecidae), established. 1009

Bohartella scapheutoides gen. et sp.n. (Hym., Sphecidae), described. 1009

Boisduval, bibliography of 'Collection ... des Chenilles d'Europe' 1832-1837, 4208

Bolbobythus Raffray 1904 (Col., Pselaphidae), invalid. 1414 Bolboceras (Col., Scarabaeidae), new spp described, 3310

Bolboceras maublanci, redescribed. 3310 Bolbomyia (Dipt., Rhagionidae), N. American spp keyed. 1430

Bolbomyia andiscalcella sp.n., described. 1430 Bolivia,

new Chrysomelidae from. 4255

new Cicadellidae from. 2984

new Coccinellidae from, 2905

new Eumenidae from. 4351

new Ichneumonidae from. 2995

new Ithomiidae from. 4370

new Ixodidae from. 508

new Melolonthidae from. 5007

new Miridae from. 2514, 5037

new Mordellidae from. 5008

new Nitidulidae from. 2493

new Nymphalidae from. 4382

new Oribatei from. 2462 new Pieridae from. 3823

new Pygmephoridae, 1392

new Tabanidae from. 987

Oribatei from. 1391, 2462

Boliviela gen.n. (Hem., Hom., Cicadellidae), established. 2984

Boll-weevil, see Anthonomus grandis

Bollworm, see Heliothis

Bollworm moth, see Heliothis

Bombardier beetles, see Brachinus

Bombay locust, see Patanga succinata Bombinae (Hym., Apidae), British Bombus

and Psithyrus differentiated. 4935

Bombus (Hym., Apidae),

of Bieszczady Mts., Poland. 1366

biology of Kuzinia laevis in relation to in Poland. 5381

British spp. 4935

caste-determination in hypnorum and terrestris. 5518

colony development. 4871

colour-vision. 1073

of flavifrons group keyed. 101

new combinations and subspp from Japan. 1903

Japanese taxa reviewed. 1903

Bombus agrorum,

adult-production in incipient colonies. 4876 behaviour in relation to Chamaenerion angustifolium, 2123

Bombus atratus, rectal pads of d. 5215

Bombus californicus, impulse patterns in flight motor neurons. 3058

Bombus lapidarius,

behaviour in relation to Chamaenerion angustifolium. 2123

egg-eating behaviour. 2818

Bombus magnus, new for Belgium. 3267, 6129

Bombus silvarus distinctus, pollinator of Medicas sativa in Hungarian Great Plain. 1280

#### Bombus terrestris,

behaviour in relation to Chamaenerion angustifolium, 2123

labro-maxillary complex. 1973

pheromone production by queen. 5518

pollinator of Medicago sativa in Hungarian Great Plain. 1280

visual learning, 5849

Bombus vandykei, biology, identity and

distribution in California and S. Oregon, USA, 101

# Bombycidae (Lep.),

160, 177, 197, 370, 394-396, 401, 892, 1052, 1081, 1104, 1113, 1125, 1140, 1170, 1179, 1184, 1188, 1357, 1563, 1570, 1596, 1623, 1638, 1645, 2011, 2025, 2074, 2564,

2613, 2687, 2689, 3075-3077, 3092, 3096,

3440, 3453, 3489, 3500, 3663, 3664, 3666,

3668, 3669, 3937, 3954, 4158, 4163, 4508,

4509, 4532, 4891, 4894, 5229, 5255, 5285, 5549, 5522, 5855, 5863, 5870, 5872, 5876,

5929, 6071

Bombycoidea (Lep.), ecology and flight-periods in Siljan, S. Norway. 1672

# Bombyliidae (Dipt.),

60, 798, 1424, 1868, 2207, 2**7**48, 4296-4298, 5680, 5910, 6007

from Danube Delta, Romania, 2207

of Niokolo-Koba National Park, Senegal. 1868

parasitic on Evylaeus nigripes. 4127

parasitic on Melecta separata callura. 2748

seminal receptacle. 5910

from Socotra. 4296

from southern border lands of Sahara. 4297 taxa described by E.T. Cresson, jun.,

1906-1949, 2451

Bombylius medius (Dipt., Bombyliidae), seminal receptacle. 5910

Bombylius pardalotus sp.n., described. 4298 Bombylius socotrae sp.n., described. 4296

Bombyx mori,

adaptation of non-occluded virus of Nudaurelia cytherea capensis. 5820

age of isolated pupal abdomens in relation to ponasterone A. 1179

amino-acid composition of RNA peptides, fibroin and sericin. 1570

amino-acid sequences of peptides from fibroin, 1125

aminopterin in relation to fecundity and oogenesis. 1638

aminopterin in relation to race. 1638 anticomplementary activity absent from

haemolymph. 2613 anti-viral substance production in relation to

diet in larva. 2011

artificial androgenesis and parthenogenesis. 5552

Bacillus thuringiensis toxin action in larvae. 3440

biochemistry and genetics of lethal albino larvae. 3666

brain-CA complex in relation to determination of voltinism. 3075

brain hormone during development. 5876

CA hormone in relation to carbohydrate and nitrogen metabolism. 3076

CA hormone in relation to lipid metabolism. 3077

changes in size and respiration rate during metamorphosis. 1170

Chilo iridescent virus in relation to metamorphosis. 3092

cofactor role of sepiapterin for phenylalanine hydroxylase, 3937

cocoon-weight and haemolymph amino-acid concentration in relation to diet. 4509

crowding in relation to weight and water- and fat-content. 5929

cytology of silk-gland cells. 370

diapause studied radioautographically. 5285

DNA pyrimidine sequences. 1113, 4984

DNA-replication in silk-gland cells. 370 embryonic mortality in response to X-rays.

enzyme genetics of lethal lemon larvae.
4158

exogenous nucleotide compartmentalization in silk-gland incubated in vitro. 4532

experimental polyploidy. 6071

fibroin molecule structure. 5863

fibroin synthesis in normal and oily larvae.  $3453\,$ 

glycine accumulation in larval fat-body in vitro. 197

glycine uptake by posterior silk-gland in vitro. 1140

glycogen synthesis, oocyte age and protein accumulation in pupal ovaries. 2689

haemocytes, 177

heart and thoracic pulsatile organs during wing expansion. 4508

hypodermal peptidase biochemistry and genetics in normal and mutant larvae. 3453

X-irradiation induction of whole-body and mosaic mutations. 4163

X-irradiation in relation to mutation frequency due to 5-bromodeoxyuridine. 892

JH activity of pupal CA. 1184

light and temperature during incubation in relation to diapause and moulting. 3096

medium for in vitro embryonic development without dormancy. 2564

mitochondria and mitochondrial granules in brain cells of young larvae. 1052

mutagenicity of chemical mutagens, 14-MeV neutrons and  $\gamma\text{-radiation.}$  3663

mutagenicity of mitomycin C and EMS for premeiotic  $\sigma$  germ-cells. 3668

mutational response of 'rb' strain. 395

Bombyx mori, contd.

mutational response of spermatozoa exposed to alkylating agents following storage. 394

mutations induced by ionizing radiation in post-meiotic cells. 401

mutations induced by mitomycin C during spermatogenesis, 396

mutations induced by B. mori nuclear polyhedrosis virus in Drosophila melanogaster. 5549

neurosecretory activity of sub-oesophageal ganglion in relation to diapause. 1188

nuclear polyhedrosis in relation to protein synthesis of silk-gland. 1563

ovary respiration and size in vitro during metamorphosis. 1170

peptide derivatives of rRNA from silk-gland. 1570

polyhedrosis in relation to haemolymph transaminases. 5229

cis-trans-polyisoprenols in faeces. 5872
polytene chromosomes in silk-gland cells. 370
protein binding of silk-gland amino acids. 3954
protein metabolism of mudgut epithelium during
cytoplasmic polyhedrosis. 5855

prothoracotropic brain hormone. 1645 pteridine metabolism in normal and oily larvae. 3453

radiosensitivity of overwintered eggs. 3500 radiosensitivity in relation to repair of premutational damage. 3669

radiosensitivity in synchronized embryonic cell-populations. 2074

response to prevention of spinning. 5255

ribosomal and viral components in relation to cytoplasmic polyhedrosis. 5870

RNA from posterior silk-gland. 2025

RNA translation following exposure to streptomycin. 4891

selection of univoltine races in relation to ecology. 1357

sex-dimorphism of O<sub>2</sub>-uptake of ovaries in vitro. 1170

spectral sensitivity and visual system of larval stemmata. 1081

supernumerary ecdysis induced by ecdysone analogues. 3489

temperature in relation to nucleic acid and protein synthesis of embryo. 2687

temperature in relation to radiation-induced mutations in oocytes. 3664

transplantation of CA into diapausing pupae of Antheraea polyphemus and Hyalophora cecropia. 1184

ultrastructural localization of midgut phosphatases. 1104

ultrastructure of pheromone-secreting gland. 1596

ultrastructure of sensory nerve-fibres. 160

Bonin Islands (Pacific Ocean),

Hylaeus revised and zoogeographical relationships. 4339

new Colletidae from. 4339

Book-lungs, and metabolic rates in Arachnida. 4503

Boophilus microplus (Arach., Acari, Ixodidae),

antihistamine and tranquillizing drugs in relation to cattle resistance. 3576

from an arid habitat in Lahore, Pakistan. 5423 control by pasture spelling, planned dipping and tick-resistant cattle. 5333

DDT absorption and metabolism. 4575

haemolymph amino-acid, sugar and cation concentrations. 600

ion regulation and osmoregulation via saliva. 649

larval dispersal. 4071

morphology of specimens from Lahore, Pakistan. 5423

in relation to prevention of cattle from grooming. 3577

Boophthora erythrocephala (Dipt., Simuliidae), autogeny and physiological-age estimation.

5907

mass-attack and mass-emergence. 6030 Boopidae (Mall.), genera keyed. 5079

Boraginaceae, attraction of Ceratiscada canaris sp.n. 5755

Borchseniaspis (Hem., Hom., Diaspididae), compared with Abgrallaspis. 2518

Boreidae (Mec.), 206

Boreus (Mec., Boreidae), cold-hardiness in hyemalis and westwoodi. 206

Boric acid, and attractancy of bait for Blattella germanica. 5813

Boriomyia subnebulosa (Neur., Hemerobiidae), for control of Rhopalosiphum insertum in N. Germany. 313

larval and adult biology and ecology in N. Germany. 313

Borneo,

host distribution of Haemaphysalis bispinosa. 4782

Lycaenidae from. 1930

new Cerambycidae from. 3300

new Eriophyoidea from. 3720

new Euphthiracaroidea from. 506

new Lucanidae from. 5001

new Lycaenidae from. 1930, 3005

new Nemouridae from. 3014

new Nymphalidae from. 1936

new Pyralidae from. 2533

new Velocipedidae from. 2515

Plecoptera from. 3014

Boron, compounds as chemosterilants for Musca domestica, 3503

Bos, see also Cattle

Bos indicus (Artiodactyla),

host of Arcyophora icterica in Nepal. 1385

Bos indicus (Artiodactyla), contd.

morphology of Hyalomma a. anatolicum in Lahore, Pakistan. 5422

Bos taurus (ox),

biology of Glossina morsitans submorsitans and G. tachinoides in N. Nigeria. 2729

feeding of Culicoides and Simuliidae at Darjeeling, India. 4821

Bostrychidae (Col.),

475, 693, 738, 1718, 1812, 5292, 5652, 5887

of Congo-Brazzaville, 1812

larvae. 1229

from Mozambique, Republic of S. Africa, S. W. Africa and islands of Indian Ocean. 5652

Bostryx primigenius (Mollusca, Gastropoda),

host of Weyrauchimyia bicoloricauda sp.n. in Peru. 5675

Bothinodroctonus bicinctus gen. et sp.n. (Col., Scolytidae), described. 1850

Bothriothoracini (Hym., Encyrtidae), precedence over Tetracnemini. 3782

Bothriothorax Ratzeberg 1844 (Hym., Encyrtidae), name made official, 3782

Bothropolys fasciatus (Myriap., Chil.), eye ultrastructure. 169

Bothrosternoides malayensis gen. et sp.n. (Col. Scolytidae), described, 1850

Bothynoderes punctiventris (Col., Curculionidae), mechanisms of conifer resistance. 5442

Bothynostethini (Hym., Sphecidae), check-list of genera and spp and key to genera. 1009

Bothynotus pilosus (Hem., Het., Miridae), habitats in Inverness-shire, Scotland. 3183

Bothynus gibbosus (Col., Scarabaeidae), spring emergence in relation to rainfall. 2678

Botswana, new Scarabaeidae from. 5012

Botys coclesalis (Lep., Pyralidae), transferred to Coclebotys gen.n. 2533

Botys limbolalis, type-sp of Limbobotys gen.n.

Boucheella artemisiae (Dipt., Cecidomylidae), nurse-cell nuclei in egg-follicle development. 262

Bourletiella (Collem., Sminthuridae), matingsequence for indirect spermatophoretransfer. 1220

Boveycantharis rufimanoides gen. et sp.n. (Col., Cantharidae), and other spp described. 4261

Bovicola (Mall., Trichodectidae),

bionomics and colonization of crassipes and limbata in vitro. 240

humidity in relation to development, egghatch and longevity in crassipes and limbata. 240

Bovidae (Artiodactyla), hosts of Stomoxys calcitrans near California (USA) poultry ranches, 5404 Boydaia (Arach., Acari, Ereynetidae), new taxa described. 2885

Boydaia synallaxis, redescribed. 2885

Brachiarla ramosa (Gramineae), biology of Thomasiella tomentosae , 4207

Brachinus (Col., Carabidae), ageing and longevity. 284

combustion-chamber enzymes, 3926 defence secretions, 1243

Brachioxena gen.n. (Lep., Tortricidae), established. 122

Brachmia procursella (Lep., Symmocidae), in Romania. 2225

Brachycaudus (Hem., Hom., Aphididae), biology and population dynamics on peach. 5462

Brachycaudus semisubterraneus, new for Scandanavia, 4191

Brachycentrus (Hym., Braconidae), removed from Rogadinae. 1908

Brachycentrus lateralis (Trich., Sericostomatidae), in relation to DDD and DDT in St. Lawrence R., Canada, 1033

Brachycerus lutosus (Col., Curculionidae), general and Italian distributions. 3240

Brachycoryna hardyi (Col., Curculionidae), new for Canada. 3278

Brachycoryphus nursei (Hym., Ichneumonidae), biology at Karachi, Pakistan, 2114

Brachydesmus herzegowinensis confinis subsp.n. (Myriap., Diplop.), described, 3022

Brachydesmus polydesmoides, new for Bulgaria. 3022

Brachydesmus superus, new for Iceland, 4928 Brachygeophilus truncorum (Myriap., Chil., Geophilidae), new for Iceland, 4928

Brachygluta (Col., Pselaphidae), new taxa described, 981

Brachyhesma (s.str.) apicalis sp.n. (Hym., Colletidae), described. 4347

Brachylabis kelangi sp.n. (Derm., Carcinophoridae), described. 1860

Brachylecithum mosquensis (Platyhelminthes), pathology in Camponotus pennsylvanicus modoc and C. herculeanus. 2816

Brachymeria (Hym., Chalcididae), Acarus farris associated with in Poland. 3572 new for Philippines. 799

Brachymeria moerens.

biology and larval morphology. 316 parasitic on Diptera in Barbitistes fischeri. 316

**Brachymeria obscurata**, parasitic on conifer type of Dechocrocis puncitferalis. 1272

Brachynysius convexus (Hem., Het., Lygaeidae), transferred to Nysius. 2970

Brachyphylla cavernarum (Chiroptera), Lawrenceocarpus micropilus and Paralabidocarpus artibei in Puerto Rico. 5607

Brachyptera risi (Plec., Taeniopterygidae), biology and ecology in a Lake District Brachyptera risi (Plec., Taeniopterygidae), contd.

(England) stream. 1322

larval reactions to water-current. 361

Brachyptera tristis, discussed. 5766

Brachyptery,

in Acridoidea of Iles Comores. 3011

in Belletochlamys erebus gen. et sp.n. 3336

in Saccharicoccus sacchari. 5145

in relation to tympanal membrane in Acridoidea.3899

and dispersal in Carabidae. 5457

in Limnophila platyptera. 2510

in Parapsectra uliginosa sp.n. 2504

in Reikosiella melina gen. et sp.n. 2992

in relation to tympanal

Brachyschendyla dentata (Myriap., Chil., Schendylidae), new for Britain. 4943

Brachystira Fieber 1858 (Hem., Het., Miridae),

name made official. 3782

Brachystomella contorta (Collem.,

Hypogastruridae), redescribed.

Brachythrix diceucostigma gen. et sp.n. (Dipt., Stratiomyidae), described.

Bracon (Hym., Braconidae),

Lucobracon of Carpathian Basin Hungary,

reviewed and keyed. 3797

parasitic on Coleophora laricella in British Columbia, Canada, 3152

toxicology of venom for Galleria mellonella.

Bracon chinensis, parasitic on Chilo suppressalis in Sarawak. 5498

Bracon fulvus, parasitic on Anthonomus pomorum in Romania, 2220

Bracon gasterator, redescribed, 1908

Bracon hebetor, see Habrobracon juglandis

Bracon (Lucobracon) moczari sp.n., described. 3797

Bracon mollitor, biology in relation to Anthonomus grandis. 1656

Bracon (Lu pbracon) paucus sp.n., described

Bracon rhyacioniae, parasitic on Eucosma rescissoriana in N. Idaho, USA. 2531

Braconidae (Hym.),

102, 103, 209, 249, 258, 273, 278, 294, 318, 320, 404, 791, 793, 799, 1266, 1272, 1274,

1449, 1450, 1656, 1906-1912, 2004, 2127,

2220, 2221, 2452, 2502, 2521, 2531, 2548,

2616, 2682, 2702, 2751, 2752, 2762, 2800,

2804, 2808, 3039, 3062, 3152, 3338, 3548,

3797, 3994, 4096, 4110, 4345, 4346, 4512, 4594, 4702, 4713, 4733, 4779, 4783, 4820,

4841, 4936, 5051, 5052, 5124, 5371, 5377,

5414, 5418, 5420, 5421, 5424, 5430, 5466,

5479, 5498, 5579, 5947, 5991, 6005, 6011

biology, host relations and larval taxonomy of 19 subfamilies. 1906

from Danube Delta, Romania. 2221

of Dobrogea, Romania. 2220

Muesebeckiini trib.n. established within

Ichneutinae. 1907

natural classification. 1906

new for Romania. 2220

parasitic on conifer type of Dechocrocis punctiferalis. 1272

parasitic on Homoeosoma electellum in Texas, USA. 2808

of Riparia riparia nests in Switzerland, 4106 World catalogue and literature summary. 2452

Bradinopyga geminata (Odon., Libellulidae), last-

instar larva. 3829 Bradycellus (Col., Carabidae), ecology and wing-

development in British spp. 3045 Bradysia amoena (Dipt., Sciaridae), new for USSR. 4190

Bradysia elegans sp.n., described. 5029

Bradysia impatiens, biology and immature stages.

Brahmina jubata sp.n. (Col., Melolonthidae), described. 5004

Brain,

acid phosphatase activity in Schistocerca gregaria, 4535

anatomy and tracheation of neuroendocrine system in Gryllus bimaculatus. 3884

anatomy in Zygentoma. 5841

antigens of pars intercerebralis in Periplaneta americana. 5234

of Aphaenogaster senilis. 4478

arginine content of neurosecretory cells in Acrida gigantea. 3875

axon pathways from antennal sense-organs in Calliphora vicina and Periplaneta americana. 3406

brain-CA complex in relation to determination of voltinism in Bombyx mori. 3075

brain hormone during development in Bombyx mori. 5876

brain hormone and vitellogenin synthesis in Leptinotarsa decemlineata. 5878

catecholamine localization in corpora pedunculata of Periplaneta americana. 3409

cerebral complex in relation to oculo-antennal disc development of Calliphora erythrocephala in vitro. 3981

chromosomal aberrations due to tepa in larval cells of Culex pipiens fatigans, 4152

chromosomal effects of brain hormone in salivary glands of Drosophila melanogaster.

of Chrotogonus trachypterus. 1521

circadian changes in protein synthesis in neurosecretory cells of pars intercerebralis in Acheta domestica. 2587

circadian rhythm of acetylcholinesterase activity in Acheta domestica. 3403

circadian rhythm of RNA-synthesis in neurosecretory cells of Acheta domestica. 617

### Brain, contd.

- corpora pedunculata of Acheta domestica. 3407 decapitation and spiracular behaviour in Aedes. 4504
- degenerative factor in relation to imaginal development of prothoracic gland in Locusta migratoria. 2672
- in relation to development of restrained larvae of Galleria mellonella. 5914
- in relation to diapause and oocyte maturation in Pterostichus nigrita, 4008
- diuretic-hormone production in Carausius morosus. 5859
- ecdysone and neurosecretion interactions in relation to puparium-formation in Calyptrata. 3074
- embryonic tissues in relation to gonad development in Leptinotarsa decemlineata. 3992
- of Heteropeza pygmaea. 5836
- histochemical and histological reactions of pars intercerebralis in Musca domestica, 3879
- implantation in relation to neuro-endocrine system of larval Schistocerca gregaria. 1525
- information-processing in optic lobes of Romalea microptera. 3880
- interneuron suppression by high sound-intensity in Heliothis zea. 1051
- in relation to learning persistence through metamorphosis in Tenebrio molitor, 3423
- ligation in relation to ovarian cells of Galleria mellonella. 3999
- localization of catecholamines in corpora pedunculata of Periplaneta americana. 3409
- localized cholinesterase inhibition in Musca domestica, 3404
- mitochondria and mitochondrial particles in larval Bombyx mori, 1052
- mitotic cycle in brain cells of Aedes dorsalis.
- of Cyrtophora citricola. 3876
- of Grossopriza lyoni. 3876
- motion-detecting units in optic lobe of Apis mellifera, 5842
- moulting-hormone precursor from pars intercerebralis in Catopidae. 4550
- neuroblastoma of larval brain in Drosophila melanogaster. 4160
- neurohormones and respiratory metabolism in Calliphora erythrocephala. 5246
- neurosecretion in allectomized 9 Melanoplus sanguinipes. 3511
- neurosecretion in Apis mellifera drones. 1990 neurosecretion in Eurygaster integriceps.
- neurosecretory cells in relation to fecundity and protein metabolism in Blatta orientalis. 4522
- neurosecretory cells in relation to food- and

- O<sub>2</sub>-uptake in Oncopeltus fasciatus, 3424 neurosecretion in Iphita limbata, 5128
- neurosecretory cells of type C in Clitumnus extradentatus. 4475
- neurosecretion suppressing glycogen synthesis in Aedes taeniorhynchus, 2636
- neurosecretory axons and cells of Pyrilla perpusilla. 1527
- neurosecretory cells of Melanoplus sanguinipes. 4476
- neurosecretory cells of Sarcophaga bullata. 3405
- origin of corpora pedunculata globuli in Pachylus quinamavidensis. 3090
- pars intercerebralis A- and B-cells in relation to CA in Locusta migratoria. 3463
- pars intercerebralis of Musca domestica. 3024
- in relation to pheromone-secretion in Tenebrio molitor. 3423
- in relation to photoperiod synchronization of ecdysis in Saturniidae, 3987
- in relation to protein synthesis during oocyte maturation in Leucophaea maderae. 721
- proteins of protocerebral neurosecretion in Musca domestica. 3879
- prothoracotropic hormone secretion in late larvae of Galleria mellonella. 3517
- prothoracotropic brain hormone of Bombyx mori. 1645
- corpora pedunculata in Acheta domestica. 3407
- temperature in relation to nucleic acid and protein synthesis in embryonic Bombyx mori. 2687
- ultrastructure in Notonecta glauca, 3861 in relation to vitellogenin production in Periplaneta americana, 718
- Brassica (Cruciferae), vitamins E and C contents in relation to phenology and physiology of Barathra brassicae, 4516
- Brassica cheiranthus, behaviour of Clytiomyia continua. 3529
- Brassica napus (Cruciferae) (rape, turnip),
  - effect of physiological state on population density of Brevicoryne brassicae. 342
  - resistance to Brevicoryne brassicae and Myzus persicae. 2129
- Brassica oleracea (Brussel sprouts, cabbage, cauliflower, etc.),
  - control of Brevicoryne brassicae. 5336, 5341 insect populations in S. California, USA. 5479 physiological state in relation to Brevicoryne
  - brassicae and Myzus persicae. 1197 population dynamics of Brevicoryne brassicae.
  - virus transmission by Myzus persicae. 1282 weed control in relation to Pieris rapae populations. 2150

Brassica pekinensis,

population dynamics of Brevicoryne brassicae.

virus transmission by Myzus persicae. 1282

Brassica rapa, probing behaviour of Chaetosiphon fragaefolii. 4770

Braulidae (Dipt.), 5146 superfamily position. 5146

Braunsapis gen.n. (Hym., Anthophoridae),

behaviour towards immature Echthrodope africana, 1504 established, 1446

Braunsomeria atriceps, transferred to Dermasothes. 4338

Braunsomeria (Hym., Tiphiidae), Bruesia syn.n. of. 4338

Braunsomeria quadraticeps, redescribed. 4338

Brazil.

Cardioptera revised. 5665

Formicidae from, 5727

new Anthicidae from, 3732

new Apidae from. 5050

new Buprestidae from. 3298

new Cerambycidae from, 1844, 4267, 5634

new Chrysomelidae from. 4255

new Diapriidae from. 2989

new Elminthidae from, 174

new Formicidae from. 5727

new Melolonthidae from. 5007

new Membracidae from, 4337

new Miridae from, 2514, 4321, 5037, 5708

new Mordellidae from, 5008

new Mycetophagidae from. 42

new Nymphalidae from, 5755

new Oribatei from. 1391, 2462

new Phoridae from. 5674

new Pompilidae from, 5737, 5738

new Pseudopomyzidae from. 57

new Pseudoscorpiones from. 962

new Pteromalidae from, 1925

new Pygmephoridae. 1392

new records of Eriophyidae, 4204

new Reduviidae from. 2974

new Rhinonyssidae from. 4975

new Sarcophagidae from, 1876, 4311, 5027

new Scarabaeidae from. 5649

new Sciaridae from. 5029

new Scutacaridae from, 1392

new Sphecidae from. 1009

new Syringogastridae from. 5678

new Tabanidae from, 545, 3775

new Tenebrionidae from. 2498

new Tetranychidae from. 3288

new Thripidae from. 4403

new Tipulidae from. 5685

new Trombiculidae from, 4239, 4244, 4977

Oribatei from. 2462

Phytocoris from. 5708

records of Argas minatus. 4219

Stictolobus reviewed. 4337

Taphrocenus brevicannatus new for. 3298

Tenebrionidae from. 2498

Tetranychidae from. 3288

Triatominae of palms in Uberaba municipality, Minais Gerais. 5511

Brazilozetes gen.n. (Arach., Acari, Oribatei), established. 2462

Breeding,

of Aedes aegypti in tree-holes in S. India.

of Anopheles gambiae throughout dry season in Sudan. 4859

behaviour and resting-sites of Glossina tachinoides near houses in Nigeria, 4041

of Diamesa arctica in mid-winter. 729

sites of Aedes rempeli in USSR. 4432

sites of Culicidae in Donetsk region, USSR.

4881 sites of desert Calyptratae in Egypt. 4829

sites of Leptoconops bezzii and irritans in Grossetano, Italy. 4114

sites of Simuliidae in Taimyr National District, USSR. 4719

Breinlia sergenti (Nematoda), simultaneous infection of Armigeres subalbatus with Brugia pahangi. 4675

Brentidae (Col.), 18, 965

African spp keyed, 18

new spp from Africa. 18

Paraguay taxa reviewed and keyed. 965

Brentinae (Col., Brentidae), keyed. 18

Brephidium exilis yucateca subsp.n. (Lep., Lycaenidae), described, 4377

Brevibacterium (Bacteria), lysis by cell-free pupal haemolymph of Drosophila melanogaster. 1546

Brevicomin,

regulation of colonization of Pinus ponderosa by Dendroctonus brevicomis. 1288 response of Dendroctonus brevicomis enhanced by 3-carene. 1652

Brevicornu (Dipt., Mycetophilidae), new spp described, 67

Brevicoryne brassicae (Hem., Hom., Aphididae), abundance on cabbage in S. California, USA. 5479

abundance of Diaeretiella rapae in relation to on cabbage in S. California, USA. 5479

Brevicoryne brassicae, contd.

alate of from Himachal Pradesh, India. 4327 alate of from India for first time. 2978

control in W. New York, USA. 5336

development and population density in relation to host-plant state. 342

fecundity in relation to physiological state of host-plant. 1197, 2129, 2158

feeding and nutrition. 6000

growth in relation to host-plant. 2129

insecticides for control on broccoli and cauliflower. 5341

longevity in relation to host-plant. 2158

morph-determination. 2158

resistance of Brassica napus. 2129 taste sense-organs of foregut. 2594

Brevipalpus obovatus (Arach., Acari.

Tenuipalpidae), new for Hungary, 1379 Brevipalpus phoenicis, diet for Amblyseius

chilenensis and A. hibisci. 5313

Brevipalpus pulcher, new for Hungary. 1379

Bristles, see Chaetae

Britain,

abundance of Conops ceriaeformis in S. E. London, England. 3260

Acrotrichis platonoffi from Kent and the London area, England. 3247

Adelgidae new for. 3266

Aderus oculatus, not pygmaeus, British, 3235

Aleochara diversa sp-group keyed. 2202

Anaphothrips atroapterus not British. 3273

Anaphothrips validus new for. 5597

Andrena confinis population in Wiltshire, England, 5521

Anisopodidae revised, 1420

Apatura iris of entering houses in summer. 5982

Tipulidae revised. 1420

Araneae from Whitburn, Durham, England.

Atheta boletophila new for. 3251

Atheta granigera and Omalium rugatum from Devon, England, 3253

Atrichopogon pollinivorus from Surrey and Cornwall, England. 3259

behaviour, distribution and ecology of Coenagrionidae in Outer Hebrides and in

Hampshire, England. 2094 biology and ecology of adult Coccinellidae

at Kew, London, England. 2097 biology and ecology of Diplopoda in a Cheshire wood. 4839

Bombus and Psithyrus spp differentiated. 4935

Brachyschendyla dentata new for. 4943

bronchosomes in atmospheric aerosol at

Harwell, England. 2619, 2620

Bronze Age insect fauna from Wiltshire, England. 2244

Calosota keved. 4937

Calosota Reyeu. 4937

Cantharidae revised. 1804

Cleridae revised. 1804

Capsodes sulcatus from Dorset, England. 3265

Carabini larvae described and keyed. 1965

Cychrini larvae described and keyed. 1965 Carpophilus marginellus from Berkshire, England. 3245

Catopidius depressus from Hampshire, England. 3239

cave fauna. 5561, 6068

cave and mine fauna of Morecambe Bay area, England. 6108

Cercyon laminatus new for. 1793

Cercyon reviewed. 1793

Cheilosia fasciata not British. 2955

Chernetidae discussed. 145

Coccinella undecimpunctata captured inland in Middlesex, England, 2140

Coleoptera from late Glacial deposits but now extinct, 498

Coleoptera of Monks Wood National Nature Reserve, Huntingdonshire, England, for 1966-1968. 5566

Coleoptera new for Gloucestershire, England. 3234

Coleoptera of stones at Staines, Middlesex, England, 1794

Collembola aggregations in Pinus sylvestris forest in Perthshire, Scotland. 2162

control, mortality and natality of Scolytus scolytus. 2803

corixid associations in Huntingdonshire, England. 2135

Cymus glandicolor from Oxfordshire, England. 3264

Cyzenis albicans and Operophtera brumata interactions in Berkshire, England. 2159

Dechtiria turbidella new for England. 5586 diel periodicity of invertebrate drift in

Lake District (England) stream. 2781 distribution of Amphipyra pyramidae and A. berbera. 1806

distribution of Drosophila along Tyne valley, England. 2154

distribution of Egle. 2937

distribution of Petrobius maritimus and P. brevistylis. 5475

distribution of Ephemeroptera and Plecoptera in Lincolnshire, England. 3171

Dynatosoma nigromaculatum and Mycetophila bohemica new for. 3261

ecology and phenology of Araneae on a raised beach, 3555

ecology of insects of R. Duddon, England. 2788 ecology of a hill stream in Shropshire. 4115

effects of summer floods at Woodwalton Fen, Cambridgeshire, England, in 1968-1969.

Elatobium abietinum intermediate morphs from Scotland. 3122

emergence of Trichoptera from a small stream in N. Wales. 3198

Elatophilus nigricornis in England and Scotland. 3183 Britain, contd. Entomobrya corticalis from Kent, England. Epuraea distincta from Hampshire, England. 3246 Erebia epiphron thomsoni established in mid-Perthshire, Scotland. 3702 Eriozona syrphoides new for. 1798 Eucinetus meridionalis new for. 1804 Eupelmidae from. 4937 Eupelmus new for. 4937 Euphithecia phoeniceata new for Dorset, England, 5584 field key to invertebrate fauna of a hill stream in Shropshire. 4132 Gonomyia bifida rediscovered. 5576 habitats of Anthocoridae, Miridae and Saldidae in Inverness-shire, Scotland. 3183 habitats of Carpelimus incongruus in Kent, England. 3178 habits and life-history of Ips cembrae in N.E. Scotland. 4036 Heteroptera of chalk grassland in Bedfordshire, England. 2782 Hoplitis claviventris comb.n. new for. 5057 Hoplothrips longisetis from S. England, 3272 Ischnopoda coarctata from Kent, England. 3254 Lepidoptera of Orkney Islands. 4940 life-histories of Leiophron similis and L. claviventris in relation to Psocoptera in S. England. 5377 life-history and seasonal distribution of Lycosa lugubris in C. Scotland. 2715 life-history and population dynamics of Dasyhelea sp and Metriocnemus martinii in Berkshire, England. 3627 light-trap catches of Culicoides spp in S. England, 1724 Lyctus sinensis possibly established in Kent, England, 3244 Melyridae revised. 1804 migrant Lepidoptera in Monmouthshire, Wales, in 1969. 5581 Mycetophilidae from. 3261 Myriapoda new for Surrey, England. 4943 Nathanica capitata larva taken on Crataegus in Berkshire, England, 5591 Neanura hystrix rediscovered. 4983 Necrodes littoralis from Westmorland, England. 3249 Neobisiidae keyed. 4 Neurophes helvolus from S.E. London,

new records of Carabidae. 3237 new records of Perilampus aureoviridis. 5058 new records of Pterostichus aterrimus. 3238 new Scatopsidae from. 5028 Odonata in British Museum (Natural History), London, England, 4391 Omaliinae larvae keyed. 4441 Onychiurus jubilarius new for. 3258 Sminthurides stachi new for. 3258 Orthoperus revised and keyed. 5567 Oxypoda list revised. 5570 Pentatoma rufipes on bog grass on Rhum I., Scotland, 3132 Philonthus rectangulus new for Scotland. 2925 Phloeopora angustiformis from Northamptonshire and Yorkshire, England. 3255 Phyllonorycter keyed. 5745 Platycis cosnardi from Sussex, England. Pleistocene fauna from Northamptonshire. 500 Plusia accentifera new for. 6143 polymorphism for supernumerary segments in Ashurst (England) population of Chorthippus parallelus. 5559 Psocoptera immature stages keyed. 4435 records of Cosymbia pupillaria from Devon, England, 5115 records of Lucanus cervus. 3242 records of Simulium spinosum and S. angustipes from S. England. 5574 records and status of Cosymbia pupillaria. Rhipicephalus sanguineus in London, England. Scatophagidae new for. 2953 Scatopsidae list revised. 5028 Sciomyzidae from Anglesey and Caernarvon, Wales. 3262 Scopaeus minutus from Devon, England. 3256 Scydmaenidae of. 1803 Sium latifolium as alternative host-plant for Depressaria ultimella. 5444 slime-fluxes fauna, 4096 Sphinx drupiferarum new for. 6145 Spilosoma from Dungeness, Kent, England. Staphylinidae new for. 2202, 2203 Staphylinidae discussed. 2922 Stigmella paradoxa new for. 5587 Stigmella spinosella new for. 6140 Syrphidae of Dorset, England. 5575 Tachyporus obtusus from Skokholm I.. Pembrokeshire, Wales. 3257 Thripidae new for, 3272 Torymidae new for. 4938 Trichoceridae revised. 1420 Uresiiphita polygonalis new for Monmouthshire, Wales. 5581 voltinism of Polyommatus icarus. 2102

new records of Aderus brevicornis. 3046

England, 3250

new Acaridae from, 3321

new Braconidae from. 5052

new Mycetophilidae from, 1874

new Phlaeothripidae from. 3833

new record of Platynothrus punctatus, 4212

new record of Stigmella ulmariae. 6141

Brithrothrips fuscus (Thysanopt., Phlaeothripidae). allotype of. 3043

intra-gall variation, microptery and sexdimorphism, 3043

Britimnathista gen.n. (Hem., Hom., Cicadellidae), established, 5693

British Guiana, new Miridae from. 5038 British Honduras.

biology and ecology of Brumptomyia. 5501 biology of Saccharosydne saccharivora, 2719 Psychodidae as vectors of American cutaneous leishmaniasis. 5501

vector capacity and vertical distribution of Phlebotominae, 4046

British Museum (Natural History), London, England, Megaloptera and Plecoptera types, 5087 Odonata types, 1943

Broccoli, see Brassica oleracea

5-Bromodeoxyuridine,

and differentiation of ommatidium-forming cells of Drosophila melanogaster in culture. 3481

mutagenicity in relation to X-irradiation in larval Bombyx mori. 892

5-Bromouracil, and morphology of Drosophila melanogaster. 238

5-Bromouracil-deoxyriboside, incorporation into Drosophila melanogaster germ-cells. 1344

Bronze Age, insect fauna in Wiltshire, England.

Bronze orange bug, see Musgraveia sulciventris Brood.

brood-care in N. American scorpions, 4013 brood-care by worker Paravespula vulgaris. 4746

diet in relation to brood-rearing capability of Apis mellifera, 4627

measurement as index to value of Apis mellifera as pollinators. 4865

mortality rates in early stages of colony development in Bombus. 4871

brood-parasitism in Curculionidae, 4047

Bropsephus (Col., Elateridae), subgenera keyed.

Brown locust, see Locustana pardalina Brown recluse spider, see Loxosceles reclusa Brown soft scale, see Coccus hesperidum Bruchidae (Col.),

152, 246, 947, 1164, 1214, 1401, 1402, 1605, 1791, 1836, 2073, 2130, 2479, 2705, 3607, 3610, 4116, 4206, 4705, 4844, 4989, 5443, 5847, 5887

genus-groups established on f genital structure. 1164

of Gruziya, USSR. 1791

hindwing venation. 152

of Niokolo-Koba National Park, Senegal. 1836

Bruchidius (Col., Bruchidae), new spp described. 1836

Bruchophagus roddi (Hym., Eurytomidae).

biology of Amblymerus bruchophagi in relation

uric acid analysis for evaluation of infestation in alfalfa seed. 1962

Bruchus (Col., Bruchidae), relations to Vigna sinensis under storage conditions, 2130

Bruchus compressicornis, see Acanthoscelides helianthemum sp.n.

Bruchus cubiculus, holotype location. 1402

Bruchus pisorum, economic importance in Gruziya, USSR. 1791

Bruchus schrankiae, not B. schrankiae but Acanthoscelides chiricahuae reared in USA from Mimosa borealis. 2479

Bruesia (Hym., Tiphiidae), syn.n. of Braunsomeria. 4338

Brugia pahangi (Nematoda), simultaneous infection of Armigeres subalbatus with Breinlia sergenti. 4675

Brumptomyia (Dipt., Psychodidae), biology and ecology in British Honduras, 5501

Brumus oblongus (Col., Coccinellidae), larva described, 5638

Brundin.

classification of southern Chironomidae criticized, 6107

criticism of 'Phylogenetic Systematics' in relation to Antarctic biogeography, 6107 distributions of European Diamesini of Brundin collection reviewed. 4189

Brussel sprouts, see Brassica oleracea Bryaxis Kugelann 1794 (Col., Pselaphidae), declared valid and Pselaphus bulbifer

Reichenbach 1816 designated type-sp. 1414 Bryaxis Leach 1817, declared invalid. 1414

Bryaxis longicornis Leach 1817, type-sp of Rybaxis Saulcy 1876. 1415

Bryaxis schneideri Kugelann 1794, officially rejected. 1414

Bryobia rubrioculus (Arach., Acari, Tetranychidae), populations of apple orchards in Poland. 5513 prey of Typhlodromus mcgregori in apple orchards in Utah, USA. 2711, 4796

temperature in relation to diapause termination.

Bryobiinae (Arach., Acari, Tetranychidae), arrhenotoky and thelytoky. 4146

Bryocorinae (Hem., Het., Miridae), biology and ecology in relation to the cocoa farm. 5433

Bubalus bubalis (Artiodactyla) (water buffalo), feeding of Culicoides and Simuliidae on at Darjeeling, India. 4821

Bucculatrix frangulella (Lep., Lyonetiidae), feeding, host-range and phenology in relation to Rhamnaceae in Europe. 3591

Buchneria pectinatae (Hem., Hom., Lachnidae), honeydew production on Abies alba in 1968. 2152

Buffalo, see Bos indicus and Syncerus caffer Bufo (Amphibia, Anura),

infection by Lucilia. 5984

predation on Chironomus at Solberg Lake, Wisconsin, USA. 3558

Bufo borealis, survival of Sphenophorus phoeniciensis after passage through gut. 4455

Bufo punctatus, host of Hannemania bufonis sp.n. in USA and Mexico. 4240

Bulgaria,

Arachnida, Insecta and Myriapoda from caves. 6069, 6070

Acari from. 6070

Diplopoda from. 3022, 6069, 6070

Diplopoda new for. 3022

new Diplopoda from. 3022

new Glycyphagidae from. 5615

new Leuctridae from. 4396

new Limnohalacaridae from. 14

new Megachilidae from, 5735

new Phalangiidae from. 1398

new Scelionidae from. 3809 Pauropoda from. 6070

Bulgarialeurodes cotesi (Hem., Hom., Aleyrodidae), taxonomy. 4326

Bunothrips cruralis gen. et sp.n. (Thysanopt., Phlaeothripidae), described. 3017

Buodias (Hym., Ichneumonidae),

genus valid. 111

spp transferred to Melcha, 111

Buodias turbidus, syn.n. of ruficoxis. 111

Buoyancy, of Erioptera squalida and Notiphila riparia during emergence. 2174

Bupalus piniarius (Lep., Geometridae),

Acarus farris hypopi associated with pupae. 3572

host-selection by Eucarcellia rutilla. 1265 parasites in 1964-1968 in Poland. 5417 predation by larval Elateridae. 2161

protection of tree-stands by fertilization in GFR. 4797

Buphonella murina (Col., Chrysomelidae), biology and control in Zambia. 804

Buprestidae (Col.),

966, 1403, 1658, 2764, 3298, 3733, 4260, 5621, 5795, 6027

Vadonaxiini trib.n. established for Vadonaxia gen.n. 4260

Buprestis bertheloti (Col., Buprestidae), distribution extended. 3733

Buprestis (Cypriacis) mirabilis sp.n., described.

Buprestodera (Col., Coccinellidae), transferred to Plotina and revised, 1848

Burgeonilla (Col., Pselaphidae), placed in Hoplitoxenini trib.n. 2496 Burma,

Apatetorina of. 1006

new Ichneumonidae from. 109, 1006

new Ixodidae from, 4222

new Nymphalidae from. 1936

new Pyralidae from. 3824, 5757

new Staphylinidae from. 3313

Burmanomyia (Dipt., Sarcophagidae), new spp described, 2951

Bursicon,

and cuticular differentiation in adult Sarcophage bullata. 610

in endocuticle formation and melanization in adult Sarcophaga bullata. 610

haemolymph level during ecdysis in Periplaneta americana. 2633

initiation of haemocyte dopamine synthesis in Periplaneta americana. 1512

Bushfly, see Musca vetustissima

n-Butanol, in scent secretion of Libyaspis angolensis. 1155

Buthidae (Arach., Scorp.),

birth and post-birth behaviour in N. American spp. 4013

Charmus transferred to. 4250 metabolic rate. 4503

Butterflies, see Lepidoptera and Rhopalocera Butyl acetate, and alarm behaviour in Conomyrma

pyramica. 3562

n-Butyl benzoate, attractancy for Vespula. 5811 Butylthiol acetate, and alarm behaviour in

Conomyrma pyramica, 3562

Butyrate, oxidation by adult tissues of Lucilia cuprina in vitro. 1141

Butyrate dehydrogenase, activity in Lucilia cuprina, 1127

Byctiscus betulae (Col., Curculionidae), biology and damage to Vitis vinifera. 5427

Byrrhidae (Col.), 467

Byrsotria fumigata (Blatt., Blaberidae), histochemistry and histology of testes. 3476

Bythinus Leach 1817 (Col., Pselaphidae), officially recognized, 1414

C

C-9491 [O-(2, 5-dichloro-4-iodophenyl) O,O-dimet phosphorothioate],

toxicity to Attagenus alfierii and A. megatoma larvae. 4454

toxicity to Tribolium castaneum and T. confusum. 5819

CAB-O-SIL, control of of Ceratitis capitata and Dacus cucurbitae in Hawaii, 4686

Cabbage, see Brassica oleracea

Cabbage maggot, see Hylemya brassicae Cabbage root fly, see Erioischia brassicae

Cabera (Lep., Geometridae), biology and ecology in Belorussia, USSR. 1236

Cacao tussock moth, see Orgyia australis postica Cacographis colombiana (Lep., Pyralidae), type-sp of Midilambia gen.n. 1471

Cacoides (Odon., Gomphidae), discussed. 5763 Cacopsylla subgen.n. (Hem., Hom., Psyllidae), established within Psylla. 5703

Cactobrosis fernaldialis (Lep., Pyralidae), development in relation to temperature. 3095

Cadra cautella (Lep., Phycitidae),

age of eggs in relation to parasitism by Trichogramma evanescens. 2759 control by dichlorvos slow-release strips in Kenva. 4697

damage to stored grains in India. 786 fecundity and longevity on different grains. 786 sound-production during mating. 1599

Caeciliidae (Psoc.), 1948, 4435, 5377
Caecilius (Psoc., Caeciliidae), N. American spp
of alcinus, caligonus and subflavus groups
revised and new spp described, 1948

Caecilius burmeisteri, immature stages and lifehistory. 4435

Caecilius flavidus, in relation to life-history of Leiophron similis in S. England. 5377

Caecilius fuscopterus,

designated type of genus. 1948 immature stages and life-history. 4435

Caecilius kolbei, immature stages and lifehistory. 4435

Caecilius plavidus, immature stages and lifehistory. 4435 Caecomenimopsis brasiliensis sp.n. (Col.,

Tenebrionidae), described. 2498
Caelidia (Col., Scarabaeidae), declared nomen
nudum. 4282

Caenidae (Ephem.), 1884, 2172, 3180 effects of silt and sand in Vaal R. system, Republic of S. Africa, 2172

Caenis latipennis (Ephem., Caenidae), microdistribution of larvae in relation to substrate particle size. 3180

Caenocrypticoides gen.n. (Col., Tenebrionidae), established. 2497

Caenomedea insularis sp.n. (Ephem., Caenidae), described, 1884

Caesium,

accumulation of <sup>137</sup>Cs by chironomid larvae in a pond habitat, 1030

assimilation and elimination by Lethocerus americanus. 2106

Caffeine,

and disjunction of sex-chromosomes in Drosophila, 888

and excitation-contraction coupling in skeletal muscle of Locusta migratoria migratorioides. 1047

Caffrocixius fennahi sp.n. (Hem., Hom., Cixiidae), described. 1896

Cages,

confining ticks on cows and horses. 5089 maintenance of Trichogramma in the laboratory. 4419

modification of temperature by 4 types of insect cage. 2561

oviposition cage for large-scale egg-production by Coccinella septempunctata. 5112 restricting ticks on the host. 5136

technique for making insect-testing cages. 5132 uniform oviposition by Liriomyza munda in exposed plants. 5097

Cahita palposa sp.n. (Blatt., Blattidae), described. 56

Cajanus cajan (Leguminosae), biology of Orius indicus in India. 4715

Cajanus indicus, host-plant of Melanagromyza obtusa. 147

Calactin, absence from body tissues of Aphis nerii. 4527

Calambus mundulus (Col., Elateridae), taxonomy.

Calamochrous acutellus (Lep., Pyralidae), new for Germany, 4194

Calamomyia gen.n. (Dipt., Cecidomyiidae), established. 1869

Calamoncosis aspistylina (Dipt., Chloropidae), distinct from Calamoncosis minima. 63 Calamoncosis stipae, new for Czechoslovakia. 63

Calamovilfa longifolia (Gramineae), extracts in relation to growth and survival of Melanoplus femurrubrum, 3978

Calanthus (Col., Carabidae), of Madeira Archipelago. 5626

Calanthus colasianus sp.n., described. 5626 Calcium,

accumulation of calcium carbonates and phosphates in Polydesmus complanatus oocytes. 3858

Ca<sup>++</sup> in relation to fructose-1,6-diphosphatase, hexokinase and phosphofructokinase insect muscle, 1116

essential for deposition of oothecal protein in Sphodromantis centralis. 1211

and re-aggregation of pupal fat-body cells in Saturniidae. 3047

Calcium chloride (CaCl<sub>2</sub>), in relation to lysophospholipid acylation and deacylation by microsomes from larval Musca domestica. 3927

Calcium cyanide (Ca(CN)<sub>2</sub>), control of Trialeurodes vaporariorum. 5349

Calco Oil Red N-1700, marking of adult Anthonomus grandis. 1494

Calecymorda kamerunensis gen. et sp.n. (Col., Mordellidae), described. 5008

Calidris canutus (Aves), host of Actornithophilus canuti sp.n. 1474

Calidris maritima, predaceous on Collembola in Svalbard, Norway, 3165

California red scale, see Aonidiella surantii Caliothrips striatopterus (Thysanopt., Thripidae),

discussed. 4403 Calitys (Col.), transferred to Trogossitidae. 4985

Callanthidium (Hym., Megachilidae), nest structure of formosum and illustre. 1817 new for Idaho, USA. 1817

Callaphididae (Hem., Hom.), 2137, 2727, 2761

Callaspidia rufithorax (Hym., Cynipidae), parasitic on aphidophagous Syrphidae in Gujarat, India. 319

Calleida (Col., Carabidae), synonymy. 20

Callicorixa products (Hem., Het., Corixidae), biology and dispersal in rock-pools of Finland. 2770

seasonal changes in sex-ratio in Finland. 2809

Callida (Col., Carabidae), incorrectly used for Calleida. 20

Callidora (Hym., Ichneumonidae), new spp described, sp-groups distinguished and spp keyed. 3342

Calliephialtes bimarginatus (Hym., Ichneumonidae), syn.n. of Afrephialtes laetiventris. 2994

Callimomus (Hym., Torymidae), new for Britain and new specific character. 4938

Callinecdysone A, and puparium-formation in Calliphora stygia. 1174

Calliopsis crypta (Hym., Andrenidae), larval mouthparts. 1977

Callipharixenidae (Streps.), 4401 subfamily division. 4401

Calliphora (Dipt., Calliphoridae),

accumulation of dopamines at pupariumformation. 198

biology and ecology of desert spp in Egypt. 4829

temperature-dependence of flight-muscle metabolism. 2028

Calliphora erythrocephala,

antennal movements and flight control. 3874 assay for ecdysone. 691

calliphorin and Protein II during development. 1134, 1138

carbohydrate metabolism in resting adult of. 3943

cibarial stretch-receptors. 2586

compound eyes. 3886

diapause induction of Nasonia vitripennis in relation to. 3493

DNA-content of spermatids. 2183 ecdysone, K<sup>+</sup>, JH and Na<sup>+</sup> in relation to RNAsynthesis in fat-body. 1126, 4553 ecdysone sensitivity. 691 eye-colour mutations. 4162 gravity perception and leg proprioceptors. 4495 haltere sensilla. 1994

instantaneous air-velocities in a plane behind the wing. 3055

kynurenine-3-hydroxylase. 1123

light-potentials from retina and lamina. 5110 light-transmission in relation to frequency and adaptation state in single ommatidia. 1082

neurohormones in relation to respiratory metabolism during development. 5246 osmoregulation and rectal absorption. 2035

peritrophic membrane. 4521 protein composition and content during

development. 1134 reaction to different light-intensities. 1996 recessive eye-colour mutation on Y-chromosom

rhabdomeres. 3889

1340

ring gland in relation to oculo-antennal disc development in vitro. 3981

yellow-eyed of among W mutants. 1340 Calliphora loewi, from Foula, Shetland Islands.

Calliphora phaenicia, electrophysiology of optic lobe interneurons in relation to possible colour-vision. 1080

Calliphora stygia,

crustecdysone and ecdysone of prepupa, pharate pupa and pharate adult. 694 crustecdysone, inokosterone and ponasterone A synthesis in larva. 1112

exogenous ecdysone in relation to pupariumformation. 1174

polytene chromosome behaviour. 3210 protein synthesis in larva. 1559

Calliphora vicina,

antennal joint-receptor in relation to air-flow perception. 3892

axon pathways from antennal sense-organs into the brain. 3406

bacterial competition in gut. 2013

CNS interneurons and role in flight-initiation.

crustecdysone and ecdysone of prepupa, pharate pupa and pharate adult, 694

tergo-trochanteral muscles in flight-initiation. 619

Calliphora vomitoria,

exact neural projection of visual fields on 1st and 2nd ganglia of eye. 3891 patterns of connections of 1st- and 2nd-order

neurons of visual system. 5194

Calliphoridae (Dipt.), see also Sarcophagidae 163, 198, 322, 460, 619, 657, 658, 682, 691 694, 753, 842, 1038, 1045, 1080, 1082, 111 Calliphoridae (Dipt.), contd.

1123, 1126, 1127, 1134, 1138, 1141, 1158, 1174, 1268, 1340, 1515, 1534, 1555, 1556,

1559, 1909, 1961, 1994, 1996, 2013, 2028,

2035, 2155, 2183, 2586, 2690, 2864, 3055,

3070, 3074, 3177, 3181, 3406, 3413, 3493,

3665, 3759, 3874, 3886, 3887, 3889, 3891,

3892, 3943, 3945, 3981, 4040, 4106, 4162,

4424, 4495, 4497, 4521, 4553, 4578, 4694,

4792, 4829, 4836, 4922, 5023, 5110, 5171,

5187, 5194, 5199, 5227, 5231, 5239, 5246,

5318, 5319, 5416, 5594, 5848, 5984, 6122

Calliphorini and Polleniini differentiated on ovipositors, 5023

distribution, ecology and systematics of synanthropic spp in Tyan'-Shan' Mts.,

Kirgizia, USSR. 4860

### Calliphorin,

in Coleoptera, Diptera, Lepidoptera and Orthoptera. 1134

synthesis in vitro by larval fat-body of Calliphora erythrocephala. 1138

Calliphorini (Dipt., Calliphoridae), ovipositor for differentiation of ♀♀. 5023

Callipodida (Myriap., Diplop.), preferentially carnivorous. 4757

Calliprobola speciosa (Dipt., Syrphidae), new for Netherlands, 6123

Calliptamus italicus (Orth., Acrididae),

host of Blaesoxipha paolii in France. 3146 songs and auditory system. 2044

Callirhytis (Hym., Cynipidae), oak-galls in Méhes collection in Museum of Natural History, Budapest, Hungary. 1278

Callirhytis uvellae, synonymous with Dryocosmus attractans and renamed C. attractans. 567

Callisto denticulata (Lep., Gracillariidae), adaptations to leaf-mining habit, 1706

Callithomia foxi sp.n. (Lep., Ithomidae), described.

Callithrips bicolor gen. et sp.n. (Thysanopt., Phlaeothripidae), described. 5772

Callocosmeta eupicta gen. et sp.n. (Lep., Tineidae), described. 1473

Callophrys dumetorum oregonensis subsp.n. (Lep., Lycaenidae), described. 5069

(Lep., Lycaenidae), described. 5069 Callosobruchus chinensis (Col., Bruchidae),

biology, bionomics and ecology, 3610 competition with C. maculatus, 4116 group effects in Japanese populations, 3607

X-irradiation in relation to eggs. 246

larval weight in relation to culture conditions, 4116 mating behaviour, 1214

taxonomy of geographical populations on biological and ecological characters. 947

Callosobruchus latitarsis sp.n., described. 1836

Callosobruchus maculatus,

behaviour in temperature gradient. 5887 competition with C. chinensis. 4116 development of  $\ref{q}$  genital ducts. 1605

as laboratory host of Amblymerus bruchophagi. 4705

Pediculoides ventricosus parasitic on. 4844

photoperiod induction of wing-form. 2073

taxonomy of geographical populations on biological and ecological characters. 947

 ${\bf Callosobruchus\ rhodesianus,\ mating\ behaviour.}$  1214

Calocarcelia (Dipt., Tachinidae), Japanese spp reviewed. 990

Calochromus (Col., Lycidae), new spp described.

Calodactylus (Col., Melolonthidae), new spp described. 5005

Calodrominae (Col., Brentidae), keyed. 18

Caloglyphus boharti (Arach., Acari),

hypopial apolysis in relation to environmental factors, 1612

moulting and limb-regeneration. 1178

Caloglyphus mycophagus,

preparation of thin sections for lightmicroscopy. 1035

reproductive physiology. 3087

Calolamproides gen.n. (Blatt., Blaberidae), established for Epilampra levis. 3756

Caloperdix oculea oculea (Aves), host of Amyrsidea oculeae sp.n. 1475

Calopertha truncatula (Col., Bostrychidae), new for Iran. 475

Calopsecta atridoreum (Dipt., Chironomidae), ecology in Lake Washington, USA. 348

Calopterusa pamirica sp.n. (Orth., Tettigoniidae), described. 581

Calopterygidae (Odon.), 172, 929, 942, 1943, 3490 types in British Museum (Natural History), London, England. 1943

Calopteryx (Odon., Calopterygidae), O<sub>2</sub>-consumption of larva. 172

Calopteryx splendens, swarming at Ostfold, Norway. 289

Caloptilia (Lep., Gracillariidae), new spp described. 3004

Calosoma (Col., Carabidae), of Atlantic islands. 438

Calosoma peregrinator, defence scent-fluid. 2103 Calosota (Hym., Eupelmidae),

aestivalis and vernalis re-described. 4937 British spp keyed. 4937

Calotes versicolor (Lacertilia), host of Pterygosoma neumanni var. hirstielli. 1976

Calozetes monticola gen. et sp.n. (Arach., Acari, Oribatei), described. 1391

Calpe eustrigata (Lep., Noctuidae), frequenting eyes of domestic mammals in Bangladesh. 4033

Calpodes ethlius (Lep., Hesperiidae),

cuticle formation. 1986

resistance of larval epicuticle to extraction with lipid solvents. 4462

Calyceoidea boliviensis gen. et sp.n. (Col., Mordellidae), described. 5008

Calypsoryctes dynastoides gen. et sp.n. (Col., Scarabaeidae), described, 3309

Calyptorhynchus magnificus (Aves), host of Franciscoloa magnifici sp.n. in W. Australia. 3008

Calyptratae (Dipt.),

biology and ecology of desert spp in Egypt. 4829

eye-colour mutants reviewed. 4162

oviposition by Stylogaster on adults associated with ants and animal dung. 1268

Camariodes (Col., Tenebrionidae), inclusion in Cnodalonini argued. 533

Cambarus (Crustacea Decapoda), predator on Chironomus at Solberg Lake, Wisconsin, USA. 3558

Cambium miners, see Agromyzidae

Cambodia,

new Cimicidae from. 548, 2968 new Ischnopsyllidae and Pygiopsyllidae from. 5770

Camellia sinensis (Theaceae) (tea),

biology and ecology of Ectropis bhurmitra. 2164

biology of egg parasites of Cinchona, 2755 biology of egg parasites of Entypotrachelus, 2755

Camentoserica kulzeri sp.n. (Col., Scarabaeidae), described, 5012

Cameroun.

Contarinia sorghicola recorded. 436
Dermaptera new for. 1417
Eubriidae from. 5644
new Carabidae from. 5624, 5628
new cave-dwelling Phaeophilacris from. 363
new Cerambycidae from. 1407, 3300
new Chrysomelidae from. 5637
new Eriophyoidea from. 3720
new Eubriidae from. 5644

new Formicidae from. 1452

new Mordellidae from. 5008

new Simuliidae from. 4313

new Tenebrionidae from. 4290

timing of adult emergence in Simuliidae in W. Cameroun. 2684

Caminara (Col., Carabidae), of Atlantic islands. 438

Campesterol, distribution in larval Gonimbrasia belina. 3940

Camphene, in aggregation pheromone of Dendroctonus pseudotsugae. 4569

Campodea chardardi (Dipl., Campodeidae), skeleton and musculature of head. 5833

Campodeidae (Dipl.), 4464, 5833

Campodorus longicaudatus sp.n. (Hym., Ichneumonidae), described. 1921

Campoletis (Hym., Ichneumonidae), parasitic on Heliothis zea larvae in S. California, USA. 5420 Campoletis chlorideae, parasitic on Plusia peponis in Japan. 321

Campoletis perdistinctus,

new lepidopteran hosts. 5413 host and host-age preference. 5413

Camponotus (Hym., Formicidae),

collection of chrysomelid eggs. 4030 larva described. 4430

synonymy in Neotropical spp. 107

Camponotus acvapimensis, relations to Veronia guineensis. 1729

Camponotus coptobregma sp.n., described. 107 Camponotus herculeanus,

behaviour and morphology following Brachylecithum mosquensis infection. 2816 methods for laboratory maintenance. 3367

Camponotus herculeanus japonicus, populations in Sapporo, Japan. 336

Camponotus noveboracensis, predaceous on Choristoneura pinus in Michigan, USA. 3615

Camponotus pennsylvanicus,

free amino acids. 2016 methods for laboratory maintenance. 3367

Camponotus pennsylvanicus modoc, behaviour and morphology following Brachylecithum mosquensis infection. 2816

Campoplex elongator (Hym., Ichneumonidae), a valid sp. 3804

Campsogon (Myriap., Diplop., Paradoxosomatidae taxonomy and structure of S. African spp. 1025

Campsomeris (Hym., Scoliidae), new subspp described. 5739

Campsomeris extranea liberata subsp.n., character release. 5739

Camptochironomus (Dipt., Chironomidae), see also Chironomus

chromosome activity and biochemical cell differentiation in salivary glands. 5544

Camptomyia (Dipt., Cecidomyiidae), Rubsaamenia multinoda transferred to. 2941
Campylosteira verna (Hem., Het., Tingidae),

ecological distribution on chalk grassland in Bedfordshire, England. 2782 new for Norway. 1792

Canace cavagnoroi sp.n. (Dipt., Canaceidae), described. 3757

Canaceidae (Dipt.), 3757, 3760, 5146 placed in Drosophiloidea. 5146

Canaceoides (Dipt., Canaceidae), revised and new spp described. 3760

Canada,

Acari associated with apple in Nova Scotia. 4064

adult 9 Culicidae of C. Alberta keyed. 2156 Aedes classified numerically. 64

Agrion equabile new for Newtoundland, 942 Andrenidae revised, 1901

Apamea finitima as pest of barley in New Brunswick. 6010

Araneae and Coleoptera from a muskrat

## Canada, contd.

nest in Ontario, 5602

Araneae and Insecta in pitchers of Serracenia purpurea at Lac Carré, Québec. 3589

Arthropoda as pests in Ontario in 1968, 3181 autogeny and stenogamy in Aedes rempeli in Arctic Canada, 4073

biological significance, history and nature of Cretaceous amber. 2243

biology and control of Glischrochilus quadrisignalus in S.W. Ontario. 3116

biology and ecology of adult \( \text{Culicidae} \) at George Lake, Alberta. 2156

biology and ecology of Plecoptera from Laurentides. 1668

biology and ecology of Psylla pyricola in Nova Scotia. 6057

biology and fecundity of Grapholitha molesta on Niagara Peninsula, Ontario. 2812

biology, control and distribution of Tetropium cinnamopterum in British Columbia. 3129

biology of Pamphilius ochreipes in Ontario. 4044

Brachycoryna hardyi new for. 3278

Cerapteryx graminis from Newfoundland. 2241

Cicadellidae new for. 3791

competition and co-operation between Chrysocharis laricinellae and Agathis pumila on Coleophora laricella in Québec. 6005

control, dispersal and establishment of Porthetria dispar. 3176

control and outbreaks of Simulium arcticum in Alberta. 2157

control of Phylloxera vitifoliae leaf form in Ontario, 4677

Cuerna reviewed and keyed. 3791

damage by Insecta and Acari to crops and ornamentals in Ontario in 1968. 3158

Diamesinae, Orthocladiinae and Podonominae of. 2945

Dioryctria zimmermanni group of W. Canada keyed. 2534

distribution of Agrion equabile. 942

distribution of Cenocorixa bifida and C. expleta in inland saline lakes in British Columbia. 3170

distribution of Diapheromera femorata in relation to host-plants. 3703

distribution of Palaeodipteron walkeri. 3319 distribution and post-Glacial origin of Ontario Insecta. 3276

ecology of Adelges piceae in Maritime Provinces.  $6028\,$ 

ecology of insects in Bigoray R., Alberta. 3201 Glischrochilus quadrisignalus as pest of apple in Ontario. 4801

infestation of Neodiprion virginianus complex in N.E. New Brunswick. 4094

insect communities in a small stream on Mont St. Hilaire, Québec. 1711 Insecta associated with Eupatorium perfoliatum in Byron Bog, S.W. Ontario. 3160 insects for possible control of Rhamnus

cathartica. 3591

introduction of Neodiprion sertifer into Ontario in 1968. 3184

invertebrate colonization of marginal zone of reservoir in E. Canada. 2173

invertebrate fauna of saline lakes on Fraser Plateau, British Columbia. 3608

Labrodorocoleidae fam.n. from N. Labrador. 2916

larvae and pupae of Tabanidae. 5680

Latrodectus hesperus the black-widow spider of W. Canada. 3277

life-history of Dendroctonus obesus in relation to habitat in British Columbia. 3099

life-history and habits of Alniphagus

aspericollis in S.W. British Columbia, 2099 life-stage durations in natural populations of

Panonychus ulmi in Nova Scotia. 3551 man in relation to insect fauna of Ontario. 3175

Messa nana new for. 4025

Microrhopala cyanea from British Columbia. 3278

migration of Lepidoptera. 3276

migration of Myzus persicae from peach in Essex County, Ontario, 3161

Monostegia abdominalis on Lysimachia terrestris in Québec. 4063

new Aphididae from. 1442, 2517, 3333, 3334, 3790

new Braconidae from. 1910

new Callipharixenidae from. 4401

new Ceratopogonidae from. 4299

new Chironomidae from, 2945

new Cicadellidae from. 3791

new Cretaceous Calliphoridae from, 3759

new Cretaceous Coccoidea from. 2976

new Eulophidae from. 4350, 5725

new Ichneumonidae from. 2524, 3341, 3342

new Listrophoridae from, 4229

new Lycosidae from. 1829

new Miridae from, 3783

new Olethreutidae from, 1468

new Pteromalidae from, 4360

new Pyralidae from. 2534, 2535

new Tarsonemidae from, 2465

new Tenthredinidae from. 1458

parasites and predators of Fenusa pusilla in Québec. 2119

parasites of Coleophora laricella in British Columbia, 3152

pests of trees in Ontario in 1968. 3184

Phylloxera vitifoliae strains occurring in Ontario and damage caused. 4811

Plantago major as transient host-plant for Psylla pyricola. 4795 population distribution of Grapholitha Canada, contd.

molesta in an Ontario peach orchard. 4081

population dynamics of Panonychus ulmi in relation to spray programmes in Nova Scotia, 6046

releases of Altica carduorum against Cirsium arvense. 4068

resistance of simuliid larvae to p, p'-DDT in E. Canada. 5472

Syrphidae from Okanagan Valley, British Columbia. 3279

vertical distribution of invertebrate fauna in benthos of an Ontario stream. 6062

virus disease in Panonychus ulmi populations in Ontario. 4842

winter drainage in relation to benthic fauna of Laurel Creek Reservoir, Ontario. 1719

Canada balsam, modified technique for mounting Thysanoptera. 3373

Canary Islands, see Islas Canarias

Canis (Carnivora), see Dog

Cannibalism,

absent in laboratory populations of Amblyseius fallacis. 4708

in Adalia bipunctata. 2730

in Anagasta kuehniella. 4111

in Ascoschoengastia latyshevi. 5365

in Balaustium putmani. 3549

in Blattisocius tarsalis. 4111

in Coccinella septempunctata under mass-rearing conditions. 5112

conditions producing in Joppeicus paradoxus.

in Limnesia maculata. 1320

in Lycosa lugubris. 2109

in Neoitamus bulbus. 3569

in Oncopeltus fasciatus. 5397

pupal cannibalism in relation to survival of Tribolium castaneum strains in mixed cultures. 4086

in Pyrgomorpha conica. 6003

of supplementary reproductives in Kalotermes flavicollis. 4724

in Tetranychus urticae, 4028

in Triatoma gerstaeckeri and T. sanguisuga texana. 4707

Cantener, bibliography of 'Papillons de Haut et Bas-Rhin, de la Moselle, de la Meurthe, et des Vosges' 3713

Cantharidae (Col.),

520, 967, 1368, 1404, 1837, 3133, 3734, 4261, 4987, 4990

of Appennino, Italy. 3236

of Carpathian Basin, C. Europe. 1368

elytral cuticle, 3394

status of British spp. 1804

Cantharis (Col., Cantharidae),

new synonomy. 967

related genera keyed. 4261

Cantharis abdominalis, in Appennino, Italy. 3236 Cantharis clypeifer, type-sp of Guineapolemius

gen.n. 1837

Cantharis darwiniana, reduced to form of C. rufa 1804 Cantharis dimidiata, type-sp of Indopolemius gen.

1837 Cantharis dimidiatipes, transferred to

Cantharis dimidiatipes, transferred to Boveycantharis gen.n. 4261

Cantharis malatiensis var.detectiventris, placed incertae sedis. 4261

Cantharis pallida, in Appennino, Italy. 3236

Cantharis pellucida f. rauterbergi, in Appennino, Italy. 3236

Cantharis robusticeps, type-sp of Paracantharis gen.n. 967

Cantharis rufa,

in Appennino, Italy. 3236

C. darwiniana a form of. 1804

Canthium odoratum (Rubiaceae), insects reared from. 2992

Canthon (Col., Scarabaeidae), American taxa revised and keyed. 5649

Canthon (Pseudopilissus stat.n.) muticus hendrichsi subsp.n., described. 5649

Canthonina (Col., Scarabaeidae), American taxa revised. 5649

Canthotrypes (Col., Scarabaeidae), American tax revised. 5649

Canthydrus (Col., Dytiscidae), larvae from southern Africa. 3041

Canthyporus (Col., Dytiscidae), larvae from southern Africa. 3041

Cape buffalo, see Syncerus caffer

Cape Verde Island (Atlantic Ocean), Calosoma and related genera of. 438

Caphys arizonensis sp.n. (Lep., Pyralidae), described. 3825

Capitophorus (Hem., Hom., Aphididae), new synonomy. 2982, 5691

Capitophorus geranii sp.n., described. 90 Capnia (Plec., Capniidae).

new spp described. 1481, 4395, 5768

Polish spp. 5767 spp doubtful for C. Asia. 1481

Capnia bifrons, antennae and cerci. 4425

Capnia turkestanica, description expanded and possible synonymy. 1481

Capnia vidua, biology and ecology in a stream in the Lake District, England. 1322

Capniidae (Plec.),

1322, 1481, 1668, 4395, 4425, 5767, 5768, 6152

biology and ecology in Laurentides, Canada. 1668

Capnopsis (Plec., Capniidae), Polish spp. 5767

Capnopsis schilleri, northward extension for Germany. 6152

Capparidaceae, suitability as host-plants for Phyllotreta. 4763

Capra, see Goat

Capric acid, in fats of Ceroplates. 5875

Capricornis crispus crispus (Artiodactyla), host of Haemaphysalis kitaokai sp.n. 4223

Capricornis sumatraensis thar, host of Haemaphysalis darjeeling sp.n. 4222

Caprylic acid, in fungus gardens and queen exudate of Odontotermes redemanni. 852

Capsella bursa-pastoris (Cruciferae),

Myzus persicae not overwintering on. 3161

overwintering host for Aphis gossypii. 6017

oviposition by Hypera postica. 2692

Capsodes sulcatus (Hem., Het., Miridae), from Dorset, England. 3265

Carabidae (Col.),

19, 20, 21, 139, 254, 284, 434, 438, 445, 448, 450, 454, 470, 521-523, 783, 825, 831, 836, 968, 1233, 1243, 1281, 1364, 1405, 1406, 1586, 1838, 1840, 1841, 1965, 2057, 2103, 2107, 2150, 2167, 2183, 2480-2482, 2644, 2645, 2686, 2695, 2792, 2895, 2896, 3045, 3139, 3174, 3299, 3419, 3735, 3736, 3926, 4008, 4093, 4188, 4262-4264, 4442, 4443, 4497, 4518, 4548, 4750, 4969, 4991, 5457, 5622, 5624-5632, 5848, 5918, 6023, 6029, 6114, 6115

annual periodicity, diurnalism and habitatselection. 1234

Antennoseius associated with in Israel. 4969 from Bismarck Islands. 3299

chlorfen vinphos and diazinon in relation to spp predaceous on Erioischia brassicae, 836

for control of Alleculidae, Elateridae and Tenebrionidae. 5463

diet and gut in USSR spp. 4518

dispersal power. 5457

feeding and food preferences of phytophagous N. American spp. 783

fire in relation to populations in Lamto savanna, Ivory Coast. 3174

furadan, heptachlor and methyl bromide in relation to populations. 825

higher classification in relation to internal characters. 5623

Italian list revised, 6115

Italian spp of riverside and seaside jetsam. 6029

larvae of British Carabini and Cychrini described and keyed. 1965

from a muskrat nest in Ontario, Canada. 5602 new for Bismarck Islands. 3299

new for parts of Sweden. 450

new records for Hampshire, England. 3237

of Niokolo-Koba National Park, Senegal. 1838, 1839

predation on Chironomus at Solberg Lake, Wisconsin, USA. 3558

relationships with Cicindelidae analysed on immunological reactions. 434

from Sweden. 470

teratology. 2057

types for N. America taxa of Say. 2896 USSR spp keyed on proventricular anatomy. 4518

Carabini (Col., Carabidae), larvae of British spp described and keyed. 1965

Carabodes agenjoi sp.n. (Arach., Acari, Carabodidae), described. 3724

Caraboidea (Col.),

of La Brigue area, Alpes-Maritimes, France. 3188

of R. Llobregat delta, Spain. 1364

Carabus (Col., Carabidae), new synonymy in Homoeocarabus. 521

Carabus auronitens, DNA content of spermatids. 2183

Carabus cancellatus,

circadian activity rhythm. 3419 food location by taste. 4497

Carabus exilis ogural subsp.n., described. 521

Carabus problematicus, dispersal power. 5457 Caradrina (Lep., Noctuidae), Hungarian

distributions and flight-periods. 4031 Caradrina clavipalpis, Cheletomorpha lepidopterorum symphoretic with. 6022

Carausius morosus (Phasm., Phasmatidae),

Bacillus thuringiensis crystals and crystal digests not toxic. 5178

biliverdin concentration in relation to diet and environment, 1143

bioelectric potentials of rectum in vitro. 645 cations and conduction in CNS. 1067 cuticle. 2583

electrical activity of neurohaemal tissue. 4474 hormonal control of Malpighian tubules. 5859 freproductive behaviour and physiology. 4015 metabolism and physiology of biliverdin and carotenoids. 1143

Na<sup>+</sup> regulation in CNS. 3883

polarity and symmetry in composite oocytes. 4592

tryptophan oxidation via glutarate pathway absent. 657

ultrastructure of prothoracic flexor tibialis muscle in relation to excitation-contraction coupling, 5189

Carabachol, in relation to endogenous activity and synaptic transmission in Periplaneta americana nerve-cord, 1528

#### Carbamates,

for control of Epitrix hirtipennis. 5355 genetics of resistance in Diptera. 2851

#### Carbamates, contd.

inheritance of dominant factors for resistance in Musca domestica. 4913

inhibition of esterases of Tetranychus. 5904

inhibition of head acetylcholinesterase by bis-[(m-hydroxyphenyl)trimethylammonium iodide] esters of polymethylenedicarbamic acids in Musca domestica. 5236

RE-11775 for control of organophosphateresistant Culicidae. 5354

sites of cholinesterase inhibition in Musca domestica. 3404

toxicity to Neodiprion spp and Pristiphora erichsonii. 5180

Carbamic acid esters, insecticidal activity. 5176 Carbamyl compounds, excretory product in Lipaphis erysimi, 5858

Carbanolate, control of Epitrix hirtipennis on flue-cured tobacco. 5355

#### Carbaryl,

control of Diabrotica virgifera and Ostrinia nubilalis in Iowa and Missouri, USA, 5334

control of Epitrix hirtipennis on flue-cured tobacco. 5355

control of Hypera meles on crimson clover.
4671

control of Macrosteles fascifrons. 4830

control of Neoschoengastia americana on turkeys. 5348

control of Sphenophorus parvulus in W. New York, USA. 4824

Mattesia grandis infection in relation to toxicity to Anthonomus grandis. 4450

in relation to population dynamics of Panonychus ulmi on apple. 6046

selection for resistance in Ostrinia nubilalis.

synergistic ratio with piperonyl butoxide in Insecta. 4582

toxicity of carbaryl-contaminated pollen to adult Apis mellifera, 5179

Carbaryl + trichlorfon, toxicity to Porthetria dispar in field and laboratory. 4682

#### Carbofuran,

control of Brevicoryne brassicae on broccoli and cauliflower. 5336, 5341

control of Epitrix hirtipennis on flue-cured tobacco. 5355

control of Hypera postica in N. Utah, USA. 4681

control of insects and nematodes in potatoes. 4692

Carbohydrases, of gut and salivary gland in Lygus disponsi. 4526

## Carbohydrates,

associated with lipoglycoprotein of larval haemolymph from Popillia japonica. 5866 conversion of glucose to lipid during flight in Lucilia sericata. 1045 crowding and maternal age in relation to carbohydrate content of Aulocara elliotti eggs. 722

energy-source for adult Coccinella septempunctata bruckii. 1090

of fat-body of Formica rufa polyctena queens during post-embryonic development. 1642

in relation to fecundity of crowded Locusta migratoria migratoria. 1208

in relation to flight in Schistocerca gregaria.

food substrates for Laodelphax striatellus. 2740

glucose and trehalose metabolism in of adult Schistocerca gregaria. 3456

of haemolymph of Cupiennius salei.

of honeydew of Lipaphis erysimi. 5858

of honeydew of Saccharicoccus sacchari.

hormones and carbohydrate metabolism in Bombyx mori. 3076

hyperglycaemic factor of CC of Locusta migratoria adults, 1591

of of during adult development in Schistocerca gregaria. 4001, 4596

metabolism in adult of Calliphora erythrocephala at rest. 3943

metabolism in Apis mellifera. 4537, 5862 4537

metabolism in flight-muscle of Glossina morsitans and Sarcophaga nodosa. 3067

metabolism at metamorphosis and in pharate adult in Lucilia cuprina. 658, 682

metabolism in nurse-cell nucleoli of Musca domestica, 723

metabolism in oocytes of Panorpa communis. 715

nutritive value for Erioschia brassicae.
2722

in relation to sperm activation and movement in Cimex. 1210

in relation to sugar-receptor of Phormia regina. 163

utilization by Lipaphis erysimi. 5858

utilization by nymphal cells of Rhipicephalus sanguineus in vitro. 1139

utilization during flight in Lucilia sericata. 1515

### Carbon dioxide,

attractivity to 9 Tabanus iyoensis.

attractivity to W. African Culicidae. 2723

anaesthesia in relation to toxicity of malathion to Coleoptera. 4562

for collecting Ixodoidea. 1960

concentration effects on stored-product insects. 5257

## Carbon dioxide, contd.

in relation to haemolymph proteins of gregarious Locusta migratoria cinerascens. 3429

in relation to homochromy in insects. 5880

in relation to host-seeking behaviour in Culicidae. 308

in relation to imaginal development of prothoracic gland in Locusta migratoria, 2672

production in Tenebroides mauritanicus at reduced atmospheric pressure. 2608

production from tyrosine metabolism in Periplaneta americana, 3461

receptors on maxillary palps in 9 Culicidae. 5202

release in Periplaneta americana. 4422

for sampling mosquito populations. 2574 sensillum on maxillary palps of 9 Aedes

aegypti. 1539

sensitivity in Ascoschoengastia latyshevi. 5365

sensitivity due to σ-virus in Drosophila melanogaster. 5174, 5175

in relation to spiracular behaviour in Aedes. 4504, 4506

synergistic effect on response to lactic acid in Aedes aegypti. 4767

thermal conductivity device for detecting discontinuous release. 4422

in relation to water-loss from spiracles in Hyalomma dromedarii and Ornithodoros savignyi.

Carbon monoxide, and cuticular phenoloxidase from white puparia of Drosophila virilis, 1558

Carboniferous, position of Myriapoda belonging to
Arthropleura, 2249

Carbonyls, of defence scent-fluid of Calosoma peregrinator, 2103

Carbophenothion, control of Hypera meles on crimson clover. 4671

Carboxamide, insecticidal activity, 5176

Carboxyl inulin, not excreted or metabolized in Locusta migratoria migratorioides. 2610

Carboxylesterases,

activity in relation to diazinon and diazoxon in Musca domestica. 5267

from thoracic muscles of Periplaneta americana.
4528

Carboxylic acid,

from DDT metabolism in Boophilus microplus, 4575 insecticidal activity of esters, 5176

Carcelia (Carcelina) unisetosa sp.n., described. 990

Carceliopsis matsukarehae sp.n. (Dipt., Tachinidae), described. 989

Carcinogens, in relation to larval and adult
Periplaneta americana. 3430

Carcinophoridae (Derm.), 54, 1418, 1860, 2194, 5018

Carcinophorinae (Derm., Carcinophoridae), of Japan and Ryukyu Islands. 54

Carcinops quatuordecimstriata (Col., Histeridae), in Strix aluco nest in Norway. 1690 Cardiac glycosides, presence in Aphis nerii fed on Asclepias curassavica and Nerium oleander, 4527

Cardiaspina (Hem., Hom., Psyllidae), drapersal, host-selection, life-history and oviposition. 5362

Cardiochiles nigriceps (Hym., Braconidae), alimentary and reproductive systems. 2616

effect on development and tissue physiology in Heliothis virescens. 5947

effect on haemolymph amino acids in Heliothis virescens. 3062

Cardiolipin, in mitochondria of Musca domestica. 5242

Cardiophorinae (Col., Elateridae), evolution. 1360

genera and subgenera keyed. 5660

Cardiophorus (Col., Elateridae),

Mediterranean records of argiolus and ulcerosus questioned. 464

new spp described. 4997

Cardiophorus lewisi Fleutiaux 1902, syn.n. of Paracardiophorus sequens (Candêze 1893). 972

Cardioptera (Mant., Mantidae), revised and 9 of viridipennis described. 5665

Carebarella (Hym., Formicidae), new synonomy. 5727

**3-Carene**, and pheromone response in Dendroctonus brevicomis. 1652

Carex (Cyperaceae),

host of Cordilura. 274, 290

host of Iziphya grandipes sp.n. in Ontario, Canada. 3790

host of Orthacheta hirtipes. 274 host of Psilococcus parvus. 2713

Carex riparis, biology of Diplolaboncus tumorificus in N. Italy, 3117

Carex stricts, host of Cordilura deceptiva, 290

Caria ino melicerta (Lep., Riodinidae), multiple capture at light. 4731

Cariblatta guadeloupensis sp.n. (Blatt., Blattidae), described. 56

Carinonotus (Hem., Het., Miridae), differentiated from Kapoetius gen.n. 995

Carinophloeus (Col., Propalticidae), systematic position. 4253

Carinosillus tabanivorus (Dipt., Tachinidae), parasitic on N. American Tabanidae. 5680

Carnation, see Dianthus carvophyllus

Carnegiea gigantea (Cactaceae), pollen and hypopharyngeal gland development in Apis mellifera, 4571

Carnitine,

and butyrate oxidation by adult tissues of Lucilia cuprina in vitro. 1141

dietary requirement by larval Tenebrio molitor. 1132

and growth of Lasioderma serricorne. 1181 Tenebrio molitor larva unable to Carnitine, contd.

decarboxylate. 1132

Carnitine acetyltransferase, activity in relation to spermatogenesis in Drosophila melanogaster. 3998

Carnitine decarboxylase, of larval Phormia regina. 1556

#### Carnivora,

feeding of Simulium on at Darjeeling, India. 4821

host distribution of Haemophysalis bispinosa in Malay Peninsula and Borneo. 4782

Carob, see Ceratonia siliqua

Carob moth, see Ectomyelois ceratoniae  $\alpha$ -Carotene,

in egg of Chironomus annularius. 2034 probable presence in haemolymph of larval Gonimbrasia belina. 1581

#### β-Carotene,

in Carausius morosus. 1143 in Tettigonia viridissima. 1143

#### Carotenoids,

of Carausius morosus. 1143

of Chironomus annularius egg. 2034

of haemolymph of larval Gonimbrasia belina. 1581

of Polyommatus icarus and its food-plants. 3458

Carpelimus (Col., Staphylinidae), in limestone caves of S. Korea. 2826

Carpelimus incongruus, habitats in Kent, England. 3178

Carpenter bee, see Anthophoridae and Xylocopa Carpobrotus edulis (Aizoaceae), pollen as diet for Amblyseius chilenensis and A. hibisci, 5313

Carpocapsa, see Cydia and Laspeyresia

Carpophilus (Col., Nitidulidae), from Niokola-Koba National Park, Senegal. 2235

Carpophilus loriae, new for Australia, 4206

Carpophilus marginellus, from Berkshire, England. 3245

Carposinidae (Lep.), 1363 of Spain catalogued. 1363

#### Carrion,

ecology of carrion Coleoptera in Hutcheson Memorial Forest, New Jersey, USA, 4085 Silphidae attracted to, 3167

Carrot beetle, see Bothynus gibbosus

Carrot fly, see Psila rosae

Carterocephalus palaemon (Lep., Hesperiidae),

populations in relation to summer floods at Woodwalton Fen, Cambridgeshire, England. 5484

Cartilage, structure and nature of gill cartilage in Limulus polyphemus. 1543

Cartoblatta (Blatt., Blattidae), new spp described. 3756

Carya glabra (Juglandaceae) (pignut hickory).

leaf age in relation to development and fecundity of Ennomos subsignarius. 4633

Carya pecan (pecan),

in relation to dispersal of Curculio caryae.
2771

rearing of Gretchena bolliana on. 5126

stimulation of mating and oviposition in Laspeyresia caryana. 2699

Carya tomentosa (mockernut hickory), in relation to Ennomos subsigniarius, 4633

Caryedes brasiliensis (Col., Bruchidae), of genitalia. 1164

Caryedon gonagra (Col., Bruchidae),

pest of stored Tamarindus indica. 5443 Coffea arabica and Phaseolus new

Caryedon serratus, new for Australia. 4206

host-plants. 5443

β-Caryophyllene, constituent of cotton bud attractive to Anthonomus grandis. 5431

Caryophyllene oxide, constituent of cotton bud attractive to Anthonomus grandis. 5431

Casca smithi (Hym., Aphelinidae),

biology, ecology and laboratory culture. 6045

introduction into Israel for control of Chrysomphalus aonidum. 6038

 ${\bf Case\text{-}building,}$  and nervous control in Limnephilus. 3641

Casein, and longevity in Drosophila melanogaster. 4453

Caserus convexus gen. et sp.n. (Dipt., Mycetophagidae), described. 42

Cassida (Col., Chrysomelidae), aethiopica and rugipennis new for Ivory Coast, 487

Cassidinae (Col., Chrysomelidae), from Ivory Coast. 487

Cassidoloma (Col., Notiopygidae), larva described. 143

## Caste,

in Apoidea, 1317

in colonies of Cubitermes severus in Ivory Coast. 350

control in Hodotermes mosambicus. 4875 determination in Bombus hypnorum and B. terrestris. 5518

determination in Evylaeus nigripes. 4127 determination in Hypothigona and Trigona of

Ivory Coast. 3635 differentiation in Lasioglossum duplex. 848

digger and hunter size-classes in Cataglyphis bicolor. 1541

in relation to fecundity in Myrmica rubra.  $4873\,$ 

morphology of queens and workers of Polistes exclamans. 1355

Castianeira (Arach., Aran., Clubionidae), new spp, key to spp and phylogeny. 2469 placed in Castianeirinae subfam.n. 2469

Castianeirinae subfam.n. (Arach., Aran.), established within Clubionidae. 2469 Castration, in relation to free amino acids of haemolymph in Periplaneta americana. 5232

Casuarina leuhmanni (Casuarinaceae), host of Hypochrysops piceata sp.n. in Queensland, Australia, 3815

Catachlorops (Psalidia) medemi sp.n. (Dipt., Tabanidae), described. 544

Cataenococcus (Hem., Hom., Pseudococcidae), N. American spp keyed. 563

Cataenococcus larai sp.n., described. 563

Cataglyphis bicolor (Hym., Formicidae), optical orientation in digger and hunter castes. 1541

Cataglyphis bombycina,

ecology in great dunes of N.W. Sahara. 4827 temperature-resistance and permeability of integument. 155

Cataglyphis lucasi, ecology in great dunes of N.W. Sahara. 4827

Catalase.

of combustion chambers of Brachinus crepitans and B. explodens. 3926

in relation to 6-methyl uridine in Chloridea obsoleta, 5293

Catalina (Col., Staphylinidae), integumentary glands and integration with host. 214

Catamiarus (Hem., Het., Reduviidae), new synonymy. 3330

Cataractocorini trib.n. (Hem., Het., Naucoridae), established. 5710

Cataractocoris (Hem., Het., Naucoridae), Cataractocorini trib.n. established for. 5710

Cataractocorini trib.n. established for. 5710 Catascopellus crassiceps gen. et sp.n. (Col., Carabidae), described. 2895

Catasticta (Lep., Pieridae), new taxa described. 3823

Cataxia (Arach., Aran., Ctenizidae), biology, ecology, new spp and new synonymy. 3727

Cataxia maculata, of described, 3727

Catechin-5- $\beta$ -D-xylopyranoside, feeding stimulant for Scolytus multistriatus. 4049

Catecholamines,

localization in corpora pedunculata of Periplaneta americana. 3409

of sympathetic nervous system in Aeshna and Locusta migratoria migratoria. 1991 of thoracic ganglia in Anabolia nervosa. 4477

Cateretes (Col., Nitidulidae), sericans new name for pennatus. 978

Catharosia pygmaea (Dipt., Tachinidae), new for Mongolia. 1435

Catharsius (Metacartharsius) transvaalensis sp.n. (Col., Scarabaeidae), described. 1851

Catobatina geometroides (Dipt., Micropezidae), larva and pupa described. 3388

Catocala (Lep., Noctuidae), resting behaviour of adults. 5374

Catocala fraxini, new for Shetland Islands. 5588 Catolaccus cuanoideus (Hym., Pteromalidae),

hyperparasite of Temelucha sp near epagoges in Minnesota, USA. 1274

Catopidae (Col.), see also Anisotomidae and Leiodidae, 22, 1842, 1995, 2483, 4265, 4550, 4634

endocrine physiology of cave-dwelling spp. 4550

Catopidius depressus (Col., Cholevidae), from Hampshire, England. 3239

Catopsilia florella (Lep., Pieridae), genetics of florella and pyrene morphs. 5526

Catopteryx (Orth., Tettigoniidae), revised, keyed, new spp described and synonomy. 4394

Catoptes (Col., Curculionidae), redefined and new generic synonymy. 2906

Catoptes obliquesignatus, syn.n. of Curculio modestus Fabricius 1781. 2906

Cattle (Bos:Artiodactyla),

antihistamine and tranquillizing drugs in relation to resistance to Boophilus microplus.

3576

ataxia absent from heifers treated with systemic insecticides against Hypoderma bovis. 4790

in relation to attack by Simulium arcticum in Alberta, Canada, 2157

attraction of Haematobia irritans to testosteronetreated bulls. 5394

cage for confining ticks. 5089

control of Boophilus microplus by pasture spelling, planned dipping and tick-resistant cattle, 5333

feeding by Culicidae in Change Manga National Forest, Pakistan. 4075

hosts of Haemaphysalis kitaokai sp.n. in Japan. 4223

incidence of Demodex in eyelids in southwestern USA. 1698

mass-attack by Boophthora erythrocephala. 6030

morphology of Hyalomma a. anatolicum from in Lahore, Pakistan. 5422

Musca autumnalis from droppings in Montana, USA. 4701

myiasis of new-born calves in Hawaii due to Chrysomya rufifacies, 4040

prevention of grooming in relation to Boophilus microplus populations. 3577

primary hosts of Tabanidae of estuarine and alluvial areas of Louisiana, USA. 1262

reaction to 9 Hypoderma. 2693

Cattle grub, see Hypoderma

Cauliflower, see Brassica oleracea

Caulostrophus subsulcatus (Col., Curculionidae), general and Italian distributions. 3240

Cautires katoi sp.n. (Col., Lycidae), described.

Cavaniella biswasi sp.n. (Hem., Hom., Aphididae), described. 2979

Caverincola (Hem., Het., Reduviidae), redescribed. 4324

Cavernotettix (Orth., Rhapidophoridae), chromosomes and sex-determination. 1742 Caves.

Myriapoda from Bulgaria and Yugoslavia. 6069, 6070 Insecta from Bulgaria and Yugoslavia, 6069 Arachnida from Bulgaria and Yugoslavia. 6069 Araneae from Tunisia. 4248

Acari from Bulgaria. 6070

Arthropoda of Meteor Cave, Hungary. 3202

cave-dwelling habit and evolution in

Pseudosinella. 2858

cave-dwelling habit in Ischyropsalis. 3728 cave-dwelling Phaeophilacris of Tropical

Africa, 363

cave-dwelling Pseudoscorpiones for first time from Greek mainland, 1400

cave-dwelling Pseudosinella from France, 4292 cave-dwelling Sminthuridae from Hungary. 2933

colonization of Islas Baleares by cave-dwelling Coleoptera. 3643

ecology and evolution of cave-dwelling arthropods. 3605

embryonic weight in Catopidae. 4634

endocrine physiology of Catopidae. 4550 fauna found in Britain in 1968. 6068

invertebrates in Morecambe Bay area, England.

Myriapoda from limestone caves in N. Honshu, Japan. 3357

new Araneae from S. Korea. 5617

new Araneae from Tunisia. 4248

new Carabidae from Japan. 2481 new Catopidae from Cuba. 2483

new Dolichopoda from Italy, 3013

new Neochthonius from California, USA. 5

new Pseudosinella from France, 4292

new Stenopelmatidae from S. Korea. 2537

new Trechiama from W. Honshu, Japan. 5631

new Trechinae from Japan, 1405

Ornithodoros coniceps and O. tartakovskyi in caves on Mangyshlak Peninsula, USSR. 4785

phenology and population dynamics of Micropterna nycterobia in Grotte du

Crochet, France, 6026 Prostigmata of a cave in S. Korea. 2825

Romanian fauna. 5562

Scoliocentra engeli from Yongwol Cave, Korea. 2240

Staphylinidae of limestone caves in S. Korea.

vice-county records for Britain. 5561

Cavia porcellus (guinea pig) (Rodentia),

Chirodiscoides caviae from in Puerto Rico. 5607

Cavognathidae fam.n. (Col.), established. 964 Cayman Islands (Caribbean Sea), new Curculionidae from. 4277

dCDP (cytidine phosphate), in relation to thymidine kinase and thymidine 7-hydroxylase activity

in pupal Hyalophora cecropia. 4525

Cea pulicaris (Hym., Pteromalidae), new for Finland, 2870

Ceanothus sanguineus (Rhamnaceae), host of Brachycoryna hardyi in Canada. 3278

Cechenus balachowskyi sp.n. (Col., Carabidae), described. 5627

Cecidomyia penniseti (Dipt., Cecidomyiidae), typesp of Geromyia gen.n. 1425

Cecidomyia pennisetoides, syn.n. of Geromyia penniseti comb.n. 1425

Cecidomyia philippinensis, status discussed. 2941 Cecidomyiidae (Dipt.),

> 229, 262, 324, 332, 436, 593, 755, 785, 1123 1240, 1329, 1425, 1662, 1701, 1869, 2941,

3117, 3520, 3591, 3612, 3615, 3762, 3763, 3764, 3962, 3973, 4023, 4027, 4029, 4061,

4069, 4099, 4101, 4110, 4352, 4359, 4786, 5367, 5435, 5453, 5667, 5836

attacking acorns in N. America. 785

attacking stored grass seeds in Poland. 5435 causing galls on Tectona grandis in India. 3761 feeding, host range and phenology in relation to Rhamnaceae in Europe, 3591

Felt's Phillippine genera and species reviewed.

larvae attacking stored grass seeds in Poland described. 5435

larval populations in soil at Allahabad, India. 4099

Lestremiinae in relation to Baeonotidae fam.n. 1423

paedogenesis. 3520

palmitoleic acid content, 1121

predaceous on Choristoneura pinus in Michigan, USA. 3615

predaceous on Phorodon humuli in Czechoslovak

relationships of subdorsal plate in genitalia. 3973

resting habits in India. 3761

Cecidophyopsis ribis (Arach., Acari, Eriophyidae) role in transmission of plant viruses. 5440

Cecidostiba polygraphi (Hym., Pteromalidae), biology in relation to Ips in Virginia, USA. 4733

Cecropia moth, see Hyalophora cecropia Cedar tree borer, see Semanotus ligneus amplus

Cedrus (Pinaceae), biology of Epinotia cedricida in France. 3110

Scolytidae in N. Africa and Near East. 3159

Cedrus libanotica atlantica, host of Epinotia cedricida sp.n. in France. 3006

Ceinae (Hym., Pteromalidae), of Finland. 2870 CELA K-41 [O-(4-bromo-2, 5-dichlorophenyl)Omethyl ethylphosphonothioatel, contact spray against Musca domestica. 4451

Celastrus orbiculatus (Celastraceae), primary host for Aphis gossypii. 6017

Celatoblatta vulgaris (Blatt., Blattidae), prey of Neoitamus bulbus in New Zealand. 3569

## Celebes (Indonesia),

new Cantharidae from, 1837

new Cerambycidae from. 3300

new Lucanidae from. 5001

new Lygaeidae from. 2971

- Celerio (Lep., Sphingidae), sound-detection and role of labial palp. 4482
- Celerio euphorbiae, acetylcholinesterase activity during development, 5940

#### Celerio lineata,

conditions for diapause. 4602

diet for culture. 4602

Celes variabilis (Orth., Acrididae), songs and auditory system. 2044

### Cells,

- adhesive properties of dissociated pupal fatbody cells from Saturniidae. 3047
- amplification of ribosomal cistrons in heterochromatin of Acheta domestica DNA-body, 1111
- apholate in relation to chromosomes of germcells in Melanoplus differentialis. 4153
- arginine content of neurosecretory cells in Acrida gigantea. 3875
- axon outgrowth in vitro from NS of Periplaneta americana embryos. 3402
- bacteriolytic enzyme from Periplaneta americana cells in vitro. 3935
- behaviour of acantha-producing cells of proventriculus in Panorpidae and Hystrichopsyllidae. 3915
- behaviour during metamorphosis in Ptychoptera albimana, 4452
- benzo- $\alpha$ -pyrene in relation to cell responses in Periplaneta americana. 3436
- CA in relation to mitochondria of flight-muscle in Locusta migratoria, 5893
- cell-cycle and cell-differentiation in spermatogenesis in Drosophila melanogaster. 3212
- cell-loss during in vitro culture and differentiation of wing-disc parts in Drosophila virilis. 4598
- chemistry and ultrastructure of parathionactivating microsomes from Periplaneta americana fat-body. 4579
- chief site of ribosome production in developing ovaries of Culex fatigans. 263
- chromosomal aberrations induced by tepa in Culex pipiens fatigans. 4152
- chromosomal activity and biochemical celldifferentiation in salivary glands of Camptochironomus. 5544
- ciliary fibrils and microtubules of antennal sensory dendrite in Forficula auricularia. 4487
- clonal analysis of determination in 'Antennapedia' in Drosophila melanogaster. 3220
- contamination with nuclease preventing ribosome isolation from Acheta

- domestica, 4540
- control of digestive enzyme secretion by midgut epithelial cells in Blatta orientalis. 4522
- control of size and number in Malpighian tubules of Dermestes, 188
- crystalline-array virus in pericardial cells of Melanoplus bivittatus, 5818
- culture of mycetocytes of Euscelis plebejus. 3918
- culture of ommatidium-forming cells of Drosophila melanogaster. 3481
- cytochemistry of Y-chromosome in Anagasta kuehniella trophocytes. 3048
- cytochemistry of spermatogenesis in Lithobius forficatus. 5943
- cytogenetics of hereditary ovarian tumours in Drosophila melanogaster. 4151
- cytological basis for reproductive variability in Anoetidae. 5531
- cytology of embryology in parthenogenetic Bacillus rossius, 3975
- cytology of fat-body infection by Lipotropha dorci sp.n. in larval Dorcus parallelipipedus. 5162
- cytopathology of iridescent virus infection in larval Aedes stimulans. 5812
- cytopathology of wound tumour virus in Agallia constricta, 3984
- cytoskeleton of sensory dendrites in antennae of Forficula auricularia, 4487
- degeneration due to Biotrol BTB process 183 in larval Anagasta kuehniella. 3468, 3469
- degeneration in development of wing and eye mutants of Drosophila melanogaster. 230
- degeneration in gut of larval Bombyx mori due to Bacillus thuringiensis toxic crystals. 3440
- degeneration at the larval-pupal moult in Galleria mellonella. 241
- degeneration and phagocytosis in development of mutant Drosophila melanogaster. 230
- detoxification of diazinon by microsomal fraction in Musca domestica. 2018
- diel rhythm of RNA-synthesis in epithelium cells of egg vesicles in Acheta domestica. 5946
- differentiation of ommatidium-forming cells of Drosophila melanogaster in vitro. 3481
- distribution of cortex and cytoplasm in temperature-induced unequal division of Acrida lata spermatocytes. 5828
- division in epidermis of moulting Philosamia cynthia ricini, 3399
- division in formation of cuticular papillae in Peripatus acacioi. 3396
- division in ovarian cystocytes in Drosophila melanogaster. 3475
- DNA- and protein-synthesis in yolk cells of Bombyx mori eggs. 5285

### Cells, contd.

- DNA- and RNA-incorporation into salivarygland cells in larval Chironomus thummi and Drosophila melanogaster, 3069
- DNA-synthesis of pericardial cells during moulting-cycle in Oryzaephilus surinamensis. 242
- Drosophila melanogaster microsomes for in vitro protein-synthesis. 4904
- duration of cell-cycle in Aedes dorsalis.
- ecdysone accumulation in salivary-gland cellnuclei in Drosophila hydei. 4549
- endogenous inhibitor of microsomal mixedfunction oxidases in Prodenia eridania. 3930
- establishment of diploid cell-lines of Anopheles stephensi. 2551
- establishment of embryonic cell-lines of Drosophila melanogaster in vitro. 5825
- establishment of heteroploid cell-line from adult tissue of Trichoplusia ni. 5805
- esterase activity of pericardial cells in relation to CA and CC hormones in Pyrrhocoris apterus. 654
- extra-chromosomal inheritance of pseudotumours in Drosophila, 4137
- factors affecting ribosome isolation from adult Acheta domestica. 4534
- fatty-acid oxidation of mitochondria in Lucilia cuprina adults. 1127
- germ-cell differentiation and morphogenesis. 4587
- granulocytes in coagulation of haemolymph. 175 granulosis virus multiplication in larval midgut cells of Trichoplusia ni. 3921
- gregarines in relation to midgut cells of Schistocerca gregaria. 3487
- growth cycle and moulting cycle in epidermis of Philosamia cynthia ricini. 3399
- growth of lepidopteran epithelial cells and haemocytes in primary cultures. 5282
- growth pattern in cell populations of Drosophila melanogaster in vitro. 6072
- haemocyte reactions to Salmonella typhimurium infections in larval Galleria mellonella. 3063
- haemocytes in relation to ecdysis. 175
- heteropycnosis in tetraploid cells of Morabinae sp P52a. 5524
- histochemical differentiation of cell-types in main salivary gland of Myzus persicae. 5895
- hormones in relation to RNA-synthesis in fat-body nuclei of Calliphora erythrocephala. 4553
- incorporation of 5-bromouracil-deoxyriboside
   in Drosophila melanogaster germ-cells.
   1344
- inhibitor of insect mitochondrial respiration in Myrmecia gulosa venom. 5237

- iridescent virus in pericardial cells of larval Aedes stimulans. 5812
- intracellular potentials of myocardial cells in Sarcophaga bullata. 3434
- γ-irradiation in relation to gonads of Stomoxys calcitrans. 4609
- isolation of polysomes from Drosophila melanogaster. 196
- mersalyl in relation to succinate oxidation by flight-muscle mitochondria from Musca domestica, 4531
- metepa in relation to mitochondrial respiration in Musca domestica ovaries. 3509
- method for haemocyte fixation for electronmicroscopy. 3025
- methods for separation of microsomal pellets from mitochondria. 1103
- micropinocytosis in yolk uptake in Aeshna. 232 microsomal nuclease activity in Acheta
- domestica. 4540
- microsomal serology in relation to cytoplasmic polyhedrosis in Bombyx mori. 5870
- microsomes in relation to aliesterase activity and malathion degradation in Chrysomya putoria. 1158
- microsomes in relation to detoxification of cyclodienes and their photoisomers in Musca domestica, 5230
- microtubule composition of sperm flagellum in Drosophila melanogaster, 3967
- microtubule system associated with cytoplasmic movement in Notonecta glauca ovarioles. 4588
- migration from CNS of Periplaneta americana embryos in vitro. 1513
- mineral inclusions of oocytes in Polydesmus complanatus. 3858
- mitochondria in relation to carnitine acetyltransferase activity during sperm development in Drosophila melanogaster. 3998
- mitochondria of insect spermatozoa. 5273 mitochondria in relation to origin of nerve impulse in chemoreception. 1085
- mitochondrial pleomorphism in CA of adult Locusta migratoria migratorioides. 3393
- mitochondrial succinate dehydrogenase activity in Musca domestica. 3941
- mitochondrial trehalase in Sarcophaga barbata. 5874
- mitomycin-C and EMS as mutagens for premeiotic \*germ-cells in Bombyx mori. 3668
- mitosis and polyploidy in ovarial cells of Ulopa reticulata. 3964
- neoplasm in imaginal eye-antennal discs of Drosophila melanogaster. 4160
- neurohormone D of Periplaneta americana in relation to membrane permeability. 4551 neuronal properties of brain neurosecretory
- cells of Sarcophaga bullata. 3405

#### Cells, contd.

- neurosecretory cells of adult Melanoplus sanguinipes. 4476
- neurosecretory cells of type C in Clitumnus extradentatus, 4475
- neurosecretory cycle in brain of drone Apis mellifera. 1990
- neutrophils in formation of feeding lesions due to Rhipicephalus sanguineus in dogs. 4050
- nuclease activity of ribosomal and soluble fractions from Acheta domestica. 4540
- nurse-cells and corpora lutea formation in Philosomia cynthia ricini. 3970
- ovarial cells of Galleria mellonella in relation to disturbance of hormone supply. 3999
- oxidation of aldrin and dihydroaldrin by Musca domestica microsomes. 221
- pericardial cells of Insecta. 4511
- perinuclear microtubules in salivary gland of Centrotus cornutus. 3859
- peritrophic-membrane formation in Calliphora erythrocephala. 4521
- phase-difference index of neurosecretory material in Iphita limbata neurosecretory cells, 5128
- phospholipid composition of mitochondria in Musca domestica. 5242
- phosphomonesterase activity in pericardial cells of Schistocerca gregaria. 4535
- physiological function of adipohaemocytes. 175 pinocytosis of peroxidase in Calpodes ethlius larva. 1986
- plasmatocytes in wound repair. 175 polytene chromosome behaviour in foot-pad
- cells of pupal Calliphora stygia, 3210 polytene chromosomes in relation to tissue and developmental stage in Calliphora stygia, 3210
- polyribosomes present in adult Acheta domestica. 4534
- polytene-chromosome behaviour in trichogen cells of pupal Calliphora stygia. 3210
- possible continuity of ciliary fibrils and microtubules in antennal sensory dendrite of Forficula auricularia, 4487
- programming of wild-type cystocytes as nursecells or oocytes in Drosophila melanogaster. 4159
- proliferation and dynamics of cell heredity in blastema cultures of Drosophila. 3985
- 1, 3-propanediol dimethanesulphonate in relation to testis cells of Musca domestica. 4608
- protein induction in cultured tissue-cells of Aedes aegypti. 5864
- pseudotumours defined by cell-types. 4137 puffing-pattern of chromosome B in polytene

- foot-pad cells of Sarcophaga bullata, 5528 re-aggregation of fat-body cells in Saturniidae.
- respiratory rate of flight-muscle mitochondria
- in relation to acid and phosphate in Apis mellifera. 5224
- responses of Periplaneta americana cells to acanthocephalan larvae. 3559
- ribosome movement in telotrophic ovarioles of Notonecta glauca. 4588
- ribosome serology in relation to cytoplasmic polyhedrosis in Bombyx mori. 5870
- RNA-synthesis of cytoplasm and nucleus in fat-body cells of adult Tenebrio molitor. 4545
- RNA from wing epidermis of Hyalophora cecropia in relation to ribosomal systems in vitro. 651
- RNase resistance of polysomes in Drosophila and Musca. 196
- temperature in relation to mitosis in Acrida lata spermatocytes. 5827
- tepa in relation to mitochondrial respiration in Musca domestica ovaries. 3509
- trophocyte development in Galleria mellonella ovaries. 3966
- trophocytes in Nasonia vitripennis. 4642 trophocytes not involved in yolk carbohydrate-
- synthesis in Panorpa communis. 715 types in hypodermis of Galleria mellonella.
- 3398 graph of Galleria mellonella.
- types in in vitro culture of embryonic material from Drosophila melanogaster. 2543
- ultrastructure of CA gland cells in Eurygaster integriceps. 5894
- ultrastructure of epidermal and muscle cells in Apterygota. 4464
- ultrastructure of haemocytes involved in wound repair in Rhodnius prolixus. 4510
- ultrastructure of microsomal preparations from Musca domestica and Prodenia eridania.
- ultrastructure of oenocytes during pupal stage in Culex pipiens. 4459
- ultrastructure of Periplaneta americana embryonic cells producing chitinase in vitro, 3860
- ultrastructure of ring-canal system in ovarian cystocytes of Drosophila melanogaster. 3475
- uptake of haemolymph proteins by pericardial cells of larval Locusta. 652
- X-ray-induction of isochromosomes in germcells of \*Drosophila melanogaster. 2178
- Cellulose, utilization by fungus cultured by Atta colombica tonsipes. 2112
- Celolate (RTM), in serological testing of insect pathogens. 5147
- Celonites (Hym., Masaridae), records from the W. Palaearctic, 112

Celtis (Ulmaceae), host of Molorchus bimaculatus semistus and Rhopolophora rugicollis in Texas, USA. 5445

Celyphidae (Dipt.), 2942

of Philippine Is. revised and keyed. 2942

Cemonus lethifer fabricii (Hym., Sphecidae), from gall of Lipara lucens on Phragmites communis. 4820

Cenocorixa (Hem., Het., Corixidae), salinity survival levels of bifida and expleta. 3608

Cenocorixa bifida,

distribution in inland saline lakes of British Columbia, Canada. 3170

labium. 1511

rostral sense-organs. 1595

Cenocorixa expleta, distribution in inland saline lakes of British Columbia, Canada. 3170

Cenopalpus lanceolatisetae (Arach., Acari, Tenuipalpidae), biology. 275

Cenothyla gen.n. (Col., Cicindelidae), established.

#### Central African Republic,

Contarinia sorghicola present. 436 Culicidae of. 1382

implantation of termitaria of Bellicositermes bellicosus rex and savannah soil-structure, 4869

new cave-dwelling Phaeophilacris from, 363 Nymphalidae from, 4381

Central nervous system, see also Brain and Nerves acetylcholine and GABA as transmitters in Periplaneta americana. 1526

acetylcholinesterase activity in winter larvae of Odagmia. 3881

acquired and innate components of communication in Apis mellifera caucasica, 1318

anatomy in Chrysocoris stollii. 3882

anatomy in Othreis materna. 621

of Aspidiotus perniciosus. 677

 $\alpha$  and  $\beta$  auditory interneurons of Gastrimargus africanus. 1070

auditory system of Fidicina rana. 1535

auditory system of Homorocoryphus. 1529 axon outgrowth and cell migration in embryos

of Periplaneta americana in vitro. 1513 biometrics in Locusta migratoria manilensis.

5839

brain and optic lobes of Chrotogonus trachypterus. 1521

and cardiac regulation in Limulus polyphemus. 1522

cations and conduction in Carausius morosus. 1067

cholinergic mechanisms in transmission in Insecta. 1057

control of auditory neuron in Gastrimargus africanus. 1071

control of circadian behaviour rhythm in Acheta domestica. 1066 control of flight in Acrididae and soundproduction in Cicadidae. 1063

control of flight system and other rhythmic systems in Insecta. 1065

control of muscular movements in songproduction in Acheta domestica, Gryllus campestris and G. bimaculatus. 674

and control of muscle fibres of proctodaeum in Periplaneta americana. 1516

degeneration and regeneration of neck connectives in Schistocerca and Sphodromantis. 1053, 1054

DNA-synthesis during moulting-cycle in Orzyaephilus surinamensis. 242

drugs in relation to endogenous activity and synaptic transmission in Periplaneta americana. 1528

and ecdysis in Saturniidae. 3987

electrophysiology of optic lobe interneurons in relation to colour-vision in Calliphora phaenicia and Musca domestica. 1080

endogenous activity and synaptic transmission in Periplaneta americana. 1528

giant nerve-cells of Icerya purchasi. 1523 glial cells probably an interconnected cellular system. 623

of Heteropeza pygmaea. 5836

injury-associated secretion in sectioned axons in Schistocerca and Sphodromantis. 1054

innervation of proctodaeal muscles of Periplaneta americana. 1059

interneurons in flight-initiation in Calliphora vicina. 619

histochemical and histological reactions in Musca domestica. 3879

of larval and adult Musca domestica. 159 in relation to leptinotars in Periplaneta americana. 5392

method for recording activity from supraoesophageal ganglion. 622

mode of action of pyrethroids, nicotinoids and rotenoids in Insecta. 4539

motoneurons of mesothoracic ganglion of Periplaneta americana. 620

Na<sup>+</sup> regulation in Carausius morosus. 3883 nerve bands of ephemeropteran larvae. 1501 neurogenesis and initiation of development of cholinergic system. 1196

neurosecretion in Insecta. 1064

neurosecretory cells and pathways in Pyrilla perpusilla. 1527

neurosecretory cells of sub-oesophageal ganglion in embryonic diapause-determination in Orgyia antiqua. 1188

neurotropic drugs and endogenous activity in Nauphoeta cinerea. 618

nicotine-induced release of synaptically active material in Periplaneta americana. 4479

not required for curare-induced leg-contraction failure in Periplaneta americana. 5254

### Central nervous system, contd.

- optic-ganglion structure during metamorphosis in Tribolium castaneum, 1608
- peroxidase uptake by glial cells in desheathed ganglia of Periplaneta americana. 623
- pharmacology of synaptic transmission in Insecta, 1057
- and reflex mechanisms of initiation and inhibition of flight in Locusta migratoria. 1049
- regulation of activity of insect leg-muscles.
  1065
- and regulation of blood-meal size in Culicidae.
- regulatory function in Insecta. 1065
- responses of Heliothis to ultrasound during resting, feeding and reproductive behaviour. 1079
- spontaneous electrical activity in Insecta. 1068
- stimulatory effect of antennae in Anacridium aegyptium and Locusta migratoria migratorioides. 632
- symbionts in Ornithodoros moubata. 788
- sympathetic nervous system of Insecta. 1065 tetraethylammonium (TEA<sup>+</sup>) in relation to K<sup>+</sup>-transport in giant axons of Periplaneta
  - K<sup>+</sup>-transport in giant axons of Periplaneta americana. 1056
- of Tingis buddleiae in relation to the biology.  $1061\,$
- topographical representation of individual tactile spines in Blaberus craniifer. 1530
- wounding in relation to frequency of redirected preening in Blaberus cranifer. 4563
- yield of  $\sigma$  virus in Drosophila melanogaster. 5175

#### Centrifugation,

- in relation to egg-production and embryo lethality in Habrobracon juglandis. 3994
- monstrosities induced by centrifugation of mature ? Tegenaria atrica. 3980
- Centrioles, intracellular migration in germarium of Drosophila melanogaster. 5274
- Centrioptera muricata (Col., Tenebrionidae), haemolymph in relation to heat death. 5885
- Centris spilopoda sp.n. (Hym., Apidae), described. 1902
- Centrodora near amoena (Hym., Aphelinidae), parasitic on pupal Haplegis flavitarsis. 4820
- Centromerita (Arach., Aran.), ecology and phenology on a raised beach in England. 3555
- Centronotus fenestratus (Hem., Hom., Membracidae), transferred to Bocchar. 561
- Centronotus pacificus, transferred to Otinotus.
  561

- Centrophthalmini (Col., Pselaphidae), Janusculina subtrib.n. established. 4281
- Centroptilum luteolum (Ephem., Baetidae), diurnal periodicity of emergence and subimago duration, 1216
- Centrotus cornutus (Hem., Hom., Membracidae), Perinuclear microtubules in salivary gland. 3859
- Ceocephalinae (Col., Brentidae), keyed. 18 Ceoloides pissodis (Hym., Braconidae), biology in relation to Ips in Virginia, USA, 4733
- Cepegillettea viridis sp.n. (Hem., Hom., Aphididae), described. 1442
- Cephalelus bleusei (Hem., Hom., Deltocephalidae), type-sp of Pseudocephalelus gen.n. 3792
- Cephaloscymnus (Col., Coccinellidae), reviewed and new taxa described. 4996
- Cephaloserica dierli sp.n. (Col., Melolonthidae), described, 5004
- Cephenemyia jellisoni (Dipt., Oestridae), ecology in relation to Odocoileus virginianus in E. Oklahoma, USA, 837
- Cephennium gallicum (Col., Scydmaenidae), only sp valid for Britain, 1803
- Cephise cephise (Lep., Hesperiidae),
  - defence behaviour, flight pattern and resting position. 4735
  - new locality from Mexico, 4735
- Cephodapedon nigrivente sp.n. (Dipt., Heleomyzidae), described. 57
- Cepidognathus perforatus var. affinis (Arach., Acari, Halacaridae), new for Romanian Black Sea coast. 2866
- Cepora perimale (Lep., Pieridae), seasonal occurrence on Norfolk I., Pacific Ocean. 4953
- Cerace (Lep., Tortricidae),
  - Eurydoxa distinct from, 5761
  - ${\it \ref{q}}{\it \ref{q}}$  described for first time for cyanopyga and ios.  ${\it \ref{sol}}{\it \ref{sol}}$
  - new synonomy. 5761
- Cerace malayana sp.n., described. 5761
- Ceraceopsis ussuriensis (Lep., Tortricidae), transferred to Eurydoxa. 5761
- Cerallus rubidus (Col., Melyridae), new for Czechoslovakia. 935
- Cerambycidae (Col.),
  - 23, 24, 140, 524, 692, 807, 808, 1312, 1364, 1407, 1843, 1844, 1968, 2057, 2127, 2898-2901, 3039, 3105, 3129, 3300, 3737-3739, 3841, 4206, 4266, 4267, 4440, 4523, 4952, 5445, 5633, 5634
  - biology, ecology, economic importance and taxonomy of Lamiinae of Mozambique, 4266 hind-wing venation, 152
  - method for rearing on artificial diet. 3842 new genera and spp from Cameroun. 1407
  - new genera and spp from Ivory Coast. 23 of R. Llobregat delta, Spain. 1364
  - of S. Italy. 465

Cerambycidae (Col.), contd. teratology. 2057

Ceramius beaumonti (Hym., Masaridae), Liris aucta Fabricius related to. 3346

Cerapachyinae (Hym., Formicidae), Neotropical taxa reviewed. 107

Ceraphron (Hym., Ceraphronidae), parasitic on pupal Contarinia tritici and Sitodiplosis moscellana. 4101

Ceraphron corynephorus sp.n., described. 566 Ceraphronidae (Hym.), 566, 2987, 4101

Cerapteryx graminis (Lep., Noctuidae), new for Newfoundland, Canada. 2241

Ceraspis (Col., Melolonthidae), new spp described. 5005

Cerastis rubricosa (Lep., Noctuidae), flight period in Siljan, S. Norway. 1672

Ceratina (Hym., Anthophoridae),

nest structure. 352

nesting sites of African spp. 5379 revised and Japanese spp keyed. 100

Ceratina (s.str.) esakii sp.n., described. 100 Ceratina flavipes, host of Hockeria maetai sp.n.

1913
Ceratina (s.str.) megastigmata sp.n., described.

100
Ceratinella maior (Arach., Aran.), redescribed.

Ceratinini (Hym., Anthophoridae), nesting sites of stem- and twig-inhabiting African spp.

Ceratiscada gen.n. (Lep., Nymphalidae), established. 5755

Ceratiscada canaria sp.n., described and biology. 5755

Ceratitis capitata (Dipt., Tephritidae), antibiotics and fecundity. 4611 antibiotics and larval growth, 4612

bait trapping in relation to height. 2712 control by induced sterilization. 1298

control of 50 with lure + naled and Myverol or CAB-O-SIL. 4686

differentiation of parasitized and unparasitized pupae. 2548

DNA pyrimidine sequences. 1113, 4894 host and non-host plants as sites for baited traps. 5346

mating competitiveness of adults marked with fluorescent powders. 5322 medium for mass-production of larvae. 2557

response of \$9 to 1 lures. 4660 selection for resistance to starvation. 4139

Ceratobates gen.n. (Arach., Acari, Oribatei), established. 2462

Ceratocampidae (Lep.), 2834, 5744

Ceratocombidae stat.n. (Hem., Het.), from subfamily of Dipsocoridae. 2511

Ceratonia siliqua (Leguminosae), host of Ectomyelois ceratoniae in Israel. 318 Ceratophyllidae (Siphon.),

234, 584, 1696, 2086, 3124, 4423, 4457, 4581, 4640, 5771, 6155

Ceratophyllus consimilis (Siphon., Ceratophyllidae) food concentrates in pellet form for standard culture, 4423

Ceratophyllus fasciatus,

food concentrates in pellet form for standard culture. 4423

population differences in DDT-susceptibility in USSR, 4581

Ceratophyllus gallinae, host relations and lifehistory. 3124

Ceratophyllus pullatus, new for Hungary. 5596 Ceratophysella armata attenuata (Collem., Hypogastruridae), ecomorphs. 5661

Ceratophysella cavicola, feeding on limnephilid exuviae. 862

Ceratophysella engeli sp.n., described. 51 Ceratopogonidae (Dipt.),

61, 62, 130, 337, 494, 598, 765, 766, 840, 941, 1261, 1426, 1681, 1724, 1817, 2790, 2943, 2944, 3259, 3366, 3627, 3757, 4011, 4043, 4096, 4113, 4114, 4299, 4821, 5024

autogeny. 598

from Kedrovskaya Pad' Reserve, Primor'e, USSR. 5024

Ceratosolen (Hym., Agaonidae), from Ficus gnaphlocarpa. 2128

Ceratosolen fusciceps, pollen-vector for Ficus racemosa. 1707

Ceratosoma (Triakantazona) caroli (Myriap.,
Diplop.), new subspp described. 585

Ceratothripodes (Thysanopt., Thripidae), systematic position. 4404

Ceratoxanthis (Lep., Cochylidae), revised. 118 Ceratrimeria (Collem., Setanuridae), maxima and pulchella redescribed. 52

Cerceris (Hym., Sphecidae),

checklist of Ethiopian spp. 5061 new names. 5740

new records from Congo. 4361 new synonymies and combinations for Ethiopian taxa. 5061

Cerceris arenaria, larva described. 1964 Cerceris bifurcata sp.n., described. 4361

Cerceris eryngii, new for Romania. 2217

Cerceris hortivaga, larva described. 1964

Cerceris sabulosa lieftincki subsp.n., described. 3344

Cerceris saegeri sp.n., described. 4361 Cerci,

of 4 spp of Plecoptera. 4425 properties and receptive fields of central neurons of cercal auditory system in Acheta domestica. 5838

Cercion hieroglyphicum (Odon., Coenagrionidae), differential survival of Arrenurus agrionicolus and A. mitoensis, 1299 Cercion hieroglyphicum (Odon., Coenagrionidae), contd.

larvae of Arrenurus agrionicolus as age indicators. 3034

Cercoma schaefferi (Col., Meloidae), pheromone production and reproductive behaviour. 3107 Cercopidae (Hem., Hom.).

327, 490, 656, 1267, 1895, 1974, 2849, 3336, 3964, 4118, 4916

from Ivory Coast. 490

of Niokolo-Koba National Park, Senegal. 1895

Cercothrips brevicornis sp.n. (Thysanopt., Phlaeothripidae), described. 5772

Cercyon (Col., Hydrophilidae), new aberrations. 3744 new taxa from Hungary. 4999

new taxa from Hungary. 4999 status of British spp. 1793

Cercyon hungaricus sp.n., described. 3744 Cercyon laminatus, new for Britain. 1793 Cercyon tatricus sp.n., described. 3744

Cercyonis (Lep., Satyridae), reviewed. 3351

Cercyonis meadi, distributions of subspp in Colorado, USA. 3352

Cercyonis meadi alamosa subsp.n., described. 3352

Cercyonis oetus, oviposition behaviour. 735 Cereal leaf beetle, see Oulema melanopus Cereals, reproduction rates of stored-grain

reals, reproduction rates of stored-grain insects in Canada. 738

Cermatulus nasalis (Hem., Het., Pentatomidae), for biological control of Paropsis charybdis in New Zealand. 3553

Cerocephalini (Hym., Pteromalidae), genera keyed. 1925

Cerodirphia candida sp.n. (Lep., Saturniidae), described. 117

Ceropalidae (Hym.), of Sweden. 446

Ceroplastes (Hem., Hom., Coccidae), triglyceride composition of fats from

japonicus and rubens. 5875

Ceroplastes floridensis,

developmental stages. 5792 eggs and larvae as diet for Amblyseius chilenensis and A. hibisci. 5313

Ceroplastes hololeucus sp.n., described. 5040 Ceroplastes pseudoceriferus,

honeydew production. 2008

honeydew production. 2008 wax-glands. 1597

Cerotelion (Dipt., Mycetophilidae), a valid genus.

Cerotelion racovitzai sp.n., described. 68 Ceruchus piceus (Col., Lucanidae), mating 2694

Cerura vinula (Lep., Notodontidae), temperature in relation to larval development. 5296

Cervidae (Artiodactyla), see Deer

Cervus nippon nippon (Artiodactyla), host of Haemaphysalis kitaokai sp.n. in Japan. 4223

Cestonioner va petiolata (Dipt., Tachinidae), new

for Mongolia. 1435

Cetonia (Col., Scarabaeidae), Rickettsiella cetonidarum sp.n. from larva. 5168

Cetonia aurata, muscle ultrastructure. 156 Cetoniidae (Col.), see also Scarabaeidae

Cetoniidae (Col.), see also Scarabaeidae from New Guinea. 4268

Ceuthorrhynchus chrysanthemi stat.n. (Col., Curculionidae), from Denmark. 2478

Ceuthorrhynchinae (Col., Curculionidae), localities for Carpathian Basin, Hungary. 5568

Ceylon, see Sri Lanka Chactidae (Arach., Scorp.), birth and post-birth behaviour in N. American spp. 4013

Chad.

Contarinia sorghicola present. 436 new Megachilidae from. 5735 new Melolonthidae from. 5006 new Piesmatidae from. 996 new Scarabaeidae from. 3310 Piesmatidae new for. 996

Chaerocampa elpenor (Lep., Sphingidae), image formation in compound eye. 1531

Chaerophyllum bulbosum (Umbelliferae), host of Melanogromyza chaerophylli sp.n. 5022

abdominal-bristle selection lines of Drosophila melanogaster. 3208

abdominal chaeta number analysed chromosomally in Drosophila melanogaster. 2827

canalization in Drosophila melanogaster. 374 control of number and pattern of scutellar bristles in Drosophila melanogaster. 4145

correlation between bristle systems in Drosophila melanogaster. 3204

disruptive selection for chaetal number in Drosophila melanogaster. 425

in gynandromorphs with different 'scute' (sc) alleles in Drosophila melanogaster. 2845

X-irradiation and development in Drosophila melanogaster. 256

lethal mutations in relation to selection for number in Drosophila melanogaster, 428

maintenance of genetic variation for sternopleural chaeta number in natural Drosophila melanogaster populations, 4920

post-embryonic development of chaetotaxy in Entomobryoides myrmecophila. 2671

radiation-induced polygenes controlling sternopleural bristle number in Drosophila melanogaster. 387

selection for number in Drosophila melanogaster.  $426,\ 427,\ 4136$ 

selection and temperature effects on extra dorsocentral bristles in Drosophila melanogaster, 2832

variation of sternopleural chaeta number in a natural Drosophila melanogaster population. 4919

Chaetechelyne (Myriap., Chil.), new spp described and key to spp. 3020 Chaetocnema (Col., Chrysomelidae), from deserts of Dagestan, USSR. 466

Chaetomyzus (Hem., Hom., Aphididae), taxonomy.

Chaetosiphon fragaefolii (Hem., Hom., Aphididae), alate of from India for first time. 2978

behaviour, reproduction and survival in relation to diet and host-plant. 2700

new for Scandinavia. 4191

probing behaviour and stimulants. 4770

Chaetospania (Derm., Labiidae), African spp keyed. 4293

Chaetospania anamalaiensis sp.n., described. 2500

Chaetospania vansomereni sp.n., described. 4293

Chaetospila tabida (Hym., Pteromalidae), transferred to Chaetospilisca. 1925

Chaetospilisca tabidoides gen. et sp.n. (Hym., Pteromalidae), described. 1925

Chaeturia dubia (Aves), predaceous on Apis in Philippines. 839

Chaeturothrips machadoi (Thysanopt., Thripidae), new host-plants. 4403

Chaetyllus (Col., Tenebrionidae), Rhicnodes synonymous with. 2928

Chalcididae (Hym.),

316, 318, 319, 798, 799, 1272, 1289, 1701, 3152, 3572, 4101, 4350, 4705, 4778, 4791, 5351, 6011

of the Netherlands. 4791

parasitic on Contarinia tritici. 4101

Chalcidoidea (Hym.),

9 reproductive system. 1165
Netherlands distribution. 3268

Chalcionellus (Col., Histeridae), new spp described. 974

Saprinus mersinae possible a sp of. 73 Chalcodermus aeneus (Col., Curculionidae), fungi for control. 5177

Chalcoides mroczkowskii sp.n. (Col., Chrysomelidae), described. 3741

Chalepoxenus (Hym., Formicidae), in nests of Leptothorax spinosus. 5728

Chalicodoma cincta combusta (Hym., Megachilidae), host of Anthrax conspircuta. 6007

Chamaemyia (Dipt., Chamaemyiidae), new spp described and Palaearctic spp reviewed. 5668

Chamaemyia 'polystigma',

American taxon probably not identical with European, 4658

parthenogenesis in American populations. 4658

Chamaemyiidae (Dipt.), 473, 4658, 5668 new for Spain. 473

Chamaenerion angustifolium (Onagraceae), insect pollination behaviour, 2123

Chamaepsylla subgen.n. (Hem., Hom., Psyllidae), established in Psylla. 5703

Chamayamyia pilosa gen. et sp.n. (Dipt., Sarcophagidae), described. 5675

Channel Islands (Atlantic Ocean), Simuliidae new for Jersey. 5574

Chaoboridae (Dipt.),

3547, 3619, 3631, 3947, 3951, 4098, 4816, 4962, 5856

in aircraft at Nairobi airport, Kenya. 4816 of Lake Chad, Africa, and biology and ecology. 3597

larval ecology in Lake George, Uganda. 3619 life-cycle patterns in a floodplain lake in

Minnesota, USA. 4098
seasonal abundance and distribution in a pond in

Tennessee, USA. 3631

Chaoborus (Dipt., Chaoboridae),

bibliography. 4962

functional changes in midgut epithelium of larvae. 5856

Chaoborus crystallinus,

endocrine control of water-budget in 4th-instar larvae. 3947

life-cycle in a pond in the Netherlands. 3547

Chaoborus punctipennis,

larval activity. 3113

life-cycle patterns in a floodplain lake in Minnesota, USA. 4098

light-threshold controlling vertical migration. 3951

Character release, in Campsomeris extranea liberata subsp.n. 5739

Charaxes fournierae (Lep., Nymphalidae), new subsp described, 4381

Charaxes jasius, attempts to re-establish in Madrid, Spain. 1713

Charaxes lydiae, of described for first time. 4381 Charilaidae (Orth.), 3899

tympanal organs. 3899

Charinus (Arach., Amblypygi), key. 2877

Charmus (Arach., Scorp.), transferred from Vejovidae to Buthidae. 4250

Charops (Hym., Ichneumonidae), parasitic on Ectropis bhurmitra on tea in Sri Lanka. 2164

Charops striata, parasitic on Artona funeralis in Japan. 321

Chartocerus musciformis (Hym., Signiphoridae), parasitic on Pseudococcus coffeae and redescribed. 114

Chartoscirta elegantula (Hem., Het., Saldidae), new for Hungary. 1375

Chasmoneura nigella sp.n. (Dipt., Bombyliidae), described. 4297

Cheiloneurus inimicus (Hym., Encyrtidae), primary parasite of Saissetia oleae in Florida, USA. 4778

Cheilosia (Dipt., Syrphidae),

phenology and plant relations of fasciata and semifasciata. 2955

prey of Lasiopogon polensis sp.n. in Wyoming, USA. 2939

Cheilosia alpina, further description. 986

- Cheilosia fasciata, not a British sp. 2955
- Cheilosia maculata, inclusion in Cheilosia justified. 986
- Cheilotrichia (Empeda) (Dipt., Tipulidae), new spp from Himalava, 3778
- Cheirodendron gaudichaudii (Araliaceae).
  - importance of sterols and poly-unsaturated fatty acids in leaves for Hawaiian Drosophila. 647
- Cheiropachus colon (Hym., Cleonymidae), biology and ecology in relation to Scolytus multistriatus. 4779
- Cheiroplatys clunalis (Col., Scarabaeidae), feeding and swarming on Pinus engelmanii, 279
- Cheletomorpha lepidopterorum (Arach., Acari, Cheyletidae), symphorism with Caradrina clavipalpis. 6022
- Chelicerae, specialized setae in Eukoenenia mirabilis. 2581
- Chelictinia riocourii (Aves), host of Pterophilus sudanensis gen. et sp.n. 4386
- Chelonus altitudinis (Hym., Braconidae), parasitic on Homoeosoma electellum in Texas, USA. 2808
- Chelonus contracta, Tischeria marginea new host for. 2221
- Chelonus curvimaculatus, biology and ecology in relation to Phthorimaea operculella in Republic of S. Africa. 791
- Chelonus eleaphilus, parasitic on Prays oleae in Mediterranean Basin, 320
- Chelonus heliopae, parasitic on Earias in Gujarat, India. 4783
- Chelonus petrovae, parasitic on Eucosma rescissoriana in N. Idaho, USA. 2531
- Chelonus submuticus, parasitic on Spodoptera littoralis in Israel. 5418
- Chelonus texanus, parasitic on Heliothis zea in S. California, USA. 5420

## Chemoreception,

- food location by taste in Carabus cancellatus and Phormia terraenovae. 4497
- in host-selection of Eucarcellia rutilla, 1265 response to aggregation pheromone in 9 Schistocerca gregaria, 5320

#### Chemoreceptors,

- of antennae and mouth-parts in adult Lema trilineata daturaphila. 4270
- behavioural and electrophysiological responses of Phormia regina to acids. 3887
- CO<sub>2</sub> and water-vapour receptors in ♀ Aedes aegypti. 1539
- contact-chemoreceptors in Tabanidae. 5197 and food location in Halacarus basteri. 1319 for food-plant perception in & Danaus gilippus
- berenice, 3410 and host-finding in Tetrastichus flavigaster, 4741
- labellar and tarsal contact-chemoreceptors in sugar feeding in Chrysops vitattus and

- Hybomitra lasiophthalma. 4761
- in larval Lema trilineata daturaphila. 4712
- method for studying chemoreceptors on maxillae in lepidopteran larvae. 2560
- nectar sugars as chemostimulants for tarsal contact-chemoreceptors of 9 Chrysops vittatus, 4768
- and oviposition-site selection in Sitophilus. 5321
- physiology and structure in Insecta. 1078 primary process of reception in type-3 waterreceptor in Phormia terranovae. 5199
- probable chemoreceptors on labium in Agrion ornatum larva, 3038
- of proboscis in Pieris rapae crucivora. 2738
- responses of tarsal chemoreceptors in Phormia regina. 1534
- sensitivity in larval Manduca sexta in relation to diet. 3415
- starvation and sensitivity of labellar and tarsal contact-chemoreceptors in Hybomitra lasiophthalma. 1075
- structure in Arthropoda, 4490
- ultrastructure of contact and distance chemoreceptors in Insecta. 1083

#### Chemosterilants,

- action on Anthonomus grandis. 2683 action on of Oncopeltus fasciatus. 3093
- and embryonic development in Musca domestica. 231
- field techniques. 1298
- in relation to germ-cells and somatic cells in Insecta, 1298
- and respiration of ovarian mitochondria in Musca domestica. 3509

## Chemosterilization,

- apholate for sterilization of adult
  Diabrotica undecimpunctata howardi. 3100
- boron compounds for sterilization of Musca domestica. 3503
- chromosomal aberrations induced by tepa in Culex pipiens fatigans. 4152
- hempa and metepa in relation to Musca autumnalis. 3514
- tepa sterilization in relation to respiration in Diabrotica undecimpunctata howardi. 3428
- trialkyl phosphates for sterilization of adult Tetranychus urticae. 3102
- Chemotaxis, selection for insensitivity to repellents in Drosophila melanogaster. 6097
- Chemotaxonomy, of Formicidae. 2016, 2017 Chenopodium album (Chenopodiaceae), as secondary host of Petrobia latens in
  - Rajasthan, India. 4718
- Chermidae, see Psyllidae
- Chernes (Arach., Pseudoscorp., Chernetidae), morphology and growth of flagellum. 145
- Cherry, see Prunus avium and Prunus cerasus
- Chesias (Lep., Geometridae),
  - host of Microplitis fordi sp.n. in England. 5052

Chesias (Lep., Geometridae), contd.

isabella and rufata cinereata new for Portugal.

Chetryrus longus sp.n. (Col., Endomychidae), described. 35

Cheumatopsyche (Trich., Hydropsychidae),

in relation to DDD and DDT in St. Lawrence River, Canada. 1033

density and dispersion of larvae in laboratory populations. 5473

Chevron 9006 [O,S-dimethyl phosphoroamidothicate], toxicity to larval Heliothis and Pectinophora. 5359

Cheyletiella parasitivorax (Arach., Acari, Cheyletidae), parasitic on Spilopsyllus cuniculi. 3145

Cheyletiella yasguri, infestation on Yorkshire terriers and effects of man. 3578

Cheyletus (Arach., Acari, Cheyletidae), interrelations with Fungi, Insecta and other Acari in grain bulk ecosystems. 3185

Cheyletus eruditus,

in relation to fungi and environmental variables in grain bulk ecosystems. 4822

predaceous on Acari attacking stored sugarbeet seeds. 5445

predaceous on Proctolaelaps nauphoetae. 1667 Cheyletus malachensis, new for Poland. 5434 Chiasmata.

chiasma characteristics in British populations of Chorthippus parallelus. 416

frequency in relation to gregarization pheromone of Locusta migratoria migratorioides. 5262 number in relation to terminalization. 377 production in natural populations of Metrioptera brachyptera. 369

Chiasmella sica sp.n. (Dipt., Bombyliidae), described. 4296

Chiasognathus mniszecki (Col., Lucanidae), not synonymous with Ch. jojsselini. 2917

Chigger mites, see Trombiculidae and Trombidiformes

Chilandrus gen.n. (Lep., Pyralidae), established. 5756

Chilaspis (Hym., Cynipidae), oak-galls in Mehes collection in Museum of Natural History, Budapest, Hungary. 1278

Chile,

Carabidae from. 2895 Menthidae new for. 2472

new Bethylidae from. 3796, 5718

new Braconidae from, 102, 4345

new Carabidae from. 2895

new Cicadellidae from. 2984

new Colydiidae from. 4274

new Eumenidae from. 4351

new Gonyleptidae from. 2471

new Heleomyzidae from. 57

new Menthidae from. 2472

new Miridae from, 4322, 5036

new Osmylidae from. 5081

new Peltidae from. 4985

new Perissommatidae from. 1875

new Tabanidae from. 545, 987

new Tenebrionidae from. 2497

new Tipulidae from. 5684

new Tydeidae from. 3291

Phytocoris reviewed. 5036

Polymerus revised and keyed. 4322

Pseudisobrachium from. 5718

Pseudisobrachium revised. 3796

Tenebrionidae from and key to genera. 2497

Chilelana artigasi gen. et sp.n. (Hem., Hom., Cicadellidae), described. 2984

Chilo (Lep., Crambidae), parasites of auricilia and suppressalis in Sarawak. 5498

Chilo agamemnon,

biology and ecology. 5981

phenology in Egypt. 6059

Chilo aglaopis, type-sp of Nearhyrioides gen.n. 5756

Chilo antipai sp.n., described. 1932

Chilo locupletellus, transferred to Ancylolomia. 5757

Chilo oxyprora, type-sp of Nechilo gen.n. 5756 Chilo partellus, biology and control in Peshawar, Pakistan. 1657

Chilo sacchariphagus, biology of Diatraeophaga striatalis in the laboratory. 5415

Chilo suppressalis,

artificial diet for rearing. 5787

diapause induction. 1183

ecdysterone in relation to in vitro growth of wing-discs. 1610

ecdysterone induction of moulting in integument from diapausing larva in vitro. 1613

ecdysterone in relation to testes of diapausing larvae in vitro. 1203

geographical variation in development and diapause characteristics. 4723

parasites of eggs and larvae on Luzon I., Philippines. 799

seasonal population fluctuations in Philippines. 346

spermatocysts of diapausing larvae in vitro. 1203

# Chilo zonellus,

borer of maize in Sudan and its parasites. 6011 Gonocephalum depressum as predator in field cages in India. 6042

host of Apanteles flavipes at Delhi, India. 278 larvae as prey of Menochilus sexmaculata in India. 306

new for Sudan. 6011

susceptibility of Indian crop plants. 4798

Chilocorus (Col., Coccinellidae), larvae. 5638

Chilocorus bipustulatus,

daily consumption of Chrysomphalus aonidum. 780

ecology in Israel. 1701

Chilocorus bipustulatus, contd.

food preferences. 780

interrelations with Aonidiella aurantii on citrus in Israel. 2793

life-cycle, 1701

methods for mass-rearing, 595

natural enemies in Israel, 1701

phenology in Israel. 5500

predator of Parlatoria oleae in Lenkoran', USSR, 1674

Chilocorus distigma, methods for mass-rearing.
595

Chilocorus kuwanai, predator of Quadraspidiotus perniciosus on Sakhalin, USSR. 1289

Chilocorus stigma, methods for mass-rearing, 595 Chilonycha (Col., Cicindelidae), included in Prothymina, 27

Chilophaga gen.n. (Dipt., Cecidomyildae), established. 1869

Chilopoda (Myriap.).

157, 169, 316, 457, 1383, 1952, 1953, 2047, 2048, 2249, 2540, 3020, 3021, 3357, 3837, 4407, 4928, 4943, 5088, 5191, 5562, 5909, 5943

accessory glands of reproductive system. 5909 of caves of Romania. 5562

Epimorpha from Spain. 3020

from Eritrea, Ethiopia. 1383

of Iceland, 4928

from limestone caves in N. Honshu, Japan. 3357

position of Carboniferous Arthropleura. 2249 ultrastructure of musculature. 157

Chilosia katatopensis sp.n. (Dipt., Syrphidae), described, 5030

Chilotraea infuscatellus (Lep., Pyralidae), host of Trichogramma chilotraeae sp.n. in India. 5135

Chilotraea polychrysa, parasites on Luzon I., Philippines. 799

Chiloxanthinae (Hem., Het., Saldidae), genera keyed. 2975

China.

Culicoides alatus new for. 494

distribution of Dacus dorsalis, 3777

Hydrachnellae from. 1821

Locusta migratoria tibetensis from Tsinghai Province, 493

new Blattodea from. 3756

new Cerambycidae from. 524, 3300

new Cicadellidae from. 98, 5043, 5695, 5696, 5700

new Delphacidae from. 5702

new Encyrtidae from. 5053

new Ethmiidae from. 3348

new Gelechiidae from. 2528

new Hydrachnellae from, 1821

new Lucanidae from. 5001

new Noctuidae from. 4379

new Nymphalidae from. 1936

new Protura from. 128

new Ptilidae from, 5010

new Pyralidae from. 1470, 2532, 2533, 3824, 5757, 5758

new Staphylinidae from, 4285

Odonata from Hupeh and Szechuan Provinces.

overwintering of Musca domestica vicina in Chengtu. 752

Steninae from. 4285

Chinannus (Hem., Het., Schizopteridae), of Trinidad reviewed, 552

Chionaspis floridensis sp.n. (Hem., Hom., Diaspididae), described. 1898

Chionea (Dipt., Tipulidae), C. and S. European spp revised. 2959

Chionea alpina, transferred to Niphadobata. 2959

Chionea araneoides, cold-hardiness. 206

Chionea italica, synonymous with both Ch. lutescens and Niphadobata alpina. 2959

Chionea lutescens,  $\mbox{$\mathfrak{P}$}$  of Ch. italica synonymous with. 2959

Chionea racovitzai sp.n., described. 2959

Chipmunk, see Entamias

Chiqua eblisella gen. et sp.n. (Lep., Pyralidae), described. 5756

Chiracanthium (Arach., Aran., Clubionidae), biology on Acer in Michigan, USA. 3592

Chirodiscoides caviae (Arach., Acari, Listrophoridae), on Cavia porcellus in Puerto Rico. 5607

Chiromyza (Dipt., Stratiomyidae), new spp described and New Guinea spp keyed. 2954

Chiromyzinae (Dipt., Stratiomyidae), of New Guinea and genera keyed. 2954

Chironitis lohsei sp.n. (Col., Scarabaeidae), described, 1851

Chironodes obscurusella (Lep., Gelechiidae), unusual abundance in Ontario, Canada, in 1968. 3184

Chironomidae (Dipt.),

187, 216, 337, 348, 537, 669, 729, 769, 789, 858, 868, 881, 1030, 1099, 1120, 1221, 1223, 1307, 1320, 1347, 1567, 1692, 1711,

1718, 1734, 1736, 1738, 1749, 1752, 1971,

2034, 2045, 2056, 2172, 2503, 2504, 2667,

2725, 2776, 2783, 2823, 2824, 2842, 2843,

2868, 2945, 3069, 3073, 3162, 3163, 3186, 3199, 3317, 3450, 3454, 3558, 3589, 3597,

3199, 3317, 3450, 3454, 3558, 3589, 3597, 3601, 3604, 3617-3619, 3627, 3629, 3631,

3908, 4087, 4098, 4120, 4148, 4189, 4300,

4648, 4816, 4823, 5025, 5532, 5541-5544,

5557, 5598, 5669, 5806, 5934, 6041, 6078, 6079

6079 accumulation of <sup>137</sup>Cs in a pond habitat. 1030

arcard at Nairobi airport, Kenya. 4816 annual fluctuations in water-level in relation to larval communities of L. Kariba, 4087

benthic communities of Hungarian section of R. Danube. 1736

Chironomidae (Dipt.), contd.

in benthos at mouth of R. Kokemäenjoki, S.W. Finland, 2823

Brundin's classification criticized, 6107

chromosome inversions. 1347

communities of Yugoslavian section of R. Danube. 3601

distribution in Razelm complex, R. Danube, Romania, in relation to salinity. 4120

distributions of Diamesini in Brundin collection reviewed. 4189

ecology in L. Washington, USA. 348

emergence times in relation to imaginal drift in Prater's Creek, S. Carolina, USA. 5477

flight patterns at Prater's Creek, S. Carolina, USA. 5477

of L. Chad, Africa, and the biology and ecology. 3597

larvae as prey of Limnesia maculata. 1320 larvae as prey of Pyrrhosoma nymphula larvae.

larvae and pupae from Lake Kariba, Rhodesia.

larval ecology in L. George, Uganda. 3619 lectotype designation for Orthocladiinae of Lundbeck 1898. 5669

life-cycles in a floodplain lake in Minnesota, USA, 4098

of littoral region of Hungarian stretch of R. Danube. 3163

in nests of Riparia riparia in Switzerland. 4106 new for Congo-Brazzaville. 5599

new taxa from Canada and USA. 2945

occurrence in drying phase of L. Chilwa, Malawi. 3162

of Phragmites and Typha in Danube Delta, Romania. 2824

populations of L. Hibaria, Japan. 858

populations in waste-stabilization lagoons in Missouri, USA, 337

prey of Rhyacophila in an experimental stream. 769

production and successional changes in the Volta L., Ghana. 3604

regeneration of larval populations in fish ponds. 3629

of rivers in the 'Iron Gates' dam area, Romania. 2776

in relation to sand and silt in Vaal R. system,
Republic of S. Africa, 2172

seasonal abundance and distribution in a pond in Tennessee, USA. 3631

#### Chironomus,

chromosome map for Australasian spp. 1752 DNA-synthesis and chromosome-puffs. 1120 feeding and prey-catching behaviour of Ranatra

linearis towards larvae. 2725 haemoglobin polymorphism in pallidivittatus and tentans. 5557

life-cycles in a floodplain lake in

Minnesota, USA. 4098

shoreline aggregation behaviour of adults at Solberg L., Wisconsin, USA. 3558 significance of rare inversions. 2842

single-stranded DNA in salivary-gland chromosomes. 1749

soluble proteins of developmental stages. 1134 in relation to winter drainage in Laurel Creek Reservoir, Canada. 1719

Chironomus annularius, carotenoids of egg. 2034 Chironomus anthracinus, feeding, growth and mortality of larvae. 6041

Chironomus cylindricus, distribution in hotspring thermal gradients in New Zealand. 2783

Chironomus ex gr. salinarius, ecology in Primor'e, USSR. 6039

Chironomus ferrugineovittatus, ecology in L. Washington, USA. 348

Chironomus lindneri, annual fluctuations in waterlevel in relation to abundance in L. Kariba, Africa. 4087

Chironomus luridus, morphology, pathology and taxonomy. 5806

#### Chironomus nuditarsis,

biology, population genetics and reproduction. 1223

method for inducing copulation in laboratory cultures. 1223

Chironomus oppositus, chromosomes. 1752 Chironomus plumosus,

biomass-production and ecology in Yugoslav section of R. Danube. 3601

ecology in L. Washington, USA. 348

ecology in waste-stabilization lagoons in Missouri, USA. 337

flight-tone in relation to swarming. 2045

Chironomus riparius, terminal chromosome rearrangements following  $\gamma$ -radiation. 2843

Chironomus salinarius,

larval biology and development in W. Norway.  $2667\,$ 

oviposition and swarming, 1221

Chironomus semireductus, biomass-production and ecology in Yugoslav section of R. Danube 3601

# Chironomus strenzkei,

lack of reaction of salivary-gland chromosomes to oxytetracycline. 5532

O<sub>2</sub>-consumption of developmental stages. 3908 ultrastructure of peritrophic membrane and anterior midgut of larvae. 1099

# Chironomus tentans,

base composition of DNA. 868 base ratios of RNA. 6078 chromosomal RNA-synthesis. 6079 ecdysone and JH in relation to polytene

chromosomes. 3073 genetic control of haemoglobins. 4148 low-molecular-weight RNA of salivary

## Chironomus tentans, contd.

glands. 1567

protease activity of salivary glands, 216 proteolytic enzymes of salivary glands, 216 RNA of polytene chromosomes, 5541

RNA-synthesis in Balbiani ring. 5543

sources of proteins in larval salivary-gland secretion. 669

## Chironomus thummi,

incorporation of DNA and RNA into larval salivary-gland cells. 3069

JH in relation to chromosomal puffing and development. 5542

polygene structure of CTT-3 band of haemoglobin, 881

protease of salivary glands. 216

protein-synthesis in giant chromosomes. 187 puff induction by oxytetracycline. 5532

# Chironomus thummi thummi,

isoelectric focussing of haemoglobins. 3454 peptide chains of CTT-3 band of haemoglobin. 3450

Chironomus thummi var. vulviatilis, biomassproduction and ecology in Yugoslav section of R. Danube. 3601

Chironomus transvaalensis, annual fluctuations in water-level in relation to abundance in L. Kariba, Africa, 4087

Chironomus zabolotzkii, biomass-production and ecology in Yugoslav section of R. Danube.

Chironomus zealandicus, ecology in Kiosk Pond, Auckland Domain, New Zealand. 3617

# Chiroptera,

biology and taxonomy of intranasal Trombiculidae, 4237

new Cimicidae associated with in Cambodia.

new Ornithodoros from S. American spp. 508 Chirohyncobia matsoni sp.n. (Arach., Acari,

Chirorrhynchobiidae), described. 4221

Chirorhyncobiidae (Arach., Acari), diagnosis amplified. 4221

Chirothrips (Thysanopt., Thripidae), new spp described. 1483

Chirothrips manicatus, 2nd-instar larva, 3852 Chitin,

chemistry in Heterometrus scaber cuticle. 3864

constituent of hatching thread in Sphodromantis centralis embryo. 2662

in Lucilia cuprina puparium. 5227

morphology of proventriculus intima in Ips cembrae. 4513

produced in midgut of larval Rhynchaenus fagi. 179

two-system model for chitin-protein complexes in insect cuticles. 2583

#### Chitinase,

ultrastructure of Periplaneta americana

embryonic cells producing chitinase in vitro. 3860

chitinase-like enzyme produced by Periplaneta americana cells in vitro, 3935

Chitrella (Arach., Pseudoscorp., Syarinidae), similarities with Pseudoblothrus, 961

Chitrellinae (Arach., Pseudoscorp., Syarinidae), distribution of genera. 961

Chiusanophlebia asaitina gen. et sp.n. (Ephem., Leptophlebiidae), described, 2962

Chlaenius nitidulus (Col., Carabidae), new for Sweden. 448

# Chloramphenicol,

effects on Rhodnius prolixus. 2120 lack of effect on puffing in Chironomus thummi. 5532

Chlorazol black, use in study of microscopic anatomy of Insecta. 602

### Chlordane.

and ATPases of muscle and nerves of Periplaneta americana. 614 toxicity to larval Euxoa messoria. 5182

Chlorfenvinphos, soil applications in relation to Carabidae and Staphylinidae predaceous on Erioischia brassicae, 836

### Chloride,

activation of salivary amylase in Lygus disponsi. 1562

in relation to  $\alpha$  -amylase of hepatopancreas of Heterometrus scaber, 3925

C1 in relation to gut amylase from Lygus disponsi. 4526

concentration in relation to

adult body-size in Ischnura elegans, 2069

Chloridea armigera (Lep., Noctuidae), dispersal in Basses-Pyrénées, France. 334

Chloridea obsoleta, 6-methyl uridine and l-methyl-2-mercaptoimidazole in relation to diapause and moulting, 5293

Chlorobenzilate, control of Neoschoengastia americana on turkeys. 5348

Chlorocyphidae (Odon.), 1943

types in British Museum (Natural History), London, England. 1943

Chloroform, and cuticular permeability in Hyalomma dromedarii and Ornithodoros savignyi. 4458

Chlorogomphus vietnamensis sp.n. (Odon., Gomphidae), described. 1477

**2-Chloroheptane**, in relation to alarm behaviour of Conomyrma pyramica. 3562

#### p-Chloromercuribenzoate,

in relation to  $\alpha$ -amylase of hepatopancreas of Heterometrus scaber. 3925

termination of diapause in Atrachya menestriesi eggs. 2066

# Chloroperla (Plec., Perlidae),

Polish spp. 5767

doubtful for C. Asia. 1481

Chloroperla torrentium, biology and ecology in a stream in Lake District, England. 1322

Chloroperlidae, see Perlidae

Chlorophyta (Algae), dispersal by aquatic insects. 4131

Chloropidae (Dipt.),

63, 2695, 2792, 4651, 4820, 5571, 6044 placed in Drosophiloidea. 5146

Chloroplasts, and production of anti-viral protein in Bombyx mori larva. 2011

Chlorphoxim,

toxicity to larval Attagenus alfierii and A. megatoma. 4454

toxicity to larval Euxoa messoria. 5182

Chlorpromazine,

in relation to endogenous activity of CNS in Nauphoeta cinerea. 618

responses of perfused isolated leg preparations of Gromphadorhina portentosa. 4468

**Chlorpromazine hydrochloride**, and cattle resistance to Boophilus microplus. 3576

Chlosyne lacinia (Lep., Nymphalidae), genetics of 'bicolor', 'nigra' and 'rufa' larval colour-forms, 2848

Choerocampinae (Lep., Sphingidae), sounddetection and role of labial palp. 4482

Choerorrhinus squalidus (Col., Curculionidae), general and Italian distributions. 3240

3-β-OH-5α-Cholestan-6-one, inhibition of ecdysone inactivation in Pyrrhocoris apterus. 3912

Δ<sup>7</sup>-5β-Cholestene-2β, 3β, 14α-triol-6-one, converted to α-ecdysone and 20-hydroxyecdysone in Manduca sexta. 2019

Cholesterol.

allatectomy in relation to cholesterol level in 2 Spodoptera littoralis. 4631

distribution in larval Gonimbrasia belina. 3940 in eggs and newly hatched larvae of Culex pipiens fatigans. 4007

esters possibly main lipid components of scales in Lepisma saccharina. 1124

metabolism and uptake in Musca domestica. 660

nutritional role for Papilio protenor demetrius.

site of transformation of dietary cholesterol to ecdysone in Drosophila melanogaster. 3221

utilization by larval Drosophila melanogaster.
4646

Choleva fagniezi (Col., Leiodidae),

egg-weight during embryonic development. 4634

time of release of moulting-hormone precursor in larva. 4550

Choline,

dietary requirement for optimal growth in Tenebrio molitor larva. 1132

in relation to endogenous activity and synaptic

transmission in nerve-cord of Periplaneta americana. 1528

incorporation of analogues into phospholipids in larval Musca domestica. 3933

substitution for Na in relation to ocellar electroretinogram of Blaberus craniifer. 1074

synthesis of phosphatidylcholine from choline in fat-body of Phormia regina larvae. 1555 utilization in adult Drosophila melanogaster.

Choline chloride, nutritional role for Papilio protenor demetrius. 2012

Choline kinase,

from fat-body of Phormia regina larvae. 1555 partial purification from Periplaneta americana

Cholinergic system, in development of Insecta.

Cholinesterase,

activity in relation to development and metamorphosis in Spodoptera littoralis. 5941

in relation to Bidrin in  $\ensuremath{\mbox{\sc of}}$  Plodia interpunctella. 2691

inhibition by carbamates and phosphoric acid esters in Tetranychus. 5904

inhibition in nervous system of Musca domestic 3404

inhibition by thioether N-methylcarbamates in Musca domestica and Culex. 5157

in relation to leptinotars in in Periplaneta americana. 5392

recovery in organophosphate-treated Musca domestica. 5905

sensitivity in New Zealand populations of Tetranychus urticae. 3677

solubility in head homogenates of Musca domestica. 1576

Chondrilla juncea (Compositae), Aceria chondrilla for control in Australia, 3155

Choreutis (Lep., Glyphipterygidae), new spp described. 4369

Chorion,

of Cordilura deceptiva egg. 290 follicular imprint pattern in Antheraea eggs. 3851

formation in Aeshna. 232

Choriopsoroptes kenyensis gen. et sp.n. (Arach., Acari, Psoroptidae), described. 4232

Chorischizus mucronatus sp.n. (Hym., Ichneumonidae), described. 1919

Chorisoneura (Blatt., Chorisoneuridae), new spp described. 3756

Choristoneura (Lep., Olethreutidae), artificial control methods and population biology. 316

Choristoneura confluctana, outbreak in Ontario, Canada, in 1968. 3184

Choristoneura fumiferana,

conditions for extrusion of 9 sex-pheromone

# Choristoneura fumiferana, contd.

gland. 2082

fatty-acid composition of larva. 1121

growth of epithelial cells and haemocytes in primary culture, 5282

head and neck musculature of adult %. 3866 of reproductive system. 3972

orientation behaviour of newly hatched larvae. 1542

ovicidal effect of hydrochlorination reaction mixture, 4618

pathogenicity of Bacillus thuringiensis, 5800 prothoracic musculature of adult 7. 5832 spermatogenesis and testis development, 4587

Choristoneura murinana, sex-ratio of Trichogramma embryophagum parasitic on. 3524

# Choristoneura occidentalis,

laboratory mating, 5777

reflex-breeding and regurgitation induced in larvae by Lannate, 1086

## Choristoneura pinus,

Araneae and Insecta predaceous on in Michigan, USA. 3615

new parasites of. 2800

parasites in relation to populations in Michigan, USA. 2800

Choristoneura viridis, laboratory mating.
5777

Chorizagrotis auxiliaris (Lep., Noctuidae), parasites and pathogens of larvae. 802

Chorthippus (Orth., Acrididae),

bicolor-mollis group host of Acemyia rufitibia in France. 443 new spp described. 5765

# Chorthippus brunneus,

banding in spermatid chromosomes. 3214 development in crowded and solitary conditions.

ecology in relation to polychlorobiphenyl contamination. 706

egg diapause, 1169

embryonic development, 1169

laboratory rearing, 1169

polychlorobiphenyls in relation to 4th instar. 706

water-absorption of egg in relation to diapause. 1584

Chorthippus curtipennis, circadian rhythm of oviposition, 5310

Chorthippus longicornis, multiple-core complexes in spermatocytes and spermatids. 871

Chorthippus parallelus,

banding in spermatid chromosomes. 3214 energy-flow through a population at Tvärminne, Finland. 1720

parallel polymorphism for supernumerary segments in British populations. 416, 5559 stochastic models for population dynamics.

Chortoicetes terminifera (Orth., Acrididae), night

migrations and population densities. 1241

Chremon arimae sp.n. (Orth., Gryllidae), described. 126

Chromatography, countercurrent distribution chromatography for purification of Nosema spores from insect tissues, 5090

Chromatoiulus anatolicus denticulatus subsp.n. (Myriap., Diplop.), described, 3022

Chromatoiulus rossicus stranschanus, systematic position. 3022

Chromatopoda annulipes (Dipt., Stratiomyidae), re-described. 5677

Chromobacterium (Bacteria), in gut flora of larval Bibio marci. 3919

#### Chromosomes.

aberrant segregation in Drosophila melanogaster.

aberrations due to crystalline hormones and oncogenic viruses in Drosophila melanogaster. 3986

aberrations due to hempa and tepa in Musca domestica. 2186

aberrations due to tepa in Culex pipiens fatigans. 4152

abnormalities in polytene chromosomes of Rhynchosciara angelae maintained in vitro. 1324

of Actias selene. 2834

activity and biochemical cell-differentiation in salivary glands of Camptochironomus. 5544

aneuploidy in relation to mutations in Drosophila melanogaster, 6090

anoxia in relation to post-irradiation behaviour in Drosophila melanogaster, 391

anoxia in relation to X-ray-induced changes in Drosophila melanogaster oocytes. 391

of Aphididae, 1744

apholate in relation to testis germ-cells in Melanoplus differentialis. 4153

arrangement in mature oocytes of Drosophila melanogaster. 4154

association between Y-chromosome lampbrush loops and spermatogenesis in Drosophila hydei. 4887

association between heterochromatic chromosomes and nuclear membrane in Planococcus citri. 1333

asymmetrical heterozygous puffs in Sciara ocellaris. 1332

asymmetry of heteropycnosis in tetraploid cells of Morabinae sp P52a. 5524

of Australasian Chironomus mapped. 1752 of Australian Macropathinae. 1742

autosomal fragmentation and fusion in Odonata. 929

banding in spermatid chromosomes of Acrididae, 3214

bands in relation to genes in Drosophila melanogaster. 5535

- base composition of DNA in Chironomus tentans. 868
- base ratios in RNA from a Balbiani ring in Chironomus tentans. 6078
- behaviour of B-chromosomes in Acrida lata. 4915
- behaviour of SD chromosomes in Drosophila melanogaster, 885
- behaviour in germ-line in Drosophila melanogaster natural populations. 406
- behaviour during meiosis in Histiostoma feroniarum. 5531
- behaviour in nurse-cells and oocytes of Rhynchosciara angelae during oogenesis. 1205
- behaviour of polytene chromosomes of Rhynchosciara angelae in vitro. 1324
- -of bisexual and parthenogenetic Scepticus insularis in Japan. 424
- of Blaberus atropos sp-group. 2936
- bridges produced in germ-cells of Heliothis virescens by  $\gamma\text{-irradiation.}\ 2037$
- caffeine in relation to non-disjunction of sexchromosomes in Drosophila, 888
- of Caloglyphus mycophagus, 3087
- centromere nature of chromosomes of Ranatra elongata. 864
- centromere types and evolution in Insecta. 1751
- chiasma frequency in crowded and solitary Locusta migratoria. 3645
- chiasma-type hypothesis of meiotic chromosomes supported. 3648
- chiasmata per bivalent in relation to <sup>3</sup>H-thymidine switch points per chromatid in <sup>3</sup>Romalea microptera, 3648
- chromosome structure and gene activity. 2833
- B-chromosomes in Pseudococcus obscurus. 5558
- C-chromosome patterns in Drosophila affinis subgroup. 372
- X-chromosome arms in Drosophila athabasca. 3652, 4918
- X-chromosome DNA content in Drosophila melanogaster. 200
- X- and 5th chromosomes in relation to radiation-induced aneuploidy in Drosophila melanogaster, 6086
- Y-chromosome and carnitine acetyltransferase level in Drosophila melanogaster. 3998
- Y-chromosome fragments in immature oocytes of Drosophila melanogaster, 1747
- Y-chromosome lethal in 'echinus deltex' (ec dx) mutant of Drosophila melanogaster. 887
- Y-chromosome mutations in relation to spermiogenesis and sterility in Drosophila melanogaster. 226
- Y-chromosome and spermiogenesis in Drosophila hydei, 1328

- chromosome 3 controlling haemoglobins in a German race of Chironomus tentans. 4148 of Chymomyza costata. 5975
- of Cicidocharella borrichia sp.n. 3321
- claret-nondisjunctional chromosome behaviour in Drosophila melanogaster. 1741
- complementation map for albino Tetranychus urticae and T. pacificus. 2846
- conjugation of polytene chromosomes and crossing-over in Drosophila virilis X D. texana hybrids. 6074
- control of number and pattern of scutellar bristles in Drosophila melanogaster. 4145
- co-orientation stability of experimentally interlocked bivalents in Melanoplus differentialis. 5529
- cortisone acetate in relation to puffing in Drosophila virilis. 236
- crossing-over and chiasma formation in Acrida lata. 377
- crossing-over explained at molecular level. 378
- of Culex pipiens salivary glands. 371
- cytidine and uridine incorporation in Chironomus tentans. 6078
- cytochemistry of Y-chromosome in trophocytes of Anagasta kuehniella. 3048
- cytogenetics of inherited partial sterility in Oncopeltus fasciatus in relation to holokinetic chromosomes. 5546
- cytological localization of DNA complementary to rRNA in polytene chromosomes of Diptera. 5538
- deletions produced in X-chromosome of Drosophila melanogaster by methylthiophosphonic acid diethyleneimide. 6088
- phosphonic acid diethyleneimide. 6088 detection of reciprocal translocations and induced non-disjunction in Drosophila. 380
- developmental control of heterochromatization in paternal chromosomes of Coccoidea. 1327
- developmental homeostasis in relation to Drosophila melanogaster. 878
- differential activity in Drosophila melanogaster. 2181
- dimorphism in Phyllobius longicornis. 3213 DNA from B-chromosomes of Myrmeleotettix maculatus. 2837
- DNA and histone synthesis of spermatocyte X-chromosome in Rehnia spinosus. 3942
- DNA release and synthesis at chromosomepuffs in Chironomidae, Sciaridae and Sarcophagidae, 1120
- DNA-replication and intragenic changes of 'white' region in Drosophila melanogaster. 384
- DNA-replication in polytene chromosomes of Drosophila melanogaster. 1334
- DNA-replication in relation to synthesis of non-histone protein in Chironomus thummi.

- DNA- and RNA-incorporation in Chironomus thummi and Drosophila melanogaster.
- dosage-compensation in Drosophila. 1757
- dosage-compensation and RNA-synthesis in
   puffs in Drosophila melanogaster.
   3654
- dose-dependence of X-chromosome loss due to X-rays in mature Drosophila melanogaster occytes, 886
- of Drosophila guaramunu and guarami subgroups. 366
- of Drosophila melanogaster, 364
- egg-hatch, sex-ratios and translocation transmission in translocation heterozygotes of Musca domestica, 3662
- egg and larval extracts in relation to puffing in Drosophila melanogaster, 874
- egg-production and abdominal chaeta number in Drosophila melanogaster. 2827
- elimination during spermatogenesis in Mayetiola destructor, 1329
- epistasis in relation to homozygote viability in Drosophila melanogaster. 1745
- evolution in Formicidae, 4890
- experimental polyploidy in Bombyx mori. 6071
- extra-terrestrial radiation and radiationinduced damage in reproductive cells of Drosophila, 388
- extra-terrestrial radiation and zero-gravity in Drosophila melanogaster. 390
- factors affecting sex-ratio in 'ebony' Drosophila melanogaster. 908
- fecundity and fertility in relation to sterile chromosomes in a natural population of Drosophila melanogaster. 3682
- fine structure of meiotic pairing and polarization in Locusta migratoria spermatocytes. 5533
- frequency of B-chromosomes in Acrida lata. 4915
- frequency distribution in Japanese Drosophila melanogaster populations. 3681, 3686
- frequency distribution of lethal 2nd-chromosomes in small populations of Drosophila melanogaster. 419
- frequency of exchanges in ring chromosomes in normal mitoses of Drosophila melanogaster. 6087
- frequency of lethal mutations in sex-chromosomes of Drosophila melanogaster due to extra-terrestrial radiation. 402
- frequency of X-ray-induced crossing-over in Drosophila melanogaster. 1761
- frequency of sterile chromosomes in a natural population of Drosophila melanogaster. 3682
- genetic load and polymorphism in Drosophila pseudoobscura. 1775

- genetic loads associated with cold-resistance in adult Drosophila pseudoobscura. 1330
- of Gilletteella cooleyi. 3119
- of Glyphotaelius pellucidus. 2835
- heterosis in Drosophila pseudoobscura heterozygous for lethal chromosomes. 3683
- hormones in relation to polytene chromosomes of Chironomus tentans. 3073
- induction of isochromosomes by X-rays in of germ-cells of Drosophila melanogaster. 2178
- Inhibition of Schiff reaction in ovigerous tissue of Anoetidae, 1956
- interaction of Drosophila funebris chromosomes from urban and rural races. 6103
- interactions in relation to mating-speed in Drosophila robusta. 268
- interchange-mediated non-disjunction at meiosis in Drosophila melanogaster, 4898
- interchromosomal effect of inversions on crossing-over in Drosophila virilis X D. texana hybrids. 6076
- interpretation of puffing patterns in polytene chromosomes. 3210
- intranucleolar DNA of polytene chromosomes in Drosophila melanogaster. 368
- inversion polymorphism in Chironomidae, Culicidae and Drosophila, 1347
- inversions and inversion polymorphisms in Cnephia. 873
- inversions in phylogeny of Drosophila affinis subgroup, 372
- inversions and translocations in 'Xasta' mutant of Drosophila melanogaster, 403
- JH in relation to puffing in Chironomus thummi. 5542
- karvotypes of Alticinae, 5536

Taiwan, 876

- karyotypes of an Andean Forsteritus sp. 5536
- karyotypes of Cnephia (Stegopterna). 873
- karyotypes of Danaidae and Satyridae of
- karyotypes of Eumastacidae. 6075
- karyotype evolution in Gomphidae. 912
- karyotype evolution in Odonata, 912, 929
- karyotype evolution in Tetranychidae. 4146
- karyotypes of Formicidae. 4890
- karyotypes of Rhytidoponera metallica populations from Victoria, Australia. 904
- populations from Victoria, Australia. 90karyotypes of Teleogryllus commodus, T.
- oceanicus and their hybrids. 867
- lethal factors on A-B chromosome in Chironomus nuditarsis populations. 1223
- linkage-group/karyotype correlation in Musca domestica. 1756
- loci controlling 'ruby-eye' in Musca domestica.
- 'low pyridoxal oxidase' (lpo) mutant of Drosophila melanogaster. 1774
- of Lysandra corridon sp-group. 3215
- of Megalagrion oahuense, 4144
- of Melipona of S. America. 1904

method for identifying recombination lethals in Drosophila melanogaster. 1342

method for identifying wild-type and translocation chromosomes. 865

methods for estimating degree of allelism within and between populations. 921

monocentricity in Ranatra filiformis. 2180 monohydrogenarsenate and selenocystine in

relation to cross-over frequency. 882

monohydrogenarsenate and selenocystine incorporation into chromosomal protein. 2179

of Moraba viatica populations on Kangaroo I., Australia. 1781

multiple-core complexes in spermatocytes and spermatids of Chorthippus longicornis. 871

multiple-peak hypothesis of epistasis in Drosophila melanogaster, 1755

multiple synaptinemal complexes at geneamplification region in Acheta domestica. 5534

mutations induced by EMS and X-rays in Drosophila melanogaster. 400

mutations induced by ionizing radiation in post-meiotic cells of of Bombyx mori. 401

mutations affecting meiosis in natural populations of Drosophila melanogaster. 406

in natural populations of Metrioptera brachyptera, 369

of Nesogonia blackburni. 4144

of new Drosophila paulistorum strains. 2841

non-disjunction of Y- and 4th chromosomes in irradiated compound-X 9 9 of Drosophila melanogaster. 4896

non-disjunction due to 1,2-dichloroethane in Drosophila melanogaster. 6091

non-homologous pairing and non-disjunction of 2nd chromosomes in oogenesis in Drosophila melanogaster, 6077

non-random assortment in SD heterozygous XYY of Drosophila melanogaster, 3211

non-replicating DNA in centric regions in Drosophila melanogaster. 1748

normal chiasmate meiosis in Nauphoeta cinerea. 3644

nucleic-acid synthesis in giant chromosomes. 3217

number and X-chromosome morphology in Thermobia domestica, 4892

numbers in Baëtis vernus and B. rhodani. 3977 numbers in Blattodea. 5269

numbers in Dicranura vinula subspp. 2530

numbers in Didymuria violescens. 4135

numbers in Lepidoptera of Taiwan. 875, 876

numbers in Odonata. 929

numbers in Rhopalocera of N. America. 886 numbers in subgenus Stegopterna of Cnephia.

numbers in Teleogryllus commodus,

T. oceanicus and their hybrids. 867

in nurse-cells of Labidura riparia. 3085

organic mercury compounds in relation to segregation in Drosophila melanogaster. 252

of Oulema melanopus. 365 parallel inversion polymorphisms in Drosophila grimshawi subgroup. 1348

parallel polymorphism for supernumerary segments in British Chorthippus parallelus. 416, 5559

phenocopies of Y-segment deficiency produced in Drosophila hydei. 1328

phosphorylation of salivary-gland chromosomes in Sciara coprophila. 2838

physical tension in relation to chromosome co-orientation stability in Melanoplus differentialis. 5529

poliomyelitis virus and induction of lethal mutations in sex-chromosomes of Drosophil melanogaster. 2847

polymorphism for chromosome number in Hymenoptera. 904

polymorphism for chromosome number in Rhytidoponera metallica in Victoria, Australia. 904

polymorphism in Drosophila guaramunu and guarami subgroups. 366

polymorphism in Drosophila pavani. 1777 polymorphism in Drosophila pseudoobscura. 414

polymorphism in Drosophila robusta. 414 polymorphism in Drosophila tetrachaeta from Papua, New Guinea. 414

polymorphism in experimental populations of Drosophila melanogaster. 906

polymorphism in laboratory populations of Drosophila pavani. 1346

polymorphism in Moskva, USSR, populations of Drosophila funebris. 6096

polymorphism in Mycodrosophila stalkeri and  $M_{\bullet}$  claytonae. 1776

polymorphism and the semi-incompatib

polymorphism and the semi-incompatibility system. 905

polyploidy in Baëtis. 3977

polyploidy in phylogeny and speciation. 6071 polyploidy of pre-follicular nuclei in Ulopa

polyploidy of pre-follicular nuclei in Ulopa reticulata. 3964

polytene-chromosome behaviour in tissues of Calliphora stygia. 3210

polytene-chromosome RNA of Chironomus tentans. 5541

polytene chromosomes in silk-gland cells of Bombyx mori. 370

polyteny of giant chromsomes. 3217

polyteny in salivary glands of Drosophila hydei. 211

polyteny in silk-gland cells of Bombyx mori. 37 position of 'Amy' region in Drosophila melanogaster. 2622

- position of 'cp', 'in' and 'ri' genes and 3rdchromosome centromere in Drosophila melanogaster. 6084
- precocious segregation of X-chromosome in Leucophaea maderae. 4893
- of Procecidochares utilis. 2836
- productivity of combinations between chromosomes 1, 2 and 3 of Oregon-R and 'vellow' in Drosophila melanogaster, 928
- in relation to 1,3-propanediol dimethanesulphonate in Musca domestica, 4608
- of Prosimulium magnum and P. multidentatum. 2182
- protective action of indenes on X-ray-induced chromosomal aberrations in Drosophila melanogaster, 4897
- puff-formation in relation to chromosomal position in Drosophila melanogaster, 1750
- puff-induction by oxytetracycline in Chironomus
  thummi, 5532
- puffing in relation to cortisone acetate in Drosophila virilis. 236
- puffing in giant chromosomes. 3217
- puffing induced by hormones in polytene chromosomes of Chironomus tentans. 3073
- puffing patterns of chromosome B in foot-pad cells of Sarcophaga bullata. 5528
- puffing patterns in relation to crystalline hormones and oncogenic viruses in Drosophila melanogaster. 3986
- puffing-patterns in Drosophila melanogaster and D. simulans. 872
- puffing patterns in lethal tumorous larvae of Drosophila melanogaster. 2181
- puffing-patterns in polytene chromosomes. 3210
- puffing in polytene chromosomes of Rhynchosciara angelae maintained in vitro. 1324
- puffing in salivary-gland chromosomes of Culex pipiens, 371
- puffing in salivary-gland chromosomes of Drosophila ananassae. 3216
- puffs in relation to gene activity. 2833
- X-radiation in relation to chromosomes of Drosophila melanogaster. 886
- X-radiation and crossing-over in Q Drosophila melanogaster, 4140
- X-ray-induced Y-chromosome fragments in mature oocytes of Drosophila melanogaster. 4154
- X-ray-induced loss of ring-X chromosomes in germ-cells of of Drosophila melanogaster. 393
- in relation to X-ray-induced mitotic recombination in Drosophila melanogaster. 1764
- X-ray-induced recombination in 4th chromosome of Drosophila melanogaster. 4888
- X-ray induction of isochromosomes in germ-cells of Drosophila melanogaster. 2178

- radiosensitivity of oocyte chromosomes during meiosis in Drosophila melanogaster. 5550
- rearrangements in Chironomus riparius following  $\gamma$ -radiation. 2843
- rearrangements induced by heliotrine in Drosophila melanogaster. 405
- rearrangements in Planococcus citri. 5530
- recessive eye-colour mutation on Y-chromosome of Calliphora erythrocephala. 1340
- region X 1-4E in Drosophila melanogaster map. 5535
- repair of lethal damage O<sub>2</sub>-dependent in Drosophila eggs exposed to X-radiation. 247, 248
- repair of pre-mutational damage in ♂ Bombyx mori germ-cells. 401
- repair system of c<sup>3</sup>G mutant of Drosophila melanogaster. 411
- replication in DNA-puffs in Sciara coprophila. 189
- of Rhynchosciara angelae in relation to dosagecompensation. 1754
- RNase in relation to larval salivary glands of Drosophila virilis. 3929
- RNA-synthesis in a Balbiani ring in Chironomus tentans. 5543
- RNA-synthesis in polytene chromosomes of Chironomus tentans. 6079
- salivary-gland chromosome variation in Drosophila affinis subgroup. 372
- salivary-gland chromosomes of Anopheles barbirostris. 3651
- salivary-gland chromosomes of Chironomus oppositus. 1752
- of Scepticus insularis. 3674
- of Sciomyzidae. 3206
- SD region in Drosophila melanogaster. 885
- segregation of recombinant 4th chromosomes after X-radiation in Drosophila melanogaster.
- selection coefficients of heterozygotes for lethal chromosomes in Drosophila pseudoobscura, 3683
- selection in Drosophila pseudoobscura populations differing in initial chromosome variant frequency, 3687
- sex-chromosome trivalent in Lepidoptera. 5547
- sex-chromosomes of Halticinae. 5536 sex-chromosomes of Lepidoptera. 5547
- sex chitomosomes of Lephdoptera. 3547
- sex-chromosomes of Odonata. 912
- $Xyy_p$  sex-determining mechanism in Deporaus pacatoides. 4909
- sex-dimorphism of X-chromosome size in Drosophila melanogaster. 3653
- significance of rare inversions in Chironomus. 2842
- single-stranded DNA in salivary-gland chromosomes of Chironomus. 1749
- in relation of speciation. 2182 spermatocytes lacking heterochromatic

chromosome set in d'Pseudococcus obscurus. 5548

spermiogenesis from aneuploid spermatids in Drosophila melanogaster. 1335

sterility content of 2nd chromosomes in Drosophila melanogaster populations from Fusagasuga, Colombia. 3685

storage of alkylated chromosomes in relation to mutagenicity of monofunctional alkylation in Drosophila melanogaster. 3222

of Sympetrum. 4144

synaptinemal complexes controlled genetically in Drosophila melanogaster. 367

temperature in relation to non-disjunction of X-chromosomes in eggs of aged Drosophila melanogaster. 架. 889

of Tetranychidae. 4146

tetraploid 99 in Mormoniella vitripennis. 1779 tetraploidy of epidermal cells in Philosamia cynthia ricini. 3399

tetraploidy induced by tepa in larval brain cells of Culex pipiens fatigans. 4152

of Timarcha goettingensis and  $T_{\bullet}$  normanna. 4993

tissue-extracts of eggs and larvae in relation to puffing-patterns in Drosophila melanogaster. 874

translocation heterozygotes of Glossina austeni. 383

translocations for control of Culex pipiens. 389 translocations between eu- and heterochromatic chromosomes in Pseudococcus obscurus. 5548

translocations in mutants of Blattella germanica. 865

transmission of chromosomal fragments through generations in Oncopeltus fasciatus. 2840

transmission of extrachromosomal delta through of parents in Drosophila melanogaster.  $4885 \,$ 

of Trichoptera. 1743

ultrastructure of meiotic chromosome pairing and polarization in Locusta migratoria spermatocytes. 869

ultrastructure of synapsis in Locusta migratoria spermatocytes, 5533

viability of formaldehyde-induced cross-over chromosomes in Drosophila melanogaster. 4143

'white-crimson' gene and its controlling element mapped in Drosophila melanogaster. 1746

Chrotogonus trachypterus (Orth., Pyrgomorphidae), brain and optic lobes. 1521

Chrysanthemum morifolium var.sinense

(Compositae), overwintering host for Aphis gossypii. 6017

Chrysididae (Hym.), 1914, 2222, 4740, 5723

from N.E. Danube Delta, Romania. 2222 of Palestine and description of new taxa. 5723

Chrysis (Hym., Chrysididae), spp new for Romania. 2222

Chrysium mesembrinus gen. et sp.n. (Lep., Lasiocampidae), described. 4372

Chrysocarabus lateralis (Col., Carabidae), redescribed and varieties differentiated. 3735

Chrysocarabus solleri, new locality from Alpes-Maritimes, France, 4188

Chrysocharis (Hym., Eulophidae),

Astichus auratus transferred to. 4350 new spp described. 1451

Chrysocharis combretae, type-sp of Schizocharis gen.n. 1451

Chrysocharis laricinellae, competition with Agathis pumila on Coleophora laricella. 6005

Chrysochlamys Bemberitter 1921 (Col.,

Scarabaeidae), renamed Spinochlamys. 4282 Chrysochraon bey-bienkoi sp.n. (Orth., Acrididae

described, 3012 Chrysocoris stollii (Hem., Het., Pentatomidae), nervous system, 3882

Chrysocrata coruscans gen. et sp.n. (Lep., Tineidae), described. 1473

Chrysodeixis (Lep., Noctuidae), new spp described. 4379

Chrysolina quadrigemina (Col., Chrysomelidae), establishment in Hawaii for control of Hypericum perforatum. 4110

Chrysomela (Col., Chrysomelidae), C. Asian and Kazakhstan (USSR) spp of subgenus Pezogrosita keyed and new spp described.

Chrysomela hyperici, biological control of
Hypericum perforatum in New Zealand. 6027

Chrysomelidae (Col.),

486, 487, 708, 784, 795, 804, 818, 940, 969, 1087, 1384, 1408, 1409, 1646, 1845, 1846, 2057, 2062, 2066, 2477, 2484, 2621, 2658, 2659, 2677, 2753, 2763, 2767, 2902-2904, 3100, 3278, 3301, 3428, 3448, 3474, 3553, 3554, 3594, 3740-3742, 3992, 4030, 4068, 4110, 4255, 4269-4272, 4692, 4696, 4712, 4763, 4784, 4834, 4964, 4992, 5100, 5213, 5280, 5289, 5293, 5334, 5355, 5363, 5392, 5401, 5448, 5455, 5536,

25, 26, 146, 152, 300, 329, 365, 452, 466,

5635-5637, 5786, 5878, 5950 hindwing venation. 152

importance of Barbarea vulgaris in New York State, USA. 329

Japanese spp of yaeyama group. 1384 new spp from Taiwan. 25

sex-chromosomes and karyotypes in Halticinae. 5536

teratology. 2057

Chrysomeloidea (Col.), homology and nomenclatur of hind-wing venation and phylogeny. 152 Chrysomphalus aonidum (Hem., Hom., Diaspididae),

amylase and invertase activity, 5238

Aphytis holoxanthus and Casca smithi as parasites, 6045

control by Aphytis in Libva. 312

control by Aphytis holoxanthus in Florida, USA. 1694

introduction of parasites into Israel for control.

rate of consumption by Chilocorus bipustulatus.

# Chrysomphalus dictyospermi,

ecology and rate of parasitization by Aphytis in Egypt. 6034

prey of Hemisarcoptes dzhashii sp.n. in Gruziya, USSR. 1393

use in mass-rearing of Coccinellidae, 595

### Chrysomphalus ficus.

population changes on orange in response to cessation of spraying, 2807

use in mass-rearing of Coccinellidae. 595

Chrysomya (Dipt., Calliphoridae), biology and ecology of desert spp in Egypt, 4829

Chrysomya bezziana, biology in relation to Elephas maximus and Loxodonta africana. 5416

# Chrysomya megacephala,

insecticide susceptibility, 4578

scavenger on new-born calves in Hawaii. 4040 Chrysomya rufifacies,

insecticide susceptibility. 4578

myiasis of new-born calves in Hawaii. 4040 Chrysomya putoria, malathion resistance. 1158

Chrysopa (Neur., Chrysopidae),

dolicharthra and texcucana transferred to Meleoma. 4389

electroretinogram. 2598

musculature and skeleton of thorax in larvae.

predator of Laspevresia funebrana in Rostov area, USSR. 1675

prey of Diplacodes trivialis and Pantala flavescens at Nankum, India. 4840

relations to Coccus hesperidum in citrus groves of lower Rio Grande Valley, USA, in 1966. 830

Chrysopa abbreviata, aberration of forewings. 1509

Chrysopa albolineata, aberration of forewings. 1509

## Chrysopa carnea,

attraction to terpenyl acetate bait. 2741 in relation to cage populations of Heliothis zea. 3600

diapause maintenance and termination. 4600 photoperiod and diapause. 3988, 3990 pigments. 5249

predator of Aphidoidea in N.E. Belorussia.

predator of Gynaikothrips ficorum on

Ficus nitida, 6047

predator of Prays oleae in Mediterranean Basin, 320

RH and temperature in relation to development, fecundity and longevity, 5298

Chrysopa chrysops, mass-swarming, 3701

Chrysopa commata, ecology in Czechoslovakia, 826

Chrysopa dasyptera, predator of Aphidoidea in N.E. Belorussia. 1306

Chrysopa nigricornis, attraction to terpenyl acetate bait, 2741

### Chrysopa oculata,

diapause, 1182

prev preferences of larva, 2736

Chrysopa perla, female accessory gland in oviposition. 4644

# Chrysopa phyllochroma,

ecology in Czechoslovakia. 826 new record from S. Norway. 3701

Chrysopa septempunctata, new record from S. Norway. 3701

### Chrysopa vulgaris.

gravity perception and leg proprioceptors. 4495 photo-geotactic angle-transposition, 5207 predator of Chilocorus bipustulatus in Israel.

# Chrysophanus (Lep., Lycaenidae),

replaced by Harkenclenus, 4375 spp with types originally described as Lycaena by W.H. Edwards. 1015

Chrysophyta (Algae), dispersal by aquatic insects. 4131

### Chrysopidae (Neur.).

320, 826, 830, 1182, 1306, 1509, 1675, 1701, 2579, 2598, 2736, 2741, 3600, 3988, 3990, 4389, 4495, 4600, 4644, 4840, 5207, 5249, 5298, 5591, 6047

Argentine distribution. 4205 homologies of genitalia, 4389

Chrysopilus (Dipt., Rhagionidae), calopterus and consanguineus redescribed. 4309

Chrysopilus cristatus, soluble proteins of developmental stages. 1134

Chrysopinae (Dipt., Tabanidae), tribes, genera and subgenera keyed. 545

### Chrysops (Dipt., Tabanidae),

abundance and seasonal distribution at Great Swamp, New Jersey, USA. 2774

ecological distribution of larvae in a New Jersey, USA, salt-marsh. 4828

larvae and pupae of eastern N. American spp.

taken by dry-ice trapping in Okayama Prefecture, Japan. 1670

Chrysops atlanticus, emergence and flight activity. 3543

Chrysops celatus, abundance and seasonal distribution at Great Swamp, New Jersey, USA. 2774

Chrysops fuliginosus, emergence and flight activity. 3543

Chrysops suavis, bionomics and feeding behaviour. 1677

Chrysops univittatus, abundance and biotope and seasonal distributions at Great Swamp, New Jersey, USA, 2774, 3620

Chrysops vittatus,

abundance and biotope and seasonal distributions at Great Swamp, New Jersey, USA. 2774 contact chemoreceptors. 5197

crop sugars. 4756

feeding stimulants and receptors in 9. 2108

mortality due to Bacillus cereus at Great Swamp, New Jersey, USA. 2774

nectar sugars as chemostimulants of tarsal contact chemoreceptors. 4768

sugar-feeding behaviour of 9. 4761

Chrysotoxum (Dipt., Syrphidae), new GDR records for octomaculatum and verralli. 6125

Chthonius elbanus (Arach., Pseudoscorp., Chthoniidae), distribution. 439

Chthonius ischnocheles, life-cycle, lonevity and phenology, 4854

Chthonius microphthalmus, distribution. 439

Chthonius tenuis, life-cycle, longevity and phenology, 4854

Chthonius tetrachelatus, new for Michigan, USA. 3706

Chymomyza (Dipt., Drosophilidae),

abundance in S. Hokkaido, Japan. 2144 European spp keyed. 5975

Chymomyza strimana, new for Hokkaido, Japan. 2144

Chymomyza costata, biology and karyology. 5975
Cicada orni (Hem., Hom., Cicadidae), auditory
system and songs. 2044

Cicada zelandica, transferred to Amphipsalta gen. n. 3337

Cicadella viridis (Hem., Hom., Cicadellidae), energetics and O<sub>2</sub>-uptake. 5850

Cicadellidae (Hem., Hom.),

98, 310, 327, 472, 557, 558, 727, 728, 740, 806, 814, 827, 998-1000, 1285, 1443, 1444, 1693, 1729, 1816, 1892, 1894, 1955, 2093, 2141, 2619, 2620, 2736, 2983-2985, 3015, 3142, 3691, 3791-3793, 3918, 3920, 3984, 4053, 4067, 4331-4333, 4434, 4657, 4678, 4711, 4714, 4758, 4830, 4852, 5042-5046, 5196, 5338, 5441, 5458, 5693-5696, 5698-5700, 5776, 5850, 6052, 6127

bronchosomes in atmospheric aerosol at Harwell, England. 2619, 2620

device for collecting eggs. 5776

endosymbionts and transmission. 4053

food source for savannah ants. 1729

prey of Chrysopa oculata. 2736

prey of Solenopsis saevissima richteri in S.E. Louisiana, USA. 3136

seasonal populations on Gossypium in Egypt. 6052

vectors of mycoplasms and phytarboviruses. 5441

Cicadetta montana (Hem., Hom., Cicadidae), auditory system and songs. 2044

Cicadetta strepitans, transferred to Amphipsalta gen.n. 3337

Cicadidae (Hem., Hom.),

97, 1063, 1157, 1535, 1895, 2044, 2139, 2813, 3337, 3569, 5692

auditory system and songs. 2044

of Niokolo-Koba National Park, Senegal. 1895 sound-production. 1063

vertical distribution in Japan. 2813

Cicadoidea (Hem., Hom.),

effectiveness of Turnbull and Nicholl's quick trap in Alpine grassland communities. 1499

sample size in population estimation. 5121

Cicadulina (Hem., Hom., Cicadellidae), hipunctella and chinai new for India. 1816

Cicer arietinum (Leguminosae), fecundity of Pyrgomorpha conica, 6003

Cichorium pumilum (Compositae), toxicity of extracts for Culex p. pipiens larvae. 5824

Cicidocharella (Dipt., Tephritidae), new for Nearctic Region. 3321

spp keyed. 3321

Cicidocharella borrichia sp.n., described. 3321 Cicindela campestris (Col., Cicindelidae),

pygidial glands. 3134

Cicindela cancellata, ecdysial lines of larvae. 3847

Cicindela hybrida maritima, pygidial glands. 3134 Cicindela repanda, Upper Michigan, USA, populations with reduced elytral maculae. 3191

Cicindelidae (Col.),

27, 434, 3134, 3191, 3569, 3743, 3847, 6115 Italian taxa. 6115

relationships with Carabidae on basis of immunological reactions. 434

Ciconia ciconia (Aves), predators of Locustana pardalina. 5474

Ciliosa peruana gen. et sp.n. (Hym., Braconidae), described. 1907

Cimbicidae (Hym.), 1378

of Poles'ye of Belorussia, USSR. 1378

Cimex (Hem., Het., Cimicidae), sperm activation, disaggregation and movement. 1210

Cimex angkorae sp.n., described. 2968

Cimex hemipterus, new record for Cambodia. 548 Cimex lectularius,

humidity reactions. 5206

median-cord development in egg. 2661 temperature reactions. 5205

Cimicidae (Hem., Het.),

548, 1210, 1510, 2661, 2698, 5205, 5206 predation on Oscinella frit in oats. 2792

Cimicoidea (Hem., Het.), relationships of Joppeicidae, 4706

Cimicomorpha (Hem., Het.), pulvillus. 3392

Cinara pinihabitans (Hem., Hom., Lachnidae), re-discovered in Steiermark, Austria, 5429

Cinchona (Rubiaceae), parasites of Entypotrachelus on. 2755

Cincticornia bivalviae (Dipt., Cecidomylidae), transferred to Lobopteromyla, 3763

Cinderella (Dipt.), transferred to Heleomyzidae and new spp described. 57

Cinematography, time-lapse cinematography for study of feeding behaviour in Acrididae. 601

Cingalobolus bugnioni (Myriap., Diplop.), antimicrobial substance in excrement, 1250

Circobotys (Lep., Pyralidae), new taxa described. 2532. 3824

Circulifer (Hem., Hom., Cicadellidae), distribution and taxonomy of Indian spp. 4332

Circulifer dubiosus, new Indian records. 4332 Circulifer nausharensis, syn.n. of C. opacipennis. 4332

# Circulifer tenella,

new Indian records. 4332

retained as name for 'beet leafhopper'. 4333

Cirphis compta (Lep., Noctuidae), control by Nematoda in India. 2143

Cirrospilus (Hym., Eulophidae), African spp discussed and new spp described. 1451

Cirsium arvense (Compositae), releases of Altica carduorum against in Canada. 4068

Cirsium vulgare, biology of insects on in England and Wales. 326

Cissus adenocaulis (Vitaceae), use as trap crop for protection of cotton from Lygus vosseleri. 5438

#### Cistrons,

amplification of ribosomal cistrons in heterochromatic DNA-body of Acheta domestica. 1111

localization of ribosomal cistrons in Diptera. 5538

nucleotide sequences in Drosophila melanogaster tRNA, 199

Cistus (Cistaceae), collection of petals by Aphaenogaster gemella. 4862

Citellus (Rodentia), host-feeding associations of Aedes cinereus in Wisconsin, USA, 4752

Citellus tridecemlineatus, host-feeding association with Culicidae. 4752

Cithearias andromeda (Lep., Saturniidae), biology in Venezuela. 4819

Citrate, metabolism in adult of Schistocerca gregaria. 3456, 4001

Citrogramma gen.n. (Dipt., Syrphidae), established.

Citronellal (3,7-dimethyl-6-octenal), from workers of Acanthomyops claviger. 661

Citronellol (3,7-dimethyl-6-octane-1-ol), from workers of Acanthomyops claviger. 661

#### Citrulline,

in haemolymph of Apis mellifera. 5226 in larval Aedes aegypti. 190 Citrus (Rutaceae),

acaricides for control of Phyllocoptruta oleivora, 5360

annual treatments in relation to size and intra-tree distribution of Aonidiella aurantii populations in S. California, USA. 5488

biology and ecology of Lecanium deltae in Tucuman, Argentina, 4058

biology of Papilio demoleus in Sudan. 5971 damage caused by Phyllocnistis citrella. 5378 economic threshold and treatment forecast

for Aonidiella aurantii in Israel. 5483 efficacy of natural enemies of Aonidiella

aurantii on citrus in Israel. 2793

flower-visiting activity of Epuraea domina. 4742

flower-visiting activity of Oxycetonia jucunda.  $4742\,$ 

flushing rhythm in relation to Trioza erytreae

in E. Transvaal and Swaziland. 805 host of Saissetia neglecta sp.n. in Florida, USA. 5040

parasites of Aleyrodidae, Aphididae and Coccidae in Israel. 5578

phenology of Chilocorus bipustulatus in Israel. 5500

secondary host of Petrobia latens in Rajasthan, India, 4718

windbreaks in relation to abundance and distribution of Coccus hesperidum in Texas, USA. citrus groves, 4837

Citrus aurantium (Rutaceae) (orange),

efficacy of natural enemies of Aonidiella aurantii in Israel. 2793

population changes of Acari in response to cessation of spraying. 2807

Citrus limon (lemon), pheromone production in Aonidiella aurantii reared on. 2646

Citrus medica, development of Papilio demoleus. 237

# Citrus paradisi (grapefruit),

host of Ectomyelois ceratoniae in Israel. 318 natural control of pests by Aphytis in Libya. 312 presence of arrestants for Acromyrmex oct ospinosus and Atta cephalotes. 4128

Citrus unshiu (mandarin orange), comparison with synthetic diets for mass-production of Papilio protenor demetrius, 2012

Cixiidae (Hem., Hom.), 490, 1896, 6002 seasonal populations on Gossypium in Egypt. 6052

Cladocera (Crustacea), prey of Limnesia maculata. 1320

Cladosporium myrmecophilum (Fungi), in nests of Lasius fuliginosus. 4124

Cladoxeninae (Col., Languriidae), distribution of African spp. 5000

Clania cameri (Lep., Psychidae), parasitized by Brachycoryphus nursei at Karachi, Pakistan. 2114 Clasmatotenesis, in flight-muscle of adult and embryonic Coleoptera, Diptera, Hymenoptera and Lepidoptera, 1050

Classification, see also Systematics and Taxonomy in relation to nature of taxonomic data. 2456

Clausenia comperei (Hym., Encyrtidae), new for Republic of S. Africa. 5724

Clausicella neomexicana (Dipt., Tachinidae), parasite of Homoeosoma electellum on sunflower in Texas, USA, 2808

Clausicella suturata, parasite of Ectomyelois ceratoniae in Israel. 318

Clavemeopodus gen.n. (Col., Cerambycidae), established. 1843

Clavicornia (Col.), Lamingtoniidae fam.n. established. 4252

Clavigerella gibbosa (Hem., Het., Coreidae), pH and digestive enzymes of gut and pH. 5853

Clavigerinae (Col., Pselaphidae), status of Fustigerini and creation of new tribes. 2496

Clavipalpus (Col., Melolonthidae), new spp described. 5005

Claws, claw setae in Acanthosomatidae and Urostylidae. 3853

Cleidogonia caesioannulata (Myriap., Diplop., Cleidogonidae), tolerance to desiccation.

Clematis cirrhosa (Ranunculaceae), host of Phytomyza cirrhosae and Ph. mallorcensis spp.n. 5022

Cleome serrulata (Capparidaceae), effect of extracts on growth and survival of Melanoplus femurrubrum, 3978

Cleonymidae (Hym.), 4779

Cleora formosata (Lep., Geometridae), type-sp of Monroa. 3811

Cleozona (Col., Cerambycidae), from Mexico and C. America. 2899

Clepsis semialbana (Lep., Tortricidae), food selection of larvae. 1253

Cleridae (Col.),

286, 525, 1368, 2127, 2742, 3537 of Carpathian Basin, Hungary. 1368 status of British spp. 1804

Clerocarbus inamatus gen. et sp.n. (Hem., Het., Lygaeidae), described. 994

Clerodendron inerme (Verbenaceae), toxicity of extracts for Culex p. pipiens larvae. 5824

Clerodendron japonicum, Aphis gossypii not overwintering on. 6017

Clerondendron trichotomum, Aphis clerodendri overwintering on. 6017

Cleroidea (Col.),

families keyed and new families established. 4985

phylogeny. 4985

Clerolanguria latipennis (Col., Languriidae), new for Ivory Coast. 40

Clethrionomys andersoni (Rodentia), Siphonaptera of in Yatsugatake Mts., Japan. 2787 Clethrionomys glareolus,

Acaroidea of nests in Belorussia, USSR. 1292 host of Hirsutiella gen.n. 4238

host of Neotrombicula talmiensis carpathicum subsp.n. 4238

infestation rates by ectoparasitic Acari in C. Sweden. 4186

reproductive biology of Megabothris turbidus. 2086

Clidicinae (Col., Scydmaenidae), S. African tribes keyed. 47

Climacea areolaris (Neur., Sisyridae), associated with Spongilla fragilis in Savannah R., USA. 1692

#### Climate,

in relation to abundance and distribution of stored-product insects in California, USA. 5105

in relation to coleopteran fauna of Puglia, Italy. 343

in relation to ecology of Adelges piceae in Maritime Provinces, Canada. 6028

Climbing, ability of Sitophilus on smooth glass.

#### Clines,

behaviour, dominance and survival within Amathes glareosa populations of Shetland Islands, 418

gene-flow in Amathes glareosa population in Shetland Islands. 418

variation in diapause-development characteristics of Chilo suppressalis. 4723

Clinodiplosis (Dipt., Cecidomyiidae), on Ficus in Gurdaspur, India. 3761

Clinonana (Hem., Hom., Cicadellidae), incorrectly placed in Ledrini. 2983

Clinotanypus cf. maculatus (Dipt., Chironomidae), occurrence in L. Chilwa, Malawi. 3162 Clitarchus hookeri (Phasm., Phasmatidae), larva

described, 3384
Clitumnus extradentatus (Phasm., Phasmatidae),

Clitumnus extradentatus (Phasm., Phasmatidae), location of type-C neurosecretion. 4475

Clivina bipustulata (Col., Carabidae), populations as affected by insecticide treatments. 825

Cloeon longistylus sp.n. (Ephem., Baëtidae), described. 1884

Cloeotus (Col., Scarabaeidae), new spp described. 3309

Closterothrix secernenda sp.n. (Lep., Lasiocampidae), described. 4372

Clover, see Trifolium

Clover head weevil, see Hypera meles

Clovia nigricans sp.n. (Hem., Hom., Cercopidae), described. 1895

Clubiona kulczynskii (Arach., Aran., Clubionidae), new for Poland. 6111

# Clubiona phragmitis,

number of external spinning structures in relation to population isolation. 4119 silk apparatus. 3956 Clubionidae, new spp from New Guinea. 502

Clunio (Dipt., Chironomidae), aquilonius and tsushimensis distinct spp. 1971

Clunio marinus,

adaptations to Arctic conditions in Norway.
1734

ecological differences between European populations. 1734

Clysia (Lep., Cochylidae), spp transferred to Eupocecilia. 119

Clysiana (Lep., Cochylidae), spp transferred to Eupocecilia. 119

Clytina giraudi (Hym., Signiphoridae), parasitic on pupal Haplegis flavitarsis. 4820

Clytiomyia continua (Dipt., Tachinidae), meeting of the sexes and mating, 3529

Clytiomyia helluo, laboratory production of a 3rd generation. 5386

Clytra (Col., Chrysomelidae),

eggs collected by Formicidae. 4030 Palaearctic taxa discussed. 4269

subgenus Hirtoclytra syn.n. of Clytra s.str. 4269

Clytra atraphaxidis ab.nigrithorax, syn.n. of Antipa biguttata. 4269

Clytra atraphaxidis cobosi subsp.n., described. 2902

Clytra puberula,

new for Catalonia (Spain) and Pyrenees-Orientales (France). 2902

reduced to subsp of quadripunctata. 4269 Clytra quadripunctata appendicina, not occurring

in France. 4269

Clytrinae (Col., Chrysomelidae), developmental biology of C. European spp. 4030 from S.W. Africa. 2484

Cnaphalocrosis medinalis (Lep., Pyralidae), seasonal population fluctuations in

Philippines. 346 Cnemodesmina (Myriap., Diplop., Paradoxo-

somatidae), S. African spp. 1025 Cnemodesmus (Myriap., Diplop., Paradoxosomatidae), S. African spp. 1025

Cnephia (Dipt., Simuliidae), chromosome numbers and karyotypes of 7 spp of subgenus Stegopterna. 873

Cnephia ornithophilia, new for Patuxent Wildlife Research Centre, USA, and ecology. 4884

Cnicus wallichi (Compositae), host of Dysaphis atinus sp.n. in India. 2979

Cnodalonini (Col., Tenebrionidae), inclusion of Asidobothris, Camariodes and Suarezius argued. 533

Cobalt,

in relation to aldrin epoxidation in vitro by Prodenia eridania larval gut. 220

in relation to choline kinase of Periplaneta americana, 3936

Cobboldia (Dipt., Gasterophilidae), biology in relation to Elephas maximus and Loxodonta africana, 5416

Cocceupodes (Arach., Acari, Prostigmata), new spp from Japan, 504

Coccidae (Hem., Hom.),

595, 677, 681, 830, 1001, 1327, 1523, 1597, 1729, 2008, 2152, 2713, 3126, 3535, 4058, 4165, 4334, 4825, 4837, 5040, 5427, 5433, 5724, 5792, 5875, 5944, 5966, 6047

biology and ecology in relation to the cocoa farm. 5433

as food source for savannah ants. 1729 parasites of on citrus in Israel. 5578 prey of Chilocorus bipustulatus. 780

Coccinella quinquepunctata (Col., Coccinellidae), effect of weather conditions on aphid consumption, 3567

Coccinella septempunctata,

aestivation and diapause. 173
oviposition cage for large-scale egg-production.
5112

glycogen-content and respiration. 173 particles in defensive fluid. 4457 pigmentation of elytra. 1972 weather conditions in relation to aphid consumption. 3567

Coccinella septempunctata bruckii,

oxygen uptake and energy sources in the adult. 1090

parasitization by Perilitus coccinellae. 1266

Coccinella transversoguttata richardsoni, attraction to Juniperus virginiana for oviposition. 2084

Coccinella undecimpunctata, captured inland in England. 2140

Coccinellidae (Col.),

28, 32, 141, 161, 173, 306, 341, 595, 759, 780, 781, 834, 970, 1090, 1256, 1258, 1266, 1289, 1624, 1665, 1674, 1701, 1795, 1847, 1848, 1972, 2084, 2091, 2097, 2116, 2140, 2147, 2232, 2464, 2730, 2793, 2796, 2905, 3297, 3535, 3554, 3567, 3615, 4104, 4273, 4457, 4582, 4678, 4847, 4994-4996, 5112, 5494, 5500, 5638, 6055

abundance on cabbage in S. California, USA. 5479

biology and ecology at Kew, London, England.

of Bucureşti area, Romania. 1795

colour discrimination. 166

ecology and faunistics in Festuca-Stipa steppe of Ukraina, USSR. 2147

eggs of C. European spp. 141

introduction into California, USA, for control of Coccoidea. 341

larvae of Brumus, Chilocorus and Exochomus. 5638

methods for mass-rearing of coccidophage spp. 595

Coccinellidae (Col.), contd.

new abdominal structure. 1972 of Niokolo-Koba National Park, Senegal. 2232 numbers on crops in a rotation system. 5495

occurrence of larvae in pitfall-traps among Abies in GDR. 4104

phototaxis and response to monochromatic light. 166

weather conditions in relation to aphid consumption. 3567

Coccinellina fulvipennis (Col., Coccinellidae), transferred to Pseudadonia. 1847

Coccinellina reflexa, a valid sp. 1847

Coccoidea (Hem., Hom.),

developmental control of heterochromatization of paternal chromosomes. 1327

failure of Chilocorus bipustulatus to control in Israel. 1701

families listed, 1893

hosts of Gonatocercus brevifuniculatus  $\mathrm{sp.n.}$  3807

introduction of Coccinellidae into California, USA, for control. 341

new for Poland. 5577

of Ocjów National Park, Poland. 5577

populations in relation to those of Chilocorus bipustulatus. 5500

protection of tree-stands by fertilization in GFR. 4797

X-ray diffraction patterns in waxy covering on scales. 1987

Coccophagus (Hym., Aphelinidae),

differential mortality and sex differentiation. 2113

new spp described. 565

Coccophagus lycimnia,

parasite of Coccus hesperidum in lower Rio Grande Valley, USA, in 1966, 830 primary parasite of Saissetia oleae in Florida, USA, 4778

Coccorhaeidia (Arach., Acari, Prostigmata), new spp from Japan. 504

Coccotrypes tanganus (Col., Scolytidae), feeding and nutrition. 6000

Coccus acrossus sp.n. (Hem., Hom., Coccidae), described. 5040

Coccus celatus, new for Kenya. 5040

Coccus hesperidum,

ecology and populations in citrus groves of Lower Rio Grande Valley, USA, in 1966, 830

windbreaks in relation to abundance and distribution in citrus groves. 4837

Coccus persicae, biology and damage to Vitis vinifera. 5427

Coccus rorismarinus, transferred to Amonostherium. 2977

Coccus viridulus, new for Uganda. 5040

Coccygomimus (Hym., Ichneumonidae), spp parasitic on conifer type of Dechocrocis punctiferalis. 1272

Coccygomimus sodalis, populations after massoutbreak of Oporinia autumnata on Betula in Finland. 2153

Coccyopus gen.n. (Arach., Acari, Sarcoptiformes established, 1823

Cochliobolus sativus (Fungi), in relation to arthropods and environmental variables in bulk-grain ecosystems. 4822

Cochliomyia hominivorax (Dipt., Calliphoridae), abdominal and genitalic homologies between larvae and adult. 4424

chemosterilization by thiosemicarbazones. 5318

delayed fertilization in relation to mutagenicity of N,N'-tetramethylenebis (1-aziridine-carboxamide). 3665

fate of N, N'-tetramethylenebis (1-aziridine-carboxamide). 5231

method for marking flies for release. 1961 size and weight of pupae and adults in laboratory rearing. 5171

vanadium compounds as reproduction inhibitors. 5319

Cochliomyia macellaria, from garbage pits in S. Carolina, USA. 3177

Cochylidae (Lep.), 118, 119, 120, 1363 of Spain catalogued. 1363

Cochylis (Lep., Cochylidae), genus group revised. 120 new spp described. 120

Cockroach, see Blattidae, Blattellidae, etc. Coclebotys gen.n. (Lep., Pyralidae), established for Botys coclesalis, 2533

Cocoa, see also Theobroma cacao entomology of the cocoa farm. 5433 Cocoons,

cocoon of Episcioptera dellabeffai. 5074
cocoon of Melecta separata callura. 2748
construction in Steatoda bipunctata and Teutana
grossa. 5954
of Contarinia pisi. 4029

DDT-resistance in Ceratophyllus fasciatus and Xenopsylla cheopis in USSR, 4581

diameter in relation to fecundity in Neodiprion swainei. 4107

distribution in Hemerocampa pseudotsugata on Abies concolor in California, USA. 4084

egg-cocoons of Araneae parasitized by Ichneumonidae on W. Coast of Schleswig-Holstein, GFR. 5478

egg-cocoons of Helophorus. 4279 overwintering of larval Tiphia berbereti. 4734 overwintering of Pardosa concinna. 4730 position in Avicularia avicularia. 4721

position in Avicularia avicularia. 4721 production in larval Rhynchaenus fagi. 179

pupal cocoon of Pytho depressus. 4042 soil distribution in Cecidomyiidae at Allahabad,

India. 4099 survival value of jumping cocoons in

Cocoons, contd.

Bathyplectes anurus, 5426

weight in relation to diet and amino-acid concentration of haemolymph in larval Bombyx mori. 4509

Cocos nucifera (Palmae).

host of Parlagena bennetti sp.n. 559 Rhabdionvirus oryctes infections in relation to damage by Oryctes rhinoceros in W. Samoa. 2801

Coecopria plaumanni gen. et sp.n. (Hvm... Diapriidae), and other new spp described.

Coelichneumon eximius (Hym., Ichneumonidae). colour variation, 3341

Coelichneumon nudus, male described, 3341 Coelichneumon tauma, transferred to Syspasis. 3341

Coelioxys (Hym., Megachilidae), African spp revised and keyed and new taxa described. 113

Coelomomyces indicus (Fungi), ecology of infections in Anopheles gambiae in Zambia.

Coelomomyces macleayae, parasitic in larval Aedes polynesiensis in Fiji. 4882

Coelomomyces punctatus, infection levels in natural populations of Anopheles quadrimaculatus, 5807

Coelotes (Arach., Aran.), new spp from Korea.

Coelotes garibaldii sp.n., described. 2886

Coenagrion angulatum (Odon., Coenagrionidae), cephalic endocrine glands. 2591

Coenagrion interrogatum, new for Wisconsin, USA. 3705

Coenagrion puella, behaviour, distribution and ecology in Outer Hebrides and in Hampshire, England. 2094

Coenagrionidae (Odon.),

337, 432, 929, 1299, 1373, 1944, 2069, 2094, 2591, 2649, 3034, 3038, 3186, 3830, 4144, 4391, 4495, 5083, 5099, 5207

labial gland of larva. 2649

type-specimens in British Museum (Natural History), London, England, listed and lectotypes designated. 4391

Coenochilus (Col., Scarabaeidae), new African taxa. 5650

Coenzyme A, and butyrate oxidation by adult tissues of Lucilia cuprina in vitro.

Coffea (Rubiaceae) (coffee), host of Contarinia coffeae sp.n. in Uganda, 3762

Coffea arabica.

biology and parasites of Odites artigena in Kenya. 5368 new host for Carydon gonagra. 5443

Planococcus citri complex on roots in Kenya.

Coilopus vellus gen. et sp.n. (Hem., Het., Reduviidae), and crabrus sp.n. described.

Colaptes (Aves), new Picicola from, 4384 Colaptes auratus, predaceous on Diatraea grandiosella in Louisiana and Mississippi, USA. 2814, 4851

Colaulon (Cryptolacon) scrofila sp.n. (Col., Elateridae), described, 527

Cold.

freezing-temperature distributions of Insecta.

genetic factors controlling tolerance in Drosophila pseudoobscura. 1330

high palmitoleic acid content of lepidopteran larvae. 1121

liquid-nitrogen-operated chambers for insect supercooling studies. 4409

in relation to learning and memory in Tenebrio molitor, 1238

and reproduction in Megoura viciae and Pterocomma jacksoni. 709

resistance in relation to acclimation in Ptinus tectus and Tenebrio molitor, 5888

resistance in Aleurocanthus spiniferus.

resistance of Anaphothrips validus to freezing.

resistance of benthic insects to freezing. 1719

resistance in Biorrhiza, Boreus, Chionea and Scoliocentra, 206

resistance in Pterostichus brevicornis. 1586, 4548

resistance in Reticulitermes flavipes.

resistance in Scolytus multistriatus.

response of antennal receptor to slowly changing temperature in Periplaneta americana. 629

sensitivity of pupal Tribolium confusum after X-irradiation. 705

supercooling point absent from adult Pterostichus brevicornis, 1586

supercooling points of Biorrhiza, Boreus, Chionea and Scoliocentra. 206

supercooling points of overwintering eggs of Aphis, Hyalopterus and Rhopalosiphum, 1568

supercooling points of overwintering eggs of Zeiraphera diniana. 1585

supercooling point of Scolytus multistriatus.

and water-uptake by Chorthippus brunneus eggs.

Coleomegilla maculata (Col., Coccinellidae), predator of Oulema melanopus in N. Indiana, USA. 3554

Coleomegilla maculata lengi, attraction to Juniperus virginiana for oviposition. 2084 Coleophora betulella (Lep., Coleophoridae), new for Romania. 2126 Coleophora flavipennella, new for Romania. 2126 Coleophora laricella, abundant in Ontario, Canada, in 1968. 3184 competition and co-operation between Chrysocharis laricinellae and Agathis pumila. 6005 parasites in British Columbia, Canada. 3152 Coleophora prunifoliae, identity discussed. 2527 new for Romania. 2126 Coleophora tamesis, larva described and parasites in Ireland. 5373 Coleophora varii sp.n., described. 2527, 5748 Coleophoridae (Lep.), 2126, 2223, 2527, 3152, 3184, 5373, 5748, from N.E. Danube Delta, Romania. 2223 Coleoptera, from an abandoned muskrat nest in Ontario, Canada, 5602 abundance cycles in fauna of Possession Island. abundance in oxidation lagoons in C. Missouri, USA. 1738 Alpine faunas. 5560 amitotic (clasmatotenic) nuclear division in flight-muscle. 1050 apparatus for collecting from soil and litter. 1497 associated with Eupatorium perfoliatum in Byron Bog, S.W. Ontario, Canada. 3160 associated with Halogeton sativus in Morocco and Spain. 3585 biology and control of spp attacking crops in the Middle East. 4062 Britain, not Norway, refugium for post-glacial recolonization of Scandinavia. 498 of cabbage in S. California, USA. 5479 of caves of Romania. 5562 colonization of Is. Baleares by cave-dwelling forms. 3643 current classification. 4984 distribution of aquatic taxa in Tropical Africa. ecology of carrion beetles in Hutcheson Memorial Forest, New Jersey, USA. 4085 ecology in coastal habitats at Kiel, GFR, 4095 ecology in Puglia, Italy. 343 egg proteins. 2625 elytra, 3394 feeding behaviour by Medetera sp A towards wood-boring Coleoptera. 2739 from Finse area, Norway. 462 gravity perception in relation to leg proprioceptors. 4495 habitats and records of Swedish taxa. 451

hosts of new Microtonus from N. America, 1911

larvae of aquatic Coleoptera from Republic of S. Africa. 4944 of Late Bronze age from Wiltshire, England. from late Glacial deposits in Britain but now extinct there. 498 of Meteor Cave, Hungary. 3202 mining plants in N.E. Danube Delta, Romania. of Monks Wood National Nature Reserve, Huntingdonshire, England, 1966-1968. 5566 from N.E. Danube Delta, Romania. 2199, 2200 in nests of Ardea cinerea at Bergen, Norway. 3 from nests of small mammals in Transcarpathian region, USSR. 4078 new for Açores. 3232 new for Denmark, 2478 new for Gloucestershire, England. 3234 new for Norway. 452 new records for Czechoslovakia. 935 new for Romania, 2200 physiology in relation to fertilization of host trees. 4797 plastrons in adult Myxophaga. 1999 Pleistocene taxa from Northamptonshire, England. 500 population dynamics in Medicago sativa fields in S. Moravia, Czechoslovakia. 6061 populations in 7 types of habitat. 2148 of Possession Island (Crozet Archipelago). 441 predation on Laspeyresia pseudotsugae sp.n. in Canada. 1468 prey of young partridge. 2148 recolonization of insecticide-treated soil, 1721 relationships in terms of immunological reactions. 434 relationships to Strepsiptera. 3692 relative density variation. 1983 of rivers in the 'Iron Gates' dam area, Romania, 2776 from São Jorge, Açores. 3232 secondary development of multiple centromeres spermatozoa. 223 of stones at Staines, Middlesex, England. 1794 stored-product spp new for Israel. 5563 succession in sandpit ponds in L. Erie. Pennsylvania, USA. 3166 synergistic ratio of carbaryl with piperonyl butoxide. 4582 taxonomic value of sound-producing organs. 94 teratology. 2057 of Trentino-Alta Adige, Italy. 6113 types in Museum Zoologicum Bogoriense, Bogor Indonesia. 951 ultrastructure of rectal cuticle, 3444

from Jylland, Denmark. 2201

Lamingtoniidae fam.n. established within

keys to European taxa. 5608

Clavicornia. 4252

Coleopterocorini trib.n. (Hem., Het., Naucoridae), established. 5710

Colias (Lep., Pieridae), interior carriage of Asclepias syriaca pollen. 3583

Colias eurytheme,

carriage of Asclepias syriaca pollen. 3583 colour receptors in compound eye. 2596 host of Trichogramma pretiosum in California, USA. 4789 melanin variation and thermoregulation. 3226

oviposition behaviour. 735

Colichneumon multicolor (Hym., Ichneumonidae), o' described, 110 Colicus icomi gen. et sp.n. (Arach., Acari,

Trombiculidae), and minicolus sp.n. described. 4977

Colimycin, fecundity and growth in Ceratitis capitata. 4611, 4612

Collagen,

band period links in Articulata and Vertebrata.  $\ensuremath{4542}$ 

fibrils of neural lamella in Geophilus longicornis and Lithobius forficatus. 5191

Collagenase, activity in gut of larval Hypoderma bovis. 3064

Collembola,

activity and local distribution of surface-active woodland spp in Indiana, USA. 4020

aggregations in soil of Pinus sylvestris forest.  $2162\,$ 

bacteria in gut of Friesea mirabilis. 2111 biology and population structure of surfacedwelling spp in coniferous forest soil. 2160 of cabbage in S. California, USA. 5479

of caves of Romania, 5562

classification, distribution, ecology, methods of collection and morphology. 3197 ecology in relation to Scolytoidea. 5504

ecology of soil-inhabiting spp of Olderfjord region, N. Norway, 4130

fluids for fixation, study, mounting and preservation. 5779

forestry practices and the soil fauna. 3179 fungi in gut of Friesea mirabilis. 2111

in relation to Gloger's rule. 2797

hot-rod technique for extraction from soil. 3027

local distribution and seasonal activity of pondshore populations, 4817

of Meteor Cave, Hungary. 3202

method for studying population growth in soil spp. 2822

methods for collecting Collembola. 5779 moss-dwelling spp of Sidobre (Tarn), France, and their ecology. 4879

of New Zealand. 3693

and particle-movement in soil, 5996

populations in relation to breeding success of partridge, 2148

populations in 7 types of habitat. 2148

prey of Acari and control agents for Tetrany-chidae. 5504

prey of Calidris maritima in Svalbard, Norway. 3165

prey of Friesea mirabilis. 2111

prey of Perdix. 2148

prey of Solenopsis saevissima richteri in S.E. Louisiana, USA. 3136

prey of Tarsonemoides. 5504

of Quercus-Carpinus forest at Louvain, Belgium. 3598

of rivers in 'Iron Gates' dam area, Romania. 2776

soil populations in Hidaka-Mombetsu, S. Hokkaido, Japan. 2146

of subalpine coniferous forest on Mt. Shiga,

C. Japan. 2499 of Tavolara and Molara islands. Italy, 3315

Turnbull and Nicholls' quick trap in Alpine grassland communities, 1499

yeasts in gut of Friesea mirabilis.
2111

Colletidae (Hym.).

1915, 1916, 1917, 3798, 4339, 4343, 4347, 4348, 5215

rectal pads. 5215

J.E. Collin, work and papers on Diptera, 1876-1968, 3712

Colobocus gen.n. (Hem., Hom., Dictyopharidae), established, 1002

Colobocini trib.n. (Hem., Hom., Dictyopharidae), established. 1002

Colobopsis truncatus (Hym., Formicidae), distribution, ecology and habits in Mamora

Forest, Morocco. 4862
Coloburiscinae (Ephem., Isonychiidae), represented in Arctic as well as Palaearctic.

Cololedra declivata gen. et sp.n. (Hem., Hom., Cicadellidae), described. 2983

Colombia.

gene variation in an isolated Drosophila pseudoobscura population. 1787

genetics of Drosophila melanogaster populations. 2854

new Chrysopidae from. 4389

new Eumenidae from. 4351

new Ixodidae from. 508

new Lucanidae from. 2917

new Miridae from. 5708

new Pieridae from, 3823

new Saturniidae from, 117

new Tabanidae from. 545

new Tipulidae from. 5685

new Trombiculidae from. 4244, 4977

Phytocoris from. 5708

records of Argas miniatus. 4219

salivary-gland infection of Rhodnius prolixus with Trypanosoma cruzi and T.

rangeli, 4687

#### Colombia, contd.

sterility content of 2nd chromosomes in Drosophila melanogaster population. 3685

Colombian timber beetle, see Corthylus columbianus Colonies.

adult production in incipient colonies of Bombus agrorum. 4876

circadian rhythm of respiration of whole colonies of Cubitermes spp. 4866

colony foundation in Oecophylla longinoda. 3194

colony growth and of production in Myrmica rubra. 4873

colony organization and biology in Polyrhachis simplex, 4874

colony size and foraging ability in Apis mellifera. 351

early stages of colony development in Bombus. 4871

size and stability of Uloborus mundior colonies in Panama. 2805

structure in Polistes biglumis and P. snelleni. 2101

#### Colonization,

of Culicoides in the laboratory. 2790 of Glossina in the laboratory. 5138

Colophospermum mopani (Leguminosae), sterols in relation to those of larval Gonimbrasia belina, 3940

Colopodonta (Lep., Geometridae), Dasystole crenulata transferred to. 1464

Colopterus testaceus sp.n. (Col., Nitidulidae), described, 978

Colopterus truncatus, occurrence in Pinus echinata cones in relation to water-content. 5492

Colorado beetle and Colorado potato beetle, see Leptinotarsa decemlineata

Coloradoa bournieri sp.n. (Hem., Hom., Aphididae), described. 2980

Coloradoa heinzei paradoxa subsp.n., described. 3785

Coloradoa moralesi sp.n., described. 2980 Coloradoa scopariae sp.n., described. 3785 Coloration,

of Aedes stimulans larvae infected with iridescent virus. 5812

almond larval body-colour in Antheraea mylitta. 2844

balanced polymorphism in Philaenus. 2849 balanced polymorphism in Theridion ovatum. 5551

of Piini and Haeterini of Venezuela. 4819 biliverdin and carotinoids in relation to colourchange in Carausius morosus. 1143

body colour of larvae of Leucania separata in relation to respiratory rate and crowding. 1088

'brown spots' (bsp) in Drosophila melanogaster. 4895

changes during development in Ascoschoengastia

latyshevi. 5365

CO<sub>2</sub> in relation to haemolymph proteins and pigmentation in gregarious Locusta migratoria cinerascens. 3429

of Collembola in relation to Gloger's rule. 2797

colour changes in Gea heptagon. 3111 colour pattern in larval head-capsules of Deilinia and Drepanulatrix. 2578

and corpora cardiaca. 5898

and crowding in Anomis sabulifera. 5882 and crowding in Spodoptera littoralis. 5933

development of pigmentation in elytra of Coccinellidae. 1972

diapause colour in relation to external conditions in Chrysopa carnea. 4600

diffraction-gratings of Necrophorus. 2033 distribution, genetics and pest status of colourmorphs of Frankliniella schultzei. 3109

in relation to environment in Trombiculidae in Malaya. 5471

in Euthypoda acutipennis. 4717

eye-colour and DNA in Anagasta kuehniella. 3655

eye-colour mutants of Calyptratae. 4162 genetics of body- and eye-colour in Nasonia vitripennis. 3658

genetics of colour-morphs in Rhodometra sacraria. 3646

genetics of larval polymorphism in Chlosyne lacinia. 2848

genetics in N. and S. strains of Schistocerca gregaria. 2857

geographical variation in Japanese species of Bombus. 1903

green of integument in Palomena prasina. 5248 green-brown polymorphism in Homorocory-phus nitidulus and Pseudorhynchus. 3227 homochromy in Insecta. 5880

homochromy in Panamanian Orthopteroidea. 5390

medionigra polymorphism in Panaxia dominula. 3228

melanin-deposition in Sarcophaga cuticle. 3397 melanin-production in Galleria mellonella larvae exposed to entomophthoraceous mycotoxins. 5815

melanin-production and thermoregulation in Colias eurytheme. 3226

morph frequencies in island populations of Philaenus spumarius. 4916

morphs of Cosymbia pupillaria. 5119

morphs of Nemoria pulcherrima in a Sierra Nevada, California, USA, population. 4121

morphs of Polia and Euxoa in California and Nevada, USA. 4202

mutant of Pyrrhocoris apterus, 373 mutants of Dahlbominus fuscipennis, 4161 plastron diffraction-grating in Ptyopteryx britskii, 1999

### Coloration, contd.

polymorphism in Acraea encedon in Uganda. 1302

position-effect variegation with regard to region-3C loci in Drosophila melanogaster. 3661

of pupal Neophasia menapia, 2638

recessive eye-colour mutation on Y-chromosome of Calliphora erythrocephala, 1340

and scale-development in forewing of 'Us' mutant of Anagasta kuehniella. 3865

selective advantages of diffraction-gratings.

somatic recombination within the 'white' (w) locus of Drosophila melanogaster. 3650

species recognition in Heliconius. 4655

and temperature in Drosophila melanogaster. 4091

tryptophan pyrrolase regulation by vermilionsuppressor in Drosophila melanogaster. 3659

variation in 3 spp of Ichneumonidae. 3341 variation in red eye-pigment and other pteridines in Drosophila melanogaster. 3649 yellow eye-mutant in Lucilia sericata. 4162

Colossendeidae (Arach., Pycnogonida), of Antarctica reviewed. 2473

Colotis daira nouna (Lep., Pieridae), in Almería and Granada, Spain. 3269

# Colour.

attraction of Musca domestica as basis for control. 4668

attraction of Rhagoletis pomonella to red spheres and yellow panels in combination. 5127

behaviour of Hylemya seneciella. 3521 attraction of Tetanops myopaeformis. 1489 behaviour of alata Myzus persicae towards coloured fluorescent lamps. 3418 colour-vision of Colias eurythema. 2596 colour-vision of Epargyreus clarus. 628 discrimination in Coleoptera and Hymenoptera.

learning of colour-stimuli at food-source by
Apis mellifera, 6063

of light in relation to trapping of Manduca and Heliothis. 3374

memory for in Apoidea and Formicidae. 5849 neural basis of colour-vision in Papilio troilus. 5198

perception in drone Apis mellifera. 5522 perception in Glossina morsitans and G. pallidipes. 2734

reactions of Musca domestica. 5210 reactions of Rhagoletis cerasi. 5212

in relation to selection of oviposition site in Manduca sexta, 4661

in relation to settling behaviour in 9 Glossina morsitans. 3950

ultrastructural basis of colour-vision in

Apis mellifera, 627

Colpodes caudoimpressum sp.n. (Col., Carabidae), described. 3299

Colpura (Hem., Het., Coreidae), distinct from Hygia. 992

Columba livia (Aves), host of Argas hermanni in Tadzhikistan, USSR. 4218

Colydiidae (Col.), 29, 1849, 3302, 3303, 4274 Colymbetes fuscus (Col., Dytiscidae), DNA-

content of spermatids, 2183

#### Commensalism.

between Bombus and Kuzinia laevis, 5381 between Hololena curta and Ranzovius moerens, 3138

between Oichillus minutus, Pheidole pallidula and Uroctea durandi. 3573

#### Communication.

alarm-pheromones in analysis of chemical communication. 1242

in Apoidea. 1317

in Arphia conspersa. 3083

individual experience and distance-communication in Apis mellifera caucasica. 1318 and meta-geotaxis in Apis. 4498

and meta-geotaxis in Apis. 4498

method for detecting olfactory stimulants of Noctuidae. 1032

in relation to songs in Fidicina rana. 1535 Comperia hirsuta sp.n. (Hym., Encyrtidae), described. 5724

Comperiella bifasciata (Hym., Encyrtidae), parasitic on Aonidiella orientalis and biology.

## Competition,

Darwinian and population fitnesses in competition between Tribolium castaneum and T. confusum. 1780

in Aedes aegypti and Ae. albopictus. 2778 between Callosobruchus chinensis and C. maculatus. 4116

competitive ability in relation to selection for growth rate in Drosophila melanogaster, 2191

experimental invalidation of principle of competitive exclusion. 2190

genetic polymorphism and interspecific competitive ability in Drosophila. 3670

genetics and evolution of interspecific competitive ability in Drosophila. 1783

radiation and competitive ability of Drosophila melanogaster. 3679

# Complement,

lack in haemolymph of Lepidoptera, 2613 human complement inhibitor in Loxosceles recluse venon, 2104

#### Compositae,

natural control by Tephritidae. 6014 petals collected by Aphaenogaster gemella. 4862

Compound 4072 [2-chloro-1-(2,4-dichlorophenyl) vinyl diethyl phosphate], control of Neoschoengastia americana on turkeys, 5348

Comptonia peregrina (Myricaceae), biology of Acrobasis comptoniella. 4037 Conalysia bakeri gen. et sp.n. (Hym., Braconidae), and other new spp described. 2521 Conatocercus brevifuniculatus sp. n. (Hym., Mymaridae), described, 3807 Condylotes marikovskii sp.n. (Hem., Hom., Cicadellidae), described. 5044 Congo, Alydidae and Rhopalidae new for Congo-Brazzaville, 5599 Anoplura from Kivu and Rwanda. 2475 Bostrychidae of Congo-Brazzaville, 1812 Chironomidae new for Congo-Brazzaville. 5599 Cybocephalus from Congo-Brazzaville. 2487 Elateridae, Eucnemidae and Throscidae from Congo-Brazzaville, 5660 Isometopidae and Miridae new for Congo-Brazzaville, 5707 Lathridiidae and Mycetophagidae from Congo-Brazzaville. 5647 Lygaeidae of Congo-Brazzaville, 1381 new Acanthoceridae from Congo-Brazzaville. new Apterogynidae and Mutillidae from Congo-Brazzaville, 1447 new Carabidae from. 5630 new cave-dwelling Phaeophilacris from. 363 new Cerambycidae from. 524, 2901, 3300 new Chrysomelidae from Congo-Brazzaville. 5637 new Cybocephalidae from Congo-Brazzaville. 2487 new Elateridae from Congo-Brazzaville. 5660 new Eulophidae from Congo-Brazzaville. 1451 new Laelapidae from. 2884 new Lathridiidae and Mycetophagidae from Congo-Brazzaville, 5647 new localities for Cerceris. 4361 new Lucanidae from. 5001, 5002 new Melolonthidae from. 2918 new Miridae from Congo-Brazzaville. 5707 new Mordellidae from. 5008 new Pselaphidae from. 3307 new Psychomylidae from. 3835, 3836 new Pteromalidae from. 4360 new Saturniidae from. 5747 new Scarabaeidae from. 3310 new Sphecidae from. 4361 new Staphylinidae from. 3312, 5654 new Staphylinidae from Congo-Brazzaville, 2476 new Tenebrionidae from. 2930 new Tenebrionidae from Congo-Brazzaville. 3754 new termitophilous Staphylinidae from. 4287

Tabanidae of Kinshasa region. 2956 Tenebrionidae from. 2930 Tenebrionidae from Congo-Brazzaville. 3754 Xylocopinae of Congo-Brazzaville, 1813 zoogeography of Elateridae of Congo-Brazzaville. 5660 Congo Basin, Asilidae reviewed and new taxa. 4295 Congomochtherus gen.n. (Dipt., Asilidae), established. 4295 Congomostes gen.n. (Col., Acanthoceridae), established, 519 Coniferales. biology and population structure of surfacedwelling Collembola in forest soil. 2160 forestry practice in relation to fauna of coniferous forest soil. 3179 oleoresin in resistance to insect pests. 5442 Pemphiginae associated with roots of in N. America. 553 Stenoporpia feeding on as larvae. 1966 Tarsonemidae associated with Scolytidae in Canada. 2465 Coniopterygidae (Neur.), 123, 1805, 2579 musculature and skeleton of thorax in larvae. new localities in Norway. 1805 Coniopteryx cerata Hagen 1858 (Neur., Coniopterygidae), renamed C. withycombei. 123 Conocephalus (Orth., Tettigoniidae), predators of Leptocorisa oratorius in Sarawak. 4103 Conocramboides gen.n. (Lep., Pyralidae), established, 5756 Conoderus falli (Col., Elateridae), effectiveness and residual toxicity of 18 insecticides. 5347 Conognatha (Col., Buprestidae), new taxa described. 3298 Conomyrma pyramica (Hym., Formicidae), free amino acids. 2016 isosteres of 2-heptanone in relation to alarm behaviour, 3562 volatile compounds. 2017 Conophorisca gen.n. (Hym., Pteromalidae), established, 4360 Conophorus (Dipt., Bombyliidae), new spp described. 1424 structure of seminal receptacle. 5910 Conophorus antennatus, female described for first time. 1424 Conophorus monticola, female described for first time. 1424 Conophthorus ponderosae (Col., Scolytidae), biology in relation to Pinus ponderosa in S. New Mexico, USA. 4703 Conophyma labulatum firmum subsp.n. (Orth., Acrididae), described, 581 Conophyma reinigi, male described for first time. 581 Conophyma zachvatkini sp.n., described. 1478 Conopidae (Dipt.), 1268, 1427, 1507, 1728, 2205, 2206,

Nymphalidae from. 4381

Brazzaville, 1412

Sphecidae new for Congo-Brazzaville, 5601

Staphylinidae from Congo-Brazzaville. 2476

synonomy in Lymexylonidae of Congo-

Sosylus of. 29

Conopidae (Dipt.), contd.

3193, 3260, 5670

from N.E. Danube Delta, Romania. 2206 parasitic on Evylaeus nigripes. 4127

Conops ceriaeformis (Dipt., Conopidae),

abundance in S.E. London, England, and biology. 3260

Conops insignis, new for Romania. 2205

Conosoma lokayi sp.n. (Col., Staphylinidae), described, 530

Conosoma testaceum, Czechoslovak members of sp-group. 530

Conotrachelus (Col., Curculionidae), damage to acorns in N. America. 785

Conotrachelus nenuphar,

biology in Missouri Ozarks, USA. 2717 emergence, fecundity and longevity in relation to larval size, temperature and soilmoisture. 5299

Conservation.

corixid associations in relation to fenland biotopes. 2135

of Strymon pruni and Thecla betulae. 3539 and survival in relation to dispersal power in Carabidae. 5457

Contarinia (Dipt., Cecidomyiidae), spp attacking seeds of Gramineae in Poland. 5435

Contarinia andropoginis, see Contarinia sorghicola

Contarinia coffeae sp.n., described, 3762 Contarinia medicaginis, biology and ecology. 332

Contarinia palposa, see Contarinia sorghicola

Contarinia pisi,

biology and diapause. 4029 laboratory rearing on Lathyrus. 593 method for rearing in pods of Pisum sativum. 593

Contarinia poae, new for Poland. 5435 Contarinia saltata, syn.n. of C. sorghicola. 2941

Contarinia sorghicola,

association with Sorghum vulgare and probable range extension to Algeria and Israel. 436 C. saltata syn.n. of. 2941

ecology and economic importance in S. France.

extensions of range since 1956, 436

Contarinia tritici, parasites and predators, 4101 Continental drift, biogeography of Indian

Rhopalocera in relation to. 2879

Control,

of Acari and Insecta attacking crops in Middle East. 4062

of Acari and Insecta attacking Vitis vinifera in Cinque Terre zone, Spezia Province, Italy. 5427

Acari and Insecta for possible control of Halogeton glomeratus. 3585

acaricides for control of Phyllocoptruta oleivora. 5360

of Aedes polynesiensis by release of Ae.

albopictus. 4638

aerial control of Nomadacris septemfasciata in Rukwa Valley, Tanzania, 5497

of Aphididae by Chrysopidae and Syrphidae in N.E. Belorussia. 1306

application of viruses to soil and foliage for control of Trichoplusia ni and Pieris rapae. 5961

artificial control methods for Choristoneura fumiferana. 3168

attraction of Musca domestica as basis for control. 4668

Barbarea vulgaris in relation to control of Chrysomelidae in New York State, USA. 329

bibliography of biological control. 1

bibliography for Oulema melanopus. 4964

Bacillus thuringiensis for Dysdercus cingulatus. 4695

biological bases for control of Elateridae in USSR. 5463

biological control of blood-sucking Ceratopogonidae, 2790

biological control of Diatraea saccharalis in Cuba. 1311

biological control in relation to environmental heterogeneity, 2779

biological control of Ferrisia virgata in California, USA. 797

biological control of Hypera postica in Massachusetts, USA. 5331

biological control in relation to inductive population model for insect parasites. 1271

biological control of Musca autumnalis. 823 biological control of Oligonychus punicae on avocado in S. California, USA. 2796

biological control of Parlatoria blanchardi in Mauritania, 595

biological control of Prays oleae in Mediterranean Basin. 320

biological control in relation to uniparental, sibling and semi-spp. 4967

biological control of weeds in New Zealand in 1927-1948. 6027

biological control of Zeiraphera diniana. 2115 biological and chemical control of Paropsis charybdis in New Zealand. 3553

biological and ecological control of Insecta. 1723

of blood-sucking Ceratopogonidae. 2790 of Boophilus microplus. 5333

Bracon mollitor for Anthonomus grandis. 1656 of Brevicoryne brassicae in New York State, USA. 5336, 5341

of Buphonella murina on maize in Zambia. 804 burial of Vitacea polistiformis pupae in relation to adult emergence. 3526

of Cadra cautella with dichlorvos slowrelease strips in Kenya. 4697

Carabidae as biological control agents for Alleculidae, Elateridae and Tenebrionidae. 5463

#### Control, contd.

- of Ceratitis capitata in relation to  $\mbox{$\mathcal{Q}$}$  behaviour. 4660
- of Ceratitis capitata and Dacus cucurbitae with aerial sprays of lure + naled and Myverol or CAB-O-SIL. 4686
- chemical control of apple pests. 4670
- chemical control of Dendroctonus terebrans in C. Louisiana, USA. 4676
- chemical control of fly production in garbage pits in S. Carolina, USA. 3177
- chemical control of Hylobius pales and Pissodes approximatus in C. Pennsylvania, USA. 5340
- chemical control of Macrosiphum euphorbiae and Myzus persicae on potato. 3603
- chemical control of Tetranychidae. 1295
- chemical and repellent treatments for mylasis due to Chrysomyla rufifacies in Hawaii. 4040
- of Chilo partellus in Peshawar, Pakistan. 1657 of Chilo zonellus and Sesamia cretica in
- Sudan, 6011 chromosome translocation for Glossina, 900
- Collembola as biological control agents for Tetranychidae. 5504 Costelytra zealandica literature reviewed.
- 828 of Ctenocephalides felis with dichlorvos-
- impregnated collars, 3504
- of Culex pipiens with X-ray-induced translocations. 389
- of Culex tritaeniorhynchus summorosus in Toyama Prefecture, Japan. 1676
- of Diplolaboncus tumorificus in N. Italy. 3117
- DDT, methyl parathion and toxaphene for Anthonomus grandis and Heliothis zea in N.Carolina, USA. 5337
- Dursban for control of Neoschoengastia americana in experimental pens. 5361
- and ecology of pests in forests of New Zealand. 833
- economic threshold and treatment forecast for Aonidiella aurantii on citrus in Israel. 5483
- of Edwardsiana crataegi and E. froggatti on Malus in Tambov region, USSR. 2093
- eradication of Dacus dorsalis from Mariana Is., Pacific Ocean. 4832
- establishment of Rhabdionvirus oryctes in Oryctes rhinoceros populations in W. Samoa. 2801
- of Eumerus strigatus. 291
- failure of Chilocorus bipustulatus to control Coccoidea in Israel, 1701
- fertilization of tree-stands against forestpests, 4797
- field and laboratory evaluation of insecticides against Porthetria dispar. 4682 Finnish publications of 1967. 3

- Finnish publications of 1968. 5610
- fungi for control of Chalcodermus aeneus. 5177 geographical and seasonal variation in
  - susceptibility of Anopheles to Plasmodium cynomolgi. 3625
- of Glischrochilus quadrisignalus in S.W. Ontario, Canada. 3116
- of Heliothis zea on cotton with ultrasound. 3190 Herpystis cuscutae for Cuscuta in Pakistan.
- hexaline for Pectinophora gossypiella, 212 Hylemya seneciella for control of Senecio
- jacobaea in USA. 2777
- hymenopteran parasites of Ips in Virginia, USA. 4733
- of Hypera meles on crimson clover. 4671 of Hypera postica in N. Utah, USA, and
- resulting effects on Bathyplectes curculionis, 4681
- of Hypera postica by Tetrastichus incertus in eastern USA. 497
- inherited sterility for control of field populations of Heliothis virescens. 5301
- of Insecta attacking Theobroma cacao. 5433
- of Insecta by means of dominant conditional lethal traits. 4108
- of Insecta by induced sterilization effects on germ-cells. 1298
- Insecta introduced into Hawaii for biological control. 4110
- insecticides for Macrosteles fascifrons. 4830 insecticides for Neoschoengastia americana on turkeys. 5348
- insecticides for pests of Medicago and Phaseolus in New York State, USA. 4678
- insecticides for Trialeurodes vaporariorum.
- integrated control in relation to Aphididae and their enemies in an Ohio, USA, apple orchard. 5461
- integrated control of Aphididae in peach orchards, 5462
- integrated control of Diptera in caged-poultry houses. 5350
- integrated control of Hypera postica. 5330
- integrated control of Laspyresia funebrana in Rostov area, USSR. 1675
- integrated control of Oscinella frit in oats. 2792
- integrated control of Trialeurodes vaporariorum on cucumber. 5351
- ionizing radiation and radioactive isotopes in insect control. 4414
- laboratory evaluation of insecticides against Spodoptera littoralis. 5352
- of Lamiinae of Mozambique. 4266 of Laspeyresia pomonella. 5430
- late sowing of crops not suitable as control measure against Chilo zonellus in India. 4798

# Control, contd.

locust control problems. 829

male attractants, traps and warning systems for Dacus tryoni. 5137

measures against Locustana pardalina in Republic of S. Africa in 1954 and 1965. 5474

method for assessing efficacy of insecticide treatments against Aspidiotus perniciosus. 1703

method for control of Glossina tachinoides in Nigeria. 4041

method for manipulation of Dendroctonus brevicomis populations. 1652

method for replicated miniature larvicide tests in a large river. 1033

method for Lyctus brunneus in bamboo in India. 1229

methods for Supella supellectilium. 6121

mists for control of Trialeurodes vaporariorum. 5349

multilateral approach to control of Acyrthosiphon pisum. 3182

of Musca autumnalis associated with mammals in wild-life areas of USA. 4701

of Musca domestica by use of air barriers. 4472

natural control of Anopheles quadrimaculatus by Coelomomyces punctatus. 5807

natural control of Aonidiella aurantii on citrus in Israel. 2793

natural control of Attagenus megatoma by Pyxinia frenzeli. 1097

natural control of Coccus hesperidum in lower Rio Grande Valley, USA, in 1966. 830

natural control of Ectomyelois ceratoniae by parasites in Israel. 318

natural control of Ferrisia virgata by Nephus regularis in Madhya Pradesh, India. 759

natural control of Myzus persicae. 1294 natural control of Orobanche crenata by

Phytomyza orobanchia in Egypt. 6016

natural control of rice stem borers by Insecta on Luzon I., Philippines. 799

natural control of Sogatella furcifera by Anagrus on rice in India. 1276

natural control of Tetranychidae. 1295

natural control of Tetranychus urticae by

Metaseiulus occidentalis and Phytoseiulus persimilus. 4079

natural control of weed Compositae by Tephritidae in Hungary. 6014

older methods for control of insect pests of man, 5343

of Oligonychus ununguis. 5977

of Ornithonyssus sylviarum by use of combined sulphonamide feed-additive. 4699

of Panonychus ulmi and Psylla pyricola on Anjou pears in Canada. 340

parasites introduced into Israel for control of Chrysomphalus aonidum, 6038

of Parlatoria oleae in Lenkoran', USSR. 1674 past and present practices in introduction of biological control agents. 2802

pathogens in insect control. 3155

Pediobius furvus for stem-boring Lepidoptera. 4055

plant extracts for Culex pipiens. 5824 Poecilips pteridophytae for Pteridium aquilinum. 6015

of pome fruit pests. 4810

population changes of Acari on citrus in response to cessation of spraying. 2807

population dynamics of Eurygaster integriceps in relation to spring insecticide treatments and overwintering. 5505

population dynamics of Panonychus ulmi in relation to spray programmes in Nova Scotia, Canada. 6046

populations of Culicidae in Texas, USA. in relation to ULV malathion treatments. 4831

of Porthetria dispar in Canada. 3176

of Porthetria dispar with nuclear polyhedrosis virus and Streptococcus faecalis infection. 4109

of Porthetria dispar with ULV trichlorfon in New York State, USA, in 1967. 4672

post-release dispersal and effectiveness of Anaphes flavipes. 4834

potential of Typhlodromus mcgregori. 2711 protection of Formica rufa and colony

foundation for forest pest control. 3628 of Pseudaletia separata attacking wheat

at Delhi, India. 4861  $\gamma\text{-radiation for Pectinophora gossypiella.} 5968$ 

radiation sterilization. 4414
RE-11775 for organophosphate-resistant
Culicidae. 5354

reduction in Hypera postica populations by annual spring seeding of alfalfa. 3613

resistance to acaricides in Ixodoidea. 4580

of Scolytidae. 3590

of Scolytus scolytus in Britain. 2803

selection for starvation resistance in Ceratitis capitata. 4139

of Simulium arcticum in Alberta, Canada. 2157 of Sphenophorus parvulus in W. New York, USA. 4824

of Spodoptera littoralis in peanuts in Israel. 5965

sprays for control of Trialeurodes vaporariorum. 5349

sterile females in insect control. 4694

sterile-male releases in conjunction with other methods of control for Musca domestica. 5328

sterilized Oulema melanopus eggs for population build-up of Anaphes flavipes. 4784

of sugar-cane insect pests, 6058

systematics in biological control. 5966 Tarachidia candefacta introduced into USSR for Control, contd.

control of Ambrosia. 6019

of Tetranychidae in apple orchards. 2711

of Tetropium cinnamopterum in British Columbia, Canada. 3129

'Thuricide' for Achaea janata on Ricinus communis. 5357

transplantation of Formica polyctena nests in Kleve State Forest, GFR. 2780

of Trichoplusia ni by release of partial steriles. 1304

Typhlodromus mcgregori for control of fruittree Acari. 4796

translocation heterozygotes for Glossina austeni. 383

translocation heterozygotes for Musca domestica. 3662

ULV treatments with concentrated insecticides in medical and veterinary entomology. 4698

uniparental, sibling and semi-spp in relation to biological control of parasitic Hymenoptera. 4967

Vagoiavirus melolonthae for larval Melolontha melolontha. 5173

of vertebrate ectoparasites by antibiotics. 2120 virus disease for Panonychus ulmi in Ontario, Canada. 4842

weed control in relation to numbers of Pieris rapae on Brussels sprouts. 2150

of Zeiraphera diniana with Bacillus thuringiensis. 4102

Convolvulus (Convolulaceae), behaviour of Weberia pseudofunesta. 3529

Convolvulus arvensis, secondary host of Petrobia latens in Rajasthan, India, 4718

Conwentzia pineticola (Neur., Coniopterygidae), new for Norway, 1805

Copal, Platypodidae and Scolytidae from. 5651 Copelatus glyphicus (Col., Dytiscidae), new for

California, USA, 5603
Copepoda (Crustacea), prey of Rhyacophila in an experimental stream, 769

Copidosoma (Hym., Encyrtidae), parasitic on larval Chorizagrotis auxiliaris, 802

Copidosoma bohemicum sp.n., described. 104 Copidosoma truncatellum, parasitic on noctuid

larvae in S. California, USA. 3153 Copidothrips formosus (Thysanopt., Thripidae),

new host-plants. 4403

Copobaeninae subfam.n. (Col.), established within Anthicidae. 4988

Copobaenus (Col., Anthicidae), ater and maculicollis transferred to Pilipalpus. 4988

Copobaenus bicolor, transferred to Protomeloe.
4988

Coppa gen.n. (Hem., Hom., Dictyopharidae), established. 1002

Conner

in relation to aldrin epoxidation in vitro by Prodenia eridania larval gut. 220 in relation to gut amylase from Lygus disponsi. 4526

in relation to Malpighian tubule secretion in Rhodnius prolixus. 1108

Coppidius gen.n. (Hem., Hom., Dictyopharidae), established. 1002

Coprophily, in Curculionidae, 4047

Coptoformica exsecta (Hym., Formicidae), quantitative study of prey. 2721

Coptotermes amanil (Isopt., Rhinotermitidae), toxicity of fungal culture filtrates. 2168

Coptotermes formosanus,

feeding respones to sound wood. 4762 survival in relation to wood sp. 4773

Coraebus rubi (Col., Buprestidae), for biological control of Rubus fruticosus in New Zealand. 6027

Corchorus (Tiliaceae) (jute), biology of Diacrisia obliqua in Bangladesh. 1228

Corcyra cephalonica (Lep., Galleriidae), ecdysis and number of larval instars. 5985 ecology in flour-mills in Cairo, Egypt. 6033 host of Trichogramma australicum. 137 larva described. 5789

Cordilura, see Cordylura

Cordiluridae, see Cordyluridae

Cordulegaster (Odon., Cordulegasteridae), distribution of diadema and dorsalis in USA. 580

Cordulegaster deserticola sp.n., described. 580 Cordulegasteridae (Odon.), 580, 703, 1943

temperature and photoperiod in relation to larval development. 703

types in British Museum (Natural History), London, England. 1943

Cordulia aenea (Odon., Corduliidae), new for Romania. 1808

Corduliidae (Odon.), 1808, 3710, 4392, 5082 of Mt. Auyantepui and Sierra de Lema region, Venezuela. 5082

Cordyceps (Fungi), collection, preservation and insect hosts. 4056

Cordyceps militaris, parasitic on Bupalus piniarius pupae in Poland in 1964-1968. 5417

Cordylocerellus somarisiensis gen. et sp.n. (Col., Cantharidae), described. 1837

Cordylura (Dipt., Cordyluridae),

biology in relation to Orthacheta hirtipes. 274 host-plants, immature stages and life-cycle of deceptiva and varipes. 274

status of subgenus Achaetella discussed. 290 Cordyluridae (Dipt.).

273, 274, 290, 536, 2792, 2953, 3531, 3556, 5325, 5951

biology. 2953

parasitized by Ichneumonidae on W. Coast of Schleswig-Holstein, GFR. 5478 predation on Oscinella frit. 2792 from S. Spain. 536 Coreidae (Hem., Het.),

149, 992, 3780, 5207, 5264, 5705, 5853, 6051

seasonal populations on Gossypium in Egypt. 6051

thoracic sclerites. 149

Corethra, see Chaoborus

Corioderus exsul (Col., Elateridae), prey of Neoitamus bulbus in New Zealand. 3569

Corisella (Hem., Het., Corixidae), effects of Dursban on pond populations in California, USA. 4880

Corispermum marschallii (Chenopodiaceae), biology of Ulobaris loricata. 2098

Corixa panzeri (Hem., Het., Corixidae), new for Portugal. 3263

Corixa punctata, eye-growth. 2053

Corixidae (Hem., Het.),

549, 606, 1511, 1595, 1738, 1885, 2053, 2135, 2577, 2661, 2770, 2809, 2882, 3170, 3263, 3608, 3781, 4880, 5406

anomalies in R. Grabia and its inundation area, Poland. 4934

associations in Huntingdonshire, England. 2135 dispersal of algae, protozoa and fungi. 4131 distribution and ecology in saline lakes on

Fraser Plateau, British Columbia, Canada.

freshwater taxa of Sri Lanka. 4883

hosts of Eylaidae. 2882

morphology of labium. 606

N. European larvae. 2577

types in Institut Royal des Sciences Naturelles de Belgique, Bruxelles, Belgium. 1885 Corixidea (Hem., Het., Schizopteridae), new spp

from Trinidad. 552

Corixinae (Hem., Het., Corixidae), species identification on larval characters. 2577

Corizidae (Hem., Het.), see Rhopalidae Cormocephalus (Myriap., Chil.), 5909

Cormocephalus anceps, accessory glands of reproductive system. 5909

Corn, see Zea mays

Corn earworm, see Heliothis zea

Corn rootworm, see Diabrotica longicornis Cornicles.

structure and function in Acyrthosiphon pisum. 607

distal apical structure in Aphididae. 3382

Cornops (Orth., Acrididae), Ludovix fasciatus parasitic on. 4047

Cornuaspis beckli (Hem., Hom., Diaspididae), prey of Hemisarcoptes dzhashii sp.n. in Gruziya, USSR. 1393

Corotocini (Col., Staphylinidae), relationships to Perinthina, 4287

Corpora allata,

activity in 5th-instar Schistocerca gregaria. 215 activity in relation to ovarian maturation in seasonal morphs of Polygonia c-aureum. 5949

and adult development of prothoracic glands in Locusta migratoria. 2672

allatectomy in relation to lipid metabolism in 9 Spodoptera littoralis, 4631

allatectomy in relation to oviposition in Melanoplus sanguinipes. 3511

antigens in Periplaneta americana. 5234.

of Aphaenogaster senilis. 4478

of Apis mellifera drone. 1990

of Aspidiotus perniciosus. 677

brain/CA complex and determination of voltinism in Bombyx mori. 3075

CA hormone in relation to carbohydrate and nitrogen metabolism in Bombyx mori. 3076

CA hormone in relation to lipid metabolism in Bombyx mori. 3077

cells in ring glands of wild-type and mutant Drosophila melanogaster, 3221, 3224

of Coenagrion angulatum. 2591

cyclical activity in adult ? Locusta migratoria manilensis. 265

early observations on. 3281

and flight-muscle mitochondria in Locusta migratoria. 5893

histochemistry and ultrastructure in
Antheraea pernyl and Rhodnius prolixus.
5896

hormones and non-specific esterase activity in adult Pyrrhocoris apterus. 654

implantation in relation to development of fatbody and flight-muscles in Locusta migratoria. 2030

implantation in relation to diapause in Antheraea polyphemus and Hyalophora cecropia, 1184

implantation in relation to diapause in Dociostaurus curvicercus, 4664

implantation in relation to neuro-endocrine system of 3rd-instar Schistocerca gregaria. 1525

implantation in relation to spermatogenesis in Locusta migratoria migratorioides. 3502

JH activity of CA of pupal Bombyx mori. 1184 ligation and ovarian cells in Galleria mellonella. 3999

in relation to mating flights and oviposition in Apis mellifera. 5314

of Melanoplus sanguinipes. 4476

mode of action in Locusta migratoria in relation to JH. 3463

ovarian regulation in Musca domestica. 2634 neurosecretion of type C in Clitumnus extradentatus. 4475

oocyte resorption following allatectomy in Leptinotarsa decemlineata. 5950

in relation to ovary implantation in of Periplaneta americana. 1640

and pars intercerebralis A and B cells in Locusta migratoria. 3463

and pheromone-secretion in Tenebrio

Corpora allata, contd.

molitor. 4552

pleomorphism of mitochondria in adult Locusta migratoria migratorioides. 3393

in prevention of metamorphosis after JHtreatment of Oncopeltus fasciatus and Pyrrhocoris apterus eggs. 4010

and protein-synthesis during oocyte maturation in Leucophaea maderae. 721

and prothoracic-gland activity in solitary green adult Locusta migratoria migratorioides. 1154

and reproduction of Locusta migratoria manilensis. 265

size during of adult development in Schistocerca gregaria. 4596

and size of fat-body in Musca domestica. 1199 size and ovarian environment in irradiated Dacus cucumis. 5928

and spermatogenesis in Periplaneta americana. 4636

and tissue respiration in Periplaneta americana. 8246

ultrastructure of gland cells in Eurygaster integriceps. 5894

ultrastructure in Locusta migratoria, 3463 and vitellogenesis in Lepismodes inquilinus, 1637

and vitellogenesis in Periplaneta americana. 718 and vitellogenin synthesis in Leptinotarsa decemlineata. 5878

Corpora cardiaca,

activity in 5th-instar Schistocerca gregaria. 215 antigens in Periplaneta americana. 5234 of Aphaenogaster senilis. 4478 of Apis mellifera drone. 1990

of Aspidiotus perniciosus. 677

cells in ring glands of wild-type and mutant
Drosophila melanogaster. 3221

of Coenagrion angulatum. 2591

and crowding in Aulocara elliotti. 722

and diuretic hormone in Carausius morosus. 5859

early observations on. 3281

ecdysone and neurosecretion in puparium formation in Calyptrata. 3074

and gut peristalsis in Locusta migratoria.

hormones and non-specific esterase activity in adult Pyrrhocoris apterus. 654

hyperglycaemic factor in Locusta migratoria. 1591

implantation in relation to neuro-endocrine system of 3rd-instar Schistocerca gregaria. 1525

morphology and physiology. 5898

neurohormone D of Periplaneta americana in relation to membrane permeability. 4551

and protein-synthesis during oocyte maturation in Leucophaea maderae. 721

Periplaneta americana extract in relation to tissue respiration. 5246

and vitellogenin synthesis in Leptinotarsa decemlineata. 5878

and vitellogenin synthesis in Periplaneta americana. 718

Corpora lutea,

formation in Musca domestica nebulo. 1206, 4589

formation in Philosamia cynthia ricini. 3970

Corse (Mediterranean Sea),

Ichneumonidae of. 3804

new Ichneumonidae from. 3804

new Sphecidae from, 3344

status of hybrids between Pieris meridionalis and Corsican form. 5072

Corthylus (Col., Scolytidae), 807

Corthylus columbianus,

damage to Quercus alba. 807

dispersal losses, mortality and population densities. 3602

Corticaria (Col., Lathridiidae), new spp described, 5647

Corticosteroids, in relation to development and insemination in Spilopsyllus cuniculi and Xenopsylla cheopis, 4640

Cortisone acetate, in relation to chromosome puffing and development in Drosophila virilis 236

Corvus cornix (Aves), Acarus nidicolous sp.n. from nests. 3721

Corydalidae (Megal.), 4131

dispersal of algae, protozoa and fungi. 4131 Corylophidae (Col.), 5567

Corylus (Corylaceae), leaves as food substrate for Julida and Oniscus. 2822

Corymbitimae (Col., Elateridae), evolution. 1360 Corymbitodes concolor (Col., Elateridae),

taxonomy, 33

Corynebacteriaceae (Bacteria), disease caused in larval Okanagana rimosa. 2139

Corynebacterium (Bacteria), from gut of Reduviida 2005

Corynetidae (Col.), 1368

of Carpathian Basin, C. Europe. 1368

Cosmobaris americana (Col., Curculionidae), biology in relation to Beta vulgaris. 4710

Cosmopsaltria (Hem., Hom., Cicadidae), reallocated in Orientopsaltria. 97

Cosmopterigidae (Lep.), 1706

Cosmozetes gen.n. (Arach., Acari, Oribatei), established. 2462

Cossidae (Lep.), 1312, 1363, 3855 of Spain catalogued. 1363

Cossonus frigidus (Col., Curculionidae), ecology in alpine zone of Mt. Kenya, Africa. 1715

biology and parasites of Agapostemon

nasutus. 3193 new Anthicidae from, 3732

### Costa Rica, contd.

new Apidae from, 5050

new Braconidae, 1450

new Culicidae from, 3767, 3771

new Curculionidae from. 4275

new Miridae from. 5038

new Mutillidae from. 2996

new Phoridae from. 5674

new Pseudococcidae from. 563

new Reduviidae from, 2974

new Tenebrionidae from. 4289

new Tydeidae from, 3291

Costelytra zealandica (Col., Scarabaeidae),

literature on control and variability, 828 land-use changes and populations in New Zealand, 828

sex-attractant, 668

Cosymbia pupillaria (Lep., Sterrhidae),

British records and status, 5589

colour-morphs and rearing. 5119

rearing, 5115, 5119

records for Devon, England. 5115

Cothonaspis rapae (Hym., Cynipidae), parasitic on Hylemya brassicae and H. floralis in Norway. 1702

Cotton, see Gossypium

Cotton fleahopper, see Pseudatomoscelis seriatus

Cotton stainer bug, see Dysdercus intermedius Coumaphos, for control of Neoschoengastia

americana on turkeys. 5348

Courtship,

duration in Drosophila pseudoobscura. 269

in relation to eye pigmentation and wing vibration in Drosophila melanogaster. 2697

of Mastigoproctus giganteus. 3525

in mixed-species groups of Heliconius. 4655

of mutant Drosophila melanogaster. 4166 in relation to pheromone-perception in Danaus

gilippus berenice. 3522

in relation to songs of Tritomegas bicolor. 673 and subsequent behaviour in of Mormoniella

vitripennis. 2696

in Swedish Hercostomus. 4014

Cousya laticollis (Col., Staphylinidae), synonymous with Ocyusa hibernica. 2922

Cowpea, see Vigna

Cowpea curculion, see Chalcodermus aeneus

anatomy, histology and ultrastructure of coxal organs in Ornithodoros. 1107

presence of African swine fever virus in Ornithodoros moubata coxal fluid, 3147

tubule cells of coxal organs in Ornithodoros probably secretory, 1107

Crabro advenus (Hym., Sphecidae), nesting behaviour. 4021

Crabro latipes, nesting behaviour. 4021

Crambidae (Lep.), see also Pyralidae

278, 306, 346, 799, 1932, 2223, 2814, 3523, 4614, 4641, 4696, 4723, 4798, 4851, 5415,

5787, 5822, 5981, 6011, 6042, 6059

Crambinae (Lep., Crambidae), new genera, spp and combinations and transfers to other subfamilies, 5756

Crambus alienellus (Lep., Crambidae), new for Romania, 1932

Crambus fulvinotellus, type-sp of Australargyrla gen.n. 5756

Crambus leachellus cypridalis, photoperiod and temperature in relation to seasonal cycle, 4614

Crambus paphiellus, type-sp of Microcrambon gen.n. 5756

Crambus seychellullus, type-sp of Conocramboides. 5756

Crambus trisectus, photoperiod and temperature in relation to seasonal cycle. 4614

Crane fly, see Tipulidae

Crassicimex apsarae sp.n., (Hem., Het., Cimicidae), described. 548

Crassivesica subgen.n. (Lep., Noctuidae), established in Euxoa. 5752

Crataegus (Rosaceae),

host of Nathanica capitata in Berkshire, England. 5591

host of Stigmella paradox at Wicken Fen, Cambridgeshire, England, 5587

serological identity of Rhagoletis pomonella populations on Crataegus and Malus. 991

Crataegus mollis, life-history of Trishormomyia crataegifolia in Illinois, USA. 755

Crataegus monogyna, food value of nectar to Erioischia brassicae. 2722

Crateulophus (Hym., Eulophidae), re-established and new spp described. 1451

Cratichneumon nigratarius (Hym., Ichneumonidae), parasitic on Bupalus piniarius in Poland in 1964-1968, 5417

populations after mass-outbreak of Oporinia autumnata on Betula in Finland. 2153

Cratomerus (Col., Buprestidae), larvae of USSR spp described and keyed. 5795

Cratosilis laega f. discolor (Col., Cantharidae), occurrence in Appennino, Italy. 3236

Cremastocheilus (Col., Scarabaeidae), knochi and saucia inquilines of Pogonomyrmex occidentalis, 847

Crematogaster (Hym., Formicidae), new synonymy. 107

new synonymy. 107

relations to Vernonia guineensis. 1729

Crematogaster aegyptiacus, ecology and occurrence in great dunes of N.W. Sahara. 4827

Crematogaster ashmeadi, production of track pheromone from hind-legs. 2042

Crematogaster indefensa sp.n., described. 107

Crematogaster inermis, ecology and occurrence in great dunes of N.W. Sahara. 4827

Crematogaster lineolata,  $\gamma$ -irradiation in relation to life-span. 254

Crematogaster peringueyi, octan-3 one in alarm-pheromone complex. 1148

Crematogaster scutellaris, distribution, ecology and habits in Mamora Forest, Morocco, 4862

Cremastus bellicosus f. meridionator (Hym., Ichneumonidae) comb.n., 110

Cremnocryptus (Hym., Ichneumonidae), Indian and Papuan spp revised and keyed. 2993

Cremnocryptus montanus sp.n. (Hym., Ichneumonidae), described. 2993

Creoleon lugdunense (Neur., Myrmeleonidae), occurrence in N.E. Danube Delta, Romania.

Crepidodera teotiai sp.n. (Col., Chrysomelidae), described, 4992

E.T. Cresson, jun., taxa described in Diptera in 1906-1949, 2451

#### Cretaceous,

biological significance, history and nature of Canadian amber. 2243

Calliphoridae from Upper Cretaceous of Canada, 3759

Electrococcus gen.n. from Manitoba, Canada. 2976

Labrodorocoleidae fam.n. from N. Labrodor, Canada. 2916

lepidopteran larva in Canadian amber. 4207 new genera of Aculeata, 2986 new Liposcelis from Nagpur, India, 3832

Cretaphormia fowleri gen. et sp.n. (Dipt., Calliphoridae), described. 3759

Cribellatae (Arach., Aran.), of Tadzhikistan, USSR, 959

Cricetidae (Rodentia), Siphonaptera from nests in Romania. 2229

Cricetus cricetus (Rodentia), German Siphonaptera. 4092

Crickets, see Gryllidae

Cricotopus algarum (Dipt., Chironomidae), biomass production and ecology in Yugoslavian section of R. Danube. 3601

Cricotopus bicinctus, associated with Spongilla fragilis in Savannah R., USA. 1692

Cricotopus fuscus, abundance and ecology in Hungarian section of R. Danube. 1736, 3163

Crimson clover, see Trifolium incarnatum

Criorhina pachymera (Dipt., Syrphidae), new for Netherlands, 6123

Crithidia fasciculata (Protozoa), inhibition of growth in culture by JH. 1249

Crivellia silenus (Dipt., Oestridae), larvae and adults described. 5797

Croce zarudnyi (Neur., Nemopteridae), new for Afghanistan and Pakistan. 1942

Crocidura horsfieldi (Rodentia), host of Crocidurobia blairi comb.n. in Taiwan. 4230

Crocidura russela, host of Ctenophthalmus

russulae in Pyrénées-Orientales, France. 4942

Crocidura suaveolens,

host of Hypoaspis antipai sp.n. 2460 new host for Hypoaspis miles. 2746

Crocidurobia gen.n. (Arach., Acari, Myobiidae), established. 4230

Crocinae (Neur., Nemopteridae), Argentine distribution, 4205

Crocothemis servillia (Odon., Libellulidae), lastinstar larva described. 3829

Croesia semipurpurana (Lep., Tortricidae), method for forecasting population trends. 2552

Cronartium flaccidum (Fungi), association with Pissodes notatus in mortality of Pinus maritimus in Bouconne Forest, France, 3588

Cronartium fusiforme, Insecta of cankers. 4065 Crop,

rop,

function during metamorphosis in Hyalophora cecropia. 2670

lipase in Blaberus craniifer and Periplaneta americana derived from midgut. 1550 weight of contents in foraging workers of

Apis mellifera ligustica, 1106

Croscherichia litigiosa (Col., Meloidae), Zonabris alepensis reduced to variety of. 4280

Croscherichia tigrinipennis, Zonabris diversithorax reduced to variety of. 4280

Crossopriza lyoni (Arach., Aran.), brain.

#### Crowding,

and adult diapause in Locusta migratoria migratorioides. 5924

and adult productivity in Musca domestica.

aggregation pheromone and response in ovipositing \$\mathbb{Q}\$ Schistocerca gregaria. 5320

and alate production in Acyrthosiphon pisum. 710, 5937

bibliography on manifestations of overcrowding in Arthropoda. 4963

in relation to body-weight and water- and fatcontent in larval Bombyx mori. 5929

and carbohydrate content of eggs of Aulocara elliotti. 722

in relation to chiasma frequency in Locusta migratoria. 3645

in relation to colour, larval activity and size in Spodoptera littoralis. 5933

density-delayed pupation and cytochrome oxidase activity in Drosophila melanogaster. 1639

and development of Aedes sticticus. 1191

and development of Anaphes flavipes. 2677 and development of Tribolium confusum and

and diapause induction in Aelia acuminata.

and dispersal in Aceria sheldoni. 2606

T. castaneum. 2681

#### Crowding, contd.

and fecundity of Drosophila melanogaster. 4091 in relation to fecundity, growth and mortality in Aedes aegypti and Ae. albopictus. 2778 and flight-activity of Drepanosiphum platanoides.

2137

and flight-behaviour of Aedes taeniorhynchus. 1239

and larval age-structure in Drosophila melanogaster, 4172

and larval coloration in Anomis sabulifera. 5882

larval crowding and adult characteristics at emergence in Culicidae, 5281

larval crowding in relation to laboratory rearing of Chorthippus brunneus. 1169

and larval viability in relation to zygosity in Drosophila melanogaster. 3647

in relation to lipid-content and weight of larval Nematus ribessii. 1290

and locomotor activity of Leucania separata larvae. 2585

and mating in Musca autumnalis. 4665

in relation to mating propensity in Drosophila persimilis. 731

and mortality of larval Musca autumnalis. 1296 and ovarian maturation in 9 Dacus tryoni. 5480 overcrowding factors produced by larval

Culex pipiens quinquefasciatus. 4843 and oviposition in Dermacentor nitens. 5294 population changes in Blattodea. 2806

and population growth in Drosophila melanogaster. 4091

and population survival of Tribolium castaneum in relation to shape of environments. 4082

and populations of Porthetria dispar. 4097 and prothoracic glands in Locusta migratoria. 1152, 2672

rearing in isolation in relation to flight tendency in Schistocerca gregaria. 5831

recovery from effects in Acyrthosiphon pisum. 4606

and respiratory rate in larval Leucania separata. 1088

in relation to response by Acyrthosiphon pisum to mature-leaf stimulus for alate production. 1617

response in Tetranychus urticae. 4911 and sex-pheromone release by ? Tenebrio

molitor. 666 size-related effects of crowding and rearing-

temperature in Acyrthosiphon pisum. 4606 in relation to size and weight of Acyrthosiphon pisum. 4607

and spontaneous take-off activity of Blastophagus piniperda. 1237

and wing-length in Psocoptera. 1709

## Cruciferae,

fauna of in New York, USA. 329 suitability as host-plants for Phyllotreta. 4763

Crunoecia irrorata (Trich., Sericostomatidae), time of emergence from a stream in N. Wales.

#### Crustacea.

not ancestors of Insecta. 435 predation by Decapoda on Chironomus at Solberg L., Wisconsin, USA. 3558

Crustecdysone,

content of prepupae, pharate pupae and pharate adult of Calliphora stygia and C. vicina. 694

partial laboratory synthesis of 22-deoxycrustecdysone from crustecdysone. 1176

and puparium-formation in Calliphora stygia. 1174

synthesis in larval Calliphora stygia. 1112 Cryphalus (Col., Scolytidae), larvae keyed. 3385

Cryphalus (Col., Scolytidae), larvae keyed. 338 Cryphalus piceae, larva described. 3385

Cryphocricos barozzii (Hem., Het., Naucoridae), food pump. 2007

Cryphula subunicolor (Hem., Het., Lygaeidae), resurrected, 4317

#### Crypsis,

in Catocala relicta. 5374 cryptic value of melanism in Lepidoptera. 6099

Cryptinae (Hem., Ichneumonidae), new for France. 110

Cryptocellus dorotheae (Arach., Ricinulei), successful maintenance in laboratory. 757

Cryptocephalinae (Col., Chrysomelidae), developmental biology of C. European spp. 4030

Cryptocephalus (Col., Chrysomelidae), new forms from Italy. 26

Cryptocephalus amiculus, colour variation, 146 Cryptocercidae (Blatt.), 4129, 4565, 5186

Cryptocercus punctulatus (Blatt., Cryptocercidae), re-ingestion of faeces, excretion of <sup>65</sup>Zn and O<sub>2</sub>-consumption. 4565

ultrastructure of Saccinobacculus symbiotic in. 4129

Cryptocercus relictus, Bispironympha unica gen. et sp.n. from. 5816

Cryptochironomus (Dipt., Chironomidae), ecology in Hungarian section of R. Danube. 1736

Cryptochironomus viridulus, biomass-production and ecology in Yugoslavian section of R. Danube. 3601

Cryptocochylis (Lep., Cochylidae), revised. 120 Cryptoglossa verrucosa (Col., Tenebrionidae), temperature, RH and hydration in relation to water-loss. 3079

Cryptolestes ferrugineus (Col., Cucujidae), behaviour and locomotor activity. 2039 reproduction on different cereals. 738

Cryptolestes pusillus, sound-production during mating. 1599

Cryptomastax comoroensis sp.n. (Orth., Eumastacidae), from Iles Comores. 3011

Cryptomeria (Taxodiaceae), vertical distribution of macro-animals in plantation soil in Japan.

Cryptomyopus gen.n. (Arach., Acari, Sarcoptiformes), established, 1823

Cryptophagidae (Col.), 452, 1410, 5639

Cryptops (Myriap., Chil.), from Eritrea. 1383

Cryptoserphus deshii sp.n. (Hym., Proctotrupidae), described, 3808

Cryptostemmatidae (Hem., Het.), 552 relationship to Schizopteridae. 552

Cryptostigmata (Arach., Acari), new spp from

Cryptotermes brevis (Isopt., Termitidae), biology of Pyemotes boylei reared on in the laboratory, 4026

Cryptoxanthin,

in egg of Chironomus annularius. 2034 in Tettigonia viridissima. 1143

Crypturgus (Col., Scolytidae), larvae keyed and larva of pusillus described, 3385

Crypturoperla paradoxa gen. et sp.n. (Plec., Austroperlidae), described, 1946

Cryptus (Hym., Ichneumonidae), suffitus and trossulus probably Melcha. 111

Cryptusa capitalis (Col., Staphylinidae), syn.n. of Pragensiella marchii. 2922

Crystal violet, use for determining age of Neodiprion sertifer cocoons in soil. 1500

Ctenicera destructor (Col., Elateridae), method for separating eggs from soil. 1496 ultrastructure of Metarrhizium anisopliae attacking larva, 5153, 5154

Ctenizidae (Arach., Aran.), metabolic rate in relation to respiratory surface and acclimation. 4503

Ctenocephalides felis (Siphon., Pulicidae), control by use of dichlorvos-impregnated collars, 3504 spermatozoa. 679

Ctenodactylomyia antidesme (Dipt., Cecidomyiidae). status, 2941

Ctenyglyphus (Arach., Acari, Glycyphagidae), key to spp. 5615 new spp from Bulgaria and Tadzhikistan (USSR), 5615

Ctenolepisma longicaudata (Thysanura, Lepismatidae), muscle attachments. 4464

Ctenolepisma targionii, median ocellus. 5841 Ctenoneura (Blatt., Latindiidae), new spp

described. 3756

Ctenophlebia (Orth., Phaneropteridae), reproductive biology and morphology. 3103

Ctenophthalmus agyrtes (Siphon., Ceratophyllidae), acanthae of proventriculus. 3915

Ctenophthalmus agyrtes smitianus, new for Noord-Beveland, Netherlands. 2876, 6155

Ctenophthalmus assimilis, teratology. 234 Ctenophthalmus bisoctodentatus, acanthae present in proventriculus. 3915

Ctenophthalmus capriciosus, subspp. 584 Ctenophthalmus cophurus, change of host with altitude in Kenya. 1696

Ctenophthalmus (Euctenophthalmus) nairicus sp.n described. 5771

Ctenophthalmus nobilis, ex Apodemus sylvaticus thuleo on Foula, Shetland Islands, 5594 Ctenophthalmus orientalis, food concentrates in

pellet form for standard culture. 4423

Ctenophthalmus russulae, new for France. 4942 Ctenosta (Col., Carabidae), of islands of Atlantic 438

Ctenuchidae (Lep.), 444

CTP (cytidine triphosphate),

and choline kinase of Periplaneta americana.

stimulation of phosphatidylcholine synthesis in fat-body of Phormia regina larvae. 1555 Cuba.

new Curculionidae from. 4277

new Dryinidae from. 4349

new Leiodidae from. 2483

new Opiliones from. 3294, 4980

new Sphecidae from. 4362

Ptomaphaginini new for. 2483

Trypoxylon from. 4362

Cubitermes (Isopt., Termitidae), circadian rhythm of respiration in whole colonies, 4866

new for Senegal. 1929

Cubitermes heghi, integration of Termitusa with,

Cubitermes niokoloensis sp.n., described. 1929 Cubitermes severus, composition and life-stages of colonies in Ivory Coast. 350

Cubocephalus crassivalvus sp.n. (Hym., Ichneumonidae), described, 1921

Cuclotogaster heterographus (Mall., Philopteridae on Gallus domesticus in Punjab, India. 1700

Cuculiphilinae (Mall., Menoponidae), position of Aegypiphilus. 575

Cuculiphilus mirzai (Mall., Menoponidae), Ardeiphilus vittatus syn.n. of. 5080

Cucujidae (Col.), 242, 1599, 2039, 6116 from Mongolia. 6116

Cucumber, see Cucumis sativus

Cucumis sativus (Cucurbitaceae) (cucumber), development, fecundity and longevity of

Tetranychus urticae. 2707 foraging activity of Apis mellifera. 812

integrated control of Trialeurodes vaporarioru

Cucurbita pepo (Cucurbitaceae) (pumpkin), in combination with yeast a suitable medium for Drosophila melanogaster. 4091

Cucurbitacin E, and feeding behaviour of Aulacophora foveicollis. 5401

Cue lure (4-p-acetoxyphenyl butan-2-one), as attractant for Dacus tryoni. 5137 of Ceratitis capitata and Dacus cucurbitae in Cue lure (4-p-acetoxyphenyl butan-2-one), contd. relation to aerial sprays + naled and Myverol CAB-O-SIL, 4686

comparative attractiveness of mixtures with 4-p-hydroxyphenyl-2-butanone to Dacus cucurbitae. 5332

Cuerna (Hem., Hom., Cicadellidae), Canadian taxa revised and keyed and new spp described. 3791

Cuerna costalis, new for Canada. 3791

Culex (Dipt., Culicidae),

in aircraft at Nairobi airport, Kenya. 4816 breeding in tree-holes in S. India. 4666 chromosome numbers and karyotypes of Asian spp. 870

RE-11775 for control of organophosphateresistant strains. 5354

sense-organs of palps of 99. 5202

subgenus Micraedes revised and keyed and new spp described, 3769

sulphur atom and anticholinesterase and insecticidal properties of thioether N-methyl-carbamates. 5157

Culex albirostris Macquart 1851, request for official suppression. 4302

Culex bitaeniorhynchus, nocturnal activity at Utsunomiya City, Japan. 5380

Culex fatigans,

aestivation and overwintering in highveld region of Republic of S. Africa. 756

DDT-susceptibility of larvae. 222

feeding and Wuchereria bancrofti transmission.
725
genetics of insecticide resistance. 2851

physiological age determination. 725 RNA-synthesis in developing ovaries. 263

RNA-synthesis in developing ovaries, 263 Wuchereria bancrofti infection in relation to survival, 725

Culex mimulus, new for Pakistan. 4075 Culex modestus.

biology and ecology in relation to West Nile virus in Camargue, France. 6037

methyl phenyldiazenecarboxylate azoester in relation to feeding behaviour. 1254

overwintering of Ťahyňa arbovirus in France. 4018

Culex pilosus, Stempellia lunata sp.n. attacking larvae in Florida, USA. 5172

Culex pipiens,

abundance of complex in oxidation lagoons in Missouri, USA. 3199

aestivation and overwintering in highveld region of Republic of S. Africa. 756

 $\begin{array}{c} \text{amino-acid and protein metabolism during egg} \\ \text{maturation. } 726 \end{array}$ 

autochemosterilization by means of modified light-trap, 5093

biology and ecology in Dorset, England. 835 chromosome structure in salivary-gland cells. 371 DDT in relation to behaviour and mortality. 845 duration of spermatogenesis. 3477 eggs as food of Ascoschoengastia latyshevi.

5365

electroretinogram. 2598

fluorescent systems and UV-sensitivity of eyes. 3413

host preferences in Wisconsin, USA. 4752 larval head-width for instar determination. 2576

morphology of 4th-instar larvae of group in N. Japan. 3770

nitrogen excretion during egg maturation. 726 population dynamics in Gunma Prefecture, Japan. 1679

response to Betalight. 5094

selection for insecticide resistance. 4169 siphonal hair types from a 4-4 true-bred population. 2175

sterilization by hempa and tepa. 4622 subspecies nature of Japanese populations.

<sup>3</sup>H-thymidine incorporation in ovaries and testes. 3477

translocations for control. 389

ultrastructure of integument and oenocytes during pupal stage. 4459

Culex pipiens fatigans,

in aircraft at Nairobi airport, Kenya. 4816 amino-acid and protein metabolism during egg maturation. 726

chromosomal aberrations induced by tepa. 4152 CNS in regulation of blood-meal size. 1687 control by induced sterilization, 1298 esterase isoenzyme patterns, 2020

JH activity of methyl-14, 15-epoxygeranyl-geranate. 5879

lipids during development. 4007

Culex pipiens molestus,

crossover values between sex-factor and 'w' (white-eye). 2177

diazinon-resistance in larvae. 3230

inorganic and organic constituents weight and
 water-content in laboratory development.
 235

midgut contents of larvae. 1551

selection for siphonal index in 4th-instar larvae. 3205

Culex pipiens pallens,

genetics of malathion- and fenthion-resistance in larvae. 2850

nocturnal activity at Utsunomiya City, Japan. 5380

physiological age estimation. 260

ultrastructure of Malpighian tubules. 1553

Culex pipiens pipiens,

amino-acid and protein metabolism during egg maturation. 726

temperature acclimation of respiration. 3910 toxicity of plant spp to larvae. 5824

Culex pipiens quinquefasciatus,

infection of larvae by Romanomermis. 5342 in relation to overcrowding factors of Aedes aegypti. 4843

organic wastes in relation to oviposition. 6036 overcrowding factors produced by larvae. 4843 uptake of <sup>32</sup>P from plants by <sup>3</sup> adults. 3565

Culex portesi,

biology, laboratory maintenance and population dynamics. 5496

host preferences in Wisconsin, USA. 4752 cytoplasmic polyhedrosis infection of gut. 2009

Culex tarsalis,

antennal sense-organs of 9. 2593
genetics of insecticide resistance. 2851
in relation to overcrowding factors of larval
C. pipiens quinquefasciatus. 4843
populations in Texas, USA, in relation to ULV

malathion treatments. 4831 transfer of Hepatozoon rarefaciens from Drymarchon corais to Pituophis catenifer.

Culex territans, possible polyhedrosis virus infections of gut. 2009

Culex theileri,

chromosome number and karyotype. 870 overwintering and winter activity in highveld region of Republic of S. Africa. 756

Culex torrentium, biology and ecology in Dorset, England. 835

Culex tritaeniorhynchus,

inheritance of dieldrin-resistance in larvae. 2852

nocturnal activity at Utsunomiya City, Japan. 5380

population dynamics in Gunma Prefecture, Japan. 1679

spectrophotometric method for estimating time since blood-meal. 1688

Culex tritaeniorhynchus summorosus,

biting rhythm in Okayama Prefecture, Japan. 1683

breeding-sites in Kuching area, Sarawak. 5493 ecology and phenology in Toyama Prefecture, Japan. 1676

resting behaviour in relation to blood-meal. 1664

Culex univittatus, overwintering and winter activity in highveld region of Republic of S. Africa. 756

Culex vigilax Skuse 1889, request for official recognition. 4302

Culex vishnui, incidence and prevalence of complex in Madras State, India. 1654 Culicidae (Dipt.),

64, 148, 165, 190, 222, 235, 260, 263, 308, 337, 371, 389, 644, 679, 685, 697, 714, 719, 725, 726, 817, 835, 845, 879, 1146, 1167, 1191, 1218, 1232, 1239, 1254, 1298, 1347, 1382, 1428, 1490, 1539, 1551,

1687, 1688, 1737, 1738, 1870, 1967, 1975, 1984, 2009, 2020, 2145, 2156, 2165, 2166, 2175, 2177, 2185, 2551, 2574, 2576, 2593, 2598, 2624, 2636, 2639, 2640, 2655, 2685, 2723, 2732, 2778, 2850-2852, 2946, 3034, 3065, 3113, 3128, 3199, 3205, 3230, 3358, 3413, 3477, 3518, 3565, 3589, 3625, 3651, 3699, 3765-3771, 3910, 3922, 4007, 4018, 4073, 4075, 4147, 4152, 4169, 4301, 4302, 4418, 4432, 4436, 4459, 4504, 4506, 4519, 4581, 4597, 4615, 4622, 4638, 4643, 4666, 4675, 4680, 4698, 4744, 4752, 4767, 4816, 4831, 4843, 4859, 4881, 4882, 4927, 5093, 5094, 5101, 5157, 5172, 5202, 5281, 5303, 5342, 5354, 5356, 5365, 5380, 5398, 5467, 5493, 5496, 5508, 5525, 5780, 5799, 5807, 5809, 5812, 5824, 5864, 5879, 5881, 5883, 5945, 5989, 5998, 6036, 6037, 6060 in aircraft at Nairobi airport, Kenya. 4816 γ-aminobutyric acid in synaptic inhibition in nervous system. 308

1552, 1553, 1554, 1560, 1572, 1607, 1641,

1643, 1654, 1664, 1676, 1679, 1682, 1683,

and Araneae in alderwood/mixed wood ecotone, 5508

attraction to animal baits and CO<sub>2</sub>. 2723
Betalight trap for larvae. 5094
biology and ecology of adult 99 at George Lake
Alberta, Canada. 2156

blood-feeding in a wild population. 1688 breeding in the Kuching area, Sarawak, in relation to dengue fever. 5493

breeding sites in Donetsk region, USSR. 4881 of Central African Republic. 1382 chromosome inversions. 1347

chromosome numbers and karyotypes in Asian Anopheles, Ficalbia and Culex. 870

control by ULV applications of concentrated insecticides. 4698

dispersal into areas treated with ULV malathion. 4831

distribution on North and South Islands, New Zealand, 3699

ecology in Changa Manga National Forest, Pakistan. 4075

ecology in Gunma Prefecture, Japan. 1679 ecology in waste-stabilization lagoons in Missouri, USA. 337

feeding habits in relation to asexual reproducti cycles of Plasmodium spp. 5799

genetics of insecticide resistance. 2851 gynandromorphy. 5525

host-feeding associations in Wisconsin, USA. 4752

host-seeking behaviour. 308

larval head-width for instar determination. 2576

larval Hydrachnellae as age indicators. 3034 larval rearing conditions in relation to adult characteristics at emergence. 5281 Culicidae (Dipt.), contd.

method for long-term laboratory maintenance of colonies. 5780

nocturnal succession at Utsunomiya City, Japan. 5380

nuclear-polyhedrosis and cytoplasmicpolyhedrosis virus infections in Louisiana, USA, 2009

paraldehyde-fuchsin technique for neurosecretory system. 4418

physiological state in relation to numbers trapped, 1490

populations in Texas, USA, areas exposed to ULV malathion, 4831

RE-11775 for control of organophosphateresistant strains. 5354

sampling methods for adults. 1490, 2574 seasonal distribution of larvae in rock pools

in Nagatoro River, Japan. 2165 spectrophotometric method for estimating time since blood-meal. 1688

spermatozoa, 679

suction-traps for sampling, 2166

traps for population sampling. 2574

verandah-trap hut for study of DDT in relation to behaviour and mortality, 845

Culicoides (Dipt., Ceratopogonidae),

autogeny. 598

diet and rearing technique. 598

diet in relation to size, egg production, development time and emergence. 598

distribution and seasonal occurrence on Gulf of Mexico coast of USA. 941

incidence and blood-sources in Darjeeling, India. 4821

laboratory colonization. 2790

light-trap catches in S. England. 1724 of Polynesia. 2943

Culicoides alatus, new for China. 494

Culicoides anophelis, new for Kwangsi, China.

Culicoides barbosai,

biting activity. 1681

feeding behaviour in Jamaica. 765

Culicoides belkini sp.n., described. 2943

Culicoides crepuscularis, new records for Virginia, USA. 1818

Culicoides flavidorsum sp.n., described. 5024 Culicoides furens,

autogeny in a Florida, USA, population. 4011 diet and rearing technique. 598

feeding behaviour in Jamaica. 765, 766

feeding correction factors, 766

biting activity. 1681

Culicoides haematopotus, new records for Virginia, USA. 1818

Culicoides impunctatus, biting habits and phenology in S. England. 1261

Culicoides obsoletus, biting habits and phenology in S. England. 1261

Culicoides peregrinus,

new for Kwangsi, China. 494 new for USSR. 5024

Culicoides phlebotomus, method for obtaining in the laboratory, 130

 $Culicoides\ polynesiae\ sp.n.,\ described.\ 2943$ 

Culicoides punctatus, biting habits and phenology in S. England. 1261

Culicoides samoensis sp.n., described, 2943 Culicoides stellifer, new records for Virginia, USA, 1818

Culicoides variipennis, larval medium for laboratory rearing. 3366

Culicoides venustus, new records for Virginia, USA. 1818

Culiseta (Dipt., Culicidae),

in aircraft at Nairobi airport, Kenya. 4816 biology and ecology in Dorset, England. 835

Culiseta inornata, biology and ecology at George Lake, Alberta, Canada. 2156

Culiseta longiareolata, new for Lahore Division, Pakistan, 4075

Culiseta morsitans, larvae attacked by Entomophthora aquatica sp.n. 1737

Culladia (Lep., Pyralidae), revision and new spp described, 5758

Culladia sinuimargo, type-sp of Culladiella. 5756 Culladiella gen.n. (Lep., Pyralidae), established.

Cultellunguis (Col., Cantharidae), related genera keyed. 4261

Cultroribula juncta (Arach., Acari, Oribatei), ingestion rate on pine-needles and pine-mor. 305

Cultroribula tridentata, new for USSR. 4973 Culture,

adaptation of established cell lines to different culture medium, 1607

axon outgrowth and cell migration from nervous system of Periplaneta americana embryos. 3402

cell loss during in vitro culture in relation to differentiation of wing disc parts in Drosophila virilis. 4598

of cells of Rhipicephalus sanguineus. 600 cyanocobalamin required for stimulation of cell growth by serum proteins. 1609

ecdysterone in relation to leg regeneration in Leucophaea maderae. 3979

of embryonic tissue of Inasuma dorsalis. 1955 food concentrate in pellet form for standard culture of Siphonaptera. 4423

growth of lepidopteran epithelial cells in haemocytes in primary culture. 5282

humoral substances in relation to nerve regeneration in Leucophaea maderae. 3078

in vitro tissue-culture on ovary explants of Schistocerca gregaria. 589

of Laodelphax striatellus cells in vitro, 2059 medium for Bombyx mori embryos in vitro, 2564

Culture, contd.

medium giving differentiation of embryonic cells from Drosophila melanogaster. 2543 medium for in vitro growth of tick cells. 600 methods for soil micro-arthropods. 2822

neoplasms in mutant and wild-type tissues of Drosophila melanogaster. 4160

ovaries of Iphita limbata cultured in vitro. 3982

proliferation and dynamics of cell heredity in blastema cultures of Drosophila. 3985

protein induction in Aedes aegypti cells. 5864 ring-gland in relation to ocular-antennal disc development in Calliphora erythrocephala. 3981

Tenebroides mauretanicus as predator of Tenebrio molitor in culture. 5515

Cupedidae (Col.), 3850

Cupidesthes jacksoni sp.n. (Lep., Lycaenidae), described. 5068

Cupiennius salei (Arach., Aran.), haemolymph analyzed. 3914

Cupriethylene diamine, for de-silking pupal Laspeyresia pomonella. 5102

Curação (Antilles Archipelago), new Ornithodoros from. 508

Curare.

d-tubocurarine chloride and leg-contraction in Periplaneta americana. 5254

d-tubocurarine chloride and nerve impulses in Periplaneta americana. 4481

Curculio (Col., Curculionidae),

damaging acorns in N. America, 785 development in hymenopteran and curculionid galls, 4047

Curculio caryae, dispersal in relation to Carya pecan. 2771

Curculio interruptus Fabricius 1781, status and systematic position. 2906

Curculio modestus Fabricius 1781, status and systematic position, 2906

Curculionidae, see also Rhynchophoridae

30, 31, 133, 179, 193, 208, 280, 281, 299, 333, 424, 441, 452, 497, 637, 693, 730, 738, 739, 783, 785, 811, 905, 971, 983, 1163, 1226, 1252, 1257, 1286, 1364, 1599, 1621, 1655, 1656, 1706, 1715, 1718, 1923, 1954, 1979, 2057, 2098, 2201, 2220, 2478, 2485, 2486, 2523, 2526, 2651, 2683, 2692, 2708, 2709, 2717, 2733, 2736, 2739, 2755, 2765, 2771, 2906, 2908-2912, 3030, 3056, 3125, 3127, 3144, 3148, 3213, 3240, 3241, 3304, 3368, 3371, 3389, 3464, 3465, 3494, 3527, 3552, 3588, 3599, 3613, 3674, 3730, 4026, 4047, 4065, 4110, 4164, 4206, 4275-4277, 4366, 4450, 4455, 4628, 4671, 4681,

4696, 4710, 4720, 4725, 4738, 4794, 4824, 4845, 4846, 4909, 5159, 5177, 5247, 5257.

5259, 5299, 5302, 5321, 5323, 5324, 5330,

5331, 5337, 5340, 5376, 5400, 5419, 5421,

5427, 5431, 5442, 5450, 5510, 5568, 5569, 5579, 5640-5642, 5830, 5860, 5887, 5973, 6027, 6040, 6043

of Alpine zone of Mt. Kenya, Africa. 1715 Apioninae associated with wild Leguminosae in Leningrad, USSR, area. 4794 coprophily, brood-parasitism and entomophagy.

4047

damaging acorns in N. America. 785 gut alkaline phosphatases. 1110 localities for Carpathian Basin, Hungary. 5568

overwintering in meadows and Trifolium pratense fields. 6043

of pre-Alpine xerothermal oases, Italy. 3240 of R. Llobregat delta, Spain. 1364 teratology. 2057

use of galls of other groups. 4047

Curcumo domestica (Zingiberaceae), oviparous Pentalonia nigronervosa from. 4066

Curtonotidae (Dipt.), Oriental spp revised. 2947 Curtonotum (Dipt., Curtonotidae),

Parasinota syn.n. of. 2947

revised and new spp described. 2947

Cuscuta reflexa (Convolvulaceae), host of Herpystis cuscutae in Pakistan. 323 Cuterebridae (Dipt.), see also Calliphoridae, 5416

acanthae of proventricular intima in Panorpidae and Hystrichopsyllidae, 3915

activation of haemolymph phenoloxidase by larval cuticle of Drosophila melanogaster.

adenotaxy and poroidotaxy of sensory and glandular cuticular organs in Gamasoidea. 5829

alkanes of Atta colombica. 5225

architecture in Tenebrio monitor during metamorphosis. 4460

in relation to Aspergillus flavus infection in Odontotermes obesus queen. 611

bursicon in relation to dopamine synthesis in Periplaneta americana haemocytes in vitro. 1512

bursicon in relation to melanization and endocuticle formation in Sarcophaga bullata. 610

of campaniform sensilla of Drosophila melanogaster halteres. 3412

catalase and peroxidase in relation to cuticle formation. 3926

chemistry in Heterometrus scaber. 3864

chitin-protein complexes modelled. 2583 chlorazol black for staining. 602

of coleopteran elytra. 3394

cytology and development of papillae in Peripatus acacioi. 3396

deposition in wing imaginal discs of Drosophila melanogaster. 2054

diazoxon penetration in Musca domestica. 5267 diffusion of DDT in Musca domestica. 2582

# Cuticle, contd.

- ecdysial lines in larval Cicindela cancellata. 3847
- ecdysones and pupariation in Calliphora stygia. 1174
- ecdysterone and leg-regeneration in Leucophaea maderae. 3979
- epicuticle in relation to extraction with lipid solvents in larval Calpodes ethlius. 4462
- epicuticular depressions in rectal cuticle of Tenebrio molitor. 3444
- formation in Calpodes ethlius, 1986
- during growth of Acheta domestica egg. 3863
- haemolymph proteins and cuticle formation in Locusta. 652
- cis, cis-6, 9-heptacosadiene in Periplaneta americana. 608
- histogenesis in adult Sarcophaga. 3397
- of Hyalomma dromedarii and Ornithodoros savignyi. 4458
- indole-melanin from tyrosine in Sarcophaga bullata, 609
- JH and wound modelling of cuticle architecture in Tenebrio molitor, 4460
- larval cuticle and phenoloxidase activation in Drosophila melanogaster. 5228
- lipids of Lucilia cuprina, 5187
- lipids of Pteronarcys californica. 3049
- localization of peroxidase for cuticle formation in Calpodes ethlius. 1986
- melanin in puparia and adults of Sarcophaga bullata, 609
- melanization in relation to noradrenalin, dopamine and alanine in Drosophila melanogaster. 1561
- 6-methyl uridine and 1-methyl-2-mercaptoimidazole in relation to in Lepidoptera. 5293
- mitosis in relation to cuticle formation in Corixidae. 2053
- morphogenesis and ultrastructure in adult Galleria mellonella. 3398
- muscle attachment in Collem.,
  - Thysanura and Diplura. 4464
- nomenclature of homologous structures. 4462
- oenocytes in relation to lipid formation in Culex pipiens. 4459
- penetration mechanism of Metarrhixium anisopliae in elaterid larvae. 5154
- permeability in Diplopoda, 4558
- permeability in Hyalomma dromedarii and Ornithodoros savignyi. 4458
- phenoloxidase of white puparia of Drosophila virilis. 1558
- phosphomonesterase activity in Schistocerca gregaria. 4535
- post-ecdysial development of setae in pupal Bemisia tabaci. 1177
- production in relation to actinomycin D, mitomycin C and ouabain. 4610
- resilin in lens cuticle of Photinus pyralis. 3060

- sarcophagine in relation to pupariation in Sarcophaga bullata. 3459
- scanning electron microscopy of haltere surface in Calliphora erythrocephala. 1994 scanning electron microscopy in Myxophaga.
- secretion and shedding in type-B dermal glands in Rhodnius prolixus, 4570
- structural lipids and function of oenocytes. 4463
- tanning in relation to tyrosine-O-phosphate in larval Drosophila melanogaster, 198
- ultrastructure of corneal surface topography in insecta. 4484
- ultrastructure of rectal intima in Insecta. 3444 water uptake in Ilyocoris cimicoides. 1590
- wax glands of Ceroplastes pseudoceriferus.
- Cuticulin, role in insect cuticle and function of oenocytes. 4463
- Cuyodynerus gen.n. (Hym., Eumenidae), established, 1005
- Cyamops (Dipt., Aulacigastridae), new spp described, 57
- Cyaneolytta acteon (Col., Meloidae), gut and Malpighian tubules. 3924
- Cyanide, CN and Malpighian-tubule secretion in Rhodnius prolixus. 1108
- Cyanoacetic acid, related compounds as repellents for Blattodea. 5148
- Cyanocobalamin, required for stimulation of Periplaneta americana fibroblast growth by serum proteins in vitro, 1609
- Cyanogomphus (Odon., Gomphidae), Agriogomphus included in and new spp described. 5763
- Cyanophyta (Algae), dispersal by aquatic insects.
- Cyasterone, supernumerary ecdysis induced in Bombyx mori. 3489
- Cyathula capitata (Amaranthaceae), isolation of sengosterone from. 5451
- Cybister (Col., Dytiscidae), C-21 steroids in defence secretions. 5995
- Cybister lateralimarginalis, laboratory maintenance and behaviour, 2546
- Cybister limbatus, steroids in defence secretion. 3563
- Cybister tripunctatus africanus, mouthparts and feeding mechanisms. 5790
- Cybocephalidae (Col.), 2487
- Cybocephalus (Col., Cybocephalidae), from Congr-Brazzaville and new spp described. 2487
- Cycas sp (Cycadaceae), host of Selenaspidus eurylobus sp.n. in Nigeria. 5047
- **Cychrini (Col., Carabidae),** larvae of British Cychrini described and keyed. 1965
- Cyclocephala (Col., Scarabaeidae), new taxa described. 4283

Cyclodienes, sesamex in relation to toxicity and metabolism in Musca domestica. 5230

Cyclohexane, attractancy of cyclohexane-substituted esters with eugenol for Popillia japonica, 4684

Cycloheximide,

and chromosome puffing in Chironomus thummi. 5532

and histolysis of intersegmental muscle in Antheraea polyphemus. 1207

in relation to protein and RNA synthesis in salivary glands of larval Chironomus tentans. 216

Cyclohexyltin hydroxide, antifeedant for larval Gnorimoschema operculella. 5393

Cyclommatus infans sp.n. (Col., Lucanidae), described. 5001

Cycloneda limbifer (Col., Coccinellidae), biology, ecology and toxicology. 2091

Cycloneda munda, attraction to Juniperus virginiana for oviposition. 2084

**Cycloneda sanguinea**, biology in relation to Sipha flava in Puerto Rico. 4847

Cycnia mendica (Lep., Arctiidae), bilateral gynandromorph. 6134

Cydia, see also Laspeyresia

Cydia psammacta (Lep., Olethreutidae), transferred to Brachioxena gen.n. 122

Cydnidae (Hem., Het.), 149, 673, 3326 of the Institut Royal des Sciences Naturelles de Belgique, Bruxelles, Belgium. 3326 morphology of thoracic sclerites, 149

Cydonia oblonga (Rosaceae) (quince), behaviour, reproduction and survival of Chaetosiphon fragaefolii, 2700

Cylindrocopturus (Col., Curculionidae), development in hymenopteran and curculionid galls. 4047

Cylindroiulus molisius (Myriap., Diplop.), synonomy. 3273

Cylindroiulus punctatus,

mathematical model for sampling by pitfall traps. 5490

mating behaviour. 5957

Cylindroiulus ruber, distribution in mixed forests of N. Kavkaz, USSR. 5396

Cylloepus (Col., Elminthidae), plastron. 174 Cymatiinae (Hem., Het., Corixidae), species identification on larval characters. 2577

Cymatophoridae, see Thyatiridae

Cyminae (Hem., Het.), relationship to Berytidae. 3479

**Cymindis (Col., Carabidae),** biology and larvae of C. European spp. 139

Cymus (Hem., Het., Lygaeidae/Berytidae), C. European spp keyed. 3479

Cymus glandicolor,

characteristic midsummer sp of herb stratum at Korshage, Sjaelland, Denmark. 3611 from Oxfordshire, England. 3264 Cynareae (Compositae) (thistles), Eotrama moerickei gen. et sp.n. on roots in Lebanon. 3788

Cynipidae (Hym.), see also Eucoilidae 319, 567, 785, 1248, 1264, 1702, 1926, 2085, 2113, 2502, 2751, 3575, 5481 attacking acorns in N. America. 785

Cynipoidea (Hym.),

development of Curculionidae in galls. 4047 Myrmex and Oopterinus spp associated with galls. 4047

parasitic on Boriomyia subnebulosa. 313

Cynips (Hym., Cynipidae), see also Andricus oak-galls in Méhes collection in Museum of Natural History, Budapest, Hungary. 1278

Cynocephalus variegatus (Dermoptera), Hamophthirius galeopitheci redescribed. 1833

Cynodon dactylon (Gramineae),
Tristephanus cynodontis sp.n.

Tristephanus cynodontis sp.n. galling. 3764 unsuitable for survival of Pyrgomorpha conica. 6003

Cynopterus brachyotis (Chiroptera), ecology of Bakerocoptes cynopteri in relation to. 2747

Cyolane [cyclic ethylene (diethoxyphosphinyl) dithioimidocarbonate], control of Spodoptera littoralis in Egypt. 5352

Cyperus rotundus (Cyperaceae) (nutgrass), biological control by Laspeyresia perfricta in India. 4804

ingestion of <sup>32</sup>P from by Culex pipiens quinquefasciatus. 3565

Cyperus schweinitzli, extracts in relation to growth and survival in Melanoplus femurrubrum. 3978

Cyphanthidium intermedium sp.n. (Hym., Megachilidae), described. 5734

Cyphomyia bicarinata (Dipt., Stratiomyidae), distribution, phylogeny and taxonomy of group. 1433

Cyphomyia erecta sp.n., described. 1433 Cyphon (Col., Helodidae), new Palaearctic spp. 38 Cyphonia (Hem., Hom., Membracidae), revised and new taxa described. 562

Cyprus (Mediterranean Sea), new Argasidae from, 4220 new Cryptophagidae from, 1410 new Helodidae from, 38

Cypselosoma (Dipt., Sphaeroceridae), 57 Cypselosoma gephyrae (Dipt., Cypselosomatidae), discussed, 57

Cypselosomatidae (Dipt.), 57

Cyrtogonatopus breviforceps (Hym., Dryinidae), redescribed and cubensis sp.n. described. 4349 Cyrtolabus occidentalis sp.n. (Hym., Eumenidae),

described. 3339

Cyrtomoptera (Col., Cantharidae), related genera keyed. 4261

Cyrtophora citricola (Arach., Aran.), brain. 3876

Cyrtosia pruinosula sp.n. (Dipt., Bombyliidae), described. 60

Cyrtoxipha (Orth., Gryllidae), systematics, acoustic behaviour and distribution of USA spp and new spp described, 583

Cystathionine, in haemolymph of Apis mellifera. 5226

Cysteine,

in relation to choline kinase of Periplaneta americana. 3936

and development of Neomyzus circumflexus. 2079

inhibitor of neurohormone D in Periplaneta americana. 4551

product of sulphate metabolism in Neomyzus circumflexus. 2079

in protocerebral neurosecretory cells of Musca domestica. 3879

in relation to silk fibroin of Bombyx mori. 5863

and development in Neomyzus circumflexus.

metabolism in Stegobium paniceum and Lasioderma serricorne, 2023

in protocerebral neurosecretory cells in Musca domestica, 3879

Cystomastax (Hym., Braconidae), characterized. 1908

Cystomutilla (Hym., Mutillidae), new for Romania. 2520

Cytidine diphosphate choline, and biosynthesis of phosphatidylcholine in Phormia regina larva, 1555

Cytidine phosphate, and DNA production in pupal Hyalophora cecropia. 4525

Cytochromes, terminal respiration in mitochondria of 'Minute' mutants of Drosophila melanogaster, 1345

Cytochrome c, during development of Apis mellifera. 4524

Cytochrome oxidase,

and density-delayed pupation in Drosophila melanogaster. 1639

in mitochondria and microsomes from Periplaneta americana fat-body. 4579

Cytology,

of Drosophila paulistorum strains. 2841 cytotaxonomy of Aphididae. 1744 of fat-body in larval Trogoderma granarium. 1130

of cuticular papillae in Peripatus acacioi. 3396 of prothoracic glands of solitary adult

Locusta migratoria migratorioides. 1153

of silk-gland cells in Bombyx mori. 370

of spermatogenesis in Lithobius forficatus. 2047

of Teleogryllus populations in Australia and New Zealand. 867

of unisexual population of Phenacaspis pinofoliae. 841

Cyzenis albicans (Dipt., Tachinidae), population model for interaction with Operophtera brumata, 2159

Czechoslovakia.

Acari from Tatra Mountains. 6109

Atylotus of. 988

Bellieria novercoides new for. 456

Calamoncosis stipae new for. 63

Conosoma testaceum sp-group reviewed. 530 Dipt. of food-processing establishments.

842

Forelia longipalpis new for. 1369

Hydrachnellae from mountain seepage-waters and new records, 1377

Nanophyes telephii new for, 5569

new Aphididae from, 94

new Braconidae from. 5052

new Encyrtidae from. 104

new Eurytomidae from, 106

new Heptageniidae from, 2963

new Phalangiidae from. 1398

new record for Eugraphe subrosea from Bohemia.
455

new records of Coleoptera. 935

new Scelionidae from. 3809

new Tipulidae from, 2959

population dynamics of insects of Medicago sativa fields in S. Moravia, 6061

Sialis reviewed and keyed, 3354

D

D-D, effects on soil invertebrate populations. 1721 Dactylis glomerata (Gramineae),

nutritive value for Erioischia brassicae. 2722 preferred host-plant of Draeculacephala mollipes. 4711 Dactylochelifer latreillei (Arach., Pseudoscorp.), morphology, taxonomy, development and biology. 3383

Dactylochelifer marlavsicolus sp.n., described. 3295

Dactylothrips (Thysanopt., Phlaeothripidae), Hannibalia syn.n. of. 4402

redefined and new spp described. 4402

Dactynotus (Uromelan) asyneumatis sp.n. (Hem., Hom., Aphididae), described. 94

Dactynotus fagopyri sp.n., described. 90

Dacus (Dipt., Tephritidae),

dorsalis and related spp keyed. 3777 interbreeding between neohumeralis and tryoni in E. Australis. 429

larvae of ciliatus, frontalis and vertebratus described. 5143

Dacus ciliatus,

behaviour in relation to light, RH and temperature. 636 immature stages, 86

Dacus cucumis, size of CA and ovarian environment after irradiation, 5928

Dacus cucurbitae,

attractiveness of mixtures of cue-lure and 4-p-hydroxyphenyl-2-butanone. 5332 control of of with lure + naled and Myverol or CAB-O-SIL. 4686

differentiation of parasitized and unparasitized pupae. 2548

DNA-synthesis in salivary glands. 3952 efficiency of bait trapping according to height. 2712

immature stages. 86

Dacus diversus, immature stages. 86 Dacus dorsalis.

differentiation of parasitized and unparasitized pupae. 2548

distribution and taxonomy. 3777

eradication from Mariana Is., Pacific Ocean. 4832

medium for mass-production of larvae. 2557

Dacus neohumeralis,

competition with D. tryoni in laboratory populations. 915

mating behaviour. 915, 2081

Dacus oleae,

endogenous rhythm of pupation, 5125 improved larval diet and simple rearing containers, 5125

lipids and major lipid fractions of adult. 2627 population dynamics of Hurytoma martellii in relation to. 3114

variation at esterase loci in a Greek population. 3219

Dacus tryoni,

competition with  $\overline{D}$ , neohumeralis in laboratory populations, 915 mating behaviour, 915, 2081

maturation of  $\mathfrak{P}$  in relation to temperature. 5480

oviposition-site selection and oviposition. 1217

sex-pheromone glands of d. 671 traps, male attractants and warning system.

Dagathia (Hym., Ichneumonidae), genus-complex discussed. 5733

Dahlbominus (Hym., Eulophidae), radiationinduced body-malformations and eye-colour mutations in relation to maternal age and length of irradiation. 901

Dahlbominus fuscipennis, new radiation-induced mutants, 4161

Dahomey, presence of Contarinia sorghicola. 436
Dalbulus elimatus (Hem., Hom., Cicadellidae),
transmission of corn stunt agent to Zea mays.
4067

Dalbulus maidis, behaviour in relation to dent corn hybrids, 727

Dalsira (Hem., Het., Pentatomidae), Schyzops otjimbora transferred to. 1440

Damalinia ovis (Mall., Trichodectidae), population dynamics on sheep. 1293

Dameolus ornatissimus (Arach., Acari, Oribatei), new for Hungary. 952

Damon (Arach., Amblypygi), Ethiopian spp keyed. 2877

Damoninae (Arach., Amblypygi), Ethiopian genera keyed. 2877

Dampier Islands (Western Australia), new Nymphalidae from. 1936

Danaë gracillima sp.n. (Col., Endomychidae), described. 35

Danaidae (Lep.),

213, 876, 1325, 2176, 2560, 2865, 3410, 3522, 3866, 3897, 4457, 4953

chromosome numbers of 5 spp from the Himalaya of Nepal. 1325 chromosome numbers and karyotypes of

chromosome numbers and karyotypes of Formosan spp. 876

Danaus chrysippus (Lep., Danaidae), genetics of E. African morphs. 2176

Danaus gilippus berenice,

 $\cent{$9$}$  chemoreceptors for food-plant perception. 3410

pheromone perception and courtship. 3522 receptors for perception of honey odour. 3897

Danaus plexippus,

head and neck musculature. 3866 method for studying chemoreceptors on larval maxillae. 2560

new for Philip and Nepean Islands. 2865 particles in defensive fluid. 4457

seasonal occurrence on Norfolk Island. 4953 trans, trans-3, 7-dimethyl-2, 6-decadien-1-10-dioic acid from pheromone. 213

Danube (River).

Chironomidae of littoral region of Hungarian section. 3163

Chironomidae of Yugoslavian section, 3601

Danube (River), contd.

inundations in relation to benthic fauna of rivers of 'Iron Gates' dam area, Romania. 2776

Darwinhydrus (Col., Dytiscidae), captures of larvae in Southern Africa. 3041

Dasanit [O,O-[p-(methylsulphinyl)phenyl]phosphorothioate],

control of Epitrix hirtipennis on flue-cured tobacco. 5355

control of nematodes and insects in potatoes. 4692

simultaneous control of Ostrinia nubilalis and Diabrotica virgifera in Missouri and Iowa, USA. 5334

Dascillidae (Col.), larvae and pupae of African taxa. 3036

Dasyhelea (Dipt., Ceratopogonidae),

life-history and population fluctuations in Berkshire, England, 3627 new spp described, 3757

Dasyhelea oppressa, in brown slime fluxes in southern New England, USA, 4096

Dasyneura sp (Dipt., Cecidomyiidae), on Ficus in Gurdaspur, India. 3761

Dasyneura alopecuri, attacking seeds of Alopecurus pratensis in Poland. 5435

Dasyneura amaramaniarae, soil populations at Allahabad, India. 4099

Dasyneura balsamicola, parasites and their lifecycles in Maine, USA, 4786

Dasyneura brassicae, as food for Philonthus fuscipennis and Oxytelus rugosus. 5367

Dasyneura citri, soil populations at Allahabad, India. 4099

Dasyneura festucae, attacking Festuca pratensis and F. rubra in Poland. 5435

Dasyneura ignorata, biology in C. Bohemia, Czechoslovakia. 324

Dasyneura poae, attacking seeds of Poa pratensis in Poland. 5435

Dasyneura tripolii sp.n., described. 1872

Dasynonyx (s.str.) smallwoodae sp.n. (Mall., Trichodectidae), described. 1940

Dasypodia selenophora (Lep., Noctuidae), at Palmerston North, New Zealand, in 1968. 3697

Dasypodidae (Edentata) (armadilloes),

biology of Triatoma in S.W. Texas, USA. 4707 hosts of Triatoma sanguisuga texana and T. gerstaeckeri in S.W. Texas, USA. 4707

Dasypogoninae (Dipt., Asilidae),

ecological morphology. 1716 salivary-gland structure. 3082

Dasystole (Lep., Geometridae), revision and key. 1464

Dasystole crenulata, transferred to Colopodonta. 1464

Dasystole synopsioides, excluded from Dasystole.
1464

Dasysyrphus (Dipt., Syrphidae), validity accepted. 78

Dasytidae (Col.), see also Melyridae. 1368, 2057 of Carpathian Basin, C. Europe. 1368 teratology. 2057

Datana ministra (Lep., Notodontidae), method for sexing pupae. 572

Date-palm, see Phoenix dactylifera

Datura (Solanaceae), virus transmission by Myzus persicae to metel and stramonium. 1282

Datura stramonium, toxicity of extracts for Culex p.pipiens larvae. 5824

Daucus (Umbelliferae) (carrot), insecticidal control of Macrosteles fascifrons in relation to incidence of aster yellows, 4830

Dayakus (Col., Elateridae), keyed. 5660

DDA, in relation to ATPases of muscle and nerves in Periplaneta americana. 614

DDE, in relation to ATPases of muscle and nerves in Periplaneta americana. 614

DDT,

absorption and metabolism in resistant strains of Laspeyresia pomonella. 1601

absorption and metabolism in resistant and susceptible strains of Blatella germanica. 1602

absorption and metabolism in resistant and susceptible strains of Boophilus microplus. 4575

in relation to aliesterase activity and egg viability in Musca domestica. 712

in relation to ATPases of muscle and nerves in Periplaneta americana. 614

in relation to behaviour and mortality of Culicidae in Tanzania. 845

control of Epitrix hirtipennis on flue-cured tobacco, 5355

control of Eumerus strigatus. 291

control of Macrosteles fascifrons. 4830

control of Spodoptera littoralis in Egypt. 5352 diffusion pathways of  $^{14}\mathrm{C}\text{-DDT}$  in Musca

liffusion pathways of <sup>14</sup>C-DDT in Musc domestica. 2582

feeding behaviour of Anopheles culicifacies in relation to DDT-resistance in Gujarat State, India. 2732

genetics of resistance in Diptera. 2851 genetics of resistance in Tribolium. 3993

lack of long-term effect for control of Paropsis charybdis in New Zealand, 3553

lack of resistance in Hylemya platura in Illinois, USA. 2810

LC<sub>50</sub> values for larval Culex fatigans. 222 Mattesia grandis and DDT-susceptibility of Anthonomus grandis. 4450

metabolic products in Boophilus microplus.
4575

method for testing resistance in Siphonaptera. 4581

in relation to mortality and reproduction in Tribolium confusum and T.castaneum. 3993

# DDT, contd.

population differences in susceptibility of Xenopsylla cheopis and Ceratophyllus fasciatus in USSR. 4581

resistance of simuliid larvae to p, p'-DDT in New York State, USA, and E. Canada. 5472 selection for resistance in Ostrinia nubilalis.

simultaneous control of Ostrinia nubilalis and Diabrotica virgifera in Missouri and Iowa, USA. 5334

stimulation of protein synthesis in vitro in Aedes aegypti cells. 5864

toxicity to larval Aglais urticae. 1714 toxicity to larval Culex fatigans in rela

toxicity to larval Culex fatigans in relation to age, 222

toxicity to larval Euxoa messoria. 5182 toxicity to larval Hemerocampa pseudotsugata.

toxicity to larval Telmatoscopus albipunctatus. 5987

toxicity to Neodiprion pratti banksianae, N. swainei and Pristiphora erichsonii. 5180

DDT + dimethoate, control of cotton pests in Sudan, 5338

DDT + methyl parathion + toxaphene, control of Anthonomus grandis and Heliothis zea in N. Carolina, USA. 5337

### DDVP.

toxicity to larval Telmatoscopus albipunctatus.

use with cue-lure in traps for Dacus tryoni. 5137

Deca chorda (Lep., Saturniidae), new spp described. 5747

Decapotoma (Col., Meloidae), new taxa described. 5003

Decellia gen.n. (Col., Cerambycidae), established.

Dechocrocis punctiferalis (Lep., Pyralidae), parasites of fruit-tree and conifer biotypes. 1272

Dechtiria turbidella (Lep., Nepticulidae), new for Cambridgeshire, England. 5586

Dectes sp (Col., Cerambycidae), biology in relation to soybeans in Missouri and Arkansas, USA. 808

Decticus verrucivorus (Orth., Tettigoniidae), songs and auditory system. 2044

#### Deer (Artiodactyla Cervidae),

association of Musca autumnalis with in Montana, USA. 4701

host of Ixodidae in E.C. Oklahoma, USA. 4775 incidence of Demodex in eyelids in southwestern USA. 1698

Ixodes scapularis established on in N. Wisconsin, USA. 4945

primary hosts of Tabanidae in estuarine and alluvial areas of Louisiana, USA, 1262

# DEF [S, S, S-tributyl phosphorotrithioate],

potentiation of toxicity of organophosphates in Anthonomus grandis, 5159 toxicity to Anthonomus grandis, 5259

#### Defacation.

in Attagenus megatoma. 5217 in Blankaartia acuscutellaris. 180

and meconium formation in Trogoderma parabile. 5217

in Rhodnius prolixus, Triatoma sanguisuga texana and T. gerstaeckeri. 4707 by schizekonosy in Trombidiformes. 180

#### Defence,

alarm-pheromones. 1242

anal pyramid of Aeshna cyanea larvae. 3570 aposematic display in Pseudocreobotra wahlbergi. 4727

attraction to artificial light an unnatural escape reaction. 5848

auditory system of Homorocoryphus in relation to behaviour. 1529

behaviour in Cephis cephise. 4735

behaviour in Epicauta albida group. 1413 behaviour of Panamanian Orthopteroidea. 5390 cardiac glycoside in aposematic Aphis nerii.

deimatic reaction of Stagmatoptera biocellata. 4494

evasion of pulsed ultrasound in Noctuidae. 167 giant-fibre and small-fibre pathways involved in Periplaneta americana. 3878

glands of Cicindelidae, Amphizoidae and Hygrobiidae. 3134

jumping cocoons of Bathyplectus anurus in relation to Dibrachys cavus. 5426

mechanisms of larval Ceratiscada canaria sp.n 5755

mechanisms of larval Phyllocolpa, Pontania and Euura, 3538

mechanisms of social insects. 5389

molecular shape and alarm activity of alarm pheromones of Iridomyrmex pruinosus and Pogonomyrmex badius, 1314

reactions of Drosophila melanogaster to attack by Pseudeucoila. 1248

reactions of larval Hypera postica to Tetrastich incertus oviposition. 5324

secretion of Brachinus. 1243

secretion of Calosoma peregrinator. 2103

secretion of adult Dysdercus intermedius. 1251 secretion of larval Papilionidae. 4749

secretion of Scaphinotus. 4750

secretion of Uroblaniulus canadensis. 1653 and sound-production in Schedorhinotermes derosus. 4878

C-21 steroids of defence secretion of Cybister, 5995

steroids in defence secretion of Cybister limbatus. 3563

Defence, contd.

steroids of defence secretion of Ilybius fenestratus. 5387

threat display of Teutana grossa. 5954 ultrastructure of defensive fluids from Lep.

and Coleoptera. 4457

and wing-locking device in Xyleutes durvillei and other Lepidoptera. 3856

Defoliants, potentiation of organophosphate toxicity in Anthonomus grandis. 5159

Degeeria luctuosa (Dipt., Tachinidae), parasitic on Synharmonia conglodata. 2116

Degonetus sikkimensis sp.n. (Hem., Het., Pentatomidae), described, 1439

7-Dehydrocholesterol,

in growth development and reproduction of Xyleborus ferrugineus. 3140

product of cholesterol metabolism in Musca domestica. 660

Dehydrogenases,

alcohol dehydrogenase isozymes in Drosophila obscura group. 4538

alcohol dehydrogenase locus in a natural population of Drosophila melanogaster. 6105

 $\alpha$ -glycerophosphate dehydrogenase isozymes in Drosophila melanogaster. 2021

 $\alpha\text{-glycerophosphate}$  and lactate dehydrogenases during larval development in Drosophila melanogaster. 4629

haemolymph dehydrogenase isozymes in Apis mellifera during development. 2015

lactate dehydrogenase of Drosophila melanogaster. 4529

malate dehydrogenases of Drosophila.

of a Tribolium castaneum population. 5309 succinate dehydrogenase in flagellate symbionts of Kalotermes flavicollis and Reticulitermes lucifugus. 4868

Deilephila nerii,energy content and population dynamics in relation to season in Sierra Leone. 4855

Deilephilinae (Lep., Sphingidae), genitalia. 121 Deilinia (Lep., Geometridae), species

identification on larval head-capsule characters. 2578

Deinocerites (Dipt., Culicidae),

feeding habits of Panamanian spp. 5398 new sp described, 3771

Delias (Lep., Pieridae), status of names aglaja and pasithoe. 1469

Delkeskampia impressipennis gen. et sp.n. (Col., Cantharidae), described. 1837

Delocephalus (Hem., Het.), confirmed as a Pentatomoidea. 88

Delphacidae (Hem., Hom.),

782, 1027, 1276, 1285, 1897, 2059, 2141, 2719, 2740, 3550, 5042, 5106, 5701, 5702, 5776, 6052, 6100

device for collecting eggs. 5776

estimation of parasitism rate of eggs by Anagrus nr. flaveolus. 5106

new genera and spp from Sudan and Africa described. 1897

seasonal populations on Gossypium in Egypt.  $6052\,$ 

Delphacodes propinqua (Hem., Hom., Cercopidae), head-capsule and mouthparts. 1974

Delphax (Hem., Hom., Delphacidae), new spp described and Palaearctic spp keyed. 5702

Delphiniobium bogdouli sp.n. (Hem., Hom., Aphididae), described, 3785

Delta element,

gene dependence of killing action and multiplication in Drosophila melanogaster. 3657

transmission through of parents in Drosophila melanogaster, 4885

Deltomerus (Col., Carabidae), new spp described. 4262

Demanga deflectens Distant 1915 (Hem., Hom., Membracidae), syn.n. of Bocchar fenestratus.

Dematiaceae (Fungi), food of Tomocerus longicornis, 4769

Demeijerea (Dipt., Chironomidae), reduced to subgenus of Glyptotendipes, and Prophytochironomus syn.n. of 5025

Demeton,

control of Brevicoryne brassicae on cabbage and cauliflower in W. New York, USA. 5336

control of Brevicoryne brassicae on cauliflower and broccoli. 5341

genetics of resistance in Tetranychus urticae. 6101

Demeton-S-methyl, genetics of resistance in New Zealand Tetranychus urticae. 3677

Demobotys gen.n. (Lep., Pyralidae), established and new taxa described. 2533

Demodex (Arach., Acari, Demodicidae), incidence in eyelids of domestic ungulates in southwestern USA. 1698

Dendroctonus brevicomis (Col., Scolytidae), aggregation behaviour in response to synthetic pheromones, 1288

3-carene and response to frontalin. 1652 pheromones regulating mass-attack and colonization of Pinus ponderosa. 1288

Dendroctonus frontalis.

distance perception by Thanasimus dubius in relation to. 2742

flight and attack pattern of Platypus flavicornis in relation to in E. Texas, USA. 751

**Dendroctonus obesus**, temperature inversion and development. 3099

Dendroctonus ponderosae,

maxillary mycangium and symbiotic fungi. 3854 prey of Laphria gilva in S. Dakota, USA. 1666 rearing media. 3379

Dendroctonus ponderosae, contd.

temperature and resin in relation to egghatch. 5930

Dendroctonus pseudotsugae,

aggregation pheromone. 4569

aggregation pheromone masking. 1725

flight cessation on exposure to sex-pheromones.

orientation of Medetera aldrichii in relation to, 4745

Dendroctonus rhizophagus sp.n., described. 3749 Dendroctonus terebrans, control in C. Louisiana, USA. 4676

Dendrohyrax dorsalis (Hyracoidea), host of Procavicola muesebecki sp.n. and Dasyonyx smallwoodae sp.n. in Nigeria. 1940

Dendrolimus pini (Lep., Lasiocampidae),

ecology of outbreak collapse in Hungary. 4077 mechanisms of conifer resistance. 5442 protection of tree-stands by fertilization in GFR. 4797

Dendrolimus spectabilis,

host of Carceliopsis matsukarehae sp.n. 989 life-cycle and phenology in Kyoto, Japan. 4035

Dendropicos (Aves), new Picicola from. 4384

Dendrosoter protuberans (Hym., Braconidae), cold-hardiness and supercooling points. 5466 life-cycle and ecology in relation to Scolytus multistriatus. 4779

Dendrosoter sulcatus, biology in relation to Ips in Virginia, USA. 4733

Dengue haemorrhagic fever,

breeding of Culicidae in Kuching, Sarawak, in relation to. 5493

population dynamics of Aedes aegypti in Bangkok, Thailand, in relation to. 2145

Denmark,

Aphididae of, 2869

Aphis of. 458

Coleoptera from Jylland. 2201

Coleoptera new for. 2478

distribution of Orthoptera. 3700

distribution of Pterochilus phalesatus. 461

distribution of Rhyacionia buoliana and Rh. pinicolana. 1797

Formicidae of Laes \$\phi\$. 5580

Heteroptera of herb stratum at Korshage, Sjaelland. 3611

Lepidoptera new for. 2871

Rhipicephalus sanguineus introduced from Africa. 2196

Stenus list revised, 4926

Dennyus aequatorialis sp.n. (Mall., Menoponidae), described. 576

 $\begin{array}{c} \textbf{Density, relative density variation in Pterygota.} \\ 1983 \end{array}$ 

Denticolloides fulvus sp.n. (Col., Elateridae), described. 4997

d'Entrecasteaux Islands (Papua), new Nymphalidae from, 1936 Dentrocarpus silvai (Arach., Acari, Listrophoridae), on Molossus molossus fortis in

Puerto Rico. 5607

Deoxokynurenine, and kynurenine-3-hydroxylase activity in Calliphora erythrocephala. 1123

Deoxycholate, acylation and de-acylation by larval Musca domestica microsomes. 3927

**22-Deoxycrustecdysone**, partial laboratory synthesis from crustecdysone. 1176

25-Deoxyecdysone, in relation to ecdysone synthesis in Calliphora stygia. 1112

Deoxyuridine,

X-irradiation in relation to utilization for DNA thymidylate synthesis in Drosophila melanogaster testis cells. 1580 in pupal Hyalophora cecropia. 4525

Deporaus pacatoides (Col., Curculionidae), Xyyp sex-determining mechanism, 4909

Depressaria ultimella (Lep., Oecophoridae), Sium latifolium an alternative host-plant in Britain. 5444

Deraeocoris albigulus (Hem., Het., Miridae), predator of Choristoneura pinus in Michigan, USA. 3615

Deraeocoris trifasciatus, new for France. 5705 Deramas (Lep., Lycaenidae), new spp described. 3005

Derbidae (Hem., Hom.), 490, 937

Dericorys escaleral luteipes subsp.n. (Orth., Acrididae), described and key to spp. 5764

Dericorythinae (Orth., Acrididae), of Morocco reviewed. 5764

Dermacentor (Arach., Acari, Ixodidae), from Philippines and Bismarck Islands. 2192

Dermacentor albipictus, occurrence and hosts in E.C. Oklahoma, USA. 4775

Dermacentor andersoni,

ecology and epidemiology of Colorado tick fever virus. 5469

fluorescent antibody method for recognition in Anaplasma marginale. 4788

tick-restricting cage on host rabbit. 5136

Dermacentor nitens,

crowding in relation to oviposition. 5294 pathology of Babesia caballi infection. 5151

Dermacentor variabilis,

circadian rhythm of dropping of engorged larvae and nymphs. 5395

occurrence and hosts in E.C. Oklahoma, USA. 4775

partial feeding in relation to development of immature stages. 3484

Dermanyssidae (Arach., Acari),

Australian taxa keyed. 510

of birds of Queensland, Australia. 510

of New Guinea keyed and new host and locality records. 5411

new taxa from N. Brazil. 4975

Dermaptera,

apparatus for rearing, 5131

## Dermaptera, contd.

gravity perception in relation to leg proprioceptors. 4495

Indian records reviewed, 2934

London types described by Linnaeus and Fabricius. 5663

of New Zealand, 3696

from Tuscan Appennino, Italy. 6149

Dermasothes (Hym.), transferred from Bethylidae to Tiphiidae. 4338

Dermasothes ponderopardalis sp.n., described.
4338

Dermatophagoides pteronyssinus (Arach., Acari, Pyroglyphidae), numbers in living-rooms and on mattresses. 1308

## Dermestes (Col., Dermestidae).

cell-size and cell-number regulation in Malpighian tubules. 188

DNA values of fat-body and testis wall, 5539 DNA values of spermatids, 188

## Dermestes laniarius.

ecology and biology. 4826 in England in Bronze age. 2244

## Dermestes maculatus.

electroretinogram, 2598

fate of Salmonella fed to. 588

\$\text{assembling scent in relation to Trogoderma granarium.} 3902

### Dermestidae.

188, 254, 257, 270, 295, 588, 762, 1097, 1130, 1151, 1599, 2244, 2559, 2597, 2598, 2666, 3902, 4454, 4562, 4650, 4826, 5217, 5257, 5403, 5539, 5848, 5887, 6000

Deroceras (Mollusca), larval biology of Tetanocera. 4716

Derodontidae (Col.), of the Carpathian Basin, C. Europe. 1368

Derostenus (Hym., Eulophidae), taxonomy of spp allied to. 1451

Derostenus coffeae, transferred to Platocharis

Desert locust, see Schistocerca gregaria

#### Deserts.

adaptations in Syntropis longiunguis sp.n. and Vejovis mesaensis. 2892

biology and ecology of desert Calyptrata in Egypt. 4829

flag method for studying surface distribution of Phlebotominae. 6050

flight-periods and N. American distribution of Amitermes. 3195

new Eumenidae from Spanish Sahara. 3339 new Polyphagidae from Iran. 4294 water-loss in desert Tenebrionidae. 3079 Desis crosslandi (Arach., Aran.), description, ecology and distribution. 2467

Desmocerini (Col., Cerambycidae), re-established. 2898

Desmoceris (Col., Cerambycidae), sole genus of Desmocerini. 2898

Desmodus rotundus rotundus (Chiroptera),
Trypanosoma cruzi infective in Reduviidae.

Desmogomphus (Odon., Gomphidae), discussed. 5763

**Desmosterol**, utilization by larval Drosophila melanogaster, 4646

### Detergent,

required for ribosome isolation from adult Acheta domestica. 4534

use in clearing Musca autumnalis puparia for sex-determination. 3372

### Detoxification,

of diazinon and diazoxon in Musca domestica. 5267

of diazinon by subcellular fractions in Musca domestica, 2018

distribution of multi-function oxidase in insects. 4582

sesamex in relation to detoxification of cyclodienes in Musca domestica. 5230

of thioether N-methylcarbamates in Musca domestica and Culex spp. 5157

Deuterosminthurus (Collem., Sminthuridae), Andiella spathaceus transferred to. 4981 new spp described. 1858

Deuterotoky, in Tetranychus urticae. 5906 Deutches Entomologisches Institut, Eberswalde, GDR, types of Ephem., Odon. and Plec. catalogued. 1820

### Development,

abnormalities due to handling in Tribolium confusum and T. castaneum. 2681

abnormalities induced by temperature and Xirradiation in pupal Tribolium confusum. 705

of Acarus siro in the laboratory. 1303 and acetylcholinesterase activity in Celerio

and acetylcholinesterase activity in Celeric euphorbiae. 5940 of Acleris variana in the laboratory. 2664

of Acridomyia sacharovi and Blaesoxipha

lineata in N. American Acrididae. 4793 of Adalia bipunctata in the laboratory, 1665

adult production in incipient colonies of Bombus agrorum, 4876

of Aedes sticticus in relation to temperature, diet, density and water-depth. 1191

of African Helopeltis. 2513

alate production in Acyrthosiphon pisum in relation to crowding. 5937

alate production in Acyrthosiphon pisum in relation to host-plant. 1617

of Albareda parabates and Cactobrosis fernaldialis in relation to temperature. 3095

- alcohol dehydrogenase during development of Drosophila melanogaster. 1632
- alternation of generations in Heteropeza pymaea. 3520
- of Amblymerus bruchophagi in Bruchophagus roddi. 4705
- of Amblyseius fallacis in the laboratory, 4708
- of Amradiplosis allahabadensis, 4023
- of Amrasca splendens. 4714
- of Anaphes flavipes under field conditions. 4834
- of Anaphes flavipes in Oulema melanopus eggs sterilized with X-rays. 4784
- of Anaphes flavipes in relation to temperature and superparasitism. 2677
- of Anthonomus grandis on Gossypium hirsutum and Hampea sp. 811
- of Aphidius smithi in relation to temperature and photoperiod, 704
- of aphidophagous Syrphidae, 1230
- of Aphycus apicalis. 5408
- of Araschnia levana in relation to temperature and light. 3470
- arginase activity and proline formation during development in Hyalophora gloveri. 1633
- arrest in relation to body constraint in Galleria mellonella. 5914
- of Aspidiotus perniciosus. 1703
- of Avicularia avicularia in relation to temperature and food-availability, 4721
- and Bacillus thuringiensis infection in Anagasta kuehniella. 5306
- bacterial flora and larval development of Drosophila melanogaster. 3442
- of Balaustium putmani. 3549
- benzamide in relation to embryonic development in Musca domestica nebulo. 5932
- biology of C. European Clytrinae and Cryptocephalinae. 4030
- of Blattella germanica 'yellow' and 'curved' mutants. 4905
- body malformations in relation to maternal age and length of irradiation in Dahlbominus, 901
- of Bombyx mori embryonic tissue in vitro without dormancy. 2564
- of Bradysia impatiens in the laboratory, 4704 brain hormone titre during development in Bombyx mori. 5876
- of Brevicoryne brassicae in relation to state of host-plant. 342
- carbohydrate metabolism during postembryonic development in queen and worker Apis mellifera, 5862
- and carbohydrates of Aulocara elliotti eggs.
- Cardiochiles nigriceps in relation to development of Heliothis virescens, 5947
- caste determination in Hypotrigona and
- of Cardioptera in the laboratory, 5665

- Trigona of Ivory Coast. 3635
- cell degeneration in development of mutant Drosophila melanogaster. 230
- of Ceratiscada canaris sp.n. 5755
- in Ceratophysella armata attenuata. 5661
- of chaetotaxy in Entomobryoides myrmecophila.
- of Chaoborus crystallinus. 3547
- of Chironomus salinarius in W. Norway. 2667
- cholinesterase activity in Spodoptera littoralis.
- and circadian rhythms of salivary glands in Drosophila melanogaster. 3471
- in Clitarchus hookeri. 3384
- Coelomomyces punctatus infection in relation to development of Anopheles quadrimaculatus. 5807
- of Conophthorus ponderosae. 4703
- constant temperature in relation to egg development in Schistocerca gregaria. 3991
- consumption of Drepanosiphum platanoides by Anthocoris nemorum and A. confusus. 5915 control of heterochromatization of paternal
- chromosomes of Coccoidea. 1327
- control of prothoracic gland development in Locusta migratoria. 2672
- corn pollen in relation to development of 2ndbrood larvae of Ostrinia nubilalis. 4639
- of Cosmobaris americana, 4710
- of Cosymbia pupillaria. 5119
- and cytochrome-c content in Apis mellifera.
- and cytoplasmic polyhedrosis in Pectinophora gossypiella, 5268, 5802
- of Dactylochelifer latreillei. 3383
- of Dendroctonus ponderosae. 3379
- of Dendrosoter protuberans. 4779
- in relation to density and species-ratio in competing Aedes aegypti and A. albopictus.
- determination of alatae and apterae in Acyrthosiphon pisum. 710
- determination of 'Antennapedia' mutants of Drosophila melanogaster. 3220
- developmental anatomy of reproductive organs in of Galerucella birmanica. 3474
- developmental cycle of Phytoseiidae predaceous on Tetranychidae in Belorussia. 1305
- developmental and genetic homeostasis in Drosophila, 2189
- developmental homeostasis in amino-sugar pathway in Drosophila melanogaster. 878
- developmental systems of Drosophila in relation to metabolic inhibitors. 699
- of Diacrisia obliqua. 1228
- diapause in relation to rate of development in Crambus, 4614
- of Diatraea saccharalis in relation to temperature
- in relation to diet, temperature and RH in

Ectomyelois ceratoniae, 5288

DNA and protein synthesis during embryonic development in Bombyx mori. 5285

DNA synthesis in o germ-cells in Bombyx mori.

of Draeculacephala mollipes. 4711

DNA synthesis in developing wing-discs of Anagasta kuehniella. 713

in Drosophila melanogaster larvae heterozygous for induced gene-mutations, 399

of Drosophila virilis in relation to cortisone acetate. 236

duration in Agrilus ater. 1658

duration in Agriotes ponticus and Melanotus fusciceps. 1659

duration in Anthonomus grandis in relation to rearing temperature. 3494

duration in Aphidecta obliterata. 781

duration in Bracon mollitor. 1656

duration in Cabera pusaria and C. exanthemata in Belorussia. 1236

duration in Chelonus curvimaculatus parasitic in Phthorimaea operculella. 791

duration in Chilo partellus. 1657

duration in Chrysops suavis. 1677

duration in relation to diet in Culicoides furens. 598

duration in Nephus regularis. 759

duration in Pardosa lapidicina. 1669

duration in Rhyacophila in an experimental stream. 769

duration in Stigmella malella in relation to temperature. 5916

duration in Synthesiomyia nudiseta. 4748

duration in Tetranychus evansi. 743

ecdysone analogues in relation to differentiation of eye-antennal discs in Drosophila melanogaster. 3485

egg development in ground-dwelling Theridiidae. 1215

egg development in Melitaea varia. 4437

of egg rudiments in Musca domestica nebulo. 4589

egg weight during embryonic development in Leiodidae. 4634

embryonic development in Acheta domestica. 5913

embryonic development in Chorthippus brunneus. 1169

and enzymes associated with lipogenesis in adult of Schistocerca gregaria. 4001

esterase isozyme pattern in Culex pipiens fatigans. 2020

esterases and metamorphosis in Drosophila immigrans. 1606

of Eucelatoria armigera in different Heliothis spp. 1631

of Euthypoda acutipennis. 4717

of Euxoa ochrogaster in the laboratory. 4034

evolution of holometabolous development in spatially heterogeneous environments. 1358

extracts of Myrmica rubra queen heads in relation to larval development. 1614

of 'eyeless-dominant' (ey<sup>D</sup>) mutant larvae in Drosophila melanogaster, 3225

fats as energy substrate in adult development in Lucilia cuprina. 1127

fat-body of Formica rufa polyctena queen during post-embryonic development, 1642

and fatty-acid composition of larval lipids in Acheta domestica. 3507

fatty-acid metabolism during adult development in Lucilia cuprina. 1141

feeding activity, lipid and carbohydrate content and respiration during adult development in Schistocerca gregaria. 4596

of Feltiella? tetranychi. 1240

of 9 reproductive system in Aedes stimulans. 2655

of  $\mbox{$\mathbb{P}$}$  reproductive system in Sitona cylindricollis. 4628

of female-specific protein in Schistocerca gregaria. 5869

free amino acids during pupal development in Musca domestica. 4647

in Gastroidea viridula in relation to diet. 5786

gene-amplification and DNA-release in Sciaridae, Chironomidae and Sarcophagidae. 1120

genetic control of phenocopy susceptibility in Drosophila melanogaster. 878

genetics in Drosophila. 2829

geographical variation between Callosobruchus chinensis populations. 3610

geographical variation in development and diapause in Chilo suppressalis. 4723

germ-cell differentiation in morphogenesis in Choristoneura fumiferana. 4587

 $\alpha$  -glycerophosphate and lactate dehydrogenases during larval development in Drosophila melanogaster. 4629

in relation to glycogen content and phosphorylase activity in Philosamia ricini. 4000

gonad development in Argas arboreus. 4624 of Gretchena bolliana. 5126

gut during post-embryonic development in Lytta nuttalli. 5220

haemolymph proteins of Dysdercus intermedius during development. 4005

haemolymph proteins of Rhynchosciara during development. 4507

heart beat during post-embryonic development in Locusta migratoria. 5852

herbicides in relation to development time and growth in Drosophila melanogaster. 1297

of Herpetogramma licarsisalis. 4736

histochemistry of developing oocytes in Argas persicus, 4635

histolysis of intersegmental muscle in

Antheraea polyphemus. 1207

of Holotrichia diomphalia. 5366

homoeosis in Drosophila melanogaster. 4903

hormonal control of ovarian development and metamorphosis in Malacosoma pluviale. 2076

hormonal control of testis development in Periplaneta americana. 4636

hormone balance theory of embryonic diapause.

and hormone mimics in Malacosoma californicum pluviale. 2632

host hormones in relation to development in Spilopsyllus cuniculi and Xenopsylla cheopis. 4640

and host-plant leaf age in Ennomos subsignarius. 4633

host-plant and of in relation to ovarian development in Plutella maculipennis, 2077

of hybrid, inbred and outbred strains of Musca domestica. 4411

in relation to hydrochlorination reaction mixture in Choristoneura fumiferana, 4618

of Hylobius pales in the laboratory. 3371

of Hypera brunneipennis. 5973

of Hyposoter pilosulus in relation to temperature. 5412

of Hyposoter placidus. 5990

of indirect flight-muscles of Dysdercus intermedius. 1172

induction and termination of diapause in Laspeyresia pomonella in C. and E. Switzerland. 1189

inheritance of developmental time following irradiation in Heliothis virescens. 5301

inhibition and ovary development by 20-hydroxyecdysone in Stomoxys calcitrans, 4630

instar number in Helicoverpa armigera, 3097 instar number and moulting in Anagasta

kuehniella and Corcyra cephalonica. 5985

in introgressed and parental populations of Drosophila mojavensis and D. arizonensis. 2856

in relation to insecticide resistance in Ostrinia nubilalis. 4914

in relation to inversion-polymorphism in Drosophila pavani. 1777

X-irradiation and morphogenesis in Musca domestica nebulo. 1630

of Itoplectis cristatae in relation to host size. 1349

JH analogues and metamorphosis in Oncopeltus fasciatus and Pyrrhocoris apterus. 4010

and JH in Chironomus thummi. 5542

and kojic acid in Aedes atropalpus and Musca domestica. 1643

and kynurenine-3-hydroxylase activity in Calliphora erythrocephala, 1123 of Laspeyresia caryana on artificial diet, 2568 of Lema trilineata daturaphila. 4712

of Leucostoma simplex. 4702

of Liacarus cidarus. 3042

lipids of Culex pipiens fatigans during development, 4007

lipids of Heliothis virescens and H. zea during development. 3516

of Lyctus brunneus. 1229

of mandibular gland in Lestrimelitta limao. 5897

of Manduca sexta on burley and dark tobacco. 689

of Megoura viciae in relation to photoperiod. 3094

of Melanoplus femurrubrum on artificial diet. 3978

of Meloe. 3745

Malpighian tubules in relation to age in Drosophila melanogaster. 3446

in relation to methionine in Neomyzus circumflexus. 2079

method for studying Araneae during development. 5117

of Microbracon kirkpatricki in relation to temperature, 5991

of Microctonus aethiops in hormone-treated Hypera postica. 5421

of Microplitis feltiae in relation to temperature
4713

 mitochondria of corpora allata of Locusta migratoria migratorioides during adult life. 3393

of Monopis speculella in relation to temperature and RH. 5992 and mould inhibitors in Ostrinia nubilalis. 5785

of Mutilla glossinae. 5275 nature of homeosis in Drosophila melanogaster.

4903 of Nematus ribessii in relation to temperature.

1290

of Nesaeocarabus interruptus in the laboratory.
4443

neurohormones in relation to respiration in Calliphora erythrocephala. 5246

neurosecretory cells of sub-oesophageal ganglion and embryonic diapause in Orgyia antiqua. 1188

of Nilaparvata lugens in relation to temperature and RH. 3550

of Nomia melanderi. 4864

of nucleoli in Drosophila melanogaster nurse cells. 3506

nutrition in relation to developmental rate in Porthetria dispar. 4097

of Oncopeltus fasciatus and O. unifasciatellus. 2704

of Oncopeltus fasciatus on different plant-hosts 813

organic content during development in Culex pipiens molestus. 235

- of Orius indicus. 4715
- of Orthoptera in relation to altitude in the Rocky Mts. of N. Colorado, USA. 2775
- of Oscinella frit on oat seedlings, 2695
- of Otiorrhynchus ovatus. 4720
- ovary development in relation to farnesylmethylether in Pterostichus nigrita. 2686
- ovary development of Q Anopheles gambiae in Sudan. 4859
- ovary development in relation to ontogenesis of female-specific protein in Schistocerca gregaria, 5869
- in relation to  ${\rm O}_2$ -consumption in Heliothis zea. 4505
- of Pachydiplosis oryzae. 4061
- of paedogenetic larvae in Aprionus. 3962
- of Palaeolecanium bituberculatum in relation to altitude in Armenian SSR, USSR, 4825
- of Papilio demoleus. 5971
- in relation to parasitization in Psoc. attacked by Leiophron, 5377
- parental age in relation to duration of development in Drosophila melanogaster. 1175
- in relation to partial feeding in Dermacentor variabilis. 3484
- of Pectinophora gossypiella in relation to cytoplasmic polyhedrosis virus. 3963
- of Perilitus coccinellae. 1266
- of Petrobia latens, 4718
- pheromones and caste-formation in Hodotermes massambicus. 4875
- photoperiod in relation to behaviour and development in Ixodes ricinus. 4604
- photoperiod in relation to development and larval diapause in Limenitis archippus, 1187
- of Physocephala bimarginipennis. 5670
- of Phytoseius plumifer in relation to diet. 2710
- of Planococcus citri. 1231
- of Plecoptera from Laurentides, Quebec, Canada. 1668
- of Pleolophus basizonus in relation to temperature and photoperiod. 1619
- and polychlorobiphenyls in 4th-instar Chorthippus brunneus. 706
- of Polydorus aristolochiae. 4747
- position-effect variegation with regard to region 3C loci in Drosophila melanogaster. 3661
- post-embryonic development and metamerization in Polyxenus lagurus. 2668
- post-embryonic development of Nemesia caementaria, 5959
- post-embryonic development of Pandinus cambiensis. 5920
- post-embryonic development in Trichoecius. 6008
- post-teneral development of flight musculature in Glossina austeni and G. morsitans. 5922

- of Praon exsoletum in relation to temperature and RH. 702
- of Proctolaelaps nauphoetae in relation to Nauphoeta cinerae. 1667
- and protein constitution of Armigeres subalbatus. 5945
- proteins in relation to development of hypopharyngeal glands in Apis mellifera. 4571
- and prothoracic gland hormone in Lucilia cuprina. 3945
- of Pseudeucoila bochei in Drosophila, 3575
- of Pseudorhyssa sternata in relation to Siricidae. 1663
- of Psilococcus parvus. 2713
- puffing pattern in relation to developmental stage in Drosophila ananassae. 3216
- and puffing pattern in foot-pad cells of Sarcophaga bullata, 5528
- in relation to  $\gamma\text{-radiation}$  in Heliothis virescens. 2070
- in relation to  $\gamma$ -radiation in Thyridopteryx ephemeraeformis. 707
- rearing conditions in relation to larval duration in Blaberus gigantus. 2563
- in relation to RH in Leucania separata. 255
- in relation to RH and temperature in Chrysopa carnea, 5298
- release of moulting-hormone precursor in cave-dwelling Leiodidae, 4550
- in relation to rice dwarf virus in Nephotettix cincticeps. 5458
- of Sarcophaga tibialis, 4659
- sarcophagine and purarium-formation in Sarcophaga bullata. 3459
- of Schizaphis graminum following flight. 4466
- seasonal alternation with diapause. 4448
- sesquiterpene lactones (ambrosanolides) required for development of Tarachidia candefacta, 6019
- sexual maturation in 'ebony' and Oregon strains of Drosophila melanogaster. 3224
- size of Tetrastichus flavigaster in relation to host instar. 4741
- of sound-producing organs in Gryllus bimaculatus. 2654
- spermatocysts and testes of Chilo suppressalis in vitro. 1203
- spermatogenesis and testis development in Choristoneura fumiferana. 4587
- spermatogenesis and testis development in Trichoplusia ni. 4593
- and spontaneous electrical activity in CNS of insects, 1068
- starvation and adult maturation in Ips typographus. 1194
- starvation and developmental rate in Porthetria dispar. 1629
- sterols and larval development in Drosophila melanogaster. 4646
- in relation to temperature in Adalia

bipuncta, 1624

in relation to temperature in Agrotis ipsilon and A. fucosa. 2071

in relation to temperature in Alphitobius diaperinus. 2072

in relation to temperature in Anaphes flavipes. 5363

in relation to temperature in Apanteles militaris and Pseudaletia unipuncta. 2682

in relation to temperature in Aphanostigma piri. 5384

in relation to temperature in Arge pagana. 1227

in relation to temperature in Ascoschoengastia latyshevi. 5365

in relation to temperature in Cerura vinula. 5296

in relation to temperature in Drosophila. 5308

in relation to temperature inversion in Dendroctonus obesus. 3099

in relation to temperature in Ips typographus.

in relation to temperature in Leucania separata.

in relation to temperature in Oligonychus ununguis. 5977

temperature thresholds in Panonychus ulmi. 3997

in relation to temperature in Pseudaletia unipuncta. 2680

in relation to temperature in Rhinacloa forticornis and Spanagonicus albofasciatus, 5307

temperature resistance during post-embryonic development in Leptinotarsa decemlineata. 5289

in relation to temperature in Schistocerca gregaria in Saudi Arabia. 3098

temperature in relation to scutellar bristle development in Drosophila melanogaster. 2679

temporary adult in Iulus scandinavius. 4839 teneral period duration in Myzus persicae. 1171 of Tetranychus urticae on cucumber varieties. 2707

of Tetrastichus flavigaster. 4741

of Tetropium cinnamopterum, 3129

of Thanasimus dubius. 3537

of Thecla betulae, 3539

of Thomasiella tomentosae, 4027

toxicity of parathion and phenylthiocarbamide in relation to duration in Drosophila melanogaster. 5938

of Trogoderma granarium on Leguminosae. 2666 of Typhlodromus mcgregori. 2711

and tyrosine metabolism in Periplaneta

americana. 3461

of univoltine Pyraloidea in Belorussia. 1235 vermiform larva not a distinct developmental stage in Acrididae. 4595

of Voria ruralis in Trichoplusia ni. 3536

water-absorption in relation to egg-diapause in Chorthippus brunneus. 1584

of wing imaginal discs and nucleic acid metabolism in Pieris brassicae. 3505

Devonian, Palaeocharinidae (?) from Devonian of GFR. 945

Dexiinae (Dipt., Tachinidae), absence from New Zealand. 2957

Dextran, utilization by Lipaphis erysimi. 5858 Dextrose, food acceptibility for Solenopsis

saevissima. 4760 D**iabasis (Col., Scarabaeidae),** Rutela lineola

designated type. 4282 Diabasis coerulescens, type-sp of Badiasis gen.n.

4282 Diabrotica longicornis (Col., Chrysomelidae),

hatching and adult emergence times. 2767 larval damage to roots of corn. 784

occurrence and population levels in Minnesota,
USA. 940

Diabrotica undecimpunctata howardi,

apholate sterilization. 3100

evaluation of Arachis hypogaea lines for resistance. 5448

susceptibility to Neoplectana glaseri. 4696 tepa sterilization and respiration. 3428

Diabrotica virgifera,

control by single application of insecticide.

feeding behaviour of larvae. 300

hatching and adult emergence times. 2767

larval migration in soil. 5455

occurrence and population levels in Minnesota, USA. 940

toxicity of Sorghum vulgare roots to larvae. 818, 3594

Diacra (Hem., Hom., Cicadellidae), new spp described. 5043

Diacrisia obliqua (Lep., Arctiidae), life-history ir Bangladesh. 1228

Diadegma acuta (Hym., Ichneumonidae), parasitic on Platyptilia pica cratea in California, USA. 3580

Diadegma insularis, abundance in relation to lepidopteran larvae on cabbage in S. California, USA. 5479

Diadromus sp (Hym., Ichneumonidae), Acarus farris associated with in Poland. 3572

Diaeretiella rapae (Hym., Braconidae), abundance in relation to Brevicoryne brassicae on cabbage in S. California, USA. 5479

Dialineura (Dipt., Therevidae), Palaearctic spp reviewed and new spp described. 546

Diamesa (Dipt., Chironomidae),

gregsoni and valkanovi new for Europe. 4189 northward extension of European ranges for 5 spp. 4189

swarming, 4189

Diamesa arctica, swarming in mid-winter. 729 Diamesa campestris, new for Poland. 2868 Diamesinae (Dipt., Chironomidae), Nearctic spp described, 2945

Diamesini (Dipt., Chironomidae), distribution of spp in Brundin collection reviewed, 4189

Diamines, ovicidal for Aedes aegypti. 2685

Diamond back moth, see Plutella maculipennis Dianthus caryophyllus (Caryophyllaceae), Phorbia cardui not a pest of, 5139

Diapause.

absence in diseased larvae of Heliothis. 4605 absence of embryonic diapause in Pyrenean Tetrigidae, 2014

absence in laboratory rearing of Paralobesia viteana. 2095

absence from life-cycle of Epinotia cedricida in France, 3110

absence from Microplitis feltiae, 4713

absence in overwintering Metaseiulus occidentalis from peach orchards, 5383

accumulation of tryptophan metabolites in pupal diapause, 657

action spectrum for termination in Laspeyresia pomonella and Antheraea pernyi. 4599

in Agrilus ater. 1658

aminopterin in relation to laying of diapause eggs in Bombyx mori, 1638

in Antheraea pernyi and Hyalophora cecropia. 5284

in aphidophagous Syrphidae. 1230

in Apion spp on winter Leguminosae in Israel.

apparent lack in Amblymerus bruchophagi. 4705

in Arzama densa. 282

autoradiographic study in Bombyx mori. 5285 in Bracon mollitor in the laboratory. 1656 and brain/CA complex in Bombyx mori. 3075 in Buphonella murina in Zambia. 804

in Cerambycidae. 3842

and cholinergic system. 1196

in Chrysopa oculata. 1182

in Chymomyza costata, 5975

in Clytomyia helluo. 5386

in Coccinella septempunctata. 173, 5112 conditions and metabolism in Celerio lineata. 4602

in Conotrachelus nenuphar in the Missouri Ozarks, USA, 2717

in Contarinia medicaginis. 332

in Contarinia sorghicola larvae. 436

in Contarinia pisi. 4029

and CC. 5898

development of embryonic Bombyx mori tissue in vitro without dormancy. 2564 diapause-egg production in Balaustium putmani.

diapause and non-diapause oocytes in

Pyrrhocoris apterus, 1159 differences in Lep. between spp diapausing as eggs and spp diapausing as pupae. 1184 of Dioryctria amatella and D. zimmermanni in Pinus echinata cones. 5492

in Dociostaurus curvicercus, 277

dusk and dawn timers in Laspevresia pomonella.

ecdysterone in relation to testes of diapausing larvae of Chilo suppressalis in vitro, 1203

ecological importance in Gulf Coast, USA,

populations of Ostrinia nubilalis, 701 egg diapause in Euxoa ochrogaster, 4034

and egg-production in Neodiprion swannei, 4107 embryonic diapause and aneuploidy in

parthenogenetic Bacillus rossius, 3975

embryonic diapause in Baëtis vernus and B. rhodani, 3977

in Epilachna vigintioctopunctata. 173

in Euxoa tristicula, 2701

in Evylaeus nigripes, 4127

fat-oody in diapausing larvae of Trogoderma granarium, 1130

free tyrosine during pupal diapause in Anagasta kuehniella, 3865

genetic control in Contarinia pisi, 4029

in relation to genotype and photoperiod in Grapholitha molesta, 5507

geographical variation in Chilo suppressalis. 4723

haemolymph proteins in Pyrrhocoris apterus. 3912

hatching of diapause eggs of Panonychus ulmi.

in relation to hormonal termination of reproductive diapause in Dociostaurus curvicercus. 4664

hormone-balance theory of embryonic diapause.

in Hylemya brassicae, 2068

in Hyposoter placidus, 5990

induction in Aelia acuminata, 2676

induction in Agrotis ipsilon and A. fucosa. 2071

induction in Alabama and Georgia, USA.

populations of Ostrinia nubilalis, 701

induction in Araschnia levana, 3470

induction in Chilo suppressalis. 1183

induction in Crambus trisectus and C. leachellus cypridalis. 4614

induction in Musca autumnalis. 700

induction in Nasonia vitripennis. 3493

induction and termination in Laspeyresia pomonella from C. and E. Switzerland. 1189

induction and termination in Papilio spp and hybrids, 1185

in Kermes bytinskii sp.n. in Israel. 5048

larval diapause in Blaesoxipha lineata ovipositing in Melanoplus sanguinipes. 4793

in relation to latitude in Drosophila phalerata.

in relation to light-wavelength in Anthonomus grandis. 1621

Diapause, contd.

lipids in Musca autumnalis. 700

in Lycosa T-insignata. 345

maintenance by photoperiod in Chrysopa carnea. 3988

maintenance and termination of reproductive diapause in Chrysopa carnea. 4600

in Manduca sexta geographical strains. 2065

in Marchalina caucasica sp.n. 1445

in mass-reared Hyalophora cecropia larvae. 3369

6-methyl uridine and 1-methyl-2-mercaptomidazole in relation to 12 insect spp. 5293

in Microplitis croceipes. 2752, 3548

in Musgraveia sulciventris. 3546

in Nasonia vitripennis. 5283

neuro-endocrine control in Pterostichus nigrita. 4008

neurosecretory cells of sub-oesophageal ganglion and embryonic diapause determination in Orgyia antiqua. 1188

non-diapause strain of Melanoplus sanguinipes. 2067

obligate egg-diapause in Chorthippus brunneus.

of Ostrinia nubilalis larvae. 2716

in Philonthus fuscipennis. 5367

photoperiod in relation to development and larval diapause in Limenitis archippus. 1187 and photoperiod in Grapholitha molesta. 5507

photoperiod in Grapholitha molesta. 550/

Chrysopa carnea, 3990

photoperiod and temperature in induction of pupal diapause in Heliothis zea. 5286 photoperiodism and endocrine aspects

of insect diapause. 5284

in Pleolophus basizonus. 1619

and population self-regulation in Diprion pini. 3630

in Praon exsoletum. 702

in Psila rosae. 5923

in Pytho depressus. 4042

quiescence in developmental stages of Petrobia latens, 4718

quiescence in larval Otiorrhynchus ovatus. 4720

and quiescence in Tetranychidae. 1295

reproductive diapause in overwintering 9
Anopheles freeborni in California, USA, 3518

and resistance of larval muscle of Laspeyresia pomonella to NaCl. 1620

response to photoperiod in laboratory strains of Grapholitha molesta. 3492

in Schistocerca gregaria. 5924

in Scolytus numidicus. 3159

seasonal alternation with development, 4448 selection from non-diapause in Grapholitha

molesta. 3492

and starvation resistance in Lycosa T-insignata. 345

in stem-galling Euura spp. 3538

and spontaneous electrical activity of CNS in insects. 1068

temperature and diapause termination in Panonychus ulmi. 5305

temperature and light during incubation in Bombyx mori. 3096

temperature rhythm regulating in Saturnia pyri. 5926

termination in Megachile rotundata. 4603

termination by mercury compounds in Atrachya menestriesi eggs. 2066

in Tetanocera. 4716

<sup>3</sup>H-thymidine uptake during ovarian diapause in Culex pipiens. 3477

and vitamin E in Barathra brassicae. 4516

water-absorption in relation to egg diapause in Chorthippus brunneus. 1584

water-content and  ${\rm O}_2$ -consumption in Perillus bioculatus. 2642

water permeability of eggshell in diapausing Locusta migratoria migratorioides. 1145

and wing-polymorphism in California, USA, populations of Psylla pyricola. 3989

in Xenopsylla skrjabini. 5460

Diapheromera femorata (Phasm., Phasmatidae),

diel periodicity of egg-hatch, feeding and oviposition. 745

distribution in USA and Canada in relation to host-plants. 3703

host-plants. 3703

vapour pressure deficit and oviposition. 745

Diaphnocoris (Hem., Het., Miridae), adverse effects of Ryania treatments in apple orchards. 6046

Diaporus bigoti sp.n. (Myriap., Diplop.), described. 2540

Diapriidae (Hym.), 1918, 2751, 2987, 2989, 5680 Diapriinae (Hym., Diapriidae), genera related to

Coecopria and Austropria keyed. 2989 Diarsia mendica (Lep., Noctuidae), new for

Faeroe Is., North Sea. 6138
Diarthonomyia chrysanthemi (Dipt., Cecidomyiidae),

host of Platygaster aciculosis sp.n. in Hawaii.
4359

Diaspididae (Hem., Hom.),

288, 312, 559, 595, 737, 780, 841, 1289, 1327, 1393, 1674, 1694, 1703, 1898, 2518,

2646, 2718, 2793, 2807, 2990, 2991, 3544,

3549, 4335, 4336, 4803, 5047, 5238, 5483, 5488, 5721, 6034, 6038, 6045, 6047

behaviour of paternal chromosomes. 1327 biology and ecology in relation to the cocoa

farm. 5433 hosts of Adelencyrtoides gen.n. in New Zealand.

as prey of Chilocorus bipustulatus. 780

Diaspis echinocacti (Hem., Hom., Diaspididae), method for rearing.  $312\,$ 

Diastatidae (Dipt.), 536

from S. Spain. 536

Diastictus ceratus sp.n. (Col., Scarabaeidae), described, 1852

Diastrophus (Hym., Cynipidae), oak-galls in Méhes collection in Museum of Natural History, Budapest, Hungary, 1278

Diatraea grandiosella (Lep., Crambidae), birds and overwintering populations in

Mississippi, USA. 4851

dip method for screening pathogens. 5822 fat-body proteins and metamorphosis. 4641 predation by Colaptes auratus in Louisiana, USA. 2814

survival of overwintering larvae in corn stalks in Louisiana, USA. 2814

susceptibility of larvae to Bacillus thuringiensis. 5822

### Diatraea saccharalis,

behaviour in response to sex-pheromone. 3523 bioassay for sex-pheromone. 3523 ecology and biological control in Cuba. 1311 predation on eggs in Louisiana, USA. 2795 susceptibility to Neoaplectana glaseri. 4696

Diatraeophaga striatalis (Dipt., Tachinidae), biology in relation to Chila sacchariphagus.

## Diazinon.

adult exposure in outbred, inbred and hybrid strains of Musca domestica. 4411

in relation to aliesterase activity and egg viability in Musca domestica. 712

carboxylesterase and degradative enzymes in relation to in Musca domestica. 5267

in relation to cicadellid and delphacid populations and Tungro virus transmission on rice in Philippines, 2141

control of Epitrix hirtipennis on flue-cured tobacco. 5355

control of Hypera meles on crimson clover. 4671

control of Hypera postica in N. Utah, USA. 4681 control of Neoschoengastia americana on turkeys. 5348

control of Sphenophorus parvulus in W. New York, USA, 4824

cross-resistance with fenitrothion in Culex pipiens molestus larvae. 3230

detoxification by subcellular fractions in Musca domestica. 2018

effectiveness against Porthetria dispar. 4682 genetics of resistance in Musca domestica. 2018 inheritance of resistance in Culex pipiens molestus larvae. 3230

lack of resistance in Hylemya platura in Illinois. USA. 2810

selection for resistance in Ostrinia nubilalis. 4914

Sesamex in relation to detoxification in Musca domestica. 2018

simultaneous control of Ostrinia nubilalis and Diabrotica virgifera in Missouri and Iowa, USA. 5334

soil applications in relation to Carabidae and Staphylinidae predaceous on Erioischia brassicae. 836

susceptibility of Attagenus alfierii and A. megatoma larvae. 4454

toxicity for Tribolium confusum and T. castaneum. 5819

1,4-bis-Diazoacetylbutane, mutagenic for Drosophila melanogaster. 1770, 6094

Diazoxon, carboxylesterase and degradative enzymes in relation to Musca domestica. 5267

Dibrachoides druso (Hym., Pteromalidae), establishment in S. California, USA, as parasite of Hypera brunneipennis, 3148

Dibrachys (Hym., Pteromalidae), biology. 6130

braconidis and hians new for Italy. 6130

Dibrachys cavus.

biology in relation to Bathyplectes. 3144 jumping cocoons of Bathyplectes anurus as defence. 5426

Dicaelus (Col., Carabidae), scent fluid. 2644 Dicapthon,

toxicity to larval Attagenus alfierii and A. megatoma. 4454

toxicity to Tribolium confusum and T. castaneum. 5819

Dicerta moesta (Col., Buprestidae), distribution extended. 3733

Dichaetomyia (Dipt., Muscidae), Australian spp revised and new spp described. 1873

Dichaetomyiini (Dipt., Muscidae), of Australia revised. 1873

Dichelacera (Dipt., Tabanidae), new subgenera established. 545

**4,4'-Dichlorobenzophenone**, product of DDT metabolism in Boophilus microplus. 4575

1,2-Dichloroethane, aberrations and mutations produced in Drosophila melanogaster. 6091

Dichloropropene, and soil invertebrate populations. 1721

## Dichlorvos,

control of Cadra cautella by slow-release strips in Kenya. 4697

control of Ctenocephalides felis by impregnated collars. 3504

control of Menopon galinae on laying hens by impregnated resin strands. 4673

control of Neoschoengastia americana on turkeys. 5348

control of Trialeurodes vaporariorum. 5349 toxicity to larval and adult 2 Diptera. 4578

toxicity to larval Attagenus alfierii and A. megatoma larvae. 4454

toxicity to larval Hemerocampa pseudotsugata. 5353

Dichocrocis punctiferalis (Lep., Pyralidae), host of Goniozus delhiensis sp.n. in India. 3795

Dichostathes frevi sp.n. (Col., Cerambycidae), described, 24

Dichroampha (Lep., Tortricidae), new synonymy within plumbana-saturnana complex. 5076

Dicladocerus westwoodii (Hym., Eulophidae),

morphology and biology in relation to Zeiraphera diniana, 2115

parasitic on Coleophora laricella in British Columbia, Canada, 3152

Diclidophlebia sp (Hem., Hom., Psyllidae), shade and rate of infestation on Triplochiton scleroxylon. 5891

Diclidophlebia harrisoni sp.n., described. 564 Dicofol,

and ATPases of muscle and nerves in Periplaneta americana. 614

Panonychus ulmi populations in relation to spray programmes in Nova Scotia, Canada, 6046

product of DDT metabolism in Boophilus microplus. 4575

resistance in Tetranychus cinnabarinus in Israel, 5358

Dicareus flavipes (Dipt., Chloropidae), new for Primor'e, USSR. 5571

Dicranoplius (Hym., Pompilidae),

Austrochares spp transferred to. 5737 revised, keyed and new spp described. 5737

Dicranura delavolei (Lep., Notodontidae), distribution in Iberian Peninsula and Is. Baleares. 1370

Dicranura iberica,

unknown N. of Pyrenees. 2530 distribution in Iberian Peninsula and Is. Baleares, 1370

Dicranura vinula.

distribution and chromosome numbers. 2530 distribution in Iberian Peninsula and Is. Baleares.

Dicrocoelium dendriticum (Platyhelminthes), behavioural modifications induced in ant host. 2816

Dicrotophos [cyclic (diethoxyphosphinyl)dithioimidocarbonate],

control of Epitrix hirtipennis on flue-cured tobacco. 5355

control of Spodoptera littoralis in Egypt. 5352 longevity and fecundity of Anthonomus grandis exposed to sublethal doses. 5302

Dictya (Dipt., Sciomyzidae), chromosomes. 3206 Dictya fontinalis sp.n., described, 1878

Dictyna sublata (Arach., Aran., Dictynidae), biology on Acer in Michigan, USA, 3592

Dictynidae (Arach., Aran.), of Tadzhikistan. 959 Dictyopharidae (Hem., Hom.), 1002, 1003, 1899,

seasonal populations on Gossypium in Egypt. 6052

Dictyoptera, see also Blattodea, Mantodea, Orthoptera and Phasmatodea.

field records for W. Tanzania. 748 Dicyphus cerastii (Hem., Het., Miridae), new

for France. 5705 Dicyrtoma melitensis (Collem., Sminthuridae),

presence on Tavolara and Molara Is., Italy. 3315

Didelphis virginiana (Marsupialia) (opossum), attraction of Scarabaeidae to dung. 4753 host of Dermacentor albipictus in E.C. Oklahoma, USA, 4775

host of Ixodidae in E.C. Oklahoma, USA. 4775

Dideoides (Dipt., Syrphidae), recognized. 78 Dideomima gen.n. (Dipt., Syrphidae), established. 1881

Didymuria violescens (Phasm., Phasmatidae), chromosome numbers. 4135

Dieldrin.

in relation to acoustical and sexual behaviour of Acheta domestica. 5252 control of Hylobius pales and Pissodes

approximatus in C. Pennsylvania, USA, 5340 control of Nomadacris septemfasciata in

Rukwa Valley, Tanzania. 5497 effects on Hermannia convexa. 5892 excretion with faeces in Hermannia convexa.

genetics of resistance in Blattella germanica. 2188, 4577

genetics of resistance in Diptera. 2851 resistance inheritance in larval Culex tritaeniorhynchus. 2852

resistance in relation to nerve components in Blattella germanica. 4577

resistance in Psila rosae in East Anglia, England. 338, 339

sesamex in relation to toxicity and metabolism of photodieldrin in Musca domestica, 5230 stimulation of protein synthesis in vitro in

Aedes aegypti cells. 5864 toxicity to larval and adult 9 Diptera. 4578 toxicity to larval Aglais urticae, 1714

toxicity to Monopis speculella. 5992

Dielocroce afghana sp.n. (Neur., Nemopteridae). described, 1942

Dielocroce elegans, new for Pakistan, Afghanistan and Iran. 1942

Dielocroce persica, new for Afghanistan and Iran. 1942

Dielocroce withycombe, new for Iran, 1942 Dientamoeba dobelli sp.n. (Protozoa), from

Oryctes rhinoceros in India. 4674 Diestrammena japonica (Orth., Stenopelmatidae),

collected in caves in S. Korea. 2537 Diet.

and adult emergence in Sarcophaga tibialis. 4659 and alate production in Acyrthosiphon pisum. 1617

Diet, contd.

for Anastrepha suspensa. 4315 antibiotics of diet in relation to fecundity of Ceratitis capitata. 4611

antibiotics of diet in relation to growth of Ceratitis capitata larvae, 4612

artificial diet for Barbara colfaxiana, 3031 artificial diet for Cerambycidae, 3842

artificial diet for Chilo suppressalis. 5787

artificial diet composition and wing-production in Myzus persicae. 4632

artificial diet for Grapholitha molesta, 1488 artificial diet for Gretchena bolliana. 5126

artificial diet for Laspeyresia caryana. 2568

artificial diet for Laodelphax striatellus, 1027 artificial diet for Manduca sexta. 3370

artificial diet for Polyrhachis simplex, 4874

artificial diet for Popillia japonica. 2541 artificial diet for Rhagoletis pomonella. 2569

artificial diet for Sanninoidea exitiosa, 2558

artificial diet for Scolytus multistriatus. 2556 artificial diet for Sesamia inferens. 590

artificial diet for Dioryctria abietella, 4416

artificial diets for Papilio protenor demetrius. 2012

artificial diets for Papilio zuthus. 1036 axenic synthetic diet for Grapholitha molesta.

behaviour, survival and reproduction of Chaetosiphon fragaefolii in relation to diet.

and biology of Ennomos subsignarius, 4633 in relation to bloating disease of Rhagoletis pomonella, 2136

bovine blood of diet in relation to oviposition and egg-hatch in Musca autumnalis. 5316 and brood-rearing in Apis mellifera. 4627

for Camponotus, 3367

carbohydrate as food substrate for Laodelphax striatellus, 2740

for Celerio lineata, 4602 for Ceratitis capitata and Dacus dorsalis mass-production, 2557

and chemoreceptors of larval Manduca sexta.

choline analogues for larval Musca domestica.

in relation to cocoon weight and amino-acid concentration of haemolymph in larval Bombyx mori. 4509

conditioning of food medium in relation to viability in Drosophila melanogaster. 4173

corn pollen in relation to survival and development of 2nd-brood larvae of Ostrinia nubilalis. 4639

for Culicoides, 598

for Culicoides varipennis, 3366

for Dacus oleae. 5125

and defence secretion in Scaphinotus. 4750 for Dendroctonus ponderosae from Pinus

contorta, 3379

and development of Ectomyelois ceratoniae.

and development of Leptocera caenosa. 4045 and development of Phytoseius plumifer, 2710 and development period in Schistocerca gregaria, 3098

and diapause in Coccinella septempunctata, 5112 in relation to Dioryctria abietella, 4416 discrimination by Lygus hesperus. 3566 and egg-hatch in Urbanus proteus. 5312

in relation to egg sterility and larval survival in Ostrinia nubilalis. 5948

and eye-colour phenotypes in Calyptratae, 4162 and fatty-acid composition of haemolymph in Galleria mellonella larvae. 3512

and fatty-acid composition of lepidopteran larvae, 1121

in relation to fecundity, development and longevity in Tetranychus urticae. 2707

in relation to feeding habits, post-embryonic survival and oviposition in Amblyseius chilenensis and A.hibisci. 5313

food concentrate in pellet form for Siphonaptera.

and free-amino-acid concentration in ? Aedes aegypti, 1119

in relation to gene expression in 'eye-gone' and 'eye-less' mutants of Drosophila melanogaster.893

and growth of Manduca sexta. 689, 5317 and growth of Oncopeltus fasciatus, 5921 in relation to growth of Pieris rapae. 690 and growth of Tenebrio molitor, 1132 and gut structure in USSR Carabidae. 4518 in relation to haemolymph of larval Manduca sexta. 1548

holidic diets for Chaetosiphon fragaefolii.

X-irradiation in relation to Drosophila melanogaster reared on live-yeast diet. 1628 and larval instar number in Helicoverpa

for Leptocera caenosa. 4045

armigera, 3097

in relation to lesions induced by nerve severance in Periplaneta americana. 5156

and lipids of adult Dacus oleae. 2627 and longevity in Culex pipiens quinquefasciatus.

and longevity in Drosophila melanogaster. 4453 for long-term rearing of Blaberus giganteus.

in relation to mating behaviour in Musca autumnalis. 4665

meridic diet for Hylobius pales. 3371 meridic and oligidic diets for Tyrophagus

putrescentiae, 587 mortality in relation to sterols in

Drosophila melanogaster. 4646 natural and semi-synthetic diets for Locusta Diet, contd.

migratoria cinerascens. 3508 of Nesaeocarabus interruptus. 4443

nutritional conditional mutants produced in Drosophila melanogaster by EMS. 897

and oogenesis in Gastroidea viridula. 5786 and optimal fecundity in crowded Locusta

migratoria migratoria. 1208 and ovary development in Atrichopogon pollini-

vorus. 3259 plant extracts as growth-promoting substances for Melanoplus femurrubrum. 3978

pollen and larval growth in Ostrinia nubilalis.

polyisoprenols in Bombyx mori faeces and Morus bombycis. 5872

and population growth in Drosophila melanogaster. 4091

in relation to post-embryonic development in Lytta nuttalli. 5220

in relation to post-embryonic mortality in Amblyseius chilenensis and A. hibisci. 5313

proteins in relation to development of hypopharyngeal glands in Apis mellifera. 4571

pupal coloration in Pieris rapae crucivora.

and pupal weight in Ostrinia nubilalis. 4417 quantity in relation to adult characteristics at emergence in Culicidae, 5281

for Sarcophaga tibialis. 4659

seasonal dry-weight composition of diet in Anabrus simplex. 4772

semi-artificial diet in relation to nitrogen compounds of larval haemolymph of Pieris brassicae. 1547

semi-artificial diet for Spodoptera littoralis.

semi-artificial diet for Ostrinia nubilalis. 4417, 5785

and sex-determination in Pseudaulacaspis pentagona. 4165

sexual morphs of Acyrthosiphon pisum produced on artificial diet. 741

and sexual vigour in Synanthedon pictipes. 1653 sterols of diet and organs of Gonimbrasia belina, 3940

and survival of Adalia bipunctata in laboratory. 1665

vitamin E of diet in relation to Barathra brassicae. 4516

and wing-dimorphism in green strain of Acyrthosiphon pisum. 1617

Diethyl dioxaspiro undecane, attractant for & Aedes aegypti, 1682

3,5-bis(Diethylamino)-1,2,4-dithiazolium chloride, chemosterilant for Popillia japonica, 5169

2-Diethylaminoethyl-2, 2-diphenyl-valerate (SKF 525A), in relation to aldrin epoxidation in vitro by Prodenia eridania larval gut. 220 Diethylsulphate, mutagenicity in relation to storage of Drosophila melanogaster spermatogoa. 3222

Dieches occidentalis (Hem., Het., Lygaeidae), synonomous with Balboa ampliata. 2893

Differentiation.

cell loss during in vitro culture in relation to differentiation of wing disc parts in Drosophila virilis. 4598

control and programming by  $\overline{J}H$  in Saturniidae. 1616

fat-body proteins and adult differentiation in Diatraea grandioselia. 4641

of imaginal discs in normotypic culture in Drosophila. 3985

Digestion,

in Chaoborus. 5856

and feeding of Arachnida. 3917

gut digestive enzymes in adult \$\mathbb{P}\$ Blatta orientalis with respect of neurosecretion. 4522

gut and salivary glands in relation to carbohydrate digestion in Lygus disponsi. 4526

midgut of Aedes aegypti and Anopheles stephensi during blood digestion. 644

Digitivalva (Lep., Acrolepiidae), of Balkan Peninsula. 5583

Diglochis occidentalis (Hym., Pteromalidae), parasite of N. American Tabanidae. 5680 Dihydroaldrin,

metabolism in relation to sesamex in Musca domestica. 221

oxidative metabolism in Musca domestica. 221 Dihydrofolate reductase, interaction of folate

analogues with enzymes from Galleria mellonella. 5865

Dihydrostreptomycin, and longevity in Apis mellifera. 3633

2β, 3β-Dihydroxy-5β-cholestane-6-one, in relation to fecundity of Stomoxys calcitrans. 4630

2β, 3β-Dihydroxy-5β-cholest-7-en-6-one, in relation to fecundity of Stomoxys calcitrans. 4630

3, 4-Dihydroxy-mandelic acid, from mushroom gland of Periplaneta americana. 678

Dihydroxyacetone, repellent to Erioischia brassicae. 2722

Disopropyl phosphofluoridate, and inhibition of microsomal mixed-function oxidases in Prodenia eridania, 3930

Dikraneurini (Hem., Hom., Cicadellidae), new genera and spp from Pakistan. 998

Dilamus brevicollis (Col., Tenebrionidae), typesp of Prodilamus gen.n. 1856

Dilandius unicus (Col., Anthicidae), syn.n. of Acanthinus myrmecops Casey. 4257

Dilophotes atricollis (Col., Lycidae), discussed. 528

Dilta hibernica (?) (Thysanura, Machilidae), new records from Norway. 453

- Dimecoenia (Dipt., Ephydridae), American and Panamanian spp reviewed and new sp described, 4303
- Dimefox, resistance in Phorodon humuli. 6055 Dimethoate,
  - control of Brevicoryne brassicae on cauliflower and broccoli. 5341
  - control of Epitrix hirtipennis on flue-cured tobacco. 5355
  - control of Hylobius pales and Pissodes approximatus in C. Pennsylvania, USA. 5340
  - control of Phylloxera vitifoliae in Ontario, Canada, 4677
  - toxicity to larval and adult 2 Diptera. 4578 toxicity to Neodiprion pratti banksianae, N. swainei and Pristiphora erichsonii. 5180
- Dimethoate + DDT, control of cotton pests in Sudan. 5338
- 2,3-Dimethoxybenzoquinone, in defence secretion of Uroblaniulus canadensis. 2653
- Dimethrin, effectiveness against Porthetria dispar tested. 4682
- N,N-Dimethyl-p-azoaniline, effects in Periplaneta americana. 3430
- 9,10-Dimethyl-1,2-benzanthracene, and haemolymph protein concentration in Oncopeltus. 5199 fasciatus, 1091
- Dimethyl benzyl carbinyl acetate, attractancy for Vespula, 5811
- 3, 7-Dimethyl-6-octane-1-ol (citronellol), from workers of Acanthomyops claviger. 661
- 3,7-Dimethyl-6-octenal (citronellal), from workers of Acanthomyops claviger. 661
- Dimethyl-p-phenylendiamine, oxidized by cuticular phenoloxidase preparation from Drosophila virilis, 1558
- Dimethyl sulphoxide,
  - production of melanotic lesions in Drosophila melanogaster and Melanoplus sanguinipes. 5814
  - in relation to toxicity of insecticides in Tenebrio molitor. 3934
- cis-3, 3-Dimethyl- $\Delta^{1-\alpha}$ -cyclohexaneacetaldehyde, pheromone of  $\sigma$  Anthonomus grandis. 2651
- cis-3, 3-Dimethyl-Δ<sup>1-β</sup>-cyclohexaneethanol, pheromone of σ Anthonomus grandis. 2651
- trans-3,3-Dimethyl- $\Delta^{1-\alpha}$ -cyclohexameacetaldehyde, pheromone of of Anthonomus grandis. 2651
- Dimmockia pallipes (Hym., Eulophidae), hyperparasitic on Meteorus dimidiatus in Trichotaphe levisella. 1274
- Dimorphism,
  - anomalous dimorphism in Aedes vexans. 685 and dispersal in Carabidae. 5457
  - temperature in relation to seasonal dimorphism in Araschnia levana. 3470
- Dineutes (Col., Gyrinidae),
  - immunological reaction. 434 records of fauveli and sharpi from Ivory

- Coast. 478
- Dineutes carolinus, wave-pattern during swimming. 1520
- Dinidoridae (Hem., Het.), 149
- morphology of thoracic sclerites. 149
- Dinitrophenol,
  - in relation to butyrate oxidation by adult tissues of Lucilia cuprina in vitro. 1141
  - in relation to ion and water reabsorption in Periplaneta americana. 3946
  - in relation to Na and K movement across midgut epithelium in Periplaneta americana. 1101
  - and type-3 water receptor of Phormia terrae-novae. 5199
- 2,4-Dinitrophenol, in relation to Malpighian tubule secretion in Rhodnius prolixus.
  1108
- Dinocheirus pallidus (Arach., Pseudoscorp.), new for Michigan, USA. 3706
- Dinocras (Plec., Perlidae), spp doubtfully occurring in C. Asia. 1481
- Dinocras cephalotes,
  - abundance in a hill-stream in Shropshire, England. 4115
  - antennae and cerci. 4425
- 'Dinurothrips' vezenyli (Thysanopt., Thripidae), discussed. 4403
- Diocalandra frumenti (Col., Curculionidae), new for Australis. 4206
- Dione moneta poeyli (Lep., Nymphalidae), in S. Texas, USA. 3595
- Dionycopus amasis (Lep., Noctuidae), adaptation of non-occluded virus of Nudaurelia cytherea capensis. 5820
- Diopsidae (Dipt.), 1871
- Dioptrophorus fausti (Col., Curculionidae), new for Mexico, 4275
- Dioryctria (Lep., Phycitidae),
  - complex on Pinus kesiya in Assam. 574 development of amatella-zimmermanni complex in relation to temperature, RH and vapour pressure deficit. 5491
  - diapause in relation to moisture content and food consumption in Pinus echinata cones. 5492
  - new spp from N. America. 2534, 2535 parasites and predators in relation to larval population in Pinus echinata cones. 5491
- Dioryctria abietella,
  - olfactory response to cones of Pinus elliottii var. elliottii. 4656
  - rearing of successive generations on artificial media. 4416
- Dioryctria amatella, in Cronartium fusiforme cankers. 4065
- Dioryctria castanea sp.n., described. 574 Dioryctria zimmermanni, W. Canadian spp of group keyed. 2534

Dioxane derivatives, as attractants for of Aedes aegypti. 1682

Dioxaspiro derivatives, as attractants for of Aedes aegypti. 1682

Dioxathion, control of Neoschoengastia americana on turkeys. 5348

Dipara (Hym., Pteromalidae), key to spp. 4360 Diparini (Hym., Pteromalidae), new genera and spp described and genera keyed. 4360

Diparopsis castanea (Lep., Noctuidae),

detection of 9 extracts of  $^{\sigma}$ . 1032 method for detection of olfactory stimulants. 1032

Dipelicus (Col., Melolonthidae), new spp described. 977

Diphaulaca (Col., Chrysomelidae), karyotype. 5536

**Diphenhydramine hydrochloride**, and cattle resistance to Boophilus microplus. 3576

Diphyus comes (Hym., Ichneumonidae), of described. 3341

Diphyus variegatus, new subspp. 3341
Diplacodes (Odon., Libellulidae), autosomes and chromosome number in bipunctata and haematodes. 929

Diplacodes trivialis, predator of Chrysopa at Nankum, India. 4840

Diplamoninae (Hym., Ichneumonidae), new for France. 110

Diplatys longipennis sp.n. (Derm., Pygidicranidae), described. 1417

Diplazon orientalis (Hym., Ichneumonidae), parasitic on aphidophagous Syrphidae in Gujarat, India. 319

Diplectrona felix (Trich., Hydropsychidae), emergence from a stream in N. Wales. 3198

Diplocentridae (Arach., Scorp.), birth and postbirth behaviour in N. American spp. 4013

Diplocentrus spitzeri sp.n. (Arach., Scorp., Diplocentridae), described. 3296

Diplocephalus (Arach., Aran., Micryphantidae), Romanian spp discussed. 1830

Diplocephalus cristatus, new synonymy. 1830 Diplocolenus (Hem., Hom., Cicadellidae),

phylogeny, radiation and new spp described.

3691

Diplolaboncus tumorificus (Dipt., Cecidomyiidae), biology and control in  $N.\ Italy.\ 3117$ 

Diplolepis (=Rhodites) (Hym., Cynipidae), see also Cynips,

Cynips, oak-galls in Méhes collection in Museum of

Natural History, Budapest, Hungary, 1278 Diplomys labilis (Rodentia), host of Gliricola arboricola sp.n. in Panama, 3007

Diplonychus procerus (Hem., Het., Belostomatidae), new variety described, 488

Diplopoda (Myriap.),

205, 298, 585, 1025, 1026, 1250, 1487, 2089, 2540, 2653, 2668, 3022, 3023, 3273, 3357, 3501, 3858, 4558, 4663, 4757, 4839, 4928,

5396, 5490, 5562, 5917, 5957, 6070 biology and ecology in a Cheshire, England, wood. 4839

from Bulgaria. 3022

from caves in Bulgaria. 6070 from caves in Bulgaria and Yugoslavia.

om caves in Bulgaria and Yugosiavia.
6069

from caves in N. Honshu, Japan. 3357 from caves of Romania. 5562

chemoreceptors. 4490

distribution in mixed forests in N. Kavkaz, USSR, and role in litter breakdown. 5396

feeding habits. 4757 of Iceland. 4928

mathematical model for sampling by pitfall traps. 5490

of Mt. Gargano, Italy. 3273 muscle ultrastructure. 157

Diplosaridae (Lep.), 1462

Diplotemnus vachoni sp.n. (Arach., Pseudoscorp.) described. 3295

Diplura,

of caves in Romania. 5562 muscles and skeleton of head. 5833 of New Zealand. 3693

Dipodomys heermanii morroensis (Rodentia), host of Meringis cummingi in California, USA. 6009

Dipodomys merriami merriami, host of Hexidionis from California, USA, and Mexico. 4241, 4242

Dipodomys spectabilis,

Acarus macrocoryne sp.n. from nests. 3721 host of Hexidionis harveyi sp.n. in New Mexico, USA. 4242

Diprion pini (Hym., Diprionidae),

mechanisms of conifer resistance. 5442
phenolase in gut of prepupa. 646
population self-regulation by prolongation of
eonymphal diapause. 3630
protection of tree-stands by fertilization in

GFR. 4797

Diprion similis,

Entomophthora infection in N.W. Wisconsin, USA. 809

haemocytopoietic organs of larva. 2611 parasites and hyperparasites in Wisconsin, USA, 794

photoperiod in relation to leg development. 1622

Diprionidae (Hym.),

646, 809, 794, 1270, 1378, 1500, 1622, 2022, 2611, 2728, 3149, 3184, 3431, 3630, 4094, 4107, 4797, 5116, 5180, 5369, 5442 of Poles'e of Belorussia. 1378

Dipsacaceae, Coccinella undecimpunctata captured on in England. 2140

Dipsacus fullonium (Dipsacaceae), Coccinella undecimpunctata on in Middlesex, England. 2140

Dipseudopsis capensis (Trich., Polycentropodidae). biomass production in L. Chad, Africa. 3597 Dipsocoridae (Hem., Het.), 148, 2511

limits reappraised, 2511

Diptacus gigantorrhynchus (Arach.. Acari. Eriophyidae), spermatophore, 4586 Diptera.

abundance in oxidation lagoons in C. Missouri, USA. 1738

air-borne specimens captured on ships in Pacific Ocean, 2134

amitotic (clasmatotenic) nuclear division in flight-muscle, 1050

association with Eupatorium perfoliatum in Byron Bog, S.W. Ontario, Canada. 3160

associated with Halogeton sativus in Morocco and Spain. 3585

biology and control of pests of crops in Middle East. 4062

of cabbage in S. California, USA, 5479 of caves of Romania, 5562

cytological localization of DNA complementary to rRNA in polytene chromosomes, 5538

in relation to DDD and DDT in St. Lawrence R., Canada, 1033

distribution in hot-spring thermal gradients in New Zealand, 2783

emergence times in relation to drift in Prater's Creek, S. Carolina, USA. 5477

egg proteins. 2625

evolution of parasitic habit in Calvptratae, 2758 of food-processing establishments in Czechoslovakia, 842

frequency of poultry-manure removal in relation to larvae and predators in N. California, USA, 4836

gravity perception in relation to leg proprioceptors, 4495

integrated control for caged-poultry houses.

of Meteor Cave, Hungary, 3202

mining plants in Romania. 2124, 2125 new for Romania, 2124, 2125

new spp from Galápagos Islands and new records, 3757

parasites and predators of Dipt. parasitizing Ensifera in Provence, France, 316

parasitized by Ichneumonidae on W. Coast of Schleswig-Holstein, GFR. 5478

populations in 7 types of habitat. 2148

possible parasitic on Sphecidae, 5409

prey of Acroneuria californica. 2110

prey of Lycosa lugubris. 2109

prey of partridge. 2148

prey of Scatophaga stercoraria. 3556

production in garbage pits in S. Carolina, USA. 3177

prothorax of Acalyptratae, 5146 publications of J.E. Collin, 1876-1968. 3712 rearing boxes. 5784

recolonization of insecticide-treated soil, 1721 relative density variation, 1983

succession in sandspit ponds in L. Erie, Pennsylvania, USA, 3166

swarming and mating flight, 1225

of rivers in 'Iron Gates' dam area, Romania.

of Strobl collection reviewed, 5019, 5020, 5021 synanthropic spp in Tyan'-Shan' Mts., Kirgizia, USSR. 4860

synergistic ratio of carbaryl with piperonyl butoxide, 4582

systematics of Acalyptratae, 5146

taxa described by E.T. Cresson, jun., 1906-1949, 2451

ultrastructure of corneal surface topography. 4484

ultra-weak luminescence of larvae. 5903 at weather-station 'Tango' in Pacific Ocean. 2132

control of Chilo zonellus and Sesamia cretica

in Sudan, 6011

toxicity to Telmatoscopus albipunctatus, 5987 Dipus (Col., Platypodidae), new spp described. 1850 Dircennini (Lep., Nymphalidae), generic characters. 5755

Dirophanes banksianae (Hym., Ichneumonidae), syn.n. of Phaeogenes hariolus. 2800

Dirphia abhorca sp.n. (Lep., Saturniidae), described. 117

Dirrhagus hummieri (Col., Eucnemidae), possibly a variant of D. pygmaeus. 464

Dirrhagus lepidus, new for Norway, 452

Discocomorphon (Col., Cantharidae), new synonomy.

Discodon (Col., Cantharidae), new synonomy, 967 Discodon fruhstorferi, type-sp of Pseudodiscodon gen.n. 1837

Discoloma (Col., Discolomidae/Notiophygidae), larva described, 143

Discoloma stroessneri sp.n., described. 2488 Discolomidae (Col.), 143, 2488 larval characters. 143

Discopleurus (Col., Tenebrionidae), new taxa from Chile. 2497

Dismorphia (Lep., Pieridae), new taxa described.

Disonychina (Col., Chrysomelidae), X-chromosomes and karyotypes. 5536

Dispersal, see also Migration

of Acalitus vaccinii by Apoidea. 4709 of Acyrthosiphon pisum and Aphidius pisivorus.

of Aedes aegypti at Bangkok, Thailand. 2145 aerial dispersal in British Psocoptera, 1709 aerial drift of insects in relation to hedges. 2784

of Amathes glareosa in Shetland Islands. 417 annual dispersal losses in Corthylus columbianus compared with population densities, 3602

## Dispersal, contd.

- of Aonidiella aurantii in California, USA. 3544
- of Aphidius ervi. 3182
- of Aphis gossypii. 6017
- in Aran. on a raised beach in England. 3555
- of Argas streptopelia sp.n. on birds in Africa and Eurasia. 4220
- Argas streptopella sp.n. on migrating doves in Senegal. 4777
- in Arizona, USA, strain of Trichogramma minutum. 3154
- of Belostoma malkini and Lethocerus maximus in Trinidad, W. Indies. 1661
- of Belothrips acuminatus. 1671
- of blood-sucking Ceratopogonidae. 2790
- of Cardiaspina densitexta, 5362
- of cave Trich. of Italy. 863
- of Cenocorixa bifida and C. expleta in British Columbia, Canada. 3170
- centre of dispersal for Lithophane laticinerea in N. America. 3541
- of Cheletomorpha lepidopterorum. 6022
- of Chortoicetes terminifera at night, 1241
- of Chrysopa from uncultivated into cultivated steppe in Czechoslovakia. 826
- colonization of artificially emptied islands of the Florida Keys, USA. 821
- and crowding in Aceria sheldoni. 2606
- in relation to crowding in Tetranychus urticae.
  4911
- of Culicidae to areas treated with ULV malathion. 4831
- of Culicidae by aircraft. 4816
- of Culicidae in Dorset, England. 835
- in relation to desiccation resistance in Diplopoda. 4558
- and diapause in Ostrinia nubilalis in Alabama and Georgia, USA. 701
- in relation to dimorphism and monomorphism in Carabidae. 5457
- in Dione moneta poeyii in S. Texas, USA. 3595
- distribution of flying insects near a low hedgerow. 2784
- of Ectropis bhurmitra larvae. 2164
- of Erebla epipsodea. 4848
- of Euprepocnemis plorans, 6021
- external distrubance and light-reactions of Col., Dipt., Lep. and Orthoptera. 5848
- flight in relation to aggregating pheromone in Ips grandicollis. 2714
- flight direction of nocturnal insects in relation to wind. 4732
- flight-trap for Hypera postica in Ohio, USA. 586
- in relation to glacial refugia. 4955
- of grass-infesting Eriophyidae in Ohio, USA. 2769
- history of Icelandic myriapod fauna. 4928
- of Hydropsyche instabilis larvae. 857
- of Hylobius pales in S. Carolina, USA. 280

- of Hypera postica in relation to alfalfa in N.E. Mississippi, USA. 2708
- upstream movements of insects in a S. Swedish stream, 2815
- of Ichneumonidae of W. coast of Schleswig-Holstein, GFR. 5478
- of insects in relation to a hedgerow and neighbouring fields. 2785
- of Kuzinia laevis. 5381
- in relation to lethal allelism in a Drosophila natural population. 4917
- of Melolontha melolontha. 292
- method for marking Argyrotaenia velutinana and Synanthedon pictipes for dispersal studies, 5108
- of microorganisms by Lethocerus uhleri. 3169
- movement of Chrysops atlanticus from emergence site for blood-meal. 3543
- of Noctuidae and Sphingidae in Basses-Pyrénées, France. 334
- in relation to nutrition in Porthetria dispar populations. 4097
- of Ophonus rufipes. 6023
- oriented flight in Formica subnuda and Leptothorax muscorum. 2773
- of Orgyia australis postica. 287
- of Otiorrhynchus ovatus. 4720
- of Pachylobius picivorus in S. Carolina, USA. 4725
- of Panonychus ulmi. 5952
- of Pardosa lapidicina, 1669
- periodicity of drift activity of Hydracarına. 5385
- phoresy of Acarus farris hypopi on parasitic Hym. in Poland. 3572
- of Platypus flavicornis in relation to Dendroctonus frontalis infestations in E. Texas, USA. 751
- of Porthetria dispar in Canada. 3176
- possible dispersal of Chilocorus bipustulatus from citrus to avocado and mango in Israel. 5500
- possible dispersal of Sphenophorus phoeniciensis by Bufo borealis. 4455
- post-release dispersal in Anaphes flavipes. 4834
- power of Carabidae. 5437
- Proisotoma filifera imported into Netherlands. 6120
- of Psylla pyricola in Nova Scotia, Canada. 6057
- rate of spread of Grapholitha molesta in a peach orchards. 2812
- recolonization of artificially emptied islands by Arthropoda. 821
- of Rhopalosiphum maidis and Schizaphis graminum in relation to air-temperature and light-intensity. 820
- selection for in Tribolium. 4910
- short-range dispersal of Arctocorisa carinata and Callicorixa products. 2770

- Disphaerocephalinae subfam.n. (Hem., Het., Enicocephalidae), established for fossil material. 2512
- Disphaerocephalus (Hem., Het., Enicocephalidae), fossils and pseudofossils reviewed. 2512
- Dissochaetus (Col., Leiodidae),

morphology and distribution of C. and S. American spp. 22

notes on Venezuelan spp. 1842

- Dissosteira carolina (Orth., Acrididae), musculature of 7 genitalia. 3869
- **Dissosteira longipennis,** fluorescent systems and UV-sensitivity of eyes. 3413

## Disulphoton,

- control of Brevicoryne brassicae on cauliflower and broccoli. 5341
- control of insects and nematodes in potatoes.  $4692\,$
- control of Macrosteles fascifrons, 4830 control of pests on Medicago and Phaseolus, 4678
- fecundity and longevity of Anthonomus grandis exposed to sublethal doses. 5302
- Ditoneces kanoi sp.n. (Col., Lycidae), described. 2492

### Diuresis.

- diuretic and antidiuretic hormones in Schistocerca gregaria and Locusta migratoria. 4560
- diuretic factor in larval Chaoborus crystallinus.
- level of diuretic hormone in haemolymph during ecdysis in Periplaneta americana, 2633
- Diversimorda coeruleocephala gen. et sp.n. (Col., Mordellidae), described, 5008
  - stochastic model of plant-to-plant movement in Aphididae. 4070
  - swarming of Nomadacris septemfasciata in Rukwa Valley, Tanzania. 5497
  - temperature and orientation to host-plant in Hypera postica. 1257
  - of Tetranychidae. 1295
  - of Toumeyella liriodendri. 3535
  - upstream flight by mature egg-bearing \$\varphi\$ Philopotamus montanus. 5516
  - of Vatesus. 3137
- Diversipes (Arach., Acari, Oribatei), new spp described, 1392
- Dixidesmus erasus (Myriap., Diplop.), turnover rate for 137Cs. 298
- Dixothrips onerosus gen. et sp.n. (Thysanopt., Phlaeothripidae), described. 3017

#### DNA.

- absence from symbionts of Psylla pyricola. 2743
- actinomycin D and mitomycin C in relation to RNA synthesis in Tenebrio molitor.
  4610
- apholate and hempa in relation to synthesis in

- Aedes aegypti. 2624
- asymmetric heterozygous puffs in Sciara ocellaris, 1332
- base composition in Chironomus tentans, 868 base composition in Drosophila melanogaster, 202
- chromomeres in relation to replication and transcription. 2833
- content of chromosome bands in Drosophila melanogaster, 5535
- content and evolutionary level. 2183
- content of fat-body during oogenesis in Pyrrhocoris apterus. 1200
- content of spermatids in 10 insect spp. 2183
- content of X-chromosomes of Drosophila melanogaster, 200
- cytological localization of DNA complementary to rRNA in polytene chromosomes of Diptera, 5538
- of developing oocytes of Argas persicus. 4635
- DNA-body of Acheta domestica oocytes. 5534
- DNA-body in relation to satellite DNA in Acheta domestica. 4546
- DNA-RNA hybridization for comparison of genome differences. 4147
- duplex formation in Drosophila melanogaster.
- ecdysone in relation to DNA-synthesis and morphological changes in Galleria mellonella wing-discs. 1198
- extra-chromosomal DNA in early stages of oogenesis in Acheta domestica. 4004
- formamide for prevention of high-temperature effects accompanying DNA renaturation and hybridization with RNA. 1569
- genetic effects in Anagasta kuehniella with respect to eye-colour and tryptophan pyrrolase. 3655
- and growth of Lasioderma serricorne. 1181 incorporation of 5-bromodeoxyuridine in place of thymidine in X-irradiated larval Bombyx mori exposed to X-irradiation. 892
- incorporation into salivary gland cells in larval Chironomus thummi and Drosophila melanogaster, 3069
- incorporation of sodium monohydrogenarsenate and selenocystine, 2179
- intranucleolar DNA of polytene chromosomes in Drosophila melanogaster. 368
- isolation from B chromosomes in Myrmeleotettix maculatus. 2837
- linear dichroism in Locusta migratoria spermheads, 6080
- mechanism of crossing-over. 378
- mechanism of induction of complete dumpy mutants by EMS in Drosophila. 899
- metabolism in Drosophila melanogaster nurse-cells, 3506
- metabolism in Labidura riparia nurse-cells. 3085

### DNA, contd.

- models for gene-amplification and DNA-release in Insecta. 1120
- and mosaic production in post-meiotic spermatogenesis in Bombyx mori, 3663
- non-doubling DNA series in somatic tissues of Locusta migratoria and Schistocerca gregaria. 6081
- non-replicating DNA in centric regions of Drosophila melanogaster chromosomes. 1748
- nucleic acid synthesis associated with DNAbody in Acheta domestica oocytes. 4547
- nucleolar DNA in salivary-gland cells of Drosophila. 1129
- nucleotide availability for synthesis in silkgland of Bombyx mori. 4532
- pathways of thymidine and thymidylic acid production in pupal Hyalophora cecropia. 4525
- polymerase for demonstration of chromosome structure in Chironomus. 1749
- pre-meiotic synthesis in Locusta migratoria
   spermatocytes. 5533
- pyrimidine sequences in 5 insect spp. 1113, 4894
- X-radiation in relation to thymidine and deoxyuridine utilization for DNA thymidylate synthesis in Drosophila melanogaster testis cells. 1580
- radiosensitivity in relation to repair of premutational damage in Bombyx mori. 3669
- rDNA and 'bobbed' locus in Drosophila melanogaster. 1766
- rDNA redundancy in Drosophila melanogaster in relation to breeding of 'bobbed' stocks. 1341
- rDNA redundancy and reversions at 'bobbed' locus in Drosophila melanogaster. 1341
- redundancy in salivary-gland cell nuclei of Hybosciara fragilis. 1137
- release at chromosome puffs of Hybosciara fragilis and Sarcophaga bullata. 1120
- renaturation and hybridization with RNA in formamide solution. 3457
- replication and attachment of heterochromatic chromosomes to nuclear membrane in Planococcus citri. 1333
- replication in relation to intragenic changes in the white region in Drosophila melanogaster. 384
- replication in chromosome 2 of Sciara coprophila. 189
- replication in nucleoli of Drosophila melanogaster polytene nuclei, 368
- replication in polytene chromosomes of Drosophila melanogaster. 1334
- replication in puffs of Sciara coprophila. 189
- replication in silk-gland cells of Bombyx mori. 370
- RNase resistance and thermal stability in

- DNA-RNA hybrids of Drosophila melanogaster. 199
- satellite DNA in ovaries and body tissues of Acheta domestica. 4546
- secondary structure in sperm-heads in relation to RH in Locusta migratoria. 5537
- sex dimorphism of DNA-content in Planococcus citri, 1327
- single-strand theory of chemical mutagenicity. 3668
- single-stranded DNA in salivary-gland chromosomes of Chironomus. 1749
- starvation in relation to DNA-content of nurse-cell nucleus in Musca domestica. 4003
- synthesis and cell-division in epidermis of Philosamia cynthia ricini. 3399
- synthesis in chromosome-puffs in Chironomus, Rhynchosciara and Sciara. 1120
- synthesis by diapause and non-diapause Bombyx mori eggs. 5285
- synthesis in relation to ecdysone in wing-discs of Anagasta kuehniella. 713
- synthesis in giant chromosomes. 3217
- synthesis in heterochromatic DNA-body of Acheta domestica oocytes. 1111
- synthesis in homologous chromosomes of Sciara ocellaris. 1120
- synthesis in Locusta migratoria spermatocytes in relation to meiosis. 869
- synthesis in relation to moulting in Drosophila hydei. 211
- synthesis during moulting-cycle in Oryzaephilus surinamensis. 242
- synthesis and movement during oogenesis in Dytiscus marginalis. 717
- synthesis in nurse-cell nuclei of developing egg-follicles of Cecidomyildae. 262
- synthesis in nurse-cells of Rhynchosciara angelae. 1205
- synthesis in Rhynchosciara angelae. 1754 synthesis in salivary glands of Dacus cucurbitae. 3952
- synthesis in salivary glands of Drosophila hydei. 211
- synthesis in spermatocyte X-chromosome of Rehnia spinosus. 3942
- synthesis in relation to synthesis of non-histone protein in Chironomus thummi. 187
- terminal transferase for demonstration of structure of chromosomes in Chironomus. 1749
- 3H-thymidine labelling of meiotic chromosomes reinterpreted for ♂Romalea microptera.
- time of synthesis in of germ-cells of Bombyx mori. 3668
- uptake by Anagasta kuehniella eggs. 3513 values in Dermestes. 188, 5539
- DNC, control of Nomadacris septemfasciata in Rukwa Valley, Tanzania. 5497

DNOC, effects on population density, development and growth in Drosophila melanogaster. 1297

DNP, nature of a histone from a DNP-complex from adult Drosophila melanogaster. 1566

Dociostaurus curvicercus (Orth., Acrididae), biology and ecology in Israel, 277

stridulation in relation to hormonal

termination of reproductive diapause. 4664

Dociostaurus genei, host of Blaesoxipha paolii in France. 3146

Dociostaurus maroccanus,

host of Blaesoxipha paolii in France. 3146 nemestrinid parasite preyed on by Machimus fimbriatus in Provence, France. 316

cis-8-Dodecenyl acetate, sex-pheromone of Grapholitha molesta. 1593

Dodonidia helmsii (Lep., Satyridae), anomalous foreleg in a 7. 3482

Dog (Canis:Carnivora),

host of Stomoxys calcitrans near California, USA, poultry ranches. 5404

infestation of Yorkshire terriers by Cheyletiella yasguri. 3578

Rhipicephalus sanguineus introduced into Denmark from Zambia. 2196

Rhipicephalus sanguineus on in London, England. 3151

role of neutrophils in formation of feeding lesion due to Rhipicephalus sanguineus. 4050

Dogonia gen.n. (Dipt., Asilidae), established. 4295 Dolicheremaeus perisi sp.n. (Arach., Acari, Otocepheidae), described. 3724

Dolichocis manitoba (Fungi), Astichus polyporicola sp.n. associated with. 4350

Dolichoderinae (Hym., Formicidae), ecological distribution in Gregory Canyon, Colorado, USA. 3632

Dolichoderus (Hym., Formicidae), new synonomy. 5727

Dolichodipara gen.n. (Hym., Pteromalidae), established. 4360

Dolicholepta gutierkezi sp.n. (Thysanopt., Phlaeothripidae), described. 5772

Dolichomitus brevicornis (Hym., Ichneumonidae), ecology in relation to Urocerus argonautarium and Sirex dux in N. W. Kavkaz, USSR. 5481

Dolichomutilla (Hym., Mutillidae), from Congo, Brazzaville, 1447

Dolichopeza (Nesopeza) seticristata sp.n. (Dipt., Tipulidae), described. 85

Dolichopoda calabria sp.n. (Orth., Rhaphidophoridae), described, 3013

Dolichopoda euxina, effect of external disturbance and time of day on light-reactions. 5848

Dolichopoda geniculata,

distribution of subspp. 3013 free amino-acids of haemolymph. 176

Dolichopoda palpata, distribution. 3013

Dolichopodidae (Dipt.),

768, 2739, 2792, 4014, 4745, 5026 predators of Paracoenia turbida and Ephydra bruesi in hot springs, 768

Dolichostethus (Col., Scarabaeidae), new African taxa, 5650

Dolichothrix melanothorax gen. et sp.n. (Dipt., Stratiomyiidae), described. 3320

Dolichovespula media sugare subsp.n. (Hym., Vespidae), described. 1459

Dolichovespula saxonica, nests attacked by Sphecophaga vesparum. 5409

Dolichurus corniculus (Hym., Sphecidae), new for Romania. 2217

Doliopygus (Col., Platypodidae), new spp described, 5648

Dolopius marginatus (Col., Elateridae), abundance in pine woods in Netherlands. 2161

Dolycoris baccarum (Hem., Het., Pentatomidae), salivary-gland amylase. 2629

Dominica,

new Curculionidae from. 4277

new Libellulidae from. 3830

new Pompilidae from. 5738

new Simuliidae from. 1879

Odonata reviewed. 3830 Simuliidae of. 1879

Donacia simplex (Col., Chrysomelidae),

respiratory physiology and tracheal system of larva. 1087

respiration rate in relation to  ${\rm O}_2$  partial pressure. 5213

Donaspastus (Lep., Symmocidae), spp new for Romania. 2225

Dopa, alanine, dopamine and noradrenalin in relation to dopa metabolism in Drosophila melanogaster. 1561

Dopa decarboxylase, interaction with bursicon in Sarcophaga bullata cuticle. 610

Drepanulatrix (Lep., Geometridae), larval headcapsule characters. 2578

Drift.

aerial drift of insects in relation to hedgerow. 2784, 2785

in Baëtis bicaudatus and Oligophlebodes sigma. 2549

causes and effects for stream insects. 5482

control by light in aquatic insects.

daily and annual periodicity of drift activity of Hydracarina. 5385

diel periodicity of invertebrate drift in an English Lake District stream. 2781

downstream drift compensated for by upstream movement in larval Hydropsyche instabilis. 857

drift-nets for stream insects. 2545

emergence times in relation to imaginal drift of Dipt. in Prater's Creek,

Drift, contd.

S. Carolina, USA. 5477

genetic drift in isolated populations of

Philaenus spumarius. 4916

of Hydracarina in the Fulda R., GFR. 1321

sampler driven by waterwheel. 2549

in the Speed R., Ontario, Canada. 832

in stream ecosystem, 832

subsampler for stream arthropod drift. 2570

in relation to wind-speed during night migrations in Chortoicetes terminifera. 1241

Drilidae (Col.), 1368, 4737

of the Carpathian Basin, C. Europe. 1368

Drina mariae sp.n. (Lep., Lycaenidae), described.

Dromiini (Col., Carabidae), of Niokolo-Koba National Park, Senegal. 1839

Dromius bakeri sp.n. (Col., Carabidae), described.

Dromius quadrisignatus, new for Sweden. 454 Drosophila (Dipt., Drosophilidae),

abundance in S. Hokkaido, Japan. 2144

actidione and development. 699
caffeine and non-disjunction of sex-chromosomes.

cell heredity and proliferation in blastema cultures. 3985

chromosomal allelism within and between populations. 921

chromosome inversions, 1347

chromosomes and status of quaramuna and guarani outgroups. 366

conjugation of polytene chromosomes and crossing-over in D. virilis X D. texana hybrids. 6074

courtship behaviour of Pseudeucoila bochei towards parasitized pupae. 2085

Darwinian fitness in relation to chromosomal sex-ratio. 922

developmental and genetic homeostasis. 2189

disjunctional consequences of meiotic interchange. 380

dispersal in relation to lethal allelism in Japanese populations. 4917

ecological distribution along Tyne Valley, England, 2154

ecology of Hawaiian spp in relation to Cheirodendron gaudichaudi. 647

ecology of temperature differences between Arctic and Alpine meadows, 5308

ethionine and development. 699

p-fluorophenylalanine and development. 699

gene expression in mosaics. 1337

genetic basis of speciation. 431

genetic control of melanotic pseudotumours. 4137

genetic evolution in interspecific competitive ability. 1783

genetic polymorphism and interspecific competitive ability. 3670

genetics of growth. 2829

inversions and crossing-over in D. virilis X D. texana hybrids. 6076

X-irradiation in relation to genetic load in populations. 386

laboratory prey for Cryptocellus dorotheae. 757 mutations induced by mitomycin C during spermatogenesis. 396

 ${
m N}_2$  and  ${
m O}_2$  post-treatments in relation to mortality of X-irradiated eggs. 247

numerical classification. 65

population adaptedness in terms of productivity and population size. 922

population structure changes near Alexandria, Egypt. 4183

puromycin and development. 699

radiosensitivity of mature spermatozoa and late spermatids. 266

rRNA mobility and molecular weight. 653 space-environment in relation to radiation-

induced damage in reproductive cells. 388 subgenus Hirtodrosophila new for Hokkaido, Japan. 2144

TEM-induced and radiation-induced chromosomal changes in sperm. 392

thermal acclimation and heat resistance. 2641

Drosophila affinis subgroup,

genital clasper. 2948 salivary-gland chromosome variation. 372

**Drosophila algonquin,** salivary-gland C-chromosome pattern. 372

Drosophila ananassae,

of crossing-over. 382

maintenance of inversion polymorphism. 415 meiotic origin of spontaneous cross-overs in # 1765

puffing in salivary-gland chromosomes. 3216 Drosophila arizonensis, relative fitness of

introgressed parental populations. 2856 Drosophila athabasca.

X-chromosome in 'Western' and 'Eastern' strains, 3652, 4918

and phylogeny of D. affinis subgroup. 372 salivary-gland C-chromosome pattern. 372

Drosophila auraria,

abundance in S.W. Hokkaido, Japan. 4200 cohabitation of races at Hokkaido, Japan. 2144 diurnal activity of race B in relation to weather conditions in S.W. Hokkaido, Japan. 746

Drosophila azteca,

differentiated from tolteca. 2948 salivary-gland C-chromosome pattern. 372

Drosophila bandeirantorum, ecology in

Colombia. 1300

Drosophila birchii, rate of fitness evolution in X-irradiated laboratory populations. 3689 Drosophila bostrycha, micro-evolution. 1790

Drosophila capricorni, ecology in Colombia. 1300 Drosophila cardini, ecology in Colombia. 1300 Drosophila coracina.

abundance in S. Hokkaido, Japan. 2144

diurnal activity in relation to weather conditions in S.W. Hokkaido, Japan. 746

Drosophila disjuncta, micro-evolution, 1790

Drosophila eohydei, nucleolar DNA of salivarygland cells of larva. 1129

Drosophila equinoxialis, mating success and genotype frequency. 420

Drosophila funebris.

chromosomal polymorphism in a Moskva, USSR, population. 6096

DNA-RNA hybridization, 4147

interaction of chromosomes from urban and rural races in experimental populations, 6103

of crossed with D. multispina ♀. 381

Drosophila grimshawi, micro-evolution, 1790

Drosophila grimshawi subgroup, inversion polymorphisms. 1348

Drosophila griseolineata,

chromosome map. 366

ecology in Colombia. 1300

Drosophila hydei,

abnormal abdomen due to 'aa' gene. 4155

Y-chromosome lampbrush loops associated with spermatogenesis. 4887

Y-chromosomes in relation to spermiogenesis.

cytological localization of DNA complementary to rRNA in polytene chromosomes. 5538

DNA synthesis in relation to moulting, 211 ecdysone accumulation in salivary-gland cellnuclei, 4549

egg structure. 1969

and Entomophthora myrmecophaga sp.n. in Switzerland, 4088

nucleolar DNA in salivary-gland cells of larva.

population in food-processing establishments in Czechoslovakia, 842

RNA synthesis in polytene nuclei from salivary

Drosophila imaii, occurrence in S. Hokkaido. 2144 Drosophila immigrans,

ecology in Colombia. 1300

esterase pattern during metamorphosis. 1606

Drosophila lacertosa,

abundance in S.W. Hokkaido, Japan. 4200 diurnal activity in relation to weather conditions in S.W. Hokkaido, Japan. 746

Drosophila melanica group, abortive development of Pseudeucoila bochei. 3575

Drosophila melanogaster,

abdominal-bristle selection lines. 3208 aberrant segregation, 908 abundance near Alexandria, Egypt. 4183 'actidione-sensitive' analyzed. 4904 action of 'prune'. 1753

action spectrum of spontaneous phototaxis. 3417

action of SR agent and chromosomal constitution, 364

ageing and alcohol dehydrogenase. 1632 ageing and segregation distortion, 4134 alanine, dopamine and noradrenaline in relation to glucose and phenylalanine catabolism, 1561

alcohol dehydrogenase locus in natural populations, 6105

allelic relations between lethal genes in natural populations. 4170

amino-acid composition and properties of pupal aldolase, 1571

aminoacyl-tRNA binding enzymes from larvae.

aminopeptidases in relation to life-cycle. 1336

@-amylases in 'Amy' strains, 2622

anthramycin methyl ester as sterilant. 1636 antibacterial compounds in cell-free haemolymph

of pupae. 1546

artificial selection and inbreeding rates in early generations. 1351

atelotypic blastemata in imaginal disc cultures. 2052

attached-X deletion lethal, 887

base composition of euchromatic and heterochromatic DNA. 202

behaviour and electroretinograms in 'tan' and 'ebony' mutants. 890

behaviour responsible for rare-type mating advantage, 4175

biochemical basis of hereditary melanotic tumours, 4150

biopterin synthesis. 1564

'Bobbed' locus structure. 4141

'Bobbed' mutations. 1766

bristle frequency in gynandromorphs with different 'scute' alleles, 2845

bristle systems. 3204

5-bromo-uracil-deoxyriboside incorporation into germ-cells. 1344

'brown spots' mutation, 4895

calliphorin possibly present. 1134

campaniform sensilla of halteres. 3412

carnitine acetyltransferase activity in

relation to spermatozoon development, 3998 cell degeneration in wing and eye mutants. 230

cell types in in vitro culture of embryonic cells. 2543

centriole migration in germarium, 5274 chromosomal analysis of egg-production and abdominal chaeta number. 2827

chromosomal effects on X-ray-induced mitotic recombination, 1764

chromosomal mutations and aneuploidy. 6090 Y-chromosome fragments in immature oocytes.

chromosome non-disjunction and recessive sex-linked lethal mutations induced by 1, 2dichloroethane, 6091

### Drosophila melanogaster, contd.

chromosome polymorphism in experimental populations. 906

chromosome rearrangements induced by heliotrine. 405

2nd-chromosome recessive lethals in X-irradiated populations. 918

X-chromosome and chromosome 4 in relation to radiation-induced aneuploidy. 6086

Y-chromosome lethal in 'echinus deltex' mutants, 887

ring-X chromosomes lost from ♂ germ-cells due to X-irradiation. 393

SD chromosomes in heterozygosis with structural rearrangements. 885

circadian rhythmicity of salivary glands.

'claret-nondisjunctional' in relation to chromosome behaviour. 1741

clonal analysis of determination in 'Antennapedia'. 3220

competition and change of gene-frequency under migratory conditions. 421

competitive ability in X-irradiated populations.

complementation and fine structure of 'maroonlike' locus. 5545

control of number and pattern of scutellar bristles. 4145

control of oocyte formation in sterile 9, 4159 courtship behaviour in 'ebony', 'tan' and 'black' mutants, 4166

'cp', 'in' and 'ri' genes in 3rd-chromosome centromere. 6084

crossing and selection for genetic sampling of populations. 2853

of populations, 2853 crossing-over and rearrangements, 4143

crowding in relation to meiosis in larvae. 1618 culture media for imaginal discs. 591

culture medium giving differentiation of embryonic cells. 2543

cytochrome oxidase activity and densitydelayed pupation. 1639

cytogenetics of hereditary ovarian tumours. 4151

cytoplasmic granules of larval Malpighian tubules. 182

deleterious chromosomes and allelism between lethal genes in Japanese populations. 3681

deletions and fertility after exposure to methylthiophosphonic acid diethyleneimide. 6088

delta element transmitted through of parent.

development and degeneration of sperm flagellum in Y mutants. 3967

development of lethal 'eyeless'dominant' (eyD) mutant larvae. 3225

development of nucleolus in nurse-cells. 3506 development of Pseudeucoila bochei. 3575

development and genetic analysis of mutant lethal giant-larvae. 398

1,4-bis-diazoacetylbutane as mutagen. 1770, 6094

dietary choline utilization. 1575

differential chromosomal activity. 2181

diffusion reaction scheme of pattern formation in morphogenesis. 4136

disruptive selection for sternopleural bristle number. 425, 1789

disruptive and stabilizing selection in relation to body-size. 2828

disruptive and stabilizing selection in relation to 'escape' behaviour. 3675

DNA content of X-chromosome. 200

DNA duplex formation. 199

rDNA redundancy in relation to breeding of 'bobbed' stocks. 1341

DNA renaturation and DNA-RNA hybridization in formamide at low temperature, 3457

DNA replication and intragenic changes of the 'white' region. 384

DNA replication sequence in polytene chromosomes. 1334

DNA-RNA hybridization. 4147

DNA and RNA incorporation into larval salivary-gland cells. 3069

dopamine accumulation at puparium formation. 198

'dosage at the 'scute' locus and canalization of scutellar bristles. 374

dosage compensation for glucose-6-phosphate and 6-phosphogluconate dehydrogenases. 877 dosage compensation due to hyperactivity of

of X. 3653 dosage compensation for RNA-synthesis in

chromosome puffs. 3654 dosage compensation in salivary-gland tissue.

dosage compensation in salivary-gland tissue. 200

dose-dependence of X-ray-induced X-chromosome loss in mature oocytes. 886

dynamics of mutation process. 6089

ecdysone analogues and differentiation of eyeantennal discs in vitro. 3485

ecology in a natural population in Colombia. 1300

embryonic cell lines established in vitro. 5825 EMS-induced lethals. 400

EMS-induced mutations observed as mosaics. 4900

EMS-induced nutritional conditional mutants. 897

EMS-induced temperature-sensitive lethal and semi-lethal mutations. 412

EMS-induction of complete dumpy mutants, 899 environmental and genetic contributions to group differences, 4174

epistasis and homozygote viability. 1745 epistasis and multiple-peak hypothesis. 1755 extra-terrestrial radiation in relation to Drosophila melanogaster, contd.

lethal mutations of sex-chromosomes. 402 eye and antenna discs in manifestation of 'ophthalmopedia'. 6085

eye geometry. 3886

eye pigmentation and wing vibration in courtship. 2697

eyes in relation to eye pigment. 4901 'eyeless' alleles and modified genes. 893 fecundity and fertility in relation to sterile chromosomes in a natural population. 3682

female genotype in relation to recovery of segregation distorter, 1758

fitness of phenotypes for a metrical trait within populations. 4920

'forked' mutation after X-irradiation during development, 250

formaldehyde-induced mutations in relation to the presence of acids. 3223

formamide during DNA renaturation and hybridization with RNA. 1569

fractionation of populations according to optomotor traits. 4167

gene for allelic recombination at 'scute' locus. 4142

gene-dependence of killing action and multiplication of delta element. 3657

gene-enzyme polymorphism in natural populations. 902

gene expression in relation to availability of dietary RNA in 'eyeless' mutants. 893

gene expression in relation to vitamins and major nutrients in 'eye-gone' mutants. 894 gene replicas and repression in relation to

phenotypic expression and variability. 3218 genetic background and migratory behaviour. 4168

genetic control of glucose-6-phosphate dehydrogenase activity. 2184

genetic control of hatchability in inbred lines. 880

genetic control of phenocopy susceptibility. 878 genetic control of radio-resistance, recombination and mutation repair. 4886

genetic control of synaptinemal complexes. 367 genetic effects of X-rays and neutrons. 385

genetic frequencies in natural populations from Colombia. 927

genetic homeostasis in relation to geotaxis and laboratory environment. 923

genetic material introduction from inferior strains into superior. 925

genetic variability through recombination. 379 genetic variation causing response to selection for bristle number. 428

genetics in European and Neotropical environments, 2854

genital disc in intersex triploids, 2051 giant fibres, 619

glutamic acid in relation to concentration of

free amino acids. 5235

 $\alpha$ -glycerophosphate dehydrogenase isozymes. 2021

 $\alpha$ -glycerophosphate and lactate dehydrogenases during development. 4629

gonads in triploid intersexes. 3088

growth pattern in cell populations in vitro. 6072

 $\rm H_2S$  as radioprotectant for eggs. 3499

haemocyte reactions to Pseudeucoila. 1248, 1264 haemolymph phenoloxidase activation by larval cuticle. 3862

herbicides in relation to population density, development and growth. 1297

heterochromatization in white-variegated D. melanogaster in relation to X-ray-induced mitotic recombination in eye disc. 6073

heterozygosity optimum in natural populations. 1784

heterozygote viability in relation to lethal mutation frequency in natural populations. 6106

hexokinase isozyme variability. 2830 histone from DNP complex. 1566

homozygous viability in relation to average dominance, 376

hormones, tumours and viruses. 3986 indenes as protectants of X-ray-induced chromosome aberrations. 4897

identification of recombinational lethals. 1342 In(2L)B and In(2R)C inversions as adaptive gene-complexes. 4181

induced crossing-over in relation to mutation.

inoculation site in relation to CO  $_2\mbox{-sensitivity}$  due to  $\sigma\mbox{-virus.}$  5174

interchange-mediated non-disjunction at
 meiosis. 4898

intermediate gene-frequency equilibrium due to linkage disequilibrium. 4179

intranucleolar DNA of polytene chromosomes. 368

UV-irradiation of polar cap cells in relation to genetic recombination. 1762

X-irradiation in relation to bristle development. 256

X-irradiation in relation to crossing-over in  $\ref{eq:constraint}$  .

X-irradiation in relation to development of of genital discs. 3497

X-irradiation and larvae in relation to diet. 1628

X-irradiation in relation to thymidine and deoxyuridine utilization for DNA thymidylate synthesis in testis cells. 1580

JH analogues in tumorigenic strains. 1615

"Killer-prune" locus. 1769

laboratory population fluctuations. 3626

lactate dehydrogenase, 4529

'Lap-D' locus and inheritance of alleles. 1336

larval age-structure in relation to

## Drosophila melanogaster, contrl.

rearing density, 4172

larval cuticle and phenoloxidase activation. 5228

larval ring-gland in 'ebony' and wild type. 3224

larval viability and genetic load. 3647

lethal genes latent in natural populations in Kofu and Katsunuma, Japan. 422

lethal interactions of 'eye-gone' and 'eyeless'

mutants. 3667

lethal mutation induction by insect viruses. 5549

lethal mutation induction in presence of poliomyelitis virus, 2847

lethal mutation rate after exposure to LSD-25.

lethal 2nd chromosomes in small populations. 419 lethals and sterility in X-irradiated populations.

'loboid-ophthalmoptera'. 4093

longevity in relation to diet. 4453

'lpo' locus affecting pyridoxal oxidase, 1774

lysergic acid diethylamide as mutagen, 1771

malate dehydrogenases. 4544

male germ cells and XO-of induction, 393

'maroon-like' mutations, 1759

melanotic lesions, 5814

melanotic tumours. 3983

metabolic interrelations between 'eye-gone' and 'eyeless' mutants. 894

metabolism of tyrosine-O-phosphate. 198

methylmethanesulphonate-induced recessive sex-linked lethal and semi-lethal mutations. 6095

N-methyl-N'-nitro-N-nitrosoguanidine as mutagen. 895

microbial flora transmission in relation to development. 3442

monohydrogenarsenate and selenocystine and crossing-over. 882

morphological aberrations induced by enzyme inhibition. 238

mutation rates for autosomal lethals. 407 mutations affecting meiosis in natural

populations. 406 mutations induced by alkylating agents. 397 natural selection in relation to viability

polygenes. 4178 neoplasms in mutant and cultured wild-type tissues. 4160

N<sub>2</sub> and O<sub>2</sub> post-treatments in relation to oocyte survival after X-irradiation. 248

N-nitrosomethylurea in relation to spermatogenesis. 251

non-disjunction of Y- and 4th chromosomes in irradiated compound-X 99, 4896

non-homologous pairing and non-disjunction of 2nd chromosomes in oogenesis. 6077

non-random assortment in SD heterozygous XYY ್. 3211

non-random distribution of mosaic tissues. 1772

non-replicating DNA in centric regions of chromosomes. 1748

nucleotide sequences of tRNA cistrons. 199 octanol dehydrogenase tetramer structure. 4149 ommatidium-forming cell differentiation in

oocyte radiosensitivity. 248

culture. 3481

organic mercury compounds and chromosome segregation. 252

O<sub>2</sub> and X-ray-induced somatic crossing-over.

parental age in relation to egg-size, development duration and thorax size. 1175

perichromatin granules of "vermilion" mutants. 409

persistence of clustering lethal genes in populations, 4181

persistence of a visible mutant in natural populations. 423

phenoloxidase activity during pupal development in 'lozenge' mutants. 1768, 4899

phosphoglucomutase locus. 6083

pigment-producing factor as possible storage form for tyrosinase substrates. 1574

polymorphism of radio-resistance genes. 907 polymorphism due to mating advantage of rare of genotypes. 3671

polysome isolation and behaviour in vitro. 196 population dynamics in relation to physical and biotic factors. 4091

population and selection studies on 'Xasta' mutant, 4157

populations in food-processing establishments in Czechoslovakia. 842

position-effect variegation in normal and transdetermined larval blastemas. 4583

position-effect variegation with regard to region-3C loci. 3661

productivity of combinations between chromosomes 1, 2 and 3 of Oregon-R and yellow. 928

progeny-sperm ratios and non-functional sperm. 228

protein metabolism. 664

protein synthesis in cell-free in vitro system. 195

protein yolk-spheres. 4585

'prune'/'K-pn' interactions. 1753, 1760 pteridine in eye-pigment variation. 3649

pteridines of 'claret' mutants. 4906

puff formation in relation to chromosomal position, 1750

puffing-patterns of 3rd instar and prepupa. 872 radiation in relation to competitive ability. 3679 radiation in relation to mating preference and

reproduction suppression. 1625 radiation-induced life-shortening and natural ageing, 5291

radiation-induced polygenes controlling sternopleural bristle number. 387

## Drosophila melanogaster, contd.

radioresistance and temperature-resistance.

radiosensitivity of 'c3G' mutant. 411

radiosensitivity of oocyte chromosomes during meiosis, 5530

X-ray-induced chromosomal changes in oocytes in relation to anoxia. 391

X-ray-induced Y-chromosome fragments of mature oocytes. 4154

X-ray-induced crossing-over, 1761

X-ray-induced mutations in sperms. spermatids and spermatocytes, 6093

X-ray-induced recombination in 4th chromosome. 4888

X-ray-induction of isochromosomes in of germcells. 2178

X-ray-induction of recessive lethals in newlyinseminated eggs. 413

RBE values of 15-MeV neutrons for recessive lethals and translocations in mature spermatozoa and late spermatids, 4907

region X.1-4E mapped, 5535

ring-chromosome exchanges in normal mitoses, 6087

relationship with D. simulans. 872

ring-glands of wild-type and '1(2)gl' mutant.

tRNA in protein-synthesis. 195

RNA-synthesis in relation to dosage compensation, 200

RNA synthesis in larva. 2026

RNase resistance of polysomes. 196

screening of rare events in genes. 1760

seasonal fluctuation of lethal mutations in natural populations, 6104

seasonal variation in genetic structure of Japanese natural populations. 3686

segregation distorter and progeny-sperm ratios. 4138

SD (segregation distorter) region. 885

segregational properties of recombinant 4th chromosomes after X-irradiation. 4889 selection for bristle number, 426, 427, 4136

selection and crossing for improvement of inferior line, 925

selection for growth rate in relation to larval competitive ability. 2191

selection and inbreeding rates in laboratory populations. 1352

selection for repellent insensitivity. 6097

selection for sternopleural bristle number in relation to mating behaviour. 1649

selection and temperature in relation to extra dorsocentral bristles. 2832

selenoaminoacid and crossing-over. 378

sex dimorphism of X-chromosome size and RNS synthesis. 3653

sex-linked neurological mutants. 1767

sex-peptide and other ninhydrin-positive

components in adults, 4009

sex-ratio in 'ebony' strain, 908

sex-ratio in relation to recessive factor, 1778

sex-ratio in relation to segregation distorter (SD), 909

sexual stimulation of of by aggregation-site odour, 2690

sexuality and dosage compensation, 1757 somatic recombination within 'white' locus. 3650

sperm production in of homozygous for segregation-distorter elements. 3656

sperm storage in relation to mutagenicity of monofunctional alkylation. 3222

sperm utilization in relation to radiation sensitivity, 3212

spermiogenesis without chromosomes. 1335 spermiogenesis and sterility in KL-1 of, 226 spontaneous mutant polygenes controlling viability, 1785

spontaneous and X-ray-induced reversion of 'white-ivory' mutant, 408

spontaneous sex-linked recessive-lethal frequencies in spermatozoa. 410

sterile chromosomes in a Japanese natural population, 3682

sterility content of 2nd chromosomes in Colombian populations, 3685

sternopleural chaeta number in a natural populations, 4919

sterol utilization by larvae. 4646

storage and dominant lethal frequency, 4156

sucrase and trehalase activities. 2027

'tan' and 'x-7' mutations. 896

temperature and development of scutellar bristles, 2679

temperature in relation to egg production and

temperature and non-disjunction of X-chromosomes in eggs of aged ??. 889 temperature-sensitive lethal produced by

thymidine. 2187 terminal respiration in mitochondria of 'Minute'

mutants, 1345 thermal acclimation and heat resistance. 2641

thermal stability and RNase resistance of DNA-rRNA hybrids. 199 tissue-extracts of eggs and larvae in relation

to chromosomal puffing-patterns. 874 toxicity of phenylthiocarbamide in relation to

development, 5938

tryptophan pyrrolase regulation by vermilionsuppressor of the vermilion system. 3659 ultrastructure of germarium and early oocyte. 5274

ultrastructure and regional subdivision of Malpighian tubules. 3446

ultrastructure of ring canal system of ovarian cystocytes. 3475

ultrastructure of 'tan' and 'x-7' mutants. 896

Drosophila melanogaster, contd.

ultrastructure of wing imaginal discs. 2054 viability in relation to conditioning of food medium. 4173

cis-vaccenyl acetate in ejaculatory bulb of adult of. 4002

viability in relation to genotype frequency at alcohol dehydrogenase locus. 883

viability in relation to heterozygosity of X-ray-induced mutations, 399, 6092

σ-virus in relation to egg-chamber development. 5821

 $\sigma\text{-virus}$  yield after inoculation into abdomen and thorax. 5175

vitellogenesis. 1604

water-loss and water and fat content in relation to age. 5889

'white-crimson' gene. 1746, 1763

zero-gravity and extra-terrestrial radiation in relation to chromosomal damage. 390

xanthine dehydrogenase in inbred and outbred strains. 3207

'Xasta' mutant. 403

Drosophila mojavensis, relative fitness of introgressed and parental populations. 2856

Drosophila moriwakii, abundance in S. Hokkaido, Japan. 2144

Drosophila multispina, crossed with D. funebris to measure genetic differences. 381

Drosophila narragansett, salivary-gland C-chromosome pattern. 372

Drosophila nebulosa, competitive ability against D. serrata. 1783

Drosophila neohydei, form of nucleolar DNA in salivary-gland cells of larva. 1129

Drosophila obscura group, alcohol dehydrogenase isozymes, 4538

Drosophila pararubida, successful maintenance of balanced lethal stocks. 891

Drosophila paulistorum,

cytology of new strains. 2841

hybridization, isolation and evaluation in the semi-spp. 1354

mycoplasma-like inclusions in testes of sterile ోం. 5186

relationships of transitional complex and C. American semi-spp. 2841

sterility of hybrids due to symbionts. 1691

taxonomic status of populations, 2841

Drosophila pavani,

long-term changes in chromosomally polymorphic laboratory populations. 1346

rate of development in relation to inversion polymorphism. 1777

Drosophila persimilis,

effect of rearing temperature on minority mating advantage. 926

genome variation in natural populations. 1353

mating-propensity. 731

minority mating advantage in inter-populational crosses. 926

Drosophila phalerata, seasonal changes in photoperiod reaction. 5925

Drosophila picta, biology, distribution, ecology and taxonomy. 3130

Drosophila prosaltans, hexokinase isozyme variability, 2830

Drosophila pseudoobscura,

adaptation by natural selection in laboratory populations. 3688

artificial and natural selection for phototaxis and geotaxis. 916

chromosomal polymorphism and genetic load. 1775

chromosomal polymorphism. 414

co-adaptation in crosses between geographical populations. 430

co-existence with D. serrata. 2190

competition of monomorphic populations with D. serrata. 3670

genetic factors controlling cold resistance. 1330

genetics of mating speed. 1786

genome variation in natural populations. 1353 heritabilities of phototactic and geotactic responses. 1331

light-pulses in relation to phase shifts in circadian rhythm of eclosion. 4620

mating advantage of rate of. 3684

mating choice in crosses between geographical populations. 433

morphological differences between populations selected for opposite geotaxes and phototaxes. 3676

organization of mating-speed. 271

patterns of gene variation in natural populations. 1787

phase-shifting of eclosion in relation to lightpulse energy. 683

population genetics. 430

rare-type mating advantage. 2855

rates of fitness evolution in laboratory populations. 3680

selection coefficients of heterozygotes for lethal chromosomes according to genetic background. 3683

selection and migration in relation to phototaxis and geotaxis. 920

selection in populations differing in initial gene-arrangement frequency. 3687

sexual isolation in M. Vetukhiv's experimental populations. 3209 simulation of rare-type mating advantage. 4182

time of courtship and mating, 269

Drosophila raridentata, new for Hokkaido, Japan. 2144

Drosophila repleta, age-related changes in the heart. 2615

Drosophila robusta,

chromosomal polymorphism. 414

chromosome interactions affecting matingspeed. 268

genetic load in polymorphic and monomorphic populations. 4177

in brown slime-fluxes in S. New England, USA.
4096

variability of hexokinase isozymes. 2830

Drosophila serrata,

co-existence with D. pseudoobscura. 2190 competition with monomorphic and polymorphic populations of D. pseudoobscura. 3670

competitive ability against D. nebulosa. 1783

Drosophila silvestris, occurrence along Tyne valley, England. 2154

Drosophila simulans,

abundance near Alexandria, Egypt. 4183 chromosomal puffing-patterns of 3rd instar and prepupa. 872

gene enzyme polymorphism in natural populations. 902

gene homologous to 'aa' gene of D. hydei. 4155 interspecific competition and change of gene-

frequency under migratory conditions. 421 relationship with D. melanogaster, 872

RNA-DNA hybridization, 4147

Drosophila sordidula, abundance in S. W. Hokkaido, Japan. 4200

Drosophila subbadia, chromosome map. 366 Drosophila subobscura,

alcohol dehydrogenase isozymes. 4538 occurrence along Tyne valley, England. 2154

population genetics. 430

protein turnover in adult of. 3939

recombination disequilibrium of independent inversions in natural populations. 884

Drosophila tetrachaeta, chromosomal polymorphism in natural populations from Papua. 414

Drosophila tolteca,

and D. azteca differentiated. 2948 salivary-gland C-chromosome pattern. 372

**Drosophila tripunctata group**, ecology of a natural population in Colombia. 1300

Drosophila tropicalis, dependence of mating success on genotype frequency. 420

Drosophila virilis,

cell loss during in vitro culture in relation to differentiation of wing-disc parts. 4598

cortisone acetate in relation to development and 'chromosome puffing'. 236

cuticular phenoloxidase in white puparia. 1558 esterase activity in relation to isozyme pattern.

inheritance of 'gapped'. 6082

linkage disequilibrium between esterase isozyme alleles, 375

malate dehydrogenases. 4544

RNase in relation to nuclear ultrastructure in larval salivary glands, 3929

synthesis and properties of rRNA. 2839 variation of wing morphology. 153

**Drosophila virilis group,** modification of character dominance. 6082

Drosophila willistoni,

adaptive polymorphism of behaviour in laboratory populations. 5553 hexokinase isozyme variability. 2830

mating success in relation to genotype frequency. 420

thermal acclimation and heat resistance. 2641 Drosophilella (Dipt., Drosophilidae), morphology and key to spp. 3391

Drosophilidae (Dipt.).

65, 153, 182, 195, 196, 198-202, 211, 226, 228, 230, 236, 238, 247, 248, 250-253, 256, 266, 268, 269, 271, 364, 366-368, 372, 374-376, 378-382, 384-388, 390-393,

396-400, 402, 403, 405-415, 419-423, 425-428, 430, 431, 433, 536, 591, 619,

647, 653, 662, 664, 683, 699, 731, 746, 757, 785, 842, 872, 874, 877, 878, 880,

882-891, 893-899, 902, 906-909, 916-923, 925-928, 1129, 1134, 1175, 1248, 1264,

925-928, 1129, 1134, 1175, 1248, 1264, 1297, 1300, 1328, 1330, 1331, 1334-1337,

1339, 1341-1348, 1351-1354, 1546, 1558,

1561, 1564, 1566, 1569, 1571, 1574, 1575, 1580, 1604, 1606, 1615, 1618, 1625, 1628,

1580, 1604, 1606, 1615, 1618, 1625, 1628, 1632, 1636, 1639, 1649, 1691, 1741, 1745-

1748, 1750, 1753, 1755, 1757-1772, 1774-

1748, 1750, 1753, 1755, 1757-1772, 1774-1778, 1783-1787, 1789, 1790, 1969, 2021,

2026, 2027, 2036, 2051, 2052, 2054, 2085,

2144, 2154, 2178, 2179, 2181, 2184, 2187,

2189-2191, 2543, 2615, 2622, 2641, 2679, 2690, 2697, 2827-2830, 2832, 2839, 2841,

2845, 2847, 2853-2856, 2948, 3069, 3088,

3130, 3204, 3207-3209, 3211, 3212, 3216,

3218, 3220-3225, 3391, 3412, 3417, 3442,

3446, 3457, 3471, 3475, 3481, 3485, 3497,

3499, 3506, 3575, 3626, 3647, 3649, 3652-

3654, 3656, 3657, 3659, 3661, 3667, 3670,

3675, 3676, 3679-3682, 3684, 3685, 3687-

3689, 3862, 3886, 3929, 3939, 3967, 3983,

3985, 3986, 3998, 4002, 4088, 4091, 4096,

4134, 4136-4138, 4140-4143, 4145, 4147,

4149-4151, 4154-4157, 4159, 4160, 4166-

4168, 4170, 4172, 4174, 4175, 4177, 4179,

4181-4183, 4200, 4453, 4529, 4538, 4541,

4544, 4549, 4583, 4585, 4598, 4620, 4629,

4646, 4885-4889, 4895-4901, 4903, 4904,

4906, 4907, 4917-4920, 5174, 5175, 5186,

5228, 5235, 5274, 5291, 5308, 5535, 5538,

5545, 5549, 5550, 5553, 5814, 5821, 5825,

5889, 5925, 5938, 5975, 6072-6074, 6076,

6077, 6082-6097, 6103-6106 attacking acorns in N. America. 785

from S. Spain. 536 from S.W. Hokkaido, Japan. 4200

Drosophiloidea (Dipt.), relationships with Milichoidea. 5146

Drosopterin,

biopterin metabolism in 'claret' mutant of Drosophila melanogaster. 4906

in eyes of 'rolled' Drosophila melanogaster.
4901

Drusus sp.n. (Trich., Limnephilidae), biology and ecology in Italian caves. 863

Drusus annulatus, diel activity patterns of larvae. 3542

Drusus romanicus, morphology and distribution. 2539

Dryadula (Lep., Nymphalidae), synonomy and available generic names. 3819

Dryas integrifolia (Rosaceae), biology of Olethreutes mengelana in relation to. 2863

Dryinidae (Hym.), 2093, 2520, 2522, 4349 parasitic on Edwardsiana crataegi and E. froggatti in Tambov region, USSR. 2093

Drymaeus vexillum altivagus (Mollusca Gastropoda), host of Weyrauchimyia peruviana gen, et sp.n. in Peru, 5675

Drymarchon corals (Ophidia), transfer of Hepatozoon rarefaciens to Pituophis catenifer by Culex tarsalis. 6060

Dryocosmus (Hym., Cynipidae), oak-galls in Mêhes collection in Museum of Natural History, Budapest, Hungary. 1278

**Dryocosmus attractans**, synonymous with Callirhytis uvellae and renamed C. attractans. 567

Dryopidae (Col.), 1999, 3036, 3180, 3642 descriptions of larvae and pupae of African taxa. 3036

evolution of plastrons. 1999

Dryudella (Hym., Sphecidae), American spp revised, new spp and biology. 570

Duchailluia (Blatt., Blattidae), new spp described. 3756

Duckemyia latifrons gen. et sp.n. (Dipt., Sarcophagidae), described. 1876

Ducula sp (Aves), host of Ameroseius wilsoni. 4216
Dufouriellus ater (Hem., Het., Anthocoridae), new for France. 5705

Dufourinae (Dipt., Tachinidae), absence from New Zealand. 2957

Dumenil, Paul Dumenil with respect to "Collection.... des Chenilles d'Europe" (1832-1937) of Boisduval et al. 4208

Dunatothrips aneurae sp.n. (Thysanopt., Phlaeothripidae), redefined and described. 4402

Dung,

attraction of Scarabaeidae, 4753

-breeding Dipt. of Tyan'-Shan' Mts., Kirgizia, USSR. 4860

collection of marsupial dung by Tentegia, 4047 new Anoetoidea associated with, 3718, 3719, 3722

overwintering medium for Acari in S. Dakota, USA. 744

rearing of Musca autumnalis from dung of

bison and cattle in Montana, USA. 4701 removal frequency in relation to dipteran larvae and predators in N. California, USA. 4836

Dupont 1642 [methyl N-(carbamoyloxy)thioacetimidate], control of Spodoptera littoralis in Egypt. 5352 toxicity to eggs and larvae of Trichoplusia ni.

5160

Durabain, effects on Malpighian tubules secretion in Rhodnius prolixus. 1108

Dursban [O, O-diethyl O-3, 5, 6-trichloro-2-pyridyl phosphorothioate],

control of Neoschoengastia americana. 5348, 5361

control of Spodoptera littoralis in Egypt. 5352 effectiveness against Porthetria dispar tested in laboratory and field. 4682

effects on pond populations of Corisella in California, USA. 4880

laboratory tests on larval Hemerocampa pseudotsugata. 5353

selection of Aedes aegypti and Culex pipiens fatigans for resistance. 4169

susceptibility of Attagenus alfierii and A. megatoma larvae. 4454

toxicity to larval Euxoa messoria. 5182 toxicity for Tribolium confusum and T.

castaneum. 5819 Dusmetia cardinalis sp.n. (Hym., Encyrtidae), described. 104

Dusona lamellator (Hym., Ichneumonidae), a valid sp. 3804

Dusts, effects of inert dusts on cuticular permeability in Hyalomma dromedarii and Ornithodoros savignyi, 4458

Dyes,

chlorazol black for microscopic anatomy of Insecta. 602

fluorescent powder for marking Argyrotaenia velutinana and Synanthedon pictipes for dispersal studies. 5108

mating competitiveness of Ceratitis capitata marked with fluorescent powders. 5322

retention in released Cochliomyia hominivorax 1961

Dyfonate [O-ethyl S-phenyl ethylphosphonodithioat control of Conoderus falli. 5347

Dymecodon pilirostris (Rodentia), Siphonaptera or in Yatsugatake Mts., Japan. 2787

Dymusia (Col., Scarabaeidae), new African taxa. 5650

Dynastinae (Col., Scarabaeidae), from Ivory Coas

480 Dynatosoma nigromaculatum (Dipt., Mycetophilid

new for Britain. 3261 Dyodiplosis fici (Dipt., Cecidomylidae), reproduc tive system. 229

Dysantes (Col., Tenebrionidae), Congo spp keyed 3754 Dysaphis (Hem., Hom., Aphididae), alate of from India for first time. 2978

Dysaphis ghanii, alate o' and vivipara from Himachal Pradesh, India, 4327

Dysaphis multisetosa sp.n., described. 1441

Dysaphis plantaginea, effect of integrated control on populations and natural enemies in an Ohio, USA, apple orchard. 5461

Dysachiriina subtrib. n. (Col., Carabidae), established in Scaritini. 3736

Dyschiriognatha atlantica sp.n. (Arach., Aran., Tetragnathidae), described. 3292

Dyschirius (Col., Carabidae), N. and S. American spp and new spp. 3736

Dysdercus cingulatus (Hem., Het., Pyrrhocoridae), susceptibility to Bacillus thuringiensis. 4695

Dysdercus fasciatus, nutritional value of tryptophan.

Dysdercus intermedius,

aggregation pheromone produced by larval glands in adult. 1251

control of flight-muscle histolysis. 1611 defence secretions. 1251

development and histolysis of indirect flightmuscles. 1172

haemolymph proteins during development. 4005 scent-glands and secretion. 1149, 1251

Dysgonia algira (Lep., Noctuidae),

food-plants in Italy. 303, 304 fruit-piercing habit in Yugoslavia. 5999

Dysmachus antipai sp.n. (Dipt., Asilidae), described. 1867

Dysmachus fuscipennis, larva described and biology in Romania. 2092

Dytiscidae (Col.),

142, 526, 631, 717, 761, 1364, 1738, 1993, 2183, 2489, 2490, 2546, 2815, 3036, 3041, 3199, 3563, 4944, 5203, 5387, 5603, 5643, 5790, 5995

larvae from Republic of S. Africa, 3041 larvae and pupae of African taxa, 3036 larvae from Republic of S. Africa, 4944 of R. Llobregat delta, Spain, 1364

Dytiscus marginalis (Col., Dytiscidae),

DNA content of spermatids. 2183 DNA-synthesis and movement during oogenesis.

movement of retinula cells on light-adaptation.

structure of retina. 5203

ultrastructure of eye. 1993



E 102 chlorinated hydrocarbon, control of Phyllocoptruta oleivora in Israel. 5360

E.I. 47470 [2-(diethoxyphosphinylimino-4-methyl-1,3-dithiolane], control of Spodoptera littoralis in Egypt. 5352

Earias (Lep., Noctuidae), parasites in Gujarat, India. 4783

Eastern alfalfa weevil, see Hypera postica Eastern spruce budworm, see Choristoneura fumiferana

Eatonica (Ephem., Ephemeridae), possibly subgenus of Hexagenia. 2247

Eatonica josettae sp.n., described. 2247 Ebaeus zoltani sp.n. (Col., Cantharidae), described. 4987

Ebegomphus (Odon., Gomphidae), included in Cyanogomphus. 5763

Eburneopus gen.n. (Arach., Acari, Sarcoptiformes), established. 1823

Ecdyonurus helveticus (Ephem., Heptageniidae), ultrastructure of longitudinal muscles of larval abdomen. 5834

Ecdyonurus submontanus sp.n., described. 2963 Ecdysis,

of gustatory sense-organs in foregut of Aphidoidea, 2594

ecdysial lines of larva of Cicindela cancellata.  $3\,84\,7$ 

neuroendocrine control in 3 spp of Saturniidae. 3987

possible role of spherule cells. 175 rhythmicity of pupal ecdysis in Aedes taeniorhynchus. 697

Ecdysone,

accumulation in salivary-gland cell-nuclei in Drosophila hydei. 4549

analogues converted to  $\alpha$  -ecdysone and 20-

hydroxy-ecdysone in Manduca sexta. 2019 analogues in relation to differentiation of eyeantennal discs of Drosophila melanogaster in vitro. 3485

analogues in relation to fecundity in Stomoxys calcitrans.  $4630\,$ 

analogues inducing supernumerary ecdysis in Bombyx mori. 3489

binding of haemolymph proteins of Pyrrhocoris apterus. 3912

biosynthesis of ecdysones in larval Calliphora stygia. 1112

### Ecdysone, contd.

- in relation to case-building in Limnephilus. 3641
- in relation to circadian rhythm of salivaryglands in Drosophila melanogaster. 3471
- content in Calliphora stygia and C. vicina. 694 control of  $\gamma$ -L-glutamyl-L-phenylalanine
- synthesis in larval Musca domestica. 4626 control of imaginal-disc regeneration in
- control of imaginal-disc regeneration in Galleria mellonella. 5877
- control of ovarian development and metamorphosis in Malacosoma pluviale. 2076
- conversion of analogue to  $\alpha$  -ecdysone and 20-hydroxy-ecdysone in Manduca sexta. 2019
- correlated effects of ecdysone and neurosecretion in puparium formation, 3074
- 25-deoxyecdysone not normally a major precursor of ecdysone in Calliphora stygia. 1112
- in relation to developmental restraint of larval Galleria mellonella. 5914
- in relation to DNA synthesis and morphological changes in wing-discs of Galleria mellonella. 1198
- in relation to DNA synthesis in wing-discs of Anagasta kuehniella. 713
- $\alpha$ -ecdysone produced from  $\Delta^7$ -5 $\beta$ -cholestene-2 $\beta$ , -3 $\beta$ , 14 $\alpha$ -triol-6-one in Manduca sexta. 2019
- in relation to DNA synthesis in wing-discs of Anagasta kuehniella. 713
- in relation to ovarian development and metamorphosis in Malacosoma pluviale. 2076
- in relation to puparium formation in Sarcophaga argyrostoma. 5287
- in relation to respiration and puparium formation in Calliphora erythrocephala.
  5246
- in relation to fecundity in Stomoxys calcitrans. 4630
- 20-hydroxyecdysone produced from  $\Delta^7$ -5 $\beta$ -cholestene -2 $\beta$ , -3 $\beta$ , 14 $\alpha$ -triol-6-one in Manduca sexta. 2019
- inactivation inhibited by  $3\beta$ -OH- $5\alpha$ -cholestan-6-one in Pyrrhocoris apterus. 3912
- involvement in differentiation of ommatidiumforming cells of Drosophila melanogaster in culture, 3481
- in relation to lethal 'eyeless-dominant' (eyD) larvae of Drosophila melanogaster.
- level in relation to development in Lucilia cuprina. 3945
- nervous regulation of release in Galleria mellonella. 2635
- in relation to neurosecretion in puparium formation in Diptera. 3074
- new method for biological assay. 691 ovarian development and metomorphosis in

- Malacosoma piuviale. 2076
- in relation to polytene chromosomes of Chironomus tentans. 3073
- probable site of transformation of dietary cholesterol to ecdysone in Drosophila melanogaster. 3221
- production in late larvae of Galleria mellonella. 3517
- in relation to protein- and RNA-synthesis in Imaginal wing-discs of Philosamia cynthia ricini. 3510
- in relation to protein- and RNA-synthesis in larval Antheraea pernyi. 5243
- in relation to puparium-formation in Calliphora stygia. 1174
- puparium formation in Sarcophaga argyrostoma. 5287
- in relation to regeneration of wing-discs in Galleria mellonella. 5877
- in relation to respiration and puparium formation in Calliphora erythrocephala. 5246
- in relation to RNA-synthesis in isolated fatbody cell-nuclei of Calliphora erythrocephala. 1126, 4553
- sensitivity of Musca domestica greater than that of Calliphora erythrocephala. 691
- synthesis in larval Calliphora stygia. 1112 titre and DNA-synthesis in larval Dacus

### Ecdysterone,

cucurbitae. 3952

- effect on development of restrained larvae of Galleria mellonella. 5914
- effect on differentiation of eye-antennal discs of Drosophila melanogaster in vitro. 3485
- effect on in vitro development of wing discs in Chilo suppressalis. 1610
- effect on testes of diapausing larvae of Chilo suppressalis in vitro. 1203
- evidence for direct action on epidermal cells and tracheal epithelium in vitro. 1613
- induction of moulting in cultivated integument from diapausing larva of Chilo suppressalis. 1613
- induction of supernumerary ecdysis by injection
  in Bombyx mori. 3489
- isolation from Blechnum spp. 5439
- in relation to leg regeneration of Leucophaea maderae in vitro, 3979
- Echimys semivillosus (Rodentia), Ornithodoros echimys sp.n. described from. 508
- Echinaphis rohiveri (Hem., Hom., Aphididae), redescribed. 5689
- Echinenon, presence in egg of Chironomus annularius. 2034
- Echinochloa (Gramineae), damage due to Atherigona spp in Delhi, India, 4807
- Echinochloa crusgalli, presence of adult Leptocorisa oratorius on. 4103
- Echinophthirlidae (Anopl.), 2749

- Echinophthirius horridus (Anopl., Echinophthiriidae), infesting Phoca vitulina concolor in Florida, USA. 2749
- Echinops cornigenus (Compositae), host-plant of Paczoskia budhium sp.n. in W. Himalaya, India. 2978
- Echthrodape africana (Hym., Perilampidae), morphology of mature larvae, 1504
- Ecitoglossa (Col., Staphylinidae), new Panama records for canaliculata and quadriceps.
- Ecitoglossa borgmeieri sp.n., described. 5655 Ecitomedon carbonarium sp.n. (Col., Staphylinidae), described. 5655
- Eciton (Hym., Formicidae),
  - behaviour of Vatesus clypeatus and V. goianus in relation to. 3137
  - reproductive morphology and behaviour of Trichatelura manni associated with. 2087
- Eciton hamatum, allometric growth. 686
- Eciton mexicanum, Ecitomedon carbonarium sp.n. from colony of. 5655
- Ecitoxenia (Col., Staphylinidae), new Panama records for cariniceps and megalops. 5655
- Ecnomus (Trich., Psychomylidae), new spp described. 3835, 3836
- Ecology,
  - of Abax ater contractus and Pterostichus moestus in Alpes-Maritimes, France. 2167 abundance of Andrenidae in Hokkaido, Japan.
  - abundance of Drosophila spp near Alexandria, Egypt. 4183
  - abundance of Erannis leucophaearia at Dresden, GDR, 4090
  - abundance of Heliconius antiochus salvinii in tropical forest in Venezuela. 3349
  - abundance and dispersal in Hypera postica in N. E. Mississippi, USA. 2708
  - abundance and seasonal distribution of Tabanidae at Great Swamp, New Jersey, USA. 2774
  - of Acari in relation to stored sugar-beet seeds. 5434
  - of Acarus siro in the laboratory. 1303
  - of Acarus siro and Tyrophagus putrescentiae in relation to fungi. 1684
  - of Aceria chondrillae in relation to Chondrilla juncea. 3156
  - activity and local distribution of surface-active woodland Collem. in Indiana, USA. 4020
  - of Acyrthosiphon pisum. 819
  - adaptation of Clunio marinus to Arctic conditions in Norway. 1734
  - adaptation by natural selection in laboratory populations of Drosophila pseudoobscura. 3688
  - adaptation of transported nests of Formica to a new environment, 5092
  - adaptive significance and causes of melanism in Lepidoptera. 6099

- adaptive significance of increased recombination in crowded Locusta migratoria. 3645
- adult body-size in Ischnura elegans in relation to chloride tolerance and generation tim, 2069
- of Adelges piceae in Maritime Provinces, Canada, in relation to climate. 6028
- of Adelges viridana, Pineus pineiodes and P. orientalis in Britain. 3266
- of adult Coccinellidae at Kew, London, England. 2097
- of adult ? Culicidae at George L., Alberta, Canada. 2156
- adult productivity in 2 strains of Musca domestica. 4176
- of Aedes aegypti with respect to flight-activity rhythm, 1232
- of Aedes dorsalis in Dorset, England. 3128
- of Aedes mohani sp.n. 1428
- of Aedes sticticus. 1191
- aerial density of adult Culicidae in Britain. 2166 aerial drift of insects in relation to hedges.
- aerial spraying against Porthetria dispar. 4949 of African Helopeltis. 2513
- aggregations of Collem. in Pinus sylvestris forest in Perthshire, Scotland. 2162
- of Agrilus ater. 1658
- of Agriotes ponticus in the USSR. 1659
- of Aleurocanthus spiniferus in respect to lifecycle variation. 4729
- of Altica carduorum released against Cirsium arvense in Canada. 4068
- altitudinal distribution of Tabanidae in Dagestan, USSR. 5476
- altitudinal and seasonal distribution in the Rocky Mts. of N. Colorado, USA. 2775
- amphiphasic 9 production in parthenogenetic Acyrthosiphon pisum. 3965
- of Amphipsalta gen.n. in New Zealand. 3337
- Anagasta kuehniella and Corcyra cephalonica in flour-mills in Cairo, Egypt. 6033
- of an anholocyclic strain of Therioaphis maculata in Nebraska, USA, 1710
- annual fluctuations in water level in relation to larval communities of L. Kariba. 4087
- annual insect biomass-production of L. Chad, Africa. 3597
- annual mortality and dispersal losses in Corthylus columbianus. 3602
- annual production and respiration in animal populations. 3108
- annual spring seeding of alfalfa in relation to population size in Hypera postica. 3613
- annual treatment in relation to size and intratree distribution of Aonidiella aurantii populations of citrus in S. California, USA.
- of Anthophora edwardsii in California, USA. 2817

of ants on Mr. Terminillo, C. Italy. 1727

of Apanteles congregatus in relation to Manduca sexta in Kentucky, USA. 793

of Aphidius pisivorus. 819

of aphidophagous Syrphidae. 1230

of Aphytis spp in Libya. 312

of Apion in Dagestan, USSR. 938

of Apoidea pollinating Medicago sativa in Hungarian Great Plain, 1280

apparatus for collecting Col. from soil and litter. 1497

of aquatic communities in upper Ruhr Valley, GFR. 1735

aquatic Het. for characterization of artificial aquatic biotopes. 2135

of aquatic Het. of R. Grabia and its inundation area, Poland. 4934

aquatic insect communities of a small stream in Quebec, Canada. 1711

of aquatic Insecta of L. Chad, Africa. 3597

of Aran. on Acer in Michigan, USA. 3592

Aran, and Culicidae of the ecotone between alderwood and a mixed wood in Poland, 5508

of Aran. from Lower Silesia, Poland. 6111 Aran. as predators of Culicidae. 5508

of Aran, on a raised beach in England, 3555

of Arcyophora icterica in Nepal. 1385

of Argas hermanni and A. beklemishevi in Tadzhikistan, USSR. 4218

Argas persicus as reservoir and possible vector of avian tuberculosis. 4776

of Arge pagana in Belorussia, USSR. 1227

arthropod communities of Quercus-Carpinus forest at Louvain, Belgium. 3598

arthropod populations in relation to breeding success of partridge. 2148

artificial substrate device for sampling benthic stream arthropods. 2542

of Arzama densa in Louisiana, USA. 282

of Ascoschoengastia latyshevi. 5365

of Aspidiotus perniciosus on orchard and ornamental trees in British Columbia, Canada. 1703

associations of Corixidae in Huntingdonshire, England. 2135

association of Musca autumnalis with hoofed mammals in wild-life areas of the USA. 4701

of Atemeles in relation to winter and summer hosts. 4052

of Attagenus megatoma in relation to Pyxinia frenzeli infection, 1097

attraction of Odon. to light at sea. 2133

attraction of Scarabaeidae to mammal faeces in 3 habitats, 4753

of Australian Dichaetomyia. 1873

of autogeny in a Florida, USA, population of Culicoides furens. 4011

of Baenotidae fam.n. 2940

of Bakerocoptes cynopteri in Malaysia. 2747

of Basilia hispida in W. Malaysia. 2789

bee-mediated pollen and gene dispersal in relation to food availability. 2730

behaviour of male Nasonia vitripennis towards parasitized host puparia. 1695

behaviour of Rhagoletis pomonella towards coloured spheres and panels. 5127

of Bembidion inhabitating Dora Baltea R., Val d'Aosta, Italy. 6114

of benthos in brackish-water basins of Primor'e, USSR, 6039

benthos of rivers in the 'Iron Gates' dam area,

benthos of the Volta L., Ghana. 4100

Betalight traps for sampling larval Culicidae. 5094

bibliography of Trich. for Africa and adjacent islands. 4960

bimodal emergence of adult Hyalophora cecropia. 2675

bio-ecological races of Reticulitermes flavipes in Europe. 6066

and biology of Agrotis venustula in Hungary. 4031

biology and control of blood-sucking Ceratopogonidae. 2790

onidae. 2790 biology and control of Lasiohelea sibirica. 2790

biology and control of Leptoconops. 2790 and biology of desert spp of Calyptrata in Egypt. 4829

and biology of Euxoa ochrogaster, 4034

and biology of 4 spp of Tabanidae in New Jersey, USA. 3543

biomass-production of benthos of Volta L., Ghana. 3604

biomass-production of Chironomidae of Yugoslav section of R. Danube. 3601

biomass-production of Tendipes in a lake in Georgia, USA. 3618

biotic relations of soil arthropods, 2822

biotope distribution of larval and pupal Tabanidae at the Great Swamp, New Jersey, USA. 3620

birds and overwintering populations of Diatraea grandiosella in Mississippi, USA, 4851

biting activity in Culicoides furens and C. barbosai. 1681

biting rhythm of Culex tritaeniorhynchus summorosus in Okayama Prefecture, Japan. 1683

black-light trapping of Laspeyresia pomonella. 5486

body-weight in Tribolium castaneum in relation to geography and environment, 924

of Bombycoidea and Noctuoidea in Siljan, S. Norway. 1672

Boophilus microplus from an arid habitat in Lahore, Pakistan. 5423

bottom fauna and sediments in a drying phase

- of L. Chilwa, Malawi, 3162
- bottom fauna at mouth of R. Kokemäenjoki, S. W. Finland. 2823
- bottom fauna of Korang Stream, Rawalpindi, Pakistan. 2171
- Brachylecithum mosquensis infection in Camponotus spp. 2816
- of brachypterous ? of Limnophila platyptera. 2510
- breeding of Aedes aegypti in tree-holes in S. India. 4666
- breeding sites of Culicidae in Donetsk region, USSR. 4881
- of British Bradycellus s. str. 3045
- of British Cercopidae with respect to pupunculid parasitization. 1267
- of Buphonella murina in Zambia. 804
- of Cabera pusaria and C. exanthemata in Belorussia. 1236
- of Callosobruchus chinensis and C. maculatus.
- canonical correlation between groups of arthropods and fungal and environmental variables in bulk-grain ecosystems. 4822
- of Cantharidae of Appennino, Italy. 3236
- Carabidae of riverside and seaside jetsam in Italy. 6029
- of carrion beetles in Hutcheson Memorial Forest, New Jersey, USA. 4085
- of Casca smithi and Aphytis holoxanthus. 6045
- caste determination in Evylaeus nigripes. 4127 of Cataxia. 3727
- of cavernicolous Trich. in Italy. 863
- of Cenocorixa bifida and C. expleta in saline lakes in British Columbia, Canada. 3170
- of C. european Clytrinae and Cryptocephalinae.
- of Cephenemyia jellisoni in relation to Odocoileus virginianus in E. Oklahoma, USA. 837
- of Cerambycidae of S. Italy. 465
- of Ceratophyllus gallinae in relation to hosts.
- of Chaoborus crystallinus in a pond in the Netherlands. 3547
- of Chelonus curvimaculatus in relation to Phthorimaea operculella in Republic of S. Africa. 791
- of Chilo agamemnon. 5981
- of Chilocorus bipustulatus in Israel. 1701
- chironomid communities of the Yugoslavian section of the R. Danube. 3601
- of Chironomidae in the Hungarian section of R. Danube. 1736, 3163
- of Chironomidae in L. Washington, USA. 348
- of Chironomus salinarius in relation to swarming. 1221
- of Chironomus zealandicus in Kiosk Pond, Auckland Domain, New Zealand. 3617
- of Chloropidae new for Primor'e, USSR. 5571

- of Choriopsoroptes kenyensis gen. et sp.n. in relation to Syncerus caffer in Kenya. 4232
- of Chorthippus brunneus in relation to embryonic development. 1169
- of Chorthippus brunneus in relation to polychlorobiphenyl contamination. 706
- B-chromosome frequency in relation to habitats in Acrida lata populations in Japan. 4915
- of Chrysochraon bey-bienkoi sp.n. 3012
- of Chrysomphalus dictyospermi in Egypt. 6034
- of Chrysopa phyllochroma and Ch. commata in cultivated steppe of Czechoslovakia. 826
- Cicindela repanda population with reduced elytral maculae in Michigan, USA. 3191
- of Cnephia ornithophilia and Prosimulium vernale in Maryland, USA, 4884
- of Coccinellidae in Festuca-Stipa steppe of Ukraina, USSR, 2147
- of Coccinellidae taken in pitfall-traps among Abies in GDR. 4104
- of Coccus hesperidum in citrus groves in lower Rio Grande Valley, USA, 830
- cocoon density of a given generation of Neodiprion sertifer. 1500
- of Coenagrionidae in Outer Hebrides and in Hampshire, England, 2094
- of Coffea arabica in relation to Planococcus citri in Kenva, 6056
- cold-hardiness in Pterostichus brevicornis.
- cold-hardiness in Reticulitermes flavipes. 2821
- cold-hardiness in Scolytus multistriatus and Dendrosoter protuberans. 5466
- cold-hardiness and supercooling points of Dendrosoter protuberans. 5466
- Col. from nests of small mammals in Transcarpathian region. 4078
- of Col. in Puglia, Italy, 343
- collection and distribution of leaf-litter Thysanoptera, 5773
- of Collembola. 3197, 5504
- Collem. as 'neutral' anumals on fruit trees. 5504
- Collem. as prey for Calidris maritima in Svalbard, Norway. 3165
- Collem. of subalpine coniferous forest in C. Japan. 2499
- of Collem. on Tabolara and Molara Is., Italy. 3315
- colonization of Is. Baleares by cave-dwelling Col. in relation to climatic conditions. 3643
- colonization of an Italian cave by Limnephilidae. 862
- colonization of marginal zone of a reservoir in E. Canada. 2173
- communities of terrestrial Col. in the La Brigue area, Alpes-Maritimes, France. 3188
- community-types among web-spiders in

relation to habitat. 1233

competition between Aphycus apicalis and Leptomatidea bifasciata in relation to Phenacoccus aceris. 5408

competition between Callosobruchus chinensis and C. maculatus. 4116

competition and co-operation between Chrysocharis laricinellae and Agathis pumila on Coleophora laricella. 6005

competition for food, predation and other mortality factors in laboratory populations of Anagasta kuehniella, 4111

competition in geographical strains of Callosobruchus chinensis and C. maculatus. 947

competition among larvae of Diatraeophaga striatalis in Chilo sacchariphagus. 5415

competition following superparasitism by Leucostoma simplex in Nabis americoferus. 4702

competition and mortality in Grapholitha molesta populations on Niagara Peninsula, Ontario, Canada. 2812

competitive interactions between Aphidius ervi, A. pulcher and A. smithi. 2088

competitive and nutritional factors in relation to rhithron communities. 4089

competitiveness of sterilized insects. 1298

conifer resistance to insect pests. 5442

of Contarinia medicaginis. 332

control of insect populations by means of dominant conditional lethal traits. 4108

and control of pest spp in forests of New Zealand. 833

of Corixidae in saline lakes on Fraser Plateau, British Columbia, Canada. 3608

of Cosmobaris americana in relation to Beta vulgaris, 4710

of Costelytra zealandica and Wiseana spp in relation to land use in New Zealand. 828

Cronartium fusiforme cankers as overwintering habitat for Dioryctria amatella. 4065

crowding in relation to initiation and duration of meiotic divisions in Drosophila melanogaster, 1618

crowding and zygosity in relation to larval viability in wild-type and mutant strains of Drosophila melanogaster. 3647

Crystal violet and Malachite green for determining age of Neodiprion sertifer cocoons in soil. 1500

137Cs accumulation by chironomid larvae in a pond habitat. 1030

of Culex modestus in relation to West Nile virus in Camargue, France. 6037

of Culex tritaeniorhynchus summorosus in Toyama Prefecture, Japan. 1676

of Culex vishnui complex in Madras State, India. 1654 of Culicidae in Changa Manga National Forest, Pakistan. 4075

of Culicidae in Dorset, England. 835

of Culicidae in Gunma Prefecture, Japan. 1679

of Culicoides in S. England. 1261

of Culicoides belkini sp.n. on Society Is. 2943

of Curculionidae in alpine zone of M. Kenya, Africa. 1715

of Cycloneda limbifer. 2091

daily and annual periodicity of drift activity of Hydracarina. 5385

of Damalinia ovis. 1293

of 6 Danish spp of Trichocera. 5364

of Dasyhelea and Metriocnemus martinii in water-filled tree-holes, 3627

DDD and DDT in relation to river Trich., Dipt. and Plecoptera. 1033

death from unknown predator in Podabrus pruinosus. 3133

of Dendrosoter protuberans in relation to Scolytus multistriatus. 4779

density and dispersion in laboratory populations of Cheumatopsyche larvae. 5473

of Dermacentor andersoni in relation to
Colorado tick fever virus, 5469

of Dermatophagoides pteronyssinus. 1308

of Dermestes laniarius. 4826

desiccation resistance in 7 spp of Diplopoda. 4558

of Desis crosslandi and Atrophonysia intertidalis in Madagascar. 2467

deterministic matrix model for handling birth, death and migration processes of spatially distributed populations. 4080

development, life-span and fecundity in Chrysopa carnea. 5298

development of self-regulation in agrobiocoenoses under prolonged monoculture. 6031

of Diacrisia obliqua in Bangladesh. 1228

diapause in Aelia acuminata. 2676

diapause in Cerambycidae. 3842

diapause characteristics of geographical strains of Manduca sexta. 2065

diapause in Chrysopa carnea. 3988

diapause in Chrysopa oculata. 1182

diapause in Contarinia pisi. 4029

diapause of eggs and hatching failure in Chorthippus brunneus. 1169

diapause in Hylemya brassicae. 2068

diapause induction in Agrotis ipsilon and A. fucosa. 2071

diapause induction in Araschnia levana, 3470 diapause induction in Chilo suppressalis, 1183

diapause induction and termination in Laspeyresia pomonella of C. and E. Switzerland. 1189

diapause induction and termination in Papilio.

diapause in Musgraveia sulciventris. 3546 diapause and non-diapause generations of Pyrrhocoris apterus. 1159

diapause in Psila rosae. 5923

diapause in Pytho depressus. 4042

diapause response to photoperiod in laboratory strains of Grapholitha molesta. 3492

diapause in stem-galling Euura spp. 3538 diapause termination in Panonychus ulmi and Bryobia rubrioculus. 5305

diapause timers in Laspeyresia pomonella, 1186 diapause and wing polymorphism in 2 California, USA, populations of Psylla pyricola, 3989

of Diatraea saccharalis in Cuba. 1311

diazinon-resistance and -susceptibility in larval populations of Culex pipiens molestus. 3230

diazinon treatments in relation to cicadellid and delphacid populations on rice in Philippine Is. 2141

of Dict. and Orth. in W. Tanzania. 748 diel periodicity in invertebrate drift in an English Lake District stream. 2781

diet and food preferences in Anabrus simplex in relation to season. 4772

differences in heteropteran fauna of grazed and ungrazed chalk grassland. 2782

differentiation between Clunio aquilonius and C. tsushimensis. 1971

of Diplop. in a Cheshire, England, wood. 4839 Diplop. in litter breakdown in mixed forests of N. Kavkaz, USSR. 5396

of Diprion similis in Wisconsin, USA. 794

diseases affecting predators of Adelges spp on Abies in Germany, Switzerland and Turkey. 5150

dispersal of Curculio caryae in relation to Carya pecan. 2771

dispersal of Dione moneta poeyii in S. Texas, USA, 3595

dispersal of larvae of Boophilus microplus. 4071 dispersal of microorganisms by Lethocerus uhleri in Texas, USA. 3169

dispersal power of populations of Carabidae. 5457

distribution of Brachyptera risi larvae. 361 distribution of Chironomidae in Razelm complex, R. Danube, Romania, in relation

to salinity. 4120 distribution clumping in sparse populations of Ixodes ricinus. 2791

distribution of cocoons of Hemerocampa pseudotsugata and parasitization in N. E. California, USA. 4084

distribution of Cryptolestes ferrugineus in stored wheat. 2039

distribution of Dipt. in hot-spring thermal gradients in New Zeland. 2783

distribution of Eleodes suturalis, E. opacus and Pasimachus elongatus in a wheat field.831

distribution of flying insects near a low hedgerow. 2784

distribution of Formicidae in Gregory Canyon, Colorado, USA. 3632

distribution of larval Tabanidae in a New Jersey, USA, salt-marsh. 4828

distribution of Membracidae in relation to tension zone in Wisconsin, USA. 349

distribution of natural enemies of Laspeyresia pomonella. 5430

distribution of Neodiprion sertifer egg-clusters in a pine plantation. 2728

distribution and relative abundance of storedproduct insects in California, USA. 5105

distribution of Trombiculidae in N. E. Azerbaydzhan, USSR. 1726

distribution of Typhlodromus mcgregori in apple orchards in Utah, USA, and on apple. 4796

diurnal periodicity of emergence in Plec. and Ephemeroptera. 1216

diurnal and seasonal changes in population density at the mating and oviposition site in Scatophaga stercoraria. 3531

of Dociostaurus curvicercus in Israel. 277 dominance relationships of Drosophilidae in S.W. Hokkaido, Japan. 4200

of Dominican Odonata. 3830

downstream drift of Hydracarina, Trich., Plec., and Ephem. in the Speed R., Ontario, Canada, 832

drift sampler driven by a waterwheel. 2549 drone congregation areas of Apis mellifera. 5522

of Drosophila in Colombia. 1300

of Drosophila in Hawaii in relation to Cheirodendron gaudichaudi. 647

of Drosophila in S.W. Hokkaido, Japan. 746

of Drosophila melanogaster in the laboratory. 3626

of Drosophila picta. 3130

of Drosophilidae in S. Hokkaido, Japan. 2144 durations of life-stages in natural

populations of Panonychus ulmi. 3551

Dursban treatment in relation to pond populations of Corisella. 4880

dyes in releases of Cochliomyia hominivorax.
1961

ecological and biological control of insects. 1723

ecological genetics of Acraea encedon in Uganda. 1302

ecological genetics of Amathes glareosa in Shetland Is. 417, 418

ecological grouping among Coccoidea of Ocjów National Park, Poland. 5577

ecological morphology of Asilidae. 1716

ecological segregation of stream insects related systematically. 1717

ecomorphs of Ceratophysella armata

attenuata. 5611

of Ectomyelois ceratoniae in Israel. 318

of Ectropis bhurmitra on tea in Ceylon. 2164

of Edwardsiana crataegi and E. froggatti in apple orchards in Tambov region, USSR. 2093

efficiency of bait trapping of Ceratitis capitata and Dacus cucurbitae according to height. 2712

efficiency of natural enemies of Aonidiella aurantii on citrus in Israel. 2793

efficiency of parasites of Spodoptera littoralis in Israel. 5418

egg hatch in Aedes aegypti. 4615

of elaterid larvae. 1360

emergence in relation to soil-temperature in Rhagoletis pomonella. 3032

emergence times in relation to imaginal drift of Dipt. in Prater's Creek, S. Carolina, USA. 5477

emergence trap for aquatic insects. 1498, 3365 of Empoasca albizzia sp.n. 999

of Empoasca kraemeri and E. phaseola in C. America. 827

energetics of Cicadella viridis. 5850

energy balance for Anthonomus grandis. 3465

energy flow through a Chorthippus parallelus population at Tvärminne, Finland. 1720

energy flow through larval populations of Pyrrhosoma nymphula. 3186

Entomophthora sp as factor regulating
Tetranychus urticae populations on cotton.
5485

environmental contamination from ULV-applied trichlorfon. 4672

environmental heterogeneity and biological control. 2779

of Ephem. and Plec. at R. Vindelalven, Swedish Lapland. 4089

of Epicauta albida group. 1413

epizootic of Entomophthora sp on larvae of Diprion similis in N. W. Wisconsin, USA. 809

of Eriophyidae infesting grass in Ohio, USA. 2769

of Eriosoma ulmi in Warszawa area, Poland. 4039

establishment of Rhabdionvirus oryctes in populations of Oryctes rhinoceros in W. Samoa. 2801

establishment of transplanted nests of Formica polyctena. 2780

estimation of temperatures and heat-flux in stubbed cotton-field microhabitats in winter. 1492

Eucarcellia rutilla and hosts. 1265

of Eupithecia szelenyii sp.n. and innotata. 1465

of Euthypoda acutipennis, 4717

evaluation of resistance in potato seedlings in

relation to aphid density. 4800 and evolution of cave-dwelling Arthropoda. 3605

evolution of host-parasite interactions. 4792 evolution of the parasitic habit in Calyptratae.

of Exenterus amictorius in Wisconsin, USA. 794

experimental manipulation of soil invertebrate populations for trophic studies. 1721

experimental transplantation of nest-mounds of Lasius flavus. 2151

of eye-frequenting Lep. in Bangladesh. 4033 eye ultrastructure in relation to habitat in 7 spp of Opiliones. 3059

fauna of Phragmites and Typha in Danube Delta, Romania. 2824

fecundity of Telenomus fariai in relation to host availability. 5502

of Feltiella? tetranychi. 1240

female dominance in populations of Acraea encedon. 3672

of Ferrisia virgata in relation to introduced parasites and predators in USA. 797

fertilization rate and space and time relationships at mating and oviposition site in Scatophaga stercoraria. 3532

field key to invertebrate fauna of hill-stream in Shropshire, England. 4132

fire in relation to carabid populations in Lamto Savanna, Ivory Coast. 3174

fish predators of Hexagenia limbata californica larvae in a warm-water reservoir in California, USA. 5604

flag method for studying surface distribution of Phlebotominae in a sandy desert. 6050

flight activity and dispersal in of Aonidiella aurantii, 3544

flight in Chortoicetes terminifera. 1241 flight in nocturnal Lep. in Egypt. 6059 flooding in relation to a spring-brook community. 5489

flower-visiting activity in Oxycetonia jucunda. 4742

food distribution in Formica polyctena colonies.

food habits of Solenopsis saevissima richteri in relation to habitat. 3136

forest condition in relation to aphid and parasite populations. 2121

of forest and field Carabidae. 1234

forestry practices in relation to soil fauna. 3179 of Formicidae in the great dunes of  $N.\ W.$ 

Sahara. 4827 of Formicidae on Laesø, Denmark. 5580

of Formicidae in Mamora Forest, Morocco. 4862

of Formicidae in relation to Aphidoidea in Iraq. 4818

of Formicidae in Sapporo, Japan. 336

frequency distributions of Adelges piceae on Fraser fir in N. Carolina, USA. 1957

fresh-water Corixidae and Hydracarina of Sri Lanka, 4883

genetics of Drosophila melanogaster in European and Neotropical environments. 2854

genetic effects on survival of Tribolium castaneum and T. confusum in mixed cultures. 6102

and genetics in northern and southern strains of Schistocerca gregaria. 2857

geographical and seasonal variation in susceptibility of Anopheles spp to Plasmodium cynomolgi. 3625

geographical variation between populations in Callosobruchus chinensis. 3610

of German Siphon. on Insectivora, Lagomorpha and Rodentia. 4092

of Geromyia penniseti comb. n. 1425

Glossina morsitans and G. pallidipes not attracted to UV light. 2734

of Glossina morsitans orientalis in Rhodesia. 800

of Glossina pallidipes and G. morsitans in Rhodesia. 798

of Glossina tachinoides in relation to breeding and resting sites near houses in Nigeria. 4041

of Gomphidae of Surinam, 5763

of Gonocephalum depressum in India. 6042

green-brown polymorphism in Homorocoryphus nitidulus and Pseudorhynchus spp. 3227

group differences in Drosophila melanogaster. 4174

group effects in Japanese populations of Callosobruchus chinensis. 3607

growth components in genetically diverse populations of Tribolium castaneum, 4171

of Gryon flavipes in relation to Leptocorisa oratorius in Sarawak. 5375

of Gymnobothrus complex with respect to classification. 1480

of Gyrinidae. 2794

habitats and abundance of aquatic Het. in Iberian Peninsula. 3263

habitat of Acerella danica. 5593

habitats of Anthocoridae, Saldidae and Miridae in Inverness-shire, Scotland, 3183

habitats of Aphididae in Punjab plains and Kulu Valley, India. 4201

habitat of Atypus milberti in S. Michigan, USA. 3708

habitats of Blissinae in Thailand and Indochina, 2969

habitats of Carpelimus incongruus in Kent, England, 3178

habitat choice of Bembidiini on river banks in C. and N. Norway. 4093

habitats of Derm. of Galápagos Is. 2194 habitat distribution of Drosophila spp along Tyne Valley, England. 2154

habitat distribution of Hydracarina in N. C. Colorado, USA. 3172

habitat distribution of Peromyscopsylla hamifer, 6032

habitat distribution of Prot. in Poland. 5593 habitat distribution and voltinism of Hungarian populations of Ostrinia nubilalis.

habitat disturbance in relation to interaction between Sitophilus zeamays and Rhizopertha dominica, 1718

habitat of Elmis maugei in streams of Kaszuby Lake District, Poland, 3642

habitat environment and coloration of Trombiculidae in relation to scrub typhus in Malaya. 5471

habitats of Formicidae in Mongolia. 4192 habitat requirements of Petrobius maritimus and P. brevistylis. 5475

habitat of Thinoseius spinosus. 3189

of Haeterini and Biini in Venezuela. 4819

of Halacarus basteri. 1319

of Halticinae in Dagestan, USSR. 466

heat acclimation and resistance in Drosophila.  $2641\,$ 

of Helophorus spp. 4279

herbicide in relation to population density in Drosophila melanogaster. 1297

herbicide spraying in relation to arthropod biomass in barley fields. 2148

of Herpystis cuscutae in Pakistan. 323

Het. of grazed and ungrazed grassland in Bedfordshire, England. 2782

Het. of herb stratum at Korshage, Sjaelland, Denmark. 3611

Het. in Volga Delta, USSR. 2786

of a hill stream in Shropshire, England. 4115 of Hodotermes mossambicus in relation to

food. 854 of Holotrichia diomphalia in Amur Region,

USSR. 5366 honeydew production in Bucyneria pectinatae in relation to weather. 2152

honeydew production in Eucallipterus tiliae. 2727

host-density, superparasitism and synchrony in parasitization of Neodiprion sertifer. 1270

host-feeding associations of Culicidae in Wisconsin, USA. 4752

host number in Hyalomma aegyptium, 4774 host-plant and environmental conditions in relation to population dynamics of Brevicoryne brassicae. 2158

host specificity of Ctenophthalmus cophurus in relation to altitude in Kenya. 1696

human activity in relation to Insecta of Ontario, Canada. 3175

of Humerobates rostrolamellatus. 3123

of Hyalomyodes triangulifer. 795

- Hydracarina larvae used for study of Culicidae and Odonata. 3034
- Hydracarina, Odon. and Plec. from fresh-water habitats in C. coastal region of Surinam. 4203
- Hylobius rhizophagus in Wisconsin, USA. 281 of Hym, in N. E. Danube Delta, Romania. 2219
- of Hym. parasitic on Dasineura balsamicola in Maine, USA. 4786
- of Hypera brunneipennis in Egypt. 6040
- of Hyperoscelidae, 4305
- hypopial apolysis in Caloglyphus boharti, 1612 ichneumonid populations after a mass-outbreak of Oporinia autumnata on Betula in Finland.
- 2153 of Ichneumonidae of W. Coast of Schleswig-
- Holstein, GFR. 5478 inductive population model for insect parasites and relation to control. 1271
- infection of larval Culex pipiens quinquefasciatus by Romanomermis sp. 5342
- infection levels of Coelomomyces punctatus in natural populations of Anopheles quadrimaculatus, 5807
- infestation of pines and other forest trees by Eurytomidae in California, USA, 810
- infestation of Quercus rubra by Pamphilius phyllisae in Pennsylvania, USA. 3623
- infestation rate of Oestrus ovis in sheep and goats in C. Iraq. 4856
- insect fauna of hedgerows and neighbouring fields. 2785
- insect fauna of sugar-cane fields in Egypt. 6058 of insect populations on cabbage in S. California, USA, 5479
- of insect predator and prey spp on Zea mays in N. America. 834
- Insecta and Aran. predaceous on Choristoneura pinus in Michigan, USA. 3615
- of Insecta associated with Eupatorium perfoliatum in Byron Bog, S. W. Ontario, Canada. 3160
- of Insecta in Bigoray R., Alberta, Canada. 3201 Insecta of brown slime fluxes in S. New England, USA. 4096
- of Insecta of Icelandic thermal waters. 4823
- Insecta of L. Bahr ed-Dûd, Libya. 1740
- Insecta of oxidation lagoons in Missouri, USA. 1738, 3199
- of Insecta of R. Duddon, England. 2788
- of Insecta in waste-stabilization lagoons in Missouri, USA. 337
- insecticidal control of Hypera postica in relation to populations of Bathyplectes curculionis in N. Utah, USA. 4681
- integrated control in relation to aphids and their enemies in an Ohio, USA, apple orchard, 5461

- integrated control of aphids in peach orchards. 5462
- integrated control of Dipt. in caged-poultry houses. 5350
- interactions between Acari and Fungi in forest ecosystems. 1684
- interactions among Aphididae, Lygus lineolaris and Medicago sativa. 4838
- intermediate morphs of Elatobium abietinum in Scotland, 3122
- interrelations among Fungi, Acari and Insecta in grain-bulk ecosystems. 3185
- of intranasal Trombiculidae of New Guinea. 423
- intrinsic rate of increase by Acyrthosiphon pisum on resistant and susceptible alfalfa. 3614
- of Invertebrata of saline lakes on Fraser Plateau, British Columbia, Canada. 3608
- of Ips typographus in relation to temperature.
- of Ischyropsalis. 3728
- isolation of Rhyacophila spp in a homogeneous environment. 769
- of Isopt. in Ethiopia. 4858
- isozyme genotype-environment relationships in Pogonomyrmex barbatus in Texas, USA.
- laboratory culture of Chorthippus brunneus.
- of Lachlania. 5034
- lack of synchronization between Amblymerus bruchophagi and Bruchophagus roddi in nature, 4705
- of Lamiinae of Mozambique. 4266
- larval age-range in relation to survival of Tribolium castaneum strains in mixed cultures, 4086
- larval behaviour in Protonemura meyeri and Chaoborus punctipennis. 3113
- larval breeding-sites of Culicidae in Kuching area. Sarawak. 5493
- of larval Cordilura deceptiva, 290
- of larval Dioryctria amatella and D.
  zimmermanni in Pinus echinata cones. 5491,
  5402
- larval feeding of Odon. and Plec. on lakedwelling Tricladida. 4765
- larval habitats and population densities of Tabanidae in S. Louisiana, USA. 844
- of larval Hippelates dissidens, 4651
- larval instar number in Helicoverpa armigera.
- larval mortality of Ephemerella rotunda in relation to dissolved-oxygen concentration. 1997
- of larval Trombiculidae in Raif district, Volga-Kama State Reserve, USSR. 4835
- of Lasius (Dendrolasius) in Japan. 108
- of Laspeyresia funebrana in Rostov area, USSR. 1675

- of Laspeyresia pseudotsugae sp.n. 1468 latitude, altitude and pigmentation in Collembola.
- of Lecanium deltae in Tucumán, Argentina. 4058 of Leptoconops in Grossetano, Italy. 4113.
- of Leptoconops becquaerti in Jamaica, 840
- of Leptocorisa oratorius in Sarawak. 4103
- of Leptothorax spinosus. 5728
- of Leptotrombidium in Nepal, 4978
- life conditions in torrential streams. 3200
- life-cycle of Florinia externa in relation to environmental conditions in Maryland, USA. 2718
- life-histories of Alpine tundra Arachnida in Rocky Mts., Colorado, USA. 4730
- life-tables in study of natural insect populations.
- light, RH and temperature in relation to Trichocera. 2038
- light-threshold controlling vertical migration of Chaoborus punctipennis, 3951
- light-trap catches of Culicoides in S. England. 1724
- of Limnephilidae in the Grotta di Monte Cucco, Italy. 862
- of Lipara lucens. 4820
- of Listrophoroidea. 512
- of Lixophaga diatraeae in relation to Diatraea saccharalis in Cuba. 1311
- of Lixus algirus in Madrid Province, Spain. 1226
- locomotor activity and behaviour of Cryptolestes ferrugineus in wheat. 2039
- of Lycosa T-insignata in Tokyo, Japan. 345
- of Machilidae and Lepismatidae in relation to water. 843
- of Manduca sexta in relation to Apanteles congregatus in Kentucky, USA. 793
- of Mant. and Orth. on Letea I., N.E. Danube Delta, Romania. 2226
- manure-removal in relation to dipteran larvae and predators in N. California, USA. 4836
- of Marchalina caucasica sp.n. 1445
- mass-emergence and mass-attack in Boophthora erythrocephala. 6030
- mass-release of Stethorus picipes in relation to populations of Oligonychus punicae. 2796
- mathematical model for differential survival in a sympatric population of Hydracarina, 1299
- mathematical model for sampling Diplop. by means of pitfall-traps. 5490
- medionigra polymorphism in Panaxia dominula.
- of Melanotus fusciceps in the USSR, 1659
- of Melecta separata callura. 2748
- of Membracidae in Wisconsin, USA. 349
- of Menthidae, 2472

- methods for assessing populations of Oscinella frit in oats. 2695
- method for collecting Ixodoidea. 1960
- methods for estimating numbers of Nephotettix cincticeps in the resting paddy field, 4852
- method for estimating populations of Thrips tabaci on onion, 3616
- methods for evaluating segregation between spp. 1717
- method for forecasting population trends in Croesia semipurpurana. 2552
- methods for measuring respiratory rates of aquatic invertebrates, 5099
- method for replicated miniature larvicide tests in a large river. 1033
- methods for sampling adult Culicidae. 1490 methods for sampling Glossina populations. 1958
- methods for sampling Grapholitha molesta.
  4081
- methyl parathion and Bathyplectes curculionis for control of Hypera postica. 5330
- microclimate and topography in relation to mating behaviour in Megacyttarus crassirostris. 2080
- microevolution within Drosophila bostrycha, D. disjuncta and D. grimshawi. 1790
- microfauna of leaf-rolls of Ficus nitida. 6047
- of Micryphantidae of Tadzhikistan, USSR. 5618
- migration of Nysius raphanus to tobacco in Florida and Georgia, USA, 5446
- migration of Pseudoscorpiones from soil to leaf-litter in winter. 4854
- migration of Vanessa kershawi in Australia.
- migrations of Syrphidae, Anthomylidae and Noctuidae through Swiss Alpine passes in autumn 1968, 1287
- migratory and trivial flight-activity in Drepanosiphum platanoides. 2137
- mimetic and disruptive coloration in intergrading populations of Limenitis arthemis and L. astyanax. 914
- mimicry in Insecta. 5554
- of Miridae in cotton fields. 347
- model for evolution of holometabolous development in spatially heterogeneous environments, 1358
- of Molophilus ater. 2090
- of Monodontomerus dentipes in Wisconsin, USA. 794
- of Monostegia abdominalis in relation to Lysimachia terrestris in Quebec, Canada. 4063
- monthly changes in <sup>137</sup>Cs level of saprophages.
  298
- morphological variation in 4th-instar larvae of Culex pipiens group in relation to habitat in N. Japan. 3770
- mortality of brood in early stages of colony development in Bombus. 4871
- mortality in relation to diet in Apis mellifera. 4571

- mortality in relation to flight in Schizaphis graminum. 4466
- mortality of larval Chironomus anthracinus. 6041
- mortality of larval Musca autumnalis. 1296 mortality of larval Palaeolecanium bituberculatum in Armenian SSR, USSR. 4825
- mortality of Lipara lucens due to Polemon liparae. 4820
- mortality of Lygus lineolaris in relation to Aphididae and Medicago sativa. 4838
- mortality of Musca domestica vicina during overwintering in Chengtu, China. 752
- mortality in Myrmica rubra colonies. 4873
- mortality, natality and control of Scolytus scolytus in Britain. 2803
- mortality of Psylla pyricola on Plantago major. 4795
- of moss-dwelling Collem. of Sidobre (Tarn), France. 4879
- of mouthpart infection with trypanosomes in Glossina in Zambia. 1277
- multilateral approach to control of Acyrthosiphon pisum, 3182
- of Musca autumnalis. 273, 823
- of Musca vetustissima in relation to Heterotylenchus sp. 4679
- of Myzus persicae. 1294
- of Myzus in relation to isolation mechanisms. 932
- natural regulation of locust populations. 829
- of Nearctic Euchloe. 4117
- of Nematus ribessii in Belorussia. 1290
- of Nephus regularis in Madhya Pradesh, India. 759
- nest ecology of Apoidea. 1317
- nesting in stem- and twig-inhabiting African Apoidea. 5379
- net spinning in Hydropsyche instabilis. 3118
- neurosecretion of sub-oesophageal ganglion in Orgyia antiqua in relation to habitats.
- niche as n-dimensional hypervolume. 947 of Noctuidae and Geometridae of GDR. 2872 nocturnal succession of Culicidae captured by
  - light-trapping at Utsunomiya City, Japan.
    5380
- nuclear-polyhedrosis virus and Streptococcus faecalis in development of an epizootic of Porthetria dispar. 6048
- nuclear-polyhedrosis virus susceptibility in Porthetria dispar. 2063
- nutritional ecology of Pyrgomorpha conica.
- of Nyctegretis achatinella in Hungary, 1301
- of Obuchovia segusina sp.n. 5676
- occurrence of Colopterus truncatus in Pinus echinata cones in relation to water-content. 5492

- occurrence and distribution of Insecta in Potomac R., USA. 3164
- Odon. of islands and coastal areas. 437
- of Odon, in the Kuala Lumpur area, Malaysia. 3606
- of Odon. of Magdeburg, GDR. 6151
- of Odon. of Wadden Islands. 437
- of Oeneis spp of forest. 3609
- of Oligonychus ununguis in Finland. 5977
- organic matter in relation to scarabaeid damage to grasses and clover. 2122
- organic wastes in relation to aquatic insects in impounded habitats. 6036
- organochlorine residues in Aglais urticae. 1714 oriented flight in Formica subnuda and
- Leptothorax muscorum. 2773
- of Ornithodoros tartakovskyi and O. coniceps on Mangyshlak Peninsula, USSR. 4785
- of Ornithomyia on Vlieland I., Netherlands. 2208
- of Orthopteroidea from Tuscan Appennino, Italy. 6149
- of Oscinella frit in relation to oats. 2695 osmoregulation and salinity tolerance in
- Limulus polyphemus. 1587 of Otiorrhynchus ovatus. 4720
- of Oulema melanopus. 795, 3554
- outbreak collapse of Dendrolimus pini in Hungary, 4077
- outbreak epicentres of Choristoneura fumiferana. 3168
- outbreak of Neodiprion virginianus complex on Pinus banksiana in New Brunswick, Canada. 4094
- outbreak of Pseudaletia separata on wheat at Delhi, India. 4861
- outbreaks of Schistocerca gregaria in relation to recession populations. 4105
- outbreaks of Simulium arcticum in Alberta, Canada. 2157
- overcrowding factors produced by larval Culex pipiens quinquefasciatus. 4843
- overwintering ability of Rhodnius prolixus adults in Texas, USA. 4707
- overwintering of Čalovo virus in Anopheles maculipennis messeae. 5356
- overwintering of Curculionidae in meadows and Trifolium pratense fields. 6043
- overwintering population distribution of Lep. on Larix in C. Switzerland, 4083
- oviposition and adult emergence in Haematobia irritans. 3540
- of oviposition in Hypera postica. 2692
- and oviposition pattern in Lepidoptera. 735
- paedogenesis in Heteropeza pygmaea. 3520
- of Palaeolecanium biturberculatum in
  - Armenian SSR, USSR. 4825
- of Paralosalda innova gen. et sp.n. 2975
- of Parapsectra spp. 2504
- parasite complex of Dechocrocis punctiferalis

according to tree type, 1272

of parasites of Agromyzidae associated with Phaseolus vulgaris in E. Africa. 2502

parasites associated with Eucosma rescissoriana in Pinus monticola cones in N. Idaho, USA. 2531

parasites of Bupalus piniarius during gradation in 1964-1968 in Poland. 5417

of parasites of Coccidae, Aphididae and Aleyrodidae on citrus in Israel. 5578

parasites in relation to populations of
Choristoneura pinus in Michigan, USA, 2800

of parasites and predators of Gynaikothrips ficorum on Ficus nitida, 6047

of parasites of Urocerus argonautarium and Sirex dux. 5481

parasitism of Anagrus sp on eggs of Sogatella furcifera on rice in India. 1276

parasitism of Coleophora laricella in British Columbia, Canada, 3152

parasitism rate of Cheiloneurus inimicus in Saissetia oleae in Florida, USA. 4778

parasitism rate of Dibrachoides druso in Hypera postica in S. California, USA, 3148

parasitism rate in Dibrachys cavus and effect on host populations. 3144

parasitism rate of eastern N. American Tabanidae. 5680

parasitism rate of Haematobia irritans pupae in N. E. Mississippi, USA. 2751

parasitism of Leptus sp in Anthonomus grandis in S. Carolina, USA, 5419

parasitism rate of Microplitis feltiae in Agrotis ipsilon. 4713

parasitism rate of Noctuidae in S. California, USA, 3153

parasitism rate of Rhexidermus huardi in Platyptila pica cratea in California, USA. 3580

parasitism rate of rice stem-borers in Sarawak. 5498

parasitism rate of Therioaphis maculata in New Jersey, Delaware and Maryland, USA. 5503

parasitism rate of Trichogramma semifumatum in Herpetogramma licarsisalis. 4736

parasitization of Ectomyelois ceratoniae by Phanerotoma flavitestacea in Israel. 5371

parasitization of eggs of Heliothis zea, H. virescens and Trichoplusia ni by Trichogramma semifumatum in lower Rio Grande Valley, Texas, USA. 5499

parasitization of Hylemya brassicae and H. floralis in Norway. 1702

parasitization of Leptocorisa oratorius by Gryon flavipes. 5375

of Parasitus, 4974

of Paropsis charybdis in New Zealand. 3553 pathogens for insect control. 3155

of Pectinophora scutigera in Queensland,

Australia, 838

of Pentalonia nigronervosa on Musca paradisiaca in Gujarat, India. 328

Pentatoma rufipes on bog grass in Scotland. 3132 of Perilitus coccinellae. 1266

periodicity in drift activity of Hydracarina in R. Fulda, GFR. 1321

of Perissomma fusca and P. mcalpinei. 1875

of pests of rice in Philippines. 346 pests of trees in Ontario, Canada. 3184

of Phaleria s. str. 5659

phase-polymorphism in Aedes taeniorhynchus.

pheromone-gland extrusion in Choristoneura fumiferana. 2082

pheromone-trapping of \*Trichoplusia ni. 4566

of Phorodon humuli in Czechoslovakia. 6055

photoperiod in relation to development and larval diapause in Limenitis archippus. 1187

photoperiod inducing winged form in Callosobruchus maculatus. 2073

photoperiodic induction and termination of diapause in Chrysopa carnea. 3990

physical gradients affecting extraction efficiency in Tullgren funnels. 2566

physiological ecology of Pyrenean Orthoptera. 2014

of Phytoseiidae in Belorussia. 1305

pigment polymorphism in Colias eurytheme. 3226

of Pissodes strobi in relation to Pinus in Maryland, USA, 1286

plant protection against Elateridae in the USSR. 5463

Plantago major involved in spread of Psylla pyricola to pear. 4795

plastron-respiration in insect egg-shells. 1089 of Plec. of Gaitscale Gill, Lake District,

England. 1322 of Plec. in Kaltisjokk and associated waters,

Sweden. 1323

of Plec. from Laurentides, Canada. 1668 Pleistocene climates and New Zealand insect fauna. 3699

of Pleistocene Col. deposits in Northamptonshire, England. 500

of Pleolophus basizonus in relation to diapause. 1619

of Pnigalio and Symplesis in the Nearctic Region. 5725

of Polistes exclamans in Kansas, USA. 355

of Polistes snelleni and P. biglumis in Sapporo, Japan. 2101

population biology of Choristoneura fumiferana and control methods, 3168

population changes in Blatt. in small containers. 2806

population changes of Acari on citrus in response to cessation of spraying. 2807 population density in relation to phoresy of

Macrocheles muscaedomesticae on Musca domestica. 4502

population density and species-ratio in relation to Aedes aegypti and A. albopictus. 2778

population distribution of Grapholitha molesta in an Ontario, Canada, peach orchard. 4081 population dynamics of Acalitus vaccinii. 4709 population dynamics of Aedes aegypti in Bangkok. 2145

population dynamics of Aphis pomi under controlled autumnal conditions. 6025

population dynamics of Culicoides spp and Simuliidae at Darjeeling, India. 4821

population dynamics of Draeculacephala mollipes in Kentucky, USA, 4711

population dynamics of Drosophila melanogaster, 4091

population dynamics of eggs of Hypera postica in Ohio, USA, 4846

population dynamics of Eurygaster integriceps in relation to spring insecticide treatments and overwintering. 5505

population dynamics of Eurytoma martellii in relation to Dacus oleae. 3114

population dynamics of Insecta. 4850

population dynamics of Insecta of Medicago sativa fields in S. Moravia, Czechoslovakia. 6061

population dynamics of Oligonychus punicae in relation to leaf condition of Persea indica. 4833

population dynamics of Perthida glyphopa. 5464 population dynamics of Sipha flava in Puerto Rico in relation to rainfall. 4847

population dynamics of Tetrastichus flavigaster and Paurocephala calodendri. 4741

population fluctuations in Evetria cristata in relation to parasitism. 3596

population increase in Oncopeltus fasciatus and O. unifasciatellus. 2704

population increase of Anthonomus grandis in field cages. 2709

population model for Cyzenis albicans/Operophtera brumata interaction, 2159

populations of Bathyplectes curculionis in relation to Hypera postica in Indiana, USA. 3599

populations of Culicidae in relation to ULV malathion in Texas, USA. 4831

populations of Noctuidae in C. Madrid, Spain. 2149

populations of Phytobia sp in Fraxinus americana in Pennsylvania, USA, 3587

population parameters of Tribolium castaneum in environments of different shapes. 4082

population reduction by release of sterile §§ . 4694

population self-regulation of Diprion pini by prolonging eonymphal diapause. 3630 population and short-range dispersal of Arctocorisa carinata and Callicorixa products in rock-pools of Finland. 2770 population size of Aonidiella aurantii on citrus

in Israel. 5483

population size of Aran. on jack-pine. 3615 population structure and mortality factors in surface-dwelling Collem. in coniferous forest soil. 2160

population structure of Erebia epipsodea. 4848 population differences in DDT-susceptibility of Xenopsylla cheopis and Ceratophyllus fasciatus in the USSR. 4581

populational features of reproductive capacity in Neodriprion swainei. 4107

of Porrhomma kolosvaryi in Germany. 1811 post-release dispersal and effectiveness of Anaphes flavipes. 4834

of Praon exsoletum in California, USA. 702 predation by fish on Hexagenia limbata californica

in a California, USA, reservoir. 4947 predation by house-sparrows on larval Manduca sexta. 2799

predation and mortality in Agrilus spp in relation to host-plant. 2764

predation by Phytoseiulus persimilis and Metaseiulus occidentalis. 4079

predation by Picidae on insects of hardwood trees in Mississippi and Arkansas, USA.

predation on eggs of Diatraea saccharalis in Louisiana, USA. 2795

predation on Eriosoma ulmi in Warszawa area, Poland. 4039

predators in relation to cage populations of Heliothis zea. 3600

predators in natural control of Heliothis zea in California, USA, 3600

presence of Argas streptopelia on doves in Senegal and on viraemic avian hosts. 4220, 4777

prey of Formica polyctena and Coptoformica exsecta, 2721

primary pathogens in epizootic development in Porthetria dispar. 4109

of Proctolaelaps nauphoetae. 1667

production of Dipt. in garbage pits in S. Carolina, USA. 3177

production of growth retardant by larval Aedes aegypti. 2778

productivity of Glossina austeni on goats and rabbits. 4076

protection of Formica rufa and colony foundation for forest pest control. 3628

protective function of oothecal foam in Schistocerca gregaria. 3515

Prot. associated with nests of small mammals in Poland. 5593

of Prot. in N. E. Alps and foot-hills. 4941 of Prot. of Ocjów National Park, Poland. 5592

- of Pseudatomoscelis seriatus in Rio Grande Valley, USA, 2798
- of Psilococcus parvus in Poland, 2713
- of Psychoglypha. 3356
- of Psylla pyricola in Nova Scotia, Canada. 6057
- of Pterinochilus. 763
- pupal density of Bupalus piniarius in relation to predation by Elateridae, 2161
- of Pyraloidea univoltine in Belorussia. 1235
- of Quadraspidiotus perniciosus on Sakhalin I., USSR. 1289
- qualitative changes in populations of Porthetria dispar. 4097
- qualitative and quantitative changes in benthic fauna of L. Chad, Africa. 4849
- rainfall conditions for spring emergence in Bothynus gibbosus, 2678
- rearing density in relation to larval agestructure in Drosophila melanogaster, 4172
- recolonization of artificially emptied islands.
- regeneration of larval chironomid populations in fish ponds. 3629
- regulation of distribution of Dendroctonus pseudotsugae. 1725
- release of partially sterile Trichoplusia ni as method of population control, 1304
- resistance of simuliid larvae to p, p'-DDT in New York State, USA, and E. Canada. 5472
- respiration rate in relation to O<sub>2</sub> partial pressure in adult Donacia simplex. 5213
- respiratory physiology of last larval instar of Donacia simplex. 1087
- response of adult 9 Nomia melanderi to pathogenic fungi in brood cells. 1313
- resting sites of Glossina tachinoides near houses in Nigeria. 4041
- resting sites of Trombiculidae in Malaya. 5471
- of Reticulitermes spp in Europe. 6066
- of Rhagoletis in relation to speciation. 933
- of Rhodnius. 4325
- of Rhyacophila in an experimental stream. 769
- of rice stem-borers on Luzon I., Philippines.
- sample size for population estimation in Het. and Cicadoidea. 5121
- sampling in relation to a Chorthippus parallelus population. 1720
- sampling period in relation to diel periodicity of stream drift. 2781
- sampling Pseudoscorpiones. 4854
- of sandpit ponds in L. Erie, Pensylvania, USA. 3166
- of savannah ants in relation to Vernonia guineensis. 1729
- of Schistocerca gregaria in relation to Schouwia purpurea. 3120
- of Scolytidae. 3590
- of Scolytus ventralis in relation to Sulphurey-

- lunchus elongatus infection. 4074
- seasonal abundance and distribution of Chironomidae and Chaoboridae in a pond in Tennessee, USA, 3631
- seasonal abundance and host preferences of Siphon, in New England, USA, 5605
- seasonal abundance of Homoeosoma electellum in Texas, USA. 2808
- seasonal abundance and species diversity of Sierra Leone Sphingidae. 4855, 4857
- seasonal activity and local distribution of pond-shore populations of Collembola, 4817
- seasonal differences between activity periods in Lep. in relation to competition for nectar, 5986
- seasonal differences in body-weight of workers of Formica japonica, 1315
- seasonal distribution of culicid larvae in rock pools in Nagatoro R., Japan. 2165
- seasonal distribution of Lycosa lugubris in C. Scotland, 2715
- seasonal fluctuations in oviposition by Pieris in S. Australia. 3995
- seasonal fluctuation in sex-ratio in Simulium damnosum in W. Cameroun, 2684
- seasonal growth and size distributions in dune-living Aran. in Sweden. 2138
- seasonal occurrence of Oestrus ovis in C. Iraq. 4856
- seasonal rhythms in terrestrial Arthropoda.
- seasonal selection in relation to temperature acclimation of respiration in Culex pipiens, 3910
- seasonal variation in genetic structure of Japanese populations of Drosophila melanogaster, 3686
- seasonal variation in nest populations of Microcerotermes beesoni. 4877
- seasonal variation in standing crop and species diversity of Insecta in a Quebec, Canada, stream. 860
- selection for growth rate in relation to competitive ability in Drosophila melanogaster. 2191
- of selection in hybrid populations of Tribolium castaneum. 1782
- selection of univoltine races of Bombyx mori in relation to Indian climate. 1357
- selective advantage to Batesian mimic. 913 of Sericostoma personatum. 360
- sex-index and populations of Thripidae on cereals in Finland. 1309
- sex-ratio of Trichogramma embryophagum parasitic on Choristoneura murinana. 3524
- shade in relation to rate of infestation of Triplochiton scleroxylon by Diclidophlebia.
- Silphidae attracted to carrion, 3167 silt and sand in relation to arthropod fauna

of streams and rivers, 2172

of Simuliidae in Taimyr National District, USSR. 4719

of Simulium damnosum in Tanzania. 824

of Siphon, in Belorussia, 1809

of Siphon, of rodent nests in Romania, 2229

of Siphon. on small mammals in Yatsugatake Mts., Japan. 2787

site selection and oviposition in Dacus tryoni. 1217

slime-flux faunas of Britain and New England (USA), 4096

of soil fauna in Hidaka-Mombetsu, S. Hokkaido, Japan. 2146

soil moisture and organic matter in relation to scarabaeid damage to grasses and clover. 2122

of soil Palpigrada in Alps. 5523

of Spathius canadensis, Cheiropachus colon and Entedon leucogramma in relation to Scolytus multistriatus. 4779

spatial structure of coast and faunal distribution pattern at Kiel, GFR. 4095

spatial and temporal coincidence of parasites of Neodiprion sertifer. 1270

and speciation in African Simuliidae, 1356 species diversity and relative abundance of Euglossa spp in C. Panama, 2811

species diversity and seasonal abundance of Sierra Leone Sphingidae. 4857

species-diversity models, 1712

of Sphecoidea of marshy meadows in Hungary.

of Spilopsyllus cuniculi in Australia. 801 of Spilosoma at Dungeness, Kent, England. 1801 spinning structures of Clubiona phragmitis in relation to population isolation. 4119

spontaneous take-off activity of Blastophagus piniperda in relation to season. 1237

of Spodoptera mauritia acronyctoides in Sarawak. 732

of Spongilla fragilis community in Savannah R., USA. 1692

of springs in Corbières Mts., France. 2142

standing crop of insect communities in a stream in Quebec, Canada. 860

of Staphylinidae of Kabardino-Balkariya, Kavkaz, USSR. 1416

of Stenischia, 4399

of Stenopsyche griseipennis larvae in drainage ditches in Japan. 856

sterilized Oulema malanapus aggs for population

sterilized Oulema melanopus eggs for population build-up of Anaphes flavipes. 4784

stochastic models for population dynamics of Neophilaenus lineatus and Chorthippus parallelus. 4118

stochastic model of plant-to-plant movement in Aphididae. 4070

stream insect drift-nets. 2545

of stream insects. 5482

structure and degree of development of nests in Formica polyctena. 2820

of Stylogaster. 1268

subsampler for dividing large samples of stream arthropod drift. 2570

substrate particle size in relation to microdistribution of stream insect larvae. 3180

successional changes and production in the benthos of the Volta L., Ghana. 3604

summer floods and insect populations at Woodwalton Fen, Cambridgeshire, England, in 1968-1969. 5484

supercooling points and mannitol and glycerol contents in overwintering eggs of 3 aphid spp. 1568

supercooling point of overwintering eggs of Zeiraphera diniana, 1585

survival of P Anopheles gambiae through dry season in Sudan. 4859

survival of Arrenurus agrionicolus and A. mitoensis in sympatric populations. 1299

survival of overwintering Diatraea grandiosella larvae in corn stalks in Louisiana, USA. 2814

swarming of Nomadacris septemfasciata in Rukwa Valley, Tanzania. 5497

sweeping as method for quantitative estimation of invertebrates of grass-cover. 5788

sympatry in cytological population of Prosimulium magnum and P. multidentatum in Canada and USA, 2182

of synanthropic Diptera in Tyan'-Shan' Mts., Kirgizia, USSR. 4860

synchronization in population dynamics of Chilocorus bipustulatus and parasites in Israel. 1701

of Syntropis longiunguis sp.n. 2892

of Syrphidae and Chrysopidae in relation to aphids in N. E. Belorussia. 1306

of Tabanus iyoensis in Toyama Prefecture, Japan. 1678

of Tabanus quinquevittatus in New Jersey, USA. 4853

of Tarsonemoides limbatus sp.n. 4213

techniques for collecting Pseudoscorpiones. 33 temperature differences between Arctic and Alpine meadows in relation to Drosophila spp. 5308

temperature as factor in migration of British Lepidoptera, 2131

temperature inversion in relation to development of Dendroctonus obesus. 3099

temperature and light-intensity in relation to flight initiation and take-off rate in Acanthoscelides obtectus. 2705

temperature in relation to fecundity, longevity and population growth in Macrocheles peniculatus. 3996

- temperature in relation to length of developmental period in Anthonomus grandis, 3494
- temperature in relation to seasonal dimorphism of Araschnia levana. 3470
- temperature in relation to survival in Leptocera caenosa, 4045
- teneral period and flight activity in Myzus persicae. 1171
- of Tendipes dorsalis immature stages. 1307
- of Tendipes in a lake in Georgia, USA. 3618
- of Tenthredinoidea of Poles'e, Belorussia. 1378
- of Termitidae of Ivory Coast. 350
- territoriality in Oeneis of forest. 3609
- territoriality in Pseudocreobotra wahlbergi.
  4727
- of Tetanura pallidiventris. 5974
- of Tetranychidae. 1295
- of Tetranychidae of apple orchards in Poland. 5513
- of Thecla betulae and Strymon pruni. 3539 thermo-separator described. 2547
- of Thrips tabaci on onion in Hungary, 3616
- of Thysanopt. associated with Polyporales in N. Carolina, USA. 3586
- tick-borne encephalitis foci in C. Europe. 5509 timing of adult emergence in Simuliidae in W. Cameroun. 2684
- of Toumeyella liriodendri. 3535
- trap catches of Dacus tryoni, 5137
- of Triatoma sanguisuga texana and T.
- gerstaeckeri in S. W. Texas, USA. 4707
- of Trichatelura manni. 2087
- of Trich. in Rivers Jiu and Olt, Romani. 2359
- of Trioza erytreae of E. Transvaal and Swaziland. 792, 805
- of Troglorhynchus baldensis group. 2912
- Turnbull and Nicholls quick trap in Alpine grassland communities. 1499
- of Typhlochoromus. 5632
- of Typhlodromus mcgregori in apple orchards of Utah, USA. 2711
- of Uloborus mundior in relation to Nephila clavipes in Panama. 2805
- upstream movements of insects in a stream in S. Sweden. 2815
- 32P uptake by larval Anopheles quadrimaculatus.
- vegetation in relation to population dynamics of Ennomos subsignarius. 4633
- of Verrallia aucta and V. setosa with respect to British Cercopidae, 1267
- vertical distribution and sociology of Orthopteroidea in Tuscan Appennino, Italy, 6149
- vertical distribution of Drosophilidae in S. Hokkaido, Japan. 2144
- vertical distribution of Invertebrata in a stream bed. 6062
- vertical distribution of macro-animals in 3 soil types in Japan. 2813

- vertical distribution of Phlebotominae in British Honduras. 4046
- viability of Drosophila melanogaster in relation to conditioning of food medium, 4173
- virus epizootics in Panonychus ulmi in Ontario, Canada. 4842
- vitamin E content of host-plants in relation to population dynamics of Barathra brassicae.
  4516
- water loss in desert Tenebrionidae.
- weather extremes and survival in Trioza erytreae, 5465
- weather in relation to insect migration. 5456
- weather in relation to Oscinella frit and predators, 2792
- weather in relation to aggregation behaviour of adult Chironomus sp at Solberg L., Wisconsin, USA. 3558
- weather in relation to aphid consumption by Coccinellidae, 3567
- weather in relation to captures of Macrolepidoptera in Netherlands in 1968. 3121
- weather in relation to trapping of Lepidoptera with sugar and UV-lamps, 6133
- weed control in Brussels sprouts in relation to numbers of Harpalus rufipes and Pieris rapae. 2150
- weeds in relation to Graminella nigrifrons in epidemiology of corn stunt disease. 5512
- windbreaks in relation to distribution and abundance of Coccus hesperidum in Texas, USA, citrus groves. 4837
- wing-reduction in Tipulidae. 931
- wing surface-area in Lep. in relation to bird predation. 5188
- winter conditions in relation to ♀ Anopheles freeforni in California, USA. 3518
- winter drainage in relation to benthic fauna of Laurel Creek Reservoir, Canada. 1719
- of Zonocerus variegatus in relation to egg-pod structure. 4444

## Economic entomology,

Finnish publications in 1967. 3 Finnish publications in 1968. 5610

#### Economic importance,

- of Acanthoscelides obtectus and Bruchus pisorum in Gruziya, USSR. 1791
- of Arge pagana in Belorussia. 1227
- of Chrysopa phyllochroma and Ch. commata in Czechoslovakia. 826
- of Chrysopidae and Syrphidae in  $N_{\star}$  E. Belorussia. 1306
- of Diacrisia obliqua in E. Pakistan. 1228
- of fruit-piercing Noctuidae in Europe. 303
- of Geromyia penniseti comb. n. 1425
- of Israel Scolytidae. 6119
- of Lecanium deltae in Tucumán, Argentina. 4058
- of Leptoconops becquaerti in Jamaica. 840

Economic importance, contd.

of Lixus algirus. 1226

of Marchalina caucasica sp.n. in Kavkaz, USSR. 1445

of Mozambique Lamiinae, 4266

of Neoschoengastia americana in Texas, USA. 1660

of Parlatoria oleae in Lenkoran', USSR. 1674

of Pectinophora scutigera in relation to Gossypium in Queensland, Australia. 838

of Pyralidae of L. Tiberias region, Israel. 6144

of Rhyacionia buoliana and Rh. pinicolana in Fennoscandia. 1797

of Scolytidae, 3590

of Sudan Isoptera, 4199

of Tetranychidae. 1295

Ecpolus claviger sp.n. (Arach., Acari, Hydrachnellae), described. 10

Ecribellatae Trionychae (Arach., Aran.), of Tadzhikistan, USSR. 959

Ectinogonia melichari (Col., Buprestidae), divided into subspp. 3298

Ectobius (Blatt., Blattellidae), of Tuscan Appennino, Italy. 6149

Ectognatha (Insecta), homology of external genitalia in all Orders. 1161

Ectomyelois ceratoniae (Lep., Pyralidae),

biology of Phanerotoma flavitestacea in relation to. 5371

effect of food, temperature and humidity on development. 5288

natural parasites in Israel. 318

population levels in Israel, 318

suitability of eggs as diet for Amblyseius chilensis and A. hibisci. 5313

Ectophasia Townsend 1912 (Dipt., Tachinidae), placed on Official List. 3776

Ectopsocus (Psoc., Pseudocaeciliidae), ovarial number and oocyte maturation. 5315

Ectropis bhurmitra (Lep., Geometridae), ecology and biology on tea in Ceylon. 2164

Ecuador.

new Aulacigastridae from. 57

new Braconidae from. 4345

new Buprestidae from. 3298

new Coccinellidae from. 2905

new Eumenidae from, 4351

new Heleomyzidae from. 57

new Miridae from. 4321

new Satyridae from. 1020

new Syrphidae from, 1881

new Tabanidae from, 545, 987

new Tipulidae from. 5685

Edapholotrochus (Col., Staphylinidae), new spp described. 5653

Edenophorus gen.n. (Dipt., Empididae), established.

Edestochilus gen.n. (Dipt., Cecidomylidae), established. 1869

Edestosperma aristidae gen. et sp.n. (Dipt., Cecidomylidae), described. 1869

EDTA, effects on  $\alpha$ -amylase of hepatopancreas of Heterometrus scaber, 3925

H. Edwards, priority over W. H. Edwards for Melitaea rubicunda. 3280

W. H. Edwards.

authorship of synopses of N. American Rhopalocera, 3280

designation of types for Strymoninae. 4376

Edwardsiana (Hem., Hom., Cicadellidae), biology and control in Tambov region, USSR. 2093

Eggs,

adaptations to parasitization in insects. 5407 age of Trichoplusia ni eggs in relation to parasitism by Trichogramma minutum. 2750 aliphatic amines ovicidal for Aedes aegypti.

alkaline phosphatase present in Schistocerca gregaria. 4006

and egg-pod of Zonocerus variegatus described.

apparatus for mechanical dispensing in Erioischia brassicae. 3838

apparent voluntary control of egg fertilization in Megachile rotundata. 4017

arrangement in relation to oviposition in Bombus, 4871

artificial infestation of Zea mays with suspensions of Heliothis zea eggs. 5091

carotenoids in Chironomus annularius. 2034 carriage of cytoplasmic polyhedrosis infection in Trichoplusia ni. 5804

changes in carbohydrates during development in Aulocara elliotti. 1635

changes in egg weight during embryonic development in 3 spp of Leiodidae. 4634

changes in haemolymph proteins in Pyrrhocoris apterus during egg maturation. 3912

chorion of Cordilura deceptiva described. 290

chromosomal analysis of production in Drosophila melanogaster. 2827

cleavage morphology in Sinella curbiseta. 5278 cocoons of Aran. parasitized by Ichneumonidae

on W. Coast of Schleswig-Holstein, GFR. 5478

cocoons of Helophorus sp. 4279

comparison of effects of UV-irradiation in outbred, inbred and hybrid strains of Musca domestica. 4411

composition of wax esters from egg sac of Lecanium horii. 5944

conditions for production in Evylaeus nigripes.

container for releasing Anaphes flavipes from parasitized eggs of Oulema melanopus. 5100

of Cordilura deceptiva and varipes described.

DDT resistance in Xenopsylla cheopis and Cerat ophyllus fasciatus in USSR, 4581

### Eggs, contd.

- development in 5 spp of Lyctidae. 4016 development of rudiments in Musca domestica nebulo. 4589
- device for cleaning and counting eggs of Porthetria dispar. 5103
- device for collection of eggs of Laodelphax striatellus, 5776
- diapause in Euxoa ochrogaster. 4034
- diel changes in RNA-synthesis in epithelium cells of egg vesicles in Acheta domestica. 5946
- differences in egg structure in strains of Drosophila hydei. 1969
- DNA and protein synthesis by diapause and non-diapause eggs in Bombyx mori, 5285
- dormancy in C. European Clytrinae and Cryptocephalinae, 4030
- duration of egg stage in natural populations of Panonychus ulmi. 3551
- effect of apholate on viability in Aedes aegypti.
- effect of apholate on O2-consumption in Musca domestica. 244
- effect of bovine blood in diet on egg hatch in Musca autumnalis, 5316
- effect of constant temperature on egg development in Schistocerca gregaria. 3991 effect of <sup>137</sup>Cs irradiation on fertility in
- Spodoptera littoralis, 1224
- effect of DDT and metepa on egg viability in Musca domestica, 712
- effect of diet on egg hatch in Urbanus proteus. 5312
- effect of diet on egg sterility in Ostrinia nubilalis. 5948
- effect of drinking water on egg production by Ostrinia nubilalis in mass-rearings. 3364
- effect of formaldehyde treatment on egg hatch in Pectinophora gossypiella. 1959
- effect of high temperature on development and hatch in Leucania separata, 245
- effect of hormones on carbohydrate and lipid metabolism in Bombyx mori. 3076
- effect of metepa on fertility in Blattella germanica. 1222
- effect of nuclear polyhedrosis virus infection on viability in Trichoplusia ni. 1204
- effect of O2 and N2 post-treatments on mortality after X-irradiation in Drosophila. 247
- effect of oothecal foam on viability in Schistocerca gregaria. 3515
- effect of organic mercury compounds in Drosophila melanogaster. 252
- effect of parental age on size in Drosophila melanogaster, 1175
- effect of population density on fertility in Japanese strains of Callosobruchus chinensis. 3607

- effect of quantitative differences in diet on production in Culicoides furens. 598
- effect of royal jelly on egg viability in Locusta migratoria cinerascens, 3508
- effect of source of eggs on infestation of dent corn by Ostrinia nubilalis. 5948
- effect of storage temperature and RH on egg hatch in Aedes vexans and Ae. abserratus.
- effect of submersion of eggs of Eurygaster integriceps on embryonic viability, 5295 effect of temperature and resin on egg hatch
- in Dendroctonus poaderosae, 5930 effect of temperature on development in
- Agrotis ipsilon and A. fucosa. 2071 effect of temperature on number, size and
- hatch in Drosophila melanogaster, 253
- effect of temperature on production in Leucania separata, 1193
- effect of X-irradiation in Callosobruchus chinensis. 246
- egg-cluster of Heterojapyx novaezeelandiae. 3316 egg-eating behaviour of Bombus lapidarius. 2818
- electron microscopy of egg fluid from Arctia caja, Porthetria dispar and Lasiocampa quercus. 4457
- electrophoretic patterns of egg proteins in 7 insect Orders. 2625
- encapsulation of Pseudeucoila eggs in Drosophila melanogaster, 1248, 1264
- Entedon leucogramma as egg parasite of Scolytus multistriatus, 4779
- Erythraeidae predaceous on eggs of Altica carduorum, 4068
- evaluation of candidate chemosterilants for Tetranychus urticae eggs. 5152
- excremental coating in C. European Clytrinae and Cryptocephalinae, 4030
- external transmission of microbial flora in Drosophila melanogaster, 3442
- factors affecting egg hatch in Aedes aegypti. 4615
- fertility in relation to sterile chromosomes in a natural population of Drosophila melanogaster, 3682
- function of egg capsule in Glomeris marginata and Narceus annularis. 3501
- galecron as ovicide of Trichoplusia ni. 5160 Gryon flavipes as egg parasite of Leptocorisa oratorius in Sarawak. 4103, 5375
- hatch in chromosomal translocation heterozygotes of Musca domestica. 3662
- hatch of Locusta migratoria migratorioides after apholate and tepa treatment. 5935
- hatching mechanism in Plecoptera. 2663
- hatch in ? Hypera postica isolated after mating.
- hatching of Panonychus ulmi from winter eggs.
- hexokinase isozyme distribution in

Eggs, contd.

Drosophila robusta. 2830

hymenopteran parasite from eggs of Papilio demoleus, 5971

incubation period in Schistocerca gregaria in relation to temperature. 3098

incubation time in Xyletinus peltatus. 4637

influence of breeding site on egg form in Tripteroides spp. 4436

inter-strain differences in periplasm distribution during cleavage in Apis mellifera.

lack of effect of centrifugation in Tegenaria atrica, 3980

maturation and fertilization in Sitotroga cerealella. 1985

maturation in migrant Herse convolvuli after feeding with vitamin E. 4012

metamorphosis prevented in Pyrrhocoris apterus and Oncopeltus fasciatus by exposure to JH analogues. 4010

method for separation from deposition site in Dioryctria abietella. 4416

method for surface sterilization in Dioryctria abietella. 4416

morphology and physiology of summer and · winter eggs in Petrobia latens. 4718

morphology in Onychiurus bhatti, Seira iricolor and Sminthurinus mime. 2170

morphology in Perlesta placida. 2657 mortality due to hydrochlorination reaction

mixture in Choristoneura fumiferana. 4618 muscular movements in hatching controlled by cholinergic system. 1196

normal development of Anaphes flavipes in Xirradiated Oulema melanopus eggs. 4784

of Acalitus vaccinii described, 4709

of Aegilips and Anacharis described. 313

of Amrasca splendens described, 4714

of Aphanostigma piri described. 5384

of Avicularia avicularia described. 4721

of Bradysia impatiens described. 4704

of Draeculacephala mollipes described. 4711

of Eriosoma ulmi described. 4039

of Eublemma parva described, 5142

of Eurytoma martellii described. 3114

of Gea heptagon described, 3111

of Haemaphysalis kitaokai sp.n. described. 4223

of Itoplectis cristatae described. 276

of Kuzinia laevis described. 5381

of Lema trilineata daturaphila described. 4712

of Lixus algirus. 1226

of Melitaea varia described. 4437

of Messachorutes sp as food for Ascoschoengastia latyshevi. 5365

of Microbracon kirkpatricki described. 5991

of Microplitis croceipes described, 3548

of Musgraveia sulciventris described. 3546

Chasonia vitripennis described, 5794

esaeocarabus interruptus described. 4443

of Orthacheta hirtipes described. 276

of Orthosia advena described. 4654

of Phlebotomus longipalpis described. 4431

of Pieris krueperi described. 5141

of Priacma serrata described. 3850

of Selasia unicolor described. 4737

of Termatophylum insigne described. 5983

of Tetanura pallidiventris described. 5974

of Tetrastichus flavigaster described.

of Thomasiella tomentosae described.

of Tripteroides caledonicus and T. melanesiensis described. 4436

overwintering stage of Aleurocanthus spiniferus.

oviposition cage for large-scale egg production by Coccinella septempunctata. 5112

O2-consumption in Heliothis zea. 4505

parasites of Spodoptera littoralis eggs in Israel, 5418

permeability of shell to water in Locusta migratoria and Teleogryllus commodus.

1145, 1588 population dynamics of eggs of Hypera postica in Ohio, USA. 4846

populational factors affecting production in Neodiprion swainei. 4107

predation on eggs of Diatraea saccharalis in Louisiana, USA. 2795

presence of eggs of Atherigona spp on maize in India. 4806

process of egg extraction from 9 genital passages in Chrysopa perla, 4644

production by worker Atta laevigata. 4125 production in Dactylochelifer latreillei. 3383

production by Habrobacon juglandis after Biosatellite flight and vibration stresses. 3994

protective coating substances secreted by Cingalobolus bugnioni. 1250

radioprotective effect of H2S in Drosophila melanogaster. 3499

radiosensitivity and water content in Tenebrio molitor. 3519

radiosensitivity of overwintered eggs in 36

strains of Bombyx mori. 3500 rate of parasitism of Delphacidae eggs by

Anagrus nr. flaveolus. 5106 rate of parasitism of rice stem-borer eggs

in Sarawak. 5498

rearing of Cerambycidae from the egg. 3842 regulation of growth of nurse-cell nuclei in

follicle development in Cecidomyiidae. 262

relation of age to parasitism by Trichogramma evanescens in Cadra cautella. 2759

relationship of length to fecundity in Neodiprion

relation of size and volume in Leptophlebia cupida to size of 9. 5459

swainei. 4107

retention by adult 9 Culicidae. 2156

Eggs, contd.

rinsing technique for control of Nosema algerae in an Anopheles stephensi colony. 5101

secretion by Apanteles glomerulatus of protectant against haemocytic reaction of host. 294

segregation of the germ plasm in Anurida maritima. 3089

sensitivity to photoperiod and temperature in Heliothis zea. 5286

serosal epicuticle confirmed for egg of Acheta domestica. 3863

species differentiation in Antheraea on basis of follicular imprint pattern. 3851

sterile eggs of worker Atta laevigata. 4125 structure in Tettigonioidea of Trinidad, W. Indies. 3103

structure of membranes in Apanteles glomeratus. 4594

supercooling point and mannitol and glycerol contents in overwintering eggs of 3 aphid spp. 1568

supercooling point of overwintering eggs of Zeiraphera diniana. 1585

survival in relation to extremes of weather in Trioza erytreae. 5465

termination of diapause by mercury compounds in Atrachya menestriesi. 2066

threshold temperature for deposition of viable eggs in Panonychus ulmi. 3997

trans-ovum transmission of nuclear-

polyhedrosis virus in Porthetria dispar. 2063 treatment of eggs of Pectinophora gossypiella for prevention of cytoplasmic polyhedrosis. 1959

Trichogramma achaeae sp.n. parasitic on eggs of Achaea janata. 5135

Trichogramma chilotraeae sp.n. parasitic on eggs of Chilotraea infuscatellus. 5135

Trichogramma embryophagum parasitic on Bupalus piniarius eggs in Poland in 1964-1968, 5417

Trichogramma semifumatum as egg-parasite of Herpetogramma licarsisalis. 4736

Trichogramma sp parasitic on eggs of Scirpophaga spp in Bangladesh. 4841 ultrastructure and physiology of shells of

insects. 5791 ultrastructure of shell in Acheta domestica.

ultrastructure of shell in Acheta domestica.

uptake of DNA in Anagasta kuehniella. 3513 vitelline membrane of egg of Acheta domestica. 3863

vitelline-membrane formation in Aeshna. 232 water loss in Euthypoda acutipennis. 4717 water relations in Blattodea. 5269

water uptake and exchange in eggs of Schistocerca gregaria late in development. 4561

water uptake and loss in Aedes vexans. 2640 water uptake in relation to diapause in Chorthippus brunneus. 1584

Egle (Dipt., Anthomyiidae),

British records. 2937 new spp described. 2937 Palaearctic spp keyed. 2937

Egle atomaria, Hylemya salicola syn.n. of. 2937 Egolimae (Col.), transferred to Trogossitidae.

Egypt.

biology and ecology of desert spp of Calyptratae. 4829

biology of Panonychus ulmi in relation to Pyrus in Giza. 5976

biology of Sesamia cretica in relation to Zea mays. 5969

Cicadellidae from. 3792

ecology of Anagasta kuehniella and Corcyra cephalonica in flour-mills in Cairo. 6033

ecology of Chrysomphalus dictyospermi. 6034 Homoptera new for. 6052

insect fauna of sugar-cane fields. 6058

key to Typhlodromus. 3726

long-term directional changes in population structure of Drosophila near Alexandria. 4183 Mallophaga from birds resident there. 6148

Mallophaga on migratory birds and spp new for Egypt. 6147

natural control of Orobanche crenata by Phytomyza orobanchia. 6016

new Aleyrodidae from. 2516

new and previously known Hydrachnellae from, 1821

new Argasidae from, 4220

new Cicadellidae from. 3792

new Curculionidae from. 31

new Megachilidae from. 5735

new Phytoseiidae from. 3726

new records of Masaridae. 112

population changes of Acari on Orange in response to cessation of spraying. 2807

population dynamics and phenology of Hypera brunneipennis. 6040

red and green forms of Tetranychus telarius on Gossypium separate spp. 3289

on Gossypium separate spp. 3289 seasonal populations of Het. on Gossypium, 6051 seasonal populations of Hom. on Gossypium, 6052

soil Arach. at a farm at Giza. 6054 synonomies for Hom. infesting Gossypium. 6051

time of flight of nocturnal Lepidoptera. 6059 yield loss of Saccharum due to cane borers.

Egyptian alfalfa weevil, see Hypera brunneipennis Eichhornia crassipes (Rontederiaceae), host-plant of Arzama densa in Louisiana, USA. 282

Eidmanniella (Mall., Menoponidae), from Pelecaniformes reviewed and new spp described. 577

Elachertus sp (Hym., Eulophidae), hyperparasitic on Phaogenes arcticus in Laspeyresia pseudotsugae sp.n. 1468

Elachertus argissa, morphology and biology in relation to Zeiraphera diniana. 2115

Elachiptera (Dipt., Chloropidae), spp new for Primor'e, USSR. 5571

Elachista (Lep., Elachistidae), rearing of 6 British spp. 3362

Elachista sp, adaptation to the leaf-mining habit. 1706

Elachista consortella, new for Denmark. 2871 Elachistidae (Lep.), 1706, 2871, 3362

Elacis guineensis (Palmae), host of new Coccidae from Angola. 5040

Elas mostethus brevis (Hem., Het., Acanthosomatidae), Salix pentandra host-plant in Sweden. 4802

Elasmus flaviceps (Hym., Eulophidae), parasite of Odites artigena in Kenya. 5368

Elasmus zehntneri, parasitic on Scirpophaga in Bangladesh. 4841

Elater lepidotus Pal. de Beauv. 1805, type of Meristhus. 4278

Elater sieboldi Candèze 1873 (Col., Elateridae), Aphanobius unicolor syn.n. of. 972

Elateridae (Col.),

33, 281, 452, 464, 527, 972, 973, 1360, 1364, 1496, 1659, 2161, 2813, 3569, 4278, 4961, 4997, 5144, 5153, 5154, 5347, 5368, 5463, 5660

bibliography of World literature on larvae.

biological bases for plant protection in the USSR. 5463

fine structure of Metarrhizium anisopliae attacking, 5153, 5154

Fleutiaux's collection from Japan re-examined.

from Congo-Brazzaville. 5660

key to genera. 973

morphology, biology and evolution of larvae.

morphology of larvae. 5144

new spp from Congo-Brazzaville. 5660

of S. Italy. 464

of Izu Islands. 527

of River Llobregat delta, Spain. 1364

predation by larvae on pupal Bupalus piniarius. 2161

use of larval characters for subfamily division. 1360

vertical distribution in 3 soil types in Japan. 2813

zoogeography of Congo-Brazzaville taxa. 5660

Elaterinae (Col., Elateridae),

evolution, 1360

key to genera of African continent, 5660 Elatobium abietinum (Hem., Hom., Aphididae).

intermediate morphs from Scotland. 3122

Elatophilus nigricornis (Hem., Het., Anthocoridae), differences between Scottish and English specimens. 3183

new for France. 5705

Electricity,

electrical potentials in rectum of Locusta migratoria and Carausius morosus. 645 electrical resistance of Apis mellifera. 3948 reactions of Apis mellifera. 3948 stimulation effect on puparium formation in

imulation effect on puparium formation Sarcophaga argyrostoma. 5287

Electrococcus canadensis gen. et sp.n. (Hem., Hom., Coccidae), described. 2976

Electromagnetic sensitivity, and olfaction of antennae of Heliothis zea. 4485

Electron transport system, effects of partial block on development in Drosophila. 699

Electrophoresis,

differentiation of sibling spp of Rhynchosciara by haemolymph electrophoresis. 4507 use for molecular-weight determination of RNA. 653

Eleocharis uniglumis (Cyperaceae), nectar source for adult Aedes dorsalis. 3128

Eleodes (Col., Tenebrionidae), ecological distribution of E. suturalis, E. opacus and Pasimachus elongatus in a wheat field. 831

**Eleodes armata**, effect of temperature, RH and hydration on water-loss. 3079

Elephantoloemus indicus (Dipt., Calliphoridae), biology in relation to Elephas maximus. 5416

Elephas maximus (Proboscidea), biology of Dipt. attacking. 5416

Eleusine coracana (Gramineae), host of Cicadulina bipunctella and C. chinai in Bangalore, India. 1816

Elipsocidae (Psoc.), relationship between New Zealand and Australian faunas. 3711

Elipsocus hyalinus (Psoc., Elipsocidae), lifehisotry. 4435

Elliptosoma (Col., Carabidae), reduced to subgenus of Loricera. 1840

Elm bark beetle, see Scolytus scolytus

Elmidae (Col.), see Elminthidae Elminthidae (Col.), 34, 174, 1999, 2172

effects of silt and sand in Vaal R. system, Repub. S. Africa. 2172

evolution of plastrons and comparison with Torridincolidae. 1999

Elminthinae (Col., Elminthidae), new spp. 34 Elmis (Col., Elminthidae), plastron studied by scanning electron microscope. 174

Elmis maugei, occurrence in streams of Kaszuby Lake District, Poland. 3642

Elodes minuta (Trich., Rhyacophilidae), upstream movements in a stream in S. Sweden. 2815

El Salvador, new Sphecidae from. 1456

Elsianus (Col., Elminthidae), plastron studied by scanning electron microscope. 174

Eltopsocus briggsi (Psoc., Pseudocaeciliidae), immature stages and life-history described. 4435

Elymana bambusae (Hem., Hom., Cicadellidae), made type-sp of Bambusana gen.n. 1892 Elymana shnitnikovi sp.n., described. 5044 Elysiaca gen.n. (Hem., Hom., Dictyopharidae), established. 1002

#### Elytra.

abnormalities in a 2 Trirhabda virgata. 5280 analysis of 'depressed' mutation in Tribolium confusum. 4908

comparative structure in Coleoptera. 3394 development of pigmentation in Coccinellidae. 1972

muscle fine structure in Cetonia aurata, 156 reduced maculae in Cicindela repanda in Upper Michigan, USA, 3191

teratology in Coleoptera, 5280

# Embia ramburi (Emb., Embiidae),

head and prothorax, 4447

skeleton and musculature of larval prothorax.

Embiidae (Emb.), 3855, 4447

## Embioptera,

relationship to Phasmatodea. 4447 taxonomy, evolution and biology. 5033

# Embryology,

of Acheta domestica. 5913

of Baëtis vernus and B. rhodani. 3977

cleavage morphology in Sinella curbiseta egg. 5278

early embryology of Papilio polytes. 1168 early embryonic development of gonads in Labidura riparia. 5279

effects of chemosterilants in Musca domestica.
231

effects of JH analogue on Pyrrhocoris apterus. 2631

importance of cholinergic system. 1196 of larval head in Simulium venustum. 1167 maximum and minimum temperatures in Schistocerca gregaria. 3991 median cord development in insects. 2661

of a parthenogenetic strain of Bacillus rossius. 3975

of Tetrastichus pyrillae. 3480

#### Embryos,

axon outgrowth and cell migration from Periplaneta americana NS in vitro, 1513, 3402

blastoderm, germ-layers and body-segments in Lytta viridana. 2049

changes in egg weight during embryonic development in 3 spp of Leiodidae. 4634

development of hatching thread in Sphodromantis centralis. 2662

differences among 36 strains of Bombyx mori in relation to radiosensitivity. 3499

effect of benzamide on embryonic development in Musca domestica nebulo. 5932

effect of submersion of eggs of Eurygaster integriceps on embryonic viability. 5295

effect of temperature on nucleic-acid and protein synthesis in Bombyx mori. 2687

embryonic mortality in 2 strains of Bombyx mori in response to X-rays. 1623

embryonic nutrition in Urodacus abruptus. 1255

embryonic tissue-culture of Inazuma dorsalis.

functions of mesosomal dorsal spine in embryo of Urodacus abruptus. 1255

in vivo culture of embryonic material from Drosophila melanogaster. 2543

in vitro establishment of embryonic cell lines of Drosophila melanogaster. 5825

lack of embryonic diapause in Pyrenean Tetrigidae, 2014

lethality in Habrobracon juglandis after Biosatellite flight and vibration stresses. 3994

lipid consumption during embryonic development in Culex pipiens fatigans. 4007

normal embryogenesis in Gerris paludum insularis. 2050

production of monstrosities by temperature treatment of embryonic Tegenaria atrica. 5931

radioprotective effect of hydrogen sulphide in Drosophila melanogaster, 3499

radiosensitivity in synchronized cell populations of Bombyx mori. 2074

role of embryonic cephalic tissues in gonad development in Leptinotarsa decemlineata. 3992

sensitivity to  $\gamma\text{-irradiation in Acheta domestica.} \\ 4616$ 

ultrastructure of embryonic cells of Periplaneta americana producing chitinase in vitro. 3860

ultrastructure of intracellular symbionts of Euscelis plebejus embryos. 1693

Emdenimyia (Dipt., Sarcophagidae), new spp described, 4311, 5027

## Emergence,

of Anaphes flavipes. 4834

apparatus for recording insect emergence. 3363

bimodality in Hyalophora cecropia. 2675 comparison in outbred, inbred and hybrid strains of Musca domestica. 4411

diurnal periodicity in Plec. and Ephemeroptera. 1216

diurnal rhythm in Euxoa ochrogaster. 4034 effect of Bacillus thuringiensis infection in Anagasta kuehniella. 5306

effect of burial of Vitacea polistiformis pupae. 3526

effect of larval rearing conditions on adult characteristics at emergence in Culicidae.

effect of light-pulses on phase shifts in circadian rhythm of emergence in Drosophila pseudoobscura. 4620

Emergence,

effect of Sulphuretylenchus elongatus in Scolytus ventralis. 4074

effects of quantitative differences in diet in adult Culicoides furens. 598

factors affecting in Gonocephalum depressum.

factors affecting in Haematobia irritans. 3540 factors affecting mass-emergence of Booph-thora erythrocephala, 6030

in Amradiplosis allahabadensis. 4023

in Chaoborus crystallinus. 3547

in Clunio aquilonius and C. tsushimensis. 1971

in Conotrachelus nenuphar in relation to larval size, temperature and soil moisture. 5299

in Glossina palpalis. 5470

in 4 spp of Tabanidae in New Jersey, USA. 3543

in Thomasiella tomentosae. 4027

laboratory emergence cage for Homoeosoma electellum. 2575

light-refractive rhythm of adult emergence in Megachile rotundata. 4603

number of winters passed by Saturnia pavonia before emergence, 5979

of Laothoe populi. 3106

of Notiphila riparia and Erioptera squalida. 2174

of Microplitis croceipes. 3548

of Rhagoletis pomonella related to hour-degree soil temperature summations, 3032

of Rhyacophila in an experimental stream. 769

of Trich. from a stream in N. Wales. 3198

optimum rainfall conditions for spring emergence in Bothynus gibbosus. 2678

phase-shifting in Drosophila pseudoobscura in relation to light-pulse energy. 683

rate in Sarcophaga tibialis. 4659

relationship of timing to imaginal drift in Dipt. in Prater's Creek, S. Carolina, USA. 5477

time in genetically diverse populations of Tribolium castaneum. 4171

time in Oncopera. 4652

time of spring emergence in Anax junius in C. Pennsylvania, USA, 4722

timing mechanism in Hyphantria cunea. 233 timing in Simuliidae in West Cameroun. 2684 trap for aquatic insects. 3365

of Trioza erytreae in relation to growth cycle of citrus. 805

Emmesomyia (Dipt., Muscidae), oviposition by Stylogaster on adults. 1268

Empididae, 538, 2080, 2792, 2939, 3772

bibliography of Ethiopian taxa and World superspecific taxa. 3772

Ethiopian subfamilies and genera keyed. 3772 taxonomy, phylogeny and behaviour of Southern African taxa. 3772

Empidideicus (Dipt., Bombyliidae), new spp described. 60 Empidinae (Dipt., Empididae), relationships within subfamily analysed on basis of mating behaviour. 2080

Empis pseudoprodromus sp.n. (Dipt., Empididae), described. 538

Empoasca (Hem., Hom., Cicadellidae), of C. America. 827

Empoasca albizzia sp.n., described. 999 Empoasca decipiens, seasonal populations on Gossypium in Egypt. 6052

Empoasca fabae,

differential oviposition on Vicia faba and Solanum spp. 740

factors affecting host preference on Glycine max. 814

new insecticides for control. 4678

oviposition behaviour on Vicia faba. 4657 Empoasca flavescens, absence from hop fields with hop crinkle disease. 327

Empoasca kraemeri, biology and ecology in C.
America. 827

Empoasca lybica, insecticidal control of Gossypium in Sudan. 5338

Empoasca phaseola, biology and ecology in C. America. 827

Empoasca pteridis, populations on Humulus lupulus at Aschersleben, GDR. 327

Empoides anufrievi sp.n. (Hem., Hom., Cicadellidae), described, 5696

Emprosthiothrips (Thysanopt., Phlaeothripidae), new spp described. 4402

Enallagma aspersum (Odon., Coenagrionidae), new for Wisconsin, USA. 3705

Enallagma cyathigerum,

autosomal fragmentation and fusion, and chromosome number. 929

distribution, ecology and behaviour in Outer Hebrides and in Hampshire, England. 2094

gravity perception and leg proprioceptors.
4495

Enallagma cyathigerum possomposi subsp.n., described. 1944

Enallagma granti, systematic position. 5083 Enantia theugenis zischkai subsp.n. (Lep., Pieridae), described. 3823

Enantioppia gen.n. (Arach., Acari, Oribatei), established. 2462

Enaphalodes rufulus (Col., Cerambycidae), damage caused to Quercus alba. 807 predation by woodpeckers in Mississippi and Arkansas, USA. 1312

Enargia decolor (Lep., Noctuidae), host of Sympiesis enargiae sp.n. 5725

Enarmonia, see also Laspeyresia and Cydia Enarmonia major (Lep., Olethreutidae), type-sp

of Enarmonopsis subgen.n. 1021 Enarmonodes (Lep., Olethreutidae), new species described. 1021 Enarmonopsis subgen.n. (Lep., Olethreutidae), established in Enarmonia. 1021

Encarsia (Hym., Aphelinidae), alternative differential mortality and sex differentiation. 2113

Encarsia formosa, toxicity of insecticides for control of Trialeurodes vaporariorum. 5351

Encelimyia aurigena gen. et sp.n. (Dipt., Sarcophagidae), described. 5675

Encentridophorus (Arach., Acarl, Hydrachnellae), new spp described, 10

Encephalitis, structure of tick-borne encephalitis foci in C. Europe. 5509

Encyalesthus, Falsoencyalesthus synonymous with. 2928

Encyrtidae (Hym.),

104, 105, 288, 315, 320, 792, 797, 802, 830, 1674, 1701, 2990, 2991, 3153, 3535, 3799, 3800, 4741, 4778, 4786, 5053, 5408, 5724

key to Habrolepis and allied genera. 2990 notes and synonomy for 53 European genera. 3799

parasitic on Dasineura balsamicola in Maine, USA, 4786

Encyrtus (Hym., Encyrtidae), European spp keyed. 3799

Encyrtus lecaniorum, failure to become established in the lower Rio Grande Valley, USA, as parasite of Coccus hesperidum. 830

Endacantha (Lep., Lasiocampidae), new taxa described. 4371

Endeidae (Arach., Pycnogonida), of Antarctic reviewed. 2473

Endolimax blattae (Protozoa), parasitic in Blattella germanica in New York City, USA. 4689

Endomychidae (Col.), 35

Endosulfan,

control of Epitrix hirtipennis in flue-cured tobacco. 5355

control of Adelges cooleyi on Pseudotsuga menziesii in Washington, USA. 4667

control of Brevicoryne brassicae in cabbage and cauliflower in W. New York, USA. 5336 control of Hylobius pales and Pissodes

approximatus in C. Pennsylvania, USA. 5340 control of Phylloxera vitifoliae in Ontario, Canada. 4677

control of Spodoptera littoralis in Egypt. 5352 control of Trialeurodes vaporariorum. 5349 resistance in Trichoplusia ni in New York, USA. 5506

Endrin [cyclic(diethoxyphosphinyl)dithioimidocarbonate],

control of 3 cotton pest spp in Sudan. 5338 control of Spodoptera littoralis in Egypt. 5352 respiratory energetics of larval Pycnopsyche in relation to water flow. 3907 toxicity to eggs and larvae of Trichoplusia ni. 5160 Energy,

assimilation in Acheta domestica. 4759
balance and natural heat-sources for
Anthonomus grandis. 3465
energetics of Cicadella viridis. 5850
flow through a Chorthippus parallelus

flow through a Chorthippus parallelus population at Tvärminne, Finland. 1720

flow through larval populations of Pyrrhosoma nymphula. 3186

radioisotope method for determining energy assimilation. 4759

seasonal changes in energy content in 5 Sierre Leone spp of Sphingidae. 4855

turnover in larval and pupal Lipara lucens. 4820

Engelana gen.n. (Lep., Tortricidae), established. 122

Enicocephalidae (Hem., Het.), 148, 2512 Enicocephalus fulvescens (Hem., Het., Enicocephalidae), nom.dub. 2512

Enicospilus (Hym., Ichneumonidae), new spp described. 3805, 4356

Enicospilus silvaraji, morphology and new Indian records. 4356

Enneadesmus forficula (Col., Bostrychidae), new for Iran. 475

Ennomos subsignarius (Lep., Geometridae), effect of natural diets on biology. 4633

effect of natural diets on biology. 4633 Enoclerus nigrifrons (Col., Cleridae),

predaceous on Ips grandicollis in S. Carolina, USA. 286

reproductive biology in S. Carolina, USA. 286 Enoclerus nigripes.

predaceous on Ips grandicollis in S. Carolina, USA. 286

reproductive biology in S. Carolina, USA. 286 Enoplognatha ovata (Arach., Aran., Theridiidae),

biochemistry of pigments. 2032
Ensina sonchi (Dipt., Tephritidae), natural

control of weed Compositae in Hungary.
6014
Entedon leucogramma (Hym., Eulophidae),

biology and ecology in relation to Scolytus multistriatus. 4779

Enterobacter aerogenes (Bacteria), in gut flora of larval Bibio marci. 3919

Enterobacteriaceae (Bacteria), biotype present in gut flora of larval Bibio marci. 3919

Entomobrya sp (Collem., Entomobryidae), muscle attachment to cuticle. 4464

Entomobrya corticalis, from Kent, England. 3258 Entomobrya nivalis, population structure and biology in coniferous forest soil. 2160

Entomobryidae (Collem.), 983, 984, 2146, 2160, 2170, 2671, 2858, 3258, 3315, 3729, 4020, 4291, 4292, 4464, 4981, 5278, 5996

Entomobryoides myrmecophila (Collem., Entomobryidae), post-embryonic development of chaetotaxy. 2671

- Entomobryoides purpurascens, activity and local distribution in an Indiana, USA, woodland. 4020
- Entomophthora (Fungi), mycotoxins of coronata and apiculata. 5815

# Entomophthora sp,

- epizootic on Diprion similis in N. W. Wisconsin, USA. 809
- regulating Tetranychus urticae populations on cotton. 5485
- Entomophthora aquatica sp.n., pathogenic in Aedes canadensis and Culiseta morsitans. 1737
- Entomophthora myrmecophaga sp.n., described. 4088
- Entomophthoraceae (Fungi), mycotoxins. 5815 Entypotrachelus meyeri (Col., Curculionidae),
  - biology of parasites of eggs. 2755 host of Oligositoides semicinctium sp.n. 2526 Sozites kerichoensis sp.n. parasitic on eggs.

### Entypotrachelus micans,

biology of parasites of eggs. 2755 host of Platystasius benjamini sp.n. 1923 Sozites kerichoensis sp.n. parasitic on eggs.

#### Enzymes,

- a 3rd locus affecting pyridoxal oxidase in Drosophila melanogaster, 1774
- acetylcholinesterase activity during development in Celerio euphorbiae. 5940
- acetylcholinesterase activity in CNS of winter larvae of Odagmia. 3881
- acylation and deacylation of phospholipids by microsomes from larval Musca domestica. 3927
- activation of haemolymph phenoloxidase by larval cuticle in Drosophila melanogaster. 3862
- activation of lysosomal enzymes for histolysis of intersegmental muscle in newly-emerged Antheraea polyphemus. 1207
- activation of salivary amylase in Lygus disponsi. 1562
- active phosphorylase activity and glycogen content during development in Philosamia ricini, 4000
- activities of dehydrogenases in a population of Tribolium castaneum. 5309
- activity of carboxylesterase and degradative enzymes in relation to diazinon and diazoxon in Musca domestica. 5267
- activity, properties and reaction to inhibitors of alkaline phosphatase in gut of Schistocerca gregaria. 1109
- affinity between phosphatases of Poekilocerus pictus, Schistocerca gregaria and Anthonomus grandis, 1110
- affinity for glycogen of flight-muscle phosphorylase from Phormia regina, 5239 alcohol dehydrogenase isozymes in Drosophila

- obscura group. 4538
- alkaline phosphatase activity in gut of Schistocerca gregaria. 3932
- amino-acid composition and properties of pupal aldolase of Drosophila melanogaster. 1571
- amylase activity during larval and pupal development in Philosamia ricini. 4000
- $\alpha\text{-amylase}$  of hepatopancreas of Heterometrus scaber. 3925
- analysis of 'maroon-like' mutations in Drosophila melanogaster. 1759
- arginase, ornithine transaminase and pyrroline carboxylate reductase activity during development in Hyalophora gloveri. 1633
- bacteriolytic enzyme produced by Periplaneta americana cells in vitro. 3935
- biochemistry and genetics of  $\alpha$ -amylases in 'Amy' strains of Drosophila melanogaster. 2622
- carbohydrases of gut and salivary glands in Lygus disponsi. 4526
- carbohydrate of flight-muscle in Glossina morsitans and Sarcophaga nodosa. 3067
- carbohydrate metabolism in queen and worker Apis mellifera. 5862
- carnitine acetyltransferase activity in relation to spermatozoon development in Drosophila melanogaster. 3998
- changes in activity of glycolytic enzymes during metamorphosis in Lucilia cuprina. 682
- changes in alcohol dehydrogenase with age in Drosophila melanogaster. 1632
- changes in cholinesterase sensitivity of New Zealand populations of Tetranychus urticae. 3677
- changes in enzymes associated with lipogenesis during adult male development in Schistocerca gregaria, 4001
- changes in haemolymph dehydrogenase isozymes in Apis mellifera during development. 2015
- cholinesterase activity in relation to development and metamorphosis in Spodoptera littoralis, 5941
- chromosome structure demonstrated with DNA polymerase and terminal-transferase in Chironomus sp. 1749
- circadian changes in acetylcholinesterase activity in brain of Acheta domestica. 3403
- cofactor role of sepiapterin for phenylalanine hydroxylase in Bombyx mori. 3937
- collagenase activity in larval gut of Hypoderma bovis. 3064
- comparison of malate dehydrogenases of Drosophila. 4544
- cytochrome oxidase of mitochondria and microsomes from fat-body of Periplaneta americana. 4579
- detoxification by mixed-function oxidases of thioether N-methylcarbamates in Musca

### Enzymes, contd.

- domestica and Culex. 5157
- digestive enzymes of Clavigerella gibbosa.
- digestive enzymes of last-instar larva of Eublemma amabilis. 2024
- distribution and activity of lactate dehydrogenase and  $\alpha$ -glycerophosphate dehydrogenase during larval development in Drosophila melanogaster, 4629
- distribution of multi-function oxidases in Insecta. 4582
- dosage compensation for enzyme activities in Drosophila melanogaster. 877
- effect of ageing on multiple molecular forms of esterase in Periplaneta americana. 4530
- effect of Bidrin treatment on cholinesterase activity in male Plodia interpunctella. 2691
- effect of Ca<sup>2+</sup> on hexokinase, phosphofructokinase and fructose-1, 6-diphosphatase activity in insect muscle, 1116
- effect of density-delayed pupation on cytochrome oxidase activity in Drosophila melanogaster. 1639
- effect of hormones, Na<sup>+</sup> and K<sup>+</sup> on RNA-polymerase activity in isolated fat-body cellnuclei of Calliphora erythrocephala. 1126
- effect on larval cuticle of phenoloxidase activation in Drosophila melanogaster. 5228
- effect of leptinotars in on cholinesterase activity in Periplaneta americana. 5392
- effect of 6-methyl uridine and l-methyl-mercaptoimidazole on respiratory enzymes of Lepidoptera, 5293
- effect of pH-5 enzymes on ribosome activity in Acheta domestica. 4534
- effect of polyhedrosis on haemolymph transaminases in Bombyx mori. 5229
- effect of X-irradiation on enzymes involved in crossing-over and chromosome repair. 4140
- effecting aldrin epoxidation in larval Prodenia eridania. 220
- egg-to-adult viability of Drosophila melanogaster in relation to genotype frequency of alcohol dehydrogenase locus, 883
- electrophoresis of acid phosphatase of silkgland of Samia cynthia ricini larvae. 1136
- endogenous inhibitor of microsomal mixedfunction oxidases in Prodenia eridania, 3930
- esterase and acid phosphatase activity in photoreceptors of Mitopus morio. 3893
- gene-enzyme polymorphism in natural populations of Drosophila melanogaster and D. simulans, 902
- gene regulation in Drosophila melanogaster. 877 genetic effect of DNA from Anagasta kuehniella with respect to eye colour and tryptophan pyrrolase (A+). 3655
- genetic method in study of enzyme subunit structure, 4149

- genetic regulation of glucose-6-phosphate dehydrogenase, 6-phosphogluconate dehydrogenase and isocitric acid dehydrogenase in Drosophila melanogaster, 2184
- genetic relation of NADPH<sub>2</sub>-dependent oxidases to insecticide metabolism in Musca domestica, 3229
- genetics of esterase activity in larva of Anopheles stephensi. 879
- genetics of esterase 6 in Aedes aegypti. 2185 genetics of lethal lemon larvae of Bombyx mori. 4158
- glyceride lipase and esterase activity in flightmuscle of Prodenia eridania, Estigmene acrea, Hyalophora cecropia and Antheraea polyphemus, 1128
- $\alpha$  -glycerophosphate dehydrogenase isozymes in Drosophila melanogaster. 2021
- hexokinase isozyme variability in Drosophila robusta, 2830
- hydrolase isozymes of Italian and Rhodesian strains of Aedes vittatus and hybrids. 1560
- inhibition as cause of morphological aberrations in Drosophila melanogaster. 238
- inhibition of esterases by phosphoric acid esters and carbamates in Tetranychus spp. 5904
- inhibition of esterases during malathion poisoning in Schistocerca gregaria. 3931
- inhibition of head acetylcholinesterase by bis-[(m-hydroxyphenyl)trimethylammonium iodide] esters of polymethylenedicarbamic acids in Musca domestica, 5236
- interaction of folate analogues with dihydrofolate reductase from Galleria mellonella. 5865
- invertase and amylase activity in Chrysomphalus aonidum and Aonidiella aurantii. 5238
- involved in malathion resistance in Laodelphax striatellus. 6100
- isozymes in natural populations of Pogonomyrmex barbatus in Texas, USA. 2831
- isozymes of sucrase in Drosophila melanogaster. 2027
- larval gene variation in natural populations of Drosophila pseudoobscura. 1787
- life-cycle distribution, substrates and genetics of aminopeptidases in Drosophila melanogaster. 1336
- location of acetylcholinesterase in photoreceptors of Mitopus morio, 3893
- location of alkaline phosphatase in reproductive system of Schistocerca gregaria. 4006
- location of enzymes for phosphatidylcholine synthesis in fat-body of Phormia regina. 1555
- localization, properties and changes with age in kynurenine-3-hydroxylase activity in Calliphora erythrocephala, 1123
- localized inhibition of cholinesterase in CNS of Musca domestica. 3404 luciferin-binding site of Photinus luciferase. 1600
  - \_\_\_\_\_

#### Enzymes, contd.

- maximum rates of glycolysis and  $\alpha$  -glycerophosphate cycle in insect muscles. I122
- mode of action of midgut lipase in Periplancta americana and Blaberus craniffer. 1550
- modification of aliesterase properties by selection in Chrysomya putoria. 1158
- non-enzymatic binding of sllk-gland amino acids to soluble proteins in Bombyx mori. 3954
- nuclease activity of ribosomal and soluble fractions of Acheta domestica. 4540
- of combustion chambers in Brachinus. 3926
- of Melanoplus bivittatus degrading polysaccharides of plant-cell wall. 1573
- of Musca domestica strains susceptible and resistant to organophosphates. 3961
- of thymidine kinase and thymidine 7-hydroxylase activity in pupal Hyalophora cecropia. 4525
- partial purification and characterization of lactate dehydrogenase of Drosophila melanogaster, 4529
- partial purification and properties of choline kinase from Periplaneta americana. 3936
- partial purification of aminoacyl-tRNA binding enzymes from larval Drosophila melanogaster, 4541
- peptidase activity of hypodermis in normal and mutant larvae of Bombyx mori. 3453
- phenoloxidase activity during pupal development in lozenge mutants of Drosophila melanogaster. 1768, 4899
- phenotypic changes in esterase pattern during metamorphosis in Drosophila immigrans.
- phosphoglucomutase locus in Drosophila melanogaster. 6083
- polymorphism in Apis mellifera ligustica, 903 polymorphism of haemolymph lactic dehydrogenase in Gryllus campestris, 2014
- possible role of aliesterase in DEF potentiation of malathion toxicity in Anthonomus grandis.
- possible role of gut proteases in lack of toxicity of Bacillus thuringiensis crystals for Carausius morosus, 5178
- presence of succinate dehydrogenase in flagellate symbionts of Kalotermes flavicollis and Reticulitermes lucifugus, 4868
- of haemolymph of larval and pupal Pieris brassicae, 1096
- properties of alkaline phosphatases of gut of Poekilocerus pictus. 1110
- properties of carnitine decarboxylase and phosphokinase in Phormia regina larvae. 1556
- properties of haemolymph and cuticular phenoloxidases of Drosophila virilis. 1558
- protease activity in rectal fluid of Attini. 2618 proteolytic activity in midgut in immature tages of Galleria mellonella in relation

- to growth and metamorphosis. 724 proteolytic enzymes in salivary glands of Chironomus tentans. 216
- proteolytic fractions of venom of Pamphobeteus roseus, 5994
- purification and properties of malate dehydrogenases of Drosophila virilis. 4544
- reactions catalysed by particle-bound enzymes in Musca domestica larvae. 3927
- recovery of esterases in organophosphatetreated Musca domestica. 5905
- regulation of tryptophan pyrrolase by the vermilion-suppressor of the vermilion system in Drosophila melanogaster. 3659
- relation between pigment content in Drosophila melanogaster and enzyme activity. 3649
- role of  $\beta$ -glucosidase in toxicity of Sorghum vulgare roots to larvae of Diabrotica virgifera. 818
- salivary-gland amylase of Lygus disponsi. 2628 salivary-gland amylases of Heteroptera. 2629
- soluble esterases from thoracic muscle of Periplaneta americana, 4528
- solubility of cholinesterase in head homogenates of Musca domestica. 1576
- succinate dehydrogenase activity in mitochondrial preparations of Musca domestica. 3941
- synthesis and secretion of gut digestive enzymes in adult female Blatta orientalis in respect to neurosecretion. 4522
- tetramer structure of octanol dehydrogenase in Drosophila melanogaster. 4149
- tissue distribution of phosphomonoesterases in Schistocerca gregaria, 4535
- trehalase and sucrase activity in Drosophila melanogaster. 2027
- trehalase from symbiotic gut bacterium of Blaberus craniifer. 5873
- trehalase of flight-muscle in Sarcophaga barbata. 5874
- tyrosinase and phenylalanine hydroxylase activity in lethal albino larvae of Bombyx mori, 3666
- ultrastructural localization of monoglyceride lipase in flight-muscle of Lepidoptera. 1128
- ultrastructure of embryonic cells of Periplaneta americana producing chitinase in vitro. 3860
- uricase and allantoinase activity in adult Schistocerca gregaria. 3451
- variation at 2 esterase loci in a Greek population of Dacus oleae, 3219
- variation in esterase isozyme pattern in Culex pipiens fatigans. 2020
- variation of alcohol dehydrogenase locus in natural population of Drosophila melanogaster. 6105
- xanthine dehydrogenase activity in inbred and outbred strains of Drosophila

Enzymes, contd.

melanogaster, 3207

Eonathidium (Hym., Megachilidae), new spp described. 5735

Eocaria muiri (Col., Coccinellidae), parasitization by Perilitus coccinellae. 1266

Eomenopon (Mall., Menoponidae), structure of of genital sac and new spp described. 3009

Eosentomoidea (Prot.), Sinentomidae fam.n. established. 128

Eotetranychus (Arach., Acari, Tetranychidae), new spp described. 16, 3288

Eotrama moerickei gen. et sp.n. (Hem., Hom., Aphididae), described. 3788

Epanerchodus (Myriap., Diplop., Polydesmida), new sp described. 1026

Epanoderchus (Myriap., Diplop.), 3 Japanese cave-dwelling spp redescribed. 3357

Epargyreus clarus (Lep., Lycaenidae),

flicker-fusion frequency and colour vision. 628 image formation in compound eye. 1531 physiology of super-position eye. 628

Epeoromimus (Ephem., Epeoromiminae), restricted to kazlauskai and systematic position discussed. 3323

Ephedraspis (Hem., Hom., Diaspididae), compared with Abgrallaspis, 2518

Ephedrus persicae (Hym., Aphidiidae), 9 reproductive system and fecundity. 5912

Ephemera danica (Ephem., Ephemeridae), diurnal periodicity of emergence and duration of subimaginal instar. 1216

Ephemera? multinervosa, Paedephemera oppenheimi syn.n. of. 3324

Ephemera siamensis sp.n., described. 2962

Ephemera simulans, microdistribution of larvae in relation to

substrate particle size. 3180 O<sub>2</sub>-consumption in larvae. 172

Ephemerella (Ephem., Ephemerellidae), control of activity and drift by light. 2096

Ephemerella ignita,

diel periodicity of drift in an English Lake District stream. 2781

diurnal periodicity of emergence and duration of subimaginal instar. 1216

Ephemerella rotunda, larval mortality in relation to dissolved-O<sub>2</sub> concentration. 1997

Ephemerellidae (Ephem.), 1216, 1997, 2096, 2781 Ephemeridae (Ephem.), 172, 1216, 2247, 2962, 3180

from S. E. Asia. 2962

Ephemeromorpha, nom.n. for Ephemeroptera and Archodonata. 3322

with Odonatomorpha nom.n. constitutes Hydropalaeoptera sensu Rohdendorf. 3322

Ephemeroptera,

and Archodonata placed in superorder Ephemeromorpha nom.n. 3322 comparative anatomy of larvae. 1501 distribution in Lincolnshire, England. 3171 downstream drift in the Speed R., Ontario, Canada. 832

ecological segregation, 1717

ecology in R. Duddon, England. 2788

from Orkney Islands. 2213

from Philippines and Bismarck Islands. 1884 larvae of Permian transferred to Archodonata. 3322

of L. Chad, Africa, and their biology and ecology. 3597

of Niokolo-Koba National Park, Senegal. 1814 of R. Vindelalven, Swedish Lapland. 4089

of rivers in the 'Iron Gates' dam area, Romania. 2776

phylogeny in Triassic and Jurassic forms. 3323 prey of Acroneuria californica. 2110 structure of spermatozoa. 679

types in Deutsches Entomologisches Institut catalogued. 1820

Ephestia, see also Anagasta and Cadra
Ephestia sp (Lep., Phycitidae), occurrence in

cultures of Tenebrio molitor. 5515

Ephestia elutella, sound-production during mating.

Ephippiger ephippiger (Orth., Tettigonildae), parasitized by Phasiinae sp. 316

Ephistemus exiguus (Col., Cryptophagidae), new for Jordan. 1410

Ephydra bruesi (Dipt., Ephydridae),

feeding by adults and larvae on algae and bacteria of hot springs. 768

oviposition and feeding on Zygogonium ericetorum in Yellowstone National Park, USA. 3621

prey of Dolichopodidae in hot springs, 768
Ephydra macellaria, abundance in Bahr ed-Dûd
lake, Libya, 1740

Ephydrella (Dipt., Ephydridae), 2783

Ephydrella thermarum, distribution in hot-spring thermal gradients in New Zealand. 2783

Ephydridae (Dipt.),

66, 768, 1740, 2174, 2783, 3621, 3757, 4303, 4304, 4823

taxa described by E. T. Cresson, jun., in 1906-1949, 2451

Ephysteris confusa (Lep., Gelechiidae), reported from Afghanistan and China. 2528

Epiara dimorpha (Mall., Menoponidae), syn.n. of Psittacobrosus chloropterae. 5080

Epiblema strenuana (Lep., Olethreutidae), fattyacid composition of larvae. 1121

Epicauta albida (Col., Meloidae) group, ecology, behaviour and adult anatomy. 1413

Epicauta valida, distinct from E. segmenta. 1413 Epicavus araeoceri (Protozoa), ultrastructure.

Epiclerus temenus (Hym., Tetracampidae), new for Finland. 2870

Epidemiology,

of African swine fever in Africa. 3147 importance of Ixodoidea in Switzerland. 4187 importance of Ornithonyssus bursa in

Rajasthan, India. 3622

importance of Triatoma rubrofasciata. 5988

of scrub typhus in Malaya in relation to environment and coloration of Trombiculidae. 5471

Epidermis,

analysis of carotenoids in larval Gonimbrasia belina. 1581

carotenoids of epidermis of Carausius morosus. 1143

cell growth cycle and moulting cycle in Philosamia cynthia ricini. 3399

control of cuticle decomposition. 2583

effect of antibiotics on metamorphosis and nucleic-acid synthesis in Tenebrio molitor. 4610

effect of exogenous ecdysone on RNA- and protein-synthesis in larval Antheraea pernyi. 5243

effect of JH on cuticle secretion in Tenebrio molitor. 4460

evidence for direct action of ecdysterone on epidermal cells and tracheal epithelium in vitro. 1613

pattern of DNA-synthesis during moultingcycle in Oryzaephilus surinamensis. 242

presence of iridescent virus in larval Aedes stimulans. 5812

role in wound healing in Periplaneta americana.
3857

ultrastructural interrelationships with muscle cells in Apterygota. 4464

ultrastructure of corneagen in lateral eye of Limulus polyphemus. 2601

uptake of haemolymph proteins in 5th-instar Locusta. 652

Epidermoptidae (Arach., Acari), spp parasitic on birds of Queensland, Australia, and key to Australian taxa. 510

Epiechinus (Col., Histeridae), new spp described. 2913

Epigomphus (Odon., Gomphidae), new spp described, 5763

Epilachna varivestris (Col., Coccinellidae), new insecticides for control. 4678

Epilachna vigintioctopunctata,

aestivation and diapause, 173

chemosensory relationship with host-plant. 161

feeding behaviour on Luffa aegyptiaca in relation to light. 1256

respiration and glycogen-content during adult life. 173

Epilampra laevis (Blatt., Blaberidae), type-sp of Calolamproides gen.n. 3756

Epilandex (Derm., Carcinophorinae), comparison

of burri and undulata. 2501

Epilohmannia cylindrica (Arach., Acari, Orihatei), populations of soil at a farm in Giza, Egypt. 6054

Epimastidia celebica sp.n. (Lep., Lycaenidae), described. 1930

Epinota (Lep., Tortricidae), new spp described.

Epinota cedricida sp.n.,

biology in relation to Cedrus in France. 3110 described. 3006

Epinotia solandriana (Hem., Het., Miridae), 7-legged larva. 2673

Epipemphigus imaicus (Hem., Hom., Aphididae), alate vivipara from Himachal Pradesh, India. 4327

Epiphileurus jamaicensis sp.n. (Col., Scarabaeidae), described. 3309

Epiphyas postvittana (Lep., Tortricidae), mating behaviour in relation to pheromone concentration. 734

Epipyropidae (Lep.), 1363 of Spain catalogued. 1363

Episcardia spinfurca sp.n. (Lep., Tineidae), described. 3827

Episcioptera dellabeffai (Lep., Psychidae), cocoon described, ? redescribed and sciopterella syn.n. of. 5074

Episoriculus fumidus (Insectivora), host of
Amorphacarus parvus sp.n. and Protomyobia nodosa sp.n. in Taiwan. 4230

Epistrophe (Dipt., Syrphidae), validity accepted.

Epistrophe balteata, see Syrphus balteatus Episymploce (Blatt., Blattellidae), new spp described. 3756

Episyrphus (Dipt., Syrphidae), validity accepted.

Epitrimerus litseae sp.n. (Arach., Acari, Eriophyoidea), described. 3720

Epitrix (Col., Chrysomelidae), karyotype. 5536 Epitrix cucumeris, control on potatoes by

systemic insecticides and soil fumigation. 4692

Epitrix hirtipennis, organophorus and carbamate insecticides for control. 5355

Epitrix niteus, transferred to Acallepitrix. 4255 Epizeuxis aemula (Lep., Noctuidae), Blattisocius tarsalis associated with. 4022

Eplophorus (Col., Cerambycidae), new spp described. 2899

 $\label{eq:energy_entropy} \mbox{EPN [O-ethyl O-p-nitrophenyl phenylphosphonothioate],}$ 

control of Spodoptera littoralis in Egypt. 5352 toxicity to Anthonomus grandis. 5259

Epoxidase, microsomal epoxidases from Prodenia eridania gut. 220

Epoxidation, of aldrin in larval Prodenia eridania. 220

- Epuraea (Col., Nitidulidae), new spp described and key to corticina group. 2919
- Epuraea distincta, from Hampshire, England. 3246
- Epuraea domina, flower-visiting activity on citrus. 4742
- Epyris (Hym., Bethylidae), American spp revised and new spp described. 1905
- Equus caballus (Perissodactyla) (horse),
  - association of Musca autumnalis with in Montana, USA. 4701
  - cage for confining ticks on. 5089
  - feeding of Simulium on at Darjeeling, India. 4821
  - habits and populations of Tabanus quinquevittatus in relation to in New Jersey, USA. 4853
  - host of Haemaphysalis kitaokai sp.n. in Japan. 4223
  - host of Ixodidae in E. C. Oklahoma, USA. 4775
  - host of Stomoxys calcitrans near California (USA) poultry ranches. 5404
  - incidence of Demodex in eyelids in southwestern USA. 1698
  - primary host of Tabanidae of alluvial and
- estuarine areas of Louisiana, USA. 1262 Erannis (Lep., Geometridae), sex-pheromones of aurantiaria and defoliaria. 218
- Erannis leucophaearia,
  - abundance at Dresden, GDR, in 1921-1966. 4090
  - breeding experiments between nominate, nigricaria and merularia morphs. 5556
- Prebia epipsodea (Lep., Satyridae), population
   structure. 4848
- rectocolliuris (Col., Carabidae), new spp described. 5624
- remiaphila monodi (Mant., Mantidae), permeability of the integument to water and resistance to high temperature. 155
- remicamini (Lep., Symmocidae), new for Romania. 2225
- remobatidae (Arach., Solifugae), metabolic rate in relation to respiratory surface and acclimation. 4503
- repsin, absence from gut in last-instar larva of Eubleme amabilis. 2024
- resina saundersi (Lep., Lycaenidae), 9 described. 1466
- reynetidae (Arach., Acari), new spp from birds of Queensland, Australia. 510
- rgosterol, importance for growth development and reproduction in Xyleborus ferrugineus.
- riaporus (Hym., Pteromalidae), syn.n. of Promuscidea. 2997
- riborus sinicus (Hym., Ichneumonidae), parasitic on eggs and larvae of rice stem-borers on Luzon I., Philippines. 799

- Erichsonius (Col., Staphylinidae), new spp described. 5654
- Ericoliphum holsti 1963 (Hem., Hom., Aphididae), syn.n. of Macrosiphum holsti. 95
- Erigone charitonovi sp.n. (Arach., Aran., Erigonidae), described. 5618
- Erigonidae, see also Micryphantidae new spp from E. and C. Africa. 2470
- Erinaceus europaeus (Insectivora),
  - Acarus nidicolous sp.n. from nests. 3721 behaviour of Hyalomma aegyptium. 4774 host of Archaeopsylla erinacei maura in Pyrénées-Orientales, France. 4942
- Eriocrania semipurpurella (Lep., Eriocraniidae), scanning electron microscopy of wing scales.
- Eriocraniidae (Lep.), 3347, 4461
- Erioischia brassicae (Dipt., Anthomylidae), apparatus for mechanical dispensing of eggs.
  - 3838
    effects of soil treatments of diazinon and
  - chlorfenvinphos on carabid and staphylinid predators, 836
  - food value of plant nectars. 2722
  - nutritive value of carbohydrates and related compounds. 2722
- Eriophyes (Arach., Acari, Eriophyldae), role in transmission of plant viruses. 5440 structure and formation of spermatophore.
- **Eriophyes brevitarsus**, cytology and development of gall on Alnus glutinosa. 4057
- **Eriophyes vitis**, biology and damage to Vitis vinifera. 5427
- Eriophyidae (Arach., Acari),
  - associated with Indodromus meerutensis gen. et sp.n. on Mangifera indica in India. 4231
  - new for Poland. 1825, 1826
  - new records for Brazil and Paraguay. 4204 role in transmission of plant viruses. 5440
  - S. American spp listed, 4204
- Eriophyllum staechadifolium (Compositae), host of Pleotrichoplorus longirostris sp.n. in California, USA. 5691
- Eriophyoidea (Arach., Acari), phylogeny. 4923 Erioptera grandior (Dipt., Tipulidae), new records from Uttar Pradesh, India. 83
- Erioptera squalida, larval structure, respiration and behaviour. 2174
- Eriosoma lanigerum (Hem., Hom., Pemphigidae), effect of integrated control on populations and natural enemies in Ohio, USA, apple orchards. 5461
- Eriosoma ulmi, taxonomy, morphology, biology and ecology in Warszawa, Poland, area. 4039
- Eriozona syrphoides (Dipt., Syrphidae), new for Britain. 1798

Eriphantes telluris gen. et sp.n. (Myriap., Chil., Eriphantidae), described. 5088

Eriphantidae fam.n. (Myriap., Chil.), established.

Eristalinae (Dipt., Syrphidae), structure of of genitalia. 1166

Eristalis (Dipt., Syrphidae), structure of f genitalia. 1166

Eristalis tenax, marking and recapture experiments on migration. 1287

Eristalomyia tenax, see Eristalis tenax

Erithacus rubecola (Aves), Acarus calcarabellus sp.n. from nests. 3721

Erium pygmaeum comb.n. (Hem., Hom., Coccidae), described. 5040

Ernestinia (Siphon., Pygiopsyllidae), differentiated from Muesebeckella gen.n. 1949

Ernothrips (Thysanopt., Thripidae), systematic position discussed. 4404

Erosomyia indica (Dipt., Cecidomyiidae), larval populations in soil at Allahabad, India. 4099

Erotesis baltica (Trich., Leptoceridae), new for Lithuanian SSR. 4197

Erycastus (Col., Tenebrionidae), spp keyed. 1834 Erylus chilensis gen. et sp.n. (Col., Colydidae), described. 4274

Erynetidae (Arach., Acari), spp parasitic on birds of Queensland, Australia, and key to Australian taxa. 510

Eryngium campestre (Umbelliferae), host of Helosiphon eryngii gen. et sp.n. in S. France. 2981

Erysiphaceae (Fungi), food of Thea vigintiduopunctata and Micraspis sedecimpunctata in Switzerland, 1258

Erysiphe spp (Fungi), food of Thea vigintiduopunctata and Micraspis sedecimpunctata in Switzerland, 1258

Erythmelus helopeltidis (Hym., Mymaridae), Ophiomyia lantanae new host for. 3807

Erythmelus spinosus sp.n., described. 3343

Erythraeidae (Arach., Acari), life-histories of Alpine tundra spp. 4730

L-6-(Erythro-1, 3-dihydroxypropyl)-pterin, isolated from of Formica polyctena. 4543

Erythrocruorin, see Haemoglobin

Erythroneura (Hem., Hom., Clcadellidae), new spp described. 5042

Ziczacella subgen.n. established. 5698

Erythroneura dworakowskae sp.n., described. 5698 Erythropterin, effect of atmospheric O<sub>2</sub>-pressure on synthesis in Mylothris. 1583

Esarcinae (Col., Mycetophagidae), Caserus gen.n. assigned to. 42

Esarcus (Col., Mycetophagidae), differentiated from Caserus gen.n. 42

Escherichia coli (Bacteria),

carriage by Alphitobius diaperinus in poultry brooder-house populations, 4520 isolated from gut of Reduvildae, 2005 metathoracid-gland secretion of Myrmicinae antibiotic against. 2647 unaffected by antibacterial compounds of cell-

free pupal haemolymph of Drosophila melanogaster. 1546

Esenbeckia (Dipt., Tabanidae),

Palassomyia subgen.n. established. 545 new taxa described. 544

Eserine, effects on neuromuscular transmission in Blatt., Orth. and Lep. 4467

Esinerus refractarius gen. et sp.n. (Hem., Het. Lygaeidae), described. 994

Esterases,

effect of ageing on multiple molecular forms i Periplaneta americana. 4530

effect of CA and CC hormones on non-specific esterase activity in adult Pyrrhocoris apterus. 654

genetics of activity in larval Anopheles stephe si. 879

genetics of esterase 6 in Aedes aegypti. 2185 inhibition by phosphoric acid esters and carbamates in Tetranychus. 5904

inhibition in malathion poisoning in Schistocero gregaria. 3931

involved in malathion resistance in Laodelpha: striatellus. 6100

isozymes of Italian and Rhodesian strains of Aedes vittatus and hybrids. 1560

linkage disequilibrium of isozyme alleles in Drosophila virilis populations. 375

location of lysosomal non-specific esterase activity in eyes of Mitopus morio. 3893 of Musca domestica strains susceptible and

resistant to organophosphates. 3961 of natural populations of Pogonomyrmex

of natural populations of Pogonomyrmex barbatus in Texas, USA, 2831 phenotypic changes in esterase pattern during

metamorphosis in Drosophila immigrans.

polymorphism for proteins and esterase in Apis mellifera ligustica. 903

present in haemolymph of larval and pupal Pieris brassicae. 1096

recovery in organophosphate-treated Musca domestica, 5905

relation of total activity to isozyme pattern in Drosophila virilis. 201

soluble esterases from thoracic muscle of Periplaneta americana. 4528

synthesis and secretion of midgut esterases in adult \$\graphi\$ Blatta orientalis with regard to neurosecretion, 4522

system for biochemical characterization of individuals and populations. 4528

tissue distribution of phosphomonesterases in Schistocerca gregaria. 4535

variation at 2 esterase loci in a Greek population of Dacus oleae. 3219

variations in isozyme pattern in Culex pipiens

sterases, contd.

fatigans. 2020

stigmene acrea (Lep., Arctiidae),

lack of anticomplementary activity in haemolymph. 2613

monoglyceride lipase activity in flight-muscle. 1128

new host for Hyposoter pilosulus. 5412

parasitization of eggs by Trichogramma minutum in the laboratory. 3154

tazeta aeneicolor (Col., Tenebrionidae), removed from Lupropini to Goniaderini. 2928

killing agent for spores of Nosema algerae

attacking Anopheles stephensis. 5101

effects on toxicity of overcrowding factors from larval Culicidae. 4843

use for disruption of cytoplasmic polyhedrosis virus of Malacosoma distria. 5104

thanolamine,

ovicidal effect in Aedes aegypti. 2685 presence in haemolymph of Apis mellifera. 5226

thion, use for control of Neoschoengastia americana on turkeys. 5348

thion Superior oll, use for control of Phylloxera vitifoliae in Ontario, Canada. 4677

thionine, effects on development of wild-type and mutant Drosophila, 699

thiopia,

affinities of Scolopendromorpha of Eritrea with those of Sudan. 1383

Chilopoda from Eritrea. 1383

distribution and ecology of Isoptera. 4858 mortality factors in a population of Schistocerca gregaria. 2155

new Braconidae from. 103

new Carabidae from. 5629, 5630

new Cerambycidae from, 3300

new Cercopidae from. 3336

new Eulophidae from. 1451

new Piesmatidae from. 996

new Pselaphidae from. 4281

new Reduviidae from. 997

new Scarabaeidae from. 1851

Piesmatidae new for. 996

hiopian Region,

Asilidae of Congo Basin reviewed. 4295

bibliography of Empididae. 3772

checklist of Cerceris. 5061

descriptions of larvae and pupae of aquatic Coleoptera amended, 3036

first find of Nesolestes outside Madagascar. 5085

first record of Stygnocorisella. 993

genera and subgenera of Anthidiinae. 5734 geographical composition of aquatic Coleoptera. 3274

geographical distribution of damage potential of Schistocerca gregaria. 3157

key to Asilidae of Congo Basin. 4295

key to Hirstionyssus spp. 2459

key to Osoriinae. 3312

key to subfamilies and genera of Empididae.

Macrocerca revised. 5671

Mioxena and Styloctetor new for. 2470

new Asilidae from Congo Basin. 4295

new Ereynetidae from. 2885

new Miridae from. 2513

new Mycetophilidae from. 5671

new Mymaridae from. 3807

new records of termitophilous Staphylinidae. 4287

new Syrphidae from. 1881

Rhopalocera from E. Africa. 4198

Rhopalocera new for E. Africa. 4198

subfamilies, genera and spp of Amblypygi keyed. 2877

Ethmia (Lep., Ethmidae), of Afghanistan revised and new taxa described, 4367

Ethmia shensicola sp.n., described. 3348

Ethmiidae (Lep.), 3348, 4367

Ethyl methane sulphonate,

chemosterilant in Faracon hebetor. 258 comparison of mutations induced by EMS and X-rays in Drosophila melanogaster. 400

effect of storing spermatozoa of Drosophila melanogaster on mutagenicity. 3222

effect on Drosophila melanogaster showing "pn/K-pn" interaction. 1769

effect on mutational response of spermatozoa after storage. 394

induction of sex-linked neurological mutants in Drosophila melanogaster. 1767

mechanism of EMS-induced mutations observed in mosaics of Drosophila melanogaster, 4900

mechanism of induction of complete 'dumpy' mutants in Drosophila. 899

mutagenicity for pre-mieotic of germ-cells in Bombyx mori, 3668

mutagenicity in Bombyx mori. 3663

production of nutritional conditional mutants in Drosophila melanogaster. 897

storage effect on dominant lethals in

Drosophila melanogaster. 4156

Ethyldimethyl-(2-hydroxymethyl) ammonium,

compound as adequate substitute for choline in larval Musca domestica. 3933

Ethylene chlorobromide, use as fumigant for control of Rhagoletis pomonella and Rh. mendax larvae in apple. 5339

Ethylene dibromide, use as fumigant for control of Rhagoletis pomonella and Rh. mendax larvae in apple. 5339

Ethyleneimine,

effects on mutational response of spermatozoa after storage. 394

Ethyleneimine, contd.

storage effect on dominant lethals in Drosophila melanogaster. 4156

Ethylmercuric phosphate, causing termination of diapause in Atrachya menestriesi eggs. 2066

Eubaeocera (Col., Scaphidiidae),

new taxa described, 3748 Scaphosoma subaeneum transferred to, 3308 taxa from Baeocera and Scaphischema transferred to, 3748

Eublemma amabilis (Lep., Noctuidae), digestive enzymes of last-instar larva. 2024

Eublemma guiera sp.n., described. 571

Eublemma parva, egg and larva described. 5142 Euborellia (Derm., Carcinophoridae), notes on plebeja and annulipes. 54

Euborellia annulipes, occurrence on Galápagos Is. 2194

Eubrianax mirei sp.n. (Col., Eubriidae), described. 5644

Eubriidae (Col.), 3036, 5644

Eucallipterus tiliae (Hem., Hom., Callaphididae), energetics of honeydew production. 2727

Eucalyptus (Myrtaceae),

biology of Paropsis charybdis in relation to in New Zealand. 3553

biology of Perthida glyphopa in relation to. 5464 host-selection by Cardiaspina densitexta. 5362

Eucalyptus marginata, biology of Perthida glyphopa in relation to. 5464

Eucapnopsis stigmaticotransversa (Plec., Capnidae), description expanded. 1481

Eucarabus conciliator hokkaidensis (Col., Carabidae), abnormalities of legs and antennae. 5918

Eucafcellia rutilla (Dipt., Tachinidae), factors affecting host-selection and larval survival. 1265

Eucatops (Col., Leiodidae), morphology and distributions of curvipes and oblongus, 22

Eucelatoria armigera (Dipt., Tachinidae), bionomics in relation to Heliothis. 1631 parasitic on Heliothis zea larvae infesting Zea mays tassels in S. California, USA. 5420

Euchalcia stilpna sp.n. (Lep., Noctuidae), described. 4380

Euchloe (Lep., Pieridae), phenology, ecology and N. American distribution. 4117

Euchloron mefaera serral subsp.n. (Lep., Sphingidae), described. 5746

Euchorthippus pulvinatus (Orth., Acrididae), containing planidia of Perilampus sp. 316 host of Acemyia rufitibia in France. 443

Eucinetidae (Col.), 1804

Eucinetus meridionalis (Col., Eucinetidae), new for Britain. 1804

Eucnemidae (Col.), 36, 452, 464, 5660 from Congo-Brazzaville. 5660

of S. Italy. 464

Eucoilinae (Hym., Cynipidae), parasitic on Melanagromyza spencerella sp.n. in E. Africa. 2502

Eucolliuris aethiopica (Col., Carabidae), redescribed. 5624

Eucosma? cana (Lep., Olethreutidae), on Cirsium vulgare, 326

Eucosma leucaspis, lectotype designated. 5760 Eucosma monitorana,

bionomics in relation to red pine in Wisconsin, USA. 2762

larvae parasitized by Apanteles sp. 2762

Eucos ma rescissoriana, parasites associated with Pinus monticola in N. Idaho, USA. 2531

Eucos ma rhodantha, transferred to Rhodonympha gen.n. 122

Eucosma schistaceana, analysis of sterility induced in male pupae by γ-irradiation. 1190

Eucosma sparactis, transferred to Brachioxena gen.n. 122

Eucosma tetrakove, transferred to Eurydoxa. 576. Eucosmidae, see Olethreutidae and Tortricidae

Eucosmini (Lep., Olethreutidae), new spp and subspp described. 1021

Eucricotopus sylvestris thermicola (Dipt., Chironomidae), occurrence in thermal waters in Iceland. 4823

Eucta (Arach., Aran., Tetragnathidae), predator of Leptocorisa oratorius in Sarawak. 4103

Eucta kaestneri, new for Romania. 2198

Eucyphonia (Hem., Hom., Membracidae), subgen n. established in Cyphonia. 562

Euderces (Col., Cerambycidae), new spp described and key to spp. 2899

Eugalta (Hym., Ichneumonidae), distinct from Pseudeugalta. 1453

Eugamasus butleri (Arach., Acari), syn.n. of Parasitus burchanensis. 4974

Eugenia (Myrtaceae), Idiophantis eugenia sp.n. bred from galls in New Ireland. 1463

Eugenol, attractant for Popillia japonica in combination with geraniol, phenol butyrate and phenyl isovalerate. 4685

Eugenol + naled, use in conjunction with sterile-male release for eradication of Dacu dorsalis from Mariana Is., Pacific Ocean. 4832

Euglossa (Hym., Apidae), species diversity, relative abundance and geographical replace ment in C. Panama. 2811

Euglossella s.str. (Hym., Apidae), of C. America revised and new spp described. 509

Eugraphe subrosea (Lep., Noctuidae), distribution in C. Europe and new record from Bohemia.

Euhydatothrips okwakpani sp.n. (Thysanopt., Thripidae), described. 4403

Eukiefferiella claripennis comb.n. (Dipt... Chironomidae), lectotype designation, 5669 Eukoebelea (Hym., Torymidae), from Ficus

gnaphalocarpa. 2128

Eukoenenia mirabilis (Arach., Palpigradi). structure of mouthparts. 2581

Eulachnus thunbergii (Hem., Hom., Aphididae), new for India. 496

Eulaelaps novus (Arach., Acari). Apodemus sylvaticus new host. 2746

Eulagius (Col., Mycetophagidae). Caserus gen.n. differentiated from, 42

Eulohmannia sp (Arach., Acari, Oribatei), populations at a farm at Giza, Egypt. 6054 Eulophidae (Hym.),

> 319, 497, 792, 798, 799, 830, 901, 1274, 1451, 1674, 1694, 2115, 3152, 3480, 3596, 4055, 4101, 4123, 4161, 4350, 4741, 4778, 4779, 4841, 5049, 5324, 5331, 5368, 5498,

> 5717, 5724, 5725, 6005, 6011, 6034, 6038, 6045, 6047

parasitic on Dasineura balsamicola in Maine, USA. 4786

Eumastacidae (Orth.),

581, 1478, 1781, 1982, 2031, 3011, 3899, 4393, 5524, 6075

absence of tympanal organ, 3899

karyotypes and meiosis in spp from E. Africa, Madagascar, India and S. America. 6075

Eumenes spp (Hym., Eumenidae), transferred to Omicron, 3346

Eumenes papillarius, nests attacked by Monodontomerus obscurus. 5409

Eumenes unguiculus, larval mouthparts, 1977 Eumenidae (Hym.),

461, 1005, 1799, 1977, 3339, 3346, 3801, 4351

from Canet de Mar, Barcelona Province, Spain.

generic names of De Saussure declared available, 3801

Eumerus strigatus (Dipt., Syrphidae), life-history and control. 291

pharyngeal grinding-mill of larva. 2010

Eumicromus paganus (Neur., Hemerobiidae), behaviour. 3701

Eumolpinae (Col., Chrysomelidae), from New Guinea, 1408

Eunicolina nova (Arach., Acari, Nicoletiellidae), type-sp of Grandjeanellina gen.n. 2461

Euodynerus Dalla Torre (Hym., Eumenidae), declared as available name. 3801

Euopius (Hym., Braconidae), new spp described and spp keyed. 102

Euoxycarenus subgen.n. (Het., Lygaeidae), established in Oxycarenus. 4318

Euparagonus (Col., Staphylinidae), new spp described. 5653

Euparia (Col., Scarabaeidae), new spp from New Guinea described and spp of Australian

Region keyed. 4259

Eupatorium cannabinum (Compositae), nectar source for adult Aedes dorsalis. 3128

Eupatorium perfoliatum, Insecta associated with in Byron Bog, S. W. Ontario, Canada. 3160

Eupelmidae (Hym.), 2754, 2992, 4937, 5445 Eupelmus (Hym., Eupelmidae), spp new for Britain, 4937

Eupelmus sp. parasitic on pupae of Rhopolophora rugicollis, 5445

Eupelops (Arach., Acari, Oribatei), new taxa described, 3723

Euphaedra (Lep., Nymphalidae), behaviour in relation to temperature, age and light, 5846

Euphaedra neophron subsp.n., described. 4381 Euphaeidae (Odon.), types in British Museum (Natural History), London, England. 1943

Euphthiracarus, spp new for Romania. 2463

Euphthiracarus antipai sp.n. (Arach., Acari, Oribatei), described, 2463

Euphydryas anicia (Lep., Nymphalidae), chromosome numbers of male. 866

Euphydryas editha, oviposition behaviour. 735 Eupithecia groenblomi sp.n. (Lep., Geometridae), described, 1933

Eupithecia phoeniceata, new for Dorset, England.

Eupithecia szelenyii sp.n., described. 1465 Euploea core corinna (Lep., Nymphalidae), new for Lord Howe I., Australia. 4925

Eupoecilia (Lep., Cochylidae), new spp described. 119

Eupogonomyia sp (Dipt., Muscidae), prey of Lasiopogon polensis sp.n. in Wyoming, USA. 2939

Euprepocnemis plorans (Orth., Acrididae), dispersal. 6021

Eupsilia satellitia (Lep., Noctuidae), host of Microplitis naenia sp.n. in England. 5052

Eupteryx (Hem., Hom., Cicadellidae),

differentiated from Wagneriunia gen.n. and Almunisna gen.n. 1894

populations on Humulus lupulus at Aschersleben, GDR, and host-plant suitability. 327

Eupteryx haematoptilus, transferred to Homa.

Eupteryx melissae, directional control of stylets. 4758

Eupteryx sanguinolenta, type sp of Britimnathista gen.n. 5693

Eupulvinaria hydrangeae (Hem., Hom., Coccidae), biology of male in S. W. France. 3126

Eurema droma australis (Lep., Pieridae), new for

Lord Howe I., Australia. 4925 Eurema frieda sp.n., described. 3823

Eurema salome, new for Texas, USA. 3704

Eurhadina (Hem., Hom., Cicadellidae), key to Palaearctic and Oriental spp. 2985

Eurhodope legatella (Lep., Phycitidae), host range, feeding and phenology in relation Eurhodope legatella (Lep., Phycitidae), contd. to Rhamnaceae in Europe. 3591

Euriba quadrifasciata (Dipt., Tephritidae), control of weed Compositae in Hungary. 6014

Euripersia mongolica sp.n. (Hem., Hom., Pseudococcidae), described. 5041

Europe,

Acaudinum of. 3332

Amonostherium in the W. Mediterranean Basin, 2977

Athalia reviewed, 3000

attempts to establish breeding populations of Lep. in cities. 1713

bibliography of "Collection .... des Chenilles d'Europe" (1832-1837) of Boisduval et al.

bibliography of 'Icones Historiques des Lépidoptères d'Europe" (1832-1841) of Boisduval, 4209

bio-ecological races of Reticulitermes flavipes in Europe, 6066

biological evaluation of 5 European cultures of Anaphes flavipes. 5363

biology and larval morphology of C. European Cymindis. 139

Chamaemyia 'polystigma' of America and Europe probably not identical, 4658

Chionea and Niphadobata of S. and C. Europe revised. 2959

comparative genetics of Drosophila melanogaster populations in European and Neotropical environments. 2854

developmental biology of C. European Clytrinae and Cryptocephalinae. 4030

Diamesini new for, 4189

dispersal of Argas streptopelia sp.n. on avian hosts. 4220

distribution of Agrion ornatum. 3038

distribution of Drosophila picta. 3130

distribution of Fugraphe subrosea in C. Europe. 455

distribution of Orthops coccineus stat.n. in C. Europe, 3327

distribution of Psilococcus parvus, 2713 distribution of Reticulitermes. 6066

eggs of C. European Coccinellidae described

and keyed, 141 Haematopota of N. Europe revised and keyed.

host ranges, feeding sites and phenology of Insecta associated with European Rhamnaceae.

insect parasites of insect gall-formers. 2118

key to Chymomyza. 5975

key to Coleoptera and Strepsiptera. 5608

key to Encyrtus, 3799

key to larvae of C. European Lamiinae and summary of the biology. 4440

key to N. European larvae of Corixidae. 2577

key to Orthops. 3327

larval stages described for 5 spp of Ichneumonidae. 4438

Lepidoptera new for. 2223

Malacodermata of the Carpathian Basin, 1368 Megadontus violaceus group revised. 4264

Microplitis of N. W. Europe revised. 5052 Nanophyes telephii new for C. Europe. 5569

Nearctaphis bakeri spreading rapidly. 3333

Nemila revised. 4247

new Agromyzidae from. 5022

new Aphididae from. 3332

new Araneae from C. Europe. 4246

new Chironomidae from W. Europe. 2504

new Empididae from C. Europe. 538

new Encyrtidae from. 105

new Entomobryidae from. 983

new Leiobunidae from S. Europe. 4247

new Pseudomenoponidae from. 4387

new Scelionidae from W. Europe. 5716

new Tenthredinidae from. 3000

new Thaumaleidae from C. Europe. 2958

Neuroptera of C. Europe. 5590

notes and new synonomy for European genera of Encyrtidae. 3799

Pachybrachis revised. 5636

population changes in Nymphalis antiopa in relation to migration. 6024

Pseudomenopon revised, 4387

Pteromalidae of N. W. Europe reviewed. 5059

Rheocricotopus revised. 3317

Scheloribatidae discussed, 4236

Sialis of C. Europe reviewed and keyed. 3354 structure of tick-borne encephalitis foci in C. Europe. 5509

Thaumaleidae of Alps and Carpathians. 2958 Utamphorophora new for. 3786

Veliidae occurring in Carpathian Basin, 1376 zoogeography of ichneumonid genera with 1 or 2 spp in Europe. 4193

European chafer, see Amphimallon majalis European foulbrood, effect on haemolymph proteins of Apis mellifera. 3911

European rabbit flea, see Spilopsyllus cuniculi European pine sawfly, see Diprion pini

European spruce sawfly, see Pristiphora polyto mus

Europiella (Hem., Het., Miridae), new spp described. 4320

Eurosta solidaginis (Dipt., Tephritidae). gallformation in Solidago canadensis by butanol extracts. 3584

Eurybrachidae (Hem., Hom.), 1003, 1899

Eurycoccus monodi sp.n. (Hem., Hom., Pseudococcidae), described. 1004

Eurydoxa (Lep., Tortricidae), distinct from Cerace. 5761

Eurygaster integriceps (Hem., Het., Scutelleridae), brain neurosecretion in relation to activity and temperature. 5193

effect of submersion of eggs on embryonic

Eurygaster integriceps (Hem., Het., Scutelleridae), contd.

viability. 5295

laboratory production of 3rd generation of Clytomyia helluo, 5386

population dynamics in relation to overwintering and spring insecticide treatments. 5505 proteolytic activity of saliva on wheat. 210 ultrastructure of gland cells of CA. 5894

Eurygeniidae (Col.), reduced to subfamily of Anthicidae, 4988

Euryglossa (Hym., Colletidae), subgenus Xenohesma revised and new spp described. 1917

Euryglossa clypearis, of described for first time.

Euryglossina (Hym., Colletidae), new spp described. 4348

Euryglossina argocephala, of described for first time. 4348

Euryglossula flava (Hym., Colletidae), distribution extended. 3798

Euryglossula variepicta sp.n., described and key to spp. 3798

Eurymelidae (Hem., Hom.), endosymbionts and their transmission, 4053

Eurynotia (Col., Curculionidae), revalidated. 2906 Euryopis margaritata (Arach., Aran.), redescribed.

Eurytenes (Hym., Braconidae), from Agromyzidae and Ephydridae in Poland. 4936

Eurytides marcellus (Lep., Papilionidae), osmeterial secretion of larva, 4749

Eurytoma (Hym., Eurytomidae), new spp described. 3802, 4353

Eurytoma cleri, tomici and phloeotribi redescribed, 4353

Eurytoma conica, biology in relation to Ips spp in in Virginia, USA, 4733

**Eurytoma harmolitarum,** phenology in relation to Stipa pennata in Hungary. 5717

Eurytoma martellii, biology, population dynamics and immature stages. 3114

Eurytoma pachyneuron, infesting pines and other forest trees in California, USA. 810

Eurytoma sabiae sp.n., described. 4352

Eurytoma sciromantis, winter inhabitant of Cronartium fusiforme cankers. 4065

**Furytoma tibialis**, parasitic on Urophora stylata on Cirsium vulgare. 326

Eurytoma tumoris,

infesting pines and other forest trees in California, USA. 810

morphological differences in larvae infecting Pinus sylvestris and P. coulteri. 810

Eurytomidae (Hym.),

106, 1962, 3114, 3802, 4065, 4352, 4353, 4733, 5717

diagnosis amended. 106 infestations of pine and other forest

trees in California, USA, 810

Euryurus erythropygus (Myriap., Diplop., Eurydesmidae), tolerance to desiccation. 4558

Eusarcosis fabricii (Hem., Het., Pentatomidae), parasitism of Gymnosoma intermedia. 3529

Euscelidius variegatus (Hem., Hom., Cicadellidae), tissue and cell lesions in animals infected with clover phyllody mycoplasma, 806

Euscelis lineolatus (Hem., Hom., Cicadellidae), histopathology of anterior midgut following mycoplasm ingestion. 3920

Euscelis plebejus.

differences among symbiotic bacteria. 3918 infection of mycetocytes with symbiotic bacteria in vitro. 3918

 $\begin{tabular}{ll} my cetome development in a posymbiotic eggs. \\ 310 \end{tabular}$ 

pathology of clover phyllody mycoplasma infection. 806

ultrastructure and differentiation of migrant symbionts. 3142

ultrastructure of intracellular symbionts in embryos. 1693

Euscorpius carpathicus (Arach., Scorp.), absence of tryptophan oxidation via glutarate pathway. 657

possible presence of glutarate pathway of tryptophan oxidation. 657

ultrastructure of nerve sheath. 1989

Eusimulium (Dipt., Simuliidae), descriptions completed for carthusiense and rubzorianum, 468

Eusparassidae (Arach., Aran.), notes on New Guinea spp. 502

Eustephenodes missionicus gen. et sp.n. (Hym., Mymaridae), described. 1007

Eusthenarina (Hem., Het., Tessaratomidae), Aurungabada transferred to. 88

Eutalpacarus (Arach., Acari, Myobiidae), redefined. 4230

Eutamias (Rodentia),

host-feeding associations with Aedes cinereus in Wisconsin, USA. 4752

reservoir for tick-borne relapsing fever agent in Washington, USA. 2756

Eutetranychus banksi (Arach., Acari, Tetranychidae), effects of windbreaks on abundance in Texas, USA, citrus groves. 4837

Eutetranychus orientalis.

indirect effects of phosphorus acaricides. 6035 population changes on orange in response to cessation of spraying. 2807 suitability as diet for Amblyseius chilenensis

and A. hibisci. 5313

Eutheia (Col., Scydmaenidae), from Britain. 1803
Euthypoda acutipennis (Orth., Tettigoniidae),
biology. 4717

Euthyrachis sp (Orth., Phaneropteridae), reproductive morphology and biology. 3103 Euthystira brachyptera (Orth., Acrididae), songs

and auditory system. 2044

Eutrichapion (Col., Curculionidae), development in hymenopteran and curculionid galls. 4047

Eutrichosiphum assamense sp.n. (Hem., Hom., Aphididae), described. 2979

Euura (Hym., Tenthredinidae),

biology in California, USA. 3538 larvae characterized. 3538 ovipositor structure. 3538

parasitoid and inquiline complexes. 3538 **Euura sp.** new spp of Eurytoma from galls. 4353

Euussuria shutovae (Hym., Chalcididae), parasitic on Quadraspidiotus perniciosus on Sakhalin, USSR. 1289

Euxanthe eurinome (Lep., Nymphalidae), new forms described, 4381

Euxanthellus sp (Hym., Aphelinidae), hyperparasitic on Tetrastichus flavigaster. 4741

Euxanthis (Lep., Cochylidae), spp transferred to Eupoecilia. 119

Euxesta (Dipt., Otitidae), new synonymy. 4307 Euxoa (Lep., Noctuidae),

new subgenera established. 5752 revision of N. American subgenera. 5752

Euxoa distinguenda, new for Puy-de-Dôme area, France. 5753

Euxoa distinguenda arvernensis subsp.n., described. 5753

Euxoa edictalis, new for California, USA, and colour forms there. 4202

Euxoa extranea, new for California, USA, and colour forms there. 4202

**Buxoa** ipsilon, migration studies experimentally. 1287

Euxoa messorla, toxicity of insecticides applied as soil treatment or stomach poisons. 5182

Euxoa ochrogaster, biology and ecology. 4034

Euxoa segetum, ecology in India. 285 Euxoa tristicula, biology. 2701

Euxoa wertesta, new for Nevada and California, USA, and colour forms there, 4202

Evansolaelaps gen. n. (Arach., Acari, Laelapidae), established. 2884

Evetria cristata (Lep., Olethreutidae),

host of Itoplectis cristata in Japan. 276 population fluctuations in relation to parasitism in Japan. 3596

Evolution,

adaptations for feeding in larval and adult Cleroidea. 4985

adaptations to parasitism in Trichogramma.  $5407\,$ 

adaptations to life in torrential streams. 3200 adaptive features of stream insects. 5482 adaptive polymorphism of behaviour in laboratory populations of Drosophila willistoni. 5553

adaptive significance of extension of adult longevity in Pseudoscorpiones. 4854 adaptive significance of melanin variation in

daptive significance of melanin variation in Colias eurytheme. 3226

adaptive value of differences between forest and field Carabidae. 1234

among eastern N. American Tabanidae. 5680 among Hydracarina. 1299

and ecology of cave-dwelling Arthropoda. 3605 and trophallaxis in Formicidae. 3636

behavioural and morphological adaptations in Asilidae. 1716

by hybridization in the Utetheisa ornatrix complex in Caribbean and South-Central USA. 930

chromosome evolution in Formicidae. 4890 co-evolution and integration between Nasonia vitripennis and Lucilia sericata in the laboratory. 4922

concomitant evolution of colour-vision in Apoidea and corolla colour in plants. 1073 correlation of DNA-content with evolutionary

level. 2183

dominance of viability polygenes in populations of Drosophila melanogaster. 4178

effect of sperm competition in Scatophaga stercoraria. 5951

evidence of common origin for populations of Teleogryllus commodus in Australia and New Zealand. 867

factors determining rates of fitness evolution in laboratory populations of Drosophila pseudoobscura. 3680

glandular adaptations of termitophilous Staphylinidae. 531

in Acari. 5531

in Acerentomoidea and Eosentomoidea. 128

in Aedes terrens group. 3766

in Arrenurus agrionicolus and A. mitoensis.

in cave-dwelling Phaeophilacris. 363

in Dermanyssidae. 510

in Embioptera. 5033

in Ischyropsalis. 3728

in Moraba viatica populations on Kangaroo I., Australia. 1781

in Orthoptera. 150

in Palaearctic Tryphon. 1454

in Phytoliriomyza and Phytomyza. 1421

in Pseudosinella violenta and Ps. hirsuta. 2858

in Rhyacophilidae. 5774

in the semi-spp of Drosophila paulistorum, 1354 insect mimicry in relation to selection, 5554 isolation mechanisms between closely related

spp of Myzus. 932

karyotype evolution in Odonata. 929 microevolution within Drosophila. 1790

model for evolution of holometabolous development in spatially heterogeneous

### Evolution, contd.

environments. 1358

morphology of external genitalia in Hymenoptera. 3473

nature and role of adaptation. 948

of abdominal spiracles in adult Scarabaeoidea. 640

of adaptation of populations. 922

of aedeagus and prepuce within Blaberus. 2936

of Australasian Blepharoceridae, 3758

of blind gut in Trombiculidae. 3917

of centromere in insects. 1751

of corneal surface topography in Insecta. 4484

of defence behaviour in Panamanian Orthopteroidea, 5390

of DNA in insects. 4894

of dominance in mimetic systems. 1788

of egg-parasitic habit in Insecta. 5407

of Elateridae at the larval level. 1360

of eusocial behaviour in Apoidea, 1317

of food-habits in Curculionidae. 4047

of haemoglobins in Chironomus. 5557

of hymenopteran proboscis. 1977

of karyotypes in Eumastacidae. 6075

of karyotypes in Gomphidae, 912

of karyotypes in Halticinae, 5536

of karyotypes in Sciomyzidae. 3206

of karyotypes in Tetranychidae, 4146

of of genitalia in Siphonaptera. 4591

of methods of spermatophore formation in Pterygota. 3968

of migratory habit in Lepidoptera. 2131

of nest architecture and social behaviour in Halictidae. 2169

of parasite-host interactions, 4792

of parasitic habit in calyptrate Diptera. 2758

of plastron in Coleoptera, 1999

of plastron-respiration in insect eggs. 1089

of prosternal shape in Aclaypterae, 5146

of protandry in plants in relation to insect pollination, 2123

of Quaternary insects. 4955

of reproduction in Blattodea. 5269

of Scelionidae. 5060

of semi-incompatibility system in Pissodes. 905

of seminal receptacle in orthopteroid orders. 3472

of sense-organs in relation to geotaxis in Pterygota. 4495

of sex-dimorphism in diurnal rhythms of insects. 3557

of sound-production mechanisms in Orthoptera. 5086

of swarming and mating in Diptera. 1225

of thoracic spiracles in adult Scarabaeoidea. 2001

of wing-reduction in Tipulidae. 931

parallel inversion polymorphisms in

Drosophila grimshawi subgroup, 1348 radiation of Diplocolenus, 3691

rate of evolution in laboratory populations of Drosophila pseudoobscura. 3688

rate of fitness evolution in X-irradiated laboratory populations of Drosophila birchii.

relationships within Aphytis. 5720

selection in relation to fertilization rate in Scatophaga stercoraria. 3532

significance of apparent intersexes in Scatophaga stercoraria. 5325

significance of power of dispersal for carabid populations. 5457

social inhibition in evolution of social system operated through caste differentiation. 848

social level of Evylaeus nigripes. 4127 speciation and ecology in African Simuliidae.

1356
speciation via sympatric host-race formation in

Rhagoletis. 933

trends in larvae of Baëtidae and Siphlaenigmatidae. 4184

ultrastructure of gill-bearing muscles of larval Ecdyonurus helveticus and Baëtis rhodani in relation to ephemeropteran evolution, 5834

within Coecopria gen.n. 2989

within Ptomaphaginini. 2483

within Rhagoletis pomonella complex. 991

Evylaeus (Hym., Halictidae), evolutionary status in Halictidae. 2169

Evylaeus nigripes, life-cycle, social level and parasites. 4127

Ewingia cenobitae (Arach., Acari, Sarcoptiformes), larval and adult stages described. 3282

Exallandra gen.n. (Dipt., Syrphidae), established.

### Excretion.

carboxyl inulin not excreted in Locusta migratoria migratorioides. 2610

cryptonephridial system of Lytta nuttalli. 5220 effects of CC. 5898

energetics of honeydew production in Eucallipterus tiliae. 2727

evidence for diuretic and antidiuretic hormones in Schistocerca gregaria and Locusta migratoria, 4560

hormonal control in Carausius morosus. 5859

in Aulacophora foveicollis in relation to feeding and temperature. 3448

in Calliphora erythrocephala. 2035

in Periplaneta americana following dehydration and rehydration. 4559

ion and water movements in Malpighian tubules of Rhodnius prolixus, 1108

morphology of Malphighian tubules in Aulacophora foveicollis. 2621

nitrogen excretion during egg maturation in Culex pipiens. 726

of African swine fever virus by Ornithodoros moubata. 3147

# Excretion, contd.

- of carbohydrates and nitrogen compounds in honeydew of Lipaphis erysimi. 5858
- of dieldrin with faeces in Hermannia convexa. 5892
- of honeydew in Ceroplastes pseudoceriferus. 2008
- of <sup>65</sup>Zn in relation to re-ingestion of faeces in Popilius disjunction and Cryptocercus punctulatus. 4565
- possible presence of bronchosomes in atmospheric aerosol at Harwell, England. 2619, 2620
- possible retention of diuretic factor in brain of Melanoplus sanguinipes under salt stress. 1055
- products of fenazaflor metabolism in Musca domestica. 5240
- propolis as excretory product of pollen digestion in Apis mellifera. 5219
- relation of excretory tubule to gut in Acari. 3917
- schizeckenosy in Blankaartia acuscutellaris and Trombidiformes, 180
- via coxal organ in Ornithodoros in relation to ultrastructure. 1107
- ultrastructure and function of Malpighian tubules in Drosophila melanogaster, 3446 ultrastructure and function of maxillary neph-
- ridia in Scutigerella immaculata. 3447 Exechiopsis davatchii sp.n. (Dipt., Myceto-
- philidae), described. 67 Exenterus amictorius (Hym., Ichneumonidae),
  - establishment as major parasite of Diprion similis in Wisconsin, USA. 794
- Exenterus canadensis, spatial and temporal coincidence with Neodiprion sertifer. 1270
- Exeristes arundinis (Hym., Ichneumonidae), parasitic on larval Lipara lucens, 4820
- Exeristes comstockli, parasitic on Laspeyresia pseudotsugae sp.n. in Canada. 1468
- Exeristes gracilis, syn.n. of Afrephialtes laetiventris. 2994
- Exeristes roborator, probable parasite of Ulobaris Ioricata in Romania. 2098
- Exeristes sauteri, syn.n. of Afrephialtes latisulcatus, 2994
- Exeristes tibialis, syn.n. of Afrephialtes latiannulatus. 2994
- Exocentrus unialbovittatus sp.n. (Col., Cerambycidae), described. 524
- Exocentrus unifuscoplagiatus sp.n., described. 3737
- Exochomus (Col., Coccinellidae), larva contrasted with those of Brumus and Chilocorus. 5638
- Exochus bolivari (Hym., Ichneumonidae), of described. 110
- Exopetalium longepilosum (Col., Anobiidae) sp.n., described. 17

- Exoprosopa (Dipt., Bombyliidae),
  - new spp described. 4297 punctipennis and insularis redescribed. 4296 structure of seminal receptable. 5910
- Exorista nr. larvarum (Dipt., Tachinidae), parasitic on Spodoptera littoralis in Israel. 5418
- Exoteleia burkei (Lep., Gelechiidae), presence in Sierra Nevada, California. 2242
- Extenders, use with aerial sprays of lure for control of d'Dacus cucurbitae and Ceratitis capitata in Hawaii. 4686
- Extramorphus gen.n. (Hom., Het., Lygaeidae), established. 2969
- Exyra rindingsi (Lep., Noctuidae), disturbance behaviour in daytime. 4032
- Eyes,
  - analysis of a recessive eye-colour mutation on Y-chromosome of Calliphora erythrocephala, 1340
  - analysis of 'maroon-like' mutations in Drosophila melanogaster, 1759
  - analysis of optic cells of retina in Tettigonia autans and Gryllus bimaculatus. 162
  - anatomy of compound eye in Zygentoma. 5841 anatomy of fovea in Stagmatophora biocellata. 3895
  - bases for exact description of compound eyes of insects, 3886
  - ·biochemical basis of eye-colour mutations of Apis mellifera. 1582
  - cell degeneration in development of 'eyeless' mutants of Drosophila melanogaster. 230
  - centring of prey by means of fovea in Stagmatophora biocellata. 3896
  - colour mutants among Calyptrata. 4162
  - colour receptors in compound eye of Colias eurythema. 2596
  - colour vision and physiology of superposition eye in Epargyreus clarus. 628
  - comparative ultrastructure of corneal surface topography in Insecta with reference to phylogeny and function, 4484
  - comparison of electroretinogram between insect spp. 2598
  - compound eyes not required for circadian rhythmicity of oviposition in Chorthippus curtipennis. 5310
  - correlation between eye size, eye pigment quantity and eye pigment-granule size in Drosophila melanogaster, 4901
  - differences in size of eyes between Drosophila pseudoobscura populations selected for opposite geotaxes and phototaxes, 3676
  - differentiation of ommatidium-forming cells in Drosophila melanogaster. 3481
  - direct observation of rhabdomeres in Calliphora erythrocephala. 3889
  - distribution of acid phosphatase in Polistes. 164 effective stimuli releasing predatory strike in

### Eyes, contd.

larval Aeshna cyanea. 764

effects of an eye-colour mutant of Tribolium castaneum on competition with T. confusum. 1780

effects of ecdysone analogues on differentiation of eye-antennal discs of Drosophila melanogaster in vitro. 3485

electrical and spectral properties of ommatidia in Gryllus bimaculatus and Tettigonia autans. 162

electroretinograms of Insecta compared. 2598 electroretinograms of median and lateral

eyes in Leiurus quinquestriatus. 3411

electroretinograms of pupal and adult Tenebrio molitor. 1538

estimation of catching distance in Stagmatoptera biocellata. 3894

exact neural projection of visual fields on 1st and 2nd ganglia, 3891

extracellular space in rhabdom in Apis mellifera, 630

eye and retina movements in 3 spp of Salticidae.

eye development in combined 'eye-gone'
'eye-less' mutants of Drosophila melanogaster. 3667

fine structure and dark-adaptation in Rhodnius prolixus. 5195

function of crystalline tracts of Lepidoptera. 1531

genetic analysis of 'loboid-ophthalmoptera' in Drosophila melanogaster, 4903

genetic effects of DNA from Anagasta kuehniella with respect of eye colour and tryptophan pyrrolase. 3655

genetics of eye colour in Nasonia vitripennis. 3658

growth in Sigara arguta and Corixa punctata. 2053

image formation in compound eyes of Lepidoptera. 1531

image formation and light-conduction in Anagasta kuehniella. 1076

importance of eye pigmentation in courtship behaviour of Drosophila melanogaster. 2697

infection with nuclear-polyhedrosis virus in pupal Trichoplusia ni. 5823

inhibitory fields in lateral eye of Limulus polyphemus. 2595

interreceptor coupling in ommatidia of Apis
mellifera and Schistocerca gregaria. 3414

lack of extra-ocular light-sensitivity in Plea leachi. 5844

lateral inhibition in lateral eye of Limulus polyphemus. 2595

light-conduction and image perception in Anagasta kuehniella. 1076

light-stimulation of retinula cell in Lepidoptera. 1531 longevity increased in Glossina by painting eyes. 2734

measurement of light-potentials from retina and lamina in Calliphora erythrocephala. 5110

method for calculating coefficient of dichroicity of absorption for rhabdomere microvilli. 1084

method for histological location of recording electrode in Calliphora erythrocephala. 5110

movement of retinula cells on light-adaptation in Dytiscus marginalis and Lethocerus americanus. 631

new eyeless Colydiidae from Chile. 4274 new mutations affecting eye pigment in Dahlbominus fuscipennis. 4161

new technique for examination of retinae. 1532 optical detection and fixation of objects by

fixed-flying Musca domestica. 1034 optics of compound eye in Apis mellifera. 4488 partial absence of ommochromes in red-eyed strain of Anopheles atroparvus. 5881

phenoloxidase activity in lozenge mutants of Drosophila melanogaster. 1768, 4899 pigment migration and spectral sensitivity in

compound eyes of Manduca sexta. 3898 post-emergence changes in compound eye

of Attagenus megatoma. 2597 'pn'/'K-pn' interactions in Drosophila melanogaster. 1753

presence of extracellular space in rhabdom of Apis mellifera, 630

presence of resilin in lens-cuticle in Photinus pyralis. 3060

properties and potentialities of arthropod eye. 1084

pteridines of 'claret' mutants in Drosophila melanogaster. 4906

pterines in eye-colour mutant of Anopheles atroparvus. 5883

quantitative relations between variation in red eye-pigment and other pteridines in Drosophila melanogaster. 3649

resolving power of eyes of Schistocerca gregaria and Locusta migratoria. 1533

retinula-cell movement on light-adaptation in Dytiscus marginalis and Lethocerus americanus, 631

retinal structure of principal eyes of Phidippus johnsoni and Metaphidippus aeneolus. 1537

role in mating in Diptera. 1225

role of compound eyes in attraction to light in Heliothis zea. 4500

'ruby' mutant of Musca domestica a case of duplicate genes. 1773

somatic recombination within 'white' locus of Drosophila melanogaster. 3650 spectral sensitivity and visual system of larval

### Eyes, contd.

stemmata of Bombyx mori. 1081
spectral sensitivity of dark- and light-adapted
compound eyes in Notonecta. 1536
spectral sensitivity of single cells in median
ocellus of Limulus polyphemus. 2599
spectral transmission in Aeshna cyanea
and other Odonata. 624
structure of retina in Dytiscus marginalis.
5203

transmission in relation to light-frequency and state of adaptation in single ommatidia of Calliphora erythrocephala. 1082 ultrastructure in Bothropolys fasciatus. 169 ultrastructure of compound eye in Apis mellifera. 627

ultrastructure of corneagen in lateral eye of Limulus polyphemus. 2601 ultrastructure in Dytiscus marginalis. 1993 ultrastructure of insect ommatidia. 1084 ultrastructure in Mitopus morio. 3893 ultrastructure of photoreceptors in insects.

ultrastructure in relation to habitat in
Opiliones, 3059
variation in numbers of eye-stripes in
Morabinae, 1982
visual pigments in Insecta, 1072
visual pigments in Odonata, 624
yellow-eye mutant of Lucilia sericata, 4162
Eylaidae (Arach., Acari), larvae and life-

cycles. 2882
Eylais belostomatis sp.n. (Arach., Acari,
Eylaidae), described. 2882
Eylais hamata, respiratory rate. 3909

# Fabricius.

London types of Dermaptera, 5663 types of Vespoidea re-examined, 3346

### Faeces.

constituents in Atta colombica tonsipes. 1689 excretion of dieldrin in Hermannia convexa. 5892

in host-finding by Microplitis croceipes  $\[ \phi \]$ . 3548 method for identifying insects in faecal samples. 3843

Nematospora coryli from faeces of Acrosternum hilare. 5428

cis-trans-polyisoprenols present in faeces of Bombyx mori. 5872

production by larval Lipara lucens, 4820 quantitative bacteriology in insects, 588 quantitative determination of uric acid in insects, 594

rate of infection with Trypanosoma cruzi and T. rangeli in Rhodnius prolixus in Colombia. 4687

re-ingestion in relation to <sup>65</sup>Zn in Cryptocercus punctulatus and Popilius disjunctus. 4565 responses of Blattella germanica to faeces of Periplaneta. 4567

uric acid as indicator of food utilization. 643

### Faeroe Islands (North Sea),

Lepidoptera of. 6138

new Limnephilidae from. 2538

Noctuidae new for. 6138

synanthropic Lepidoptera from. 6138

Fagus (Fagaceae), vertical distribution of macroanimals in soil of beech and oak forest in Japan. 2813

Falcaryus nipponicus gen. et sp. n. (Myriap., Chil.), described. 4407

Falconyssus (Arach., Acari, Rhinonyssidae), new sp from Brazil. 4975

False melon beetle, see Atrachya menestriesi

False spider mites, see Tenuipalpidae Falsoencyalesthus (Col., Tenebrionidae), synonymous with Encyalesthus. 2928

Fannia (Dipt., Muscidae),

spp new for Spain. 471

populations in relation to poultry-manure removal in California, USA.  $4836\,$ 

# Fannia canicularis,

control in caged-poultry houses. 5350 host of Aphaereta muesebecki sp. n. in Mississippi, USA. 1909

Fannia pusio, susceptibility to insecticides. 4578 Farnesenic acid methyl ester dihydrochloride, in relation to haemolymph proteins of Pyrrhocoris apterus, 3912

# Farnesyl methyl ether,

in relation to haemolymph proteins of Pyrrhocoris apterus, 3912

in relation to ovarian development and metamorphosis in Malacosoma pluviale. 2076

in relation to tumorigenic strains of Drosophila melanogaster. 1615

in relation to vitellogenesis in Periplaneta americana. 718

Faronus (Col., Pselaphidae), new spp described.

Farynala novica gen. et sp. n. (Hem., Hom., Cicadellidae), described. 5696

Fat-body,

accumulation of <sup>14</sup>C-carboxyl inulin injected into Locusta migratoria migratorioides. 2610 active glycine transport in larval Bombyx mori in vitro, 197

adhesive properties of dissociated pupal cells in Saturniidae. 3047

adipohaemocytes involved in formation. 175 alkaline phosphatase in reproductive system of

Schistocerca gregaria. 4006 allantoinase and uricase in adult Schistocerca gregaria. 3451

in relation to amino-acid and protein metabolism in larval Locusta migratoria migratorioides. 1093

antigens in Periplaneta americana. 5234 assimilation, mobilization and transport of lipid in Pyrrhocoris apterus. 1577

6-azauridine in relation to metabolism in Pyrrhocoris apterus. 1200

Breinlia sergenti in fat cells of Armigeres subalbatus during double infection. 4675

CA hormone in relation to lipid metabolism in Bombyx mori. 3077

CA implantation in relation to development in Locusta migratoria. 2030

CA and ovaries in relation to size in pupal and adult Musca domestica. 1199

carbohydrate and lipid content during adult development in Schistocerca gregaria. 4596

in relation to Cardiochiles nigriceps parasitization in larval Heliothis virescens. 5947

B-carotene in Carausius morosus. 1143

clover phyllody mycoplasmas in Aphrodes bicinctus and Euscelides variegatus, 806

cytochemistry and cytology in larval Trogoderma granarium. 1130

in relation to denervation and high  ${\rm O_2}$ -tension in Antheraea pernyi. 1060

densonucleosis in relation to uric-acid formation in larval Galleria mellonella. 3455

during diapause and reproduction in Musca autumnalis. 700

distribution of non-doubling DNA in Locusta migratoria. 6081

# Fat-body, contd.

DNA-synthesis during moulting-cycle in Oryzaephilus surinamensis. 242

DNA values in adult Dermestes. 5539

ec dysone in relation to RNA- and proteinsynthesis in larval Antheraea pernyi. 5243

electrophoretic properties in adult Tenebrio molitor. 5861

energy reserves during flight in Schistocerca gregaria. 1557

enzymes associated with lipogenesis during adult of development in Schistocerca gregaria. 4001

esterase inhibition during malathion poisoning in Schistocerca gregaria. 3931

estimation of physiological age in Simuliidae. 5907

extracts required for differentiation of Iphita limbata ovary in vitro. 3982

fat-body layer round testes in Ips confusus. 2656

fatty-acid composition and JH titre during metamorphosis in Hyalophora cecropia. 4623

food for Cardiochiles nigriceps larvae in Heliothis virescens. 5947

formation of protacatechuic acid-4-O, β-glucoside in Periplaneta americana. 2626

of Formica rufa and F. polyctena queens during post-embryonic development. 1642

α-glycerolphosphate dehydrogenase in larval Drosophila melanogaster. 4629

glycine accumulation in larval Bombyx mori in vitro. 197

glycogen content in Heteropeza pygmaea. 3520 growth changes in Formica japonica. 3483 histology in adult Gnathotrichus and Trypodendron. 684

hormones in relation to carbohydrate, lipid and nitrogen metabolism in Bombyx mori. 3076

hormones, Na<sup>+</sup> and K<sup>+</sup> in relation to RNApolymerase activity in Calliphora erythrocephala, 1126

hormones in relation to RNA synthesis in Calliphora erythrocephala, 4553

hyperglycaemic factor of CC in Locusta migratoria adults. 1591

hypertrophy in ecomorphs of Ceratophysella armata attenuata. 5661

iridescent virus in larval Aedes stimulans. 5812

lipid metabolism in Manduca sexta. 5871 lipid synthesis in adult oʻSchistocerca gregaria. 3456

Lipotropha dorci sp. n. attacking in larval Dorcus parallepipipedus. 5162

malathion degradation by larval fat-body of Chrysomya putoria in vitro, 1158

melanotic tumours composed of fat cells termed 'pseudotumours'. 4137

metabolism during oogenesis in Pyrrhocoris apterus. 1200

multiplication of Bergoldiavirus oleraceae sp. n. in Mamestra oleracea. 5345

multiplication of granulosis virus in fat cells of larval Trichoplusia ni. 3921

mycoplasma-like microorganisms from larval Melolontha melolontha. 5163

Na<sup>+</sup>-regulation by sheath in Carausius morosus. 3883

neutral lipid composition in queens and Macrotermes goliath and M. natalensis. 1115

of overwintering ♀ Anopheles punctipennis. 4744 phosphomonoesterase activity in Schistocerca gregaria. 4535

polytene-chromosome behaviour in larval Calliphora stygia. 3210

proline synthesis during development in Hyalophora gloveri. 1633

proteins of metamorphosis in Diatraea grandio-sella. 4641

protein synthesis in adult Tenebrio molitor, 3938 protein synthesis in larval Calliphora stygia.

respiratory rate in relation to CA- and CCextracts, NAD and ecdysone. 5246

RNA-synthesis in adult Tenebrio molitor. 4545 site of development for Rickettsiella cetonidarum sp. n. in larval Cetonia. 5168

size in Polistes exclamans. 355

standard terminology for fat-tissue colonization by yeasts in Auchenorrhyncha. 4053

sterols in larval Gonimbrasia belina. 3940 sub-lethal high temperature in relation to composition in larval Rhodnius prolixus. 3452

synthesis of calliphorin and protein II in larval Calliphora erythrocephala. 1138

synthesis of phosphatidylcholine from choline in Phormia regina larvae, 1555

ultrastructure of granulosis in larval Plutella xylostella. 5344

ultrastructure of parathion-activating microsomes in Periplaneta americana. 4579

ultrastructure in pupal-winged adult Tenebrio molitor. 1180

uptake of haemolymph proteins in larval Locusta. 652

vitellogenin source in Hyalophora cecropis and Periplaneta americana, 1212

# Fats,

content in relation to acclimation in Ptinus tectus and Tenebrio molitor, 5880

content in relation to age in adult Drosophila melanogaster. 5889

content in relation to feeding in Glossina morsitans submorsitans and G. tachinoides. 2729

content in relation to Mattesia grandis in Anthonomus grandis, 4450

content during oogenesis in Pyrrhocoris apterus. 1200

### Fats, contd.

- content in relation to seasonal activity in adult Odontopus calceatus, 3125
- content in Trypodendron lineatum during attack and brood production, 3068
- crowding in relation to fat content of larval Bombyx mori. 5929
- as energy substrate in adult Lucilia cuprina. 1127
- of fat-body in larval Trogoderma granarium.
- storage in midgut wall during overwintering in Tetranychus urticae, 4517
- triglyceride composition in Ceroplastes japonicus and C. rubens. 5875
- vitamin E in relation to fat content of pupal Barathra brassicae, 4516

# Fatty acids.

- composition and content in Lepisma saccharina.
- composition and JH titre during metamorphosis in Hyalophora cecropia, 4623
- composition of haemolymph in Galleria mellonella larvae in relation to diet. 3512
- composition of triglycerides in Insecta, 3070 content of larval Tenebrio molitor, 1132
- content of Cecidomyiidae and lepidopteran larvae. 1121
- control of synthesis by IH in Hyalophora cecronia, 4623
- during development in Heliothis virescens, 192 developmental changes in composition of lipid in
- larval Acheta domestica, 3507 in diapausing and reproducing Musca autumnalis.
- fatty acids from heads of Myrmica rubra queens in relation to larval growth, 1614
- free fatty acids in cuticle lipids of Pteronarcys californica, 3049
- free fatty acids during development in Culex pipiens fatigans, 4007
- metabolism in adult & Schistocerca gregaria.
- metabolism in Hyalophora cecropia, 1118 mitochondrial oxidation in Lucilia cuprina. 1127
- of neutral lipids in adult Glossina morsitans.
- oxidase activity in Lucilia cuprina. 1127
- oxidation by adult tissues of Lucilia cuprina in vitro. 1141
- oxidation during pharate adult life in Lucilia cuprina, 658
- pheromones in fatty acids from cuticle of Lucilia cuprina, 5187
- poly-unsaturated fatty acids in leaves of Cheirodendron gaudichaudii in Hawaii and importance for Drosophila, 647
- of queen Vespa orientalis, 659
- synthesis in Hyalophora cecropia. 1118

Fauvel. Steninae revised, 3313

- Fe-DTPA [sodium ferric diethylene triamine
  - pentacetatel, in relation to egg-production of Tetranychus urticae, 5290

# Fecundity.

- of Acarus siro, 1303
- of Adalia bipunctate, 1665
- of Aedes dorsalis in Dorset, England, 3128
- of alpine tundra Arachnida in Colorado, USA. 4730
- of Amblymerus bruchophagi. 4705
- of American populations of Chamaemyia 'polystigma', 4658
- in relation to aminopterin in Bombyx mori, 1638
- of Amradiplosis allahabadensis. 4023
- of Anaphes flavipes, 5363
- of Anthonomus grandis complex in Arizona, USA. 3552
- of Anthonomus grandis in relation to sublethal doses of systemic insecticides. 5302
- in relation to antibiotics in Ceratitis capitata.
- of Aphanostigma piri, 5384
- of Aphididae, 5912
- in relation to apholate in Aedes aegypti. 714
- in relation to apholate and tepa in Locusta migratoria migratorioides. 5935
- of Aphytis hybrids. 5720
- of Arizona (USA) strain of Trichogramma minutum. 3154
- in relation to artificial diet in Popillia japonica.
- of Arzama densa, 282
- of Astylus atromaculatus, 4024
- in relation to autogeny in Florida (USA) population of Culicoides furens. 4011
- of Avicularia avicularia, 4721
- in relation to Babesia caballi infection in Dermacentor nitens, 5151
- in relation to Bacillus thuringiensis infection in Anagasta kuehniella, 5306
- of Bracon mollitor, 1656
- of Bradysia impatiens. 4704
- in relation to Brassica napus in Brevicoryne brassicae, 2129
- of Brevicoryne brassicae and Myzus persicae in relation to physiological state of hostplant, 1197
- of Cadra cautella. 786 in relation to  $^{137}\mathrm{Cs}$  irradiation in Spodoptera littoralis. 1224
- of Callosobruchus chinensis. 3610
- in relation to carbohydrates in Locusta migratoria migratoria under crowded conditions.
- of C. European Clytrinae and Cryptocephalinae.
- of Cenopalpus lanceolatisetae. 275
- of Chaoborus crystallinus, 3547
- of Chelonus curvimaculatus. 791
- of Chilo partellus. 1657

### Fecundity, contd.

- of Chironomidae following summering or wintering of fish ponds. 3629
- chromosomal analysis of egg-production in Drosophila melanogaster. 2827
- in relation to cocoon-diameter and egg-length in Neodiprion swainei. 4107
- of Contarinia medicaginis. 332
- in relation to cross-insemination in Aedes polynesiensis. 4638
- in relation to crowding in Dermacentor nitens.
- in relation to crowding and temperature in Drosophila melanogaster. 4091
- of Culicoides in S. England. 1724
- of Cycloneda limbifer. 2091
- in relation to cytoplasmic polyhedrosis in Pectinophora gossypiella and Trichoplusia ni. 3963, 5268, 5802, 5804
- in relation to density and species-ratio in Aedes aegypti and A. albopictus. 2778
- of Dibrachys cavus. 3144
- in relation to diet in Phytoseius plumifer. 2710
- in relation to diet in Tetranychus urticae. 1284, 2707
- in relation to dietary mould inhibitors in Ostrinia nubilalis. 5785
- of Dioryctria abietella reared on artificial media.
- of Drosophila melanogaster homozygous for segregation-distorter elements. 3656
- in relation to ecdysone in Stomoxys calcitrans. 4630
- of Empoasca kraemeri. 827
- of Erioischia brassicae, 2722
- of Euxoa ochrogaster, 4034
- of Euxoa tristicula. 2701
- of Feltia subterranea. 1037
- in relation to flight in Schizaphis graminum. 4466
- in relation to Fumidil B in Ostrinia nubilalis. 5183
- genetic factors controlling in Drosophila pseudoobscura. 1330
- in relation to genotype frequency at alcohol dehydrogenase locus in Drosophila melanogaster. 883
- of Glossina austeni. 4076
- of Grapholitha molesta. 2812
- of Gymnoscelis pumilata. 5970
- of Herpetogramma licarsisalis. 4736
- of Herpystis cuscutae. 323
- in relation to hormone mimics in Malacosoma californicum pluviale. 2632
- in relation to host-plant in Brevicoryne brassicae.
- in relation to host-plant leaf-age in Ennomos subsignarius. 4633
- of Hypera brunneipennis. 5973
- of Hypera postica isolated after mating. 3527

- of Hypera postica in Ohio, USA. 4846
- increase in Phytonomus variabilis associated with BHC-resistance. 4845
- in relation to insemination in Platyptilia carduidactyla, 3528
- in introgressed and parental populations of Drosophila arizonensis and D. mojavensis. 2856
- in relation to  $\gamma$ -irradiation in Stomoxys calcitrans. 5300
- in relation to larval diet in Ectomyelois ceratoniae. 5288
- in relation to larval size, soil-moisture and temperature in Conotrachelus nenuphar. 5299
- of Lema trilineata daturaphila. 4712
- of Leptocorisa oratorius. 4103
- of Leptophlebia cupida, 5459
- in relation to light and temperature in Zeiraphera diniana. 1028
- and median neurosecretory cells in Blatta orientalis. 4522
- of Melichares tarsalis. 267
- of Microbracon kirkpatricki. 5992
- of Musca autumnalis. 273, 4665
- of Myrmica rubra. 4873
- of Nasonia vitripennis. 3493
- of Nesaeocarabus interruptus. 4443
- in relation to nutrition in Porthetria dispar. 4097
- of Odites artigena. 5368
- of Oncopeltus fasciatus and O. unifasciatellus. 813, 2704
- of Orgilus lepidus. 2702
- of Orgyia australis postica. 287
- of Ostrinia nubilalis. 736
- of Otiorrhynchus ovatus. 4720
- of Oxytelus rugosus. 5367
- of Palaeolecanium bituberculatum. 4825
- of Pardosa lapidicina. 1669
- of Paropsis charybdis. 3553
- of Philonthus fuscipennis. 5367
- of Pieris rapae. 1651
- of Plutella maculipennis. 2077
- in relation to polychlorobiphenyls in Chorthippus brunneus. 706
- of Polydesmus angustus. 4663
- in relation to density in Japanese strains of Callosobruchus chinensis. 3607
- in relation to population level in Callosobruchus chinensis. 4116
- in relation to population size in Drosophila melanogaster. 3626
- of Priacma serrata. 3850
- of Pyemotes boylei. 4026
- of Pyrgomorpha conica, 6003
- of Pytho depressus. 4042
- in relation to RH and temperature in Chrysopa carnea. 5298
- in relation to rice dwarf virus in Nephotettix

Fecundity, contd.

cincticens, 5458

- in relation to royal jelly in Locusta migratoria cinerascens. 3508
- of Scopula ochroleucaria, 5972
- in relation to selection for insecticide resistance in Ostrinia nubilalis. 4914
- in relation to size, crowding and rearingtemperature in Acyrthosiphon pisum, 4606
- in relation to social parasitism on queen fecundity in Plagiolepis pygmaea. 4872
- of Spodoptera mauritia acronyctoides in Sarawak.
- in relation to sterile chromosomes in Drosophila melanogaster. 3682
- of Tarachidia candefacta, 6019
- of Telenomus fariai. 5502
- in relation to temperature in Alphitobius diaperinus. 2072
- in relation to temperature in Drosophila melanogaster. 253
- in relation to temperature in Macrocheles peniculatus. 3996
- in relation to temperature in Psocoptera. 5315
- of Termatophylum insigne. 5983
- of Tetranychus evansi. 743
- of Tetranychus urticae on metal chelate-treated leaves. 5290
- of Thanasimus dubius. 3537
- of Triatoma rubrofasciata, 442
- of Voria ruralis. 3536
- in relation to weight in Cochliomyia hominivorax.
  5171
- of Zonocerus variegatus. 4444
- Fedtschenkia (Hym., Fedtschenkiidae), history of genus. 5726

Fedtschenkiidae (Hym.), 5726

Feeding,

- absence in adult Molophilus ater. 2090
- absence in female-sterile mutants of Tetranychus urticae. 4902
- of Acari associated with Malus in Nova Scotia, Canada. 4064
- of Acarus siro and Tyrophagus putrescentiae on wood-inhabiting Hymenomycetes. 1684
- acceptability of food substrates for Solenopsis saevissima. 4760
- of Acrobasis comptoniella. 4037
- of Acroneuria californica. 2110
- activation of salivary amylases in Heteroptera. 2629
- activation of salivary-gland amylase in Lygus disponsi. 2628
- activity during adult development in Schistocerca gregaria. 4596
- activity of Diplopoda in mixed forests of N. Kavkaz, USSR. 5396
- activity in Hypera brunneipennis. 5973
- adenine and adenosine as feeding stimulants for Hypera postica, 1252

- of adult Aedes dorsalis. 3128
- of adult Chrysops suavis. 1677
- adult and larval adaptations in Cleroidea. 4985
- of adult Tabanus iyoensis. 1678
- agar-gel immunodiffusion for blood-meal identification in Aedes notoscriptus. 3358
- of Agriotes ponticus, 1659
- of Amblyseius fallacis in the laboratory. 4708 anal pyramid for prey capture by larval Aeshna cyanea. 3570
- in relation to anemo-menotaxis in Geotrupes, Pimelia and Tenebrio. 635
- of Anopheles culicifacies in relation to DDTresistance in Gujarat State, India. 2732
- aphid consumption of Adalia bipunctata. 1665 aphid honeydew as primary food-source for
- Polyrhachis simplex. 4874
- of aphidophagous Syrphidae. 1230
- of Apioninae on wild Leguminosae in Leningrad (USSR) area. 4794
- apparatus of Aspidiotus perniciosus. 677 approach of newly recruited Apis mellifera to food-site. 5402
- in Arachnida, 3917
- of Arrenurus agrionicolus and A. mitoensis on Cercion hieroglyphicum. 1299
- artificial feeding of Laodelphax striatellus. 1027 of Ascoschoengastia latyshevi. 5365
- and associated gut changes during post-embryonic development in Lytta nuttalli, 5220
- assimilation in Lethocerus americanus, 2106
- of Astylus atromaculatus. 4024
- Atemeles pubicollis parasitic on trophallaxis of host Formica and Myrmica. 4052
- attachment pairs of Choriopsoroptes kenyensis gen. et sp. n. and Psoroptes natalensis on Syncerus caffer. 4232
- attraction of Chrysopa to terpenyl acetate bait.
- attraction of Coleoptera to carrion in Hutcheson Memorial Forest, New Jersey, USA. 4085
- attraction and probing behaviour of Cimex lectularius in relation to temperature. 5205
- attraction of Silphidae to carrion. 3167 attractiveness of animal baits and CO<sub>2</sub> for W.
- African Culicidae. 2723
  axenic semi-synthetic diet for Grapholitha
- molesta. 3845
- behaviour of Apis mellifera during visit to food-source.  $3\,900$
- behaviour of Aulacophora foveicollis in relation to cucurbitacin E. 5401
- behaviour of Chrysops vittatus. 4756
- behaviour of Culicidae in Gunma Prefecture, Japan. 1679
- behaviour elicited by olfaction and vision in Danaus gilippus berenice, 3897
- behaviour of Epicauta albida group. 1413 behaviour of Epilachna vigintioctopuncta on
- Luffa aegyptiaca. 1256

behaviour and food-uptake in Oncopeltus fasciatus, 5397

behaviour of Glossina morsitans submorsitans and G. tachinoides towards man and ox in N. Nigeria. 2729

behaviour in relation to host factors in Culicoides furens, 766

behaviour of Hylobius pales and Pissodes approximatus in relation to Pinus sylvestris. 4738

behaviour of Ischyropsalis. 3728

behaviour of larval Nesaeocarabus interruptus. 4443

behaviour of larval Syrphus latifasciatus. 4743 behaviour of larval Trypoxylon figulus. 2083

behaviour of Medetera sp A towards woodboring Coleoptera. 2739

behaviour of Oeneis. 3609

behaviour of Polydorus aristolochiae. 4747

behaviour of Pyrgomorpha conica. 6003

behaviour of Ranatra linearis towards Chironomus larvae. 2725

behaviour of Selasia unicolor, 4737

behaviour of Spissistilus festinus in relation to plant size. 5405

behaviour in relation to starvation in Acyrthosiphon pisum on Vicia faba. 1259

behaviour of Tabanus quinquevittatus on horses.
4853

behaviour of Triatoma rubrofasciata. 5988

behavioural and electro-physiological responses of Phormia regina to acids. 3887

of Belostoma malkini. 1661

of Biini in Venezuela. 4819

biting activity of Leptoconops becquaerti in Jamaica. 840

biting habits of Culicoides in S. England, 1261 biting rhythm of Culex tritaeniorhynchus

summorosus. 1683 blood-feeding activity in a wild population of

Culicidae. 1688

blood-feeding of Anopheles gambiae throughout dry season in Sudan. 4859

blood-meals and digestion in Stomoxys calcitrans on California (USA) poultry ranches. 5404

blood-meal identification in Aedes notoscriptus. 3358

blood-meal utilization and flight-muscle development following  $\gamma$ -sterilization in Glossina austeni. 5927

blood sources of Culicoides and Simuliidae at Darjeeling, India. 4821

of blood-sucking Ceratopogonidae. 2790

of Bradysia impatiens. 4704

cage for studying feeding behaviour of Hylobius rhizophagus. 1954

cannibalism in Limnesia maculata. 1320

cannibalism and predation by adult  $\ensuremath{\mathscr{T}}$  Tetranychus urticae. 4028

cannibalism and starvation in Joppeicus paradoxus. 4706

carnivorous habit in Anabrus simplex. 4772 carnivorous habit in Diplopoda. 4757

castes and food involved in trophallaxis in Kalotermes flavicollis. 3640

of cave-dwelling Phaeophilacris. 363

cephalic structures in fruit-feeding Heterocera. 301

of Ceratophyllus gallinae. 3124

by Ceratophysella cavicola and Onychiurus on exuviae of Limnephilidae in a cave in Italy. 862

of Cheiroplatys clunalis. 279

chemoreceptors of Insecta. 1078

of Chrysopa perla on eggs. 4644

cibarial stretch-receptors of Calliphora erythrocephala and Glossina austeni. 2586

circadian rhythm of 'drop-off' of engorged Ixodoidea. 2760, 5395

climbing behaviour of larval Amathes c-nigrum in response to food conditions. 2605

oi Clytrinae and Cryptocephalinae of C. Europe. 4030

CNS in regulation of blood-meal size in Culicidae. 1687

Collembola as food-source for predatory Acari. 5504

commensalism of Iochillus minutus with (a)
Pheidole pallidula and (b) Uroctea durandi.
3573

competition for food as source of mortality in Anagasta kuehniella laboratory populations. 4111

competition for food as source of mortality in Oulema melanopus in N. Indiana, USA. 3554 contact chemoreceptors in Tabanidae. 5197

control of filling of honey-stomach in Apis mellifera. 4051

control of flight-muscle histolysis in Dysdercus intermedius by feeding and copulation. 1611

control of stylet direction in phytophagous Hemiptera. 4758

control of sugar-water uptake in Apis mellifera.  $2006\,$ 

of Cordylura. 274

of Cosmobaris americana on Beta vulgaris. 4710

of Cultroribula juncta. 305

in relation to cuticular permeability in Hyalomma dromedarii and Ornithodoros savignyi. 4458

of Cybister lateralimarginalis. 2546

of Dermestes laniarius. 4826

deterrent detection by Diabrotica virgifera larvae. 300

in relation to development inhibition in Lycosa T-insignata. 345

in relation to development and insemination in Spilopsyllus cuniculi and Xenopsylla cheopis. 4640

developmental state of host in relation to feeding activity in Glossina pallidipes. 2726

of Dictya fontinalis sp. n. in California, USA. 1878

diel periodicity in Diapheromera femorata. 745 diel rhythm in Culicoides barbosai and C. furens in Jamaica. 765

diet in relation to  ${\rm O}_2$ -consumption in Oncopeltus fasciatus. 3424

diet in relation to development of Phytoseius

plumifer. 2710 diet in relation to Dioryctria abietella. 4416

diet in relation to egg-production in Neodiprion swainei. 4107

diet in relation to feeding habits of Amblyseius chilensis and A. hibisci. 5313

of Diplopoda. 4757

of Diptera, Neuroptera and Trichoptera on Spongilla fragilis in Savannah R., USA. 1692

distribution of antennal sense-organs in relation to trophallaxis in Aphaenogaster gibbosa and Myrmica laevinodis. 4492

Drepanosiphum platanoides consumption of Anthocoris confusus and A. nemorum during development. 5915

ecological factors affecting biting activity in Culicoides barbosai and C. furens, 1681

in relation to ecology of Ephemeroptera and Plecoptera of rhithron, 4089

of Edwardsiana crataegi and E.froggatti on Malus in Tambov Region, USSR. 2093

in relation to egestion and excretion in Aulacophora foviecollis. 3448

egg-eating behaviour of Bombus lapidarius. 2818 embryonic nutrition in Urodacus abruptus. 1255

of Empoasca fabae on soybean in relation to plant pubescence.  $814\,$ 

energetics of honeydew production in Eucallipterus tiliae. 2727

energy assimilation by Acheta domestica, 4759 engorgement in relation to host skin-temperature in Hyalomma aegyptium, 4774

engorgement of Ixodes halocyclus on mouse and host-mortality. 3840

entomophthoraceous mycotoxins in relation to larval feeding in Galleria mellonella. 5815

of Ephydra bruesi on Zygogonium (?) ericetorum. 3621

of Eumerus strigatus. 291

of Eurytoma martellii. 3114

of Euxoa tristicula. 2701

evolution of feeding habits in Curculionidae. 4047 experimental manipulation of soil invertebrate populations for trophic studies. 1721

faecal uric acid as indicator of food utilization.
643

feeding rate of Musca domestica. 4176 feeding state in relation to RH sensitivity in Cimex lectularius. 5206 of Feltiella (?) tetranychi. 1240

in relation to flight activity in 9 Glossina morsitans. 3950

in relation to flight activity in Haematobia irritans and Stomoxys calcitrans. 754

food availability in relation to abundance and distribution of Plecoptera in an English Lake District stream. 1322

food availability in relation to behaviour of larval Potamophylax stellatus. 1540

food availability in relation to development of Avicularia avicularia. 4721

food availability in relation to duration of larval development in Culicoides. 598

food availability in relation to locomotion in Melolontha melolontha. 5919

food in relation to body-size in Bombus. 5518 food competition as mortality factor in larval Musca autumnalis. 1296

food composition and fecundity in Plagiolepis pygmaea, 4872

food consumption of Aphidecta obliterata larvae.

food consumption of larval Dioryctria amatella and D. zimmermanni in Pinus echinata. 5492

food consumption and preferences of Chilocorus bipustulatus, 780

food consumption in Pterostichus niger and P. nigrita. 2107

food in relation to development in Chaoborus crystallinus, 3547

food in relation to hypopial apolysis in Caloglyphus boharti. 1612

food of larval Sciaridae in Abies cones in USSR.  $41\,90$ 

food location by Halacarus basteri. 1319

food location by taste in Carabus cancellatus and Phormia terraenovae, 4497

food in relation to mating propensity in Drosophila persimilis. 731

food-plant attractants for Phyllotreta. 4763 food-plants of Boarmia ribeata. 5978

food-plants of Bruchidae in Gruziya, USSR. 1791 food-plant chemoreceptors of o Danaus gilippus

berenice. 3410 food-plants of Epicauta albida group. 1413

food-plants of Epicauta albida group. 1413 food-plants of Eupithecia. 1465

food-plant and foraging behaviour of Agapostemon nasutus. 1728

food-plants of Glaucopsyche in California, USA.

3707 food-plant in relation to haemolymph proteins

of Hyphantria cunea. 3928

food-plants of Hungarian Lepidoptera. 5432 food-plants of Japanese Symphyta. 4799

food-plant in relation to ovarian development and oviposition in Plutella maculipennis. 2077

food-plant pigments in Polyommatus icarus.

food-plants of Stenoporpia larvae in Arizona,

USA. 1906

food-plants of Tenthredinoidea of Poles'e, Belorussia. 1378

food preferences of Julida and Oniscus. 2822

and food preferences of Oncopeltus fasciatus on different hosts. 813

and food preferences in phytophagous N. American Carabidae. 783

food preferences towards Gramineae and Leguminosae in Melanoplus sanguinipes. 787

food quantity and caste-determination in Hypotrigona and Trigona of Ivory Coast. 3635

food quantity in relation to growth in Aedes taeniorhynchus larvae. 697

food requirements of adult Autographa gamma in Hungary. 3533

food requirements for pupation in Galleria mellonella. 2674

food-seeking and survival in larval Adalia bipunctata. 2730

food selection in Cabera, 1236

food selection in larvae of dendrophile Tortricidae. 1253

food selection in Manduca sexta larvae. 3415 food selection in Nematus ribessii. 1290

food selection for progeny by ovipositing φ in Tortricidae. 1253

food sources of savannah Formicidae. 1729

food sources for stream insects. 5482

food substrates and gut contents of Collembola. 5996

food-supply in relation to laboratory rearing of Chorthippus brunneus. 1169

food uptake and biomass production in Lipara lucens. 4820

food uptake of Melichares tarsalis. 267

food utilization by larval Lema trilineata daturaphila. 4712

foraging behaviour of Hodotermes mossambicus. 5517

foraging behaviour of Vespula germanica and  $\ensuremath{\mathrm{V}}\xspace$  . vulgaris. 4754

foraging and trophallaxis in Paravespula vulgaris. 4746

of fruit-piercing Noctuidae. 303

fungi as food of Tarsonemus crassus. 6110

of Gea heptagon. 3111

of Gerstaeckeria, 3304

U-14C-glutamic acid for determining nutritionally essential amino acids. 3380

of ground-dwelling Theridiidae. 1215

of Gypsonoma oppressella, 5586

habits of Prodenia and Spodoptera. 3003

habits of Vatesus in relation to ant hosts. 3137

of Haemaphysalis kitaokai sp. n. 4223

haemolymph proteins in relation to feeding in Ornithodoros moubata. 1201

of Haeterini in Venezuela. 4819

of Hedychridium solierellae. 4740

of Helluomorphoides texanus. 3139

histopathology of anterior midgut in Euscelis lineolatus following mycoplasm ingestion. 3920

of Holotrichia diomphalia. 5366

host-feeding associations of Culicidae in Wisconsin, USA. 4752

host number in Hyalomma aegyptium. 4774 host-plant selection in Tetranychidae. 1295 and host preferences of Culicidae in Dorset,

England, 835

host preferences of Ixodidae in E.C.Oklahoma, USA. 4775

host preferences of Rhodnius prolixus, Triatoma sanguisuga texana and T. gerstaeckeri. 4707

host-selection in Acyrthosiphon pisum. 6002 host skin reaction to repeated attachment and

feeding of Ixodidae. 4787

hosts of Tabanidae of estuarine and alluvial areas of Louisiana, USA. 1262

hunting behaviour and prey of Neoitamus bulbus in New Zealand. 3569

of Hylobius rhizophagus in Wisconsin, USA. 281

individual experience in distance-communication of Apis mellifera caucasica. 1318

ingestion of Anaplasma marginale by Dermacentor andersoni. 4788

ingestion and colony distribution of food in Formica polyctena. 2737

ingestion of <sup>32</sup>P from plants by of Culex pipiens quinquefasciatus. 3565

ingestion rates in Cultroribula juncta. 305 ingestion and transmission of fungal spores by

Musca domestica. 3564
inhibition by Bacillus thuringiensis in larval

Choristoneura fumiferana. 5800

initiation of pheromone production by hindgut in Trypodendron lineatum. 2652

sites of Insecta associated with Rhamnaceae in Europe. 3591

interaction of stimulant factors in Culicidae.

ionizing radiation and radio-isotopes for study of trophallaxis. 4414

of Itoplectis cristatae. 276

of Joppeicus paradoxus. 4706

of Knutsonia lineata. 5997

of Kuzinia laevis. 5381

in relation to labial gland of Zygoptera. 2649

L-lactic acid as attractant of Aedes aegypti to man, 4767

of Lamiinae of C. Europe. 4440

of larvae of Nearctic Tetanocera. 4716

of larval Amrasca splendens. 4714

of larval Apamea finitima on barley kernels.  $601\,0$ 

of larval Arrenurus on Sympetrum meridionale.  $6006\,$ 

of larval Atherigona on maize in India. 4806

- of larval Bibio marci on soil bacteria. 3919
- of larval Chilo zonellus on bajra, maize and sorghum. 4798
- of larval Chironomus anthracinus. 6041
- of larval Diabrotica virgifera. 300
- of larval Diacrisia obliqua in Bangladesh. 1228
- of larval Elateridae. 1360
- of larval Gilpinia hercyniae on spruce. 5369
- larval Gyrinus not feeding on Tricladida in a pond. 1739
- of larval Hypoderma bovis. 3064
- of larval Laspeyresia funebrana. 1675
- of larval Manduca sexta on burley and dark tobacco. 689
- of larval Microbracon kirkpatricki. 5991
- of larval Molorchus bimaculatus semiustus.
- of larval Odonata and Plecoptera on lakedwelling Tricladida. 4765
- of larval Pachydiplosis oryzae in rice. 4061
- of larval Phytobia in Fraxinus americana. 3587
- of larval Pityophthorus oranius in Pseudotsuga menziesii. 4059
- of larval Pyrrhosoma nymphula. 3186
- of larval Rhagio scolopaceus and Sargus bipunctatus. 1970
- of larval Rhopolophora rugicollis. 5445
- of larval Sericostoma personatum. 360
- of larval Trichogramma cacoeciae and T. evanescens. 5407
- of larval Trichoptera. 3542
- leaf consumption of Plathypena scabra. 4413
- Leguminosae as food substrates for Trogoderma granarium. 2666
- of Lepidoptera associated with pig carrion in S. Carolina, USA. 3545
- Lepidoptera feeding on eye-secretions of domestic mammals in Bangladesh. 4033
- of Leptoconops irritans and L. kerteszi on man in Grossetano, Italy, 4043
- of Lethocerus maximus. 1661
- levels of Pristiphora erichsonii on Larix in Maryland, USA. 5399
- lipase activity in relation to food-flow in Blaberus craniifer and Periplaneta americana. 1550
- of Lixus algirus. 1226
- in relation to longevity of Culex portesi. 54%
- of Ludovix fasciatus. 4047
- of Lyctus brunneus. 1229
- of Lygus lineolaris on Acyrthosiphon pisum and Therioaphis maculata. 4838
- maturation feeding of Nosopsyllus fasciatus and Xenopsyllus cheopis on operated hosts. 4640
- mechanism of Melophagus ovinus on mouse ear. 3568
- mechanism and mouthparts of larval Cybister tripunctatus africanus. 5790
- of Melanotus fuscipes. 1659
- of Melolontha melolontha in Luho, China. 292

- of Menochilus sexmaculata. 306
- of Metaseiulus occidentalis on Tetranychidae. 5383
- method for identifying insects in faecal and stomach samples. 3843
- method for studying feeding behaviour of Acrididae. 601
- of Micraspis sedicimpunctata and Thea vigintiduopunctata on Erysiphaceae in Switzerland. 1258
- of Monopis speculella. 5992
- in relation to mouthpart receptors of Schistocerca gregaria and Locusta migratoria migratorioides. 2731
- mouthparts functional in Wyeomyia smithii. 3922
- movement of Chrysops atlanticus from emergence site for blood-meal. 3543
- of Musca autumnalis. 273
- nectar sugars as chemostimulants for  $\ensuremath{\raisebox{.05ex}{$\scriptstyle \circ$}}$  Chrysops vittatus. 4768
- of Neoschoengastia americana on turkeys. 1660 of Nepytia phantasmaria. 2703
- nest provisioning in Miscophus and Nitelopterus. 3112
- nest provisioning and prey transport in Crabro. 4021
- neutrophils in formation of feeding lesion due to Rhipicephalus sanguineus in dogs. 4050
- and non-feeding instars of Phyllocnistis citrella.
- not required for copulation in Sarcophaga tibialis. 4659
- nutrition of Apis mellifera. 4870
- and nutrition in Cycloneda limbifer. 2091
- and nutrition in Insecta. 6000
- nutrition in relation to melanotic tumours in Drosophila melanogaster. 3983
- nutrition in relation to penetrance of 'tu' gene in Drosophila melanogaster. 4150
- nitrition in relation to Porthetria dispar populations, 4097
- nutritional ecology of Pyrgomorpha conica. 6003 nutritional role of sterols in Drosophila melanogaster. 4646
- nutritional significance of cell inclusions of midgut diverticulum in Gyarina nigritarsis.
- nutritive values of carbohydrates and related compounds for Erioischia brassicae. 2722
- Nysius as larval food of Solierella. 4740
- of Odites artigena on coffee in Kenya. 5368
- of Oncopeltus fasciatus on different plant-hosts. 813
- of Onychiurus bhattii. 2170
- oral ingestion of phosphate by Hypoderma lineatum larvae in vitro. 154
- organometallics as anti-feedants for larval Gnorimoschema operculella. 5393
- of Orthacheta hirtipes. 274

in relation to osmotic concentration of rectal fluid in Ilyocoris cimicoides. 1589

oviposition of Culex portesi in relation to timing of blood-meal, 5496

in relation to oviposition in Empoasca fabae. 4657

of Oxytelus rugosus. 5367

'palatability' criteria for litter Diplopoda. 5396

of Panamanian Deinocerites. 5398

parasitism of Atemeles pubicollis on trophallaxis of Formica and Myrmica. 4052

of Paropsis charybdis, 3553

partial feeding in relation to development of Dermacentor variabilis. 3484

pattern and food-consumption in larval Peltoperla maria. 4755

pattern of larval Eublemma parva on Pulicaria dysenterica. 5142

pattern in relation to ovarian development in Aedes aegypti at Bangkok, Thailand. 2145

penetration of aluminium-foil packages by larval Tenebroides mauritanicus and Trogoderma inclusum. 5403

phagostimulants and repellents for Erioischia brassicae. 2722

pharyngeal grinding-mills of larval Eumerus strigatus and Sargus bipunctatus. 2010

of Philonthus fuscipennis. 5367

photographic film as food for Tapinoma sessile. 2735

photometry for measuring foliage loss due to insects. 4413

in relation to photoperiod reaction of Ixodes ricinus. 4604

in relation to photoperiod and sexual maturation in gregarious Locusta migratoria migratorioides. 5936

place of Collembola in food-pyramids, 5504 plant extracts in relation to artificial diets for Melanoplus femurrubrum, 3978

plant factors affecting in Melanoplus sanguinipes. 787

polysaccharases of Melanoplus bivittatus, 1573 post-feeding behaviour of adult o Culicidae, 2156 predation by Laphria gilva on Dendroctonus ponderosae in S. Dakota, USA, 1666

predation by Scatophaga stercoraria in California, USA. 3556

predators and prey of Lycosa lugubris in Scotland. 2109

preening-behaviour in relation to foragingtendency in Apis mellifera, 853

preening-behaviour of nectar-gathering Apis mellifera. 5520

preferences of Anabrus simplex. 4772 preferences of Culicidae in Changa Manga

National Forest, Pakistan. 4075 preferences and gut contents of Collembola. 4769 presence of other members of sp in relation to feeding in Locusta migratoria cinerascens. 1648

prey capture in adult Diplacodes trivialis and Pantala flavescens. 4840

prey of Coptoformica exsecta and Formica polyctena. 2721

prey of Dysmachus fuscipennis in Romania. 2092

prey of Limnesia maculata. 1320

prey perception in Thanasimus dubius. 2742

prey preferences of larval Chrysopa oculata. 2736

and prey of Rhyacophila in an experimental stream. 769

of Prionochaeta opaca. 4085

probing behaviour and stimulants in Chaetosiphon fragaefolii. 4770

probing in Stomoxys calcitrans. 1686, 4766 proboscis-extending time and sugar ingestion in Pieris rapae crucivora. 2738

of Proctolaelaps nauphoetae. 1667

provisioning behaviour in Agapostemon nasutus. 3193

of Pseudolopyga taylori in Solierella. 4740 of Pyemotes boylei. 4026

quebrachitol of Pappea capensis leaves as feeding stimulant for Serrodes partita. 1260

queen pheromones in relation to worker foraging behaviour in Apis mellifera. 3953

in relation to quinol and quinone in Scolytus multistriatus. 4771

radio-isotopes for determination of host specificity of Agasicles sp. n. 2763

radio-isotopes and ionizing radiation for study of trophic relationships in social insects. 4414

radio-isotopes for study of food-chains. 298 of Ranzovius moerens. 3138

rate of trypanosome infection of mouthparts in relation to rate of feeding in Glossina in Zambia. 1277

relationships of Aphis fabae group. 5980 of Renocera cyathiformis. 5997

in relation to reproduction in Megabothris turbidus. 2086

in relation to reproduction in Spilopsyllus cuniculi. 1647

resistance in cereal varieties to stored-grain insects. 738

resistance of dent corn to 2nd-generation Ostrinia nubilalis. 5452

resistance of rice in Nephotettix impicticeps and Niloparvata lugens. 1285

in relation to respiration in larval Donacia simplex. 1087

responses of larval Heliothis zea to Zea mays extracts. 4764

responses of Heliothis to ultrasound during feeding. 1079

responses of Hylurgopinus rufipes to extracts of

Ulmus americana bark. 302

responses to sound wood in Coptotermes formosanus, Reticulitermes flavipes and R.virginicus. 4762

resting behaviour of Culex tritaeniorhynchus summorosus before and after blood-meal. 1664

RH in relation to starvation of Ornithonyssus sylviarum, 2643

of Rhexidermus huardi on Pelargonium in California, USA, 3580

of Rhodnius prolixus, Triatoma sanguisuga texana and T. gerstaeckeri. 4707

of Saccharosydne saccharivora. 2719

in relation to salivary glands of adult Simulium vittatum. 2650

sap consumption by Cicadella viridis. 5850

of Satyrium sylvinus dryope. 4038

scenting behaviour in Apis mellifera. 4499

searching behaviour in Typhlodromus mcgregori. 4796

of Seira iricolor. 2170

selection for growth rate in relation to food competition in Drosophila melanogaster. 2191

selection for starvation resistance in Ceratitis capitata. 4139

of Sigara striata. 5406

of Simulium damnosum in Tanzania. 824

simultaneous inoculation of Armigeres subalbatus with Breinlia sergenti and Brugia pahangi. 4675

sites of Hyperomyzus lactucae in Sonchus oleraceus. 1685

sites of Ips cembrae, 4036

size of Chirothrips manicatus in relation to hostplant, 3852

in relation to size and weight in Acyrthosiphon pisum. 4607

skin reactions to repeated attachment and feeding of Ixodidae. 4787

of Sminthurinus mime. 2170

of Solenopsis saevissima richteri in S.E. Louisiana, USA. 3136

of Solierella. 4740

spectrophotometry for estimating time since blood-meal in Culicidae. 1688

spectrophotometry for measurement of bloodfeeding by Culicidae, 1688

of Sphenophorus venatus confluens, 1655

in relation to spiracular water-loss in Hyalomma dromedarii and Ornithodoros savignyi. 4557

of Spodoptera mauritia acronyctoides in Sarawak. 732

starvation in relation to Attagenus megatoma infected with Pyxinia frenzeli. 1097

starvation in relation to behaviour, development and instar number in Porthetria dispar. 1629

starvation as cause of mortality in Anagasta kuehniella laboratory populations. 4111

starvation in relation to choline utilization in adult Drosophila melanogaster. 1575

starvation in relation to contact-chemoreceptors of Hybomitra lasiophthalma, 1075

starvation in relation to energy-source utilization and glycogen content in adult Coccinella septempunctata bruckii. 1090

starvation in relation to feeding behaviour of Acyrthosiphon pisum on Vicia faba. 1259

starvation in relation to flight-muscle degeneration in Belostoma malkini, Dysdercus intermedius and Lethocerus maximus. 1611, 1661

starvation in relation to gut pH in Clavigerella gibbosa. 5853

starvation in relation to haemolymph-protein concentration in Oncopeltus fasciatus. 1091

starvation in relation to haemolymph sugar level in Androctonus australis. 5851

starvation in relation to humidity responses of Hypera postica, 208

starvation in relation to lipid consumption in allatectomized larvae of Bombyx mori. 3077

starvation in relation to locomotor activity of Cryptolestes ferrugineus. 2039

starvation in relation to longevity in Drosophila melanogaster. 4453

starvation in relation to Malpighian tubules of Periplaneta americana. 183

starvation in relation to midgut secretion in larval Chaoborus. 5856

starvation in relation to nurse-cell nuclei in Musca domestica. 4003

starvation in relation to  $O_2$ -consumption in Periplaneta americana. 1998

starvation in relation to populations of Porthetria dispar. 4097

starvation in relation to pupation in Galleria mellonella. 3517

starvation in relation to rate of adult maturation in Ips typographus. 1194

starvation in relation to respiratory rate of Lycosa T-insignita. 1544

starvation in relation to response to food and sex stimuli in 7 Periplaneta americana. 34%

starvation in relation to survival of Isoptera. 207

starvation survival by larval Ascoschoengastia latyshevi. 5365

starvation in relation to taste sensitivity in Aedes aegypti. 5998

starvation in relation to ultrastructure of venom system in Nasonia vitripennis. 4751

starvation in relation to virus transmission by Acyrthosiphon pisum. 1259

sterile eggs of worker Atta laevigata offered to queen. 4125

stimulant detection by Diabrotica virgifera larvae. 300

stimulants for Lygus hesperus. 3566 stimulants and receptors in Q Chrysops

vittatus, 2108

stimulants for Scolytus multistriatus from Ulmus americana bark. 4049

substrate surface characteristics in relation to probing of Stomoxys calcitrans. 4766

sugar-feeding of ♀ Chrysops vittatus and Hybomitra lasiophthalma, 4761

survival of Coptotermes formosanus, Reticulitermes flavipes and R. virginicus on sawdusts. 4773

of Tarachidia candefacta. 6019

tarsal spines for prey capture by Agrion ornatum. 3038

temperature in relation to feeding activity in Adalia bipunctata. 1624

temperature in relation to host-plant preference in Therioaphis maculata. 2768

temperature in relation to orientation to hostplant by Hypera postica, 1257

of Termatophylum insigne. 5983

of Tetrastichus incertus at time of oviposition. 5324

in relation to thigmotaxis in Hylurgopinus rufipes. 302

of Toumeyella liriodendri. 3535

toxicity of infusions of larval food to Culex pipiens quinquefasciatus. 4843

toxin release by Sorghum vulgare roots during feeding by larval Diabrotica virgifera. 3594

of Toxomyia fungicola. 1662

transmission of microbial flora in Drosophila melanogaster. 3442

transmission of virus disease in Panonychus ulmi. 4842

of Trombiculidae. 6001

trophallaxis in Formica polyctena. 2737

trophallaxis in Kalotermes flavicollis. 3640

trophallaxis in Mesoponera caffraria. 3636

trophallaxis in Paravespula vulgaris. 4746

trophic cycles in cave-dwelling arthropods. 3605 trophic relations in soil. 2822

Trypanosoma infection in relation to blood-

feeding in Rhodnius prolixus. 4687

of Typhlodromus mcgregori. 2711

ultrafiltration by peritrophic membrane in larval Aedes aegypti. 4519

virus transmission by Myzus persicae in relation to food-plant, 1282

in relation to water-content of cave Leiodidae.

in relation to water-content of Perillus bioculatus. 2642

weather conditions in relation to aphid consumption by Coccinellidae. 3567

weight of crop contents in foraging worker Apis mellifera ligustica. 1106

wood consumption of Reticulitermes in relation to RH and temperature. 5886

wood digestion by symbionts of Kalotermes

flavicollis and Reticulitermes lucifugus. 4868 in relation to Wuchereria bancrofti transmission by Culex fatigans. 725

yolk-mass consumption by Lyctidae. 4016 in relation to <sup>65</sup>Zn-excretion in Cryptocerus punctulatus and Popilius disjunctus. 4565 zonation of feeding areas in Asilidae. 1716

Felicitomyia brudini gen. et sp. n. (Dipt., Nymphomyiidae), described, 3319

Felicolia (Mall., Trichodectidae), spp occurring on Atilax paludinosus in Nigeria. 1940

Feltia subterranea (Lep., Noctuidae), laboratory rearing rearing, fecundity, life-span and growth. 1037

Feltiella (Dipt., Cecidomyiidae), bionomics and life-cycle, 1240

Feltiella tetranychi (?), biology and life-history. 1240

Feltria setigera (Arach., Acari, Trombidiformes), in mountain seepage-waters of Czechoslovakia. 1377

Fenazaflor [5,6-dichloro-1-phenoxycarbonyl-2trifluoromethyl-benzimidazole], metabolism in Musca domestica. 5240

Fenestrobates gen.n. (Arach, Acarl, Oribatei), established, 2462

Fenitrothion,

control of Blatella germanica. 5813

cross-resistance with diazinon in Culex pipiens molestus larvae. 3230

toxicity to Attagenus alfierii and A. megatoma larvae. 4454

toxicity to Tribolium castaneum and T. confusum. 5819

Fenthion,

resistance in larval Culex pipiens pallens. 2850 toxicity to Attagenus alfierii and A. megatoma larvae. 4454

toxicity to Tribolium castaneum and T. confusum. 5819

Fentins, anti-feedants for larval Gnorimoschema operculella. 5393

Fenusa pusilla (Hym., Tenthredinidae), parasites and predators in Quebec, Canada. 2119

Ferrisia virgata (Hem., Hom., Pseudococcidae), biological control in California, USA. 797 natural control by Nephus regularis in Mahya Pradesh, India. 759

Fertility,

in relation to biotin in Aedes aegypti. 719 in relation to DDT and dieldrin in Aglais urticae.

of eggs in  $\circ$  Hypera postica isolated after mating. 3527

in relation to extra-terrestrial radiation in of Drosophila melanogaster. 402

in relation to hydrochlorination reaction mixture in Choristoneura fumiferana. 4618

in relation to methylthiophosphonic acid diethyleneimide in Drosophila melanogaster. 6088

### Fertility, contd.

of Musca autumnalis 9, 4665

of Ostrinia nubilalis on susceptible and resistant corn. 736

in relation to  $\gamma\text{-radiation}$  in Heliothis virescens. 2070

in relation to  $\gamma$ -radiation in Stomoxys calcitrans.

recovery in Musca domestica after exposure to 1,3-propanediol, DMS and X-rays, 4608

retention time in sperm of Polydesmus angustus.
4663

in relation to selection for insecticide-resistance in Ostrinia nubilalis, 4914

in relation to temperature in Drosophila melanogaster. 253

in relation to vitamin E in Barathra brassicae. 4516

### Fertilization,

delayed fertilization in relation to mutagenicity of N, N-tetramethylenebis (1-aziridinecarboxamide) in Cochliomyia hominivorax. 3665

of eggs in Sitotroga cerealella. 1985

rate and selection in Scatophaga stercoraria. 3532

sex regulation in Itoplectis cristatae by fertilization control. 1349

Fertilizers, for protection of tree-stands against forest-pests. 4797

Fertonella (Hym., Apidae), new spp described. 4340

Festuca (Gramineae), Contarinia festucae and Dasyneura festucae attacking in Poland. 5435

### ibroin,

molecule structure in Bombyx mori. 5863 synthesis in normal and oily larvae of Bombyx mori. 3453

Ficalbia (Dipt., Culicidae), chromosome numbers and karyotypes of Asian spp. 870

### Ficus (Moraceae),

breeding of Aedes aegypti in holes in S. India. 4666

Cecidomyiidae galling in Gurdaspur, India. 3761

Ficus carica, pollination by Blastophaga psenes.

1707

Ficus gnaphalocarpa, Agaonidae and Torymidae from. 2128

### Picus nitida.

microfauna of leaf-rolls. 6047

oviposition of Termatophylum insigne. 5983

Ficus racemosa, pollination by Ceratosolen fusciceps. 1707

Ficus sycomorus, host of Typhlodromus sycomorus sp.n. in Egypt. 3726

Ficus tsiela, pollination by Maniella delhiensis. 1707

Ficus virens, pollination by Blastophaga vaidi. 1707

Fidena haywardi sp.n. (Dipt., Tabanidae), described. 987 Fidicina rana (Hem., Hom., Cicadidae), auditory system, 1535

songs and sound-production, 1157

Fidobia (Hym., Platygasteridae), differentiated from Platystasius. 1923

Fig insects, see Agaonidae and Torymidae Figitidae (Hym.), 273, 313, 2751

Figulus moluccanus sp. n. (Col., Lucanidae), described, 5001

Figulus sublaevis, Thelastoma toxi sp.n. and Th.figuli from midgut. 5184

Fiji (Pacific Ocean), Coelomomyces macleayae as parasite of larval Aedes polynesiensis. 4882

Filistata (Arach., Aran., Filistatidae), new spp described, 959

### Filistatidae (Arach., Aran.),

metabolic rate in relation to respiratory surface and acclimation. 4503

of Tadzhikistan, USSR, 959

Fillus (Neur., Ascalaphidae), Argentine distribution. 4205

### Finland.

Amauronematus discussed and keyed. 4363 benthos of R. Kokemaenjoki, Finland. 2823

biology and dispersal of Arctocorisa carinata and Callicorixa producta in rock-pools. 2770

biology of Oligonychus ununguis. 5977

Ceinae and Tetracampidae of. 2870

colour-morph frequencies in island populations of Philaenus spumarius in Gulf of Finland, 4916

distribution of Chymomyza costata. 5975

distribution of Phronia. 5672

distribution of Pterochilus phalesatus. 461

distribution of Rhyacionia buoliana and Rh. pinocolana. 1797

energy-flow through a Chorthippus parallelus population at Tvärminne. 1720

entomological publications of 1967.3

entomological publications of 1968. 5610

flight-period and size variation in Sirex juvencus and Urocerus gigas, 1455

Hybomitra tropica new for. 1800

ichneumonid populations of Oporinia autumnata outbreak on Betula. 2153

new Acari from. 3719

new Braconidae from. 5052

new Eriophyidae from. 953

new Geometridae from. 1933

new Mycetophilidae from. 5672

new Tenthredinidae from. 4363, 5741

overwintering stages of Macrolepidoptera. 1673

Pompiloidea of. 463

Pontania of Kilpisjärvi, Lapland. 5741

population density and sex-ratio of Thripidae on cereals. 1309

records for Protocalliphora. 460

seasonal changes in sex-ratio of Corixidae of rock-pools, 2809

Stenus list revised, 4926

Finland, contd.

Tabanidae revised. 1800

Fir tree borer, see Semanotus litigiosus amplus

Fire, effects on Carabidae in Lamto savanna, Ivory Coast. 3174

Fireflies, see Lampyridae and Photinus

Fish, heads as diet for larval Sarcophaga tibialis.

Fissocantharis (Col., Cantharidae), new synonomy.

Fissurobates gen.n. (Arach., Acari, Oribatei), established. 2462

Fitness,

Darwinian fitness in relation to chromosomal sex-ratio in Drosophila. 922

Darwinian fitness in relation to competition between Tribolium castaneum and T. confusum. 922

Darwinian and population fitnesses in Tribolium competition experiments. 1780

in experimental populations of Tribolium castaneum containing 'Sa' and a lethal gene. 4179

rates of fitness evolution in laboratory populations of Drosophila pseudoobscura. 3680, 3689

relative fitness of introgressed and parental populations of Drosophila arizonensis and D. mojavensis. 2856

relative fitness of monomorphic and polymorphic populations in interspecific competition in Drosophila. 3670

in relation to sternopleural chaeta number in natural populations of Drosophila melanogaster. 4920

of 'Xasta' mutant of Drosophila melanogaster.
4157

Fittkanimyia disparipes gen. et sp. n. (Dipt., Chironomidae), described. 4300

Fixation, fluids for Collembola. 5779

Flachiana subgen.n. (Col., Ptiliidae), established in Acrotrichis. 45

Flammula (Fungi), feeding and reproduction of Acarus siro and Tyrophagus putrescentiae. 1684

Flatidae (Hem., Hom.), 1102

Flavonoids, in food-plants and Polyommatus icarus. 3458

Flavopimpa (Hym., Ichneumonidae), redefined and reviewed, 2994

Flea-beetles, see Chrysomelidae

Fletcheritermes (Isopt., Termitidae), syn.n. of Nasutitermes. 3779

Fleutiauxellus nitidus (Col., Elateridae), comb.n. from Cryptohyphus. 972

Flight,

active and passive dispersal in British Psocoptera.

activity of Acyrthosiphon pisum and Aphidius pisivorus in relation to temperature and

light-intensity, 819

4819

activity of Aedes taeniorhynchus. 1239

activity of Apis mellifera with respect to cucumber, 812

activity of Arge pagana in Belorussia. 1227 activity of Belostoma malkini and Lethocerus

maximus in Trinidad, 1661 activity of Biini and Haeterini in Venezuela.

activity of Contarinia medicaginis. 332

activity and dispersal of & Aonidiella aurantii in California, USA. 3544

activity of Drosophila in relation to weather conditions in S. W. Hokkaido, Japan. 746

activity in relation to environmental factors in Haematobia irritans and Stomoxys calcitrans. 754

activity of Hypera postica in alfalfa fields in Ohio, USA. 586

activity and innervation of flight-muscles in Schistocerca gregaria. 3872

activity of Lasioglossum duplex. 848

activity of Laspeyresia pomonella in relation to UV-light. 5486

activity of Leptoconops irritans and L. kerteszi in Grossetano, Italy. 4043

activity of Odonata of islands of Danube Delta, Romania. 1808

activity of Rhopalosiphum maidis and Schizaphis graminum. 820

activity rhythm in Aedes aegypti. 1232

activity and settling behaviour of Glossina morsitans in the laboratory. 3950

activity of Tabanidae of New Jersey, USA. 3543 activity of Tabanus iyoensis in Toyama Prefecture, Japan. 1678

activity of univoltine Pyraloidea in Belorussia. 1235

age in relation to take-off activity of Acanthoscelides obtectus. 5847

antennae as wind-sensitive organs in Locusta migratoria, 4483

ATP activity and tension on glycerination of muscles of Lethocerus cordofanus. 612

behaviour and development of thoracic muscle in Glossina morsitans orientalis in laboratory. 1514

behaviour of Hypoderma, 2693

behaviour and phase-polymorphism in Aedes taeniorhynchus. 1239

carbohydrate utilization in Apis mellifera. 4537 CNS interneurons in flight-initiation in Calliphora vicina. 619

in Coleoptera. 3051

control and antenna movements in Calliphora erythrocephala. 3874

control of muscle histolysis in Dysdercus intermedius by feeding and population. 1611

courtship behaviour in Swedish Hercostomus. 4014

### Flight, contd.

- crowding, season and temperature in relation to flight activity in Blastophagus piniperda. 1237
- direction in nocturnal insects in relation to wind, 4732
- discharge patterns of antennal joint-receptor in Calliphora vicina in relation to air-flow perception, 3892
- energy reserves during flight in Schistocerca gregaria, 1557
- expendable wing surface-area in Lepidoptera. 5188
- experimental analysis in Oncopeltus fasciatus. 3054
- geographical variation in flight activity in Callosobruchus chinensis. 3610
- glucose incorporation into lipids in Lucilia sericata. 1045
- heritability of flight-duration in Lygaeus kalmii. 1338
- histology of muscles of adult Tenebrio molitor.
- impulse patterns in flight motor-neurons in Bombus californicus and Oncopeltus fasciatus. 3058
- instantaneous air-velocities behind wings of Calliphora erythrocephala and Phormia regina. 3055
- lift output in relation to angle of incidence in Melolontha vulgaris. 3867
- light and temperature in relation to flight initiation and take-off rate in Acanthoscelides obtectus. 2705
- light-intensity in relation to flight-patterns in Gnathotrichus. 2706
- light-intensity and RH in relation to flight initiation in Blastophagus piniperda, 5890 mating-flight and swarming in Diptera, 1225
- mechanoreceptors and neurons in flight initiation reflex in Locusta migratoria. 1518
- method for recording flight activity in Haematobia irritans and Stomoxys calcitrans. 754
- mill for studying effects of volatile substances on flight. 1491
- mill for studying small insects. 135
- in relation to motion-detecting units in optic lobe of Apis mellifera. 5842
- motor neurons of flight-system of Schistocerca gregaria mapped. 4480
- mechanical properties of muscles in Lethocerus cordofanus and Lethocerus annulipes. 1517
- muscle autolysis in British Psocoptera. 1709 muscle degeneration in Belostoma malkini and
- Lethocerus maximus, 1661 muscle efficiency, myosin turnover-frequency and frequency oscillation in Lethocerus maximus, 613
- muscles of Insecta and physics of muscular contraction. 4465
- nervous control of flight apparatus in

- Insecta, 1065
- nervous control of flight system in Acrididae.
- nervous control of indirect flight-muscles in Apis mellifera, 3870
- oriented flight in Formica subnuda and Leptothorax muscorum. 2773
- of Cephise cephise. 4735
- patterns of Chironomidae and Simuliidae at Prater's Creek, S. Carolina, USA. 5477
- penetration of air-barriers by Musca domestica in relation to air-velocity. 4472
- periods of Amitermes in N. America. 3195
- periods of Bombycoidea and Noctuoidea in Siljan, S.Norway. 1672
- periods and Hungarian distributions of Caradrina. 4031
- periods in Nearctic Euchloe. 4117
- periods of Sirex juvencus and Urocerus gigas in Finland. 1455
- post-flight biology and development in Schizaphis graminum, 4466
- postural changes in relation to yaw in Schistocerca gregaria. 5845
- proline synthesis in muscles during development in Hyalophora gloveri. 1633
- range of blood-sucking Ceratopogonidae, 2790 rearing in isolation in relation to flight tendency in Schistocerca gregaria, 5831
- reflex mechanisms of initiation and inhibition in Locusta migratoria. 1049
- sensory control of abdomen posture in flying Schistocerca gregaria. 5843
- sex-pheromones in relation to flight in Dendroctonus pseudotsugae and Trypodendron lineatum. 1491
- solar near-UV irradiation in relation to flight activity of Symphyta. 822
- speed, wing-speed frequency and sucrose utilization in Lucilia sericata. 1515
- in relation to spiracular behaviour of Aedes. 4504
- stimulus parameters in relation to landing reaction in Musca domestica. 4496
- substrate vibration in relation to flight activity in Apis mellifera. 2571
- and sucrose metabolism in Phaenicia sericata. 3053
- in relation to Sulphuretylenchus elongatus infection in Scolytus ventralis. 4074
- take-off activity of Acanthoscelides obtectus. 2705, 5847
- take-off behaviour in Schizaphis graminum, 4471 take-off of Rhopalosiphum maidis and Schizaphis graminum, 820
- tepa in relation to flight responses in Musca domestica. 4564
- timing in Myzus persicae. 1171
- timing in nocturnal Lepidoptera in Egypt. 6059 trehalose metabolism and utilization in Musca

Flight, contd.

domestica. 616

ultrastructure of muscles in Cetonia aurata. 156 ultrastructure of muscles in Pieris brassicae and Triphaena pronuba. 3873

yaw-correcting postural changes in Schistocerca gregaria. 5845

Flores Island (Indonesia),

new Braconidae from, 2521 new Nymphalidae from, 1936

Floricateres pusillus gen. et sp. n. (Col., Lophocateridae), described. 4985

Florida Queen butterfly, see Danaus gilippus berenice

Florida red scale, see Chrysomphalus aonidum Florina externa (Hem., Hom., Diaspididae), biology in Maryland, USA. 2718

Florithrips gen.n. (Thysanopt., Thripidae), established. 4404

**2-Fluorenamine**, effects on larval and adult Periplaneta americana. 3430

Fluorescence,

fluorescent powder for marking Argyrotaenia velutinana and Synanthedon pictipes for dispersal studies. 5108

fluorescent substances from & Formica polyctena. 4543

5-Fluoro-2-deoxyuridine, cause of morphological aberrations in Drosophila melanogaster. 238

p-Fluorophenylalanine, in relation to development of wild-type and mutant Drosophila. 699

5-Fluorouracil, in relation to morphology of Drosophila melanogaster. 238

Flurol 7GA, for marking adult Anthonomus grandis. 1494

Foersterella (Hym., Tetracampidae), erdoesi and flavipes new for Finland. 2870

Folic acid,

cofactors in Musca domestica. 3460 food acceptibility for Solenopsis saevissima. 4760

interaction of analogues with dihydrofolate reductase from Galleria mellonella. 5865

Folsomia fimetaria (Collem., Isotomidae), soil populations in Hidaka-Mombetsu, S. Hokkaido, Japan. 2146

Folsomia quadrioculata,

aggregations in Pinus sylvestris forest in Perthshire, Scotland. 2162

food substrates and gut contents. 5996

Folsomia tianshanica sp. n., described. 4982

Folsomia yosii sp. n. (Collem., Isotomidae), described. 2932

Fomes subroseus (Fungi), feeding and reproduction of Acarus siro and Tyrophagus putrescentiae. 1684

Fontaria virginiensis (Myriap., Diplop., Eurydesmidae), tolerance to desiccation. 4558

Fontelicella californiensis (Mollusca), food of larval Dictya fontinalis sp.n. in California, USA. 1878

Food-processing establishments, dipteran populations in Czechoslovakia. 842

Forcipomyia (Dipt., Ceratopogonidae), Lasiohelea returned to generic status. 4299

Forcipomyia (Thyridomyia), new spp described.

Forcipomyia (s. str.) stabilis sp.n., described. 62 Forelia longipalpis (Arach., Acari, Trombidiformes), new for Czechoslovakia. 1369

Forelius foetida (Hym., Formicidae), volatile compounds. 2017

Forest

biology and ecology of forest Oeneis. 3609 fertilization of tree-stands for protection against pests in GFR. 4797

forestry practices in relation to fauna of coniferous soil. 3179

Oribatei from wetland forests of S. Primor'e, USSR. 4973

protection of Formica rufa and colony foundation for forest pest control. 3628

Forficula auricularia (Derm., Forficulidae), photo-geotactic angle-transposition. 5207 predation on Laspeyresia pseudotsugae sp.n. in Canada. 1468

ultrastructure of antennal sensory dendrite.  $448\,7$ 

Forficula obtusangola, Italian distribution. 2935 Forficulidae (Derm.),

2501, 2935, 3755, 4487, 5207, 5663

Formaldehyde,

mutations in Drosophila melanogaster in relation to presence of acids. 3223

prevention of cytoplasmic polyhedrosis in Pectinophora gossypiella eggs. 1959

storage effect on dominant lethals in Drosophila melanogaster. 4156

for study of induced crossing-over and mutation in Drosophila melanogaster. 4143

Formalin,

killing agent for Nosema algerae spores attacking Anopheles stephensi. 5101

in relation to soil invertebrate populations. 1721 Formamide,

for preventing high-temperature effects accompanying DNA-renaturation and hybridization with RNA. 1569

for renaturation of DNA and hybridization of DNA and RNA from pupal Drosophila melanogaster. 3457

Formetanate, inhibition of esterases of Tetranychus. 5904

Formic acid.

mutagenicity in combination with formaldehyde in Drosophila melanogaster. 3223

in RNA-synthesis in developing ovary of Musca domestica. 1644

in scent fluid of Dicaelus purpuratus. 2644 in relation to uric-acid synthesis in Rhodnius

Formic acid, contd. prolixus. 1579

Formica (Hym., Formicidae).

artificial multiplication of nests by means of small colonies. 5092

ecology of fusca and rufibarbis on Mt. Terminillo, C. Italy. 1727

physiology in relation to Atemeles pubicollis.

visual learning in nigricans and truncorum. 5849 Formica exsectoides, predaceous on Choristoneura pinus in Michigan, USA, 3615

Formica fusca japonica, biology and ecology in Sapporo, Japan. 336

Formica japonica,

allometry, 3483

body-weight and size of workers at emergence from cocoons, 1315

Formica lugubris, primary sensory afferent nerves of prothoracic ganglion, 2588

Formica pallidefulva nitidiventris, predaceous on Choristoneura pinus in Michigan, USA, 3615

Formica polyctena,

accomplishment of complex communal task, 4126 Atemeles pubicollis attracted by colour, 3422 detour negotiation. 309

factors affecting nest-development, 2820 fluorescent substances from d. 4543 formicapterin structure. 1565

nest transplantation in Kleve State Forest, GFR.

orientation towards nest by loaded ants. 309 prey studies quantitatively. 2721

uptake and colony distribution of food. 2737 Formica pratensis, sense-organs of joints. 5201 Formica rufa,

collection of eggs of Chrysomelidae. 4030 formicapterin structure. 1565

group of Iberian Peninsula and Islas Baleares.

protection of nests and colony foundation for forest pest control, 3628

Formica rufa polyctena, fat-body of queens during post-embryonic development. 1642

Formica subnuda, oriented flight. 2773

Formica truncorum vessensis, biology and ecology in Sapporo, Japan. 336

Formicapterin, structure, 1565

Formicidae (Hym.),

107, 108, 194, 254, 309, 336, 353, 661, 686, 847, 904, 1031, 1148, 1268, 1311, 1314, 1315, 1452, 1541, 1565, 1592, 1614, 1642, 1689, 1701, 1727, 1729, 1731, 1733, 2016, 2042, 2087, 2112, 2151, 2588, 2618, 2647, 2721, 2735, 2737, 2773, 2780, 2816, 2820, 2831, 3136, 3137, 3139, 3194, 3367, 3422, 3483, 3562, 3571, 3573, 3615, 3628, 3636, 3639, 3786, 3803, 4052, 4088, 4124-4126, 4128, 4192, 4354, 4355, 4430, 4478, 4492, 4543, 4760, 4818, 4827, 4962, 4863, 4872-4874,

4890, 5054, 5092, 5201, 5225, 5237, 5580, 5655, 5727-5730, 5849, 5955, 6047, 6056

Aphidoidea visited on Quercus in Hungary. 2761 Araneae associated with. 3571

associated with Aphidoidea in Irag. 4818

associated with Clytrinae and Cryptocephalinae eggs in C. Europe. 4030

associated with Xenomyzus alpestris sp.n. in Europe, 3786

association of Curculionidae with ant nest. 4047 attending Aphidoidea on Quercus in Kurdistan, Iraq. 2121

Balearic, Portuguese and Spanish spp reviewed.

behaviour in relation to platyhelminth infection.

biology and ecology in relation to the cocoa farm.

from Brazil. 5727

communities on Mt. Terminillo, C. Italy. 1727 distribution, habits and ecology in Mamora Forest, Morocco. 4862

ecological distribution in Gregory Canyon, Colorado, USA. 3632

ecology in great dunes of N. W. Sahara. 4827 ecology in Sapporo, Japan. 336

free amino acids and their taxonomic relevance.

in relation to honeydew producers in Abies alba forests in 1968. 2152

karyotypes. 4890

of Laesø, Denmark. 5580

method for assessment of predation on insects.

methods for sampling populations. 336 from Mongolia, 4192

new records for Andorra, Islas Baleares,

Portugal and Spain, 3639 predators of Cecidomyiidae. 4101

predators of Chilocorus bipustulatus in Israel.

predators of Chironomus at Solberg Lake, Wisconsin, USA, 3558

predators of Diatraea saccharalis eggs in Louisiana, USA. 2795

predators of Hodotermes mossambicus, 5517 predators of Laspeyresia funebrana in Rostov area, USSR, 1675

predators of Laspeyresia pseudotsugae sp.n. in Canada, 1468

protease activity in rectal fluid of Attini. 2618 recolonization of artificially emptied islands of the Florida Keys, USA. 821

soil populations in Hidaka-Mombetsu, S. Hokkaido, Japan. 2146

trophallaxis in Ponerinae. 3636

Vernonia guineensis in nutrition of savannah spp.

volatile compounds and their taxonomic relevance, 2017

Formicinae (Hym., Formicidae),

ecological distribution in Gregory Canyon, Colorado, USA. 3632

larval body-profiles. 4430

protease activity absent from rectal fluid, 2618

Formicomus (Col., Anthicidae), new spp described.

Formosa, see Taiwan

Formosargus variegatus sp. n. (Dipt., Stratiomyidae), described. 2507

N<sup>5</sup>-Formyl-tetrahydrofolic acid, cofactor of folic acid in Musca domestica. 3460

N<sup>10</sup>-Formyl-tetrahydrofolic acid, cofactor of folic acid in Musca domestica. 3460

Forsterita (Col., Chrysomelidae), karyotype of an Andean sp. 5536

Fossils.

methods for studying Quaternary insects fossils.

naming of segments of complex dendroids in wingvenation. 3843

palaeontology of Melipona and Trigona. 1316 Fostothion, effects on Cycloneda limbifer. 2091

Fragaria (Rosaceae)(strawberry),

behaviour and reproduction of Chaetosiphon fragaefolii. 2700

host of Eotetranychus geniculatus sp. n. in Japan. 16

mineral deficiency in relation to reproductive rate in Tetranychus urticae. 4079 pollination by Apis mellifera, 5437

Fragaria chiloensis var. ananassa, overwintering host for Aphis gossypii. 6017

Fragaria vesca, probing behaviour of Chaetosiphon fragaefolii. 4770

France,

Acemyia present. 443

Acemyia rufitibia present in Sainte-Baume Massif. 443

Aphelinus flavipes and A. varipes new for. 5410 Aphycus apicalis parasitic on Phenacoccus aceris

in Alpes-Maritimes. 5408 Arthropoda found among bananas at Arras. 4815

biology and distribution of subspp of Melitaea varia, 4739

biology and ecology of Culex modestus in relation to West Nile virus in Camargue. 6037

biology and ecology of Insecta in springs in Corbières Mountains. 2142

biology of Epinotia cedricida in relation to Cedrus, 3110

Caraboidea and Staphylinoidea of La Brigue area, Alpes-Maritimes. 3188

Chrysomelidae new for Pyrénées-Orientales.

Clytra quadripunctata appendicina not a French taxon. 4269

Contarinia sorghicola present. 436 control of Zeiraphera diniana by Bacillus thuringiensis. 4102

distribution of Morphocarabus monilis in Alpes-Maritimes. 4188

ecology of Abax ater contractus and Pterostichus moestus in Alpes-Maritimes. 2167

Euxoa distinguenda new for Puy-de-Dôme area.

Gloger's rule in relation to Collembola of Pyrénées. 2797

Hemiptera of Bouches-du-Rhône. 1362

Heteroptera from Provence. 5705

Heteroptera new for. 5705 Ichneumonidae new for. 110

Leptomatidea bifasciata parasitic on Phenacoccus aceris in Alpes-Maritimes. 5408

moss-dwelling Collembola of Sidobre, Tarn. 4879

Nabidae from. 3328

Nanophyes telephii new for. 5569

new Aphididae from. 2980, 2981, 3786

new Chironomidae from. 2503, 3317

new Curculionidae from, 2485

new Entomobyridae from. 984, 4292

new Halictophagidae from. 3015

new Heptagenii dae from. 5688

new Ichneumonidae from, 110

new localities for Antaxius chopardi. 127

new locality for Chrysocarabus solieri in Alpes-Maritimes. 4188

new Megachilidae from. 4340

new Noctuidae from. 5753

new Oribatei from. 1822

new Phalangiidae from. 1398

new Phlaeothripidae from, 3018

new records of Masaridae, 112

new Staphylinidae from. 4286

new Tachini dae from. 5683

new Tarsonemidae from, 4213

new Thripidae from. 3018

new Tortricidae from. 3006

overwintering of Tahyna arbovirus in Culex molestus. 4018

phenology and population dynamics of Micropterna nycterobia in Grotte du Crochet. 6026

Phyllonorycter keyed. 5745

Pissodes notatus in relation to mortality of Pinus maritimus in Bouconne Forest, Haute-Garonne, 3588

Siphonaptera new for. 4942

Tachinidae new for. 5683

Tachinidae of Sainte-Baume Massif, Var. 5683

Tipula excisa group in the Pyrénées. 84

Vagioavirus melolonthae for control of larval Melolontha melolontha, 5173

Franciscoloa magnifici sp. n. (Mall., Menoponidae), described, 3008

Frankliniella lilivora (Thysanopt., Thripidae), host of Megaphragma longiciliatum sp. n. in India.

Frankliniella schultzei, distribution, genetics and pest status of colour morphs. 3109

Frankliniella tenuicornis, populations and sex-index on cereals in Finland. 1309

Fraser fir, see Abies fraseri

Frass, juvenilization of adult Tenebrio molitor. 2665

Fraxinus (Oleaceae), host of Chionaspis floridensis sp.n. in Florida, USA. 1898

Fraxinus americana, biology and feeding of Phytobia in Pennsylvania, USA. 3587

Frea (s.str.) mussardi sp.n. (Col., Cerambycidae), described, 524

Fregata (Aves), host of Fregatiella gen. n. 578
Fregatiella gen. n. (Mall., Menoponidae), established. 578

French Antilles, new Blattidae from. 56

French Guiana, new Buprestidae from. 3298

Freostathes freoides gen. et sp. n. (Col., Cerambycidae), described. 1407

Friesea mirabilis (Collem., Hypogastruridae),

aggregations in Pinus sylvestris forest in Perthshire, Scotland. 2162

gut contents. 2111

### Frontalin.

field responses of Dendroctonus pseudotsugae to synthetic frontalin. 4569

major components of aggregation pheromone of Dendroctonus pseudotsugae. 4569

regulation of colonization and mass-attack of Pinus ponderosa by Dendroctonus brevicomis. 1288

response of Dendroctonus brevicomis enhanced by 3-carene. 1652

response of Thanasimus dubius, 2742

Frontinella pyramitela (Arach., Aran,,Linyphiidae), predator of Rhyacionia frustrana. 5494

Frontinellina gen.n. (Arach., Aran., Linyphiidae), established. 960

Frost Entomological Museum (Pennsylvania State University, USA), arachnid and insect collections, 949

### Fruit.

attraction of Bijni and Haeterini, 4819

damage by Acari and Insecta in Ontario, Canada, in 1968. 3158

damage by fruit-piercing Noctuidae in Europe. 303

fruit-piercing habit in Noctuidae in Yugoslavia. 5999

fruit-tree pests in Philippine Islands. 3593 Fruit-fly, see Drosophilidae and Tephritidae Fructose,

food substrate for Laodelphax striatellus. 2740 glucose as diluent in instrumental insemination of queen Apis mellifera. 3495

hexokinase isozyme action in Drosophila robusta. 2830

metabolism in resting adult & Calliphora erythrocephala. 3943

nutritive value to Erioischia brassicae. 2722 utilization during flight in Apis mellifera. 4537

utilization by Lipaphis erysimi. 5858

Fructose-1, 6-diphosphatase,

during adult of development in Schistocerca gregaria. 4001

Calcium in relation to activity in insect muscle. 1116

 $\beta\text{-h-Fructosidase,}$  in gut homogenates of Lygus disponsi. 4526

α-Fucosidases, in Melanoplus bivittatus. 1573 Fulgoroidea (Hem., Hom.), from Ivory Coast. 490 Fulleritermes (Isopt., Termitidae), new for

Senegal, 1929

Fulwius major sp.n. (Hem., Het., Miridae), described. 5707

Fulvoclysia (Lep., Cochylidae), new spp described.

Fumaria indica (Fumariaceae), secondary host of Petrobia latens in Rajasthan, India. 4718

# Fumigants.

in combination with systemic insecticides for control of nematodes and insects in potatoes. 4692

ethyl dibromide, ethylene chlorobromide and methyl bromide against Rhagoletis pomonella and Rh. mendax. 5339

### Fungi,

amino acids of Xyleborus ferrugineus as nitrogen source for symbionts. 3574

antifungal substances absent from egg-capsules of Glomeris marginata and Narceus annularis. 3501

association with Planococcus citri on Coffea arabica roots in Kenya. 6056

biochemical basis for symbiosis with Atta colombica tonsipes. 1689

blue-stain fungi and yeasts in maxillary mycangium of Dendroctonus ponderosae. 3854

canonical correlation between arthropod fungal and environmental variables in bulk-grain ecosystems. 4822

cellulose-utilization by fungus cultured by Atta colombica tonsipes. 2112

Collembola as vectors of insect-pathogenic fungi. 5504

dispersal by aquatic insects, 4131

Erysiphaceae as food of Micraspis sedecimpunctata and Thea vigintiduopunctata in Switzerland. 1258

food for Anabrus simplex. 4772

food of Collembola. 4769, 5996

food of Tarsonemus crassus. 6110

Fungi Imperfecti in relation to larval growth of Hylotrupes bajulus. 692

interrelations with Acari in forest ecosystems.

interrelations with Acari and Insecta in grainbulk ecosystems. 3185

mould inhibitors in relation to development and fecundity of Ostrinia nubilalis. 5785

Fungi, contd.

new Astichus associated with, 4350 of Odontotermes redemanni fungus-gardens, 852 primary ambrosia fungi of Xyloterinus politus, 3141

reaction of Nomia melanderi to pathogenic fungi in brood cells. 1313

symbiotic fungi of Lasioderma serricorne as vitamin sources. 1181

Tarsonemus virigineus sp. n. feeding on on Ribes grossularia. 1827

terminology for fat-tissue colonization by yeasts in Auchenorrhyncha. 4053

toxicity of culture filtrates to Isoptera. 2168 transmission by Friesea mirabilis. 2111

Furadan,

in relation to carabid populations. 825 control of Macrosteles fascifrons. 4830

Fusarium aquaeductum (Fungi), in relation to larval growth of Hylotrupes bajalus. 692

Fusarium solani,

ingestion and transmission by adult Musca domestica. 3564

sterol metabolism as basis for symbiosis with Xyleborus ferrugineus. 3140

Fuscozetes novus sp. n. (Arach., Acari., Ceratozetidae), described. 4970

Fuscuropoda (Arach., Acari), poultry manure removal in relation to populations in N. California, USA. 4836

Fusiplata gen.n. (Hem., Hom., Cicadellidae), established. 998

Fusius (Hem., Het., Reduviidae), new subspp, taxonomic changes and key to spp. 3330

Fustigerini (Col., Pselaphidae), divided into Hoplitodenini trib.n. and Lunillini trib.n. 2496

Fustigerinus (Col., Pselaphidae), geographical distribution and hulstaerti sp.n. described.

Fustigerinus nasicornis, syn.n. of planiceps. 2494

# G

### Gabon,

Fustigerini from. 2494
new cave-dwelling Phaeophilacris from. 363
new Chrysomelidae from. 5637
new Pselaphidae from. 2494
new Sphingidae from. 5759
odia himspica. Clipt. Technicker and see 15

Gaedia hispanica (Dipt., Tachinidae), new for France. 5683

Gaedia lauta sp. n., described, 1435

Gahania (Col., Cerambycidae), placed in Gahaniini trib, n. 2898

Gahaniini trib.n. (Col., Cerambycidae), established. 2898

Gahanisca gnathocerus gen. et sp. n. (Hym., Pteromalidae), described. 1925

Gahrliepia morobensis (Arach., Acari, Trombiculidae), an intranasal sp. 4237

Gahrliepia (Walchia) traubaudy sp. n., described. 4237

Gaillardia pulchella (Compositae), populations of Homoeosoma electellum in Texas, USA. 2808

Galactosamine, in puparium of Lucilia cuprina.
5227

Galactose, nutritive value to Erioischia brassicae. 2722

Galactosidases, in Melanoplus bivittatus. 1573 Galápagos Islands,

Dermaptera. 2194

new Canaceidae and Ceratopogonidae from. 3757 new records for Diptera. 3757

Galerucella birmanica (Col., Chrysomelidae),

Galerucella birmanica (Col., Chrysomelidae),
o'reproductive organs. 3474
Galium aparine (Rubiaceae), behaviour of Weberia

pseudofunesta. 3529
Galium palustre, life-history of Anaphothrips

validus. 5597

Galium verum, biology of Belothrips acuminatus.

1671 Gall-midges, see Cecidomyiidae

Galleria (Lep., Galleriidae), carbon-number distribution of triglycerides. 3070

Galleria mellonella,

Bacillus thuringiensis var. thompsoni (serotype 1) from, 5817

biology of Pyemotes boylei reared on in the laboratory, 4026

body constraint and developmental arrest. 5914 cell response of ovaries to disturbance of hormone supply. 3999

densonucleosis in relation to uric-acid formation in larval fat-body, 3455

development of nuclear polyhedrosis in ligatured larvae. 5149

development of ovaries in pupae. 3966 DNA pyrimidine sequences. 1113, 4894

ecdysone in relation to DNA-synthesis and morphological changes in wing-discs. 1198

effects of Bracon venom. 209

fatty-acid composition of haemolymph in relation to diet. 3512

food and space requirements for pupation. 2674 haemocyte reactions of larvae to Salmonella typhimurium infection. 3063

haemolymph fraction inducing oviposition in Itoplectis conquisitor and Pimpla turionellae. 716

hormonal control of imaginal-disc

# Galleria mellonella, contd,

regeneration. 5877

hormonal and neural control of pupation. 3517 interaction of folate analogues with dihydrofolate reductase. 5865

JH in relation to morphogenesis of pupal integument. 241

JH-mimicking activity of extracts from 5 tree spp in pupae. 3462

larvae as alternative host for Lixophaga diatraeae. 1311

ligaturing of larvae in relation to haemocyte numbers and mitotic indices, 1092

ligaturing in relation to nuclear-polyhedrosis in larvae. 5803

lysozyme concentration in relation to acquired immunity against Pseudomonas aeruginosa. 5167

measurement of Bacillus thuringiensis dose ingested by larva. 5781

morphogenesis of pupal integument. 241

morphogenesis and ultrastructure of cuticle and scales. 3398

nervous regulation of ecdysone release. 2635 proteolytic activity of midgut in immature stages. 724

spontaneous precipitation of haemolymph proteins. 3913

toxicity of Entomophthoraceae mycotoxins. 5815 ultrastructure of pro-leg metamorphosis. 1988

Galleriidae (Lep.),

209, 241, 716, 724, 1092, 1113, 1198, 1311, 1988, 2635, 2674, 3063, 3070, 3398, 3455, 3462, 3512, 3517, 3913, 3966, 3999, 4894, 5149, 5167, 5781, 5789, 5803, 5815, 5817, 5865, 5877, 5914, 5985, 6033

Gallinula chloropus (Aves), host of Pseudomenopon zlotorzyckae sp. n. 4387

### Galls.

of Amradiplosis allahabadensis on Mangifera indica. 4023

Anarsia guiera sp. n. and Eublemma guiera sp. n. from galls of Guiera senegalensis in N. Nigeria. 571

association of Myrmex and Oopterinus with cynipid galls. 4047

biology of gall-making Nematini in California, USA. 3538

of Cercothrips brevicornis sp. n. 5772

of Contarinia medicaginis on Medicago sativa.

of Contarinia pisi. 4029

Dactylothrips tasmani sp. n. galling Acacia mearnsii. 4402

development of Curculionidae in galls of Cynipoidea and Symphyta. 4047

of Diplolaboncus tumorificus on Carex riparia.

of Eriophyes brevitarsus on Alnus glutinosa. 4057

Eurytoma sabiae sp. n. and Prodecatoma sabiae sp. n. from galls of Acroectasis campanulata on Sabia campanulata. 4352

Eurytoma salicigalla sp.n. and Eu. salicisaquatica sp.n. from Euura galls on Salix in California, USA. 4353

of Indodiplosis mangifoliae on Mangifera indica. 4069

inquilines of Lipara lucens. 4820

intra-gall variation in Brithrothrips fuscus. 3043

of Lipara lucens on Phragmites communis. 4820 Méhes collection of oak-galls in Museum of Natural History, Budapest, Hungary. 1278 parasites of insect gall-formers in Europe, 2118

of Phlaeothripidae on Acacia in Australia. 3043 of Phylloxera vitifoliae on grape in Ontario,

Canada, 4811

of Pontania proxima on Salix triandra. 4060 produced by butanol extract of Eurosta solidaginis in Solidago canadensis. 3584

of Rhabdophaga albipennis and Rh. saliciperda. 5453

of Trishormomyia crataegifolia on Crataegus mollis. 755

of the Viteus vitifolii type produced artificially on Vitis, 325

# Gallus (Aves),

Mallophaga in Japan. 6146

Speleognathopsis galli infesting in Papua and New Guinea. 3581

walkerae sp.n. the only sp of Argas (Persicargas) occurring on in Southern Africa. 509

# Gallus domesticus,

control of Menopon galinae by dichlorvosimpregnated resin strands. 4673 Mallophaga on in Punjab, India, 1700

seasonal variation in captures of Psychodidae at a henhouse in Japan. 6053

Galumna (Arach., Acari, Galumnidae), new taxa described. 511

Gamasellus humosus sp.n. (Arach., Acari, Gamasellidae), described. 503

Gamasidae (Arach., Acari, Mesostigmata), ectoparasitic on mammals in Swedish Lapland. 314

new spp from Shiga Heights, Japan. 503 spp new for Japan. 503

Gamasoidea (Arach., Acari, Mesostigmata),

adenotaxy and poroidotaxy in cuticular organs. 5829

of Lagurus luteus in Zaysanskiy Depression, Kazakhstan, USSR. 5487

# Gambir, see Uncaria gambir

# Gametogenesis,

in Argas arboreus. 4624

in Thermobia domestica. 4892

Gampsocoris culicinus (Hem., Het., Berytidae), spermatheca. 3479

Ganoderma (Fungi), Thysanoptera associated with

Ganoderma (Fungi), contd. in Southern Blue Ridge region, western N. Carolina, USA. 3586

Ganoderma applanatum, Astichus intermedius sp. n. associated with. 4350

Ganonota (Col., Scarabaeidae), syn.n. of Strigidia. 4282

Garbage pits, production of Diptera in S. Carolina, USA. 3177

### Gardona,

control of Epitrix hirtipennis on flue-cured tobacco. 5355

control of Noctuidae on Zea mays in Florida, USA. 5335

control of Spodoptera littoralis in Egypt. 5352 selection of Aedes aegypti and Culex pipiens fatigans for resistance. 4169

toxicity to Attagenus alfierii and A. megatoma larvae. 4454

toxicity to Tribolium castaneum and T. confusum. 5819

Garlic, see Allium sativum

Garlic fly, see Eumerus strigatus

Garreta (Col., Scarabaeidae), S. African spp keyed, 529

Gascardia constricta sp.n. (Hem., Hom., Coccidae), described. 5040

Gaster, sculpture of first segment in Aphidius. 4446

Gasteracantha nossibeana (Arach., Aran., Argiopidae), type of Madacantha gen.n. 2887

Gasteracanthinae (Arach., Aran., Argiopidae), genera keyed. 2887

Gasterophilidae (Dipt.), 1134, 5416

Gasterophilus intestinalis (Dipt., Gasterophilidae), possible presence of calliphorin. 1134

Gasteruptio (Hym., Gasteruptionidae), prey of Neoitamus bulbus in New Zealand. 3569

Gasteruptionidae (Hym.), 3569

Gastrancistrus (Hym., Pteromalidae), parasitic on Dasineura balsamicola in Maine, USA. 4786

Gastrimargus africanus (Orth., Acrididae),  $\alpha$ - and  $\beta$ -auditory interneurons. 1070, 1071 copulation and genitalia. 3104

Gastrimargus musicus, pigments and proteins. 2021

Gastrimargus nigericus, copulation and genitalia. 3104

Gastroidea viridula (Col., Chrysomelidae), rearing on Rumex obtusifolius. 5786

Gastropoda (Mollusca), Sarcophagidae reared from Neotropical spp. 5675

Gause, experimental invalidation of principle of competitive exclusion. 2190

GC-6506 [dimethyl-p(methylthio) phenyl phosphate], toxicity to larval Heliothis zea, H. virescens and Pectinophora gossypiella. 5359

toxicity to larval Hemerocampa pseudotsugata. 5353

Gea heptagon (Arach., Aran., Araneidae), colour-

change, feeding, immature stages and webbuilding, 3111

Geigy GS-13005 [O, O-dimethyl phosphorodiethioate S-ester with 4-(mercaptomethyl)-2-methoxy-Δ²-1,3,4-thiadiazolin-5-one], control of Neoschoengastia americana on turkeys. 5348

Gelastocoridae (Hem., Het.), 606, 3326

of Institut Royal des Sciences Naturelles de Belgique, Bruxelles, Belgium. 3326 morphology of labium. 606

Gelechiidae (Lep.)

212, 326, 571, 573, 791, 838, 1012, 1121, 1274, 1298, 1363, 1495, 1594, 1706, 1959, 1985, 2223, 2242, 2528, 2702, 2871, 3154, 3184, 3361, 3844, 3963, 4083, 4368, 4574, 4812, 5268, 5359, 5393, 5407, 5802, 5964, 5968, 5991, 6000

from Afghanistan, 2528

from N. E. Danube Delta, Romania. 2223 of Spain catalogued. 1363

Gelis cyanurus (Hym., Ichneumonidae), distribution and taxonomy. 5056

Gelis tenellus, parasitic on Coleophora laricella in British Columbia, Canada, 3152

Gelotolabis distincta sp. n. (Derm., Carcinophoridae), described, 54

### Genes,

of abdominal-bristle selection lines in Drosophila melanogaster. 3208

'actidione-sensitive' ('act') in Drosophila melanogaster, 4904

action in relation to developmental homeostasis in Drosophila melanogaster. 878

action of 'tu' in Drosophila. 4137

activity in relation to chromosome structure.  $2833\,$ 

activity in relation to puffing pattern. 3210 alleles of 'Lap-D' and their inheritance in Drosophila melanogaster. 1336

affecting allelic recombination of 'scute' locus in Drosophila melanogaster. 4142

allelism between lethal genes in Drosophila melanogaster natural populations. 4170

allelism between lethal genes in Japanese populations of Drosophila melanogaster. 3681

amplification in Chironomidae, Sarcophagidae and Sciaridae, 1120

anatomical variation in Utah, USA, populations of Typhlodromus occidentalis. 4429

antenna and eye discs in manifestation of 'ophthalmopedia' in Drosophila melanogaster.

background in relation to effect of heterozygosity of X-ray-induced mutations on larval viability in Drosophila melanogaster. 6092

biological control in relation to environmental heterogeneity. 2779

'bobbed' locus in Drosophila melanogaster, 4141 'brown spots' ('bsp') in Drosophila melanogaster, 4895

# Genes, contd.

- character dominance in Drosophila virilis group. 6082
- chromosomal distribution of mating-speed genes in Drosophila robusts, 268
- chromosomal polymorphism and genetic load in Drosophila pseudoobscura, 1775
- chromosome bands in relation to genes in Drosophila melanogaster. 5535
- cistronic control of 'maroon'like' locus in Drosophila melanogaster, 1759
- cistrons of 'white-crimson' (w<sup>c</sup>) in Drosophila melanogaster, 1763
- co-adaptation in crosses between geographical populations of Drosophila pseudoobscura. 430
- co-adapted gene complexes in populations of Amathes glareosa in Shetland Islands. 417
- for coloration and biometric ratios in Schistocerca gregaria. 2857
- compensation for deleterious effects. 2187 compensation at glucose-6-phosphate dehydrogenase locus in Drosophila melanogaster, 2184
- compensation due to hyperactivity in of X-chromosome of Drosophila melanogaster.
- compensation in relation to RNA-synthesis in chromosome puffs of Drosophila melanogaster. 3654
- compensation in Rhynchosciara angelae. 1754 compensation in salivary-gland tissue of Drosophila melanogaster, 200
- compensation and sexuality in Drosophila melanogaster. 1757
- complementation and fine structure of 'maroon-like' locus in Drosophila melanogaster. 1759, 5545
- control of diapause rate in Contarinia pisi. 4029 control of gene action by non-histone phosphoproteins in Sciara coprophila. 2838
- control of melanotic tumours in Drosophila. 3983, 4137
- control of pyridoxal oxidase activity in Drosophila melanogaster. 1774
- 'controlling element' of 'white-crimson' (w<sup>c</sup>)
  gene in Drosophila melanogaster. 1763
- controlling enzyme activity in lethal lemon larvae of Bombyx mori. 4158
- controlling haemoglobins in Chironomus tentans. 4148
- controlling hatchability in inbred lines of Drosophila melanogaster, 880
- controlling invasive neuroblastoma of larval brain in Drosophila melanogaster. 4160
- controlling mating speed in Drosophila pseudoobscura, 1786
- controlling neoplasm of imaginal discs in Drosophila melanogaster, 4160
- controlling octanol dehydrogenase in Drosophila melanogaster, 4149
- 'cp', 'in' and 'ri' genes in Drosophila melano-

- gaster. 6084
- 'curved' and 'yellow' in Blattella germanica.
  4905
- dark mutant of Trichoplusia ni. 5555
- DDT-resistance associated with body-colour genes in Tribolium. 3993
- determination of adult weight in Tribolium castaneum, 4082
- deviant sex-ratio in Drosophila melanogaster.
- for diazinon-resistance in Culex pipiens molestus larvae. 3230
- for dieldrin-resistance in Blattella germanica.
  4577
- for dieldrin-resistance in Culex tritaeniorhynchus larvae. 2852
- dietary RNA availability in relation to gene expression in 'eyeless' (ey) mutants of Drosophila melanogaster, 893
- dominance and linkage of genes for pupal weight in Tribolium castaneum. 3660
- dosage at 'scute' locus in Drosophila melanogaster. 374
- 'double-sex' (dsx) for study of dosage-compensation in Drosophila melanogaster, 1757
- duplication in relation to evolution. 2183
- duplication in 'ruby' mutant of Musca domestica. 1773
- for enzymes in Drosophila melanogaster, 877 epistatic system in polymorphic larval forms of Chlosyne lacinia, 2848
- epistasis in relation to eye-pigments in Drosophila melanogaster. 3649
- epistasis in relation to homozygote viability in Drosophila melanogaster, 1745
- epistasis in relation to inversion polymorphism in Diptera, 1347
- esterase loci in a Greek population of Dacus oleae, 3219
- expression in genetic mosaics in Drosophila.
- expression in relation to vitamin and major nutrient levels in 'eye-gone' (eyg) mutants of Drosophila melanogaster, 894
- in relation to extra-chromosomal element delta in Drosophila melanogaster. 3657
- extra-chromosomal inheritance of pseudotumours in Drosophila. 4137
- genotype in relation to segregation distorter recovery in Drosophila melanogaster. 1758
- genotype in relation to sperm functionality in Drosophila melanogaster. 228
- ç-sterile factor in Tetranychus urticae. 4902
- for fenthion- and malathion-resistance in Culex pipiens pallens larvae. 2850
- fine structure of haemoglobin gene in Chironomus thummi, 3450
- florella and pyrene morphs of Catopsilia florella. 5526
- flow in Shetland Island populations of Amathes

Genes, contd.

glareosa. 417

frequency in relation to mating success in Drosophila willistoni group. 420

frequency in relation to migratory conditions in Drosophila. 421

gene dependence of killing action and multiplication of delta element in Drosophila melanogaster, 3657

genetic component in diapause response of Heliothis. 4601

genetic and environmental contributions to group differences in Drosophila melanogaster. 4174

genetic loads associated with cold-resistance in Drosophila pseudoobscura. 1330

genetic loads in Drosophila melanogaster. 376 genetic loads in monomorphic and polymorphic populations of Drosophila robusta. 4177

genome variations in natural populations of Drosophila persimilis and D. pseudoobscura.

growth pattern in cell populations of Drosophila melanogaster in vitro. 6072

haemoglobin polymorphism in Chironomus pallivittatus and Ch. tentans. 5557

for haemolymph proteins in Orthoptera. 2014 and homochromy. 5880

homozygous viability in relation to average dominance in Drosophila melanogaster. 376

hormonal effect in fat-body nuclei of Calliphora erythrocephala. 4553

inheritance of ability to stunt Molon wheat in Mayetiola destructor. 1329

inheritance of dominant factors for carbamateresistance in Musca domestica. 4913

inheritance of flight-duration in Lygaeus kalmii.
1338

inheritance of 'gapped' (gp) in Drosophila virilis. 6082

intra-cistronic changes at 'prune' (pn) locus. 1760

intragenic changes in 'white' region of Drosophile melanogaster associated with changes in DNA-replication. 384

X-irradiation in relation to genetic load in Drosophila, 386

larval viability and genetic load in Drosophila melanogaster. 3647

linkage disequilibrium between esterase isozyme alleles in Drosophila virilis populations, 375

linkage disequilibrium in Drosophila subobscura natural populations. 884

linkage and elimination of deleterious mutant genes from experimental populations of Tribolium castaneum, 4179

linkage-group/karyotype correlation in Musca domestica. 1756

'loboid-ophthalmoptera' in Drosophila melanogaster. 4903

loci affecting  $\alpha$ -glycerophosphate dehydrogenase

isozymes in Drosophila melanogaster, 2021 loci involved in EMS-induced neurological mutants of Drosophila melanogaster, 1767

'lpo' a 3rd locus affecting pyridoxal oxidase in Drosophila melanogaster, 1774

markers in Planococcus citri. 5530

of medionigra polymorphism in Panaxia dominula. 3228

Mendelian transmission of pseudotumours in Drosophila. 4137

method for analysis of gene expression. 1569 methyl parathion-resistance in Spodoptera littoralis, 4912

modifier-genes in relation to expression of 'eyeless' (ey) alleles in Drosophila melanogaster, 893

modifier-genes in mimetic polymorphism of Papilio dardanus. 1788

multiple synaptinemal complexes of the gene amplification region in Acheta domestica. 5534

multiple-peak hypothesis for epistasis in Drosophila melanogaster. 1755

for NADPH<sub>2</sub>-dependent oxidases in Musca domestica, 3229

natural selection in relation to dominance viability polygenes in Drosophila melanogaster populations. 4178

new sex-linked mutants of Tribolium confusum, 4908

for organophosphate-resistance in New Zealand populations of Tetranychus urticae. 3677 overdominance in Drosophila melanogaster. 376

persistence of clustering lethal genes in Drosophila melanogaster populations. 4181

phosphoglucomutase locus in Drosophila melanogaster. 6083

pleiotropy of eye-colour mutations in Calyptrata. 4162

polygenes controlling sterno-pleural bristle number in Drosophila melanogaster. 387

polygene structure of haemoglobin of Chironomus thummi. 881

polygenic inheritance in relation to morphological variation in Polistes exclamans. 1355

position-effect variegation stability in normal and transdetermined larval blastemas from Drosophila melanogaster. 4583

position-effect variegation, with regard to region 3C loci in Drosophila melanogaster. 3661

'R' locus of Nasonia vitripennis. 3658

radiation-induced polygenes controlling sternopleural bristle number in Drosophila melanogaster. 387

radio-resistance genes in Drosophila melanogaster. 907, 2036, 4886

reiterated sequences compared by DNA-RNA hybridization in Aedes, Drosophila and Schistocerca, 4147

### Genes, contd.

replicas and repression in relation to phenotypic expression and variability in Drosophila melanogaster, 3218

resistance in Ixodoidea. 4580

salivary-gland secretion in Camptochironomus.  $5544\,$ 

selection in Drosophila pseudoobscura populations differing in gene arrangement and frequency. 3687

somatic recombination within 'white' (w) locus of Drosophila melanogaster. 3650

sterility content of 2nd chromosomes in Drosophila melanogaster populations from Fusagasuga, Colombia, 3685

sterol utilization by larval Drosophila melanogaster. 4646

'suppressor' (su<sup>2</sup>-s) gene in relation to perichromatin granule' frequency in 'vermilion' Drosophila melanogaster, 409

synergism of spontaneous mutant polygenes controlling viability in Drosophila melanogaster natural populations, 1785

system for screening rare events in Drosophila melanogaster. 1760

for tetradifon-resistance in New Zealand populations of Tetranychus urticae. 3678

tryptophan pyrrolase regulation by 'vermilionsuppressor' of 'vermilion' system in Drosophila melanogaster. 3659

variation patterns in central, marginal and isolated populations of Drosophila pseudoobscura.

variation of sternopleural chaeta number in a Drosophila melanogaster natural population. 4919

# Genitalia.

anatomical origin of genital capsule in o'Nomia melanderi. 1732

circumversion in Platypezidae. 1213 evolution of aedeagus within Blaberus. 2936 evolutionary morphology in Hymenoptera. 3473 genital and abdominal homologies between larvae and adult in Cochliomyia hominivorax. 4424

growth and origin of genital disc in intersex triploids of Drosophila melanogaster, 2051 homologies within Chrysopidae, 4389

homologies within Planipennia. 5081

of of Siphonaptera. 4591

method for preparation in Q Osmylidae. 5081 musculature in 3 Poekilocerus pictus. 3869 phallic complex of Acridoidea. 3472

relationships of subdorsal plate in Cecidomyiidae. 3973

of Rhyacophilidae. 5774

subdorsal plate relationships in Cecidomyiidae. 3973

Gentiana verna (Gentianaceae), food-plant of
Melitaea varia in France. 4739
Geococcus (Hem., Hom., Pseudococcidae), revised,

new spp described and spp keyed. 2519

Geocolaptes olivaceus (Aves), new Picicola from. 4384

Geocoris pallens (Hem., Het., Lygaeidae), effect on cage populations of Heliothis zea. 3600

Geocoris tricolor, new spp of prey in India. 782 Geocorisae (Hem., Her.), presence of claw setae

in Acanthosomatidae and Urostylidae. 3853 Geometridae (Lep.),

218, 320, 1013, 1236, 1265, 1283, 1464,

1465, 1807, 1933, 1966, 2153, 2159, 2161, 2164, 2223, 2529, 2578, 2703, 2872, 2873,

3545, 3572, 3646, 3811, 4033, 4090, 4121,

4439, 4633, 4797, 4940, 5052, 5065, 5115,

5119, 5417, 5556, 5584, 5589, 5725, 5749,

5970, 5972, 5978, 5986, 6136, 6139

from Algarve, Portugal. 6136

associated with pig carrion in S. Carolina, USA. 3545

of GDR. 2872

from N.E. Danube Delta, Romania. 2223 new for Orkney Islands. 4940

Geomitopsis (Col., Staphylinidae), new spp described. 5653

Geophilidae (Myriap., Chil.), Sogonidae and Sonophilidae syn.n. of. 5088

Geophilomorpha (Myriap., Chil.),

from Eritrea. 1383

suprageneric categories. 5088

Geophilus insculptus (Myriap., Chil., Geophilidae), new for Norway. 457

Geophilus longicornis, ultrastructure of neural lamella, 5191

**Geophilus proximus,** new localities from Norway. 457

Geopselaphus (Col., Pselaphidae), new spp described, 980

**Geopselaphus simovii,** of described for first time. 980

Georyssidae (Col.), descriptions of larvae and pupae amended for African genera and spp. 3036

# Geotaxis,

artificial and natural selection for in Drosophila pseudoobscura. 916

genetic composition of Drosophila melanogaster populations selected for. 923

genetic effect of migration and selection in Drosophila pseudoobscura. 920

and gravity perception in Tenebrio molitor. 3901

heritability in Drosophila pseudoobscura. 1331 in relation to leg proprioreceptors in Pterygota. 4495

in newly-hatched larvae of Choristoneura fumiferana. 1542

phylogeny of in Apoidea. 4498

Geotrupes (Col., Scarabaeidae), anemo-menotaxis in silvaticus and stercorarius. 635

Geraniol, attractant for Popillia japonica. 4685

Gergithus (Hem., Hom., Issidae), synonymies, new spp described and Japan Archipelago spp keyed, 560

Germany,

abundance of Erannis leucophaeria at Dresden (GDR) in 1921-1966, 4090

aquatic Insecta of upper Ruhr Valley (GFR). 1735 biology and ecology of Otiorrhynchus ovatus in Oberhessen (GFR). 4720

biology and occurrence of Pytho depressus in Mark Brandenburg (GDR). 4042

Calamochrous acutellus new for. 4194

coccinellid larvae in pitfall-traps in Tharandt
 Forest(GDR). 4104

diseases affecting predators of Adelges on Abies. 5150

distribution of Agabus melanocornis. 2489

distribution of Aporophyla nigra in GDR. 2874

distribution of Aporophyla nigra and A. lutulenta in Mark Brandenburg (GDR). 6142

distribution of Orthoptera in Schleswig-Holstein (GFR). 3700

drift activity of Hydracarina in Fulda R. (GFR). 1321

easternmost record for Lycaena amandus in Sachsen (GDR). 5585

ecology of Ichneumonidae of W. Coast of Schleswig-Holstein (GFR), 5478

fertilization of tree-stands for protection against forest-pests. 4797

Geometridae and Noctuidae of GDR. 2872

Grocus bore in Mecklenburg and Mark Brandenburg (GDR). 2875

Lepidoptera from Hiddensee Island (GDR). 6131 Lepidoptera from Lower Harz (GDR). 6132

Lepidoptera from Mark Brandenburg (GDR). 5582 Melanargia galathea new for Lower Harz (GDR).

6132

new Araneae from. 4246

new Braconidae from. 1449, 5052

new Coleophoridae from. 2527, 5748

new GDR records for Chrysotoxum octomaculatum and Ch. verralli, 6125

new Phalangiidae from. 1398

new Phlaeothripidae from. 3833

new Scheloribatidae from, 4236

new Tortricidae from. 5077

northern extension of range for Capnopsis schilleri. 6152

Odonata of Magdeburger Börde (GDR). 6151

Opius spp new for. 1449

Palaeocharinidae (?) from Devonian of GFR. 945

Porrhoma kolosvaryi new for. 1811

Pyralidae and Tortricidae from Wiesbaden (GFR) area. 4194

Salticidae revised. 1396

Siphonaptera of small mammals. 4092

spatial structure of coast in relation to faunal distribution pattern at Kiel (GFR). 4095 Sphecidae of Rhein-Main (GFR) area. 1371 stridulation in Scolytidae. 5902

Tabanidae of GDR. 6126

transplantation of Formica polyctena nests in Kleve State Forest (GFR). 2780

Geromyia gen. n. (Dipt., Cecidomyiidae), established. 1425

Geromyia penniseti, biology and economic importance. 1425

Geron (Dipt., Bombyliidae), seminal receptacle. 5910

Geron albidulus sp.n., described. 60

Gerridae (Hem., Het.),

1886, 2050, 2661, 2965

Malaysian spp reviewed and biology. 1886

Gerris marginata (Hem., Het., Gerridae), mediancord development in egg. 2661

Gerris najas, abundance of macropters in R.

Grabia and its inundation area, Poland. 4934

Gerris paludum insularis, embryogenesis and midgut formation. 2050

Gerstaeckeria (Col., Curculionidae),

new for S. America. 2907

revision of spp occurring N. of Mexico and new spp, new synonymy and lectotypes. 3304

Gerstaeckeria peruana sp. n., described, 2907 Ghana,

benthos of Volta L. 3604, 4100

new Cerambycidae from. 3737

new Cicadellidae from. 557

new Tenebrionidae from. 4290

new Tineidae from. 3827 Sosylus of. 29

308 yrus 01. 29

Tineidae from. 3827

Ghilarovizetes obtusus gen. et sp. n. (Arach., Acari Ceratozetidae), and Gh. rostralis sp. n. described. 4970

Gigarthrus (Col., Staphylinidae), new spp described. 5653

Gilletteella cooleyi (Hem., Hom., Aphididae), lifecycle and sex-determination. 3119

Gills, ultrastructure of gill-moving muscles in larval Baëtis rhodani and Ecdyonurus helveticus. 5834

Gilpinia hercyniae (Hym., Diprionidae), biology in Lithuanian SSR. 5369

Giluvea gen.n. (Dipt., Syrphidae), established. 1881

Gipsy moth, see Porthetria dispar

Glabellula sufflava sp. n. (Dipt., Bombyliidae), described. 60

Glaciation,

changes produced in N. American insect fauna.

refugia in relation to insect dispersal. 4955 Glands,

abdominal scent-glands of Alphitobius diaperinus. 2072

abdominal scent-glands of Xylastrodoris luteolis 1510

accessory glands apparently lacking in of

### Glands, contd.

- Cardiochiles nigriceps. 2616
- accessory glands of Chilopoda. 5909
- accessory glands of Cormocephalus anceps. 5909
- accessory glands of of Spilopsyllus cuniculi in mating, 1647
- acid phosphatase of silk-gland of Philosamia cynthia ricini. 1136
- activation of salivary amylase in Lygus disponsi.
- adenotaxy and poroidotaxy of granular cuticular organs in Gamasoidea. 5829
- African swine fever virus in salivary secretion of Ornithodoros moubata, 3147
- alarm-pheromone of Crematogaster peringueyi probably secreted by mandibular glands. 1148
- alarm-pheromones of mandibular gland of Myrmica brevinodis. 1592
- alkaline phosphatase activity of salivary glands in Schistocerca gregaria. 3932
- anatomy and secretion cycles of salivary glands of Anopheles stephensi. 1146
- carbohydrases of salivary glands in Lygus disponsi. 4526
- chemistry and secretion in Lethocerus. 4572 circadian rhythm of salivary glands in Drosophila melanogaster. 3471
- citral in Trigona subterranea. 5260
- clover phyllody mycoplasmas in salivary glands of Aphrodes bicinctus and Euscelidius variegatus, 806
- colleterial gland of Sphodromantis centralis, 1211 compartmentalization of intracellular exogenous nucleotides in Bombyx mori silk-gland incubated in vitro, 4532
- conditioning of Apis mellifera to Nassanoffgland secretion. 3888
- conditions for extrusion of ♀ sex-pheromone gland in Choristoneura fumiferana. 2082
- control of imaginal development of prothoracic glands in Locusta migratoria, 2672
- crop lipase of Blaberus craniifer and Periplaneta americana not derived from cephalic glands. 1550
- cytology of silk-gland cells in Bombyx mori. 370 defence gland of Uroblaniulus canadensis. 2653 defence glands of Brachinus. 1243
- detection of Anaplasma marginale in nymphal salivary glands of Dermacentor andersoni. 4788
- digestive enzymes in salivary glands of Clavigerella gibbosa. 5853
- 3, 4-dihydroxy-mandelic acid in mushroom gland of Periplaneta americana. 678
- DNA-redundancy in salivary-gland cell nuclei of Hybosciara fragilis. 1137
- DNA-replication in silk-gland cells of Bombyx mori. 370
- DNA-synthesis of labial glands during moulting

- in Oryzaephilus surinamensis. 242
- DNA-synthesis and polytenization in salivary glands of Drosophila hydei. 211
- DNA-synthesis in salivary glands of Dacus cucurbitae, 3952
- early observations on CA and CC of Insecta.  $3281\,$
- ecdysone accumulation in salivary-gland cellnuclei in Drosophila hydei, 4549
- exogenous ecdysone in relation to protein- and RNA-synthesis in larval silk-gland of Antheraea pernyi. 5243
- effects of total prevention of spinning in Bombyx mori. 5255
- endocrine glands of Tingis buddleiae. 1061 evolution and excretion of auxiliary glands in Brachinus crepitans and B. explodens. 3926
- φ accessory gland in oviposition of Chrysopa perla, 4644
- fibroin synthesis by silk-gland in normal and oily larvae of Bombyx mori. 3453
- genetics of salivary-gland secretion in Camptochironomus, 5544
- histochemistry and histology of frontal gland of Rhinotermes magnificus. 2041
- histochemistry of main salivary gland of Myzus persicae. 5895
- histology in adult Gnathotrichus retusus, G. sulcatus and Trypodendron lineatum. 684
- histology of cephalic endocrine glands in Coenagrion angulatum, 2591
- histology of ♀ accessory glands in Mymaridae. 1165
- histology of gland of abdominal terga IX and X in Kalotermes flavicollis. 672
- histology of salivary glands in adult Simulium vittatum. 2650
- histology and ultrastructure of mandibular glands in Lestrimelitta limao. 5897
- integumentary glands of Paraperinthus sheasbyi sp. n. and Physoperinthus josensi sp. n. 4287
- labial gland of larval Zygoptera. 2649
- low-molecular-weight RNA in salivary-gland cells of Chironomus tentans. 1567
- maintenance of salivary glands of Rhynchosciara angelae in vitro. 1324
- faccessory secretions as sex-stimulant for ♀ Musca domestica. 259
- median glandular structure in abdominal segment VII of African Perinthina. 4287
- metasomal abdominal glands of  $\sigma$  Nomia melanderi. 1732
- metathoracic-gland secretions in Myrmicinae. 2647
- mitochondrial pleomorphism in CA of Locusta migratoria migratorioides during adult life. 3393
- in myrmecophily of Atemeles pubicollis. 4052 neurosecretory innervation of sternal gland of Kalotermes flavicollis. 1058

### Glands, contd.

- newly-synthesized RNA from salivary glands of Rhynchosciara angelae, 4533
- non-enzymatic binding of silk-gland amino acids to soluble proteins in Bombyx mori. 3954
- non-replicating DNA in salivary-gland polytene nuclei of Drosophila melanogaster. 1748
- Nosema infection in relation to hypopharyngeal glands of Apis mellifera. 2648
- nuclear polyhedrosis in relation to proteinsynthesis in silk-gland of Bombyx mori. 1563
- nucleolar DNA in salivary-gland cells of larval Drosophila eohydei, hydei and neohydei. 1129
- number of external spinning structures of Clubiona phragmitis in relation to population isolation. 4119
- osmeterial secretions of larvae of Baronia, Battus, Eurytides and Papilio. 4749
- oviposition of Melanoplus sanguinipes stimulated by faccessory-gland substances. 2078
- peptide derivatives of rRNA from silk-gland of Bombyx mori. 1570
- perinuclear microtubules in salivary gland of Centrotus cornutus, 3859
- permanent whole-mount preparations of lepidopterous genitalia to show sex-pheromone gland. 4412
- poison-glands of Aphidiidae. 5912
- poison-glands of Tegeneria atrica. 3955
- prostate-gland secretion in relation to sperm activity in Sitophilus granarius. 1163
- protein components of matrone in Aedes aegypti.
  4643
- protein-synthesis in salivary glands of larval Calliphora stygia. 1559
- proteins of pollen and pollen substitute in relation to hypopharyngeal gland development in Apis mellifera, 4571
- proteolytic enzymes of salivary glands of Chironomus tentans. 216
- prothoracic gland in relation to nerve regeneration in Leucophaea maderae in vitro, 3078
- prothoracic glands of solitary adult Locusta migratoria migratorioides. 1152, 1153, 1154
- prothoracic glands in relation to testis development in Periplaneta americana, 4636
- protocatechuic acid-4-0,  $\beta$ -glucoside synthesized in colleterial gland of Periplaneta americana. 2626
- pygidial defence glands of Amphizoidae, Cicindelidae, and Hygrobijdae, 3134
- rapidly-labelled RNA from posterior silk-gland in Bombyx mori. 2025
- rate of infection with Trypanosoma rangeli and T. cruzi in Rhodnius prolixus in Colombia. 4687
- removal in relation to ovarian cells of Galleria mellonella. 3999
- repellent substance of Trogoderma granarium. 762

- reproductive system of Allothrombium lerouxi. 3974
- retrocerebral endocrine glands of adult Melanoplus sanguinipes. 4476
- ring-gland of 'ebony' and Oregon Drosophila melanogaster. 3224
- ring-gland in relation to oculo-antennal disc development in Calliphora erythrocephala in vitro. 3981
- ring-glands of 1(2)gl mutant and wild-type Drosophila melanogaster. 3221
- RNase in relation to nuclear ultrastructure in larval salivary glands of Drosophila virilis. 3929
- RNA distribution in salivary glands of Chironomus tentans. 6079
- RNA-synthesis in polytene nuclei from salivary glands of Drosophila hydei. 662
- RNA-synthesis in salivary glands of larval Rhynchosciara angelae. 1131
- route of clover phyllody mycoplasmas to salivary glands in Euscelis lineolatus. 3920
- salivary-gland amylase of Lygus disponsi. 2628 salivary-gland amylases of Heteroptera. 2629
- salivary-gland anylases of fleteroptera. 2029 salivary-gland chromosome variation in Drosophila affinis subgroup. 372
- salivary-gland chromosomes of Chironomus oppositus. 1752
- salivary-gland chromosomes of Culex pipiens.
- salivary-gland infection ratios for Anopheles in relation to Plasmodium brasilianum. 5809
- salivary-gland infection of Rhodnius prolixus with Trypanosoma cruzi and T. rangeli in Colombia. 4687
- salivary-gland structure in Asilidae. 3082 salivary-glands lacking in Aphodius moestus and Onthophagus catta. 3916
- scent-field of Dicaelus purpuratus. 2644 scent-fluid of Pasimachus californicus and P. duplicatus. 2645
- scent-glands and their secretion in Dysdercus intermedius. 1149
- secretion of mandibular glands of Lasius fuliginosus not used in nest construction. 4124
- secretion of scent-glands of adult Dysdercus intermedius. 1251
- secretion and ultrastructure of osmeterium in Papilio machaon larvae. 2043
- sex-pheromone glands of J Dacus tryoni. 671 silk-apparatus in Clubiona phragmitis. 3956
- silk-glands of larval Polyrhachis simplex. 4874 solenostomal origin of stigmata in Gamasoidea. 5829
- sources of alarm-pheromones. 1242
- sources of protein in larval salivary-gland secretion of Chironomus tentans. 669
- starvation in relation to ultrastructure of venom system in Nasonia vitripennis. 4751

Glands, contd.

steroids of prothoracic defence glands of Ilybius fenestratus. 761

symbionts in salivary glands of Ornithodoros moubata, 788

tergal and uricose glands of Blattodea. 5269 of termitophilous Staphylinidae. 214, 531 thoracic defence-glands of Hygrobia hermanni.

track pheromone produced from hindlegs of Crematogaster ashmeadi, 2042

true location of  $\varphi$  sex-pheromone gland in Prodenia litura. 4573

ultrastructure of developing type-B dermal glands in Rhodnius prolixus, 4570

ultrastructure of gland cells in CA of Eurygaster integriceps. 5894

ultrastructure of glandular epithelium in accessory reproductive glands of Schistocerca gregaria. 1160

ultrastructure of Koshewnikow gland in Apis mellifera, 2040

ultrastructure of labial gland of Lepisma saccharina. 1147

ultrastructure of muscle insertion on venom glands in Latrodectes mactans. 2584

ultrastructure of pheromone gland of Bombyx mori. 1596

ultrastructure of regressing prothoracic glands of Locusta migratoria migratorioides. 1152

ultrastructure of scent-glands in Notonecta glauca. 5261

volatole constituents of scent-gland reservoir in larval Pternistria bispina. 5264

Glaucopsyche (Lep., Lycaenidae), California (USA) taxa and food-plants. 3707

Gleditsia triacanthos (Leguminosae), new host for Agrilus masculinus and larval feeding-sites of A. egeniformis and A.fallax. 2764

Glena macdunnoughi (Lep., Geometridae), proposed type sp for Hetererannis. 3811

Gliocladium virens (Fungi), toxicity of culture filtrates to Isoptera. 2168

Glipostenoda (Col., Mordellidae), new spp described and Ivory Coast spp keyed. 41

Gliricola (Mall., Gyropidae), new spp described.

Glischrochilus quadrisignalus (Col., Nitidulidae), biology and control in S.W.Ontario, Canada. 3116

damage to crops and ornamentals in Ontario, Canada, in 1968. 3158

as pest of apple in Ontario, Canada. 4801

Gleoisporium (Fungi), ingestion and transmission by adult Musca domestica. 3564

Gloger's rule, in relation to Collembola. 2797

Glomeris (Myriap., Diplop.),

muscle ultrastructure. 157 sperm-transfer. 2089

Glomeris bureschi, syn. n. of G. balcanica. 3022

Glomeris kaloferensis, new for Bulgaria. 3022 Glomeris latemarginata, new for Bulgaria. 3022 Glomeris marginata, function of egg-capsule. 3501

Glomeris pulchra craspeda, synonomy. 3273 Glomeris rhodopina, new for Bulgaria. 3022

Glomerulonephritis, possible role of Hippelates in transmission in Trinidad, 6044

Glossina (Dipt., Glossinidae),

biology, ecology and rearing of palpalis palpalis and p. quanzensis. 5470

chromosome translocations for control. 900 colonization and rearing methods. 5138 control by ULV applications of concentrated

insecticides. 4698

developmental state of host in relation to feeding activity. 2726

mobile attractants for, 1958

need for examination of uterus as well as spermatheca in dissected 99, 3534

post-teneral development of thoracic flightmuscles in austeni and morsitans. 5922

puparia resembling those of Plesiocyptera sp and Argyrophylax aureiventris. 1507

reproductive biology of Mutilla glossinae in relation to. 5275

workers investigating rearing procedures listed. 5138

### Glossina austeni,

blood-meal utilization and flight-muscle development following  $\gamma\text{-sterilization.}$  5927

cibarial stretch-receptors. 2586

method for production of chromosome translocations. 900

methyl phenyldiazenecarboxylate azoester in relation to feeding behaviour. 1254

partial sterility due to X-irradiation. 383 production of partially sterile mutants by irradiation. 900

productivity when maintained on goats and rabbits. 4076

spermatophore, 3534

supercontracting and non-supercontracting visceral muscles. 4470

translocation heterozygotes. 383

Glossina brevipalpis, rate of infection of mouthparts with trypanosomes in Zambia. 1277

Glossina fuscipes martinii, rate of infection of mouthparts with trypanosomes in Zambia.

### Glossina morsitans.

carbohydrate metabolism of flight-muscle. 3067 fat content and composition in adults. 1117 flight activity and settling behaviour of adult 99

in the laboratory, 3950

infectivity to vertebrates in Zambia. 1277 Insecta parasitic on puparia in Rhodesia. 798 mobile attractants. 1958

olfaction and vision in relation to host-findings. 2734

rate of infection of mouthparts with trypano-

# Glossina morsitans, contd.

somes in Zambia, 1277

record of parasitization by Stylogaster probably erroneous. 1268

### Glossina morsitans orientalis,

development of thoracic muscle and flightbehaviour in the laboratory. 1514

insect parasites and rate of parasitization of puparia in Rhodesia. 800

mating behaviour and sex-attraction. 1650 pheromone probably not involved in mating. 1650 prediction of pupal duration under field conditions. 2100

pupal duration in relation to temperature. 2100

Glossina morsitans submorsitans,

age, fat-content and sex in relation to feeding. 2729

biology in relation to man and ox in N. Nigeria. 2729

occurrence and vector status in Niokolo-Koba National Park, Senegal. 2236

# Glossina pallidipes,

olfaction and vision in relation to host-finding. 2734

Insecta parasitic on puparia in Rhodesia. 798 rate of infection of mouthparts with trypanosomes in Zambia. 1277

### Glossina palpalis,

amino acids of pupa. 3066

pupae parasitized by Anastatus. 2754

Glossina palpalis gambiensis, occurrence and vector status in Niokolo-Koba National Park, Senegal. 2236

### Glossina tachinoides,

age, fat-content and sex in relation to feeding. 2729

biology in relation to man and ox in N. Nigeria. 2729

peri-domestic breeding behaviour and resting sites in Nigeria. 4041

### Glossinidae (Dipt.),

383, 798, 800, 1958, 2100, 2236, 2586, 2729, 2734, 2754, 3066, 3067, 3534, 3950, 4041, 4076, 4470, 4698, 5138, 5470, 5922

Glossopsitta porphyrocephala (Aves), host of Eomenopon patoni sp. n. 3009

Glossosomatidae (Trich.), 3198

Glubothrips mucidus gen. et sp. n. (Thysanopt., Phlaeothripidae), described. 3017

# Glucose,

 $\beta$ -alanine, dopamine and noradrenalin in relation to catabolism in Prosophila melanogaster. 1561

concentration during flight in Schistocerca gregaria. 1557

conversion to lipid in fat-body of Manduca sexta. 5871

food substrate for Laodelphax striatellus. 2740 hexokinase isozyme action in Drosophila robusta. 2830 in relation to instrumental insemination of queen Apis mellifera. 3495

and longevity in Drosophila melanogaster. 4453 main blood sugar of Cupiennius salei. 3914 metabolism in & Schistocerca gregaria. 3456 metabolism in resting & Calliphora erythrocephala. 3943

nutritive value to Erioischia brassicae. 2722 oxidation in flight-muscle of Schistocerca gregaria. 3401

phagostimulant for o Chrysops vittatus. 4768 in relation to phase and perinatal mortality in Schistocerca gregaria. 2075

in scent-fluid of Dicaelus purpuratus. 2644 sole free sugar of haemolymph of Androctonus australis. 5851

in relation to type-3 water receptor in Phormia terrae-novae. 5199

uptake and utilization during pharate adult life in Lucilia cuprina. 658

utilization during flight in Apis mellifera. 4537 utilization by Lipaphis erysimi. 5858 utilization by nymphal cells of Rhipicephalus sanguineus in vitro. 1139

Glucose phosphate dehydrogenase, activity of flight-muscle in Glossina morsitans and Sarcophaga nodosa. 3067

# Glucose-6-phosphate dehydrogenase,

activity in a Tribolium castaneum population. 5309

during adult & development in Schistocerca gregaria. 4001

dosage compensation for activity in Drosophila melanogaster. 877

genetic regulation of activity in Drosophila melanogaster. 2184

isozymes in developing Apis mellifera. 2015  $\alpha$ -Glucosidase, in gut homogenates of Lygus disponsi. 4526

β-Glucosidase, role in toxicity of Sorghum vulgare roots to Diabrotica virgifera larvae. 818

 $\alpha$ - and  $\beta$ -Glucosidases, in Melanoplus bivittatus.

## Glutamate.

activation of salivary amylase in Lygus disponsi. 1562

in relation to concentration of free amino acids in Drosophila melanogaster. 5235

and neuromuscular transmission in Blattodea, Lepidoptera and Orthoptera, 4467

responses of leg preparations of Gromphadorhina portentosa. 4468

use of U-C<sup>14</sup>-glutamate for determining nutritionally essential amino acids. 3380

Glutamine, activation of salivary amylase in Lygus disponsi. 1562

γ-L-Glutamyl-L-phenylalanine, biosynthesis in larval Musca domestica. 4626

Glutaraldehyde, electron microscope fixative for haemocytes. 3025

- Glutarate pathway, absent from Insecta but possibly present in Euscorpius carpathicus. 657
- Glutathione, production of sulphate metabolism in Neomyzus circumflexus. 2079
- Glyceraldehyde-3-phosphate dehydrogenase, isoxymes in developing Apis mellifera. 2015
- Glyceria maxima (Gramineae), Erioptera squalida and Notiphila riparia in relation to. 2174
- Glycerol,
  - concentration in Biorrhiza pallida, 206 content in relation to cold-hardiness in Pterostichus brevicornis, 4548
  - content of overwintering eggs of Aphis pomi, Hyalopterus pruni and Rhopalosiphum padi. 1568
  - during development of Aulocara elliotti eggs. 1635
  - in relation to type-3 water receptor in Phormia terrae-novae. 5199
- α-Glycerophosphate dehydrogenase,
  - activity during post-embryonic development in Apis mellifera. 5862
  - isozymes in Drosophila melanogaster. 2021
- lpha-Glycerophosphate oxidase, and NADH $_2$ -reoxidation in insect muscle. 1122
- Glycine,
  - absorption and metabolism in Anthonomus grandis. 5860
  - concentration in Musca domestica tissues during metamorphosis. 4647
  - mechanism of accumulation in larval fat-body of Bombyx mori in vitro. 197
  - metabolism in wild-type and lethal mutant larvae of Drosophila melanogaster. 664
  - in relation to phase and perinatal mortality in Schistocerca gregaria. 2075
  - in RNA-synthesis in developing ovary of Musca domestica. 1644
  - uptake by 5th-instar silk-gland of Bombyx mori in vitro. 1140
- in uric-acid synthesis in Rhodnius prolixus. 1579 Glycine max (Leguminosae),
  - bionomics of Hypera postica in the laboratory. 2765
  - damage caused by Dectes in Arkansas and Missouri, USA. 808
  - damage by Heliothis zea related to plant pubescence. 767
  - nutritional role of protein for Papilio protenor demetrius. 2012
  - photometric device for measuring leaf consumption by Plathypena scabra. 4413
  - plant factors in host preference of Empoasca fabae. 814
- Glycogen,
  - age-related changes in cardiac myofibres of Drosophila repleta. 2615
  - isolation, biochemical and ultrastructure characterization in flight-muscle of Phormia regina. 5239

- concentration in Coccinella septempunctata bruckii. 1090
- content in adult Coccinella septempunctata and Epilachna 28-punctata, 173
- content of fat-body during oogenesis in Pyrrhocoris apterus, 1200
- content and phosphorylase activity during development in Philosamia ricini, 4000
- during development of Aulocara elliotti eggs. 1635
- of fat-body in larval Trogoderma granarium. 1130
- of fat-body during post-embryonic development in Formica polyctena and F. rufa queens. 1642
- during flight in Schistocerca gregaria. 1557
- in relation to maternal age in Aulocara elliotti eggs. 722
- during post-embryonic development of Apis mellifera. 5862
- in resting of Calliphora erythrocephala, 3943 suppression of synthesis by neurosecretion in Aedes taeniorhynchus, 2636
- in pupal ovaries of Bombyx mori. 2689
- Glycogen phosphorylase, activity during metamorphosis in Lucilia cuprina, 682
- Glycolysis,
  - in insect muscle in relation to  $NADH_2$ -reoxidation. 1122
  - partial block in relation to development in Drosophila. 699
- Glycosides,
  - cardiac glycosides in Aphis nerii fed on Asclepias curassavica and Nerium oleander. 4527
  - integument in biosynthesis in Periplaneta americana. 2626
- Glycyphagidae (Arach., Acari),
  - Aplodontopinae subfam. n. established. 1823 toxicity to Aspergillus flavus and Penicillium. 1722
- Glycyphagus (Arach., Acari, Glycyphagidae), interrelations with Fungi, Insecta and other Acari in grain-bulk ecosystems. 3185 pests of stored sugarbeet seeds. 5434
- Glycyphagus domesticus, toxicity of Aspergillus flavus and Penicillium. 1722
- Glycyphana (Col., Scarabaeidae), partial revision, keys and new taxa described. 3311
- Glyphesis taoplesius sp. n. (Arach., Aran.), described. 4246
- Glyphipterygidae (Lep.), 4369
- Glyphonotus thoracicus semenovi (Orth., Tettigoniidae), biology. 1478
- Glyphotaelius pellucidus (Trich., Limnephilidae), chromosomes. 2835
- Glypta (Hym., Ichneumonidae), parasitic on Laspeyresia pseudotsugae sp.n. in Canada. 1468
- Glypta fumiferanae, rate of parasitism on Choristoneura pinus in Michigan, USA. 2800

Glyptotendipes (Dipt., Chironomidae),

Demeijerea reduced to subgenus of. 5025 ecology in L. Washington, USA. 348 atrimanus, larva and pupa described. 5025

Glyptotendipes atrimanus, larva associated with Pectinatella magnifica. 5025

Glyptotendipes barbipes,

ecology in waste-stabilization lagoons in Missouri, USA. 337, 1738, 3199

effects of winter drainage in Laurel Creek Reservoir, Canada. 1719

Gnamptogenys (Hym., Formicidae), new spp described, 107

Gnathotrichus (Col., Scolytidae),

flight-pattern in relation to light-intensity. 2706 gut and reproductive system in relation to sexual maturation, 684

Gnathowelsea schwarzi gen. et sp. n. (Col., Coccinellidae), described, 4994

Gnophos (Lep., Geometridae), activity periods in relation to competition for nectar. 5986

Gnophos ambiguata tatrensis subsp. n., described. 2529

Gnorimoschema gallaesolidaginis (Lep., Gelechiidae), fatty-acid composition of larvae. 1121

Gnorimoschema operculella, anti-feedant effect of organometallics for larvae. 5393

Gnorimoschemini (Lep., Gelechiidae), new records from Iran. 1012

Gnorimus indosinicus sp. n. (Col., Scarabaeidae), described. 4986

Goat (Capra: Artiodactyla),

feeding of Simulium on at Darjeeling, India.

incidence of Demodex in eyelids in southwestern USA. 1698

occurrence of Oestrus ovis in relation to in C. Iraq. 4856

productivity of Glossina austeni when maintained on. 4076

Goat biting-lice, see Bovicola

Goeridae (Trich.), 357, 358, 359

Goes (Col., Cerambycidae), predation by woodpeckers in Arkansas and Mississippi, USA. 1312

Goes tigrinus,

damage to Quercus alba. 807

factors affecting oviposition in Quercus alba.

Goganiidae (Col.), 964

Golden-eye lacewing, see Chrysopa oculata

Goldeus harpago (Hem., Hom., Cicadellidae), host of Halictophagus languedoci sp. n. in S. France.

Goliathus regius (Col., Melolonthidae), new aberrations described, 976

Gomphidae (Odon.),

703, 912, 1477, 1943, 5082, 5763 biology and larvae of Surinam spp. 5763 evolution of chromosome number. 912

larval development in relation to photoperiod and temperature, 703

meiosis, sex-chromosomes and sex-determining mechanism. 912

of Mt. Auyantepui and Sierra de Lema region, Venezuela, 5082

types in British Museum (Natural History), London, England. 1943

Gomphocerippus rufus (Orth., Acrididae), courtship song. 3958

Gomphoides audax (Odon., Gomphidae), transferred to Phyllogompoides gen. n. 5763

Gomphoides fuliginosa, type-sp of Phyllogomphoides gen. n. 5763

Gomphus graslini, sex-chromosomes and sexdetermining mechanism. 912

Gonads,

accumulation of 14C-carboxyl inulin in Locusta migratoria migratorioides. 2610

in relation to biotin in Aedes aegypti. 719 cytology of  $\gamma$ -irradiated gonads in Stomoxys calcitrans. 4609

development and gametogenesis in Argas arboreus. 4624

early embryonic development in Labidura riparia. 5279

embryonic cephalic tissues in gonad development in Leptinotarsa decemlineata, 3992

JH-analogue in relation to function and morphogenesis in Pyrrhocoris apterus. 720

morphology and ontogeny in triploid intersexes of Drosophila melanogaster. 3088

of triploid intersexes of Solenobia triquetrella.

Gondwana, evidence for Palaeozoic insect distribution in Antarctic. 946

Gonepteryx cleopatra (Lep., Pieridae), biology in Malta. 5382

Gonepteryx rhamni, feeding, host-range and phenology in relation to Rhamnaceae in Europe, 3591

Gongylidiellum malickyi sp. n. (Arach., Aran.), described, 4246

Gongylidium nigriceps (Arach., Aran.), new for Norway. 469

Gongylonema (Nematoda), presence in Scarabaeidae in S. Georgia, USA. 4669

Gonia (Dipt., Tachinidae), fluorescent systems and UV-sensitivity of eyes. 3413

Goniaderini (Col., Tenebrionidae), Etazeta aenicolor transferred from Lupropini. 2928

Goniinae (Dipt., Tachinidae), new Zealand genera. 2957

Gonimbrasia belina (Lep., Saturniidae), carotenoids of larval haemolymph. 1581 sterols in diet and organs. 3940

Goniocotes gallinae (Mall., Philopteridae), on Gallus domesticus in Punjab, India. 1700

Goniodes (Mall., Philopteridae), dissimilis and gigas on Gallus domesticus in Punjab.

- Goniodes (Mall., Philopteridae), contd. India. 1700
- Goniozus delhiensis sp.n. (Hym., Bethylidae), described, 3795
- Gonocephalum depressum (Col., Tenebrionidae), predator of Chilo zonellus in field cages in India. 6042
- Gonocnemis (Col., Tenebrionidae), African spp keyed and new spp described, 1834
- Gonomyia bifida (Dipt., Tipulidae), rediscovered in Britain. 5576
- Gonomyodes tacoma (Dipt., Tipulidae), larva and pupa described, 603
- Gooseberry, see Ribes grossularia
- Gorrizia silbermanni (Col., Meloidae), Zonabris reducticornis syn.n. of. 4280
- Gorytes (Hym., Sphecidae), new spp described. 1008
- Gossypium (Malvaceae) (cotton),
  - artificial light to reduce Heliothis populations in cotton fields. 2573
  - colour-morphs of Tetranychus telarius on Egyptian cotton are separate spp. 3289
  - constituent of buds attractive to Anthonomus grandis, 543]
  - development of Phytoseius plumifer. 2710
  - Entomophthora regulating Tetranychus urticae populations. 5485
  - estimation of heat-flux and temperatures in stubbed cotton-field microhabitats in winter. 1492
  - in relation to fecundity and longevity of Anthonomus grandis complex in Arizona, USA, 3552
  - insecticidal control of Anthonomus grandis and Heliothis zea in relation to cotton yields in N.Carolina, USA. 5337
  - insecticidal control of 3 pest spp in Sudan. 5338 movements of Pseudatomoscelis seriatus in South-East USA. 2798
  - Pectinophora scutigera on cultivated cotton in Queensland, Australia. 838
  - predators in natural control of Heliothis zea in California, USA. 3600
  - seasonal populations of Hemiptera in Egypt. 6051, 6052
  - spatial distribution of Miridae in cotton fields.
  - trap crop for protection from Lygus vosseleri attack. 5438
  - ultrasound for control of Heliothis zea. 3190
- Gossypium barbadense, fecundity of Pyrgomorpha conica. 6003
- Gossypol, in antibiosis of Hampea towards larval Anthonomus grandis. 811
- Gowiniella Thienemann (Dipt., Chironomidae)
  [partim] nomen nudum, see Krenopsectra
  gen.n.
- Gracilariidae (Lep.),
  - 1706, 2125, 3004, 5067, 5745
- Graef, authorship of synopses of N. American

- Rhopalocera, 3280
- Grahamisia (Hym., Pteromalidae), key to spp.
- Gramineae,
  - biology of Sphenophorus venatus confluens in relation to orchard grass in Oregon, USA. 1655
  - Cecidomyiidae attacking stored seeds in Poland. 5435
  - food of Anabrus simplex. 4772
  - Herpetogramma licarsisalis as pest of pasture grasses in Hawaii. 4736
  - host of Schizaphis hypersiphonata sp.n. in W. Bengal, India. 4328
  - organic matter and soil moisture in relation to Scarabaeid damage, 2122
  - oviposition by Hypera postica in Ohio, USA. 4846
  - responses of mouthpart receptors in Locusta migratoria migratorioides and Schistocerca gregaria. 2731
  - Sphenophorus parvulus as pest of lawns in W. New York, USA. 4824
- Graminella nigrifrons (Hem., Hom., Cicadellidae), attractancy and oviposition-preference in relation to dent corn hybrids. 728
  - epidemiology of corn stunt disease. 5512
- Grammicus (Col., Tenebrionidae), new taxa from Chile. 2497
- Grammotaulius nitidus (Trich., Limnephilidae), new for Lithuanian SSR. 4197
- Grandjeanelliana gen.n. (Arach., Acari, Nicolettiellidae), established. 2461
- Granulate cutworm, see Feltia subterranea
- Granulenotes gen. n. (Col., Cerambycidae), established, 1843
- Grape berry moth, see Paralobesia viteana
- Grape phylloxera, see Phylloxera vitifoliae
- Grape root borer, see Vitacea polistiformis
- Grapefruit, see Citrus paradisi
- Graphium agamemnon (Lep., Papilionidae), melanic aberration. 5063
- Graphognathus (Col., Curculionidae), method for laboratory rearing. 3368
- Grapholitha molesta (Lep., Olethreutidae), artificial diets for larval rearing. 1488
  - artificial diets for larval rearing. 1488 axenic partially synthetic diet. 3845
  - biology, ecology and fecundity in the Niagara Peninsula, Ontario, Canada. 2812
  - diapause response to photoperiod, 3492, 5507
  - life-history and phenology in S. Missouri, USA. 5507
  - population distribution and methods for sampling. 4081
  - selection for non-diapause. 3492
  - sex-pheromone. 1593
- Graphopsocus (Psoc., Polypsocidae), ovarial number and oocyte maturation. 5315

Graphopsocus cruciatus, immature stages and lifehistory, 4435

Grasshopper, see Acrididae, Tettigoniidae, etc.

perception and geotaxis in Tenebrio molitor. 3901

perception and leg proprioceptors in Pterygota. 4495

response in adult Acheta domestica. 5204

zero-gravity and extra terrestrial radiation in production of chromosomal damage in Drosophila melanogaster. 390

#### Greece,

esterase loci in a Dacus oleae population. 3219

new Anobiidae from, 3731

new Cerambycidae from. 5633

new Curculionidae from. 2485

new Megachilidae from. 5734, 5735

new Mycetophilidae from. 69

new Neobisiidae from. 1400

new Noctuidae from, 5754

new Phalangiidae from. 1398

new Raphidiidae from. 3828

new records of Masaridae. 112

new Zygaenidae from. 5078

parasites of Prays oleae. 320

Green butterfly, see Danaus gilippus berenice Greenidea longirostris (Hem., Hom., Aphididae),

Greenidea longirostris (Hem., Hom., Aphididae) described. 4328

Greenidea symplocosis sp.n., described. 2979 Gregarinida (Protozoa),

effect on growth of Schistocerca gregaria. 3487 parasitic in gut of Gromphadorhina portentosa. 4690

Greta Hemming 1934 (Lep., Papilionidae), official recognition requested. 3820

Gretchena bolliana (Lep., Olethreutidae),

artificial diet and rearing techniques. 5126 reproductive systems and spermatophore. 4590

Grindelia squarrosa (Compositae), pollen in relation to development of hypopharyngeal glands in Apis mellifera. 4571

Gripopterygidae (Plec.), 3831

Grocus bore (Neur., Myrmeleonidae), occurrence in Mecklenburg and Mark Brandenburg (GDR), 2875

Gromphadorhina portentosa (Blatt., Blaberidae),

cholinergic neuromuscular transmission. 4467 gregarine parasitic in gut. 4690

histochemistry and histology of testes. 3476

responses of perfused isolated leg preparations to drugs. 4468

Grosphus griveaudi sp. n. (Arach., Scorp., Buthidae), described, 2474

Ground squirrel, see Citellus

Groundnut, see Arachis hypogaea

Group effects,

on behaviour and flight-muscles in alate Hodotermes mossambicus. 1730

in Japanese populations of Callosobruchus

chinensis. 3607

in larval development of Plutella maculipennis.

## Growth,

allometry in Formica japonica. 3483

allometry of size and respiration in Bombyx mori ovaries during metamorphosis. 1170

of antenna in embryonic Ornithacris turbida.
4595

antibiotics in relation to larval growth in Ceratitis capitata. 4612

of Aphidecta obliterata larvae in relation to food consumption. 781

in relation to apholate and hempa in Aedes aegypti. 2624

artificial diet composition in relation to larval growth in Myzus persicae. 4632

ascorbic acid and glucose in relation to phase determination in Schistocerca gregaria. 2075

of atelotypic blastemata in imaginal-disc cultures of Drosophila melanogaster. 2052

of axons of Periplaneta americana embryos in vitro. 3402

of Blaberus discoidalis. 243

body size in Ischnura elegans in relation to chloride tolerance and generation time.

body weight and size of worker Formica japonica. 1315

body weight of Tribolium castaneum in relation to environment and geography. 924 Brassica napus as food-plant in relation to

Brassica napus as food-plant in relation to Brevicoryne brassicae. 2129

carcinogens in relation to larval and adult Periplaneta americana. 3430

carnitine acetyltransferase activity in relation to spermatozoon development in Drosophila melanogaster. 3998

in relation to CC. 5898

of cell cultures of Laodelphax striatellus. 2059 cell determination during regeneration of thora-

cic appendages in Blaberus craniifer. 3091 cell and moulting cycles in epidermis of Philo-

cell and moulting cycles in epidermis of Philosamia cynthia ricini. 3399

cell responses to benzo  $[\alpha]$  pyrene in Periplaneta americana. 3436

Chironomus anthracinus larvae. 6041

of Chironomus nuditarsis larvae. 2056

choline utilization in adult Drosophila melanogaster. 1575

in relation to cholinergic system. 1196

continuous winter development in larval Odagmia. 3881

in relation to crowding in larval Nematus ribessii. 1290

cuticular changes in Acheta domestica eggs. 3863

in relation to cuticular papillae in Peripatus acacioi. 3396

of Dactylochelifer latreillei. 3383

# Growth, contd.

- in relation to density and species-ratio in Aedes aegypti and A. albopictus. 2778
- differentiation of ommatidium-forming cells in Drosophila melanogaster. 3481
- of Dioryctria abietella reared on artificial media.
- of Draeculacephala mollipes. 4711
- ecdysone analogues in relation to differentiation of eye-antennal discs of Drosophila melanogaster in vitro, 3485
- ecdysone in relation to DNA-synthesis and morphological changes in wing-discs of Galleria mellonella. 1198
- ec dysone in relation to salivary-gland celldifferentiation in Drosophila hydei, 4549
- of embryonic cells of Drosophila melanogaster in vitro. 2543, 5825
- embryonic cephalic tissues in relation to gonad development in Leptinotarsa decemlineata. 3992
- embryonic growth in Ornithacris turbida, 4595 exponential and power functions applied to study of allometry, 686
- of eyes in Corixa punctata and Sigara arguta. 2053
- of 9 gonads in Megoura viciae. 3084
- flagellar annuli of Blatella germanica during post-embryonic development. 3486
- in relation to food-plant in Melanoplus sanguinipes. 787
- formulae for larval head-width in Culicidae. 2576 genetic analysis in cell populations of Drosophila melanogaster in vitro. 6072
- in genetically diverse populations of Tribolium castaneum. 4171
- genetics in Drosophila. 2829
- genital disc in intersex triploids of Drosophila melanogaster. 2051
- geographical variation in Chilo suppressalis.
  4723
- γ-glutamyl-L-phenylalanine concentration during larval development in Musca domestica. 4626
- of Graphognathus. 3368
- growth layers in insect cuticle. 2583
- haemocyte nomenclature and study techniques in relation to tumours. 3432
- in relation to Heliothis zea instar parasitized by Microplitis croceipes. 5424
- herbicides in relation to development time and growth in Drosophila melanogaster. 1297
- of heteroploid cell-line from adult tissue of Trichoplusia ni. 5805
- histogenesis of cuticle in adult Sarcophaga. 3397 histology and transmission of tumours in Locusta migratoria. 3439
- hormones in relation to ovary growth in Galleria mellonella. 3999
- hormones in relation to RNA- and proteinsynthesis in imaginal wing discs of Philosamia

- cynthia ricini. 3510
- of imaginal discs in normotypic culture in Drosophila, 3985
- of imaginal discs after transplantation into larval Tenebrio molitor. 2064
- inhibition by riboflavin in Neomyzus circumflexus. 2079
- inhibitor for Trogoderma granarium in Lens esculenta and Phaseolus vulgaris. 2666
- labial gland of Zygoptera at metamorphosis. 2649
- of larvae and pupae of Tribolium confusum in relation to Hymenolepis microstoma infection. 3488
- larval fat-body composition of Rhodnius prolixus in relation to age and temperature. 3452
- larval growth in relation to head extracts of Myrmica rubra queens. 1614
- of Lasioderma serricorne larvae on proteins and amino acids. 790
- of Laspeyresia caryana on artificial diet. 2568
- of Lema trilineata daturaphila larvae. 4712
- of Leptophlebia cupida. 5459
- of Manduca sexta larvae on burley and dark tobacco, 689
- in relation to median neurosecretory cells in QBlatta orientalis, 4522
- monstrosities induced in Tegenaria atrica by centrifugation of mature oo. 3980
- of Morabinae, 1982
- morphogenesis of cuticle and scales in Galleria mellonella. 3398
- and mortality in mass-rearing of Manduca sexta. 3370
- of Musca domestica, 4176
- of neurons in Notonecta glauca brain. 3861
- of Oncopeltus fasciatus in relation to diet. 5921
- of oocytes in Bombyx mori. 1170
- of oocytes during vitellogenic stages in Drosophila melanogaster. 1604
- 'ophthalmopedia' gene in relation to head hypodermis growth in Drosophila melanogaster. 6085
- of ovaries in relation to adult development in Malacosoma pluviale. 2076
- of ovaries in relation to amphigony and parthenogenesis in Megoura viciae. 3086
- of ovaries in pupal Galleria mellonella. 3966,
- ovaries in relation to tumour development after nerve section in Periplaneta americana. 3443 of ovarioles in Philosamia cynthia ricini. 3970
- in relation to overcrowding factors produced by larval Culex pipiens quinquefasciatus. 4843
- and O<sub>2</sub>-consumption in larval Hypoderma bovis.
- parasitization by Cardiochiles nigriceps in relation to Heliothis virescens. 5947
- pheromones in relation to oocyte growth in young

Growth, contd.

♀ Tenebrio molitor. 5297

plant extracts as growth-promoting substances in artificial diets for Melanoplus femurrubrum, 3978

pollen in relation to larval growth in Ostrinia nubilalis, 696

position-effect variegation in larval blastemas from Drosophila melanogaster. 4583

in relation to proteolytic activity of midgut of Galleria mellonella. 724

X-irradiation in relation to development of genital discs in Drosophila melanogaster. 3497

rectal tumefactions in Periplaneta americana. 3445

regeneration in allatectomized ? Melanoplus sanguinipes. 3511

and regeneration of Caloglyphus mycophaga oocytes. 3087

regeneration of supernumerary antenna in Agrion virgo. 3490

regulation in nurse-cell nuclei of Cecidomyiidae.

retardant production in relation to density and species-ratio in Aedes aegypti and Ae. albopictus. 2778

of Rhagoletis pomonella larvae on artificial diet. 2569

ring-gland in relation to oculo-antennal disc development in Calliphora erythrocephala in vitro. 3981

scale-development of forewing in Us-mutant of Anagasta kuehniella. 3865

of Schistocerca gregaria adult J. 4596

of Schistocerca gregaria in relation to gregarine infection. 3487

seasonal growth of dune-living spiders in Sweden. 2138

selection for growth rate in relation to competitive ability in Drosophila melanogaster. 2191

of silk apparatus of Clubiona phragmitis. 3956 in relation to sterols in Xyleborus ferrugineus. 3140

symbiotic bacteria in relation to mycetocytes of Euscelis plebejus in vitro. 3918

in relation to temperature in Feltia subterranea.

temperature in relation to ovarian maturation in Dacus tryoni. 5480

of Toumeyella liriodendri. 3535

of Tribolium castaneum larvae. 5309

of Trogoderma granarium on Leguminosae. 2666

tumour-like lesions produced in Leucophaea maderae by decapitation. 3438

variation indexes in Culicidae. 5281

of ventral diverticulum during metamorphosis in Aedes triseriatus and Ae, aegypti, 4597 vitamin C and E contents of pupal Barathra brassicae, 4516

vitamin requirements of Lasioderma serricorne.

weight changes in Urbanus proteus. 4428 of wing-discs of Anagasta kuehniella. 713 Gryllidae (Orth.).

125, 126, 151, 162, 254, 583, 617, 657, 674, 688, 748, 867, 1062, 1066, 1111, 1145, 1156,, 1173, 1588, 1598, 1603, 1945, 2014, 2044.

1173, 1588, 1598, 1603, 1945, 2014, 2044, 2183, 2583, 2587, 2654, 2661, 3052, 3231,

3403, 3407, 3507, 3846, 3863, 3884, 3949,

3957, 3971, 4004, 4103, 4420, 4534, 4536, 4540, 4546, 4547, 4616, 4645, 4759, 5204,

5207, 5252, 5271, 5534, 5837, 5838, 5901, 5913, 5946

auditory system and songs. 2044 intra-fertile groups. 3231

ultrastructure of microcylinders of flagellar fibres in spermatids. 5271

use of sound-synchronized ultra-high-speed photography for studying stridulation. 4420

Gryllodes sigillatus (Orth., Gryllidae)

head sclerities. 151

of reproductive system. 3971

mouthparts, 151

Grylloidea (Orth.), of Niokola-Koba National Park, Senegal. 1945

Gryllotalpa (Orth., Gryllotalpidae), soundproduction, 5901

Gryllotalpa africana,

abundance in relation to yearly rainfall in W. Tanzania. 748

head and mouthparts. 150

Hexamastix singhi sp. n. from rectum. 5214

Gryllotalpidae (Orth.), 150, 748, 1945, 5214, 5901 head and mouthparts. 150 of Niokolo-Koba National Park, Senegal. 1945 phylogenetic affinities. 150

Gryllus (Orth., Gryllidae),

abundance in relation to yearly rainfall in W. Tanzania. 748

biometrics, geographical isolation and phylogeny. 3231

Gryllus argentinus, hybridization with G. capitatus. 3231

Gryllus bimaculatus,

axillary sclerities in wing-movements. 3052 cephalic neuroendocrins system. 3884 hybridization with G. campestris. 3231

optic cells of retina. 162 photo-geotactic angle-transposition. 5207

physiology of vision. 162

songs and sound-production. 674, 2654 tryptophan oxidation via glutarate pathway absent. 657

veins of tegmina reinterpreted. 3846

Gryllus campestris,

control of stridulation. 3957 hybridization with G. bimaculatus. 3231 Gryllus campestris, contd.

lactic dehydrogenase of haemolymph. 2014 songs and sound-production. 674, 5901

Gryllus capitatus, hybridization with G. argentinus. 3231

Gryllus domesticus, see Acheta domestica Grynocharis (Col., Cleroidea), transferred to Lophocateridae fam.n. 4985

Gryon flavipes (Hym., Scelionidae),

egg parasite of Leptocorisa oratorius in Sarawak. 4103

life-cycle in relation to Leptocorisa. 5375

GS-13005[O, O-dimethyl phosphorodithioate S-ester with 4-(mercaptomethyl)-2-methoxy-Δ²-1,3,4-thiadiazolin-5-one],

control of Hypera meles on crimson clover. 4671 control of Hypera postica in N. Utah, USA. 4681 GTP [guanosine triphosphate],

in relation to choline kinase of Periplaneta americana. 3936

in relation to isoleucine incorporation by template-active RNA from Tenebrio molitor.

Guatemala, new Hypogastruridae from. 51

new Apidae from, 1902 new Mordellidae from, 5008 new Tabanidae from, 545

Guiera senegalensis (Combretaceae), Anarsia guiera sp. n. and Eublemma guiera sp. n. reared from galls. 571

Guinea pig, see Cavia porcellus

Guineapolemius gen.n. (Col., Cantharidae), established, 1837

Gusathion 50, control of Paropsis charybdis in New Zealand, 3553

Gut.

abnormal growths in rectal pad of Periplaneta americana. 3445

acanthae of proventricular intima in Hystrichopsyllidae and Panorpidae. 3915

accumulation of <sup>14</sup>C-DDT in Musca domestica.

action of Bacillus thuringiensis toxic crystals in larval Bombyx mori. 3440

alkaline phosphatase activity in Schistocerca gregaria. 1109, 3932

alkaline phosphatases in Poekilocerus pictus. 1110

Anaplasma marginale in nymphal gut of Dermacentor andersoni. 4788

anatomy and histology in Belostoma indicum. 2617 anatomy and histology in Hypoderma bovis larvae.

anatomy and histology in Ornithodoros kelleyi.

anatomy and histology of proventriculus in Ips cembrae. 4513

anatomy in relation to diet in USSR Carabidae, 4518 anatomy in Melanogromyza obtusa. 5216 anatomy in Nasutitermitinae. 4514

anti-viral substance in digestive juice of Bombyx mori larva. 2011

of Aphodius moestus. 3916

of Aspidiotus perniciosus, 677

bacterial competition in Calliphora vicina. 2013

bacterial flora of Bibio marci larva. 3919

bacterial flora of Drosophila melanogaster. 3442

behaviour of Pyxinia frenzeli in relation to meconium in Attagenus megatoma. 5217

of Bemisia gossypiperda. 5221

bioelectric potentials in rectum of Carausius morosus and Locusta migratoria. 645

Bispironympha unica gen. et sp. n. from Cryptocercus relictus. 5816

carbohydrases in Lygus disponsi. 4526

of Cardiochiles nigriceps. 2616

carnitine decarboxylase and phosphokinase in larval Phormia regina. 1556

carotenoids of larval Gonimbrasia belina. 1581 carriage of Escherichia coli and Salmonella by Alphitobius diaperinus from poultry brooderhouse populations, 4520

CC extracts in relation to peristalsis in Locusta migratoria. 1098

in relation to CC-pars intercerebralis hormones in Locusta migratoria and Schistocerca gregaria. 4560

cell responses in Periplaneta americana injected with benzo [0] pyrene. 3436

chitin production in midgut of Rhynchaenus fagi. 179

clover phyllody mycoplasmas in midgut cells of Aphrodes bicinctus and Euscelidius variegatus. 806

contents and food preferences of Collembola. 2111, 4769, 5996

control of filling of honey-stomach in Apis mellifera. 4051

crop of Aphaenogaster gibbosa and Myrmica laevinodis. 4492

crop function during metamorphosis in Hyalophora Cecropia, 2670

crop sugars in Chrysops vittatus. 4756

crop content weight in foraging worker Apis mellifera ligustica, 1106

of Cyaneolytta acteon. 3924

in relation to cytoplasmic polyhedrosis in Anoplonyx destructor. 5801

cytoplasmic-polyhedrosis and nuclear-virus infections in Louisiana (USA) Culicidae. 2009

Dientamoeba dobelli sp.n. from rectum of larval Oryctes rhinoceros. 4674

diet in relation to crop lesions induced by nerve severance in Periplaneta americana, 5156

digestion rate in Stomoxys calcitrans. 5404 digestive enzymes of adult  $\varphi$  Blatta orientalis in relation to neurosecretion. 4522

digestive enzymes of last-instar larva of Eublemma amabilis. 2024

distribution of  $\ensuremath{\text{\scriptsize Q}}$   $\ensuremath{\text{sex}}\xspace\text{-pheromone}$  in Periplaneta

## Gut, contd.

americana, 3437

distribution of non-doubling DNA in Locusta migratoria. 6081

DNA-synthesis of ileum during moulting-cycle in Oryzaephilus surinamensis. 242

DNA-synthesis in midgut during moulting-cycle in Oryzaephilus surinamensis. 242

ecdysone in relation to protein- and RNAsynthesis in larval midgut of Antheraea pernyi. 5243

egestion and excretion in Aulacophora foviecollis in relation to feeding and temperature. 3448

electrolyte movement in isolated midgut of Periplaneta americana. 1549

electron microscopy of bacteria in Acyrthosiphon pisum, 5854

endogenous inhibitor of microsomal mixedfunction oxidases in Prodenia eridania. 3930

epicuticular depressions in rectal cuticle of Tenebrio molitor. 3444

esterase activity in relation to CA and CC hormones in Pyrrhocoris apterus.  $654\,$ 

evolution of blind gut in Trombiculidae. 3917 exchange of regurgitated and proctodaeal food

in Kalotermes flavicollis. 3640 exogenous ecdysone in relation to protein- and

RNA-synthesis in midgut of larval Antheraea pernyi. 5243

faeces of Atta colombica tonsipes. 1689 fat storage in midgut wall in overwintering Tetranychus urticae. 4517

in relation to feeding of  $\ensuremath{\wp}$  Chrysops vittatus. 2108

fluid content in relation to sugar-water uptake in Apis mellifera. 2006

foregut in fruit-feeding moths. 301

granulosis virus multiplication in midgut cells of larval Trichoplusia ni. 3921

gregarines in relation to midgut cells in Schistocerca gregaria. 3487

hexokinase isozyme distribution in Drosophila robusta. 2830

hindgut histology in Locusta migratoria. 5857 hindgut and osmoregulation in pharate adult Antheraea pernyi. 2614

hindgut and rectal glands in Halosalda lateralis and Hydrometra stagnorum. 1552

histological changes due to acanthocephalan larvae in Periplaneta americana, 3559

histology and function of rectal glands and hindgut in Halosalda lateralis and Hydrometra stagnorum. 1552

histology of hindgut in Locusta migratoria. 5857 histology of midgut in adult Gnathotrichus retusus, G. sulcatus and Trypodendron lineatum. 684

histones in Acheta domestica. 4536

histopathology of mycoplasma infection in anterior midgut of Euscelis lineolatus. 3920

honey-stomach midgut value in Apis

mellifera, 5219

inclusions in midgut diverticulum cells of Gyarina nigritarsis. 1102

infection ratios for Plasmodium brasilianum in Anopheles. 5809

innervation and nervous control of rectum muscle-fibres in Periplaneta americana. 1516

innervation and nervous control of muscle-fibres of proctodaeum in Periplaneta americana. 1059, 1516

intima pigmentation associated with tumour-like lesions in Leucophaea maderae. 3438

ion-transport across rectal epithelium in Carausius morosus and Locusta migratoria. 645

K<sup>+</sup> and Na<sup>+</sup> movement across midgut epithelium in Periplaneta americana. 1101

Leidynema appendiculata and a gregarine parasitic in gut of Gromphadorhina portentosa. 4690

[<sup>3</sup>H] leucine-uptake by midgut in larval Locusta migratoria migratorioides, 1093

life-cycle of Malamoeba locustae in Locusta migratoria migratorioides. 5161

locustone in crop of Locusta migratoria migratorioides. 5262

lysis of guinea-pig skin by midgut contents of larval Hypoderma. 1273

Malpighian tubules in Aulacophora foveicollis. 2621

metamorphosis in Hyalophora cecropia. 2670 during metamorphosis in Ptychoptera albimana. 4452

methods for analysis of stomach-contents of herbivores. 5782

microsomal epoxidase activity of larval Prodenia eridania gut in vitro. 220

midgut of Aedes aegypti and Anopheles stephensi during blood-digestion. 644

midgut of Aphodius moestus. 3916

midgut carotenoids in larval Gonimbrasia belina. 1581

midgut degeneration in Ceratophysella armata attenuata. 5661

midgut distribution of non-doubling DNA in Locusta migratoria. 6081

midgut diverticulum number in Morabinae. 1982

midgut epithelium of larval Chaoborus. 5856

midgut epithelium of Periplaneta americana in relation to sites of neurosecretory release. 5218

midgut formation in embryonic Gerris paludum insularis. 2050

midgut lipase of Blaberus craniifer and Periplaneta americana, 1550

midgut of Onthophagus catta. 3916

in osmoregulation in pupal Antheraea pernyi. 2614 movement of mycobacterium to haemolymph in

# Gut, contd.

Argas persicus. 4776

neural relations of ileum musculature in Periplaneta americana. 1059

neural relations of rectal musculature in Periplaneta americana, 1059

neuroendocrine relationship between Blatta orientalis and Hammerschmidtiella diesingi. 4522

new Hexamastix from rectum in Gryllotalpa africana and Periplaneta americana. 5214

oesophageal multipolar neurons and ventricular nerves in Acheta domestica and Gryllus campestris, 1062

oesophagus in relation to sucking-pump of larval Cybister tripunctatus africanus, 5790

of Onthophagus catta. 3916

in relation to osmoregulation during metamorphosis in Antheraea pernyi. 2614

osmotic concentration of rectal fluid in Hyocoris cimicoides. 1589

pattern of DNA-synthesis in foregut during moulting-cycle in Oryzaephilus surinamensis. 242

peritrophic membrane absent from adult Ptychoptera albimana. 4452

peritrophic membrane in Aedes aegypti and Anopheles stephensi, 644

peritrophic-membrane formation in Calliphora erythrocephala. 4521

peritrophic membrane permeability in Aedes
aegypti. 4519

pH and digestive enzymes in Clavigerella gibbosa, 5853

pH of midgut contents of larval Aedes aegypti and Culex pipiens molestus. 1551

pharyngeal grinding mills in larval Eumerus strigatus and Sargus bipunctatus. 2010

phenolase of prepupae of Diprion pini and Pristiphora polytomus. 646

pheromone production in Trypodendron lineatum hindgut. 2652

during post-embryonic development in Lytta nuttalli. 5220

propolis formation in Apis mellifera. 5219 protease activity in rectal fluid of Attini. 2618 protease from larval midgut of Vespa crabro and V.orientalis. 655

protease in lysis of larval gut in Galleria mellonella. 724

proteases in relation to lack of toxicity of Bacillus thuringiensis crystals for Carausius morosus. 5178

protein metabolism of midgut epithelium of Bombyx mori during cytoplasmic polyhedrosis. 5855

protein turnover in adult & Drosophila subobscura. 3939

proteolytic activity of Galleria mellonella midgut in relation to growth and metamorphosis. 724 proventricular structure in relation to diet in Carabidae, 4518

proventriculus of Blattodea. 642

proventriculus of Ips cembrae. 4513

rectal absorption in Calliphora erythrocephala. 2035

rectal DNA-synthesis during moulting in Oryzaephilus surinamensis. 242

rectal glands in Halosalda lateralis and Hydrometra stagnorum. 1552

rectal lumen concentration in relation to ion and water reabsorption in Periplaneta americana. 3946

rectal osmoregulation and water absorption in Calliphora erythrocephala. 2035

rectal pads of Apoidea. 5215

rectal-pad differentiation in Lepidoptera. 698 rectal re-absorption in Periplaneta americana. 648

rectum in relation to control of filling of honeystomach in Apis mellifera. 4051

rectum as site of uptake of atmospheric water in Thermobia domestica. 3080, 3467

responses of proctodaeal muscles to mechanical stretch in Periplaneta americana. 3400

route of granulosis virus from gut to haemocoel in Trichoplusia ni. 3921

secretion by ileum epithelial cells in larval Ostrinia nubilalis. 1105

secretion in midgut of Aedes aegypti and Anopheles stephensi during blood-digestion, 644

secretory nature of epithelial cells of ileum in larval Ostrinia nubilalis. 1105

in relation to sexual maturation in Gnathotrichus and Trypodendrom. 684

site of pheromone production in Trypodendron lineatum. 2652

sterols in larval Gonimbrasia belina. 3940

in relation to Streptococcus faecalis infection in larval Porthetria dispar. 5798

structural model for rectal fluid re-absorption in Periplaneta americana. 648

in relation to sugar intake in Pieris rapae crucivora. 2738

taste sense-organs in foregut of Brevicoryne brassicae and Tuberolachnus salignus. 2594

Thelastoma from midgut of Figulus sublaevis and Prosopocoelus serricornis. 5184 toxicity in insecticides to larval Euxoa messoria.

5182 trehalase from Blaberus craniifer symbiont.

5873

Trypanosoma rangeli and T. cruzi infection in Rhodnius prolixus in Colombia. 4687

tumefactions in rectal pads of Periplaneta americana, 3445

tumour development in relation to ovaries after nerve section in Periplaneta americana. 3443

tumour-like lesions in Leucophaea maderae after anal blockage. 1100

Gut, contd,

tumours in Locusta migratoria. 3439

tumours in Periplaneta americana following nerve severance. 3441

ultrastructural localization of phosphatases in larval midgut of Bombyx mori. 1104

ultrastructure of Epicavus araeoceri from Araeocerus fasciculatus. 4456

ultrastructure of foregut in pupal-winged adult of Tenebrio molitor, 1180, 2061

ultrastructure of hindgut of adult Q Aedes aegypti. 3065

ultrastructure of ileum of larval Ostrinia nubilalis. 1105

ultrastructure of midgut diverticula in Hylotrupes bajulus. 4523

ultrastructure of midgut epithelium of larval Trichoplusia ni. 3921

ultrastructure of midgut wall and peritrophic membrane in larval Chironomus strenzkei. 1099

ultrastructure of peritrophic-membrane development in larval Apis mellifera. 5222

ultrastructure of pylorus in Rhodnius prolixus. 5223

ultrastructure of Pyrsonympha vertens in rectum of Reticulitermes. 3143

ultrastructure of rectal intima in Insecta. 3444 ultrastructure of rectal pads in relation to fluid transport in Periplaneta americana. 648

ultrastructure of rectum in adult φ Aedes aegypti.

ultrastructure in virus-infected Panonychus ulmi.
4842

water secretion across midgut epithelium in Periplaneta americana. 3466

and water-uptake from subsaturated atmospheres by Thermobia domestica. 3467 yield of  $\sigma$  virus in Drosophila melanogaster.

Gyarina nigritarsis (Hem., Hom., Flatidae), cell inclusions of midgut diverticulum. 1102

Gymnobothroides (Orth., Acrididae), new taxa described and E. African spp keyed. 1480

Gymnobothrus (Orth., Acrididae), generic classification within complex. 1480

Gymnopleurus (Col., Scarabaeidae), S. African spp keyed. 529

Gymnoscelis pumilata (Lep., Geometridae), fecundity and oviposition. 5970

Gymnosoma (Dipt., Tachinidae), meeting of the sexes and mating. 3529

Gynaikothrips ficorum (Thysanopt., Phlaeothripidae), parasite and predator, 6047 prey of Termatophylum insigne, 5983

Gynandromorphism,

in Aedes excrucians. 5525

bilateral gynandromorph of Cycnia mendica. 6134

bristle frequency in Drosophila melanogaster

gynandromorphs with different 'scute' alleles. 2845

in Culicidae. 5525

Perezia maura a gynandromorph of Megachile centuncularis. 4341

in Trichogramma embryophagum. 3524

Gynandrophthalma elongata bilineella subsp. n. (Col., Chrysomelidae), described. 2484

Gypaetus barbatus (Aves), pathology of attack by Laemobothrion vulturis daneckii. 3579

Gyponini (Hem., Hom., Cicadellidae), endosymbionts. 4053

Gyps africanus (Aves), host of Argas theilerae sp. n. 3283

Gypsonoma haimbachiana (Lep., Olethreutidae), unusual abundance in Ontario, Canada, in 1968. 3184

Gypsonoma oppressella, recorded for first time for England as feeding in autumn. 5586

Gyranusa phenacocci sp.n. (Hym., Encyrtidae), described. 3800

Gyranusoidea advena sp.n. (Hym., Encyrtidae), described, 3800

Gyrelmis (Col., Elminthidae), SEM of plastron.

Gyrinidae (Col.),

225, 434, 478, 1520, 1739, 2478, 2794, 4944 larvae from Republic of S. Africa, 4944

ecology, environmental adaptation and lifehistories. 2794

origin from primitive Adephaga confirmed. 225 Gyrinus (Col., Gyrinidae),

larvae not predaceous on Tricladida in a pond. 1739

sex appendages of mergus and notator. 225 Gyrinus substriatus stat.n., from Denmark. 2478 Gyropidae (Mall.), 3007

**Gyropus (Mall., Gyropidae),** new spp described. 3007



Habenaria obtusata (Orchidaceae), pollinated by
Aedes communis and A. canadensis. 816
Habrobracon (Hym. Braconides)

Habrobracon (Hym., Braconidae),

extra-terrestrial radiation in relation to induction of lethals and life-span. 249 mitomycin C as mutagen for sperm. 404

Habrobracon hebetor, parasitic on Spodoptera littoralis in Israel. 5418

Habrobracon juglandis,

chemosterilization of of. 258

Habrobracon juglandis, contd.

egg production, embryo lethality, longevity and survival after Biosatellite flight. 3994

lethal mutations or inactivation induced in sperm. 258

Habrocytus elevatus (Hym., Chalcididae), parasitic on Urophora stylata. 326

Haemaphysalis (Arach., Acari, Ixodidae), from Bismarck Is. and Philippines. 2192 spp of subgenus Alloceraea keyed. 4223

Haemaphysalis ambigua Neumann 1901, syn.n. of H.inermis Birula 1895, 4223

Haemaphysalis bispinosa, host distribution in Borneo and Malay Peninsula. 4782

Haemaphysalis cornupunctata, immature stages and new hosts in Himachal Pradesh, India. 138

Haemaphysalis (s. str.) darjeeling sp. n., described. 4222

Haemaphysalis inermis Birula 1895,

H. ambigua Neumann 1901 syn. n of. 4223 new Japanese records. 4223

Haemaphysalis (Alloceraea) kitaokai sp. n., described, 4223

Haemaphysalis leporispalustris, host in E.C. Oklahoma, USA. 4775

Haemaphysalis pentalagi, φ larva and nymph described and σ redescribed. 4224

Haematobia irritans (Dipt., Muscidae),

aerial application of ULV organophosphates. 5329

attraction to testosterone-treated bulls. 5394 control by ULV applications of concentrated insecticides. 4698

emergence and oviposition. 3540

flight activity. 754

Hymenoptera parasitic on pupae in N. E. Mississippi, USA. 2751

method for recording flight activity. 754

Haematopinidae (Anopl.), 1980

Haematopinus suis (Anopl., Haematopinidae), structural anomalies. 1980

Haematopota (Dipt., Tabanidae).

Fennoscandian spp revised, new synonomy and key to spp. 5681

new spp described. 81

Haemocoel,

development of Trypanosoma rangeli in Rhodnius prolixus. 5165

function of crop during metamorphosis of Hyalophora cecropia. 2670

life-cycle of Malamoeba locustae in Locusta migratoria migratorioides. 5161

routes of granulosis virus from gut to haemocoel in larval Trichoplusia ni. 3921

Haemocyanin, in haemolymph solutes of Cupiennis salei. 3914

Haemocytes,

of Bombyx mori. 177

in relation to carcinogens in Periplaneta

americana. 3430

classification, 175

count in relation to mitotic rate in Galleria mellonella larvae. 1092

count in parasitized larvae of Pieris rapae crucivora. 2004

defence reactions to Salmonella typhimurium infections in larval Galleria mellonella. 3063

development of Trypanosoma rangeli in Rhodnius prolixus plasmatocytes. 5165

encapsulation of abnormal growths in Locusta migratoria gut. 3439

growth of lepidopteran haemocytes in primary culture, 5282

haemocytopoietic organs of larval Diprion similis. 2611

ligaturing of larval Galleria mellonella in relation to counts and mitotic indices. 1092

lysozyme injection in relation to count in Periplaneta americana, 1095

nomenclature and study techniques in relation to anomalous growth. 3432

oenocytoids in metamorphosis. 175

pathway of initiation of dopamine synthesis by bursicon, 1512

permeability during ecdysis in Periplaneta americana. 2633

phosphomonoesterase activity in Schistocerca gregaria. 4535

pseudotumours. 4137

reaction in □rosophila melanogaster to attack by Pseudocoila bochei and Ps. mellipes. 1248, 1264

reaction to gut lesions in Leucophaea maderae. 1100

reaction in Leucophaea maderae to injections of tissues. 2612

recovery after experimental bleeding in Locusta migratoria. 641

responses to acanthocephalan larvae in Periplaneta americana. 3559

ultrastructure in larval Tenebrio molitor. 3435 ultrastructure in normal and diseased Spodoptera littoralis. 2002

in wound-repair in Rhodnius prolixus. 4510 Haemogamasidae (Arach., Acari), of Riparia

riparia in Switzerland, 4106

Haemogamasus ambulans (Arach., Acari, Gamasidae), endosternum and muscles. 3868

Haemogamasus citelli, population fluctuation on Lagurus luteus in Kazakhstan. 5487

Haemoglobins,

genetic control in Chironomus tentans. 4148 isoelectric focussing in Chironomus thummi. 3454

peptide chains of CTT-III in Chironomus thummi.  $3450\,$ 

polygene structure in Chironomus thummi. 881 polymorphism in Chironomus tentans and Ch. pallidivitattus. 5557 Haemolaelaps glasgowi (Arach., Acari), on Lagurus luteus in Zaysanskiy Depression, Kazakhstan, USSR. 5487

Haemolymph,

activation of phenoloxidase by larval cuticle in Drosophila melanogaster. 3862

activity of heart and thoracic pulsatile organs during wing expansion in Bombyx mori. 4508

ageing in relation to multiple molecular esterase forms in Periplaneta americana. 4530

amino-acid concentration in relation to diet in larval Bombyx mori. 4509

amino acids, cations and sugars of Ixodoidea.

amino acids during development of Aedes aegypti. 190

amino acids of Heliothis virescens in relation to parasitism. 3062

antibacterial compounds in cell-free haemolymph of pupal Drosophila melanogaster. 1546

anti-complementary activity absent from Lepidoptera. 2613

antigens in Periplaneta americana. 5234

assimilation, mobilization and transport of lipid in Pyrrhocoris apterus. 1577

in relation to Bacillus popilliae infection in Popillia japonica. 5155

biochemical changes induced by Aspergillus flavus infection in Odontotermes obesus queen, 663

biochemistry and volume in relation to reproductive cycle of Periplaneta americana. 5942

blood vessel present in antennae of Plecoptera. 4425

calliphorin of larval Calliphora erythrocephala probably produced in fat-body. 1138

carbohydrate and lipid content during adult development in Schistocerca gregaria, 4596

CO<sub>2</sub> in relation to proteins in Locusta migratoria cinerascens. 3429

in relation to Cardiochiles nigriceps parasitization in larval Heliothis virescens. 5947

carotenoids in larval Gonimbrasia belina. 1581 clover-phyllody mycoplasmas in Aphrodes

bicinctus and Euscelidius variegatus. 806

count and volume recovery after experimental bleeding in Locusta migratoria. 641

in relation to dehydration and rehydration in Periplaneta americana. 4559

dehydrogenase isozymes of Apis mellifera during development. 2015

diuretic hormone level in Carausius morosus. 5859

electrophoresis pattern in larval Rhynchosciara angelae. 4507

electrophoretic properties in adult Tenebrio molitor. 5861

endocrine control of protein content during oocyte

maturation in Leucophaea maderae. 721 energy reserves during flight in Schistocerca gregaria. 1557

enzymes in larval and pupal Pieris brassicae. 1096

esterase activity in relation to CA and CC hormones in Pyrrhocoris apterus. 654

experimentally induced changes in protein concentration in Oncopeltus fasciatus. 1091

fatty-acid composition in Galleria mellonella larvae in relation to diet. 3512

fatty-acid composition and JH titre during metamorphosis in Hyalophora cecropia. 4623

food for Cardiochiles nigriceps larvae in Heliothis virescens. 5947

fraction inducing oviposition by Itoplectis conquisitor and Pimpa turionellae in Galleria mellonella. 716

free-amino-acid composition of Apis mellifera.
5226

free amino acids of castrated of Periplaneta americana. 5232

freezing-points in Biorrhiza, Boreus, Chionea and Scoliocentra. 206

gene relationships of proteins in Orthoptera.  $201\,4$ 

glutamic acid in relation to concentration of free amino acids in Drosophila melanogaster. 5235

glycerol content in relation to cold-hardiness in Pterostichus brevicornis. 4548

granulocytes in relation to coagulation. 175 in relation to heat death in Centrioptera mericata. 5885

hormone levels during ecdysis in Periplaneta americana. 2633

hydrostatic pressure in appendage extension in Haemogamasus ambulans. 3868

hyperglycaemic factor from CC in adult Locusta migratoria. 1591

inorganic and organic constituents in Cupiennius salei. 3914

ion-transport in Carausius morosus and Locusta migratoria. 645

larval cuticle in relation to activation of phenoloxidase pro-enzyme in Drosophila melanogaster. 5228

leptinotarsin from Leptinotarsa decemlineata. 5392

lipoglycoprotein in larval Popillia japonica, 5866 lysozyme level in relation to immunity to Pseudomonas aeruginosa in Galleria mellonella, 5167

in relation to lysozyme injection in Periplaneta americana. 1094, 1095, 2069

migration of symbionts in Euscelis plebejus. 3142

mycotoxins of Entomophthoraceae in relation to staining properties. 5815

neutral-lipid composition in queens of Macro-

# Haemolymph, contd.

- termes goliath and M. natalensis. 1115
- osmolality during metamorphosis in Antheraea pernyi. 2614
- osmotic concentration in Ilyocoris cimicoides.
- osmotic pressure regulated via saliva in Boophilus microplus. 649
- parasitism in relation to trehalose level in larval Manduca sexta. 4512
- in relation to parasitization and rearing in larval Manduca sexta, 1548
- peptidase activity in hybrid and oily larvae of Bombyx mori. 3453
- phenoloxidase of Prosophila virilis. 1558
- phosphomonoesterase activity in Schistocerca gregaria. 4535
- polyhedrosis in relation to transaminases in Bombyx mori. 5229
- polymorphism of lactic dehydrogenase in Gryllus campestris. 2014
- protein content in relation to life-cycle in Pyrenean Orthoptera. 2014
- protein content not a reliable indicator of changes in tissues. 1091
- protein content during oocyte maturation in Leucophaea maderae. 721
- protein-content and volume during 5th instar of Locusta migratoria migratorioides, 1093
- protein content during vitellogenesis in Periplaneta americana. 718
- protein deficiency and tumour susceptibility in Periplaneta americana, 4449
- protein level in Diatraea grandiosella at metamorphosis. 4641
- protein levels in relation to ovary implantation in & Periplaneta americana. 1640
- protein metabolism during 5th instar in Locusta migratoria. 5233
- protein pattern in  $\ensuremath{\varphi}$  Leptinotarsa decemlineata. 5878
- protein pattern in Triatoma infestans. 2029
- Protein precipitation in Galleria mellonella and Periplaneta americana, 3913
- protein source for larval salivary-gland secretion in Chironomus tentans. 669
- protein synthesis in larval Calliphora stygia.
- protein uptake and utilization by tissues of 5thinstar Locusta. 652
- proteins of Apis mellifera. 2630, 3911
- proteins of Dysdercus intermedius during development, 4005
- proteins in relation to food-plants in Hyphantria cunea. 3928
- proteins of larval Mamestra brassicae with nuclear polyhedrosis. 3433
- proteins of Pyrrhocoris apterus and ecdysonebinding. 3912
- proteins in relation to vitellogenesis in Acheta

- domestica, 4645
- proteins and vitellogenesis in Leucophaea maderae and Ornithodoros moubata. 1201, 1202
- of pupal Bombyx mori following total prevention of spinning. 5255
- rate of infection with Trypanosoma cruzi and T. rangeli in Rhodnius prolixus in Colombia. 4687
- route of protein transport into oocytes in Panorpa communis. 1209
- routes of clover-phyllody mycoplasm in Euscelis lineolatus. 3920
- sarcophagine level in larval Sarcophaga bullata. 3459
- semi-synthetic diet in relation to nitrogenous compounds of larval Pieris brassicae. 1547
- sex-dimorphism of proteins in Locusta migratoria cinerascens. 3429
- sex-dimorphism of proteins in Pyrenean Orthoptera. 2014
- sex-specific proteins and vitellogenesis in Leptinotarsa decemlineata. 1646
- sibling spp of Rhynchosciara differentiated by haemolymph electrophoresis, 4507
- specific gravity in relation to diet and parasitization in larval Manduca sexta. 1548
- from starved Periplaneta americana in relation to Malpighian tubules. 183
- sugar level in Androctonus australis. 5851 trehalase of flight-muscle in Sarcophaga bar-
- trehalose level in Ceratitis capitata. 4139 tumour transmission in Locusta migratoria.
- tyrosine level in pupal Anagasta kuehniella. 3865 ultrastructure in Nosopsyllus fasciatus and
- Vespula germanica, 4457 vitellogenic protein level during reproductive cycle in Periplaneta americana, 3101
- vitellogenic proteins in Periplaneta americana.
- volume in Locusta migratoria migratorioides during development. 2610
- water movement from midgut into haemolymph in Periplaneta americana. 3466
- in wound-healing in Periplaneta americana. 3857
- Haemoplotina gen. n. (Col., Coccinellidae), established, 1848
- Haetera piera (Lep., Satyridae), biology in Venezuela. 4819
- Haeterini (Lep., Satyridae), biology of Venezuelan spp. 4819
- Hafenferrefia translamellata sp. n. (Arach., Acari, Oribatei), described. 3285
- Hahnia mengei (Arach., Aran.), new for Norway.
  469
- Haiti, new Syrphidae from. 1881
- Halacaridae (Arach., Acari), new spp described.

Halacarus basteri (Arach., Acari, Halacaridae), biology and ecology. 1319

Halacarus basteri var. affinis, new for Black Sea Coast of Romania. 2866

Halictidae (Hym.),

848, 1280, 1728, 1732, 2169, 2996, 3193, 4127, 4705, 4864, 5215

evolution of nest architecture and social behaviour. 2169

rectal pads. 5215

Halictinae (Hym., Halictidae), position of Lasioglossum duplex in halictine social spectrum. 848

Halictophagidae (Streps.), 3015

Halictophagus languedoci sp. n. (Streps., Halictophagidae), described. 3015

Halictus malachurus (Hym., Halictidae), pollinator of Medicago sativa in Hungarian Great Plain. 1280

Halictus simplex, pollinator of Medicago sativa in Hungarian Great Plain. 1280

Haliplidae (Col.), 4944

larvae from Republic of S. Africa. 4944

Hallodapus (Hem., Het., Miridae), differentiated from Plagiorrhamma. 5709

Halogeton glomeratus (Chenopodiaceae), Acari and Insecta for control, 3585

Halogeton sativus, Acari and Insecta associated with in Morocco and Spain. 3585

Halosalda lateralis (Hem., Het., Saldidae), histology of hindgut and rectal glands. 1552

Halothrips salicorniae (Thysanopt., Phlaeothripidae), redescribed. 3018

Halter halteratus (Neur., Nemopteridae), new for Afghanistan, Arabia and Iran. 1942

Halterapis gen. n. (Hym., Anthophoridae), established. 1446

Halteres.

ultrastructure of campaniform sensilla in Drosophila melanogaster. 3412

ultrastructure of sensilla in Calliphora erythrocephala, 1994

Haltica daghestanica sp. n. (Col., Chrysomelidae), described, 466

Halticinae (Col., Chrysomelidae),

of Dagestan, USSR. 466

of Indian subcontinent revised and new taxa described. 1845, 3740

karyotypes and X-chromosomes. 5336

from Korea. 3741

new genera and spp from Indian subcontinent. 1845

new genera and spp from New Guinea. 1846 Hamatoplectris (Col., Melolonthidae), new spp described. 5005

Hamletia (Col., Chrysomelidae), syn.n. of Pachyonychis. 2904

Hammerschmidtiella diesingi (Nematoda), neuroendocrine relatioship with Blatta orientalis. 4522 parasitic in Blattella germanica in New York City, USA. 4689

Hamophthiriidae fam. n. (Anopl.), established, 1833
Hamophthirius galeopitheci (Anopl., Hamophthiriidae fam. n.), redescribed, 1833

Handling, effect on development in Tribolium castaneum and T. confusum. 2681

Hannemania bufonis sp. n. (Arach., Acari, Trombiculidae), described. 4240

Hannemania hylae, redescribed. 4240

Hannibalia (Thysanopt., Phlaeothripidae), syn.n. of Dactylothrips. 4402

Haplegis flavitarsis (Dipt., Chloropidae), pupal parasites. 4820

Haplobelba gen.n. (Arach., Acari, Oribatei), established. 2462

Haplochlaenius (Col., Carabidae), femoratus and peterseni differentiated. 2897

Haplocrepis immaculata sp. n. (Col., Carabidae), described and Madagascan spp keyed. 4263

Haplogynae (Arach., Aran.), of Tadzhikistan, USSR. 959

Haplonannus (Hem., Het., Schizopteridae), new spp from Trinidad. 552

Haplopappus bloomeri (Compositae), host of Pleotrichophorus lagacei sp.n. in California, USA. 5691

Haplothorax (Col., Carabidae), of Atlantic islands.

Haplothorax burghelli, taken in recent years on St. Helena. 438

Haplothrips aculeatus (Thysanopt., Thripidae), populations and sex-ratio on cereals in Finland. 1309

Haplothrips teucrii, redescribed. 3018 Haplothrips utae sp. n., described. 3833

Hapsiferinae (Lep., Tineidae), relationships of Protaphoreutis and new Madagascan genera. 1473

Hardiana (Hem., Hom., Cicadellidae), syn.n. of Thaia. 5700

Hardya (Hem., Hom., Cicadellidae), new for Egypt. 6052

Hardyia Mallock 1926 (Dipt., Muscidae), Prohardyia nom. n. for.3318

Harkenclenus (Lep., Lycaeinidae), new name for Chrysophanus. 4375

Harmonia axyridis (Col., Coccinellidae), parasitization by Perilitus coccinellae. 1266

Harmosma bivulneratum (Hem., Hom., Eurybrachidae), Parancyra splendens syn.n. of. 1899

Harpagochares decellei sp.n. (Hem., Het., Reduviidae), described. 87

Harpagocoris decellei (Hem., Het., Reduviidae), described. 87

Harpalinae (Col., Carabidae), immunologically not a coherent group. 434

Harpalus (Col., Carabidae), partly phytophagous. 783 Harpalus (Col., Carabidae), contd.

USSR spp of subgenus Actephilus revised and longipalmatus sp. n. described, 1406

Harpalus affinis, mainly herbivorous. 783

Harpalus pennsylvanicus, effect of  $\gamma$ -radiation on life-span. 254

Harpalus rufipes, numbers in relation to weed control in Brussels sprouts. 2150

Harvester ant, see Pogonomyrmex barbatus Harvester termite, see Hodotermes and Trinervitermes

Hasikiya Island (Arabian Sea), new Ornithodoros from. 1824

Hasora wilcocksi sp. n. (Lep., Hesperiidae), described. 5063

Hastaperla brevis (Plec., Peltoperlidae), ecology and life-history in Laurentides, Canada. 1668

in Ascoschoengastia latyshevi. 5365

development of hatching thread in embryonic Sphodromantis centralis. 2662

diel periodicity in Diapheromera femorata. 745 in relation to diet in Musca autumnalis. 5316 in relation to diet in Urbanus proteus. 5312

factors affecting in Aedes aegypti. 4615

genetic control and inheritance of hatchability in inbred lines of Drosophila melanogaster. 880

in Lyctidae. 4016

mechanism in Plecoptera. 2663

in Microbracon kirkpatricki. 5991

of Panonychus ulmi from winter eggs. 5305

in Petrobius brevistylis and P. maritimus. 5475

in relation to RH and storage temperature in

Aedes abserratus and A. vexans. 2639 in relation to RH and temperature in Rhizopertha dominica. 5292

# Hawaii.

Chrysomya rufifacies causing myiasis of newborn calves. 4040

control of Ceratitis capitata and Dacus cucurbitae with lure + naled and Myverol or CAB-O-SIL. 4686

Dacus dorsalis present. 3777

fatty acids and sterols in Cheirodendron gaudichaudi leaves in relation to Drosophila ecology. 647

Herpetogramma licarsisalis as pest of pasture grasses. 4736

Insecta introduced for biological control, 4110 micro-evolution within Drosophila bostrycha,

D. disjuncta and D. grimshawi. 1790

new Eupelmidae from. 2992

new Platygasteridae from. 4359

Otitidae of. 4307

# Hawaiian Islands,

Anagyrina revised. 3800 new Cerambycidae from. 3739 new Encyrtidae from. 3800 Plagithmysinae revised. 3739

#### Head.

acetylcholinesterase inhibition by bis-[(m-hydroxyphenyl)trimethylammonium iodide] esters of polymethylenedicarbamic acids in Musca domestica. 5236

of Embia ramburi. 4447

esterase inhibition during malathion poisoning in Schistocerca gregaria. 3931

homologies and origins in larval Simuliidae. 1167

larval head-capsule characters for species identification in Deilinia and Drepanulatrix. 2578

head-capsule of Vespa orientalis. 5796 morphology in larval Rhagio scolopaceus and Sargus bipunctatus, 1970

morphology and musculature in Delphacodes propinqua and Liburnia pallescens. 1974 morphology in Orthoptera of Philippines. 150

musculature in adult of Choristoneura fumiferana.
3866

musculature and skeleton in Campodea chardardi. 5833

new mutations affecting in Dahlbominus fuscipennis. 4161

scierites in Gryllodes sigillatus. 151 sensory hairs in Locusta migratoria. 4491 width and body-weight for instar separation in

Urbanus proteus. 4428 wid h for instar determination in Culicidae. 2576

### Hearing.

acoustic sensitivity of Ostrinia nubilalis. 1992 acoustic social displays in Arphia conspersa. 3083

 $\alpha$  and  $\beta$  auditory interneurons of Gastrimargus africanus. 1070

auditory pathways of Insecta. 622

auditory system of Cicadidae and Orthoptera.  $2044\,$ 

auditory system of Fidicina rana. 1535 auditory system of Homorocoryphus. 1529

central neurons of cercal auditory system in Acheta domestica. 5838

in Locusta migratoria, 622

responses of Heliothis to ultra-sound during feeding, reproduction and resting. 1079 role of labial palp in Choerocampinae. 4482 tympanal organ of Acridoidea. 3899

#### Heart.

age-related changes in Drosophila repleta. 2615 beat during post-embryonic development in Locusta migratoria. 5852

beat in relation to acclimation in Ptinus tectus and Tenebrio molitor, 5888

CNS in cardiac regulation in Limulus polyphemus.

intracellular potentials of myocardial cells in Sarcophaga bullata. 3434

mycoplasma-like microorganisms from larval

Heart, contd.

Melolontha melolontha. 5163

neurohormone D in relation to lateral cardiac nerve of Periplaneta americana. 5192

physiology in Insecta. 4511

temperature in relation to activity in Blattella germanica. 5258

and thoracic pulsatile organs during wing expansion in Bombyx mori. 4508

Heat.

acclimation and resistance in Drosophila. 2641 adaptive thermal compensation in Culex pipiens pipiens. 3910

gain, loss and natural sources in Anthonomus grandis. 3465

in host-seeking behaviour of Culicidae. 308 melanin variation and thermoregulation in Colias eurytheme. 3226

use for recovery of Phthorimaea operculella larvae from foliage. 3844

Hedobiinae (Col., Anobiidae), from Ivory Coast. 17
Hedya nubiferana (Lep., Tortricidae), food-selection by larvae. 1253

Hedychridium carrilloi (Hym., Chrysididae), syn.n. of Pseudolopyga taylori comb.n. 1914

Hedychridium solierellae, larval feeding and oviposition in relation to Solierella. 4740

Hedyjoppa (Hym., Ichneumonidae), Burmese fauna.

Helconidea occidentalis (Hym., Braconidae), larva described. 3039

Helegonatopus (Hym., Encyrtidae), Masencyrtus syn.n. of and subgenus Paludencyrtus redescribed, 104

Heleocoris breviceps (Hem., Het., Naucoridae), food pump. 2007

Heleomyzidae (Dipt.), 536, 5146 from S. Spain. 536 superfamily placing. 5146

Helianthus (Compositae)(sunflower),

laboratory emergence cage for Insecta. 2575 populations of Homoeosoma electellum in Texas, USA. 2808

Helianthus annuus,

development of Oncopeltus fasciatus on seeds. 813

mode of feeding by Oncopeltus fasciatus. 5397 Helianthus tuberosus, apterous & Protrama penecaeca associated with in N. W. India. 3787

Heliconius (Lep., Nymphalidae),

colour in species-recognition. 4655 courtship behaviour. 4655

Heliconius antiochus salvinii, abundance in Venezuela and illustrated for first time. 3349

Heliconius erato, oviposition behaviour. 735

Helicopsyche (Trich., Helicopsychidae), day-active in Speed R., Ontario, Canada. 832

Helicopsyche borealis, larval microdistribution in relation to substrate particle size. 3180 Helicopsychidae (Trich.), 832, 3180 Helicoverpa (Lep., Noctuidae), see also Heliothis Helicoverpa armigera,

diet, inbreeding, photoperiod and temperature in relation to instar number. 3097 insecticidal control on cotton in Sudan. 5338

Helicoverpa punctigera, taken at Palmerston North, New Zealand, in 1968. 3697

Helicteres isora (Sterculiaceae), host of Aceria helictereae sp. n. in Cameroun. 3720

Helina (Dipt., Muscidae), oviposition by Stylogaster on adults. 1268

Heliona adspersa (Hem., Hom., Cicadellidae), transferred to Helionidia. 5699

Helionidia (Hem., Hom., Cicadellidae), Heliona adspersa transferred to and new spp described. 5699

Heliophanus capreus (Arach., Aran., Salticidae), abundance in Babadag Forest, Dobrogea, Romania. 2197

Heliothis (Lep., Noctuidae), see also Helicoverpa biology of Microplitis croceipes in relation to. 2752, 3548

diapause in relation to disease. 4605

diapause in relation to genotype and photoperiod. 4601

method for disease-free culture. 4605

reactions to ultra-sound during feeding, reproductive activity and resting. 1079

spp suitable as hosts for Microplitis croceipes. 5424

use of artificial lighting to reduce populations in cotton fields. 2573

Heliothis peltigera, unusual abundance in C.Madrid, Spain. 2149 Heliothis phloxiphaga, bionomics of Eucelatoria

armigera in relation to, 1631

Heliothis stombieri, an aberration of H. zea. 3817 Heliothis virescens,

bionomics of Eucelatoria armigera in relation to. 1631

Cardiochiles nigriceps in relation to development and tissue physiology. 5947

development and reproductive potential after  $\gamma$ -radiation. 2070

haemolymph amino acids in relation to parasitism. 3062

inherited sterility in relation to reproduction,

developmental time and sex-ratio, 5301 insecticidal activity of HD-1 strain of Bacillus

thuringiensis var. alesti. 5964 lipid fractions of larvae and pupae. 3516 Loxosceles reclusa venom in relation to larvae.

1245

parasitization of eggs by Trichogramma minutum in the laboratory. 3154

parasitization of eggs by Trichogramma semifumatum in lower Rio Grande Valley, Texas, USA. 5499

preferred host of Campoletis perdistinctus in the laboratory. 5413

# Heliothis virescens, contd.,

γ-radiation in relation to larva, 2037 technique for mass-rearing of larvae, 2572 toxicity of insecticides to larvae, 5359 triglycerides during development, 192 use of inherited sterility for control, 5301 Heliothis zea.

antennae and compound eyes in attraction to light. 4500

artificial infestation of Zea mays with suspensions of eggs. 5091

behaviour associated with low and high soundintensities. 1051

bioassay for nuclear polyhedrosis virus. 3033 bionomics of Eucelatoria armigera in relation. 1631

damage to soybeans related to plant pubescence. 767

DDT, methyl parathion and toxaphene for control in N. Carolina, USA. 5337

differential suppression of brain interneurons by high sound-intensities. 1051

effectiveness of traps with UV-lamps. 3374 fluorescent systems and UV-sensitivity of eyes. 3413

growth in relation to parasitization. 5424

H. stombieri an aberration of. 3817

interaction of A1 and A2 sense-cells in hearing. 1051

as laboratory host for Microplitis croceipes. 5124

lack of anticomplementary activity in haemolymph. 2613

lipid fractions of larvae and pupae. 3516

mating behaviour. 1219

median-cord development in egg. 2661 olfaction and electromagnetic sensitivity of antennae. 4485

O<sub>2</sub>-consumption during development. 4505 parasites of larvae on Zea mays in S. California, USA, 5420

parasitization of eggs by Trichogramma minutum in the laboratory. 3154

parasitization of eggs of Trichogramma semifumatum in lower Rio Grande Valley, Texas, USA. 5499

partial structure of sex-pheromones. 5120 photoperiod and temperature in induction of pupal diapause. 5286

predators in relation to cage populations. 3600 predators and natural control in California, USA.

preferred host of Campoletis perdistinctus in laboratory. 5413

purification of Nosema heliothidis spores from larvae. 5090

reproductive compatibility of Trichogramma from. 4789

response to pulsed ultra-sound. 167 responses of larvae to extracts of Zea mays

silks and kernels. 4764

sensitivity to ultra-sound, 2550

technique for mass-rearing of larvae. 2572

toxicity of insecticides to larvae. 5359 toxicity of nuclear-polyhedrosis virus in white mice. 5181

ultra-sound in relation to captures with UV-lamps. 2550

ultra-sound for control on cotton. 3190

Heliothripinae (Thysanopt., Thripidae), generic complexes. 4403

Heliothrips frontalis (Thysanopt., Thripidae), typesp of Bhattithrips gen.n. 4403

Heliotrine, induction of chromosome rearrangements in Drosophila melanogaster. 405

Helluomorphoides taxanus (Col., Carabidae), biology in relation to Neivamyrmex harrisi and N. pilosus. 3139

Helminthopsis (Col., Elminthidae), new spp described, 34

Helminthosporium sativum (Fungi), inability of adult Musca domestica to ingest. 3564

Helodidae (Col.), 38, 3036, 4944

descriptions of larvae and pupae amended for African taxa. 3036

from an abandoned nest of muskrat in Ontario, Canada. 5602

larvae from Republic of S. Africa. 4944 Helomyzidae (Dipt.), 57, 206, 2240, 4860

distribution, ecology and systematics of synanthropic spp in Tyan'-Shan' Mts., Kirgizia, USSR. 4860

Helopeltis (Hem., Het., Miridae),

African spp revised and keyed and new spp described. 2513

Afropeltis subgen. n. established for Ethiopian spp. 2513

Asiatic spp discussed, 2513

Helophilus hybridus (Dipt., Syrphidae), population fluctuations in S. W. Norway. 344

Helophorus (Col., Hydrophilidae),

immature stages and life-histories of brevipalpis, grnularis and orientalis. 4279

Pleistocene spp from Northamptonshire, England, 500

Helophorus aequalis stat.n., from Denmark. 2478 Helophorus orientalis,

ecology and pathogenesis. 4279 Pleistocene material from England. 4279 redescribed and lectotype designated. 4279

Helosiphon eryngii gen. et sp. n. (Hem., Hom., Aphididae), described. 2981

Hemaris thysbe (Lep., Sphingidae), expendable wing surface-area. 5188

Hemerobiidae (Neur.), 124, 313, 3701

Hemerocampa pseudotsugata (Lep., Lymantriidae), distribution of cocoons on Abies concolor, 4084 laboratory tests of insecticides, 5353 natural enemies in N. E. California, USA, 4084 Hemerophila pariana (Lep., Geometridae), host of Sympiesis fragariae. 5725

Hemianaphothrips articulosus (Thysanopt., Thripidae), new for Britain. 3272

Hemianax papuensis (Odon., Aeshnidae), sexchromosomes and sex-determining mechanism. 912

Hemiberlesia (Hem., Hom., Diaspididae), compared with Abgrallaspis. 2518

Hemiblabera tristis sp. n. (Blatt., Blaberidae), described. 56

Hemicholinium, in relation to endogenous activity and synaptic transmission in nerve-cord of Periplaneta americana. 1528

Hemicoelioxys subgen. n. (Hym., Megachilidae), established within Coelioxys. 113

Hemidactylus turcicus (Lacertilia), behaviour of Hyalomma aegyptium on. 4774

Hemiglobus (Dipt., Celyphidae), spp keyed. 2942 Hemigymnochaeta (Dipt., Calliphoridae), oviposition by Stylogaster on adults. 1268

Hemilecanium (Hem., Hom., Coccidae), imbricans and theobromae redescribed. 1001

Hemilecanium coriaceum, probably not a Hemilecanium. 1001

Hemileius (Arach., Acari, Scheloribatidae), relationship to Scheloribates and Topobates. 4236

Hemileius robustus sp. n., described, 3723

Hemileophila (Dipt., Tephritidae), Hypenidium sibiricum transferred to. 5032

Hemimeridae (Derm.), 5664

Hemimerus sessor (Derm., Hemimeridae), of described. 5664

Heminthrus valentianus Hull 1916 (Arach., Acari, Oribatei), synonomy with Platynothrus punctatus L. Koch 1879 confirmed. 4212

Hemiophthalmocoris (Hem., Het., Miridae), new spp described. 5707

Hemipenthes (Dipt., Bombyliidae),

alatus and argentifrons transferred to Thyridanthrax. 4296

structure of seminal receptacle. 5910
Hemipenthes vockerothi sp.n., described. 60
Hemiptarsenus antennalis (Hym., Eulophidae),
syn.n. of semialbiclavus. 1451

Hemiptera,

associated with Halogeton sativus in Morocco and Spain. 3585

of Bouches-du-Rhône, France. 1362

directional control of stylets in phytophagous spp. 4758

electrophoretic patterns of egg proteins. 2625 gravity perception in relation to leg proprioreceptors. 4495

host-range, feeding and phenology in relation to Rhamnaceae in Europe. 3591

predaceous on stored-product insects in Israel. 5563

prey of Lycosa lugubris in Scotland. 2109 relative density variation. 1983

spermatozoon. 223 from Sweden. 6127

Hemisarcoptes dzhashii sp.n. (Arach., Acari, Hemisarcoptidae), described. 1393

Hemisphaeriinae (Hem., Hom., Issidae), Japan Archipelago genera keyed. 560

Hemisphaerius (Hem., Hom., Issidae), synonymy and Ryukyu Is. and Taiwan taxa keyed. 560

Hemisphaerius takagii sp.n., described. 560 Hemiteles albotrochanteratus sp.n. (Hym., Ichneumonidae), described. 1919

Hemiteles brunneus,

biology in N. Germany. 313 parasitic on Boriomyia subnebulosa in N. Germany. 313

Hemlock, see Tsuga

Hemlock sawfly, see Neodiprion tsugae Hempa,

chemosterilant for Culex pipiens. 4622 in relation to embryonic development in Musca domestica. 231

initial and sustained effects in Musca autumnalis. 3514

in relation to longevity, mating and spermatogenesis in 7 Oncopeltus fasciatus. 3093

mating ability and sterility duration in hempasterilized  $\sigma$  Aedes aegypti. 5303

in relation to nucleic-acid and protein synthesis in Aedes aegypti. 2624

polyspermy and dominant lethal mutations produced in Musca autumnalis. 2186

Hen flea, see Ceratophyllus gallinae

Henicocephalidae (Hem., Het.), from Ivory Coast.

Henicocerus montenegrinus (Col., Hydraenidae), new for Romania. 2491

Hennig, criticism of 'Phylogenetic Systematics' in relation to Antarctic biogeography. 6107

Hennigiola gen. n. (Dipt., Muscidae), established.

2-Hepatone, in relation to drone congregation in Apis mellifera. 5522

Hepatopancreas,  $\alpha$ -amylase of Heterometrus scaber. 3925

Hepatopsylla subgen.n. (Hem., Hom., Psyllidae), established in Psylla. 5703

Hepatozoon rarefaciens (Protozoa), transfer from Drymarchon corais to Pituophis catenifer by Culex tarsalis. 6060

Hepialidae (Lep.), 828, 3699, 4652, 5820 distribution on North and South Is., New Zealand. 3699

Heptachlor,

in relation to carabid populations. 825 sesamex in relation to metabolism and toxicity of photoheptachlor in Musca domestica. 5230

n-Heptadecane, in Novomessor cockerelli. 194 Heptagenia quadrilineata sp. n. (Ephem., Heptageniidae), described. 2963 Heptagenii dae (Ephem.), 2096, 2962, 2963, 5688, 5834 from S. E. Asia. 2962

2-Heptanol, in relation to alarm behaviour of Conomyrma pyramica. 3562

2-Heptanone,

as alarm substance for Apis mellifera. 1680 isosteres in relation to alarm behaviour of Conomyrma pyramica. 3562

Heptyl butyrate, attractant for Vespula. 2554 Heracleum sphondylium (Umbelliferae), food value of nectar for Erioischia brassicae. 2722

Heraeus (Hem., Het., Lygaeidae), Nabius elegans transferred to. 4317

Heratemis (Hym., Braconidae), Hoplitalysia syn.n. of. 2521

Heratemis filosa, o described for first time. 2521 Herbicides.

in relation to development, growth and population density in Drosophila melanogaster. 1297 spraying in relation to arthropod biomass in barley. 2148

Herbivores, methods for analysis of stomachcontents, 5782

Hercinothrips bicinctus (Thysanopt., Thripidae), discussed. 4403

Hercostomus (Dipt., Dolichopodidae), courtship behaviour in Swedish spp. 4014

Heriades spiniscutis (Hym., Megachilidae), nesting sites. 5379

Heringiana (Lep., Oecophoridae), nom.n. for Theama Hering 1958. 1018

Hermannia convexa (Arach., Acari, Oribatei), effects of dieldrin. 5892

Hermesomyia gen. n. (Pipt., Syrphidae), established. 1881

Hermillus royi sp.n. (Hem., Het., Reduviidae), described, 1889

Herophydrus (Col., Dytiscidae), larvae from Southern Africa. 3041

Herpetogramma licarsisalis (Lep., Pyralidae), Insecta established in Hawaii for control. 4110 life-history and parasites. 4736

Herpystis cuscutae (Lep., Tortricidae), biology, ecology, host-plants and predators in Pakistan. 323

Herse convolvuli (Lep., Sphingidae),

energy content and population dynamics in Sierra Leone. 4855

ovarial maturation after feeding with vitamin E.  $4012\,$ 

Hersiliidae (Arach., Aran.), of Tadzhikistan, USSR. 959

**Hesperentomon (Prot., Protentomidae),** key to spp. 5769

Hesperentomon tiaschanicum sp.n., described. 5769

Hesperiidae (Lep.), 628, 1531, 1986, 3545, 4428, 4462, 4735, 4948, 4949, 5063, 5312, 5484, 5993 associated with pig carrion in S. Carolina, USA 3545

from New Jersey, USA 4949 new for Michigan, USA, 4948

**Hesperioidea (Lep.),** distribution of Australian taxa. 2880

Hesperocapsus (Hem., Het., Miridae), new spp described, 4320

Hessian fly, see Mayetiola destructor

Hetaerina (Odon., Calopterygidae), O<sub>2</sub>-consumption of larvae. 172

Hetaerina rosea, autosomal fragmentation and fusion and chromosome number. 929

Hetererannis (Lep., Geometridae), Glena macdunnoughi proposed as type-sp. 3811

Heterocampa guttivitta (Lep., Notodontidae), infestations in Ontario, Canada, in 1968. 3184

Heterocera (Lep.), relative density variation. 1983

Heteroceridae (Col.), 483, 2233 new for Ivory Coast. 483

of Niokolo-Koba National Park, Senegal. 2233

Heterocerus (Col., Heteroceridae), new for Ivory Coast, 483

Heterochromatin,

DNA synthesized by DNA-body of Acheta domestica oocytes. 1111

in relation to gene activity. 2833

heterochromatization in white-variegated Drosophila melanogaster. 6073

in relation to multiples in natural populations of Metrioptera brachyptera. 369

in relation to X-ray-induced mitotic recombination in Drosophila melanogaster, 1764

Heterocylindropsis (Col., Staphylinidae), new spp described. 5653

Heterogamus (Hym., Braconidae), raised to genus. 1908

Heteroischnus nigricollis f.flavopictus comb.n. (Hym., Ichneumonidae), from Corse. 3804

Heterojapyx novaezeelandiae (Dipl., Japygidae), egg-cluster. 3316

Heteromastax appendiculata (Orth., Eumastacidae), Madagascan records. 4393

Heteromeyenia ryderi (Porifera), host of larval Sisyridae in Louisiana and Texas, USA. 861

Heteronychia enderleini (Dipt., Sarcophagidae), a valid sp. 74

Heteropelma calcator (Hym., Ichneumonidae), parasitic on Bupalus piniarius in Poland in 1964-1968. 5417

Heteropeza pygmaea (Dipt., Cecidomyiidae), alternation of generations. 3520 CNS, hormonal organs and imaginal discs. 5836 methods for laboratory rearing. 3520

Heteroptera (Hem.),

higher taxa reviewed. 148 morphology of labrum and thoracic sclerites. 149

abundance in oxidation lagoons in C. Missouri, USA. 1738

Heteroptera (Hem.), contd.

air-borne specimens captured on ships in the Pacific. 2134

aquatic taxa from Iberian Peninsula. 3263

aquatic taxa from Ivory Coast. 488

aquatic taxa of Miedzychód and Sieraków areas, Poland. 4933

aquatic taxa of R. Grabia and its inundation area, Poland. 4934

associated with Eupatorium perfoliatum in Byron Bog, W. Ontario, Canada. 3160

biology and control of taxa affecting crops in the Middle East. 4062

dispersal of Algae, Fungi and Protozoa by aquatic spp. 4131

ecology and species-composition in Volga Delta, USSR. 2786

of grazed and ungrazed chalk grassland in Bedfordshire, England. 2782

of herb stratum at Korshage, Sjaelland, Denmark. 3611

of L. Chad, Africa, and the biology and ecology. 3597

larvae as prey for Chrysopa oculata. 2736 new Swedish localities. 472

from N. E. Danube Delta, Romania. 2214

non-polycentric chromosomes in Ranatra elongata. 864

population dynamics in Medicago sativa fields in S. Moravia, Czechoslovakia. 6061

predators of Laspeyresia funebrana in Rostov area, USSR. 1675

from Provence, France. 5705

of rivers in the 'Iron Gates' dam area, Romania. 2776

salivary-gland amylase, 2629

sample size in population estimation. 5121

seasonal populations on Gossypium in Egypt. 6051

sound-producing organs and their taxonomic value. 948

structure of pulvillus and its taxonomic value in terrestrial forms. 3392

synergistic ratio of carbaryl with piperonyl butoxide. 4582

terminology for pretarsus. 3392

Heteropterus morpheus (Lep., Hesperiidae), new morph described and phenology in N. Italy. 5993

Heterosmaitia (Lep., Lycaenidae), syn.n. of Thereus. 4374

Heterospilus (Hym., Braconidae), biology in relation to Ips in Virginia, USA. 4733

Heterotarsus (Col., Tenebrionidae), Oubanghinum syn.n. of, 2928

Heterometrus scaber (Arach., Scorp.), α-amylase of hepatopancreas. 3925 chemistry of cuticle. 3864

Heterotermes indicola (Isopt., Rhinotermitidae), toxicity of fungal culture filtrates. 2168 Heterotermes tenuis, RH and starvation in relation to survival. 207

Heterotropus nigrithorax sp. n. (Dipt., Bombyliidae), described. 60

Heterotylenchus (Nematoda),

effects on Musca autumnalis. 823 parasite of Musca vetustissima. 4679

Hewitsonia danane sp. n. (Lep., Lycaenidae), described, 5068

Hex-2-en-1-al, component of metathoracic-gland secretion of Dysdercus intermedius. 1149, 1251

Hex-trans-2-enal, presence in scent-gland reservoir of larval Pternistria bispina. 5264

Hexacylloepus (Col., Elminthidae), plastron studied by scanning electron-microscope. 174

Hexacylloepus bassindalei sp.n., described. 174 δ-n-Hexadecalactone, pheromone of Vespa orientalis queen. 1150

Hexadecane, oxidation metabolism in Anthonomus grandis and Musca domestica. 193

n-Hexadecane, in Novomessor cockerelli. 194 Hexagenia (Ephem., Hexageniidae),

Eatonica and Pseudeatonica possible subgenera of. 2247

larval ecology of bilineata and limbata in an Oklahoma, USA, reservoir. 3173

Hexagenia limbata californica, in a warmwater reservoir in California, USA. 4947, 5604

Hexageniidae (Ephem.), 2247, 4947, 5604

Hexagenitidae (Ephem.), 2245, 3324 Paedephemeridae syn.n. of. 3324

phyletic relationships within Siphlonuroidea. 2245

Hexaline [cis-7-hexadecen-1-ol acetate], attractant for Pectinophora gossypiella. 212

Hexamastix periplanetae sp. n. (Protozoa), from rectum of Periplaneta americana. 5214

Hexamastix singhi sp.n., from rectum of Gryllotalpa africana. 5214

Hexamermis (Nematoda), parasite of larval Spodoptera mauritia at Gorakhpur, India. 4688

Hexamethylditin (Pennsalt TD-5032), control of Spodoptera littoralis on greenhouse roses. 5963

Hexanoyl chloride, in relation to alarm behaviour of Conomyrma pyramica. 3562

Hexidionis (Arach., Acari, Trombiculidae), new spp described and doremi group discussed. 4241, 4242

Zosteridionis subgen.n. established. 4241

Hexokinase,

in relation to Ca in muscle. 1116 of flight-muscle in Glossina morsitans and Sarcophaga nodosa. 3067

isozyme variability in Drosophila robusta. 2830 during metamorphosis in Lucilia cuprina. 682

Heydenia unica (Hym., Pteromalidae), biology in relation to Ips in Virginia, USA. 4733

- Hibiscus (Malvaceae), arrestants for Acromyrmex octospinosus and Atta cephalotes, 4128
- Hibiscus tiliaceus, in relation to dispersal and overwintering of Pectinophora scutigera in Queensland, Australia. 838
- Hickory shuckworm moth, see Laspeyresia carvana Hilara calinota sp. n. (Dipt., Empididae), described, 538
- Hilaroptera viettei gen. et sp. n. (Lep., Tineidae). described, 1473
- Himacerus myrmecoides (Hem., Het., Nabidae), biogeography. 3328
- Himalopsyche (Trich., Rhyacophilidae), relationships with Rhyacophila. 5774
- Himiseus subgen. n. (Col., Carabidae), established in Ryugadous, 522
- Hinea Adams 1905 nec Grey 1847 (Dipt., Tabanidae), Jashinea nom. n. for. 3775
- Hippelates (Dipt., Chloropidae), contamination with Streptococcus pyogenes in Trinidad, 6044
- Hippelates dissidens, larval habitat and oviposition. 4651
- Hippoboscidae (Dipt.), 536, 2208, 3568, 4930 from S. Spain. 536
  - of Riparia riparia in Switzerland, 4106
- Hippodamia convergens (Col., Coccinellidae), host of Tetrapolipus hippodamiae sp. n. 2464 predator on Oulema melanopus in N. Indiana, USA. 3554
  - synergistic ratio of carbaryl with piperonyl butoxide. 4582
- Hippodamia quinquesignata punctata, abundance on cabbage in S. California, USA. 5479
- Hippodamia tredecimpunctata, association with Aphididae on sweet corn in N. America. 834
- Hippomelas (Col., Buprestidae), new spp described. 1403
- Hirstionyssus (Arach., Acari, Dermanyssidae), of Ethiopian Region keyed. 2459
- Hirstionyssus blanchardi, parasitic on Marmota in Kazakhstan, USSR. 4781
- Hirstionyssus criceti, Apodemus sylvaticus and Mesocricetus newtoni new hosts for. 2746
- Hirstionyssus musculi, on Lagurus luteus in Zaysanskiy Depression, Kazakhstan, USSR. 5487
- Hirstionyssus transvaalensis sp.n., described.
- Hirsutella (Fungi), attacking Bupalus piniarius pupae in Poland in 1964-1968. 5417
- Hirsutiella gen. n. (Arach., Acari, Trombiculidae), established. 4238
- Hirticomus biplagiatus (Col., Anthicidae), forms keved. 1835
- Hirundo rustica (Aves), host of Ornithomyia comosa in S. Kazakhstan, USSR. 4930
- Hishimonoides chinensis sp. n. (Hem., Hom., Cicadellidae), described, 5695
- Hishimonus (Hem., Hom., Cicadellidae), new spp described, 5043

- Hispinae (Col., Chrysomelidae),
  - from Ivory Coast, 486
  - new records from Peru. 969
- from Niokolo-Koba National Park, Senegal. 2231 Histeridae (Col.),
  - 37, 39, 479, 974, 1690, 2912, 5645, 6117 biology and ecology in Hutcheson Memorial
  - Forest, New Jersey, USA. 4085 frequency of poultry-manure removal in relation
  - to populations in N. California, USA, 4836 from Ivory Coast. 479
- in nests of Riparia riparia in Switzerland, 4106 Histidine.
- binding with soluble proteins in silk-glands of Bombyx mori. 3954
  - concentration in relation to glutamic acid in Drosophila melanogaster. 5235
- Histiostoma (Arach., Acari, Anoetidae), toxicity of Aspergillus flavus and Penicillium. 1722
- Histiostoma feroniazum, inhibition of Schiff reaction in chromosomes of ovigerous tissue. 1956
- Histiostoma karachiensis sp. n., described, 3722 Histochemistry,
  - of accessory glands in Cormocephalus anceps.
  - of CA in Antheraea pernyi and Rhodnius prolixus.
  - of frontal gland in Rhinotermes magnificus. 2041
  - of leg muscle of Blattella germanica and Periplaneta australasiae. 1048
  - of midgut of Aedes aegypti and Anopheles stephensi during blood digestion. 644
  - of mycetome and symbionts in Psylla pyricola.
  - of nerve sheath in Euscorpius carpathicus and Roncus lubricus. 1989
  - of protocerebral neurosecretion in Musca domestica, 3879
  - of salivary gland of Myzus persicae. 5895
  - of testes in Byrsotria fumigata and Gromphadorhina portentosa. 3476

### Histology,

- of cephalic endocrine glands in Coenagrion angulatum. 2591
- of corpus luteum in Musca domestica nebulo. 1206
- of coxal organs in Ornithodoros. 1107
- of defence gland in Uroblaniulus canadensis.
- of o reproductive system in Mymaridae. 1165
- of frontal gland in Rhinotermes magnificus. 2041 of gill cartilage of Limulus polyphemus. 1543
- of gut in Belostoma indicum. 2617
- of gut in Serrodes inara. 181
- of hindgut in Trypodendron lineatum, 2652
- of hypopharyngeal glands in healthy and Nosemainfected worker Apis mellifera. 2648
- of integument of queen Odontotermes obesus infected with Aspergillus flavus. 611
- of labial gland in Zygoptera. 2649

Histology, contd.

of leg muscle of Blattella germanica and Periplaneta australasiae. 1048

of limb-regeneration in Caloglyphus boharti. 1178

of midgut of Aedes aegypti and Anopheles stephensi during blood digestion. 644

of salivary glands of adult Simulium vittatum.  $2650\,$ 

of salivary glands of Anopheles stephensi. 1146

of 'tan' and 'x-7' mutants of Drosophila melanogaster, 896

of thoracic musculature of adult Tenebrio molitor. 158

use of chlorazol black, 602

### Histone,

of Acheta domestica and Planococcus citri. 4536

of DNP-complex from adult Drosophila melanogaster. 1566

nuclear histone synthesis of spermatocyte X-chromosome in Rehnia spinosus. 3942

in relation to radiosensitivity of X-chromosomes
 of Drosophila melanogaster. 413

synthesis in Chironomus thummi. 187

Hockeria maetai sp.n. (Hym., Chalcididae), described. 1913

Hodotermes mossambicus (Isopt., Hodotermitidae),

chemicals for communication. 217

control of caste formation, 4875

food in relation to population density. 854

food preferences. 854

foraging behaviour and predation. 5517

group effects on behaviour and flight-muscles of alates, 1730

RH and temperature in relation to behaviour and survival in the laboratory colony, 846

solar and UV irradiation in relation to adults and larvae. 849

trial substances 217

Hodotermitidae (Isopt.),

217, 846, 849, 854, 1730, 4129, 4875, 5517

Holcopogonidae (Lep.), 1363

of Spain catalogued, 1363

Holcopsis (Dipt., Tabanidae), reviewed and spp keyed. 2508

Holocalyx glaxiovii (Leguminosae), host of Schizotetranychus rhynospersus sp.n. in Brazil. 3288

Hololena curta (Arach., Aran., Agelenidae), Ranzovius moerens commensal with. 3138

Holometabola, evolution of holometabolous development in spatially heterogeneous environments. 1358

Holopyga obsoletum (Hym., Chrysididae), type-sp of Muesebeckidium gen.n. 1914

Holopyga taylori, type-sp of Pseudolopyga gen.n.

Holorusia (Dipt., Tipulidae), new spp described. 85

Holotrichia diomphalia (Col., Scarabaeidae), biology

and ecology in Priamur'e District, USSR. 5366

Holotrichia dorsalis sp.n., described. 4986

Holotrichia serrata, larvae attacking Nicotiana at Kateru, India, 4808

Holotrochomorphus (Col., Staphylinidae), new spp described, 5653

Homa (Hem., Hom., Cicadellidae), Eupteryx haematoptilus transferred to and new synonymy. 5693

Homaloceraphron macrophthalmus gen. et sp. n. (Hym., Ceraphronidae), and microphthalmus sp. n. described, 566

Homaloplia ruricola (Col., Scarabaeidae), prey of Dysmachus fuscipennis in Romania. 2092

Homalosilpha (Blatt., Blattidae), new spp described. 3756

Homalota donisthorpei (Col., Staphylinidae), not a British sp. 2922

Homalotylus flaminius (Hym., Encyrtidae),

life-history in relation to Chilocorus bipustulatus in Israel. 1701

parasite of Parlatoria oleae in Lenkoran, USSR 1674

Homeostasis,

developmental and genetic homeostasis in Drosophila. 878, 923, 2189

role of midgut in Periplaneta americana. 1101

Homo sapiens (Primata)(man),

allergic reaction to hairs of Ephestia and Tenebroides mauretanicus. 5515

biology of Glossina morsitans submorsitans and G. tachinoides in N. Nigeria. 2729

clinical effects of Cheyletiella yasguri. 3578

Culicidae feeding on man in Changa Manga National Forest, Pakistan. 4075

ecological groups of Trombiculidae in contact with man in Malaya. 5471

effects of attack by Simulium arcticum in Alberta, Canada. 2157

host of Culicoides belkini sp. n. on Society Islands. 2943

host of Haemaphysalis darjeeling sp. n. in Thailand. 4222

in relation to insect fauna of Ontario, Canada. 3175

L-lactic acid in attraction of Aedes aegypti.
4767

older methods for control of insect pests. 5343 Ornithonyssus bursa on man in Rajasthan, India. 3662

Simulium feeding on man at Darjeeling, India. 4821

symptomatology of bites of Loxosceles arizonica and L. unicolor. 1244

transmission of Ateles, Plasmodium and Saimiri by Anopheles. 5809

Homoderinus (Col., Lucanidae), new spp described, 5001

# Homoeosoma electellum (Lep., Phycitidae),

laboratory emergence-cage. 2575

parasites and seasonal abundance in Texas, USA. 2808

### Homoptera,

air-borne specimens captured on ships in the Pacific. 2134

associated with Eupatorium perfoliatum in Byron Bog, S. W. Ontario, Canada, 3160

bibliography of publications and list of names proposed by R. L. Usinger, 1390

ecology in coastal habitats of Kiel, GFR. 4095 injurious to crops in the Middle East, biology and control. 4062

population dynamics in Medicago sativa fields in S. Moravia, Czechoslovakia. 6061 populations in 7 types of habitat. 2148 prey of young partridge. 2148

seasonal populations on Gossypium in Egypt.

synergistic ratio of carbaryl with piperonyl butoxide. 4582

at weather-station 'Tango' in the Pacific. 2132 Homorocoryphus (Orth., Tettigoniidae), auditory

system. 1529

Homorocoryphus nitidulus, green-brown polymorphism. 3227

Homorocoryphus nitidulus vicinus,

abundance in relation to yearly rainfall in W. Tanzania. 748

stridulation, 5899, 5900

Homotropus Waterhouse 1878 (Col., Scarabaeidae), renamed Bilobatus. 4282

Honduras, new Tabanidae from. 545

Honey, composition of Melipona and Trigona honeys. 1316

# Honey bee, see Apis mellifera

Honeydew,

amino-acid and carbohydrate constituents in Saccharicoccus sacchari. 1114

carbohydrates and nitrogen compounds in Lipaphis erysimi. 5858

energetics of production in Eucallipterus tiliae. 2727

longevity of o'Culex pipiens quinquefasciatus fed on. 3565

production by Aphidoidea on Quercus in Hungary.

production by Ceroplastes pseudoceriferus. 2008 production by Toumeyella liriodendri. 3535

role in association between Formicidae and Aphidoidea in Iraq. 4818

secretion on Abies in relation to honey yield in Austria in 1968. 2152

use for nest construction by Lasius fuliginosus. 4124

Hoodothripoides braziliensis gen. et sp. n. (Thysanopt., Thripidae), described. 4403

Hop crinkle disease, presence in hop fields lacking Empoasca flavescens. 327 Hoplia (Col., Scarabaeidae), Spanish spp and key. 982

Hoplia bilineata, variability, 982

Hoplia freyi sp.n., described, 982

Hoplismenus bidentatus corsicator comb.n. (Hym., Ichneumonidae), from Corse. 3804

Hoplitalysia (Hym., Braconidae), syn.n. of Heratemis. 2521

Hoplitis (Hym., Megachilidae),

Apis leucomelana and Osmia leucomelana transferred to. 5057

larval mouthparts. 1977

Hoplitoxenini trib.n. (Col., Pselaphidae), established within Clavigerinae. 2496

Hoplitoxenus (Col., Pselaphidae), placed in Hoplitoxenini trib.n. 2496

Hoplocampoides (Hym., Tenthredinidae), parasitism and systematic position. 116

Hoplocampoides xylostei, larval biology. 116
Hoplocryptus dobrogensis sp. n. (Hym., Ichneumonidae), described, 1919

Hoplodrina ambigua (Lep., Noctuidae), unusual abundance in C Madrid, Spain. 2149

Hoplognathus Burmeister 1844 (Col., Scarabaeidae), replaced by Oplongnathus Kirkby 1828.

Hoplomys gymnurus (Rodentia),

host of Gliricola sylvatica sp. n. in Panama. 3007

host of Polylopadium chocoensis sp. n. and P. comptum sp. n. in Colombia. 4244

Hoplomys gymnurus truei, host of Gyropus mesoamericanus sp. n. in Nicaragua. 3007

Hoplopheromerus nigricans sp. n. (Dipt., Asilidae), described. 2937

Hoplopleuridae (Anopl.), parasitic on small mammals in Aomori Prefecture, Japan. 3150

Hoplosternus squamulatus sp.n. (Col., Scarabeidae), described. 4986

Hoplothrips longisetis (Thysanopt., Phlaeothripidae), from S. England. 3272

Hoplotriclis pallasi (Dipt., Asilidae), new for Romanis. 2205

Hordeum (Gramineae)(barley),

Apamea finitima attacking in New Brunswick, Canada. 6010

Aphididae and Coccinellidae on in a field-rotation system. 5495

Atherigona naquii attacking in India. 4805 biology of Petrobia latens in Rajasthan, India. 4718

germination of seeds damaged by larval Sitotroga cerealella. 4812

herbicide spraying in relation to arthropod biomass, 2148

host of Schizaphis graminum biotype attacking Sorghum bicolor. 2724

populations and sex-index of Thripidae in Finland, 1309

take-off time for Schizaphis graminum. 4466

#### Hormones.

- 'balance' theory of embryonic diapause. 1188 BHC as synergist in Phytonomus variabilis.
- brain/CA complex in relation to determination of voltinism in Bombyx mori. 3075
- brain degenerative factor in imaginal development of prothoracic glands in Locusta migratoria. 2672
- brain-hormone titre during development in Bombyx mori. 5876
- brain neurosecretion of Oncopeltus fasciatus in relation to  $\mathrm{O}_2\text{--}$  and food-uptake. 3424
- CA hormones controlling ovarial development in Locusta migratoria manilensis. 265
- CA hormones in relation to oogenesis. 4631
- CA in relation to reproductive cycles of ♀ Lepismodes inquilinus. 1637
- CA and suboesophageal-ganglion hormones in relation to metabolism in Bombyx mori, 3076
- cell response to disturbance of normal supply in ovaries of Galleria mellonella. 3999
- cephalic endocrine system of Hysterochelifer meridianus. 5840
- chromosomal effects in salivary glands of Prosophila melanogaster. 3986
- control of case-building in Limnephilus. 3641
- control of flight degeneration in Belostoma malkini and Lethocerus maximus. 1661
- control of homochromy in Insecta, 5880
- control of pupation in Galleria mellonella. 3517
- control of spermatogenesis in Periplaneta americana. 4636
- control of vitellogenin synthesis in Leptinotarsa decemlineata. 5878
- development of Microctonus aethiops in hormonetreated Hypera postica. 5421
- diapause induction independent of cholinergic system, 1196
- diuretic and autidiuretic hormones in Locusta migratoria and Schistocerca gregaria. 4560
- diuretic factor in Melanoplus sanguinipes. 1055
- diuretic hormone control of Malpighian tubules in Carausius morosus. 5859
- effects of CC hormones. 5898
- endocrine control of water-budget in larval Chaoborus crystallinus. 3947
- endocrine organs of Heteropeza pygmaea. 5836 endocrine physiology of cave-dwelling Leiodidae.
- haemolymph levels of antidiuretic hormone, bursicon and diuretic hormone during ecdysis in Periplaneta americana. 2633
- in relation to haemolymph protein synthesis during oocyte maturation in Leucophaea maderae. 721
- hormonal differences between Lepidoptera diapausing at egg stage and those diapausing as pupae. 1184
- hormone-like effect of Chilo iridescent virus on

- metamorphosis in Bombyx mori. 3092
- host (Eurygaster integripes) hormones in relation to specialized parasites (Clytomyia helluo). 5386
- host hormones in relation to development and insemination in Spilopsyllus cuniculi and Xenopsylla cheopis. 4640
- or gonads in relation to peripheral inhibition of flashing in Luciola lusitanica. 3960
- 1-methyl-2-mercaptoimidazole and 6-methyl uridine in relation to hormonal control of respiration in Lepidoptera. 5293
- mimics in relation to Malacosoma californicum pluviale. 2632
- mode of action of neurohormone D of Periplaneta americana. 4551
- moulting-hormone content of pharate-adult of Calliphora stygia and C. vicina. 694
- multifactor control of imaginal development by prothoracic glands in Locusta migratoria. 2672
- neurohormonal control of mating-flights and oviposition in Apis mellifera. 5314
- neurohormone D in relation to lateral cardiac nerve of Periplaneta americana. 5192
- neurohormone D of Periplaneta americana in relation to neurons in Lymnaea stagnalis.
- neurohormones in relation to respiratory metabolism of Calliphora erythrocephala during development. 5246
- neurosecretion retarding gonad development in Leptinotarsa decembineata. 3992
- neurosecretion suppressing glycogen synthesis in Aedes taeniorhynchus. 2636
- neurosecretory cells in relation to manifestation of 'brown spots' (bsp) in Drosophila melanogaster. 4895
- ovarian regulation of CA in Musca domestica.  $2634\,$
- in relation to paedogenesis in Heteropeza pygmaea. 3520
- partial laboratory synthesis of 22-deoxycrustecdysone from crustecdysone. 1176
- photoperiod synchronization of brain-hormone release in ecdysis of Saturniidae. 3987
- photoperiodism and endocrine aspects of insect diapause, 5284
- prothoracic ganglion and glands in relation to nerve-regeneration in Leucophaea maderae in vitro. 3078
- prothoracotropic brain hormone of Bombyx mori.
- in relation to puffing in foot-pad cells of Sarcophaga bullata. 5528
- pupation hormone in relation to melanotic tumours in Prosophila melanogaster. 3983
- in relation to rectal-pad differentiation in Manduca sexta. 698
- in relation to response to crowding in Aulocara

# Hormones, contd.

elliotti. 722

ring-gland of 'ebony' and Oregon strains of Drosophila melanogaster. 3224

ring-glands in '1(2)gl' and wild-type Drosophila melanogaster, 3221

secretion by neurosecretory cells in Insecta.

in relation to selection for growth components in Tribolium castaneum populations, 4171 sengosterone from Cyathula capitata, 5451

shidasterone from Blechnum niponicum. 5439

'status quo' theory of JH action. 1616

stridulation of Dociostaurus curvicercus in relation to hormonal termination of reproductive diapause. 4664

timing of CA secretion in adult & Schistocerca gregaria, 4596

in relation to tumours in Drosophila melanogaster. 3986

Horse, see Equus caballus

Horse fly, see Tabanidae

House cricket, see Acheta domestica

House fly, see Musca domestica

Houses, pests in Ontario, Canada, in 1968. 3181

Hoya carnosa (Asclepiadaceae), scenting behaviour of Apis mellifera on flowers. 4499

# Hübner,

proposed rejection of, "Der Schmetterlinge Lepidoptera Linnaei Europäisches Heer". 1011

results of rejection of generic names of "Erste Zuträge". 5743

Humerobates rostrolamellatus (Arach., Acari, Oribatei), biology, ecology and immature stages. 3123

# Humidity,

in relation to abundance of Lepinotus in grainbulk ecosystems. 3185

in relation to activity of Chilo agamemnon, 5981 behaviour of cave-dwelling Trichoptera of Italy, 863

behaviour of Cimex lectularius. 5206

in relation to behaviour of Dacus ciliatus. 636 behaviour of Euphaedra, 5846

in relation to behaviour and survival of Hodotermes mossambicus, 846

in relation to circadian rhythm of respiration in Cubitermes. 4866

desiccation in relation to cuticular permeability in Hyalomma dromedarii and Ornithodoros savignyi. 4458

in relation to development in Amradiplosis allahabadensis. 4023

in relation to development and diapause in Praon exsoletum. 702

in relation to development in Dioryctria amatellazimmermanni complex. 5491

in relation to development in Ectomyelois ceratoniae. 5288

in relation to development of eggs of Lyctidae.
4016

in relation to development of Eriosoma ulmi. 4039

in relation to development, fecundity and lifespan in Chrysopa carnea. 5298

in relation to development in Monopis speculella.

in relation to development in Nilaparvata lugens. 3550

in relation to development of prothoracic glands in adult Locusta migratoria. 2672

in relation to development and survival of Leucania separata, 255

in relation to distribution of Formicidae in great dunes of N. W. Sahara. 4827

in relation to egg hatch in Aedes vexans and Ae. abserratus. 2639

in relation to eggs of Aedes vexans. 2640

in relation to emergence, fecundity and longevity of Conotrachelus nenuphar. 5299

in relation to flight activity of Laspeyresia pomonella. 5486

in relation to flight activity in o Aonidiella aurantii. 3544

in relation to flight activity and settling behaviour in Q Glossina morsitans. 3950

in relation to flight initiation in Blastophagus piniperda. 5890 gradients in Tullgren funnels during extraction

of Acari from poultry litter. 2566 in relation to hatching from winter eggs in

Panonychus ulmi. 5305 in host-seeking behaviour in Culicidae. 308

in relation to incubation time of eggs in Xyletinus peltatus. 4637

interaction with temperature in Leucania separata, 255

in relation to laboratory rearing of Chorthippus brunneus. 1169

in relation to larval development and instar number in Rhizopertha dominica. 5292

in relation to locomotor activity in Cryptolestes ferrugineus. 2039

in relation to oviposition by Pieris in S. Australia. 3995

in relation to parasitism by Aphelinus. 5410 perception by antennae in Heliothis zea. 4485 in relation to pheromone-trapping of Tricho-

in relation to pheromone-trapping of Tricho plusia ni. 4566

in relation to populations of rice pests in Philippines. 346

in relation to populations of Trioza erytreae. 5465

preferences of Euthypoda acutipennis. 4717 preferences of Hypera postica. 208

in relation to probing response in Stomoxys calcitrans. 1686, 4766

Humidity, contd.

in relation to prothoracic glands in solitary adult Locusta migratoria migratorioides. 1153

receptors of stylets in Triatoma infestans. 4486 requirements for prolonged flight in Chortoicetes terminifera. 1241

in relation to respiration and water-loss in Anthonomus grandis. 3464

responses of Ascoschoengastia latyshevi. 5365

responses of Hypera postica in relation to starvation, 208

responses of Narceus americanus. 205

RH in relation to development, egg hatch and longevity in Bovicola. 240

RH in relation to development and survival of pre-pupae and pupae of Leucania separata. 255

RH in relation to honeydew production and honey yield on Abies alba in Austria in 1968. 2152

RH in relation to survival in Cuban Isoptera. 207

in relation to secondary structure of DNA in spermheads in Locusta migratoria. 5537

soil humidity in relation to adult emergence in Margarodes vitium. 742

soil humidity during incubation in relation to viability of larval Schistocerca gregaria. 3498

soil humidity in relation to nests of Formica polyctena. 2820

in relation to survival of Cuban Isoptera. 207

in relation to survival of larval Gastroidea viridula. 5786

in relation to survival of starved Ornithonyssus sylviarum. 2643

in relation to temperature reactions of Cimex lectularius. 5205

in relation to teneral period in Myzus persicae.

tolerance of Pytho depressus. 4042

in telation to Trichocera. 2038

vapour pressure deficit in relation to oviposition in Diapheromera femorata. 745

in relation to water-loss in Cryptoglossa verrucosa and Eleodes armata. 3079

in relation to water-loss in Hyalomma dromedarii and Ornithodoros savignyi. 4556, 4557

in relation to weight and wood-consumption in Reticulitermes. 5886

Humulus lupulus (Cannabiaceae), populations of Cercopidae and Cicadellidae at Aschersleben, GDR. 327

#### Humus,

food for Collembola. 4769 production by Collembola. 5504

# Hungary,

Arthropoda of Meteor Cave. 3202 biology and ecology of Agrotis venustula, 4031 Bracon (Lucobracon) of Carpathian Basin reviewed, 3797

Ceratophyllus new for. 5596

Chironomidae of R. Danube. 1736, 3163

distribution of Caradrina. 4031

distribution, phenology and populations of Nyctegretis achatinella. 1301

distribution of Plecoptera. 3271

ecology and phenology of Apoidea pollinating Medicago sativa in Great Plain. 1280

Eulophidae from. 5049

factors causing collapse of Dendrolimus pini outbreak. 4077

food-plants of Lepidoptera. 5432

genetics of Drosophila melanogaster populations. 2854

honeydew collection by Apis mellifera on Quercus. 2761

Hydrelia testaceata new for. 1807

Insecta associated with Stipa pennata. 5049, 5717

Ischnopsyllidae new for. 55%

larval Nabidae from. 6128

Limoniinae of. 5572

localities for Curculionidae of Carpathian Basin. 5568

natural control of weed Compositae by Tephritidae, 6014

new Acari from. 3719

new Aphididae from. 556

new Braconi dae from. 3797

new Curculionidae from. 2485, 3730

new Diplopoda from. 585

new Eulophidae from. 5717

new Eurytomidae from. 3802

new Geometridae from. 1465, 2529, 5749

new Hydraenidae from. 3744

new Hydrophilidae from. 3744, 4999

new Oribatei from. 952

new Papilionidae from. 3821

new Reduviidae from. 5714

new Scarabaeidae from. 3730

new Sminthuridae from caves. 2933

new Tarsonemini from. 2458

Oribatei new for. 952

phenology and populations of Thrips tabaci on onion. 3616

reproductive physiology of migrant populations of Autographa gamma. 3533

resistance of Prunus cerasus hybrids to Quadraspidiotus perniciosus. 4803

Saldidae new for. 1375

Sphecoidea of marshy meadows. 3187

Tenuipalpidae new for. 1379

Therioaphis keyed, 556

voltinism of Ostrinia nubilalis populations. 3624 Hyadaphis mongolica sp. n. (Hem., Hom., Aphidi-

dae), described. 3785 Hyagnis indica sp. n. (Col., Cerambycidae),

described, 524

Hyalomma aegyptium (Arach., Acari, Ixodidae), engorgement in relation to host skin tempera-

Hyalomma aegyptium (Arach., Acari, Ixodidae), contd.

ture. 4774

Hyalomma anatolicum anatolicum, morphology in Lahore, Pakistan. 5422, 5423

Hyalomma detritium, morphology in Lahore, Pakistan. 5423

Hyalomma dromedarii,

amino-acid, cation and sugar concentration of haemolymph. 600

external agents in relation to cuticular permeability. 4458

morphology in Lahore, Pakistan. 5423 uptake of water-vapour. 4556

water-loss from spiracles. 4557

Hyalomma excavatum, circadian rhythm of 'dropoff'. 2760

**Hyalomma marginatum isaaci**, morphology in Lahore, Pakistan. 5423

Hyalomma marginatum rufipes, accompanying Argas streptopelia sp. n. on avian hosts in Cyprus. 4220

Hyalomyodes triangulifer (Dipt., Tachinidae), parasitic on Oulema melanopus in Michigan, USA. 795

Hyalomyzus scabripes sp.n. (Hem., Hom., Aphididae), described. 91

Hyalophora cecropia (Lep., Saturniidae),

adhesive properties of dissociated fat-body cells.  $3047\,$ 

antennal proteins in relation to sex-pheromone perception. 3885

apparent template activity of RNA from developing wings, 651

bimodality of adult emergence. 2675

biosynthesis of fatty acids. 1118

cholinergic neuromuscular transmission. 4467 diapause in relation to hormones and photoperiodism. 5284

fatty-acid composition and JH titre during metamorphosis. 4623

image formation in compound eye. 1531

JH-produced deuteropupae. 1616

laboratory synthesis of JH. 1578

metamorphosis of gut. 2670

methods for mass-rearing. 3369

monoglyceride lipase activity of flight-muscle.

1128
neuroendocrine control of ecdysis. 3987

ovarian protein-synthesis. 1634 secretion and synthesis of vitellogenins by fat-

secretion and synthesis of vitellogenins by fatbody, 1212

stereospecific total synthesis of dl-C  $_{18}$  JH. 670 thymidylic-acid production in pupae. 4525 transplantation of Bombyx mori CA in relation to

diapause and pupae. 1184 yolk-deposition in oocyte cortex. 1634

yolk formation by follicle cells. 2688

Hyalophora gloveri, arginase activity and proline formation during development, 1633

Hyalophora promethea, artificial mimic in experiments in Trinidad, W.Indies. 913

Hyalopterothrips (Thysanopt., Thripidae), part transferred to Alathrips gen.n. 4404

Hyalopterus (Hem., Hom., Aphididae), of Denmark. 2869

Hyalopterus pruni,

biology and population dynamics on peach.  $5462\,$ 

glycerol and mannitol contents and supercooling points of overwintering eggs. 1568

Hybolasioptera (Dipt., Cecidomyiidae), new for N. America. 1869

Hybolasioptera elymi sp. n., described, 1869 Hybomitra (Dipt., Tabanidae),

abundance, biotopes and phenology at Great Swamp, New Jersey, USA. 2774, 3620

larvae and pupae of Eastern N. American spp. 5680

Hybomitra jersey, pupa described. 5793 Hybomitra lasiophthalma,

contact chemoreceptors. 1075, 5197 larval habitats in S. Louisiana, USA. 844

Hybomitra lyneborgi sp. n., described. 81 Hybomitra mouchae sp. n., described. 81 Hybomitra tropica,

new for Finland. 1800 new for Spain. 1864

Hybosciara fragilis (Dipt., Sciaridae),

DNA-redundancy in salivary-gland cell nuclei.

DNA-release at chromosome-puffs. 1120 Hybosciara fragilis sp.n., described. 5029 Hybosorinae (Col., Scarabaeidae), from Ivory Coast. 480

Hybosorus illigeri (Col., Scarabaeidae), new for Jamaica, W. Indies. 3309

Hybridization,

among Aphidius ervi, A. pulcher and A. smithi. 2088

amont Drosophila paulistorum semi-spp. 1354

in Aphytis. 5720

of Aricia artaxerxes salmacis with other Aricia spp. 3203

in Austrian populations of Apis mellifera carnica. 4426

between Dacus neohumeralis and D. tryoni in E. Australia, 429

between eastern and western (USA) strains of Hypera postica. 5323

between green and red forms of Tetranychus telarius in Egypt. 3289

between Prosimulium magnum and P. multidentatum. 2182

between Semanotus ligneus amplus and S. litigiosus. 3105

between Teleogryllus commodus and T. oceanicus. 867

between and within guaramunu and guarani

Hybridization, contd.

subgroups of Drosophila, 366

chiasma-formation in structural hybrids of Acrida lata, 377

chromosomal polymorphism incompatibility in Pissodes terminalis. 4164

conjugation of polytene chromosomes and crossing-over in Drosophila texana X D. virilis hybrids. 6074

in relation to cross-insemination among Aedes (Stegomyia) spp. 4638

in Drosophila arizonensis and D. mojavensis populations. 2856

ecology of selection in hybrid Tribolium castaneum populations, 1782

growth rate of hybrid cell populations of Drosophila melanogaster, 6072

hybrid, inbred and outbred strains of Musca domestica as test insects. 4411

hydrolase isozymes of hybrids between Italian and Rhodesian strains of Aedes vittatus. 1560

interchromosomal effect of inversions on crossing-over in Drosophila texana X D. virilis hybrids. 6076

interspecific crossing-over as measure of genetic differences in Drosophila multispina Q X D. funebris 4. 381

intra-fertile groups within Gryllidae. 3231 in Moraba viatica on Kangaroo I., S.E. Australia. 1781

in Myzus. 932

non-hybridization between Pararge aegeria and  $\ensuremath{\text{P.}}$  megera. 3360

reproductive compatibility of American Trichogramma. 4789

reproductive isolation between interspecific hybrids and parental spp in Aphytis. 2862 Reticulitermes santonensis probably a hybrid between R. flavipes and R. lucifugus. 6066

sterility between Aedes albopictus and Ae. polynesiensis. 5467

sterility of hybrids among Drosophila paulistorum strains due to symbionts. 1691

thelytokous hybrid from Trichogramma perkinsi X Trichogramma D-67, 5527

in relation to valve structure in N. American
Limenitis, 5911

in Utetheisa ornatrix complex in south-central USA and Caribbean. 930

within Gryllus, 3231

Hydaticus seminiger (Col., Dytiscidae), new aberrations described, 5643

Hydnobioides pubescens (Col., Boganiidae), larva. 964

Hydracarina (Arach., Acari),

annual and daily periodicity of drift activity. 5385

downstream drift in Speed R., Ontario, Canada. 832

drift activity in Fulda R., GFR. 1321

ecological distribution in N.C. Colorado, USA. 3172

freshwater taxa of Sri Lanka. 4883 larvae as age indicators in Culicidae and Odanata. 3034

new for Colorado, USA. 3172

new for continental N. America. 3172

Hydrachnellae (Arach., Acari), from central coastal region of Surinam. 4203

new and previously known spp from China, Egypt, India and S. E. Asia. 1821 new spp described. 10

in relation to sand and silt in Vaal R. system, Republic of S. Africa. 2172

Hydraecia xanthenes (Lep., Noctuidae), new host of Ichneumon sarcitorius in Spain. 1269

Hydraena bohemica (Col., Hydraenidae), new for Romania. 2491

Hydraena (Haenydra) csikii sp. n., described. 3744, 4999

Hydraena palustris, new for Romania. 2491 Hydraenidae (Col.), 441, 2491, 3744, 4998 from Romania. 2491

Hydrazoic acid, inhibition of protectant secretion by Apanteles glomeratus eggs. 294

Hydrelia testaceata (Lep., Geometridae), new for Hungary. 1807

Hydrellia griseola (Dipt., Ephydridae), Opiinae from in Poland. 4936

Hydrellia philippina sp. n., described, 66
Hydrobaenus (Dipt., Chironomidae), ecology in
L. Washington, USA, 348

Hydrocarbons,

of adult Glossina morsitans. 1117 of cuticle in larval and adult Pteronarcys californica. 3049

genetics of resistance to chlorinated hydrocarbons in Musca domestica. 3229

cis, cis-6, 9-heptacosadiene in cuticle of Periplaneta americana. 608

metabolism in Anthonomus grandis and Musca domestica, 193

monoterpene hydrocarbon in metathoracic gland secretion of adult Dysdercus intermedius. 1251

of queen Vespa orientalis. 659

trimethylalkanes from cuticle in Atta columbica. 5225

Hydrochloric acid, mutagenicity in combination with formaldehyde in Drosophila melanogaster. 3223

Hydrochlorination reaction mixture, in relation to development and fertility of Choristoneura fumiferana. 4618

Hydrocorisae (Hem., Het.), histology of hindgut and rectal glands. 1552

Hydrocyanic acid,

inhibition of protectant secretion in Apanteles glomeratus eggs. 294

toxicity to larval Diabrotica virgifera. 3594

Hydrocyrius columbiae (Hem., Het., Belostomatidae), cuticle structure. 2583

Hydrogen sulphide, radioprotective to eggs of Drosophila melanogaster, 3499

Hydrometra stagnorum (Hem., Het., Hydrometridae), histology of hindgut and rectal glands.

Hydrometridae (Hem., Het.), 1552

Hydropalaeoptera [sensu Rohdendorf], redefined.

Hydrophilidae (Col.).

452, 859, 1296, 1411, 1793, 2478, 2914, 2915, 3036, 3199, 3719, 3744, 4110, 4279, 4944, 4999

from an abandoned nest of muskrat in Ontario, Canada, 5602

descriptions of larvae and pupae amended for African taxa, 3036

frequency of poultry-manure-removal in relation to populations in N. California, USA. 4836 larvae from Republic of S. Africa, 4944

Hydropsyche 'larva scaphicephala' (Trich., Hydropsychidae), distribution and morphology. 2539

Hydropsyche instabilis,

compensation for downstream drift by upstream movement of larvae. 857

diel periodicity of drift in an English Lake District stream. 2781

factors affecting net-spinning. 3118 positive rheotaxis of larvae, 857

Hydropsyche tismanae sp.n., described, 2539

Hydropsychidae (Trich.).

857, 2539, 2781, 3118, 3198, 5473 dispersal of Algae, Fungi and Protozoa. 4131 effects of DDD and DDT in St. Lawrence R., Canada, 1033

Hydroptilidae (Trich.), 2824

Hydroquinone, oxidized by cuticular phenoloxidase from white puparia of Drosophila virilis.

p-Hydroquinone, stimulation of feeding in Scolytus multistriatus. 4771

Hydroscaphidae (Col.), 1999

scanning electron microscopy of adult cuticle.

Hydrotaea militaris (Dipt., Muscidae), Myianoetus parvus sp. n. associated with. 3719

Hydrovatus (Col., Dytiscidae), larvae from Southern Africa. 3041

9-Hydroxy-dec-2-enoic acid, absent from Myrmica rubra queens. 1614

Hydroxydihydroaldrins, product of oxidative metabolism of dihydroaldrin in Musca domestica.

20-Hydroxyec dysone, in relation to fecundity of Stomoxys calcitrans, 4630

3-Hydroxykynurenine, accumulation in 'ch' and 'cr' mutants of Apis mellifera. 1582

Hydroxylysine.

constituent of gill cartilage in Limulus polyphemus. 1543

presence in haemolymph of Apis mellifera.

5-Hydroxymethyl deoxyuridine, in pupal Hyalophora cecropia. 4525

4-(p-Hydroxyphenyl)-2-butanone, attractiveness to Dacus cucurbitae of mixtures with cue-lure.

20-Hydroxypregnane-20-one, chemosterilant action of derivatives in Musca domestica.

21-Hydroxypregnane-6, 20-dione, chemosterilant action of derivatives in Musca domestica.

Hydroxyproline, constituent of gill cartilage in Limulus polyphemus. 1543

5-Hydroxytryptamine, effects on Malpighian tubule movement in Periplaneta americana.

Hygia (Hem., Het., Coreidae), distinct from Colpura, new sp, status changes and key to spp. 992

Hygrobates (Arach., Acari, Hydrachnellae), new spp described, 10

Hygrobia hermanni (Col., Hygrobiidae), pygidial and thoracic glands. 3134

Hygrobiidae (Col.), 3134

Hygrocryptus (Hym., Ichneumonidae), new spp described, 1919

Hyla (Amphibia), hosts of Vercammenia yorkei comb. n. in Brazil, 4245

Hyla arborea, infection by Lucillia sp. 5984 Hyla cadaverina, type-host of Hannemania hylae.

Hylaeogena (Col., Buprestidae), new sp described.

Hylaeus (Hym., Colletidae), of Bonin Is. revised and keyed and new spp described. 4339

Hylemya brassicae (Dipt., Anthomyiidae),

diapause induction, 2068

numbers in relation to freezing-temperature distribution. 5884

parasites in Norway, 1702

Hylemya floralis, parasites in Norway. 1702 Hylemya platura, resistance to aldrin in Illinois, USA. 2810

Hylemya salicola, syn.n. of Egle atomaria. 2937 Hylemya seneciella,

attempted establishment in USA. 2777 for biological control of Senecio jacobaea in New Zealand, 6027

oviposition behaviour in relation to Senecio jacobaea. 3521

Hylesinides (Col., Scolytidae), relationship to Phloesinus, 1039

Hylesinina (Col., Scolytidae), Phloesinus thujae excluded, 1039

Hylobius abietis (Col., Curculionidae), its para-

Hylobius abietis (Col., Curculionidae), contd. site Perilitus rutilus new for Poland. 5579

Hylobius pales,

biology and dispersal in S. Carolina, USA 280 dieldrin, dimethoate and endosulphan for control in C. Pennsylvania, USA. 5340 life-history in C. Pennsylvania, USA. 4738

meridic diet and rearing technique. 3371 Hylobius rhizophagus,

biology, life-history and predators in Wisconsin, USA. 281

cage for studying root wounding of pine. 1954 Hylotrupes bajulus (Col., Cerambycidae),

Ascomycetes and Fungi Imperfecti in relation to larval growth. 692

midgut diverticula. 4523

Hylurgopinus rufipes (Col., Scolytidae),

feeding responses to Ulmus americana bark extracts. 302

thigmotaxis in relation to feeding, 302

Hylurgus sericeus (Col., Scolytidae), see Pseudohylesinus sericeus

**Hymaeinae (Col., Phloeostichidae fam.n.),** genera keyed. 964

Hymantarium (Myriap., Chil.), muscle ultrastructure. 157

Hymenitis Illiger 1807 and Hübner 1816 (Lep., Papilionidae), official suppression requested. 3820

Hymenodes pedicularius (Col., Hydraenidae), new for Romania. 2491

Hymenolepis microstoma (Platyhelminthes), and growth of Tribolium confusum. 3488

Hymenoptera,

amitotic (clasmatotenic) nuclear division in flight-muscle. 1050

associated with Eupatorium perfoliatum in Byron Bog, S. W. Ontario, Canada. 3160 associated with Halogeton sativus in Morocco and Spain. 3585

biology and control of spp attacking crops in the Middle East. 4062

of cabbage in S. California, USA. 5479 of caves in Romania. 5562

chromosome number and polymorphism. 904

egg proteins. 2625 European work of last 30 yr on Aculeata. 3714

in relation to fertilization of host trees, 4797 gravity perception in relation to leg proprioceptors, 4495

mining plants in Romania. 2124, 2125 parasitic on Aleyrodidae, Aphididae and Coccidae on citrus in Israel. 5578

parasitic on Dasineura balsamicola in Maine, USA. 4786

parasitic on Indian Cecidomyiidae. 4101 parasitic on larval Syrphus latifasciatus in S. India. 4743

parasitic on Musca autumnalis. 823 parasitic on Neodiprion tsugae in S. E. Alaska, USA. 3149

parasitic on Prays oleae in Mediterranean Basin. 320

parasitic on pupal Haematobia irritans in N. E. Mississippi, USA. 2751

parasitic on rice stem-borers on Luzon I., Philippines. 799

parasitic on Scirpophaga attacking sugar-cane in Bangladesh. 4841

parasitic on stored-product insects in Israel. 5563

populations in 7 types of habitat. 2148

prey of young partridge. 2148

rearing boxes. 5784

relationship to Strepsiptera. 3692

relative density variation. 1983

semi-species and sibling and uniparental spp in relation to biological control and taxonomy of parasitic Hymenoptera. 4967

of S. Walachia, Romania. 2218

synergistic ratio of carbaryl with piperonyl butoxide. 4582

from Tanzania. 5600

ultrastructure of rectal cuticle. 3444

Hypaeus (Arach., Aran.), Acragas taczanowskii designated type-sp. 1395

Hypena (Lep., Noctuidae), frequenting eyes of domestic mammals in Bangladesh. 4033

Hypenidium novaki (Dipt., Tephritidae), new for Spain. 2212

Hypenidium sibiricum, transferred to Hemileophila. 5032

Hypera brunneipennis (Col., Curculionidae), biology. 5973

Dibrachoides bruso as parasite in S. Carolina, USA. 3148

phenology and population dynamics in Egypt. 6040

sex dimorphism. 1979

Hypera meles, insecticidal control on crimson clover. 4671

Hypera postica,

adenine and adenosine as feeding stimulants. 1252

aestivation and hibernation in W.Virginia, USA. 5376

annual spring seedling of alfalfa in relation to population size. 3613

biological control in Massachusetts, USA. 5331

biology in N. E. Mississippi, USA. 2708

bionomics on soybeans. 2765

control by Tetrastichus incertus in eastern USA. 497

development of Microctonus aethiops in hormonetreated hosts, 5421

Dibrachys cavus in relation to parasitism by Bathyplectes. 3144

egg-hatch, fecundity and oviposition in  $\ensuremath{\text{po}}$  isolated after mating. 3527

egg sterility, mating competition and sex ratios

Hypera postica, contd.

in crosses between eastern and western (USA) strains. 730

feeding responses to plant spp related to Medicago sativa. 5400

flight activity in alfalfa fields in Ohio, USA. 586 flight-trap. 586

humidity preferences in relation to micro-environment and physiology. 208

insecticidal control in N. Utah, USA, and its effects on Bathyplectes curculionis. 4681

integrated control. 5330

kinesis towards Medicago sativa. 2733

larvae as prey of Chrysopa oculata. 2736

mating preferences of eastern and western (USA) strains. 5323

oviposition behaviour of Tetrastichus incertus. 5324

oviposition on plant spp other than Medicago sativa. 2692

parasitization rate by Bathyplectes curculionis in Indiana, USA. 3599

plant spp other than Medicago sativa not fed on. 2692

plant spp for oviposition in Ohio, USA. 4846 population dynamics of eggs in Ohio, USA. 4846 resistance of Medicago sativa to larvae. 5450 responses to light. 637

seasonality of oviposition in Ohio, USA. 739 sex dimorphism. 1979

starvation in relation to humidity responses.

temperature in relation to orientation towards host-plant. 1257

times of egg maturation and oviposition in alfalfa in N. E. Mississippi, USA. 2708

Hyperaspis proba (Col., Coccinellidae), predator of Toumevella liriodendri. 3535

Hyperbola pastoralis (Lep., Tineidae), ♀ genitalia. 3827

Hyperchalcidia soudanensis (Hym., Chalcididae), new for Sudan. 6011

parasite of Chilo zonellus and Sesamia cretica in Sudan. 6011

Hypercolobopsis (Hym., Formicidae), Neocolobopsis syn.n. of. 107

Hypericum perforatum (Hypericaceae),

biological control by Chrysomela hyperici in New Zealand. 6027

Chrysolina quadrigemina and Zauxidiplosis giardi for control in Hawaii. 4110

Hyperodes (Col., Curculionidae), use in food preference tests on Carabidae. 783

Hyperomyzus lactucae (Hem., Hom., Aphididae), alate of from Himachal Pradesh, India. 4327 feeding sites in Sonchus oleraceus. 1685

Hyperoscelidae (Dipt.), key to genera and spp. 4305

Hyperoscelis eximia (Dipt., Hyperoscelidae), larva described. 4305 Hyperoscelis veternosa sp. n., described. 4305 Hyphantria cunea (Lep., Arctiidae),

circadian rhythm of adult emergence. 233 food-plants in relation to haemolymph proteins. 3928

light and temperature in relation to timing of adult emergence. 233

Hyphoporus (Col., Dytiscidae), reviewed and new spp described and spp keyed. 2490

Hyphydrus (Col., Dytiscidae), larvae from Southern Africa. 3041

Hypoaspis aculeifer (Arach., Acari, Dermanyssidae),

new for Romania. 2746

Ondatra zibethica a new host. 2746

Hypoaspis antipai sp. n., described. 2460 Hypoaspis miles.

Crocidura suaveolens a new host. 2746 new for Romania, 2746

Hypoaspis quadridentatus sp.n., described. 4228 Hypocacculus palaestinensis (Col., Histeridae), differences between Algerian and Moroccan specimens. 974

Hypocaccus (Col., Histeridae), Baeckmanniolus reduced to subgenus under. 974

Hypochrysops piceata sp. n. (Lep., Lycaenidae), described, 3815

Hypoclora albutera sp. n. (Dipt., Otitidae), described, 58

Hypocoelus fleischeri (Col., Eucnemidae), renamed Hypocoelus foveicollis. 36

Hypocoelus procerulus, new for Norway. 452 Hypoderma (Dipt., Hypodermatidae), flightbehaviour and oviposition. 2693

Hypoderma bovis,

ataxia absent after treatment of heifers with systemic insecticides. 4790

larval gut. 3064

larval growth and  ${\rm O}_2$ -consumption. 5311 lytic action of larval midgut contents on guineapig skin. 1273

Hypoderma lineatum,

lytic action of larval midgut contents on guineapig skin. 1273

survival of larvae implanted in mice. 5425

Hypodermatidae (Dipt.), 1273, 2693, 3064, 4790, 5311, 5425

Hypodermis,

site of development for Rickettsiella cetonidarum sp. n. in larval Cetonia. 5168 peptidase activity in hybrid and oily larvae of

Bombyx mori. 3453

Hypogastrura armata (Collem., Hypogastruridae), activity and distribution in an Indian (USA) woodland. 4020

distribution and seasonal activity of pond-shore populations. 4817

Hypogastruridae (Collem.),

862, 2111, 2146, 2162, 2499, 3089, 4020, 4291, 4769, 4817, 4983, 5365, 5661

Hypolampsis (Col., Chrysomelidae), karyotype. 5536

Hypolimnas misippus (Lep., Nymphalidae), mating behaviour. 4653

Hippolithus bicolor (Col., Elateridae), ultrastructure of Metarrhizium anisopliae attacking larva. 5153, 5154

Hypolithus riparius, teratology. 452

Hypopharynx, apical sense-organs in Culicidae. 3922

Hypophloeus (Col., Tenebrionidae), from Congo Democratic Republic. 2930 new spp described. 2930, 4290 Hypophloeus versipellis, new for Czechoslovakia.

935

Hypopi,

of Kuzinia laevis. 5381

occurrence in stored sugarbeet seeds. 5434

Hypopus dujardini (Arach., Acari, Acaridae), not
a synonym of Rhizoglypus robini. 11

Hyposmochoma (Lep., Diplosaridae), Butler (1881) as authority, not Walsingham (1907), 1462

Hyposoter (Hym., Ichneumonidae), parasitic on Heliothis zea infesting Zea mays in S. California, USA. 5420

Hyposoter didymator, parasitic on Spodoptera littoralis in Israel. 5418

**Hyposoter ebeninus,** infection by Nosema mesnili. 2804

Hyposoter pilosulus, Estigmene acrea host for and new for Arizona, USA, 5412

Hyposoter placidus, biology. 5990

Hypsipterygidae (Hem., Het.), stat. n. from Hypsipteryginae. 2511

Hypsipteryginae, raised to family from subfamily of Dipsocoridae. 2511

Hypsipteryx (Hem., Het., Hypsipterygidae), key to spp. 2511

Hypsipteryx ugandensis sp.n., described. 2511 Hypotrigona (Hym., Apidae), caste determination. 3635

Hysterochelifer meridianus (Arach., Pseudoscorp., Cheliferidae), cephalic endocrine system and CNS. 5840

Hysterosia sodaliana (Lep., Phaloniidae), hostrange, feeding and phenology in relation to Rhamnaceae in Europe. 3591

Hystrichopsylla talpae (Siphon., Hystrichopsyllidae), new for Noord-Beveland, Netherlands. 6155

Hystrichopsylla talpae talpae, new for Noord-Beveland, Netherlands. 2876

Hystrichopsyllidae (Siphon.),

2876, 3915, 4399, 4942, 6009, 6155

parasitic on small mammals in Aomori Prefecture, Japan. 3150 Ibalia (Hym., Cynipidae), ecology of drewseni and leucospoides in relation to Sirex dux and Urocerus argonautarium in N. W. Kavkaz, USSR. 5481

Ibantila cubana gen. et sp. n. (Arach., Opil.), described. 4980

Iceland,

biology of Myriapoda. 4928 Chilopoda and Diplopoda of. 4928 ecology of Insecta of thermal waters. 4823 new Ichneumonidae from. 1921

new Pachylaelaps from. 957

Icerya aegyptiaca (Hem., Hom., Margarodidae), association with Gynaikothrips ficorum in leafrolls on Ficus nitida. 6047

Icerya purchasi, giant nerve-cells. 1523

Ichneumon (Hym., Ichneumonidae), new spp described, new of and colour-variation. 3341

Ichneumon restrictus, Obtusodonta montana the  $\ensuremath{\phi}$  and syn.n. of. 3341

Ichneumon sarcitorius, parasitic on Hydraecia xanthenes in Spain. 1269

Ichneumonidae (Hym.),

109, 110, 111, 276, 313, 318, 319, 321, 716, 794, 799, 802, 1006, 1269, 1270, 1272, 1274, 1349, 1453, 1454, 1619, 1663, 1702, 1919-1922, 2098, 2114, 2117, 2153, 2164, 2523, 2524, 2531, 2580, 2751, 2755, 2800, 2804, 2808, 2993-2995, 3039, 3144, 3152, 3340-3342, 3572, 3580, 3596, 3599, 3804, 3805, 4101, 4193, 4356, 4357, 4438, 4681, 4705, 4820, 4841, 5055, 5056, 5330, 5331, 5409, 5412, 5413, 5417, 5418, 5420, 5426, 5430, 5445, 5478, 5479, 5481, 5498, 5731-5733, 5990

of Corse. 3803, 3804

ecology on W. coast of Schleswig-Holstein, GFR. 5478

genera of Pimpla subgroup keyed. 2994 host records for Japanese spp. 2117

Nearctic Ichneumoninae Stenopneusticae supplemented. 3341

new host records from Japan. 321

new synonymy among Corse spp. 3804 new taxa from Corse. 3803

parasitic on Bupalus piniarius in Poland in 1964-1968. 5417  $\,^{\circ}$ 

parasitic on Contarinia tritici. 4101 parasitic on Homoeosoma electellum in Texas, USA. 2808

partial key to larvae of Pimplinae. 2580 populations after Oporinia autumnata outbreak

### Ichneumonidae, contd.

on Betula in Finland, 2153

Schmiedeknecht's types in Rudolstadt Museum, GDR, reviewed. 5055

zoogeography of genera with 1-2 spp in Europe. 4193

# Ichneumoninae (Hym., Ichneumonidae),

of Burma, 109

new for France. 110

Ichneutinae (Hym., Braconidae), Muesebeckiini trib.n. established within. 1907

Icteranthidium (Hym., Megachilidae), new spp described, 5735

Idiocelyphus (Dipt., Celyphidae), new spp described and spp keyed, 2942

Idiocercus atkinsoni (Hem., Hom., Cicadellidae), type-sp of Amritodus gen.n. 5697

Idiophantis eugenia sp. n. (Lep., Gelechiidae), described, 1463

Idolopsalis (Derm., Carcinophoridae), Anisolabis incerta transferred to, 5018

Ileantella birmanica gen. et sp. n. (Hym., Ichneumonidae), described, 109

### Iles Comores.

Acridoidea of, 3011

Locusta migratoria new for. 3011 new Acrididae and Eumastacidae from. 3011 new Platypodidae and Scolytidae from. 5652 Nomadacris septemfasciata pest of rice and maize. 3011

Schizomida of, 492

Scolytidae from. 5652

# Iles Crozet (Indian Ocean),

abundance of Coleoptera. 441 new Mycetophilidae from. 4306

Iles de la Possession (Iles Crozet), Coleoptera of. 441

Iles de la Société (Pacific Ocean), new Ceratopogonidae from. 2943

Iles Loyauté (Pacific Ocean), Scoliidae from. 5739
Ilybius fenestratus (Col., Dytiscidae), steroids of defence secretion. 761, 5387

Ilyocoris cimicoides (Hem., Het., Naucoridae), water balance. 1589, 1590

## Imaginal discs.

antennal and eye discs in manifestation of 'ophthalmopedia' gene in Drosophila melanogaster. 6085

cell degeneration in development of mutant Drosophila melanogaster. 230

cell loss during in vitro culture in relation to differentiation of wing-disc parts in Drosophila virilis. 4598

evagination of transplanted discs in Musca domestica nebulo. 2669

growth of atelotypic blastemata in Drosophila melanogaster. 2052

growth of wing-disc explants of Lepidoptera in primary culture. 5282

of Heteropeza pygmaea. 5836

hormones in relation to RNA and protein synthesis in wing discs of Philosamia cynthia. 3510

iridescent virus present in larval Aedes stimulans. 5812

X-irradiation in relation to development of genital discs in Drosophila melanogaster, 3497

lactate dehydrogenase present in larval Drosophila melanogaster. 4629

media for in vitro culture of Prosophila melanogaster disca. 591

method for transplantation in prepupae of Musca domestica nebulo. 2669

neoplasm in cell lines from eye-antennal discs of Drosophila melanogaster. 4160

nucleic acid metabolism and development of wing discs of Pieris brassicae. 3505

programmed ageing absent in normotypic cultures in Drosophila. 3985

ring-gland in relation to oculo-antennal disc development in Calliphora erythrocephala in vitro. 3981

timing of heterochromatization in whitevariegated Drosophila melanogaster by Xray-induced mitotic recombination in eye disc. 6073

transplantation into immature states of Tenebrio molitor. 2064

ultrastructure of wing-discs of Drosophila melanogaster during early stages of metamorphosis. 2054

Imidan [O, O-dimethyl S-phthalimidomethyl phosphorodithioate],

control of Epitrix hirtipennis on flue-cured tobacco, 5355

control of Hypera meles on crimson clover.
4671

control of Hypera postica in N. Utah, USA. 4681 control of Neoschoengastia americana on turkeys. 5348

## Immunity,

immunological reactions for analysis of relationships within Coleoptera. 434

lysozyme concentration in relation to acquired immunity against Pseudomonas aeruginosa in Galleria mellonella. 5167

spontaneous precipitation of haemolymph proteins in Galleria mellonella and Periplaneta americana, 3913

Immunodiffusion, agar-gel immunodiffusion for blood-meal identification in Aedes notoscriptus. 3358

Immunofluorescence, for identification of insectpathogenic streptococci. 5798

Imparipes (Arach., Acari, Oribatei), new spp from Bolivia and Brazil, 1392

Impatientinum impatiensae dalhousiensis subsp. n. (Hem., Hom., Aphididae), described. 3787 Imperata cylindrica (Gramineae), unsuitable for

Imperata cylindrica (Gramineae), contd. survival of Pyrgomorpha conica. 6003

Inachis io (Lep., Nymphalidae), from Faeroe Islands. 6138

Inazuma dorsalis (Hem., Hom., Cicadellidae), abundance in relation to diazinon treatment of rice in Philippines. 2141 embryonic tissue culture. 1955

Inbreeding,

coefficient for Choristoneura fumiferana. 3168 depression in Chironomus nuditarsis populations. 1223

hybrid, inbred and outbred strains of Musca domestica compared. 4411

in relation to instar number in Heliothis armigera. 3097

in relation to larval weight in Tribolium castaneum. 239

at low population density in Tetranychus urticae. 4911

selection in relation to inbreeding rates in laboratory populations of Drosophila melanogaster. 1351, 1352

in relation to viability of laboratory colonies of Paralobesia viteana. 2095

in relation to xanthine dehydrogenase activity in Drosophila melanogaster. 3207

Incodynerus gen. n. (Hym., Eumenidae), established. 1005

new spp described and spp keyed. 4351

Incurvaria similella sp.n. (Lep., Incurvariidae),
described. 5066

Incurvariidae (Lep.), 3814, 5066, 5464

Indenes, protection of X-ray-induced chromosome aberrations in Drosophila melanogaster.
4897

### India.

Acridoidea from Jagarjuna Sagar Dam area.

Afrephialtes revised, 2994

Alticinae of Indian subcontinent revised. 3740 Anagrus parasitic on eggs of Sogatella furcifera on rice. 1276

Aphelinidae new for, 565

aphid morphs new for. 2978

Aphididae from Himachal Pradesh. 4327

Aphididae from Kulu Valley and Punjab plains. 4201

Aphididae from W.Bengal, 4328

Aphididae new for. 496

Atherigona attacking maize at Pantnagar, 4806 Atherigona attacking millet at Delhi, 4807 Atherigona naquii attacking barley, 4805

Atherigona orientalis attacking Zea mays. 4806 biology of Amrasca splendens in relation to Mangifera indica. 4714

biology of Orius indicus on Cajanus cajan. 4715 biology of Petrobia latens in relation to barley and wheat in Rajasthan. 4718

blood-sources and incidence of Culicoides and

Simuliidae at Darjeeling. 4821

breeding of Aedes aegypti in tree-holes in S. India. 4666

Caryedon gonagra as pest of Tamarindus indica.

Cecidomyiidae galling Ficus and Tectona grandis. 3761

Chrysopa as prey of Odonata at Nankum, India.

Cicadulina bipunctella and C. chinai new for.

1816 Circulifer compared with American spp. 4332

Contarinia sorghicola present. 436

control of Cirphis compta and Pseudaletia separata by Nematoda. 2143

Cremnocryptus revised. 2993

Dientamoeba dobelli sp. n. from Oryctes rhinoceros. 4674

distribution of Enicospilus silvaraji. 4356

distribution of Nephus regularis. 759

distribution and taxonomy of Circulifer. 4332 feeding behaviour of Anopheles culicifacies in relation to DDT-resistance in Gujarat State. 2732

geographical and seasonal variation in susceptibility of Anopheles to Plasmodium cynomolgi. 3625

Gonocephalum depressum as predator of Chilo zonellus in field cages. 6042

Hexamermis infecting larval Spodoptera mauritia at Gorakhpur. 4688

Holotrichia serrata attacking Nicotiana at Kateru. 4808

Hydrachnellae from, 1821

incidence and prevalence of Culex vishnui complex in Madras State. 1654

Indo-Malayan Silini revised, 1837

karyotypes and meiosis in Eumastacidae. 6075 larval populations of Cecidomyiidae in soil. 4099

Laspeyresia perfricta giving partial control of Cyperus rotundus. 4804

late sowing of bajra, maize and sorghum not suitable control measure against Chilo zonellus. 4798

Lobopteromyia bivalviae comb.n. galling Acacia catechu in Uttar Pradesh. 3763

Lymantria obfuscata, not L. dispar, present in N. W. Himalaya. 604

Mallophaga on Gallus domesticus in Punjab. 1700

Nabidae from. 3328

new Agaonidae from. 99

new Ameroseiidae from. 4217

new Anthophoridae from. 2988

new Aphelinidae from. 565

new Aphididae from. 90, 91, 96, 555, 1441, 2978, 2979, 3787, 4327, 4328

new aphidophagous Syrphidae from. 319

new Bethylidae from. 3795, 5722

### India, contd.

new Bittacidae from. 1476

new Blattodea from, 3756

new Cantharidae from, 1837

new Cecidomyiidae from. 3764

new Cerambycidae from, 524, 3300

new Ceratopogonidae from. 62

new Chrysomelidae from, 4992

new Chrysomelidae from Indian subcontinent.

new Cicadellidae from. 5043, 5697

new Collembola from. 4291

new Culicidae from. 1428, 2946

new Eurytomidae from, 4352

new Forficulidae from. 3755

new fossil Liposcelidae from. 3832

new Hydrachnellae from. 1821, 4214, 4215

new Ichneumonidae from. 2993, 3805, 4356

new Ixodidae from. 4222, 4225

new Labiidae from. 2500, 3755

new localities for Haemaphysalis cornupunctata.

new Lygaeidae from, 4319

new Noctuidae from, 4379

new Nymphalidae from, 1936

new Nymphomyiidae from, 3319

new Oxyopidae from, 6

new Pentatomidae from. 1439

new Philopteridae from. 579

new Phlaeothripidae from. 1483, 3016, 3017

new Phytoseiidae from. 4231

new prev spp of Geocoris tricolor. 782

new Ptiliidae. 5009

new Pyralidae from, 574, 2533, 5757, 5758

new Scarabaeidae from. 4986

new Scolytoidea from, 518

new Staphylinidae from. 3313

new Syrphidae from. 5030

new Termitidae from. 1460

new Tipulidae from. 85, 3778

new Trichogrammatidae from. 4365, 4366, 5135

Ornithonyssus bursa on Homo and Passer domesticus in Rajasthan. 3622

ovipara of Pentalonia nigronervosa from W.

Bengal, 4066

ovipara of Rhopalosiphum maidis. 4809

parasites of Earias in Gujarat, 4783

Parisomias revised and keyed. 971

Pentalonia nigronervosa reported from Musa

paradisiaca, 328

Polyhemothrips reviewed. 3016

Pseudaletia separata attacking wheat at Delhi.

Pterygosoma neumanni var. hirstielli at Madras and Tirupati. 1976

records of Dermaptera reviewed. 2934

Scelodonta dillwyni infesting Vitis vinifera in Rajasthan, 3742

selection of univoltine races of Bombyx mori in relation to climate. 1357

Syrphus latifasciatus in S. India, and its habits and parasites. 4743

Tipulidae from. 83

Utetheisa revised, 1931

zoogeography of Rhopalocera in relation to continental drift, 2879

Indian field cricket, see Gryllus bimaculatus Indian-meal moth, see Plodia interpunctella Indian subregion,

Alticinae reviewed, 1845

numerical taxonomy of Indo-Australian Drepani-

Indian tasar silkworm, see Antheraea mylitta Indiaphis crassicornis gen. et sp. n. (Hem., Hom., Aphididae), described, 1441

Indigofera teysmanni (Leguminosae), host of Megoura pallipes sp.n. in W. Bengal, India. 4328

## Indochina.

Blissinae revised. 2969

Laelaps keyed, 4971

new Lygaeidae from. 2969

Indocinara hottensis gen. et sp. n. (Hem., Hom., Aphididae), described, 2979

Indodiplosis mangifoliae (Dipt., Cecidomyiidae), galls on Mangifera indica, 4069

Indodromus meerutensis gen. et sp. n. (Arach., Acari, Phytoseiidae), described, 4231

β-Indoleacetic acid, production of galls of Viteus vitifolii type on Vitis. 325

# Indonesia.

Coleoptera and Isoptera type-material in Museum Zoologicum Bogoriense. 951

distribution of Triatoma rubrofasciata, 5988

new Cerambycidae from, 3300

new Cicadellidae from, 5700

new Lycaenidae from. 5750

new Noctuidae from. 4379

new Nymphalidae from. 1936

new Trichogrammatidae from. 4366

Tachinidae type-material in Zoological Museum, Amsterdam, Netherlands. 82

Indopolemius gen. n. (Col., Cantharidae), established, 1837

Indoseius ricini gen. et sp. n. (Arach., Acari, Phytoseiidae), described, 4231

# Inflammation,

lysozyme in inflammatory process in Periplaneta americana. 2609

response of Leucophaea maderae to injections of tissues. 2612

Information science, storage and retrieval of entomological information as applied to Braconidae. 2452

# Inokosterone,

biosynthesis in larval Calliphora stygia. 1112 chromosomal effects in salivary glands of Drosophila melanogaster. 3986

in relation to differentiation of eye-antennal discs of Drosophila melanogaster in

Inokosterone, contd.

vitro. 3485

induction of supernumerary ecdysis in Bombyx mori. 3489

Inorganic content, changes during laboratory development in Culex pipiens molestus. 235 Inositol,

acceptability for Solenopsis saevissima. 4760 utilization by nymphal cells of Rhipicephalus sanguineus in vitro, 1139

M-Inositol, produced from quebrachitol by larval Serrodes partita. 1260

Inostemma (Hym., Platygastridae),

parasite of Contarinia tritici and Sitodiplosis mosellana, 4101

parasite of Dasineura balsamicola in Maine, USA. 4786

Inquilines,

complexes of gall-making Nematinae in California, USA. 3538

of Curculionidae. 4047

gall inquilines of Lipara lucens. 4820 in relation to nest dispersal in Polistes. 355 of synanthropic Diptera in Tyan'-Shan' Mts., Kirgizia, USSR. 4860

Insecta.

artificial control of sex. 5552

associated with Eupatorium perfoliatum in Byron Bog, S. W. Ontario, Canada. 3160 associated with Halogeton sativus in Morocco and Spain. 3585

associated with oxidation lagoons in Missouri, USA. 3199

attacking plants in Philippines. 3593 bacterial, protozoan and viral diseases. 5166 bibliography for Ohio, USA 1389 of British caves, 5561

Ca<sup>++</sup> in relation to fructose-1,6-diphosphatase. hexokinase and phosphofructokinase of muscle, 1116

from caves in Bulgaria and Yugoslavia. 6069 chemoreceptors. 1078, 4490

cholinergic system in development, 1196 collection in Frost Entomological Museum.

Pennsylvania State University, USA. 949 damage to fruit, field crops, ornamentals and

vegetables in Ontario, Canada, in 1968, 3158 diapause and photoperiodism. 5284

distribution and post-Glacial origin in Ontario, Canada, 3276

distribution and occurrence in Potomac R., USA.

feeding and nutrition. 6000

found among bananas at Arras, France. 4815 found in caves and mines in Great Britain in 1968, 6068

found in Sarracenia purpurea at Lac Carré, Québec, Canada. 3589

α-glycerophosphate oxidase and phosphofructokinase for NADH2 re-oxidation in

muscles, 1122

homochromy. 5880

homology of external genitalia throughout Ectognatha, 1161

in relation to human activity in Ontario, Canada.

injurious to crops in Middle East. 4062 interrelations with Acari and Fungi in grain-bulk

ecosystems. 3185 of Meteor Cave, Hungary. 3202

mimicry, 5554

neurosecretory cells. 1064

pests in Ontario, Canada, in 1968. 3181

phylogeny. 1161

pollination of Fragaria, 5437

position among Arthropoda. 435

predaceous on Choristoneura pinus in Michigan, USA. 3615

prey of Coptoformica exsecta and Formica polyctena. 2721

regulatory function of CNS. 1065

respiratory systems of egg-shells. 1089

spermatozoa. 5273

spontaneous electrical activity of CNS. 1068

sterols and terpenes. 1135

sympathetic transmission in nervous system.1057 types in Instituto Miguel Lillo, Tucuman,

Argentina. 950

ultrastructure of chemoreceptors. 1083 ultrastructure of corneal surface topography.

4484

ultrastructure of photoreceptors. 1084 vectors of mycoplasms and phytarboviruses.

visual pigments. 1072

of waste-stabilization lagoons in Missouri, USA.

Insecticides,

absorption and metabolism of DDT in Boophilus microplus. 4575

in relation to abundance of Erannis leucophaeria at Dresden, GDR. 4090

ataxia due to Hypoderma bovis not present in heifers treated with systemic insecticides.

cage for testing organophosphates in hostectoparasite system. 5136

in relation to Carabidae and Staphylinidae predaceous on Erioischia brassicae. 836

CO2 anaesthesia in relation to toxicity of malathion for Coleoptera. 4562

chlorinated hydrocarbons in relation to ATPases of Periplaneta americana muscle and nerves.

contact sprays against adult Musca domestica.

control of apple pests. 4670

control of blood-sucking Ceratopogonidae. 2790 control of Hypera meles on crimson clover.

4671

#### Insecticides, contd.

control of Hypera postica in N. Utah (USA) and resulting effects on Bathyplectes curculionis. 4681

control of Macrosiphum euphorbiae and Myzus persicae on Solanum tuberosus. 3603

control of Macrosteles fascifrons. 4830

control of Porthetria dispar. 4682

detoxification of dialkyl phosphorothionates in Musca domestica, 2018

dimethyl sulphoxide in relation to toxicity in Tenebrio molitor, 3934

Fostothion, Metathion and Soldep in relation to Cycloneda limbifer. 2091

genetics of NADPH-dependent oxidases in relation to insecticide metabolism in Musca domestica, 3229

honeydew excretion of Ceroplastes pseudoceriferus for evaluation, 2008

inheritance for diazinon-resistance in Culex pipiens molestus larvae. 3230

Mattesia grandis in relation to susceptibility of Anthonomus grandis, 4450

melanotic lesions caused in adult Melanoplus sanguinipes. 5814

mode of action of nicotinoids, pyrethroids and rotenoids in Insecta. 4539

mortality and population density of Blattella germanica in insecticide-treated choice-boxes. 5208

new compounds for control of pests of Medicago and Phaseolus. 4678

organochlorine residues in Aglais urticae in Huntingdonshire, England. 1714

parathion treatment in relation to Oscinella frit and predators. 2792

Potter laboratory spray tower for toxicity studies. 5819

resistance in Hylemya platura in Illinois, USA. 2810

selection of Aedes aegypti and Culex pipiens fatigans for resistance. 4169

sites of cholinesterase inhibition in nervous system of Musca domestica, 3404

synergistic effect of BHC in Phytonomus variabilis. 4845

synergistic ratio of carbaryl with piperonyl butoxide in Insecta. 4582

systemic insecticides for control of Scolytus scolytus in Britain. 2803

systemic insecticides on potatoes for control of nematodes and insects. 4692

technique for protecting Apis mellifera. 2571 temperature in relation to rate of absorption

into insects. 5259 treatments in relation to parasitization of Hylemya in Norway. 1702

treatments of rice pests in relation to populations of Culex tritaeniorhynchus summorosus in Toyama Prefecture, Japan. 1676 ULV treatments in medical and veterinary entomology. 4698

Insectivora (Mammalia),

hosts of Ctenophthalmus cophurus at 11000 ft in Kenya. 1696

Siphonaptera of in Germany. 4092

Insigniporus (Myriap., Chil), Romanian spp revised and acuneli sp.n. described. 1952

Institut Royal des Sciences Naturelles de Belgique (Bruxelles, Belgium),

Blaberoidea. 1862

Heteroptera. 1885, 3326

Plataspidae. 1900

Instituto Miguel Lillo (Tucumán, Argentina), Insecta and Myriapoda. 950

Insulaspis gloweri (Hem., Hom., Diaspididae), prey of Hemisarcoptes dzhashii sp.n. in Gruziya, USSR. 1393

Integument.

allergic reactions in man to larval hairs of Ephestia and Tenebroides. 5515

arrangement of tubercular setae in Antheraea. 3035

brain hormones and ecdysone in relation to hypodermal tissue respiration in Calliphora erythrocephala. 5246

cations and nervous conduction in Carausius morosus. 1067

cholesterol esters of scales in Lepisma saccharina. 1124

diffusion reaction scheme of pattern formation supported in Prosophila melanogaster. 4136 ecdysones in relation to puparium-formation in

Calliphora stygia. 1174

glands of Paraperinthus sheasbyi sp. n. and Physoperinthus josensi sp. n. 4287

glands of termitophilous Staphylinidae. 214 histology of adult Gnathotrichus retusus, G. sulcatus and Trypodendron lineatum. 684

histopathology in queen Odontotermes obesus infected with Aspergillus flavus. 611

hypodermis as site of development for Rickettsiella cetonidarum sp. n. in Cetonia. 5168

hypodermis as site of multiplication of Bergoldiavirus oleraceae sp.n. in Mamestra oleracea. 5345

in relation to mineral inclusions of oocytes in Polydesmus complanatus. 3858

morphogenesis in pupal Galleria mellonella. 241 moulting induced in diapausing Chilo suppressalis larva by ecdysterone. 1613

and muscle-development in Limothrips cerealium. 4469

number and pattern of scutellar bristles in Drosophila melanogaster. 4145

permeability to water in Formicidae. 155 permeability to water in Rhodnius prolixus. 155 permeability to water in Sahara arthropods. 155 permeability to water in Tenebrio molitor. 155 phosphate absorption by Hypoderma lineatum Integument, contd.

larvae in vitro. 154

pigment-producing factor for storage of tyrosinase substrates in Drosophila melanogaster.

pores present in Physoperinthus. 4287 post-ecdysal development of setae in pupal

Bemisia tabaci. 1177

serosal epicuticle confirmed for egg of Acheta domestica. 3863

setae in relation to defence in dermestid larvae.

site of formation of protocatechuic acid-4-0, -  $\beta$ -glucoside in Periplaneta americana. 2626 specialized setae on chelicerae and palps in

Eukoenenia mirabilis. 2581

sterols in larval Gonimbrasia belina, 3940 thoracic spiracles and adjacent sclerites in adult Scarabaeoidea, 2001

ultrastructure of Metarrhizium anisopliae attacking Elateridae. 5153, 5154

ultrastructure of pedipalpal setae in Nemastoma lugubre. 3395

ultrastructure in pupa of Culey pipiens, 4459

ultrastructure of type-B dermal glands in Rhodnius prolixus. 4570

xanthopterin in Palomena prasina. 5248

'Intermédiaire des Bombycultueurs et Entomologistes', possession by Nederlandse Entomologisch Vereniging. 5744

Intersexes,

genital disc and gonads in triploid intersexes of Drosophila melanogaster. 2051, 3088

F<sub>1</sub> gonads and sex-determination in triploid intersexes of Solenobia triquetrella. 1350

intersexes of Scatophaga stercoraria and evolutionary significance, 5325

Intration (Thiometon), stability of resistance in Phorodon humuli, 6055

Introduced pine sawfly, see Diprion similis

Introgression, relative fitness of introgressed and parental populations in Drosophila arizonensis and D. mojavensis. 2856

Invertage.

in Aonidiella aurantii and Chrysomphalus aonidum. 5238

in gut of Clavigerella gibbosa. 5853 in gut of larval Eublemma amabilis. 2024

Invertebrata.

methods for measuring respiratory rates of aquatic invertebrates. 5099

of saline lakes on Fraser Plateau, British Columbia, Canada. 3608

Iodoacetate.

in relation to  $\alpha$ -amylase of hepatopancreas of Heterometrus scaber. 3925

in relation to Malpighian tubule secretion in Rhodnius prolixus. 1108

Iolaus aelianus (Lep., Lycaenidae), syn.n. of I.

julus. 5068

Iolaus (Epamera) mongiro sp. n., described. 1466 Ions.

anions and cations in relation to type-3 water receptor in Phormia terranovae. 5199

factors affecting electrolyte thresholds in Aedes aegypti. 5998

movement in Malpighian tubules of Rhodnius prolixus. 1108

movement in midgut of Periplaneta americana.

rectal lumen concentration in relation to reabsorption in Periplaneta americana. 3946 regulation in Calliphora erythrocephala. 2035 regulation by CNS in Carausius morosus. 3883 regulation by labium in Cenocorixa bifida. 1511 regulation via saliva in Boophilus microplus. 649

sublethal concentrations in relation to tissues of Tropisternus lateralis nimbatus. 859

transport across rectal epithelium in Carausius morosus and Locusta migratoria. 645 transport in rectum of Periplaneta americana.

648
Ionyxil, in relation to population density in
Drosophila melanogaster. 1297

Iphita limbata (Hem., Het., Pyrrhocoridae), in vitro culture of ovary. 3982

secretory material of neurosecretory cells.

Ipomoea batatas, development of Phytoseius plumifer. 2710

Iproniazid, in relation to endogenous activity of CNS in Nauphoeta cinerea. 618

Ips (Col., Scolytidae),

biology of hymenopteran parasites in Virginia, USA. 4733

secondary sexual characters in N. American spp. 1978

stridulation, 219

Ips acuminatus, flight, 3051

Ips cembrae,

life-history in N. E. Scotland, 4036 proventriculus. 4513

Ips concinnus, sound-production. 219 Ips confusus,

fat-body layer present round testes. 2656 induction of sex-pheromone production by synthetic [H. 2637

sound-production. 219

Ips grandicollis,

prey of Enoclerus in S. Carolina, USA. 286 response to attractant of of attacking Pinus taeda. 2714

Ips mexicanus, sound-production. 219

Ips sexdentatus, flight and flight-musculature. 3051 Ips typographus,

protection of tree-stands by fertilization in GFR. 4797

temperature in relation to development and

Ips typographus, contd. voltinism, 1194

Ipselissus (Col., Scarabaeidae), American taxa revised and keyed and new spp described. 5649

Iran,

Bostrychidae new for. 475

Mycetophila of Caspian provinces. 2950

Nemopteridae new for. 1942

new Carabidae from. 4262

new Curculionidae from. 2485

new Gelechiidae from. 1012

new Megachilidae from. 5735

new Meloidae from. 5003

new Mycetophilidae from. 67, 68, 2950

new Noctuidae from. 4380

new Polyphagidae from. 4294

new Pseudoscorpiones from. 4249

new Psychodidae from. 4308

new Tenebrionidae from. 2931

Iranihindia nepanensis sp. n. (Dipt., Sarcophagidae), described. 1877

raq.

Acari and Insecta injurious to crops. 4062

Aphidoidea and associated Formicidae and parasites, 2121, 4818

biology of Tenuipalpus eriophyoides in relation to Phoenix dactylifera, 5370

geographical and seasonal variation in susceptibility of Anopheles to Plasmodium cynomolgi. 3625

Nemopteridae from. 1942

overwintering of Anopheles superpictus in Sulaimanyyah and Kirkuk Liwas. 5989

seasonal occurrence of Oestrus ovis in C. Iraq. 4856

Ireland,

distribution of Eire Psocoptera and taxa new for.

Otiorrhynchus uncinatus established. 3241 parasites of Coleophora tamesis. 5373

Siphonaptera new for. 5595

Irenangelus (Hym., Pompilidae), revised, keyed and new spp described. 5738

Irenimus (Col., Curculionidae), not synonomous with Catoptes. 2906

Iridagonum (Col., Carabidae), new spp described. 2897

Iridana rougeoti (Lep., Lycaenidae), ♀ described for first time. 5068

Iridomyrmex aspridocoptus sp. n. (Hym., Formicidae), described. 5727

Iridomyrmex pruinosus, molecular shape in relation to alarm activity of alarm-pheromones. 1314

Iridomyrmex pruinosus analis, volatile compounds. 2017

Iron, metabolism in relation to cytochrome c in Apis mellifera. 4524

Isaria (Fungi), mortality agent for predators of Adelges on Abies in Germany, Switzerland and Turkey. 5150

Ischalis (Lep., Geometridae), 4 New Zealand spp of Azelina transferred to. 5065

Ischnodemus (Hem., Het., Lygaeidae), new spp described. 4316

Ischnoglossa pulchella sp. n. (Col., Staphylinidae), described. 3297

Ischnogomphus (Odon., Gomphidae), included in Agriogomphus. 5763

Ischnopoda coarctata (Col., Staphylinidae), from Kent, England. 3254

Ischnopsyllidae (Siphon.), 1040, 4400, 5596, 5770 larvae keyed. 1040

records from Nepal. 4400

Ischnopsyllus intermedius (Siphon., Ischnopsyllidae), antennae and maxillary palps. 1040

Ischnopsyllus simplex, subspp new for Hungary,
5596

Ischnovalgus kolbei sp.n. (Col., Scarabaeidae), described. 46

Ischnura (Odon., Coenagrionidae), genetic variability and sex-dimorphism. 432

**Ischnura damula,** genetics of wing-venation.

Ischnura elegans, behaviour, distribution and ecology in Outer Hebrides and in Hampshire, England. 2094

Ischnura elegans elegans, adult size in relation to chloride tolerance and generation time.

Ischnura pumilio, new for Islas Baleares. 1373

Ischnura verticalis, populations in waste-stabilization lagoons in Missouri, USA. 337

Ischyropsalis (Arach., Opil., Ischyropsalidae),
 reviewed and biology and ecology. 3728

Ischyropsalis magdalenae, & described. 2890

Ishiharanus gen.n. (Hem., Hom., Issidae), established. 560

Isia isabella (Lep., Arctiidae), fatty-acid composition of larvae. 1121

Islands,

bibliography of Trichoptera for Africa and adjacent islands, 4960

colour-morph frequencies in island populations of Philaenus spumarius in Gulf of Finland, 4916

isolating effect on Enallagma granti. 5083 Macrocera new for Subantarctic islands.

recolonization of experimentally emptied islands.

Islas Baleares (Mediterranean Sea),

colonization by cave-dwelling Coleoptera. 3643

distribution of Dicranura. 1370

Formicidae of, 3639

Neuroptera and Odonata new for. 1373

Islas Baleares (Mediterranean Sea), contd.

new Oribatei from. 3723

new Phoridae from Majorca. 71

new records of Formicidae from. 3639

Islas Canarias (Atlantic Ocean),

Buprestidae new for. 3733

Calosoma and related genera of. 438

Coleoptera new for. 3297

new Buprestidae from. 3733

new Chrysomelidae from. 3301

new Colydiidae from. 3302

new Lithocolletidae from. 5067

new Masaridae from, 112

new Staphylinidae from. 3297

Isobenzan, control of Diabrotica virgifera and Ostrinia nubilalis in Missouri and Iowa, USA.

Isobutyric acid, in osmeterial secretions of larval Papilionidae, 4749

Isocapnia aptera sp. n. (Plec., Capniidae), described, 1481

Isocitrate dehydrogenase,

during adult of development in Schistocerca gregaria, 4001

genetic regulation of activity in Prosophila melanogaster. 2184

of a Tribolium castaneum population. 5309

Isocolus (Hym., Cynipidae), oak-galls in Méhes collection in Museum of Natural History, Budapest, Hungary, 1278

Isocryptoxanthin, in Carausius morosus. 1143 Isodrin, sesamex in relation to metabolism and toxicity of photoisodrin in Musca domestica. 5230

Isodromus (Hym., Encyrtidae), atriventris and puncticeps redescribed and limosus sp. n. described, 105

Isodromus vinulus, of described, 105

Isodrusus guajavus sp. n. (Col., Curculionidae), described, 4277

Isoelectric focussing, of haemoglobins from Chironomus thummi. 3454

Isolation.

ethological isolation in Drosophila willistoni group. 420

founder principle, genetic drift and selection in relation to island populations of Philaenus spumarius, 4916

genetic incompatibility between eastern and western (USA) strains of Hypera postica.

geographical isolation in cave-dwelling arthropods. 3605

geographical isolation in Gryllidae, 3231

geographical isolation in Siphonaptera on small mammals in Yatsugatake Mts., Japan. 2787

incompatibility between Aedes polynesiensis and Ae. albopictus. 5467

isolation after mating in relation to egg-hatch, fecundity and oviposition in Hypera

postica, 3527

mating differences as basis for ethological isolation in Drosophila pseudoobscura. 433

mechanisms in Ischyropsalis. 3728

mechanisms in Myzus. 932

number of external spinning structure in Clubiona phragmitis in relation to population isolation. 4119

in Orocharis of USA. 125

in Pterophylla camellifolia in Iowa, USA. 5514 population isolation in Acrida lata in Japan.

reproductive isolation in Aphytis. 2862, 5720 reproductive isolation in bisexual and pentaploid

Scepticus insularis in Japan. 424 reproductive isolation in Drosophila paulistorum

semi-spp. 1354 reproductive isolation between green and red

forms of Tetranychus telarius on Egyptian cotton, 3289

reproductive isolation in Trichogramma.

reproductive isolation in Vetukhiv's experimental populations of Drosophila pseudoobscura.

selection for sternopleural bristle number in relation to reproductive isolation in Prosophila melanogaster. 425, 1649

semi-incompatibility system of Pissodes terminalis. 905, 4164

valve structure in genetic isolation of N. American Limenitis. 5911

Isomerase, activity of flight-muscle in Glossina morsitans and Sarcophaga nodosa. 3067

Isometopidea miriformis sp. n. (Hem., Het., Miridae), described. 5035

Isometopinae (Hem., Het., Miridae), new for Congo-Brazzaville, 5707

Isoniazid, in relation to endogenous activity of CNS in Nauphoeta cinerea. 618

Isonychii dae (Ephem.), 2245, 2248, 3325

Coloburiscinae Nearctic as well as Palaearctic. 3325

phyletic relationships within Siphonuroidea.

Rallidentinae a subfamily of. 2248

Siphlurites explanatus placed in Coloburiscinae.

wing characters of subfamilies. 2248

Isonychus peruanus (Col., Scarabaeidae), redescribed. 5005

Isopentyl acetate,

alarm substance for Apis mellifera. 1680 and drone congregation in Apis mellifera. 5522

Isoperla (Plec., Isoperlidae),

doubtful for C. Asia. 1481

ecology and life-history of frizoni and lata in Laurentides, Canada. 1668 Isoperla goertzii, antennae and cerci. 4425

Isoperla inermis sp. n., described. 5766

Isoperlidae (Plec.), 1481, 1668, 4425, 5766 biology and ecology in Laurentides, Canada. 1668

Isopoda (Crustacea).

of caves of Romania. 5562

in nests of Riparia riparia in Switzerland. 4106 vertical distribution in 3 soil types in Japan. 2813

(+)-cis-2-Isopropenyl-1-methylcyclobutaneethanol, pheromone of & Anthonomus grandis, 2651
Isoptera,

adaptations and glandular systems of Staphylinidae associated with. 531

Araneae associated with, 3571

associated with Halogeton sativus in Morocco and Spain. 3585

distribution and ecology in Ethiopia. 4858

biology, distribution and economic importance in Sudan. 4199

implantation of Bellicositermes bellicosus rex termitaria in relation to savannah soilstructure in Central African Republic, 4869

leaching of termite-mound soil. 855

new for Senegal. 1929

of New Zealand. 3638

of Niokolo-Koba National Park, Senegal. 1929 polymorphism. 350

prey of Solenopsis saevissima richteri in S.E. Louisiana, USA. 3136

relations of termitophiles to hosts, 214

relations to termitophilous Staphylinidae. 214

seminal receptacle. 3472

of Senegal. 1929

Sudan genera keyed. 4199

taxonomy of symbiotic Protozoa. 4129

termitophily in Paraperinthus, Perinthodes and Physoperinthus gen. n. 4287

toxicity of fungal culture filtrates. 2168

types in Museum Zoologicum Bogoriense, Indonesia. 951

ultrastructure of rectal cuticle. 3444

of Wisconsin, USA, 2821

Isostasius arientinus (Hym., Platygastridae), status. 2987

Isotoma (Desoria) dichaeta sp. n. (Collem., Isotomidae), described. 2499

**Isotoma notabilis,** food substrates and gut contents. 5996

Isotoma sensibilis, aggregations in Pinus sylvestris forest in Perthshire, Scotland. 2162

Isotoma viridis, biology and population structure in coniferous forest soil. 2160

Isotomidae (Collem.),

1857, 2146, 2160, 2161, 2499, 2932, 4020, 4291, 4981, 4982, 5996, 6120

from Solomon Islands. 2932

Isotomiella minor (Collem., Isotomidae),

aggregation in Pinus sylvestris forest in Perthshire, Scotland. 2162

food substrates and gut contents. 5996

Isotomurus palustris (Collem., Isotomidae),

activity and local distribution in an Indiana (USA) woodland. 4020

biology and population structure in coniferous forest soil. 2160

Isotopes,

radio-isotopes in entomological research and insect control. 4414

radio-isotope method for determining energy assimilation. 4759

radio-isotopes in study of arthropod food-chains. 298

Isotrichothrips gen.n. (Thysanopt., Phlaeothripidae), established. 1024

Isoxantholumacine, from & Formica polyctena. 4543

Isoxanthopterin,

atmospheric  $O_2$ -pressure in relation to synthesis in Mylothris. 1583

in Atteva punctella. 5250

in lethal lemon larvae of Bombyx mori. 4158 from  $\sigma$  Formica polyctena. 4543

Isozeaxanthin, in Carausius morosus. 1143 Isozymes.

of alcohol dehydrogenase in Drosophila obscura group. 4538

alcohol dehydrogenase isozymes in relation to age in Drosophila melanogaster. 1632

of amylase in Musca domestica. 191

egg-to-adult variability of Drosophila melanogaster in relation to genotype frequency at alcohol dehydrogenase locus. 883

esterase activity in relation to isozyme pattern in Drosophila virilis. 201

esterase pattern variation in Culex pipiens fatigans. 2020

gene enzyme polymorphism in natural populations of Drosophila melanogaster and D. simulans, 902

of  $\alpha$ -glycerophosphate dehydrogenase in Drosophila melanogaster. 2021

haemolymph dehydrogenase isozymes of Apis mellifera during development. 2015

hexokinase isozyme variability in Drosophila robusta, 2830

hydrolase isozymes of Italian and Rhodesian strains of Aedes vittatus and hybrids. 1560

lactate dehydrogenase isozymes in Drosophila melanogaster. 4529

linkage disequilibrium between esterase isozyme alleles in Drosophila virilis populations. 375

in natural populations of Pogonomyrmex barbatus in Texas, USA. 2831

of phosphoglucomutase from Drosophila melanogaster. 6083

soluble esterases from thoracic muscle of Periplaneta americana. 4528

of sucrase in Drosophila melanogaster. 2027 tetramer structure of octanol dehydrogenase in

Isozymes, contd.

Drosophila melanogaster. 4149

Israel.

acaricides for control of Phyllocoptruta oleivora.

additional records and revised list of storedproduct insects. 5563

Andrena new for. 5719

Antennoseius reviewed, 4969

bibliography for L. Kinnereth. 2450

biology and distribution of Polyrhachis simplex.

biology and ecology of Lixus algirus. 1226 control of Spodoptera littoralis in peanuts in Israel. 5965

distribution of Apion aestivum, A. arrogans and A. seniculus. 5510

economic importance, history and host-plants of Scolytidae. 6119

economic threshold and treatment forecast in citrus groves in Israel. 5483

efficacy of natural enemies of Aonidiella aurantii on citrus. 2793

failure of Chilocorus bipustulatus to control Coccoidea. 1701

hymenopteran parasites for control of Chrysomphalus aonidum. 6038

Muscidae of. 5573

Nemopteridae from, 1942

new Acrididae from. 5765

new Andrenidae from. 5719

new Blattodea from. 3756

new Kermesidae from. 5048

new Megachilidae from. 5735

new Meloidae from, 5003

new Phytoseiidae from. 4969

parasites of Aleyrodidae, Aphididae and Coccidae on citrus, 5578

parasites and predators of Chilocorus bipustulatus. 1701

parasites of Spodoptera littoralis. 5418

parasitization rate for Ectomyelois ceratoniae. 318, 5371

Phanerotoma flavitestacea as parasite of Ectomyelois ceratoniae. 5371

phenology of Apion on winter Leguminosae. 5510

phenology of Chilocorus bipustulatus. 5500

Phytoseiidae new for, 4969

present status of systematic entomology, 4966 probability of range extension of Contarinia

sorghicola. 436

Pyralidae new for. 6144

Pyralidae of L. Tiberias region. 6144

resistance to acaricides in Tetranychus cinnabarinus. 5358

status of Aphytis holoxanthus and Casca smithi in relation to Chrysomphalus aonidum, 6045 Issidae (Hem., Hom.), 560

Italy,

Acari and Insecta attacking Vitis vinifera in

Cinque Terre zone, Spezia. 5427

Araneae new for. 2886

Bembidion of Dora Baltea R., Val d'Aosta. 6114

bibliography of Vespoidea. 2

biology and control of Diplolaboncus tumorificus in N. Italy. 3117

biology and ecology of cavernicolus Trichoptera.

biology and ecology of Lixus algirus. 1226

biology of Leptoconops irritans and L. kerteszi in Grossetano. 4043

Blattodea, Dermaptera and Orthoptera from Tuscan Appennino, 6119

breeding-sites of Leptoconops. 4113, 4114

Cantharidae of Appennino, 3236

Carabidae and Cicindelidae catalogued. 6115 Carabidae of riverside and seaside jetsam. 6029

Cerambycidae of S. Italy. 465

Chrysomelidae from. 2903

Coleoptera of Trentino-Alto Adige. 6113

Collembola of Molara and Tavolara Islands. 3315

Contarinia sorghicola present. 436

Curculionidae of pre-Alpine xerothermal oases. 3240

Dibrachys spp new for. 6130

Diplopoda of Mt. Gargano. 3273

distribution of Forficula obtusangola. 2935 distributions of Dolichopoda geniculata and D.

palpata, 3013

ecology of coleopteran communities in Puglia. 343

ecology of Limnephilidae in Grotta di Monte Cucco, Appennino. 862

Elateridae, Melasidae and Throscidae of S. Italy.

Formicidae of Mt. Terminillo. 1727

Luciola lusitanica subspp. 5646

Melitaea aetherie present at Madonia. 449

Merohister ariasi from Lazio, 6117

Nabidae from, 3328

new Acrididae from. 3012

new Araneae from, 2886

new Bethylidae from. 1448

new Carabidae from. 5625, 5632

new Chrysomelidae from. 26

new Curculionidae from. 2909, 2910, 2912, 5640

new Dytiscidae from. 5643

new Entomobryidae from. 984

new Lampyridae from. 5646

new Oribatidae from. 3725

new Phalangiidae from. 1398

new Pseudoscorpiones from. 2891

new Psychodidae from. 73

new Rhaphidophoridae from. 3013

new Simuliidae from. 5676

Novitzkyanus new for. 6130

Oedemeridae of. 43

Otiorrhynchus griseopunctatus group. 5640

Pachybrachis revised. 5636

phenology of Heteropterus morpheus in N.

Italy, contd.

Italy. 5993

Pseudoscorpiones of S. Appennino. 2891

records of cavernicolous Trichoptera, 863

records of Lycosidae. 2888

Simuliidae from N. Italy. 468

supplementary reproductive production in Kalotermes flavicollis populations. 354, 3196

Theridiidae new for Calabria, 3233

Ithomiidae (Lep.), 4370

Itonida paederiae (Dipt., Cecidomyiidae), status. 2941

Itonida pinirigidae, infestation level in irradiated Pinus. 3612

Itonida seminis, syn.n. of Geromyia penniseti comb.n. 1425

Itonididae, see Cecidomyiidae

Itoplectis (Hym., Ichneumonidae), larval morphology and partial key to larvae. 2580

Itoplectis conquisitor,

fraction of Galleria mellonella larval haemolymph inducing oviposition. 716

parasitization rate on Choristoneura pinus in Michigan, USA. 2800

Itoplectis cristatae,

biology and ecology in Japan and immature stages. 276

sex-determination and sex-ratio in relation to host size and oviposition behaviour. 1349 sex-ratios. 276

Itoplectis maculator, larva. 2580

Itoplectis naranyae, new for Philippines. 799
ITP [inosine triphosphate],

in relation to choline kinase of Periplaneta americana. 3936

as energy source in fibrillar muscle of Lethocerus maximus. 613

Iulus scandinavius (Myriap., Diplop.), population dynamics in a Cheshire, England, wood. 4839Iviva gen.n. (Col., Chrysomelidae), established.

1408

Ivory Coast,

Acanthoceridae from. 481

Anobiidae from, 17

aquatic Heteroptera from. 488

Cassidinae new for. 487

Cercopidae from. 490

Chrysomelidae from. 486

climate, geography, vegetation and areas of recent entomological collections. 476 effects of fire on Carabidae in Lamto savanna.

offects of fire on Carabidae in Lamto savanna 3174

Fulguroidea from. 490

Gyrinidae from. 478

Henicocephalidae from. 489

Heteroceridae new for. 483

Lucanidae from. 480

Meloidae from. 485

new Aberrations of Goliathus regius from. 976 new Asilidae from. 59

new Carabidae from. 19, 21, 968

new Cerambycidae from, 23, 524, 3300

new Cixiidae from. 490

new Coccinellidae from. 28

new Derbidae from. 490

new Elminthidae from. 34

new Endomychidae from. 35

new Histeridae from. 479

new Labiidae from. 53

new Languriidae from. 40

new Libellulidae from. 5084 new Lycaenidae from. 5068

new Mordellidae from. 41

new myrmecophile Staphylinidae from. 50

new Pentatomidae from. 5712

new Reduviidae from. 87, 3331

new Scarabaeidae from. 3310

new Staphylinidae from. 3312, 5654

new termitophilous Staphylinidae from. 4287

Nymphalidae from. 1017

Phaenomerididae from. 482

Sandalidae from. 484

Scarabaeidae from. 490

Tabanidae from. 79

Tettigoniidae from. 477

Ixodes halocyclus (Arach., Acari, Ixodidae), engorgement on mice and host mortality. 3840

Ixodes himalayensis sp. n., described, 4225

Ixodes (Exopalpiger) jonesae sp. n., described.
4227

Ixodes kashmiricus stat.n., redescribed. 1394
Ixodes kazakstani, taxonomy and zoogeography in USSR. 1394

Ixodes lividus, parasite of Riparia riparia throughout Switzerland, 4106

Ixodes myotomys sp. n., described, 4226

Ixodes nipponensis, taxonomy and zoogeography in USSR. 1394

Ixodes ochotonae, in S. W. Montana, USA. 5469
Ixodes pavlovskyi, taxonomy and zoogeography in USSR. 1394

Ixodes persulcatus,

distribution in USSR. 5565

taxonomy and zoogeography of USSR spp of group. 1394

Ixodes ricinus,

biphasic activity curve in C. Europe. 5509

effect of clumped distributions in sparse populations. 2791

parasitic on Artiodactyla and Rodentia in Netherlands. 2757

photoperiod in relation to behaviour and development of unfed nymphs. 4604

Ixodes scapularis,

established in N. Wisconsin, USA. 4945

hosts and occurrence in E.C.Oklahoma, USA. 4775

Ixodes texanus, light in relation to drop-off. 3081
Ixodes trianguliceps, parasitic on Sorex araneus in Netherlands. 2757

Ixodidae (Arach., Acari),

from Bismarck Islands and Philippines. 2192 from buffalo and cattle in Lahore, Pakistan. 5423 hosts and occurrence in E.C.Oklahoma, USA. 4775

skin reaction to repeated attachment and feeding.
4787

Ixodoidea (Arach., Acari),

cage for confining ticks on cows and horses. 5089

CO<sub>2</sub> for collecting. 1960 as disease carriers in Switzerland. 4187 resistance to chemicals. 4580 of Riparia riparia in Switzerland. 4106 of Switzerland. 4187

Iziphya (Hem., Hom., Aphididae), Juncobia and Nevskyella syn.n. of. 3789 Palaearctic spp revised, world spp keyed, new spp described and new synonymy. 3789 Izu Islands (Japan), Elateridae of. 527

J

Jack pine, see Pinus banksiana
Jack pine bud worm, see Choristoneura pinus
Jacksonella sexoculata sp.n. (Arach., Aran.),
described. 5617

**Jacksonia (Hom., Aphididae),** alate of from India for first time. 2978

Jamaica (West Indies),

biology of Saccharosydne saccharivora. 2719 ecology of larval Leptoconops becquaerti. 840 new Culicidae from. 3769 new Curculionidae from. 4277 new Platygasteridae from. 1923, 3309 Scarabaeidae new for. 3309

Jamides aratus caeruline (Lep., Lycaenidae), stat.n. from species. 440

Janeirona (Hem., Het.), transferred to Pentatominae. 88

Janusculus leleupi gen.et sp.n. (Col., Pselaphidae), described. 4281

Japan,

abundance of Drosophilidae in S. Hokkaido. 2144 abundance, flower preferences and phenology of Andrenidae in Hokkaido. 2163

Athemus reviewed. 1404 biting rhythm of Culex tritaeniorhynchus

summorosus in Okayama Prefecture. 1683 Bombus reviewed. 1903

Callidora albovincta new for. 3342 Calocarcelia reviewed. 990

Carcelia keyed. 990

Carcinophorinae from. 54
Ceratina revised. 100

Dacus dorsalis present on Ryukyu Islands. 3777 Dendrolasius of Hokkaido. 108

distribution of community-types of web-spiders.

Dolichovespula media subspp. 1459

Drosophilidae new for Hokkaido. 2144

Drosophilidae from S. W. Hokkaido. 4200 ecology of Culicidae in Gunma Prefecture. 1679

ecology and phenology of Culex tritaeniorhynchus summorosus in Toyama Prefecture. 1676

ecology of soil fauna in Hidaka-Mombetsu, S. Hokkaido. 2146

ecology of subalpine coniferous-forest Collembola of Shiga Heights. 2499

ectoparasites of small mammals in Aomori Prefecture. 3150

Elateridae from. 33

food-plants of Proceras venosatus. 1281

food-plants of Symphyta. 4799

frequency of B-chromosomes in Acrida lata.
4915

frequency of deleterious and sterile chromosomes and allelism between lethal genes in natural Drosophila melanogaster populations. 3681, 3682, 4917

Gergithus keyed. 560

group effects in Callosobruchus chinensis
populations. 3607

Haemaphysalis pentalagi redescribed from Pentalagus furnessi, 4224

Hemisphaeriinae keyed. 560

Hemisphaerius of Ryukyu Islands keyed. 560

host records for Ichneumonidae. 2117 Insecta from Japan taken at weather-station

"Tango", Pacific Ocean. 2132

4th-instar larvae of Culex pipiens group in N. Japan. 3770

larvae of Sphecidae described, 1963, 1964 life-cycle and overwintering stages of Aleuro-

canthus spiniferous at Ooshima. 4729
life-cycle and phenology of Dendrolimus spectab-

ilis in Kyoto. 4035 life-history of Polistes biglumis and P. snelleni in Sapporo. 2101

Mallophaga from domestic fowl. 6146

Manitoba fly-trap for Tabanidae. 1310

 $\begin{tabular}{ll} Myriapoda from Limestone caves in N. Honshu. \\ 3357 \end{tabular}$ 

Nemoraea keyed. 1882

new Acerentomidae from, 4397

new Blattidae from. 1419

new Cantharidae from, 1404

new Carabidae from. 521, 522, 1405, 1841, 2481, 5631

new Chalcididae from. 1913

new Chilopoda from. 4407

new Cicadellidae from. 1892, 5695

new Cicadidae from. 5692

Japan, contd.

new Coccinellidae from. 1848

new Conopidae from, 1427

new Coreidae from. 992

new Diplopoda from, 3357

new Gamasidae from. 503

new Hypogastruridae from, 2499

new Isotomidae from. 2499

new Ixodidae from, 4223

new lepidopteran host records for Ichneumonidae. 321

new localities for Symphyta, 4799

new Lucanidae from. 3306

new Onychiuridae from. 2499

new Oribatei from, 505, 3285

new Phryganopsychidae from. 1485

new Platypodidae from. 1850

new Polydesmidae from. 1026

new Proctotrupidae from. 3808

new Prostigmata from, 504 new Pselaphidae from. 44

new Pyralidae from. 1470, 2533

new records for Haemaphysalis inermis. 4223

new Scaphidiidae from. 3748

new Scolytidae from. 1850

new synonomy among Elateridae, 972

new Tachinidae from, 1882

new Tetranychidae from, 16, 954

new Tipulidae from, 547

nocturnal succession of Culicidae at Utsunomiya City. 5380

Oncopsis juglans new for. 937

Oribatei from Mt. Soranuma, Sapporo, 4410

Perlohmannia coiffaiti new for. 3286

Perlohmannia gigantea comb. n. new for Hokkaido, 3286

phenology of Aphis gossypii. 6017

Pompilus fumipennis subspp reviewed. 569 populations of Chironomidae in L. Hibara. 858

populations of Evetria cristate in relation to

parasitism. 3596

pupae of Tabanidae, 5793

Schendylinae genera keyed. 4407

Scolytoidea from imported logs. 1850

seasonal distribution of culicid larvae in rock pools of R. Nagatoro. 2165

seasonal variation in genetic structure of Drosophila melanogaster natural populations, 3686

seasonal variation in Psychodidae in pigpens and

henhouse, 6053 Siphonaptera of small mammals of Yatsugatake

subspecies nature of Culex pipiens populations.

3770 summer diurnal activity of Drosophila in S. W.

Hokkaido, 746 Tabanidae taken by dry-ice trapping in Okayama

Prefecture. 1670 Tetranycopsis new for. 954

vertical distribution of macro-animals in soil

types. 2813

Xiphozele revised, 1912

Zele revised, 1912

Zoraida kuwayamae new for Shikoku. 937

Japanese encephalitis.

incidence of Culex vishnui complex in Madras

State, India. 1654

infection rate of Culex tritaeniorhynchus

summorosus in Toyama Prefecture, Japan.

Japanese pine-shoot moth, see Petrova cristata Japygidae (Dipl.), 3316, 3855

larval prothoracic structure, 3855

Jarmilia elongata gen. et sp. n. (Archodonata, Jarmiliidae), described, 3322

Jarmiliidae fam. n. (Archodonata), established for Jarmilia gen. n. 3322

Jarrah leaf miner, see Perthida glyphopa

Jartheza responsella (Lep., Pyralidae), syn. n. of Ancylolomia chrysographella. 5757

lashinea (Dipt., Tabanidae), nom.n. for Hinea Adams 1905 nec Grey 1847, 3775

Jassargus allobrigicus (Hom., Cicadellidae), new for Sweden. 472, 6127

Jassargus obtusivalvis, host of Halictophagus languedoci sp. n. in S. France. 3015

Jassidae, see Cicadellidae

Java (Indonesia),

biology of Triatoma rubrofasciata. 5988

new Cerambycidae from. 3300

new Cicadellidae from. 5694

new Indonesia from, 1936

new Pyralidae from. 5757

Javaesilis (Col., Cantharidae), new synonomy. 967 Javesella pellucida (Hom., Delphacidae), popula-

tions at Aschersleben, GDR. 327 IB-516, in relation to endogenous activity of CNS in Nauphoeta cinerea, 618

Jet black ants, see Dendrolasius

Joenia annectens (Protozoa), digestion of wood and presence of succinate dehydrogenase in Kalotermes flavicollis, 4868

Johnston's organ,

in flight control in Calliphora erythrocephala. 3874

interrelationship with antennal joint-receptor in Calliphora vicina. 3892

physiology in Calliphora erythrocephala. 3874 ultrastructure in Oncopsis flavicollis. 5196

Joppeicidae (Hem., Het.), 4706

biology, larvae and relationships. 4706

Joppeicus paradoxus (Het., Joppeicidae), biology, larvae and relationships. 4706

Jordan,

Acari and Insecta injurious to crops. 4062 new Cantharidae from, 3734

new Cryptophagidae from, 1410

Jowar, see Sorghum vulgare

Juglans mandshurica (Juglandaceae), in relation to haemolymph proteins of Hyphantria

- Juglans mandshurica (Juglandaceae), contd. cunea. 3928
- Juglans nigra (black walnut), feeding responses in Coptotermes formosanus, Reticulitermes flavipes and R. virginicus. 4762
- Julida (Myriap., Diplop.), food preferences. 2822 Julus (Myriap., Diplop.), muscle ultrastructure.
  - ulus (Myriap., Diplop.), muscle ultrastructur 157
- Julus colchicus, distribution in mixed forests of N. Kavkaz, USSR. 5396
- Juncobia (Hom., Aphididae), syn.n. of Iziphya. 3789
- Juncus articulatus (Juncaceae), biology of larval Coleophora tamesis. 5373
- Juncus effusus, biology of Erioptera squalida and Notiphila riparia. 2174
- Juniperus virginius (Cupressaceae) (red cedar),
  - attractancy to predaceous Coccinellidae for oviposition. 2084
  - JH-mimicking activity of bark and wood extracts. 3462

#### Jurassic,

- probable time of origin of Aculeata. 2986 Sinaeschna heishankowensis sp. n. described.
- systematic position of Epeoromimus and Mesoneta. 3323
- systematic position of Paedephemera. 3324

#### Jute, see Corchorus

- Jute hairy caterpillar, see Diacrisia obliqua Juvenile hormone,
  - activity of CA of pupal Bombyx mori. 1184
    activity of compounds with terpenoid backbones
  - in Tenebrio molitor. 3944 activity of methyl-14,15-epoxygeranylgeranate.
  - 5879
    activity of sesamex and related compounds in
    Tenebrio molitor. 5245
  - activity of tree extracts in pupal Galleria mellonella. 3462
  - ella. 3462 analogue in relation to embryogenesis of Pyrrho-
  - coris apterus. 2631 analogue in relation to function and morphogene-
  - sis of gonads in Pyrrhocoris apterus. 720 analogues in relation to metamorphosis in Onco-
  - peltus fasciatus and Pyrrhocoris apterus. 4010 analogue in relation to ovarial maturation in Pterostichus nigrita. 2686
  - analogue in relation to ovarian development and metamorphosis in Malacosoma pluviale. 2076
  - analogue in relation to pupal Tenebrio molitor.  $5244\,$
  - analogue in relation to tumorigenic strains of Drosophila melanogaster. 1615
  - CA implantation in relation to spermatogenesis in Locusta migratoria migratorioides. 3502 in relation to CA in Locusta migratoria. 3463
  - CA transplantation from Bombyx mori into diapausing pupae of Antheraea polyphemus and Hyalophora cecropia. 1184

- in relation to case-building in Limnephilus. 3641
- in relation to chromosomal puffing and development in Chironomus thummi. 5542
- control of differentiation in Saturniidae. 1616
- control of fatty-acid synthesis and lipid transport in Hyalophora cecropia, 4623
- control of programming of differentiation in Saturniidae, 1616
- control of vitellogenesis in Periplaneta americana. 718
- in relation to development of fat-body and flight-muscles in Locusta migratoria. 2030
- in relation to development and insemination in Spilopsyllus cuniculi and Xenopsylla cheopis.
- development of Microctonus aethiops in analoguetreated Hypera postica, 5421
- in relation to development and puffing in Chironomus thummi. 5542
- differential action on genes and tissues in Pyrrhocoris apterus. 720
- in relation to epidermal mitosis in Galleria mellonella. 241
- in relation to fat-body size in mature  $\[ \varphi \]$  Musca domestica. 1199
- fatty-acid composition and JH titre during metamorphosis in Hyalophora cecropia. 4623
- in relation to flight-muscles and ovaries in Acheta domestica. 1173
- in relation to growth of Crithidia fasciculata.
- in relation to imaginal development of prothoracic glands in Locusta migratoria. 2672
- independence of action on flight-muscles and ovaries in Acheta domestica. 1173
- laboratory synthesis of Hyalophora cecropia JH. 670, 1578
- in relation to lipid metabolism in Bombyx mori.
- in relation to metamorphosis in Oncopeltus fasciatus and Pyrrhocoris apterus, 4010
- mimic in relation to development of Malacosoma californicum pluviale. 2632
- mimicry by tree extracts in pupal Galleria mellonella. 3462
- in relation to morphogenesis of pupal integument in Galleria mellonella. 241
- in relation to pheromone secretion in Tenebrio molitor, 4552
- in relation to polytene chromosomes in Chironomus tentans, 3073
- in relation to protein- and RNA-synthesis in imaginal wing-discs of Philosamia cynthia ricini. 3510
- in relation to protocatechuic acid-4-O, β-glucoside synthesis in Periplaneta americana. 2626
- in relation to rectal epithelium cells in larval Manduca sexta. 698

### Juvenile hormone, contd.

- related compounds in relation to pupal Tenebrio molitor, 5244
- in relation to reproductive cycles of Q Lepismodes inquilinus, 1637
- in relation to RNA-synthesis in isolated fat-body cell-nuclei of Calliphora erythrocephala. 1126, 4553
- in relation to selection for growth components in Tribolium castaneum populations, 4171
- in relation to sex-pheromone production in Ips confusus. 2637
- 'status quo' theory of action, 1616
- timing of secretion in adult of Schistocerca gregaria. 4596
- titre during metamorphosis in Hyalophora cecropia. 4623
- in relation to vitellogenin synthesis in Leptinotarsa decemlineata. 5877
- in relation to wound-modelling of cuticle architecture in Tenebrio molitor, 4460
- Juvenilization, of adult Tenebrio molitor by frass and microsporidan infection, 2665

- Kaburagia ailanthi sp. n. (Hem., Hom., Aphididae), described, 90
- Kahlamba (Hem., Het.), transferred to Pentatominae. 88
- Kalotermitidae (Isopt.),
  - 354, 672, 936, 1058, 2168, 3196, 3637, 3640, 4129, 4724, 4868
- Kalotermes dispar (Isopt., Kalotermitidae), ultrastructure of Opisthomitus avicularis and Oxymonas sp. 4129

#### Kalotermes flavicollis.

- affinities between populations of Italy and areas outside Italy, 354
- castes and type of food involved in trophallaxis.
- digestion of wood and presence of succinate dehydrogenase in Joenia annectens. 4868
- elimination of supplementary reproductives.
- histology of glands on abdominal terga IX and X.
- neurosecretory innervation in sternal gland. 1058
- production of supplementary reproductives in Italian populations, 354, 3196
- toxicity of fungal culture filtrates. 2168

- Kalula blackae sp. n. (Hem., Het., Pentatomidae), described, 5711
- Kangean Islands (Indonesia), new Nymphalidae from.
- Kanigara (Hem., Het., Lygaeidae), new spp described and key. 2971
- Kapoetius rotundifrons gen. et sp. n. (Hem., Het., Miridae), described. 995
- Karachiota gen. n. (Hem., Hom., Cicadellidae), established, 998
- Kashmir, new Lygaeidae from, 4319
- Kaszabia spinulosa (Plec., Plecodidae), redescribed. 5768
- Kawamuracarus serratipalpis sp. n. (Arach., Acari, Limnesiidae), described, 13
- Kazan Retto Islands (Pacific Ocean).
  - new Crambidae from, 5756
  - new Nymphalidae from. 1936
- Keiferella (Arach., Acari, Eriophyidae), new spp described, 1825
- Keiferia rusposoria sp. n. (Lep., Gelechiidae), described, 4368

#### Kelthane.

- in relation to ATPases of muscle and nerves of Periplaneta americana, 614
- genetics of resistance in Tetranychus urticae.

## Kennel tick, see Rhipicephalus sanguineus Kenya,

- biology and parasites of Odites artigena on Coffea, 5368
- Coccus celatus new for. 5040
- control of Cadra cautella by means of dichlorvos slow-release strips. 4697
- Culicidae intercepted in aircraft at Nairobi Airport. 4816
- Curculionidae of Alpine zone of Mt. Kenya. 1715
- new Carabidae from, 5629
- new Eulophidae from, 1451
- new Megachilidae from. 5734
- new Platygasteridae from, 1923
- new Pseudococcidae from, 1004
- new Psoroptidae from. 4232
- new Pyralidae from, 5758
- new Trichogrammatidae from. 2526
- new Tydeidae from. 3291
- Nymphalidae from, 4381
- Planococcus citri complex on Coffea arabica roots, 6056
- Siphonaptera from small mammals and Hyrax. 1696
- Kepone [decachlorooctahydro-1, 3, 4-metheno-2Hcyclobuta-[cd] pentalen-2-one], control of Conoderus falli. 5347
- Kermes bytinskii sp. n. (Hem., Hom., Kermesidae), described, 5048
- Kermesidae (Hem., Hom.), 5048
- Keroplatus (Dipt., Mycetophilidae), differentiated from Ceroteilion and biology. 68
- Kertész, Silba spp redescribed, 3773

Ketones,

insecticidal activity. 5176

from ant-repellent secretion of Romalea microp-

Kewochthonius amplus (Arach., Pseudoscorp.), transferred to Neochthonius. 5

Khapra beetle, see Trogoderma granarium

Kimula (Arach., Opil.), revised, new spp described and key. 3294

Kirschenblatia kabardensis gen. et sp. n. (Col., Staphylinidae), described, 1416

Kleidocerys resedae (Hem., Het., Lygaeidae), probable host of Laonia canadensis gen. et sp. n.

Knautia arvensis (Compositae), host of Aphis longini sp. n. 554

Knutsonia lineata (Dipt., Sciomyzidae), feeding and life-cycle, 5997

Kobacoris flavipes gen. et sp. n. (Hem., Het., Reduviidae), described. 1389

Kochumannia excelsa gen. et sp. n. (Thysanopt., Phlaeothripidae), described, 1482

Koebelia (Hem., Hom., Cicadellidae), inclusion in Ledrini justified, 2983

Kojic acid,

in relation to hybrid, inbred and outbred strains of Musca domestica, 4411

in relation to larval development of Aedes atropalpus and Musca domestica. 1643

Koramius acdestis lux subsp. n. (Lep., Papilionidae), described, 3821

Korea.

Alticinae from. 3741 new Araneae from. 5617 new Chrysomelidae from, 3741 new Cicadellidae from. 5696 new Stenopelmatidae from, 2537 Prostigmata of caves in S. Korea. 2825 Scoliocentra engeli new for. 2240 Staphylinidae of limestone caves in S. Korea,

Krebs cycle, partial block in relation to development of Prosophila, 699

Krenopsectra fallax gen. et sp. n. (Dipt., Chironomidae), described, 2503

Kukalova americana gen. et sp. n. (Archodonata, Kukalovidae), and moravica sp. n. described.

Kukalovidae fam. n. (Archodonata), established. 3322 Kuzinia (Arach., Acari, Acaridae), new for Poland.

Kuzinia laevis, biology in relation to Bombus. 5381 Kynurenine.

accumulation in eye-mutants of Apis mellifera.

precursor of papiliochromes in Papilio xuthus.

Kynurenine-3-hydroxylase, of Calliphora erythrocephala. 1123

Kytorrhinus prolixus (Col., Bruchidae), o genitalia. 1164

Labena grallator (Hym., Ichneumonidae), parasitic on pupal Rhopolophora rugicollis. 5445

Labia arcuata (Derm., Labiidae), from Galápagos Islands. 2194

Labia decellei sp. n., described, 53

Labiatae, collection of petals by Sphaenogaster gemella. 4862

Labidomilla semirubra (Hym., Mutillidae), transferred to Pygomilla. 1447

Labidostomma (Arach., Acari, Prostigmata), new spp from Japan. 504

Labidura (Derm., Labiduridae), rearing of riparia and bengalensis in the laboratory, 5131

Labidura riparia,

early embryonic development of gonads. 5279 morphology and DNA-metabolism of nurse cells. 3085

predaceous on Collembola, 2170

Labiduridae (Derm.),

2170, 3085, 5131, 5279, 5663

Labidus praedator (Hym., Formicidae), behaviour of Vatesus praedatorius in relation to. 3137 Labiidae (Derm.),

53, 55, 1861, 2194, 2500, 3755, 4293, 5663

Labradorocoleidae fam. n. (Col.), established. 2916

Labradorocoleus carpenteri gen. et sp. n. (Col., Labradorocoleidae fam.n.), described. 2916

Labyrinthopsylla subgen. n. (Hom., Psyllidae), established in Psylla. 5703

Laccases, cuticular phenoloxidase of white puparia of Drosophila virilis a laccase, 1558

Laccobius gracilis (Col., Hydrophilidae), a new variety from Hungary, 3744, 4999

Laccophilus (Col., Dytiscidae), larvae from Southern Africa. 3041

Laccophilus fasciatus, abundance in oxidation lagoons in C. Missouri, USA 1738, 3199

Lacertilia, hosts of Ixodidae in E.C.Oklahoma, USA 4775

Lachlania (Ephem., Oligoneuriidae), biology, ecology and taxonomy. 5034

Lachlania dencyanna sp. n., described, 5034

Lachnea (Col., Chrysomelidae), collection of eggs by Formicidae. 4030

Lachnidae (Hem., Hom.), 2121, 2152, 2594, 2761,

Lachnocnema jacksoni (Lep., Lycaenidae), o des-

Lachnocnema jacksoni (Lep., Lycaenidae), contd. cribed. 1466

Lachnus (Hem., Hom., Lachnidae), damage to Quercus in Kurdistan, Iraq. 2121

Lachnus roboris, honeydew producer on Quercus in Hungary. 2761

Lacinopolia renigera (Lep., Noctuidae), new host for Microplitis feltiae. 4713

Lacinius ephippiatus (Arach., Opil.), eye ultrastructure in relation to habitat. 3059

Lacon tuspanensis (Col., Elateridae), made typesp of Pyrganus gen. n. 973

Lactase,

in gut of Clavigerella gibbosa. 5853 in gut of Eublemma amabilis. 2024

Lactate dehydrogenase,

activity during post-embryonic development in Apis mellifera. 5862

activity in a Tribolium castaneum population. 5309

polymorphism of haemolymph enzyme in Gryllus campestris. 2014

Lactic acid.

accumulation in last larval instar of Donacia simplex. 1087

haemolymph titre during heat death in Centrioptera muricata. 5885

Lactolus masculiscutis (Hym., Ichneumonidae), svn.n. of Buodias ruficoxis, 111

Lactose, in relation to fecundity of Locusta migratoria under crowded conditions. 1208

Ladybird, see Coccinellidae

Laelaps (Arach., Acari, Laelapidae),

Indo-China and Thailand spp keyed. 4971 from Laos and Vietnam. 4971

Laelaps agilis, abundance on small mammals in Dobroudja, Romania. 2746

Laelapidae (Arach., Acari), of Riparia riparia in Switzerland. 4106

Laemobothriidae (Mall.), 3579

Laemobothrion vulturis daneckii (Mall., Laemobothriidae), pathology of infestation of Gypaetus barbatus. 3579

Laestrygones setosus sp. n. (Arach., Aran., Toxopidae), described. 958, 3293

Laetilia coccidivora (Lep., Pyralidae), predator of Toumeyella liriodendri. 3535

Lagomorpha,

hosts of Ixodidae in E.C.Oklahoma, USA. 4775 Siphonaptera of in Germany. 4092

Lagriidae (Col.), 4988

relationship to Anthicidae. 4988

Lagurus luteus (Rodentia), Gamasoidea of in Zaysanskiy Depression, Kazakhstan, USSR. 5487

Lakes.

annual fluctuations in water level in relation to larval chironomid communities of L. Kariba (Africa). 4087

bibliography relating to L. Kinnereth (Israel). 2450

biomass-production and ecology of Tendipes in a lake in Georgia, USA. 3618

bottom fauna and sediment in a drying phase of L. Chilwa (Malawi), 3162

changes in benthos in the Volta Lake (Ghana) since 1964. 4100

distribution of Cenocorixa bifida and C. expleta in inland saline lakes of British Columbia, Canada, 3170

ecology of Chaoboridae and Chironomidae in L. George (Uganda). 3619

ecology of Chironomidae of L. Washington (USA). 348

feeding by larval Odonata and Plecoptera on Tricladida, 4765

Hexagenia limbata californica present in a California (USA) warmwater reservoir. 4947

Hydracarina in N.C. Colorado, USA. 3172

Insecta of L.Chad (Africa) and their biology and ecology. 3597

Invertebrata of saline lakes on Fraser Plateau, British Columbia, Canada. 3608

life-cycle patterns of Chironomidae and Chaoboridae in a floodplain lake in Minnesota, USA. 4098

organic wastes in relation to aquatic insects in impounded habitats. 6036

origin of insect fauna of L. Chad (Africa). 3597 qualitative and quantitative changes in benthic fauna of L. Chad (Africa). 4849

Rhopalocera from eastern side of L. Tanganyika (Africa). 4198

successional changes in the benthos of tropical manmade lakes. 3604

Lamiinae (Col., Cerambycidae),

biology, ecology, economic importance and taxonomy of Mozambique fauna. 4266

larvae of C. European spp keyed and biology summarized.  $4440\,$ 

new genera and spp described. 1843, 3300 Lamingtonii dae fam.n. (Col.), established. 4252

Lamingtonium binnaburrense gen. et sp. n. (Col., Lamingtoniidae fam. n.), described, 4252

Lamium album (Labiatae), food value of nectar to Erioischia brassicae. 2722

Lamium amplexicaule, oviposition by Hypera postica. 2692, 4846

Lampedus (Col., Dascillidae), flight. 3051 Lamprochernes (Arach., Pseudoscorp., Chernetidae), morphology and growth of flagellum.

Lamprolonchaea metatarsata (Dipt., Lonchaeidae), redescribed. 3773

Lamprotatidae (Hym.), 4101

Lampyridae (Col.),

272, 1368, 1600, 3060, 3070, 3960, 5646 of Carpathi: n Basin. 1368

Langkawi Islands (Malaysia), Lycaenidae from. 1930

Language, distribution of entomological

Language, contd.

literature, 5611

Languriidae (Col.), 40, 4252, 5000

affinities to Lamingtoniidae fam. n. 4252 Loberonothini trib. n. established. 4252

Languriinae (Col., Languriidae), distributions of African spp. 5000

Lannate [S-methyl N[(methyl-carbamoyl)oxy]-thioacetimidate],

control of Spodoptera littoralis in Egypt. 5352 effects on larval Choristoneura occidentalis. 1086

Laodelphax striatellus (Hem., Hom., Delphacidae), artificial feeding. 1027 carbohydrates as food substrates. 2740

cell culture in vitro. 2059

device for collection of age

device for collection of eggs. 5776 genetics of malathion resistance. 6100

Laonia canadensis gen. et sp. n. (Streps., Callipharixenidae), described. 4401

Laos.

Laelapidae from. 4971

new Cerambycidae from. 524

new Scarabaeidae from. 4986

Laothoë populi (Lep., Sphingidae), phenology. 3106 Laphria gilva (Dipt., Asilidae),

mating and oviposition behaviour. 1666 predation on Dendroctonus ponderosae in S. Dakota, USA. 1666

Laphria ivorina sp. n., described, 59

Laphriinae (Dipt., Asilidae),

ecological morphology. 1716

salivary glands of French spp. 3082

Laphygma exigua (Lep., Noctuidae),

1-methyl-2-mercaptoimidazole and 6-methyl uridine in relation to diapause and moulting, 5293

long-distance migrations. 5456

Lappodiamesa brundini (Dipt., Chironomidae), new for Europe. 4189

Larch casebearer, see Coleophora laricella Larch leaf-roller moth, see Zeiraphera diniana

Larentia (Lep., Geometridae), activity periods in relation to competition for nectar. 5986

Large chestnut chafer, see Melolontha melolontha Larinae (Col., Elminthidae), new spp from Ivory Coast. 34

Larinomorda ivoirensis gen. et sp. n. (Col., Mordellidae), described. 41

Larinus rugulosus (Col., Curculionidae), redescribed, 31

Larinyssus (Arach., Acari, Dermanyssidae), evolution. 510

Larix (Pinaceae),

control of Zeiraphera diniana in Hautes-Alpes, France. 4102

feeding levels of Pristiphora erichsonii in Maryland, USA. 5399

host of Laspeyresia deciduana sp. n. 5077 hosts of Adelges viridana in Britain. 3266 population distribution of overwintering Lepidoptera in C. Switzerland. 4083 Tortricidae attacking. 5077

Larix japonica, susceptibility to Pristiphora erichsonii. 5399

Lark, see Alauda arvensis Larvae.

acetylcholinesterase activity in CNS of winter larvae of Odagmia. 3881

acetylcholinesterase activity during development in Celerio euphorbiae. 5940

actinomycin in relation to RNA-synthesis and cytoplasmic polyhedrosis virus replication in Malacosoma disstria. 5540

activity patterns of Chaoborus punctipennis and Protonemura meyeri. 3113

acylation and deacylation of phospholipids by microsomes in Musca domestica. 3927

adaptations to parasitism in Trichogramma. 5407

of Aedes varipalpus complex keyed, 3765

of Aegilips and Anacharis described. 313 in relation to attachment rate in Amblyomma

americanum, 4780 age range in relation to survival of Tribolium castaneum strains in mixed culture, 4086

alarm ventilation in Notonecta, 3426

aldrin treatment of food in relation to Tegenaria atrica. 3923

allergic reactions in man to larval hairs of Ephestia sp and Tenebroides mauretanicus. 5515

almond body-colour in Antheraea mylitta. 2844 of Alphitobius diaperinus and A. laevigatus. 4427

amino-acid concentration of haemolymph, cocoon weight and diet in Bombyx mori. 4509

aminoacyl-tRNA-binding enzymes from Drosophila melanogaster. 4541

anal pyramid of Aeshna cyanea. 3570

annual fluctuations in water-level in relation to larval communities of L. Kariba (Africa). 4087

of Anthaxia and Cratomerus of USSR described and keyed, 5795

antibiotics in relation to growth in Ceratitis capitata. 4612

of aquatic Coleoptera from Republic of S. Africa. 4944

Arrenurus damaging wings of Sympetrum meridionale. 6006

association of Simulium atyophilum sp. n. with Atya africana in W. Cameroun. 4313

of Atherigona attacking spring-planted maize in India. 4806

Bacillus thuringiensis infection in relation to development in Anagasta kuehniella. 5306

behaviour of Acrobasis comptoniella. 4037 behaviour and biology of Euura. 3538

behaviour and biology of Phyllocolpa. 3538

behaviour and biology of Pontania. 3538 behaviour and development of C. European

Clytrinae and Cryptocephalinae. 4030

behaviour in relation to epizootic spread in Porthetria dispar, 4109

behaviour of Erannis leucophaearia. 5556

behaviour and feeding of Lepidoptera associated with pig carrion in S. Carolina, USA 3545

behaviour of mass-reared Manduca sexta. 3370

behaviour, morphology and respiration in Erioptera squalida and Notiphila riparia. 2174

behaviour of Sesamia cretica. 5969

behaviour of Trypoxylon figulus. 2083

Beta-light trap for Culicidae. 5094

bibliography of World literature on Elateridae. 4961

biochemical criterion for larval species differentiation in Sarcophaga. 3774

biochemistry and genetics of lethal albino Bombyx mori. 3666

biological bases for plant protection against Elateridae in USSR. 5463

biology of Bradysia amoena in Abies cones in USSR, 4190

biology of Chrysomya rufifacies in new-born calves in Hawaii. 4040

biology and development of Chironomus salinarius in W.Norway, 2667

biology, evolution and morphology of Elateridae.

biology and instar number in Selasia unicolor.

biology of Lycoriella solani in Abies cones in USSR. 4190

biology of Miltogramma in Poland. 4931

biology of Molorchus bimaculatus semiustus in relation to Celtis, 5445

biology of Pyanisia tristis in Alabama, USA. 3040

biology of Rhopolophora rugicollis in relation to Celtis. 5445

biology of Syrphus latifasciatus. 4743

biomass production and ecology of Chironomidae in a lake in Georgia, USA. 3618

biotope distribution of Tabanidae in New Jersey (USA) salt-marsh and swamp. 3620, 4828

body constraint and developmental arrest in Galleria mellonella. 5914

body-weight and head-width for instar separation in Urbanus proteus. 4428

brain hormone titre of Bombyx mori during development. 5876

of British Carabini and Cychrini described and keyed, 1965

of British genera of Omaliinae keyed and biology.  $4441\,$ 

of British Psocoptera. 4435

of Brumus, Chilocorus and Exochomus contrasted, 5638

of Cabera exanthemata and C. pusaria described, 1236

carbohydrate metabolism in Apis mellifera. 5862

CO<sub>2</sub> anaesthesia in relation to toxicity of malathion to Attagenus megatoma. 4562

carcinogens in relation to Periplaneta americana. 3430

Cardiochiles nigriceps parasitization in relation to Heliothis virescens. 5947

case-building and choice of building materials in Potamophylax latipennis, 5211

case-building and its nervous control in Limnephilus, 3641

caste determination by amount of larval food in Hypotrigona and Trigona of Ivory Coast. 3635

of Cecidomyiidae attacking stored grass seeds in Poland, 5435

cell responses to  $benzo[\alpha]$ pyrene in Periplaneta americana. 3436

of C. European Lamiinae keyed and biology, 4440 of Chalicodoma cincta combusta and Synargris analis as hosts for Anthrax conspircuta, 6007

chemoreceptors of Lema trilineata daturaphila. 4712

chironomid larvae of benthos in L. Chilwa, Malawi. 3162

chironomid larvae as prey of Pyrrhosoma nymphula larvae. 3186 choline analogue incorporation into phospho-

choline analogue incorporation into phospholipids in Musca domestica. 3933

of Chrysocarabus, 3735

circadian rhythm of drop-off of engorged Dermacentor variabilis. 5395

circadian rhythmicity of salivary glands in Drosophila melanogaster. 3471

climbing responses in Amathes c-nigrum. 2605 Coccinellidae in pitfall-traps among Abies in GDR. 4104

cocoons and diapause in Contarinia pisi. 4029 Coelomomyces macleayae as parasite of larval Aedes polynesiensis in Fiji. 4882

Colaptes auratus predaceous on Diatraea grandiosella in Mississippi, USA. 4851

competition among Diatraeophaga striatalis larvae in Chilo sacchariphagus. 5415

conditioning of food medium in relation to viability of Drosophila melanogaster. 4173

of Cordilura deceptiva and varipes described. 290

corn pollen in relation to development and survival of Ostrinia nubilalis. 4639

crowding in relation to activity, colour and size in Spodoptera littoralis. 5933

crowding in relation to age structure in Drosophila melanogaster populations. 4172

crowding in relation to body-weight and water and fat content in Bombyx mori, 5929

crowding in relation to coloration in Anomis sabulifera. 5882

of Cryphalus, Crypturgus and Pityogenes keyed.

of Culex pipiens group in N. Japan. 3770

culture of Euscelis plebejus mycetocytes in vitro. 3918

cuticle in relation to phenoloxidase activation in Drosophila melanogaster. 5228

cytochrome-c content in Apis mellifera. 4524

cytoplasmic polyhedrosis in relation to development of Pectinophora gossypiella. 3963, 5268

of Dacus ciliatus, frontalis and vertebratus described. 5143

DDT absorption and metabolism in Boophilus microplus. 4575

DDT-resistance in Ceratophyllus fasciatus and Xenopsylla cheopsis in USSR. 4581

DDT-resistance of Simuliidae in New York State (USA) and E. Canada. 5472

defence reactions of Hypera postica to oviposition by Tetrastichus incertus. 5324

density and dispersion in Cheumatopsychid populations. 5473

densonucleosis in relation to uric acid formation in fat-body of Galleria mellonella. 3455

descriptions amended for African genera and spp of aquatic Coleoptera. 3036

development of African Helopeltis. 2513

development, diapause and overwintering of Grapholitha molesta. 5507

development and feeding of Cosmobaris americana. 4710

development and genetics of mutant lethal giantlarvae of Drosophila melanogaster, 398

development and instar number in Polydorus aristolochiae. 4747

development and instar number in Tetrastichus flavigaster. 4741

development of Leucostoma simplex. 4702

development and mortality in Myrmica rubra. 4873

development of Nomia melanderi. 4864

Jevelopment of Oscinella frit on oat seedlings. 2695

development of Pachydiplosis oryzae, 4061 development in Panonychus ulmi natural populations, 3551

development of Polynema parasitic in Nabis americoferus. 4702

development of Sarcophaga tibialis. 4659

development of Schistocerca gregaria in relation to temperature, 3098

development of Synthesiomyia nudiseta in relation to temperature, 4748

development of wing-discs and nucleic acid metabolism in Pieris brassicae. 3505

devices for rearing stream insects. 4415 diapause absent from diseased larval

Heliothis. 4605

diapause of Blaesoxipha lineata ovipositing in Melanoplus sanguinipes. 4793

diapause of Chymomyza costata. 5975

diapause and food-consumption of Dioryctria amatella and D. zimmermanni in Pinus echinata cones. 5492

diapause in Nasonia vitripennis. 5283

diel activity patterns of Trichoptera. 3542

diel activity rhythm in Culicidae. 5094 Dientamoeba dobelli sp. n. from rectum of Ory-

ctes rhinocerus in India, 4674 diet in relation to fatty-acid composition of

diet in relation to fatty-acid composition of haemolymph in Galleria mellonella. 3512

diet for Culicoides variipennis. 3366

diet for Sarcophaga tibialis. 4659 diet for Scolytus multistriatus. 2556

diet in relation to growth in Manduca sexta.

diet in relation to growth in Myzus persicae. 4632

diet and rearing-containers for Dacus oleae. 5125

diet in relation to survival of Ostrinia nubilalis.  $5948\,$ 

dipteran larvae living unharmed in Sarracenia purpurea pitchers. 3589

DNA-synthesis in salivary glands in Dacus cucurbitae. 3952

duration and number of instars in Avicularia avicularia. 4721

Dytiscidae from Southern Africa, 3041

ecdysial lines of Cicindela cancellata. 3847 ecdysis and instar number in Corcyra cephalonica and Anagasta kuehniella. 5985

ecdysone accumulation in salivary-gland cellnuclei of Drosophila hydei. 4549

ecdysone and JH in relation to RNA-synthesis in fat-body cell-nuclei in Calliphora erythrocephala. 4553

ecdysone in relation to protein- and RNA-synthesis in Antheraea pernyi. 5243

ecology of Chaoboridae and Chironomidae in L. George, Uganda. 3619

ecology of Chironomus zealandicus in Kiosk Pond, Auckland Domain, New Zealand. 3617

ecology of Dioryctria amatella and D.zimmermanni in Pinus echinata cones. 5491

ecology of Hexagenia in an Oklahoma (USA) reservoir. 3173

ecology of intranasal Trombiculidae in New Guinea, 4237

ecology of Trombiculidae in Raif district, Volga-Kama Reserve, USSR 4835

egg source in relation to infestation of dent corn by Ostrinia nubilalis, 5948

of Elateridae. 1360, 5144

of Empididae of Southern Africa. 3772

energy flow in Pyrrhosoma nymphula populations. 3186

energy turnover of Lipara lucens. 4820

engorgement in relation to host skin-temperature in Hyalomma aegyptium. 4774

enzyme genetics of lethal lemon Bombyx mori.
4158

of Ephemeroptera from Bismarck and Philippine Islands. 1885

Ephemeroptera and Plecoptera in streams in Lincolnshire, England. 3171

epicuticle resistance to extraction with lipid solvents in Calpodes ethlius. 4462

estimation of Nephotettix cincticeps numbers in the resting paddy-field. 4852

of European Ichneumonidae. 4438

of Euura, Phyllocolpa and Pontania attacking Populus and Salix in California, USA. 3538

evolution in Baëtidae and Siphlaenigmatidae.

extraction of microarthropods from birds' nests. 2547

fat-body proteins of Diatraea grandiosella, 4641 fatty-acid composition of lipid in larval Acheta domestica. 3507

feeding by Acherontia atropos on Ligustrum vulgare in nature. 6013

feeding of Apamea finitima on barley kernels.
6010

feeding of Atherigona naquii on barley. 4805 feeding of Ephydra bruesi on Zygogonium ericetorum. 3621

feeding, growth and mortality in Chironomus anthracinus. 6041

feeding of Haemaphysalis kitaokai sp. n. 4223 feeding of Knutsonia lineata, 5997

feeding and mouthparts of Cybister tripunctatus africanus, 5790

feeding and mouthparts of Rhagio scolopaceus and Sargus bipunctatus, 1970

feeding of Nearctic slug-killing Tetanocera, 4716 feeding and occurrence of Phytobia in Fraxinus americana, 3587

feeding pattern and food consumption of Peltoperla maria, 4755

feeding and prey-capture of Ranatra linearis. 2725

feeding of Renocera cyathiformis. 5997

fenthion- and malathion-resistance in Culex pipiens pallens. 2850

fibroin synthesis and pteridine metabolism in normal and oily Bombyx mori. 3453

food utilization in Lema trilineata daturaphila.

of Formicinae described and body-profiles classified. 4430

of Formicinae keyed. 4430

fossil Lepidoptera from Canadian Cretaceous amber. 4207

Fumidil B treatment of Ostrinia nubilalis against Perezia pyraustae. 5183 fumigants for control of Rhagoletis mendax and Rh. pomonella. 5339

fungal disease among larval predators of Adelges, 5150

genes controlling haemoglobins in Chironomus tentans. 4148

genetic load and viability in Drosophila melanogaster. 3647

genetics of diazinon-resistance in Culex pipiens molestus. 3230

genetics of dieldrin-resistance in Culex tritaeniorhynchus. 2852

genetics of polymorphic colour-morphs of Chlosyne lacinia, 2848

germination of seeds of Indian crops damaged by Sitotroga cerealella. 4812

glutamic acid in relation to free amino acids in Drosophila melanogaster. 5235

 $\gamma$ -L-glutamyl-L-phenylalanine synthesis in Musca domestica. 4626

 $\alpha$ -glycerophosphate and lactate dehydrogenases during development of Drosophila melanogaster. 4629

of Gomphidae from Surinam described. 5763

granulosis of Plutella xylostella. 5344

granulosis virus multiplication in midgut cells of Trichoplusia ni. 3921

gregarization pheromone secreted by Locusta migratoria migratorioides, 5262

migratoria migratorioides. 5262 growth of Bacillus popilliae in Popillia japonica.

growth of epithelial cells and haemocytes of Lepidoptera in primary culture. 5282

growth and  ${\rm O}_2$ -consumption in Hypoderma bovis. 5311

growth retardant produced by Aedes aegypti.

gut bacterial flora of Bibio marci. 3919 gut of Hypoderma bovis. 3064

habitat of Hippelates dissidens, 4651

haemocyte reactions of Galleria mellonella to Salmonella typhimurium infection, 3063

haemocytopoietic organs of Diprion similis. 2611 haemolymph electrophoresis for differentiation of sibling spp of Rhynchosciara. 4507

haemolymph lipoglycoprotein from Popillia japonica, 5866

haemolymph phenoloxidase activated by larval cuticle in Drosophila melanogaster. 3862

haemolymph protein metabolism in Locusta migratoria. 5233

head-capsule characters for species separation in Deilinia and Drepanulatrix. 2578

head-capsule measurements for Apamea finitima.  $6010\,$ 

head-width for instar determination in Culicidae. 2576

of Helophorus brevipalpis, granularis and

```
Larvae, contd.
```

orientalis described, 4279

heterozygosity of X-ray-induced mutations in relation to viability of Drosophila melanogaster. 6092

hexadecasphing-4-enine and tetradecasphing-4enine as principal sphingosines of Musca domestica. 5241

Hexamermis infection of Spodoptera mauritia at Gorakhpur, India. 4688

histopathology of Biotrol BTB Process 183 in Anagasta kuehniella. 3468, 3469

hormonal control of imaginal-disc regeneration in Galleria mellonella. 5877

hormonal control of water-budget in Chaoborus crystallinus. 3947

host-plant leaf age in relation to development of Ennomos subsignarius. 4633

hydrochlorination reaction mixture in relation to Choristoneura fumiferana. 4618

Hymenolepis microstoma infection in relation to growth of Tribolium confusum. 3488

of Hyperoscelidae described, 4305

infection levels of Coelomomyces punctatus in natural populations of Anopheles quadrimaculatus. 5807

insecticide susceptibility in Telmatoscopus albipunctatus. 5987

instar duration in Thomisus onustus. 4728 instar number in Acrobasis comptoniella. 4037 instar number in Amrasca splendens. 4714

instar number in Conophthorus ponderosae. 4703 instar number in relation to environmental conditions in Porthetria dispar. 4097

instar number in Helicoverpa armigera, 3097 instar number in Ips cembrae, 4036

instar number in Malacosoma californicum fragile. 3387

instar number in Microplitis feltiae. 4713 instar number in Thomasiella tomentosae. 4027 instar parasitized in relation to growth in

Heliothis zea. 5424 instar and sex differentiation in Nephotettix cincticeps. 4434

interval between larvae in Glossina palpalis in the laboratory. 5470

invasive neuroblastoma of brain in Drosophila melanogaster. 4160

iridescent virus infection of Aedes stimulans. 5812

irradiation in relation to viability of Drosophila melanogaster. 3679

JH activity of sesamex and related compounds in Tenebrio molitor, 5245

kojic acid in relation to hybrid, inbred and outbred strains of Musca domestica. 4411

larva of Acalitus vaccinii described. 4709 larva of Adalia bipunctata predaceous on Phorodon humuli in Czechoslovakia. 6055

larva of Aedes rempeli described, 4432

larva of Agapostemon nasutus described. 1728, 3193

larva of Agrion ornatum described. 3038 larva of Agriotes ponticus described. 1659 larva of Amradiplosis allahabadensis described.

larva of Amrasca splendens described. 4714

larva of Anaphothrips validus described, 5597

larva of Aprionus described. 3962

larva of Argia concinna described, 3830 larva of Arzama densa described, 282

larva of Avicularia avicularia described. 4721

larva of Baesia atra described, 4433

larva of Brachymeria moerens described. 316

larva of Bradinopyga germinata described. 3829 larva of Bradysia impatiens described. 4704

larva of Brumus oblongus described. 5638

larva of Callophrys dumetorum oregonensis subsp. n. described, 5069

larva of Cardioptera described. 5665

larva of Catobatina geometroides described.

larva of Chironomus nuditarsis described, 2056 larva of Chirothrips manicatus described, 3852

larva of Chymomyza costata described. 5975

larva of Coleophora tamesis described, 5373 larva of Corcyra cephalonica described, 5789

larva of Crivellia silenus described, 5797

larva of Crocothemis servilia described, 3829 larva of Dactylochelifer latreillei described,

larva of Drosophila picta described, 3130

larva of Eriosoma ulmi described. 4039 larva of Eublemma parva described. 5142

larva of Eurytoma martellii described. 3114

larva of Exeristes arundinis described. 4820

larva of Eylais described. 2882

larva of Glyptotendipes atrimanus described. 5025

larva of Gonomyodes racoma described, 603

larva of Gryon flavipes described, 5375

larva of Haemaphysalis pentalagi described. 4224

larva of Helconidea occidentalis described. 3039 larva of Herpetogramma licarsisalis as pest of pasture grasses in Hawaii. 4736

larva of Holotrichia serrata attacking Nicotiana at Kateru, India. 4808

larva of Itoplectis cristatae described. 276

larva of Joppeicus paradoxus described. 4706

larva of Lama trilinate detunarbile de

larva of Lema trilineata daturaphila described. 4712

larva of Leucostoma simplex described, 4702

larva of Linera lucera described, 3042

larva of Lipara lucens described, 4820 larva of Lithophane laticinerea described, 3541

larva of Lixus algirus described. 1226

larva of Ludovix fasciatus parasitic on Cornops.

```
Larvae, contd.
```

larva of Macraspis dichroa cibrata described.

larva of Marmarina tigrina described, 4433

larva of Melanotus fusciceps described, 1659

larva of Melitaea varia described, 4437

larva of Messa nana described, 4025

larva of Microbracon kirkpatricki described.

larva of Microplitis croceipes described, 3548

larva of Monostegia abdominalis described, 4063 larva of Musgraveia sulciventris described. 3546

larva of Nasonia vitripennis described, 5794

larva of Nesaeocarabus interruptus described. 4443

larva of Obuchovia segusina sp. n. described.

larva of Odites artigena described. 5368

larva of Oestrus ovis described. 1275

larva of Orius indicus described, 4715

larva of Orthacheta hirtipes described, 274

larva of Orthosia hibisci described, 5447

larva of Oryctes elegans described, 3115

larva of Othreis materna described. 1503

larva of Palaeodipteron walkeri described, 3319

larva of Pamphilius ochreipes described. 4044

larva of Pamphilius phyllisae described, 3623

larva of Paracalanthis gen. n. described, 4985

larva of Pegomya mixta described, 3381

larva of Phanodesta described, 4985

larva of Phlebotomus longipalpis described, 4431

larva of Phorbia brunnescens described. 5139

larva of Phrydiuchus described. 3389

larva of Phyllocnistis citrella described, 5378

larva of Phyllocolpa coriacea described, 330

larva of Physocephala bimarginipennis described. 5670

larva of Pieris krueperi described. 5141

larva of Poecilips pteridophytae described. 6015

larva of Pontania tuberculata described, 330

larva of Popillia japonica described, 5140

larva of Priacma serrata described, 4850

larva of Pristiphora acidovalva described, 1506

larva of Prosimulium dicentum described, 4312

larva of Protoneura ailsa described, 3830

larva of Pseudeucoila bochei described, 3575

larva of Psylla foersteri described, 5703

larva of Pteleobius described, 3849

larva of Pvanisia tristis described. 3040

larva of Rhimphoctona atrocoxalis described. 3039

larva of Rhithrogena degrangei sp. n. described.

larva of Satyrium sylvinus dryope described.

larva of Scambus phragmitidis described. 4820

larva of Scopula ancellata described. 4439

larva of Selasia unicolor described, 4737

larva of Simodenus reflexifollis described. 3848

larva of Tanypeza longimani described, 3386

larva of Termatophylum insigne described, 5983 larva of Tetanura pallidiventris, 5974

larva of Tetrastichus flavigaster described,

larva of Thomasiella tomentosae described.

larva of Tiphia berbereti parasitic on larval Phyllophaga anxia, 4734

larva of Triatoma rubrofasciata described, 5988

larva of Zelandobius unicolor described, 3831 larval behaviour in relation to epizootic develop-

ment in Porthetria dispar. 6048 larval remains of parasites of Neodiprion tsugae

keved, 3149 larviposition behaviour of Sarcophaga tibialis.

larviposition of Glossina palpalis in the labora-

tory. 5470

lepidopteran larvae parasitized by Ichneumonidae on W. Coast of Schleswig-Holstein, GFR. 5478

of Licinus aequatus, punctatulus and silphoides. 4442

ligaturing in relation to nuclear polyhedrosis in Galleria mellonella. 5803

lipids of Culex pipiens fatigans during development, 4007

lipids of Heliothis virescens and H. zea. 3516 Lipotropha dorci sp. n. from Dorcus parallelipi-

pedus, 5162 location of overwintering larvae of Medetera

aldrichii, 4745 locomotion of Melolontha melolontha, 5919

of Lyctus, 1229

lysozyme concentration in relation to acquired immunity against Pseudomonas aeruginosa in Galleria mellonella, 5167

mass-movement of Simuliidae on silken threads in a dammed stream. 4814

mass-rearing of Hyalophora cecropia in the laboratory, 3369

measurement of Bacillus thuringiensis dose ingested by Galleria mellonella, 5781

measurement of feeding in Plathypena scabra by instars, 4413

melanotic lesions of Drosophila melanogaster.

Melolontha melolontha sensitized to Beauveria tenella mycosis by previous infection with Bacillus popilliae. 5170

method for transplantation of imaginal discs in Musca domestica nebulo prepupae. 2669

methods for mass-rearing in Manduca sexta. 3370

methods for recovering Phthorimaea operculella from foliage. 3844

microcauterization for maxillectomy of lepidopterous larvae by fulguration. 2560

Microlepidoptera from Baltic amber. 2881

microsome serology in relation to cytoplasmic polyhedrosis in Bombyx mori. 5870

midgut epithelium of Chaoborus. 5856 migration of Diabrotica virgifera in the soil.

mine of Dechtiria turbidella described, 5586 mine of Stigmella paradoxa described, 5587 mode of action of Bacillus thuringiensis toxic crystals in Bombyx mori, 3440

morphological and physiological variation in Contarinia medicaginis. 332

mortality of Chilo zonellus on bajra, maize and sorghum. 4798

mortality in Lipara lucens due to Polemon liparae. 4820

moulting-hormone content in Calliphora prepupae. 694

moulting-phases and pupation in Melolontha melolontha. 5919

musculature and skeleton of Embia ramburi. 3855

musculature and skeleton of thorax of Chrysopa and Coniopterygidae. 2579

mycoplasma-like microorganisms from Melolontha melolontha. 5163

of Nabidae from Hungary. 6128

of Neocurupira and Peritheates of New Zealand keyed. 3758

neural patterns associated with ventilatory movements in Aeshna and Anax imperator. 3425 neuter larvae of Schedorhinotermes. 4867

of new Deinocerites from Costa Rica described.
3771

of new Elateridae from USSR described, 4997 of new Forcipomyia described, 4299

new Microsporida from Trichoptera. 4133

non-enzymatic binding of silk-gland amino acids to soluble proteins in Bombyx mori, 3954

non-occluded virus of Nudaurelia cytherea capensis. 5820

nuclear polyhedrosis in relation to haemolymph proteins of Mamestra brassicae, 3433

nuclear polyhedrosis virus in ligatured larvae of Galleria mellonella. 5149

nutrition in Apis mellifera, 4870

of Odonata and Plecoptera feeding on lake Tricladida, 4765

oenocytes in relation to cuticulin formation. 4463

oothecal foam in relation to viability of Schistocerca gregaria, 3515

organometallics as antifeedants for Gnorimoschema operculella. 5393

osmeterial secretions of Baronia, Battus, Eurytides and Papilio. 4749

overcrowding factors produced by Culex pipiens quinquefasciatus, 4843

overwintering of Acridoidea in Lebanon. 4726 overwintering of Grapholitha molesta in an Ontario (Canada) peach orchard, 4081 overwintering of Microplitis feltiae in larval Agrotis ipsilon. 4713

overwintering stage for Aleurocanthus spiniferus.
4729

overwintering stage for Asaphidion pallipes.
4093

overwintering stage of Bembidion lunatum. 4093 overwintering stage for Hylobius pales in C. Pennsylvania, USA. 4738

overwintering stage of Pissodes approximatus in C. Pennsylvania, USA. 4738

overwintering stage for Tiphia berbereti. 4734 O<sub>2</sub>-consumption in Anax junius. 3427

O<sub>2</sub>-consumption in Chironomus strenzkei. 3908 O<sub>2</sub>-consumption in Heliothis zia. 4505

parasites of Choristoneura pinus in Michigan, USA. 2800

parasites of Contarinia tritici and Sitodiplosis mosellana, 4101

parasites of Earias in Gujarat, India. 4783 parasites of Lipara lucens. 4820

parasites of Scolytus multistriatus. 4779

parasites of Spodoptera littoralis larvae in Israel. 5418

parasitism rates of rice stemborer eggs in Sarawak. 5498

partial feeding in relation to development of Dermacentor variabilis. 3484

pathogenicity of Bacillus thuringiensis strains for Choristoneura fumiferana, 5800

of Pediobius parasitic on Odites artigena. 5368 of Peltidae keyed. 4985

Penicillium citrinum infection of Antheraea mylitta. 5164

peptidase activity of body-fluid and hypodermis in Bombyx mori. 3453

peritrophic membrane permeability in Aedes aegypti. 4519

phosphorylase activity and glycogen content during development in Philosamia ricini. 4000

photoperiod and temperature sensitivity in Heliothis zea. 5286

photosensitivity of Heliothis. 4601

of Pimplinae. 2580

polyhedrosis in relation to haemolymph transaminases of Bombyx mori. 5229

polytene-chromosome behaviour in Calliphora stygia. 3210

populations of Cecidomyiidae in soil at Allahabad, India. 4099

position-effect variegation in normal and transdetermined Drosophila melanogaster blastemas, 4583

possible larva of Acanthocnemus nigricus described. 4985

possible larva of Propalticus simplex sp. n. described. 4253

poultry-manure removal in relation to dipteran larvae and predators in N. California, USA. 4836

- predation by Passer domesticus on Manduca sexta. 2799
- prepupae in relation to RH in Leucania separata. 255
- primary pathogens in relation to epizootic development in Porthetria dispar. 4109
- of Prosimulium dicentum, dicum and exigens keyed, 4312
- protein metabolism of midgut epithelium of Bombyx mori in relation to cytoplasmic polyhedrosis, 5855
- proteins of Armigeres subalbatus during development, 5945
- proteolytic activity of midgut of Galleria mellonella. 724
- prothoracic gland hormone in Lucilia cuprina. 3945
- purification of Nosema heliothidis spores from Heliothis zea. 5090
- quiescence in Otiorrhynchus ovatus. 4720
- γ-radiosensitivity in Acheta domestica, 4616
- resistance to methyl parathion in Spodoptera littoralis. 4912
- respiratory energetics of Pycnopsyche in relation to water-flow. 3907
- respiratory rates of Pyrrhosoma nymphula. 5099 response to light in Medetera aldrichii. 4745
- responses of Heliothis zea to extracts of Zea mays kernels and silks. 4764
- RH and temperature in relation to development and instar number in Rhyzopertha dominica. 5292
- of Rhabdomastix, 1505
- Rickettsiella cetonidarum sp.n. from Cetonia. 5168
- ring-gland of 'ebony' and Oregon Drosophila melanogaster. 3224
- ring-gland in relation to ocular-antennal disc development in Calliphora erythrocephala in vitro. 3981
- RNA-synthesis in salivary glands of Rhynchosciara angelae. 1131, 4533
- RNase in relation to nuclear ultrastructure in salivary glands of Drosophila virilis. 3929
- Romanomermis infection of Culex pipiens quinquefasciatus. 5342
- route of granulosis virus from midgut to haemocoel in Trichoplusia ni. 3921
- sarcophagine concentration in Sarcophaga bullata. 3459
- Scatella stagnalis thermarum in thermal waters of Iceland. 4823
- of Scolytidae. 3385
- of Scolytus multistriatus and S. scolytus described. 3849
- screening of Medicago sativa clones for resistance to Hypera postica. 5450
- seasonal abundance of Chaoboridae and Chironomidae in a Minnesota (USA) floodplain

- lake, 4098
- seasonal abundance and distribution of Chaoboridae and Chironomidae in a Tennessee (USA) pond, 3631
- selection for siphonal index in 4th-instar Culex pipiens molestus. 3205
- sex-dimorphism of instar number in Euthypoda acutipennis. 4717
- sex-dimorphism in Psylla buxi, Psylla pyri and Psyllopsis faxini. 3037
- Shirakia jokohamensis parasitic on Scirpophaga in Bangladesh. 4841
- silk secretion in Polyrhachis simplex. 4874
- of Simulium angustipes, ornatum and spinosum keyed. 5574
- size in relation to emergence, fecundity and longevity in Conotrachelus nenuphar, 5299
- size increase in Draeculacephala mollipes. 4711
- size-related effects of crowding and rearing temperature on biomass of Acyrthosiphon pisum. 4606
- soil humidity during incubation in relation to viability of newly-hatched gregarious Schistocerca gregaria. 3498
- Sphecidae of Japan described, 1963, 1964 starvation in relation to instar number in Por-
- thetria dispar. 1629 Stempellia lunata sp. n. attacking Culex pilosus in Florida, USA. 5172
- of Stenoporpia of Arizona (USA) described. 1966 sterol utilization in Drosophila melanogaster.
- sterols of diet and organs of Gonimbrasia belina. 3940
- Streptococcus faecalis strains pathogenic to Porthetria dispar. 5798
- subfamilies and tribes of Melyridae keyed. 3848 substrate particle size in relation to insect microdistribution in streams. 3180
- Sulphuretylenchus elongatus infection of Scolytus ventralis, 4074
- survival of Gastroidea viridula in laboratory culture. 5786
- survival of Hypoderma lineatum implanted in white mice. 5425
- survival in relation to weather extremes in Trioza erytreae. 5465
- susceptibility of Diatraea grandiosella to Bacillus thuringiensis. 5822
- susceptibility of Dysdercus cingulatus to Bacillus thuringiensis. 4695
- susceptibility of Tineola bisselliella to Bacillus thuringiensis. 3491
- of Sympetrum. 1502
- synapses in CNS of Sarcophaga bullata and Tenebrio molitor, 2592
- of Syrphidae as predators of Phorodon humuli in Czechoslovakia, 6055
- taxonomy of N. European Corixidae. 2577 technique for transferring newly-hatched

larvae. 599

temperature in relation to development of Agrotis fucosa and A. ipsilon, 2071

temperature in relation to development of Cerura vinula, 5296

temperature in relation to development of Nosema mesnili and Plistophora schubergi in Agrotis segetum and Pieris brassicae. 5158

temperature in relation to fat-body composition in Rhodnius prolixus. 3452

temperature in relation to heart activity in Blattella germanica. 5258

tepa producing chromosomal aberrations in brain of Culex pipiens fatigans. 4152

thioether N-methylcarbamates in relation to Culex. 5157

total prevention of spinning in relation to Bombyx mori. 5255

toxicity of carbamates and organophosphates to Neodiprion and Pristiphora erichsonii. 5180

toxicity of Entomophthoraceae toxins to Galleria mellonella. 5815

toxicity of 18 insecticides to Conoderus falli. 5347

toxicity of insecticides to Diptera. 4578

toxicity of insecticides to Euxoa messoria. 5182 toxicity of insecticides to Hemerocampa pseudo-

tsugata. 5353 toxicity of insecticides to Lepidoptera. 5359 toxicity of insecticides to Spodoptera littoralis.

toxicity of insecticides to Trichoplusia ni. 5160 toxicity of Ixodes halocyclus to mouse. 3840

toxicity of organophosphates to Attagenus alfierii and A. megatoma, 4454

toxicity of plants to Culex pipiens. 5824

toxicity of Sorghum vulgare roots to Diabrotica virgifera. 3594

toxicity of trichome exudates of Nicotiana and Petunia to Manduca sexta. 4813

tree fertilization in relation to respiration of lepidopteran larvae. 4797

of treehole Anopheles of New World keyed. 3767 trehalose levels in relation to parasitism in Manduca sexta. 4512

of Trichoptera of Jamaica keyed. 4405

of Trogossitidae keyed, 4985

ultra-weak luminescence in Diptera, Lepidoptera, Odonata and Orthoptera. 5903

ultrastructure of brain in Notonecta glauca, 3861 ultrastructure of developing type-B dermal glands in Rhodnius prolixus. 4570

ultrastructure of gill-bearing muscles in Baëtis rhodani and Ecdyonurus belveticus. 5834

ultrastructure of haemocytes in Tenebrio molitor. 3435

ultrastructure of labial sensilla in Speophyes lucidulus, 1995

ultrastructure of midgut epithelium in Tricho-

plusia ni. 3921

ultrastructure of peritrophic membrane in worker Apis mellifera. 5222

Vagoiavirus melolonthae for control of Melolontha melolontha in France. 5173

vermiform larva of Acrididae not a distinct developmental stage. 4595

vitamin E in relation to survival of Barathra brassicae. 4516

volatile constituents of scent-gland reservoir in Pternistria bispina. 5264

water-vapour uptake in Hyalomma dromedarii and Ornithodoros savignyi. 4556

weight of Avicularia avicularia. 4721

weight of Callosobruchus chinensis in relation to culture conditions. 4116

weight in relation to selection for insecticide resistance in Ostrinia nubilalis. 4914

wild Leguminosae as food-plants of Apioninae in Leningrad (USSR) area. 4794

Lasiocampa quercus (Lep., Lasiocampidae), attraction of σ Zygaena filipendulae to φφ. 5327 particles in egg fluid. 4457

Lasiocampidae (Lep.), 989, 2076, 2632, 3387, 4035, 4077, 4097, 4371, 4372, 4457, 4797, 5104, 5282, 5326, 5327, 5442, 5540, 5848

Lasiocera mirei sp. n. (Col., Carabidae), described. 5624

Lasiodactylus (Col., Nitidulidae), from Niokolo-Koba National Park, Senegal. 2235

Lasioderma serricorne (Col., Anobiidae),

attacking nests of Megachile umbripennis. 4123  $\rm CO_2$  anaesthesia in relation to toxicity of malathion to adults. 4562

cystine and methionine metabolism. 2023 growth of normal and aposymbiotic larvae with proteins or amino acids as substrates. 790 symbionts in relation to protein metabolism.

symbionts as vitamin sources. 1181

790

vitamin requirements of normal and aposymbiotic animals, 1181

Lasioglossum duplex (Hym., Halictidae), bionomics and sociology of summer matrifilial phase. 848

Lasioglossum umbripenne, host of Pseudomethoca willei sp. n. in Costa Rica. 2996

Lasiohelea (Dipt., Ceratopogonidae), generic status supported. 4299

new spp described, 4299

Lasiohelea sibirica, control and ecology. 2790 Lasiohelea taiwana, new for Kwangsi, China. 494

Lasiopogon polensis sp. n. (Dipt., Asilidae), described, 1422, 2939

Lasiopteridi (Dipt., Cecidomyiidae), Nearctic tribes and genera revised. 1869

Lasiopterini (Dipt., Cecidomyiidae), reviewed. 1869

Lasiorrhynchites praeustus (Col., Curculionidae), general and Italian distributions. 3240

Lasiorrhynchites sericeus, inquiline of Attelabus.
4047

Lasioserica costulata sp. n. (Col., Melolonthidae), described. 5004

Lasius (Hym., Formicidae),

attacked by Entomophthora myrmecophaga sp.n. in Switzerland, 4088

collection of eggs of Chrysomelidae. 4030

Lasius (Dendrolasius), biology and ecology of Japanese spp and key, 108

Lasius alienus, ecology on Mt. Terminillo, C. Italy, and foraging activity. 1727

Lasius flavus, experimental transplantation of nest-mounds. 2151

Lasius fuliginosus.

nest construction, 4124

olfactory and visual orientation. 353

orientation at a fork in a scent-trail. 353 Lasius niger, in relation to experimental trans-

plantation of nest-mounds of L.flavus. 2151 Laspeyresia caryana (Lep., Olethreutidae), artificial diet. 2568

biology on artificial diet. 2568

mating and oviposition stimulated by pecan nuts. 2699

Laspeyresia deciduana sp.n., described. 5077
Laspeyresia funebrana, biology, control and
ecology in Rostov area, USSR. 1675

Laspeyresia perfricta, partial control of Cyperus rotundus in India, 4804

Laspeyresia pomonella,

abiotic factors in relation to black-light trapping.

action spectrum for diapause termination. 4599 control, life-history, morphology and parasites. 5430

de-silking of pupae with cupriethylene diamine. 5102

infectious components of granulosis virus. 5808 insecticidal control on apple. 4670

oviposition cage. 3378

pheromone trapping. 134

resistance of larval muscles to NaCl during diapause and overwintering, 1620

artificial diet. 131

control by induced sterilization. 1298

DDT absorption and metabolism by resistant strains, 1601

diapause control factors. 1186, 1189

diapause races in C. and E. Switzerland. 1189

fatty acids of larva. 1121

Laspeyresia pseudotsugae sp. n., described. 1468 Laspeyresia sanctacruciana, syn. n. of L. zebeana. 5077

Latheticomyia (Dipt., Pseudopomyzidae), new spp described. 56

Lathiceridae (Orth.), 3899 tympanal organ absent. 3899 Lathridiidae (Col.), 5647

Lathridiidae, from Congo-Brazzaville. 5647

Lathridiomorphus anophthalmus gen. et sp. n. (Col., Colydiidae), described. 3302

Lathyrophthalmus (Dipt., Syrphidae), o' genitalia. 1166 Lathyrus (Leguminosae),

Apioninae associated with in Leningrad area, USSR. 4794

USSR. 4794 rearing of Contarinia pisi in laboratory. 593

Lathys spasskyi sp. n. (Arach., Aran., Dictynidae), described. 959

Latin.

use of -ellus, -ella and -ellum in species names, 4210

use of genitive case in forming names of parasites. 2455

Latitude, in relation to coloration of Collembola. 2797

Latrodectus (Arach., Aran., Therididae), venom in relation to neuromuscular junction in Rana pipiens muscle, 3561

Latrodectus curacauiensis, not the 'black-widow spider' of W. Canada and the Pacific States of USA. 3277

Latrodectus hesperus, the 'black-widow spider' of W. Canada and the Pacific States of USA. 3277

Latrodectus mactans,

effect of bite on human being. 296 not the 'black-widow spider' of W. Canada and the Pacific States of USA. 3277

ultrastructure of muscle attachments, 2584 Latrodectus mactans tredecimguttatus, venom in

relation to evoked action potentials in Periplaneta americana nerve-cord. 1247, 5391

Laurentella latyshevi (Arach., Acari, Trombiculidae), ecology in Raif district, Volga-Kama State Reserve, USSR. 4835

Lauric acid, in fats of Ceroplastes. 5875

Lauryl sulphate, acylation and de-acylation by microsomes from larval Musca domestica. 3927

Lauterbornia (Dipt., Chironomidae), on Phragmites and Typha in Danube Delta, Romania. 2824

Lawns, Sphenophorus parvulus as pest in W. New York, USA. 4824

Lawrenceocarpus micropilus (Arach., Acari, Listrophoridae), on Brachyphylla cavernarum in Puerto Rico. 5607

Lead arsenate, use in integrated control of aphids in apple orchards. 5461

Leaf hoppers, see Cicadellidae

Learning,

ability of Apis mellifera to generalize visual stimuli. 1069

cold in relation to learning and memory in Tenebrio molitor. 1238

of colour-stimuli at food-source during approach and feeding in Apis mellifera, 6063

and forgetting processes in Apis mellifera in relation to scents. 851

Learning, contd.

in Formica polyctena. 4126

individual experience in distance-communication of Apis mellifera caucasica. 1318

multiple and reversal learning of colours in Apis mellifera. 850

in relation to optical orientation, 1541

persistence in adult Tenebrio molitor of learning acquired as larvae. 3423

of trophallactic behaviour in relation to antennal sense-organs in Aphaenogaster gibbosa and Myrmica laevinodis. 4492

visual learning in Apoidea and Formicidae. 5849

Lebanon,

Acari and Insecta injurious to crops. 4062 new Aphididae from. 3788

new Megachilidae from. 5735

new Ulidiidae from. 5687

overwintering of Acridoidea. 4726

Lebertia (Arach., Acari, Hydrachnellae), drift activity of glabra and salebrosa. 1321, 5385

Lebertia cuneifera, new for Czechoslovakia. 1377

Lebertia longiepimerata, in mountain seepagewaters in Czechoslovakia. 1377

Lebia (Metalebia) franzi sp. n. (Col., Carabidae), described. 4263

Lebiinae (Col., Carabidae), of Niokolo-Koba National Park, Senegal. 1839

Lecaniodiaspis tarsalis (Hem., Hom., Coccidae), host of Mayrencyrtus armillatus sp. n. 5724

Lecanium deltae (Hom., Coccidae), biology, ecology, economic importance and distribution. 4058

**Lecanium horii,** composition of wax esters from egg-sac. 5944

Lechriolepis (Lep., Lasiocampidae), new taxa described. 4372

Lecteria (Dipt., Tipulidae), Neotropical spp revised and new spp described, 5685

Ledeira callosa gen. et sp. n. (Hom., Cicadellidae), described. 5693

Ledrinae (Hom., Cicadellidae), new genera and spp described from Australia and New Guinea.

Ledrini (Hem., Hom., Cicadellidae), characterized. 2983

Leeward Islands (West Indies), new Cerambycidae from. 3739

Leguminosae,

Apioninae associated with wild Leguminosae in Leningrad (USSR) area, 4794

development and growth of Trogoderma granarium. 2666

hosts of Caryedon gonagra in India. 5443 hosts of Roepkea. 3335

phenology of Apion on winter Leguminosae in Israel. 5510

populations of Nephotettix cincticeps in the resting paddy-field. 4852

Leia pauliani sp. n. (Dipt., Mycetophilidae), des-

cribed, 2949

Leidynema appendiculata (Nematoda), parasitic in gut of Gromphadorhina portentosa. 4690

Leiobunum (Arach., Opil.), ultrastructure of spermiogenesis. 3969

Leiobunum aurantiacum, transferred to Amilenus gen.n. 1398

Leiodidae (Col.), 3239

Leiophron (Hym., Braconidae), life-histories of flavidus and similis in relation to Psocoptera in S. England. 5377

Leiopteroblatta monodi gen. et sp. n. (Blatt., Polyphagidae), described. 4294

Leishmania braziliensis (Protozoa), isolated from Lutzomyia panamensis in Panama. 4683

Leishmaniasis.

Lutzomyia olmec probably sole vector of rodent leishmaniasis in British Honduras. 4046

Psychodidae as vectors of American cutaneous leishmaniasis in British Honduras. 5501

Leiurus quinquestriatus (Arach., Scorp.), ERG of median and lateral eyes. 3411 physiology of pedipalp closer muscles. 3871

Lema (Col., Chrysomelidae), separation from Oulema justified. 365

Lema collaris, eggs suitable as hosts for Anaphes flavipes. 2677

Lema trilineata,

biology, 4270

eggs suitable as hosts for Anaphes flavipes. 2677

Lema trilineata californica, renamed L. t. daturaphila. 4270

Lema trilineata daturaphila, biology and larval food-utilization 4712

Lemon, see Citrus limon

Lenkoa aurita gen. et sp. n. (Dipt., Phoridae), described. 5674

Lens esculenta (Leguminosae), growth of Trogoderma granarium. 2666

Lentulidae (Orth.), 3899

Lepidoptera,

tympanal organ absent. 3899

Leodonta chiriquensis tingomariae subsp. n. (Lep., Pieridae), described, 3823

Lepidiota hispida sp. n. (Col., Scarabaeidae), described, 4986

Lepidochrysops (Lep., Lycaenidae), new spp described, 4378

Lepidocyrtus cyaneus (Collem., Entomobryidae), biology and population structure in coniferous forest soil. 2160

Lepidocyrtus lanuginosus, food substrates and gut contents. 5996

Lepidoiticicia (Lep., Saturniidae), status questioned. 117

Lepidokrugeria meyerae gen. et sp. n. (Collem., Entomobryidae), described, 535

ability to discriminate between floral outlines and colour-phases in Phlox. 1279

## Lepidoptera, contd.

amitotic (clasmatotenic) nuclear division in flight-muscle of adults and embryos, 1050

associated with Eupatorium perfoliatum in Byron Bog, S. W. Ontario, Canada, 3160

associated with Halogeton sativus in Morocco and Spain, 3585

associated with pig carrion in S. Carolina, USA. 3545

association of Cheletomorpha lepidopterorum with. 6022

behaviour in relation to sound-intensity. 1051 bibliography of "Collection.... des Chenilles d'Europe" (1832-1837) of Boisduval et al.

bibliography of "Icones Historiques des Lépidoptéres d'Europe" (1832-1841) of Boisduval. 4209

bibliography of "Papillons des Haut- et Bas-Rhin, de la Moselle, de la Meurthe, et des Vosges" of Cantener. 3713

biology and control of spp injurious to crops in Middle East. 4062

biology of Pediobius furvus in relation to stemborers of Gramineae, 4055

boxes for rearing Microlepidoptera. 5784

captured at weather-station "Tango" in Pacific. 2132

chromosome numbers and karyotypes of Taiwan taxa. 875, 876

chromosome numbers of N.American Rhopalocera. 866

consequences from rejection of generic names of 'Erste Zuträge' of Hübner. 5743

egg-proteins. 2625

establishment of breeding populations in cities of Europe. 1713

evolution of migratory habit. 2131

of Faeroe Is., North Sea. 6138

feeding and phenology in relation to Rhamnaceae in Europe. 3591

flight-times of nocturnal spp in Egypt. 6059

food-plants in Hungary. 5432

food-plants of new Trieces from Canada. 2524 fossil evidence from Cretaceous amber. 4207

gastrulation in Papilio polytes. 1168

gravity perception in relation to leg proprioceptors. 4495

growth of epithelial cells and haemocytes in primary culture. 5282

from Hiddensee I., Baltic Sea. 6131

Ichneumonidae associated with on W. Coast of Schleswig-Holstein, GFR, 5478

from Kraków area, Poland. 6137

larvae from Baltic amber. 2881

larval mine in Miocene leaf from E. Washington, USA. 944

leaf-miners of Romania. 2124, 2125, 2126 from Letea I., N.E.Danube Delta, Romania. of Lord Howe I., Australia. 4925

from Lower Harz, GDR.

Macrolepidoptera from Netherlands. 3121 from Mark Brandenburg, GDR. 5582

melanism. 6099

of Meteor Cave, Hungary. 3202

method for determining sex-pheromone structure. 5120

method for permanent preparations of wings. 592

method for preparing genitalia to show sexpheromone gland, 4412

from Michigan, USA. 4948

microcauterization for maxillectomy of larvae by fulguration. 2560

Microlepidoptera parasitized by Ichneumonidae on W. Coast of Schleswig-Holstein, GFR. 5478

migration in relation to Canada. 3276 neopterobilin and pterobilin distribution in relation to phylogeny. 1142

from Netherlands. 6133, 6134, 6135

new for Denmark. 2871

new records from Mt. Egmont and Mt. Ruapehu, New Zealand. 3698

new for Romania. 2124, 2125

nomenclatoral status of "Der Schmetterlinge Lepidoptera Linnaei Europäisches Heer" of Hübner, 1011

from Norfolk I., Pacific Ocean. 4953

of Orkney Is., North Sea. 4940

overwintering population distribution on Larix in C.Switzerland, 4083

overwintering stages of Macrolepidoptera in Finland. 1673

oviposition patterns. 735

palmitoleic acid content of larvae. 1121

pests in New Zealand forests. 833

physiology in relation to host-tree fertilization. 4797

rectal-pad differentiation. 698

relative density variation. 1983

relative importance of fore- and hindwings in flight and expendable surface-area. 5188

Rhopalocera from E. side of L. Tanganyika (Africa). 4198

Rhopalocera from N. E. Indiana, USA. 3709 seasonal activity periods in relation to competition for nectar. 5986

sex-chromosomes, 5547

from Spain. 2224

of Spain catalogued, 1363

stridulatory device of wings, 3855

synergistic ratio of carbaryl with piperonyl

synergistic ratio of carbaryl with piperony butoxide, 4582

ultra-weak luminescence of larvae. 5903 ultrastructure of corneal surface topography with reference to function and phylogeny. 4484 Lepidoptera, contd.

wing-locking device. 3855

yield of Saccharum in Egypt in relation to cane borers. 6012

Lepidosaphes ulmi (Hem., Hom., Diaspididae), method for laboratory rearing. 312

Lepidosira gupta sp. n. (Collem., Entomobryidae), described. 3729

Lepinotus (Psoc., Trogiidae),

in cultures of Tenebrio molitor. 5515

interrelations with Acari, Fungi and Insecta in grain-bulk ecosystems. 3185

Lepinotus reticulatus, in relation to environmental variables and fungi in grain-bulk ecosystems.
4822

Lepisma saccharina (Thysanura, Lepismatidae), brain, eyes and ocelli. 5841

lipids, 1124

ultrastructure of labial gland, 1147

Lepismatidae (Thysanura),

254, 843, 1124, 1147, 1637, 3080, 3467, 4464, 4892, 5841

distribution in Republic of S. Africa. 843

Lepismodes inquilinus (Thysanura, Lepismatidae), control of ♀ reproductive cycles. 1637

Leptacis (Hym., Platygasteridae),

differentiated from Synopeas. 1924 parasitic on Dasineura balsamicola in Maine, USA. 4786

Leptadynerus biskrensis (Hym., Eumenidae), new records. 3339

Leptaleus minutus sp. n. (Col., Anthicidae), described. 1835

Leptanilla alexandri sp. n. (Hym., Formicidae), described, 5054

Leptanillinae (Hym., Formicidae), new for USSR. 5054

Lepthyphantes cavernicola (Arach., Aran.), new spp described. 4246, 4248, 5617

Lepthyphantes exiguus, new for Norway. 469

Leptinotarsa decemlineata (Col., Chrysomelidae), amino-acid composition of vitellogenin. 1646 colour discrimination. 166

control on potatoes by systemic insecticides and soil fumigation. 4692

embryonic cephalic tissues in relation to gonad development. 3992

hormonal control of vitellogenin synthesis. 5878 phototaxis. 166

properties of leptinotarsin. 5392

resorption of terminal oocyte following allatectomy, 5950

response to monochromatic light. 166

sex-specific haemolymph proteins and vitellogenesis, 1646

temperature resistance during post-embryonic development. 5289

teratology due to thermostable toxin of Bacillus thuringiensis. 2062

ultrastructure of accessory tubules of sperm

flagella. 2658

ultrastructure of follicle-cells. 2659

Leptinotarsin, properties. 5392

Leptobium (Col., Staphylinidae), W. Palaearctic spp revised and new taxa described. 2924

Leptocera caenosa (Dipt., Sphaeroceridae), development and survival in laboratory culture. 4045

Leptoceridae (Trich.), 1692, 1951, 4131, 4197, 6156

dispersal of Algae, Fungi and Protozoa. 4131

Leptocerus riparius (Trich., Leptoceridae), new for Lithuania. 4197

Leptochilus atlanticus (Hym., Eumenidae), new records. 3339

Leptoconops (Dipt., Ceratopogonidae),

biology and ecology of bezzii, irritans and kerteszi in Grossetano, Italy. 4043, 4113, 4114

control and ecology. 2790

Leptoconops becquaerti, larval ecology in Jamaica. 840

Leptocorisa oratorius (Hem., Het., Alydidae), ecology in Sarawak. 4103

Gryon flavipes parasitic on eggs in Sarawak. 5375

Leptodes lingbergi (Col., Tenebrionidae), larva described. 144

Leptodini (Col., Tenebrionidae), larval morphology and position in Tenebrionidae. 144

Leptodiridae (Col.), 4085

biology and ecology in Hutcheson Memorial Forest, New Jersey, USA. 4085

Leptogaster decellei sp.n. (Dipt., Asilidae), described. 59

Leptogenys tricosa (Hym., Formicidae), new name for Dorylozelus miobergi. 3803

Leptohyphes (Ephem., Tricorythidae), new spp described and new records from N. and S. America, 1436, 2964

Leptohyphinae (Ephem., Tricorythidae), new spp and new records from Peru. 1436

Leptomastidea (Hym., Encyrtidae), spp introduced into Hawaii. 3800

Leptomastidea bifasciata, parasitic on Phenacoccus aceris in Alpes-Maritimes, France, 5408

Leptomastix (Hym., Encyrtidae), spp introduced into Hawaii. 3800

Leptomias (Col., Curculionidae), key. 971

Lepomis microlophus (Pisces), predator of Hexagenia limbata californica in a California (USA) warm-water reservoir. 4947, 5604

Leptoneta (Arach., Aran.), new spp for Korea. 5617

Leptonycteris nivalis (Chiroptera), Radfordiella parasitic on. 1699

Leptophlebia (Ephem., Leptophlebiidae), O<sub>2</sub>-consumption of larvae. 172

Leptophlebia cupida,

abundance and life-cycle in Bigoray R., Alberta,

Leptophlebia cupida, contd. Canada, 3201

bionomics and size allometry, 5459

Leptophlebia marginata,

diurnal periodicity of emergence, 1216 duration of subimaginal instar. 1216

Leptophlebiidae (Ephem.), 172, 789, 1216, 1884, 2962, 3201, 5459

from S. E. Asia. 2962 Leptophobia (Lep., Pieridae), new taxa described.

3823

Leptophyllum tatranum evae subsp. n. (Myriap., Diplop.), described, 585

Leptopsylla segnis (Siphon., Leptopsyllidae), food concentrates in pellet form for standard culture. 4423

Leptopsyllidae (Siphon.), 4423, 6032, 6154

Leptoptilos javanicus (Aves), host of Ardeicola hardavali sp. n. 579

Leptoterna Fieber 1858 (Hem., Het., Miridae), name made official, 3782

Leptothorax (Hym., Formicidae), distribution, ecology and habits in Mamora Forest, Morocco. 4862

Leptothorax maurus, possibly subsp of L. spinosus.

Leptothorax muscorum, oriented flight. 2773

Leptothorax spinosus, re-description, biology and ecology. 5728

Leptotrombidium (Arach., Acari, Trombiculidae), subgenus Ericotrombidium syn. n. of Leptotrombidium s.str. 4978

new spp from Nepal and key. 4978

Leptotrombidium fulleri Ewin 1945, L. pumile Traub et al. 1958 syn. n. of. 4978

Leptotrombidium intermedia, histology of stylostome. 6001

Leptotrombidium macacum, redescribed, 4978 Leptotrombidium puta, redescribed, 4978

Leptotyphlops dulcis (Ophidia), attractant/repellent interactions with Neivamyrmex nigrescens.

Leptotyphlus langastouensis sp. n. (Col., Staphylinidae), described. 4286

Leptus (Arach., Acari, Erythraeidae), new spp from Japan, 504

parasitic on Anthonomus grandis in S. Carolina, USA. 5419

sp near curtipes as predator of Altica carduorum released against Cirsium arvense in Canada.

Lertha lederi (Neur., Nemopteridae), new for Turkey. 1942

Lespesia archippivora (Dipt., Tachinidae), parasitic on Heliothis zea larvae infesting Zea mays in S. California, USA. 5420

temperature in relation to fecundity and longevity.

Lesser grain borer, see Rhizopertha dominica Lesser mealworm, see Alphitobius diaperinus

Lesser peach tree borer moth, see Synanthedon pictipes

Lestes (Odon., Lestidae), sex-chromosomes and sex-determination in virens and viridis, 912

Lestes macrostigma, new for Romania. 1808

Lestidae (Odon.), 912, 1808, 2649, 4391 larval labial gland, 2649

type-specimens in British Museum (Natural History), London, England. 4391

Lestodiplosis (Dipt., Cecidomyiidae),

natural enemy of Chilocorus bipustulatus in Israel, 1701

Tricontarinia luzonensis transferred to. 2941

Lestomerus niloticus sp. n. (Het., Reduviidae), described, 997

Lestonia grossi sp. n. (Het., Lestoniidae), described, 1887

Lestoniidae (Hem., Het.), 1887

Lestrimelitta limao (Hym., Apidae),

histology and ultrastructure of mandibular gland, 5897

role of citral in robbing behaviour. 5260

Letaba (Het., Miridae), new spp described and key. 5035

Lethocerus (Het., Belostomatidae), metasternal glands. 4572

Lethocerus americanus.

movement of retinula cells on light-adaptation.

physiology and ultrastructure of abdominal airguide retractor muscles, 1545 rate of elimination of <sup>137</sup>Cs. 2106

Lethocerus annulipes, mechanical properties of flight-muscle at large amplitudes of oscillation, 1517

Lethocerus cordofanus.

ATP activity and tension in relation to fibreelongation in glycerinated fibrillar flightmuscle. 612

mechanical properties of flight-muscle at large amplitudes of oscillation, 1517

Lethocerus maximus,

ATP and ITP as energy-sources for fibrillar muscle, 613

ATPase and Ca++-independent contraction in glycerinated muscle-fibres after alkaline troponin extraction, 1042

biology in Trinidad. 1661

Mg++ and inhibition of actin-myosin interaction in fibrillar muscle. 1046

myosin turnover-frequency and frequencyoscillation of fibrillar muscle. 613

possible synchronized movement of crossbridges in damped oscillation in stretched muscle fibres. 1044

Lethocerus uhleri, dispersal of microorganisms.

Leucania pallens (Lep., Noctuidae), behaviour in relation to Chamaenerion angustifolium. 2123 Leucania separata,

locomotor activity of larvae in relation to crowding, 2585

respiratory rates of larvae in relation to crowding and body-colour. 1088

RH in relation to prepupal and pupal development and survival. 255

temperature in relation to development. 245,

temperature in relation to egg hatch. 245

Leucine aminopeptidase,

gene-enzyme polymorphism in Drosophila melanogaster and D. simulans natural populations. 902

in haemolymph of Pieris brassicae, larva and pupa. 1096

unsuitability of name. 1336

Leucine naphthylamide, not acted on by aminopeptidases of Drosophila melanogaster. 1336

Leucocelis (Col., Scarabaeidae), new African taxa described. 5650

Leucocelis puncticollis, lectotype designated. 5650 Leucocytes, polymorphonuclear leucocytes in lesion due to Loxosceles reclusa venom. 4048

Leucoma salicis (Lep., Liparidae), host of Rhogas praetor in Romania. 2220

Leucophaea maderae (Blatt., Blaberidae),

circadian rhythmicity of pyrethrum susceptibility. 4576

ecdysterone in relation to leg regeneration in vitro. 3979

endocrine control of protein-synthesis during oocyte maturation. 721

haemolymph proteins and vitellogenesis. 1202 inflammatory response to injection of normal and abnormal tissues. 2612

precocious segration of X-chromosome. 4893 prothoracic ganglion and gland in relation to nerve regeneration in vitro. 3078

tumour-like lesions caused by anal blockage and decapitation. 1100, 3438

vitellogenin in 9 haemolymph. 1202

Leucophenga (Dipt., Drosophilidae), abundance in S. Hokkaido, Japan. 2144

Leucoptera laburaella (Lep., Lyonetiidae), adaptation to the leaf-mining habit. 1706

Leucopterin,

atmospheric  ${\rm O_2}\text{-pressure}$  in relation to synthesis in Mylothris. 1583

present in Atteva punctella. 5250

Leucostoma simplex (Dipt., Tachinidae), biology in relation to Nabis americoferus in S. California, USA, 4702

Leucozona (Dipt., Syrphidae), Palaearctic spp revised. 78

Leuctra (Plec., Leuctridae),

new spp described, 5766 N E. American spp keyed, 3355

notes on Polish spp. 5767 Leuctra bronislawi sp.n., described. 5767 Leuctra fusca,

abundance in R. Vindelalven, Swedish Lapland. 4089

consistent attraction to light. 4089

Leuctra hippopus, biology and ecology in a Lake District, England, stream. 1322

Leuctra inermis, biology and ecology in a Lake District, England, stream. 1322

Leuctra joosti sp. n., described. 4396

Leuctra (s. str.) laura sp.n., described. 3355

Leuctra nigra, abundance and distribution in Kaltisjokk and associated waters, Sweden.

Leuctra olympia, discussed. 5766

Leuctra tenuis, biology and ecology in Laurentides, Canada. 1668

Leuctridae (Plec.),

1322, 1323, 1668, 1947, 3014, 3355, 4089, 4396, 5766, 5767

biology and ecology in Laurentides, Canada. 1668

position of Zealeuctra, 1947

from S. E. Asia. 3014

Liacaridae (Arach., Acari, Liacaroidea), relationships within Liacaroidea. 514

Liacaroidea (Arach., Acari), position within Oribatei. 514

Liacarus cidarus (Arach., Acari, Liacaridae), life-stages described. 3042

Liacos (Hym., Scoliidae), new synonomy and analis tawiensis subsp.n. described, 5739

Libellula depressa (Odon., Libellulidae), autosomal fragmentation and fusion and chromosome number. 929

Libellulidae (Odon.),

703, 939, 1502, 1808, 2133, 3829, 3830, 4144, 4840, 5084, 6006

photoperiod and temperature in relation to larval development. 703

Liburnia pallescens (Hom., Araeopidae), headcapsule and mouthparts. 1974

Libya,

abundance of Ephydra macellaria in L.Bahr ed-Dûd, 1740

Aphytis of. 312

Libyaspis angolensis (Het., Pentatomidae), odoriferous secretions of larvae and adults. 1155

Libytheidae (Lep.), 875

chromosome number and karyotype of a Taiwan sp. 875

sp. 8/5 Lichenes, Pirnodus soyeri sp.n. living on. 1822 Licinus (Col., Carabidae), larvae and life-histories

of aequatus, punctatulus and silphoides. 4442 Licnozetes flabellatus gen. et sp. n. (Arach., Acari, Oribatei), described, 1391

Liebstadia similis (Arach., Acari, Scheloribatidae), taxonomy discussed. 4236

Life-cycle,

of Acalitus vaccinii, 4709 of Acarus siro in the laboratory, 1303

## Life-cycle, contd.

- of Acrobasis comptoniella in Michigan, USA. 4037
- of Acroneuria californica, 2110
- of Aderus brevicornis and A. pentatomus. 5620
- of Agapostemon nasutus. 1728
- of Agromyzidae associated with Phaseolus vulgaris in E. Africa. 2502
- of Aleochara bilineata, 1702
- of Aleurocanthus spiniferus at Obshima, Japan. 4729
- of Alniphagus aspericollis in S. W. British Columbia, Canada. 2099
- of alpine-tundra Arachnida in Colorado, USA. 4730
- of Amblyseius fallacis in relation to photoperiod and temperature. 4708
- of Anaphothrips validus in relation to Galium palustre, 5597
- of Anastrepha suspensa in the laboratory. 4315
- of Anthonomus grandis in field cages. 2709
- of Apanteles flavipes at Delhi, India. 278
- of Aphis fabae group. 5980
- of Aprionus in the laboratory. 3962
- of Arzama densa in Louisiana, USA. 282
- of Atemeles pubicollis in relation to myrmecophily. 4052
- of Avicularia avicularia, 4721
- of Balaustium putmani. 3549
- of Bembidiini on river banks in C. and N. Norway.
- of Bracon mollitor in the laboratory, 1656
- of Bradysia amoena in relation to Abies in USSR.
- of Bradysia impatiens in the laboratory. 4704
- of British Pseudoscorpiones, 4854
- of British Psocoptera. 4435
- of Capnia vidua. 1322
- of Cardiaspina densitexta. 5362
- of Cenapalpus lanceolatisetae. 275
- of Ceratiscada canaris sp.n. 5755
- of Ceratophysella armata attenuata. 5661
- of Chilo partellus in Peshawar, Pakistan. 1657
- of Chloroperia torrentium, 1322
- classification of life-cycles of Araneae. 4728
- of Cordilura deceptiva and varipes larvae. 290
- of Cothonaspis rapae. 1702
- of Culex portesi in the laboratory. 5496
- of Dasyhelea in Berkshire, England. 3627
- of Dendroctonus obesus in relation to habitat in British Columbia, Canada. 3099
- of Dendrolimus spectabilis in Kyoto, Japan. 4035
- of Dendrosoter protuberans in relation to Scolytus multistriatus. 4779
- of Diacrisia obliqua in Bangladesh. 1228
- of Diplolaboncus tumorificus in N. Italy. 3117
- of Dorytomus hirtipennis. 3127
- of dune-living Araneae in Sweden. 2138
- duration of Triatoma gerstaeckeri and T. sanguisuga texana in S.W. Texas, USA. 4707

- of Ectropis bhurmitra in Sri Lanka. 2164
- of Elipsocus hvalinus, 4435
- of Epinotia cedricida in France. 3110
- of Eriosoma ulmi in Warszawa area, Poland. 4039
- of Eumerus strigatus. 291
- of Evylaeus nigripes. 4127
- of Eylais. 2882
- of Feltiella (?) tetranychi. 1240
- of gall-making Nematinae in California, USA. 3538
- of Geromyia penniseti comb. n. 1425
- of Gilletteella cooleyi. 3119
- of Glischrochilus quadrisignalus in S.W. Ontario, Canada. 3116
- of Grapholitha molesta in S. Missouri, USA. 5507
- of Gryon flavipes in relation to Leptocorisa oratorius in Sarawak. 5375
- of Gyrinidae. 2794
- of Haemaphysalis kitaokai sp. n. in Japan. 4223
- of Halacarus basteri. 1319
- of Helophorus brevipalpis, granularis and orientalis. 4279
- of Herpetogramma licarsisalis in Hawaii. 4736
- of Humerobates rostrolamellatus. 3123
- of Hylobius pales in C. Pennsylvania, USA. 4738
- of Hylobius rhizophagus in Wisconsin, USA. 281 of hymenopteran parasites of Dasineura balsam-
- icola in Maine, USA. 4786 of Insecta of Bigoray R., Alberta, Canada. 3201
- of Instantian in N. F. Cootland 4026
- of Ips cembrae in N. E. Scotland. 4036
- of Irish Psocoptera. 6153
- of Kermes bytinskii sp. n. in Israel. 5048
- of Knutsonia lineata. 5997
- of Laspeyresia pomonella. 5430
- of Laspeyresia pseudotsugae sp. n. 1468
- of Leiophron claviventris and L. similis in relation to Psocoptera in S. England, 5377
- of Leptocera caenosa in the laboratory. 4045
- of Leptocorisa oratorius in Sarawak. 4103
- of Leptophlebia cupida. 5459
- of Leuctra hippopus. 1322
- of Leuctra inermis. 1322
- of Licinus aequatus, punctatulus and silphoides. 4442
- of Lipotropha dorci sp.n. in larval Dorcus parallelipipedus. 5162
- of Lithophane laticinerea. 3541
- of Lycoriella solani in relation to Abies in USSR. 4190
- of Lycosa lugubris in C. Scotland. 2715
- of Malamoeba locustae in Locusta migratoria migratorioides. 5161
- of Marchalina caucasica sp. n. 1445
- of Megabothris turbidus on Clethrionomys glareolus. 2086
- of Meloë. 3745
- of Messa nana in Canada. 4025
- of Metaseiulus occidentalis in the laboratory. 749

## Life-cycle, contd.

- of Metriocnemus martinii in Berkshire, England. 3627
- of microlepidopteran leaf-miners in Romania. 2126
- of Microplitis croceipes in relation to Heliothis. 3548
- of Musgraveia sulciventris. 3546
- of Myzus persicae. 1294
- of Nearctic Tetanocera. 4716
- of Neodiprion virginianus. 4094
- of Nilaparvata lugens in the laboratory. 3550
- of Odites artigena in Kenya. 5368
- of Olethreutes inquietana. 2863
- of Onychiurus bhattii. 2170
- of Orius indicus, 4715
- of Orthacheta hirtipes. 274
- of Orthoptera in Rocky Mts. of N. Colorado, USA, 2775
- of Oryctes elegans in the laboratory. 3115
- of Othreis materna immature stages, 1503
- in relation to oviposition pattern in Lepidoptera.
- of Paktia gardezae gen.et sp.n. in Afghanistan.
- of Palaeodipteron walkeri. 3319
- of Pamphilius phyllisae. 3623
- of Pararge megera in the laboratory. 3360
- parasite life-cycles in relation to physiological state of host, 5386
- of Pardosa lapidicina, 1669
- of Parlatoria oleae in Lenkoran', USSR. 1674
- of Paropsis charybdis, 3553
- of Patanga succinata in the laboratory. 4617
- patterns of Chaoboridae and Chironomidae in a Minnesota (USA) floodplain lake, 4098
- of Pediobius furvus. 4055
- of Perilitus coccinellae. 1266
- of Perilitus rutilus in relation to Hylobius abietis in Poland, 5579
- of Perthida glyphopa. 5464
- of Petrobia latens, 4718
- of Petrobius brevistylis and maritimus. 5475
- in relation to pH in Tanytarsus dissimilis. 5934
- of Phygadeuon trichops. 1702
- of Phytoseiulus occidentalis. 4079
- of Phytoseiulus persimilis. 4079
- of Phytoseius plumifer. 2710
- of Pissodes approximatus in C. Pennsylvania, USA, 4738
- of Plecoptera in Laurentides, Canada. 1668
- of Poecilips pteridophytae. 6015
- of Polistes biglumis and P. snelleni in Sapporo, Japan. 2101
- of Polydorus aristolochiae. 4747
- of Proctolaelaps nauphoetae in relation to Nauphoeta cinerea. 1667
- of Pseudorhyssa sternata. 1663
- of Pyrenean Orthoptera. 2014
- of Renocera cyathiformis. 5997

- of Rhipicephalus sanguineus in Denmark. 2196
- of Sarcophaga tibialis. 4659
- of Satyrium sylvinus dryope. 4038
- of Seira iricolor. 2170
- of Scolyopteryx libatrix. 303
- of Scopula ancellata. 4439
- of Sericostoma personatum in Lake District, England. 360
- of Sminthurinus mime. 2170
- of Sphenophorus venatus confluens in Oregon, USA, 1665
- of stream insects. 5482
- of surface-dwelling Collembola in coniferous forest soil. 2160
- of Synthesiomyia nudiseta in relation to temperature. 4748
- of Telmatoscopus albipunctatus. 5987
- of Termatophylum insigne. 5983
- of Tetrapolipus hippodamiae sp. n. 2464
- of Tetrastichus flavigaster in relation to temperature. 4741
- of Thanasimus dubius. 3537
- of Thomasiella tomentosae. 4027
- of Thomisus onustus. 4728
- of Tineidae associated with pig carrion in S. Carolina, USA. 3545
- of Tiphia berbereti in relation to Phyllophaga anxia. 4734
- of Toxomyia fungicola in Jamaica. 1662
- of Trichogramma semifumatum in relation to Herpetogramma licarsisalis. 4736
- of Tuckerella flabellifera in Nelson region, New Zealand. 3290
- of Upis ceramboides at Fairbands, Alaska, USA. 283
- validity of life-cycle analyses of Pseudoscorpiones. 4854
- of Xenopsylla skrjabini. 5460

## Life-tables,

- development and use for study of natural insect populations, 1291
- methods for analysis. 4850
- of Oncopeltus fasciatus and O. unifasciatellus.  $2704\,$
- partial table for Oulema melanopus in N.Indiana, USA. 3554
- of Phytoseiulus occidentalis and Ph.persimilis. 4079
- Ligaturing, in relation to nuclear polyhedrosis in larval Galleria mellonella. 5803

#### Light,

- acetylcholine/acetylcholinesterase system in photoreception by Mitopus morio. 3893
- action spectrum for diapause termination in
  Antheraea pernyi and Laspeyresia pomonella.
  4599
- action spectrum of spontaneous phototaxis in Drosophila melanogaster. 3417
- activity cycles of Prodenia eridania under controlled light-conditions. 5095

## Light, contd.

- in relation to activity of Haematobia irritans and Stomoxys calcitrans. 754
- in relation to activity rhythms of Periplaneta americana. 5253
- in relation to activity of trichopteran larvae. 3542
- adaptation to low light-intensities in compound eye of Rhodnius prolixus, 5195
- antennae and compound eyes in attraction of Heliothis zea. 4500
- in relation to antennal responsiveness to sexpheromones in Trichoplusia ni. 4489
- artificial lighting for reducing Heliothis populations in cotton fields, 2573
- attraction to artificial light an unnatural escape reaction in Insecta, 5848
- attraction of Caria ino melicerta, 4731
- attraction of Leuctra fusca, 4089
- behaviour of Amphipyra pyramidoides, 3904
- behaviour of cave Trichoptera of Italy. 863
- in relation to behaviour of Dacus ciliatus. 636
- in relation to behaviour and development of Ixodes ricinus. 4604
- behaviour of Euphaedra, 5846
- in relation to behaviour of Euthypoda acutipennis. 4717
- behaviour in relation to external disturbance and time of day in Coleoptera, Diptera, Lepidoptera and Orthoptera. 5848
- in relation to behaviour and fecundity of Zeiraphera diniana, 1028
- in relation to behaviour of larval Contarinia medicaginis. 332
- in relation to behaviour of larval Potamophylax stellatus. 1540
- behavioural responses of alate Aphis fabae to coloured fluorescent lamps. 3418
- in relation to Betalight trapping of Culicidae, 5094
- in relation to biliverdin metabolism of Carausius morosus, 1143
- in relation to biting activity of Culicoides barbosai and C. furens. 1681
- in relation to biting- and flight-activity of Tabanus iyoensis. 1678
- circadian activity rhythm in Carabus cancellatus in relation to photoperiod, 3419
- in relation to circadian rhythm of drop-off in Dermacentor variabilis, 5395
- in relation to circadian rhythm of flight-activity in Aedes aegypti. 1232
- in relation to circadian rhythm of locomotor activity in Acheta domestica. 3949
- climbing responses of larval Amathes c-nigrum, 2605
- colour of light in relation to behaviour of Aphidius smithi and fertility of Acyrthosiphon pisum. 747
- conduction and image-perception in Anagasta

- kuehniella eve. 1076
- control of activity and drift in aquatic insects. 2096
- controlled light and temperature apparatus for recording insect emergence. 3363
- day-length in relation to imaginal development of prothoracic glands in Locusta migratoria. 2672
- in relation to development of Acyrthosiphon pisum and Aphidius smithi. 704
- in relation to diapause in adult Schistocerca gregaria. 5924
- in relation to diapause in Amblymerus bruchophagi. 4705
- in relation to diapause in Barathra brassicae.
  4516
- in relation to diapause in Chilo suppressalis. 4723
- in relation to diapause in Chrysopa carnea. 3988, 3990, 4600
- in relation to diapause in Coccinella septempunctata, 5112
- in relation to diapause in Contarinia pisi, 4029
- in relation to diapause in Drosophila phalerata, 5925
- in relation to diapause in Grapholitha molesta. 3492
- in relation to diapause in Heliothis. 4601
- in relation to diapause induction in Aelia acuminata. 2676
- in relation to diapause induction in Araschnia levana. 3470
- in relation to diapause induction in Celerio lineata. 4602
- in relation to diapause induction in Chrysopa oculata. 1182
- in relation to diapause induction in Hylemya brassicae. 2068
- in relation to diapause induction in Musca autumnalis. 700
- in relation to diapause in Locusta migratoria migratorioides. 5924
- in relation to diapause and moulting in Bombyx mori. 3096
- in relation to diapause in Psila rosae. 5923
- in relation to diapause and wing-polymorphism in Psylla pyricola, 3989
- disturbance behaviour of Exyra ridingsi in daylight. 4032
- in relation to drop-off in Ixodes texanus. 3081
- in relation to duration of teneral period in Myzus persicae. 1171
- effectiveness of traps with UV-lamps for Manduca and Heliothis zea. 3374
- in relation to emergence of Hyphantria cunea.
- in relation to emergence of Orgilus lepidus. 2702
- in relation to emergence rhythm of Megachile rotundata. 4603
- extra-ocular light-sensitivity lacking in Plea

#### Light, contd.

leachi. 5844

- in relation to fat-body of overwintering Q Anopheles punctipennis. 4744
- in relation to feeding behaviour of Epilachna vigintioctopuncta on Luffa aegyptiaca, 1256
- in relation to feeding in Locusta migratoria migratorioides, 5936
- fluorescent substances from & Formica polyctena. 4543
- Glossina morsitans and G. pallidipes not attracted to UV-light. 2734
- in relation to growth in Chaoborus crystallinus. 3547
- in relation to heart beat in Locusta migratoria.
  5852
- in relation to induction of alate Callosobruchus maculatus, 2073
- in relation to infestation of Triplochiton scleroxylon by Diclidophlebia. 5891
- intensity in relation to dispersal of Acyrthosiphon pisum and Aphidius pulcher, 819
- intensity in relation to flight initiation in Blastophagus piniperda, 5890
- intensity in relation to flight initiation and takeoff rate in Acanthoscelides obtectus. 2705
- intensity in relation to flight pattern in Gnathotrichus. 2706
- intensity in relation to nesting behaviour in Megachile rotundata. 2819
- intensity in relation to reproductive behaviour of Anagasta kuehniella. 5939
- intensity in relation to take-off in Rhopalosiphum maidis and Schizaphis graminum. 820
- interaction with neuro-endocrine system in Pterostichus nigrita. 4008
- in relation to larval development in Anisoptera.
- in relation to leg development in Diprion similis. 1622
- in relation to life-cycle of Amblyseius fallacis.
  4708
- in relation to life-cycle of Patanga succinata.
- light potentials from lamina and retina in Calliphora erythrocephala, 5110
- light-traps for sampling mosquito populations.
- in relation to locomotor activity of Cryptolestes ferrugineus, 2039
- locomotor behaviour of Schistocerca gregaria
- towards light-source. 3061
- in relation to mating of Musca autumnalis. 4665 in relation to Megoura viciae and Pterocomma jacksoni. 709
- method for calculating coefficient of dichroicity of absorption for rhabdomere microvilli. 1084
- moonlight as phase setter of endogenous activity rhythm in Myrmeleon obscurus larvae. 750

- in relation to neuronal control of circadian rhythm of locomotor activity in Acheta domestica, 5837
- in relation to orientation behaviour of newlyhatched larval Choristoneura fumiferana.
- orientation of Locusta migratoria migratorioides after unilateral injury. 3903
- oscillatory concept of photoperiodism. 4448
- in relation to oviposition of Heliothis. 2573
- in relation to oviposition of Plodia interpunctella. 4619
- in relation to oviposition rhythm of Oligonychus coffeae. 1626
- pathways in Dytiscus marginalis eye. 1993
- pathways in lepidopteran eye. 1531
- perception of changes of photoperiod in Chrysopa carnea. 4600
- perception of polarized light by Apis mellifera. 627
- perception of UV-light in Apis mellifera, 617 in relation to phase-shifting of eclosion in Drosophila pseudoobscura, 683, 4620
- in relation to phenology of Crambus trisectus and C. leachellus cypridalis. 4614
- in relation to pheromone gland extrusion in Choristoneura fumiferana. 2082
- photoresponse in relation to age in adult Apis mellifera ligustica. 3421
- photosensitivity of adult and pupal Chrysopa carnea. 4600
- photosensitivity of larval and adult Heliothis.
- potentialities and properties of arthropod eye.
- In relation to preening in Blaberus craniifer.
  4563
- production in Luciola lusitanica. 272
- in relation to prothoracic-gland regression in Locusta migratoria migratorioides. 1152
- in relation to pupal coloration of Neophasia menapia. 2638
- in relation to pupal coloration of Pieris rapae crucivora, 1144
- in relation to pupation rhythm in Dacus oleae.
- in reproduction of Luciola lusitanica, 272 reproductive diapause induction in Anopheles freeborni in California, USA, 3518
- in relation to reproductive rate of Xenopsylla skrjabini. 5460
- responses of Adalia bipunctata to monochromatic light. 166
- responses of Apis mellifera to monochromatic light. 166
- responses of Calliphora erythrocephala to lightintensities. 1996
- responses of Coccinellidae to monochromatic light, 166
- responses of Hypera postica. 637

## Light, contd.

responses of larval Amathes c-nigrum. 638 responses of larval Medetera aldrichii. 4745

responses of Leptinotarsa decemlineata to monochromatic light. 166

responses of Meligethes aeneus to monochromatic light. 166

responses of Musca domestica. 5210

responses of Rhagoletis cerasi. 5212

responses of Trichogramma evanescens to monochromatic light. 166

role of ♂ gonads in peripheral inhibition of flashing in Luciola lusitanica. 3960

sensitivity of larval Chaoborus punctipennis.

sensitivity in Notonecta. 1536

sensitivity and visual system of larval stemmata of Bombyx mori. 1081

in relation to sex-determination in Pseudaulacaspis pentagona. 4165

in relation to size and weight in Acyrthosiphon pisum. 4607

solar near-UV-irradiation in relation to behaviour and flight-activity of wheat-stem Symphyta. 822

substrate reflectants in relation to probing behaviour of Stomoxys calcitrans. 4766

synchronization of ecdysis in Saturniidae. 3987 systematic deviation from homing direction during orientation to light in Agelena labyrinthica. 3905

in relation to take-off behaviour of Schizaphis graminum. 4471

threshold controlling vertical migration in Chaoborus punctipennis. 3951

transmission in relation to frequency and adaptation state in single ommatidia of Calliphora erythrocephala, 1082

in relation to trehalose content of larval Aedes taeniorhynchus. 697

in relation to Trichocera. 2038

ultra-weak luminescence of larvae of Diptera, Lepidoptera, Odonata and Orthoptera. 5903

in relation to UV-induced crossovers in Drosophila melanogaster. 1762

UV-light in relation to flight activity of Laspeyresia pomonella. 5486

UV-light and solar radiation in relation to Hodotermes mossambicus. 849

UV-light and take-off behaviour in Schizaphis graminum, 4471

visual pigments in perception by Insecta. 1072 wavelength in relation to behaviour of Aceria sheldoni. 2606

wavelength in relation to diapause response in Anthonomus grandis. 1621

wavelength in relation to trapping of Heliothis zea and Manduca. 3374

in relation to woodland populations of Collembola in Indiana, USA. 4020

Light-brown apple moth, see Epiphyas postvittana Ligustrum vulgare (Oleaceae), larval Acherontia atropos feeding on in nature. 6013

Limacodidae (Lep.), 1363

of Spain catalogued. 1363

Limbobotys gen.n. (Lep., Pyralidae), established and new spp from China. 3824

Lime aphid, see Eucallipterus tiliae

Lime sulphur, control of Phylloxera vitifoliae in Ontario, Canada. 4677

Limenitis (Lep., Nymphalidae),

arthemis, archippus, lorquini and weidemeyerii confirmed as valid spp. 5911

valve form in N. American populations. 5911

Limenitis archippus, photoperiod in relation to development and larval diapause, 1187

Limenitis arthemis,

conspecific with L.astyanax. 914 disruptive and mimetic coloration. 914

Limenitis astyanax,

conspecific with L.arthemis. 914 disruptive and mimetic coloration. 914

Limicolaria (Mollusca Stylommatophora), prey of Selasia unicolor. 4737

Limnanthaceae, suitability as host-plants for Phyllotreta. 4763

Limnephilidae (Trich.),

362, 862, 863, 1540, 1743, 2096, 2230, 2538, 2539, 2549, 2815, 2835, 3180, 3198, 3356, 3542, 3641, 3907, 4197, 4477, 5211, 6026

control of activity and drift by light. 2096 biology and ecology in Grotta di Monte Cucco, Italy. 862

Limnephilinae (Trich., Limnephilidae), phylogeny in relation to chromosomes. 1743

Limnephilus flavicornis (Trich., Limnephilidae), case-building and its nervous control. 3641

Limnephilus lunatus, time of emergence from a stream in N.Wales. 3198

Limnephilus marmoratus, salinity preference and tolerance of larvae. 362

Limnephilus nigriceps, occurrence and phenology in N.E.Danube Delta, Romania. 2230

Limnephilus rhombicus, case-building and its nervous control. 3641

Limnesia (Duralimnesia) testacea sp.n. (Arach., Acari, Hydrachnellae), described. 3375

Limnesia koenikei, development of blind gut. 3917 Limnesia maculata, feeding. 1320

Limnius (Col., Elminthidae), plastron studied by scanning electron-microscopy. 174

Limnochironomus nervosus (Dipt., Chironomidae), biomass-production and ecology in Yugoslav section of the R. Danube. 3601

Limnocoris rotundatus (Hem., Het., Naucoridae), food-pump. 2007

Limnohalacarus major sp.n. (Arach., Acari, Halacaridae), described. 10

Limnophila (Prionolabis) kunimiana sp. n. (Dipt., Tipulidae), described. 547 Limnophila (Eloeophila) mishimai sp.n., described.

Limnophila platyptera, brachypterous ♀ described. 2510

Limnophora riparia (Dipt., Muscidae), occurrence in thermal waters in Iceland. 4823

Limnophyes transcaucasicus (Dipt., Chironomidae), abundance in Hungarian section in R. Danube.

Limonene, cotton-bud constituent attractive for Anthonomus grandis. 5431

Limonia (Dipt., Tipulidae), euryphallus and persuffusa renamed. 5684

Limonia antennata, new records from Uttar Pradesh, India. 83

Limoniinae (Dipt., Tipulidae), of Hungary. 5572

Limonius californicus (Col., Elateridae), ultrastructure of Metarrhizium anisopliae attacking larva. 5153, 5154

Limothrips cerealium (Thysanopt., Thripidae), skeletal musculature and changes at metamorphosis. 4469

Limothrips denticornis, sex-index and populations on cereals in Finland. 1309

Limulus polyphemus (Xiph.),

cardio-inhibitor nerves. 1522
gill cartilage. 1543
inhibitory fields in lateral eye. 2595
osmoregulation and salinity tolerance. 1587
spectral sensitivities of single cells in median
ocellus. 2599

ultrastructure and properties of photoreceptor cells. 2602, 2603, 2604

ultrastructure of corneagen in lateral eye. 2601 Lindane [cyclic (diethoxyphosphinyl) dithioimidocarbonate],

control of Blattella germanica in combination with boric acid. 5813

control of Neoschoengastia americana on turkeys, 5348

control of Phylloxera vitifoliae in Ontario, Canada. 4677

control of Spodoptera littoralis in Egypt. 5352 dimethyl sulphoxide in relation to toxicity to Tenebrio molitor. 3934

toxicity to larval Telmatoscopus albipunctatus. 5987

Lindingaspis floridana (Hom., Diaspididae), association with Gynaikothrips ficorum in leafrolls on Ficus nitida, 6047

Lindorus lophantae (Col., Coccinellidae), new for Is. Canarias. 3297

Linepithema gallardoi sp.n. (Hym., Formicidae), described. 4354

Linnaeus, Dermaptera types in British Museum (Natural History), London, England. 5663

Linnomyia mira sp.n. (Dipt., Bombyliidae), described. 4297

Linognathidae (Anopl.), 517, 2475

Linognathus digitalis sp.n. (Anopl., Linognathidae), described. 517

Linognathus elblae sp.n., described. 2475 Linoleic acid,

changes with age in larval lipid of Acheta domestica. 3507

of Cheirodendron gaudichaudi leaves in Hawaii in relation to Drosophila. 647

in relation to JH titre during metamorphosis in Hyalophora cecropia. 4623

Linum usitatissimum (Linaceae),

damage by Cadra cautella to stored linseed grain. 786

fecundity of Pyrgomorpha conica. 6003

Linyphia (Arach., Aran., Linyphiidae) genera and spp keyed. 960

revision, reclassification and World distribution. 960

Linyphia alpicola sp.n., described. 960 Linyphia frutetorum, transferred to Frontinellina gen.n. 960

Linyphiidae,

new spp from C. and E. Africa. 2470 parasitized by Ichneumonidae on W. Coast of Schleswig-Holstein, GFR. 5478

Liochthonius (Arach., Acari, Oribatei), Hungarian spp of horridus group discussed and new spp described. 952

Liogenys (Col., Melolonthidae), revised, keyed and new taxa described. 5007

Lionychini (Col., Carabidae), of Niokolo-Koba National Park, Senegal. 1839

Liophlaeothrips (Thysanopt., Phlaeothripidae), spp keyed. 3018

Liophlaeothrips pulchrisetis sp.n., described. 3018 Liothrips (Thysanopt., Phlaeothripidae),

new subgenera established. 1024 revision of Oriental spp, key and description of

new taxa. 1024 Lipaphis erysimi (Hom., Aphididae), carbohydrates and nitrogen compounds in honeydew. 5858

Lipara lucens (Dipt., Chloropidae), bionomics,

parasites and productivity. 4820

Liparidae (Lep.), 2220

Liparthrum genistae (Col., Scolytidae), larva described. 3385

Lipase,

in gut of Clavigerella gibbosa. 5853 midgut lipases of adult ♀ Blatta orientalis in relation to neurosecretion. 4522

mode of action of midgut lipase in Blaberus cranifer and Periplaneta americana. 1550

monoglyceride lipase activity in flight-muscle of Lepidoptera, 1128

in relation to organophosphate-resistance in Musca domestica. 3961

from thoracic muscles of Periplaneta americana. 4528

Lipeurus caponis (Mall., Philopteridae), control by dichlorvos-impregnated resin strands on

- Lipeurus caponis (Mall., Philopteridae), contd. laving hens, 4673
- Lipeurus tropicalis, on Gallus domesticus in Punjab, India. 1700

Lipids,

- acylation and deacylation of microsomal phospholipids in Musca domestica larvae. 3927
- of adult Dacus oleae. 2627
- in a dult development of  $\ensuremath{\mbox{\scriptsize of}}$  Schistocerca gregaria. 4596
- of adult Glossina morsitans. 1117
- alanine and aspartic acid conversion to fats in Q Aedes aegypti. 1554
- allatectomy in relation to metabolism in 9 Spodoptera littoralis. 4631
- assimilation, mobilization and transport by fatbody and haemolymph in Pyrrhocoris apterus. 1577
- associated with lipoglycoprotein of larval haemolymph from Popillia japonica, 5866
- carbon-number distribution of triglycerides in Insecta, 3070
- choline analogues incorporated into phospholipids in larval Musca domestica. 3933
- of coverings of Coccoidea. 1987
- in relation to crowding of larval Nematus ribessii. 1290
- cuticular lipids of Lucilia cuprina. 5187
- during development in Culex pipiens fatigans. 4007
- in relation to diet and parasitization in haemolymph of larval Manduca sexta. 1548
- energy source for adult Coccinella septempunctata bruckii during starvation. 1090
- enzymes associated with lipogenesis during adult of development of Schistocerca gregaria. 4001
- of fat-body in larval Trogoderma granarium in relation to diapause, 1130
- of fat-body during post-embryonic development of Formica rufa polyctena queens. 1642
- fatty-acid composition during larval development of Acheta domestica. 3507
- during flight in Schistocerca gregaria. 1557 glucose conversion to lipid during flight in Lucilia sericata. 1045
- hormones in relation to metabolism in Bombyx mori. 3076, 3077
- larval epicuticle resistant to lipid solvents in Calpodes ethlius. 4462
- of larval and pupal Heliothis virescens and H. zea. 3516
- of Lepisma saccharina. 1124
- lipid transport in relation to JH in Hyalophora cecropia. 4623
- membrane-bounded lipid aggregations in brain of Notonecta glauca. 3861
- metabolism in fat-body of Manduca sexta. 5871 neutral lipid content of larval Tenebrio molitor. 1132

- neutral lipids of queens of Macrotermes goliath and M. natalensis. 1115
- oenocytes in lipid formation in cuticle of Culex pipiens. 4459
- phospholipid acylation and deacylation by microsomes from larval Musca domestica. 3927
- phosphorus levels during metamorphosis in Philosamia ricini. 4625
- during post-embryonic development of Apis mellifera. 5862
- of puparium of Lucilia cuprina. 5227
- of queen Vespa orientalis. 659
- sex-dimorphism of neutral lipid metabolism in Plodia interpunctella. 1133
- structural lipids of cuticle in relation to oenocytes in Insecta. 4463
- surface lipids of larval and adult Pteronarcys californica. 3049
- synthesis by fat-body in adult o Schistocerca gregaria. 3456
- cis vaccenyl acetate in ejaculatory bulb of adult o Drosophila melanogaster. 4002
- Liposcelidae (Psoc.), 3832
- Liposcelis (Psoc., Liposcelidae), new micro-fossil sp from Cretaceous of Nagpur, India. 3832
- Lipotropha dorci sp. n. (Protozoa), from larval Dorcus parallelipipedus. 5162
- Liptena (Lep., Lycaenidae), new spp described.
- Liquamycin, effects on Rhodnius prolixus. 2120 Liriodendron tulipifera (Magnoliaceae) (yellow poplar), biology of Toumeyella liriodendri. 3535
- Liriomyza munda (Dipt., Agromyzidae), circular rotating cage for uniform oviposition. 5097
- Liriomyza virgo, adaptation to the leaf-mining habit. 1706
- Liris aucta Fabricius (Hym., Sphecidae), related to Ceramius beaumonti. 3346
- Liris solstitialis, new name for tibialis. 5740
- Lispinus impressicollis (Col., Staphylinidae), new for Is. Canarias. 3297
- Lispixys avispa gen. et sp. n. (Hym., Braconidae), and levis sp. n. described. 1907
- Lisponema singularis gen. et sp. n. (Hym., Sphecidae), described. 2986
- Lissogenius (Col., Scarabaeidae), new African taxa. 5650
- Lissonota evetriae (Hym., Ichneumonidae), role in annual population fluctuations of Evetria cristata in Japan. 3596
- Lissonota sapinea, host of Itoplectis cristatae in Japan. 276
- Lissorhoptrus oryzophilus (Col., Curculionidae), susceptibility to Neoaplectana glaseri. 4696
- Listrophoridae (Arach., Acari), from Puerto Rico. 5607
  - subfamilies raised to family, 512
- Listrophoroidea (Arach., Acari), classification,

Listrophoroidea (Arach., Acari), contd. ecology and morphology. 512

Listrophorus gibbus (Arach., Acari, Listrophoridae), on Oryctolagus cuniculus in Puerto Rico. 5607

Listrophorus musculus, on Mus musculus in Puerto Rico, 5607

**Listrophorus mustelae**, on Putorius putorius in Netherlands. 2757

Listrophorus ondatrae sp.n., described. 4229

Listrophorus validus, redescribed. 4229

Lithidiinae (Orth., Acrididae), tympanal organ absent. 3899

Lithobiidae (Myriap., Chil.), from Spain. 3021 Lithobius (Myriap., Chil., Lithobiidae),

spermatophore production. 2048 ultrastructure of muscles. 157

Lithobius alicatai, 2 described. 3021

Lithobius andalusicus sp.n., described. 1953

Lithobius forficatus,

development of seminal vesicles and testis. 2048 spermatogenesis. 2047, 2048, 5943 ultrastructure of neural lamella. 5191

Lithobius guadarramus sp.n., described. 3021 Lithobius inops, 9 described. 3021

Lithobius (Monotharsobius) osellai sp.n., described. 3021

Lithocolletis (Lep., Gracillariidae), mining plants in Romania. 2125

Lithocolletis (Phyllonorycter) klimeschiella sp.n., described. 5067

Lithoglyphus turbiniformis (Mollusca), food of larval Dictya fontinalis sp.n. in California, USA. 1878

Lithophane laticinerea (Lep., Noctuidae), American distribution, host-plants and life-cycle. 3541

Litsea (Lauraceae), host of Epitrimerus litseae sp.n. in Borneo. 3720

Liver, as diet for larval Sarcophaga tibialis. 4659 Livestock, pests in 1968 in Ontario, Canada. 3181

Lixini (Col., Curculionidae), of Europe. 31

**Lixophaga (Dipt., Tachinidae),** primary solitary larval parasites of Trichotaphe levisella in Minnesota, USA. 1274

Lixophaga diatraeae,

Galleria mellonella suitable as alternative host.

parasitic on Diatraea saccharalis in Cuba and use in control. 1311

Lixophaga sphenophori, established in Hawaii for control of Rhabdoscelus obscurus. 4110

Lixus algirus (Col., Curculionidae), biology, distribution, economic importance and taxonomy. 1226

Lixus bituberculatus sp.n., described. 31

Lixus incanescens, L.baculiformis and L.salsolae syn.n. of. 31

Lixus repletus sp.n., described. 31

**Llaimacoris (Het., Aradidae),** systematic position. 2967

Lobella (Collem., Protachorutidae), new spp described, 52, 2499

Loberonothini trib.n. (Col., Languriidae), established, 4252

Loblolly pine, see Pinus taeda

Lobocraspis griseifusa (Lep., Noctuidae), frequenting eyes of domestic mammals in Bangladesh 4033

Lobodera (Col., Tenebrionidae),

from Iran. 2931

new taxa described. 532, 2931

Loboglomeris (Myriap., Diplop.), sperm-transfer 2089

Lobopteromyia (Dipt., Cecidomyiidae), Cincticornia bivalviae transferred to. 3763

Locomotion.

of Belothrips acuminatus. 1671

of larval Agrilus ater. 1658

of larval Melolontha melolontha. 5919

locomotor activity of Cryptolestes ferrugineus. 2039

locomotor activity of Hermannia convexa during dieldrin poisoning, 5892

locomotor activity of Leucania separata larvae in relation to crowding. 2585

locomotor activity in neuronal regulation of circadian rhythms in Acheta domestica.

locomotor activity in relation to neurosecretion in Acheta domestica. 2587

locomotor activity in relation to respiratory rate of Lycosa T-insignita. 1544

mode of functioning of adhesive pads in Rhodnius prolixus. 4445

morphology of Dineutes carolinus in relation to swimming. 1520

role of anemo-menotaxis in Geotrupes, Pimelia and Tenebrio. 635

swimming in Bagous limosus. 3056

swimming in Dineutes carolinus. 1520

of Syntropis longiunguis sp. n. 2892

wave-patterns of Dineutes carolinus during swimming. 1520

Locusta (Orth., Acrididae),

haemolymph proteins in relation to formation of new cuticle. 652

uptake of haemolymph proteins by tissues in larva. 652

Locusta migratoria,

5893

acoustic centre in supra-oesophageal ganglion. 622

antennae as stimulators of phototaxis. 639 antennae as wind-sensitive organs. 4483

antidiuretic and diuretic hormones. 4560 bioelectric potentials of rectum in vitro. 645 CA in relation to flight-muscle mitochondria.

CA in relation to JH. 3463

CA implantation in relation to development of fat-body and flight-muscles, 2030

#### Locusta migratoria, contd.

calliphorin absent. 1134

CC extracts in relation to gut-peristalsis. 1098 chiasma-frequencies of crowded and solitary individuals. 3645

chiasma-frequency and recombination in Mali, Tanzania and S. African populations. 3645 cholinergic neuromuscular transmission. 4467 copulation and genitalia. 3104 crowding in relation to homochromy. 5880

cuticle structure. 2583

DNA-content of spermatids. 2183

DNA linear dichroism in sperm-heads. 6080

DNA secondary structure in sperm-heads in relation to RH. 5537

DNA-synthesis in spermatocytes in relation to meiosis. 869

flight initiation and inhibition. 1049

gut peristalsis stimulated by CC extracts from Blaberus fuscus. 1098

haemocyte recovery after experimental bleeding. 641

haemolymph protein metabolism in larva, 5233 hearing, 622

heart-beat during post-embryonic development. 5852

histology of hindgut. 5857

hyperglycaemic factor of CC. 1591

neurons of legs. 1518

new for Is. Comores and new variety from, 3011 non-doubling DNA series in somatic tissues. 6081

photo-geotactic angle-transposition. 5207 positive phototaxis accelerated by mechanical vibrations, 639

prothoracic gland development in adult. 2672 receptors of flight-initiation reflex. 1518 resolving power of eye. 1533

response to aggregation pheromone of Schistocerca gregaria. 5320

topography of trichoid sensilla of head. 4491 tryptophan oxidation via glutarate pathway absent.

tumour histology and transmission. 3439 ultrasound perception. 622

ultrastructure and function of CA. 3463

ultrastructure of meiotic chromosome polarization and pairing in spermatocytes. 869, 5533

Locusta migratoria cinerascens,

CO<sub>2</sub> in relation to haemolymph proteins. 3429 oviposition behaviour in relation to presence of other members of the sp. 1648

royal jelly in relation to body-weight, eggviability, fecundity and longevity. 3508 sex-dimorphism of haemolymph proteins. 3429

sex-dimorphism of naemolymph Locusta migratoria manilensis,

biometrics of CNS. 5839

CA in reproduction. 265 diet developed for Locusta migratoria migratoria unsuitable. 1208 6-methyl uridine in relation to diapause and moulting, 5293

## Locusta migratoria migratoria,

carbohydrates in relation to fecundity under crowded conditions. 1208

6-methyl uridine in relation to diapause and moulting. 5293

sympathetic centres. 1991

# Locusta migratoria migratorioides,

antennae as stimulators of phototaxis. 632 apholate in relation to egg-hatch and fecundity. 5935

auditory system and songs. 2044 blood-volume during development. 2610 CA implantation in relation to spermatogenesis. 3502

caffeine in relation to excitation-contraction coupling in skeletal muscle. 1047

crowding in relation to diapause. 5924 crowding in relation to prothoracic glands. 1152 gregarization pheromone. 5262

haemolymph protein-content and volume during 5th instar, 1093

life-cycle of Malamoeba locustae. 5161 mitochondrial pleomorphism of CA in adult. 3393

mouth-part receptors in relation to feeding. 2731

musculature of  $\sigma$  genitalia. 3869 orientation to light after unilateral injury. 3903 photoperiod in relation to diapause. 5924 photoperiod in relation to feeding activity. 5936 photoperiod in relation to prothoracic gland.

prothoracic glands of solitary adults during sexual maturation and ovarian cycles. 1153, 1154

 $\gamma$ -radiation in relation to spermatogenesis. 3502 tepa in relation to egg-hatch and fecundity. 5935 ultrastructure of regressing prothoracic glands.

ultrastructure of skeletal muscle. 5189 water permeability of eggshell. 1145

Locusta migratoria tibetensis, in Tsinghai Province, China. 493

Locustacarus (Arach., Acari, Podopolipodidae), competition with Protolaelaps nauphoetae on Nauphoeta cinerea. 1667

Locustana pardalina (Orth., Acrididae), abundance and distribution between 1954 and 1965. 5474

Locustone, secretion by Locusta migratoria migratorioides. 5262

Locusts, see also Acrididae and separate spp current and future problems in control. 829

Lohma**nnia** paradoxa (Arach., Acari, Oribatei), populations at a farm at Giza, Egypt. 6054

#### Lolium perenne (Gramineae),

American populations of Chamaemyia 'polystigma' on. 4658

Contarinia lolii attacking seeds. 5435

Lomaptera (Col., Scarabaeidae), in Amsterdam and Leiden Museums, Netherlands, catalogued. 4268

Limaptera (s. str.) uyttenboogaarti sp.n., described. 4268

Lomblen Islands (Indonesia), new Nymphalidae from. 1936

Lonchaea (Dipt., Lonchaeidae),

cyaneonitens and megacera redescribed. 3773 larvae predaceous on larval Urophora stylata. 326

Lonchaeidae (Dipt.), 326, 3773 nominal spp of Kertesz redescribed. 3773

Lonchopteridae (Dipt.), 473 from S. Spain. 473

Longevity,

of Acleris variana. 2664

of Adalia bipunctata. 1665

of adult Cycloneda limbifer. 2091

adult longevity of Chelonus curvimaculatus. 791

adult longevity of Euxoa tristicula. 2701 adult longevity of Feltia subterranea. 1037

of Agrilus ater. 1658

of Amblymerus bruchophagi. 4705

of Anaphes flavipes. 5363

of Anthonomus grandis complex. 3552

in relation to antibiotics and pollen in newlyemerged Apis mellifera, 3633

of Aphycus apicalis. 5408

of blood-sucking Ceratopogonidae. 2790

of Brachinus, 284

of Bracon mollitor. 1656

of Bradysia impatiens. 4704

of British Pseudoscorpiones. 4854

in relation to <sup>137</sup>Cs irradiation in Spodoptera littoralis, 1224

of cave Pseudoscorpiones. 1400

of Chaoborus crystallinus. 3547

in relation to chemosterilants in  $\circ$  Oncopeltus fasciatus. 3093

of Chilo partellus. 1657

in relation to Citrus growth-cycle in Trioza erytreae. 805

of Contarinia medicaginis. 332

of Cubitermes severus soldiers in Ivory Coast. 350

of Culex portesi. 5496

in relation to cytoplasmic polyhedrosis in Pectinophora gossypiella. 3963, 5268, 5802

in relation to diet in Cadra cautella. 786

in relation to diet in Drosophila melanogaster. 4453

differential longevity in Callosobruchus chinensis competing with C. maculatus. 4116

durations of life-stages in Panonychus ulmi natural populations. 3551

of Ectomyelois ceratoniae. 5288

of Epicauta albida group. 1413

of Euxoa ochrogaster. 4034

in relation to evolution of sex-dimorphism in

diurnal rhythms of Insecta. 3557

of Evylaeus nigripes. 4127

in relation to extra-terrestrial radiation in ♀ Habrobracon. 249

in relation to extra-terrestrial radiation in 9
Habrobracon juglandis. 3994

of Q Habrabacon juglandis after Biosatellite flight and vibration experiments. 3994

in relation to glutamic acid in Drosophila melanogaster. 5235

in relation to hempa in Musca autumnalis. 3514 in relation to host in Nasonia vitripennis. 3493,

in relation to host-plant condition in Tetranychus urticae. 1284

in relation to host-plant in Brevicoryne brassicae 2158

in relation to host-plant in Oncopeltus fasciatus. 813

in relation to host-plant in Pyrgomorpha conica. 6003

in relation to host-plant variety in Tetranychus urticae. 2707

in relation to humidity in prepupae and pupae of Leucania separata. 255

in hybrid, inbred and outbred strains of Musca domestica. 4411

of Hypera brunneipennis. 5973

of Hyposoter placidus. 5990

in relation to insemination in Platyptilia carduidactyla. 3528

in relation to larval size in Conotrachelus nenuphar. 5229

of Melichares tarsalis in the laboratory. 267

in relation to metepa in Musca autumnalis. 3514

of Microbracon kirkpatricki. 5991

of Nephus regularis. 759

of Nezara viridula. 2698

in relation to nuclear polyhedrosis in Trichoplusia ni. 1204

of Odites artigena. 5368

of Orgilus lepidus. 2702

of Paravespula vulgaris. 4746

Perilitus coccinellae parasitization in relation to host longevity. 1266

of Phanerotoma flavitestacea. 5371

of Phytoseius plumifer. 2710

of Pieris rapae. 1651

in relation to plant in  $\sigma$  Culex pipiens quinque-fasciatus.  $3565\,$ 

of Pyemotes boylei. 4026

radiation-induced life-shortening and natural ageing in Drosophila melanogaster. 5291

in relation to  $\gamma$ -radiation in Arthropoda. 254

in relation to  $\gamma\text{-radiation}$  in Stomoxys calcitrans. 5300

in relation to rearing conditions in Blaberus giganteus. 2563

in relation to RH in Chrysopa carnea. 5298

in relation to RH in Hyalomma dromedarii and

## Longevity, contd.

Ornithodoros savignyi. 4556

in relation to RH in Nilaparvata lugens. 3550 in relation to rice dwarf virus in Nephotettix

cincticeps. 5458

cinerascens. 3508

role of antennae and eyes in Glossina. 2734 in relation to royal jelly in Locusta migratoria

sex-dimorphism in Aedes aegypti at Bangkok, Thailand. 2145

in relation to soil moisture in Conotrachelus nenuphar, 5299

of Spodoptera mauritia acronyctoides. 732

in relation to sublethal doses of systemic insecticides in Anthonomus grandis, 5302

in relation to temperature in Chrysopa carnea.

in relation to temperature in Conotrachelus nenuphar. 5299

in relation to temperature in Lespesia archippivora. 1627

in relation to temperature in Leucania separata.

in relation to temperature in Macrocheles peniculatus. 3996

in relation to temperature in Nilaparvata lugens. 3550

of Termatophylum insigne. 5983

of Thanasimus dubius. 3537

of Triatoma rubrofasciata. 5988

of Trichogramma minutum. 3154

variation between geographical strains in Lucilia sericata. 4792

in relation to vibration in ♀ Habrobacon juglandis. 3994

of Voria ruralis. 3536

in relation to water-loss in Hyalomma dromedarii and Ornithodoros savignyi. 4556

Longitarsus (Col., Chrysomelidae), new synonomy among W. Palaearctic spp and redescriptions. 4271

Longitarsus reichei, new for Norway. 452 Longitarsus zangherii sp.n., described. 2903 Longiunguis (Hom., Aphididae), of Denmark. 2869 Longiungius elisabethae, oviparous 9 described. 2869

Longivesica subgen.n. (Lep., Noctuidae), established in Euxoa. 5752

Lonicera xylosteum (Caprifoliaceae), host of Xenomyzus alpestris sp.n. in Europe. 3786

Lopezia gracilis (Onagraceae), Tipula greedlovei sp.n. associated with in Mexico. 2961

Lophocateridae fam.n. (Col.), established within Cleroidea. 4985

Lopidella (Het., Miridae), reviewed and keyed and new spp described. 1437, 2972

Loranthus europaeus (Loranthaceae), food-plant of Orthops coccineus stat.n. 3327

Lord Howe Island (Australia), Lepidoptera of. 4925

Loricatarsa garnyi gen.et sp.n. (Col., Scarabaeidae), described. 5012

Loricera (Col., Carabidae), Elliptosoma reduced to subgenus. 1840

Loricera (s. str.), phylogeny and zoogeography.

Loricera aptena sp.n., described, 1840

Loricera stevensi, synonymous with L.aparupa. 1840

Loricerini (Col., Carabidae), World taxa revised. 1840

Lorichula kerzhneri sp.n. (Het., Microphysidae), described. 2966

Lorostemma (Col., Carabidae), informalis distinguished from subnitens. 2897

Loscytus politus (Het., Saldidae), lectotype designated, 551

Lotus (Leguminosae), Apioninae associated with in Leningrad (USSR) area, 4794

Louisiade Islands (Papua-New Guinea),

new Crambidae from. 5756

new Nymphalidae from. 1936

new Scarabaeidae from. 3311

Lounsburyia (Hym., Aphelinidae), alternative differential mortality and sex differentiation. 2113

Loxanoetus bassoni sp.n. (Arach., Acari, Anoetidae), described. 5613

Loxodonta africana (Proboscidea),

Acari from excrement in Tanzania. 3718 biology of Diptera. 5416

host of Loxanoetus bassoni sp.n. 5613

Loxosceles arizonica (Arach., Aran., Scytodidae), bites in Arizona and California, USA. 5388 pathology and symptomology of bite. 1244

Loxosceles laeta,

breeding in Massachusetts, USA. 939 new for Los Angeles County, California, USA. 2867

Loxosceles reclusa,

distribution and rate of spread in N. America. 939

human complement inhibitor in venom, 2104 role of polymorphonuclear leucocytes in lesion due to venom, 4048

venom in relation to larval Heliothis virescens. 1245

venom in relation to mammals. 297

Loxosceles rufescens,

bites in Israel. 293

breeding in Texas, USA. 939

Loxosceles unicolor,

bites in Arizona and California, USA. 5388 pathology and symptomology of bite. 1244

LSD-25, lethal mutation rate in Drosophila melanogaster. 1343

Lucanidae (Col.),

480, 640, 975, 1326, 2694, 2917, 3051, 3242, 3305, 3306, 5001, 5002, 5162, 5184 abdominal spiracles. 640

Lucanidae (Col.), contd.

generic relationships with reference to the ocular canthus. 3305

from Ivory Coast. 480

mating behaviour. 2694

of the Museo de Historia Natural, México. 4254 posterior procoxal bridges. 3044

Lucanus cervus (Col., Lucanidae),

British records. 3242

flight. 3051

Lucanus maculifemoratus, chromosome number and karyotype. 1326

Lucerne, see Medicago sativa

Luciferase, luciferin binding site in Photinus.

Lucilia (Dipt., Calliphoridae),

biology and ecology of desert spp in Egypt. 4829 from garbage pits in S. Carolina, USA. 3177 infections of Alytes, Bufo and Hyla. 5984

Lucilia cuprina,

calliphorin present. 1134

carbohydrate catabolism at metamorphosis. 682 carbohydrate and fatty-acid metabolism in pharate adult. 658

composition of empty puparium. 5227 cuticular lipids of adults and puparia. 5187

fatty-acid oxidation by adult tissues in vitro.
1141

eye-colour mutations. 4162

fatty-acid oxidation in mitochondria. 1127 glucose uptake by tissues in pharate adult. 658 glycogen phosphorylase and hexokinase activities. 682

machine separation of d and p pupae. 4694 pheromones in cuticular wax. 5187 prothoracic-gland hormone in relation to development. 3945

reduction in cage populations by use of sterile 99. 4694

sexual stimulation of \*f by aggregation-site odour. 2690

Lucilia sericata,

flight. 1515, 3053

fluorescent systems and UV-sensitivity of eyes. 3413

glucose conversion to lipid during flight. 1045 interactions with Nasonia vitripennis. 4792, 4922

method for detection of mating in or. 1038 populations in food-processing establishments in Czechoslovakia, 842

sucrose utilization in flight. 3053

yellow-eyed mutant. 4162

Luciola lusitanica (Col., Lampyridae),

Italian subspp discussed. 5646

light-signalling and attraction between the sexes. 272

 $\sigma$  gonads in peripheral inhibition of flashing. 3960

Luciola lusitanica papii subsp.n., described. 5646

Ludovix fasciatus (Col., Curculionidae), parasitic on Cornops. 4047

Luffa aegyptiaca (Cucurbitaceae), attraction and feeding behaviour of Epilachna vigintioctopunctata. 161, 1256

Lumacine, isolated from  $\sigma$  Formica polyctena. 4543

Lumacine-6-carbonic acid, isolated from o'Formica polyctena. 4543

Lumbricidae (Annelida), prey of Coptoformica exsecta and Formica polyctena. 2721

Lundstroemiella hybotinoides sp. n. (Dipt., Empididae), described. 538

Lunilla (Col., Pselaphidae), placed in Lunillini trib.n. 2496

Lumillini trib.n. (Col., Pselaphidae), established within Clavigerinae. 2496

Luperus (Calomicrus) bispiniger sp. n. (Col., Chrysomelidae), described. 3301

Luperus wollastoni, diagnosis expanded. 3301 Lupeyl cerotate, feeding stimulant for Scolytus multistriatus. 4049

Lupinus termis (Leguminosae), fecundity of Pyrgomorpha conica. 6003

Lupropini (Col., Tenebrionidae), Etazeta aenicolor removed to Goniaderini. 2928

Lustrina assamensis (Hym., Bethylidae), placed in Cleptinae. 5722

Lutein,

in Carausius morosus. 1143 in Chironomus annularius egg. 2034

in Tettigonia viridissima. 1143

Luteocoelius popae gen. et sp. n. (Hym., Ichneumonidae), described. 109

Lutzomyia (Dipt., Psychodidae), biology and ecology in British Honduras. 5501

Lutzomyia olmeca, probably sole vector of rodent leishmaniasis in British Honduras, 4046

Lutzomyia panamensis, isolation of Leishmania braziliensis. 4683

Luxembourg,

cave Pseudosinella from. 4292 new cave Entomobryidae from. 4292

Luzonomyia (Dipt., Cecidomyiidae), transferred to Asphondyliidi. 2941

Lycaena (Lep., Lycaenidae), spp with types named by W.H. Edwards and now included in Chrysophanus. 1015

Lycaena amandus, easternmost record for Sachsen, GDR. 5585

Lycaena dispar batavus, summer floods in relation to populations at Woodwalton Fen, Cambridgeshire, England. 5484

Lycaema editha, chromosome number of c. 866 Lycaema helle, parasites and parasitism. 5990

Lycaena phlaeas, Anisobas bostilis parasitic on.

Lycaena thoe, chromosome number of  $\sigma$ , 866 Lycaena xanthoides, chromosome number of  $\sigma$ . Lycaenidae (Lep.),

440, 466, 866, 1014, 1015, 1325, 1466, 1930, 1934, 1935, 2102, 2143, 2224, 3005, 3025,

3203, 3215, 3458, 3539, 3591, 3707, 3812,

3815, 3816, 4038, 4373-4378, 4861, 4948-

4950, 4953, 5068-5070, 5413, 5484, 5585,

5750, 5751, 5990, 6004

of Bismarck Islands. 440

chromosome numbers of spp from the Himalaya of Nepal, 1325

from New Jersey, USA. 4949

new for Michigan, USA, 4948

of Philippine Islands, 440

of Solomon Islands. 440

synonomy and systematic position of Nearctic spp. 4375

types designated for spp of Edwards. 4376

Lycaeninae (Lep., Lycaenidae), types named by W.H. Edwards and now included in Chrysophanus. 1015

Lycia hirtaria (Lep., Geometridae), recorded for first time from Populus in Spain, 1283

Lycidae (Col.), 528, 951, 1368, 2492, 3243 of the Carpathian Basin, Hungary, 1368

types in Museum Zoologicum Bogoriense, Indonesia. 951

Lycium halimifolium (Solanaceae), virus transmission by Myzus persicae. 1282

Lycopersicum (Solanaceae), resistance of glandulosum, hirsutum and peruvianum to Tetranychus cinnabarinus and T. urticae. 1705

Lycopodium (Lycopodiaceae), food of Anabrus simplex. 4772

Lycoptis (Col., Cleroidea), transferred to Lophocateridae fam. n. 4985

Lycoriella solani (Dipt., Sciaridae), new for USSR.

Lycosa lugubris (Arach., Aran., Lycosidae),

life-cycle and seasonal distribution in C. Scotland. 2715

predators and prey in Scotland. 2109

Lycosa paludicola, summer floods in relation to populations at Woodwalton Fen, Cambridgeshire, England. 5484

Lycosa T-insignata,

diapause at Tokyo, Japan. 345 population fluctuations at Tokyo, Japan. 345 respiratory rate. 1544

Lycosidae (Arach., Aran.),

Melocosa transferred from Pisauridae. 1828 metabolic rate in relation to respiratory surface and acclimation, 4503

Nearctic genera keyed. 1828

new spp from New Guinea described. 502

Lyctidae (Col.), 1229, 3244, 4016

sex characters. 4016

Lyctocoris variegatus sp.n. (Het., Anthocoridae), described, 2966

Lyctus (Col., Lyctidae), larvae differentiated from those of Anobiidae and Bostrychidae. 1229

Lyctus africanus, biology. 4016

Lyctus brunneus.

biology. 1229, 4016

mandibular grooves on wood explained. 4016

Lyctus discedens, biology. 4016

Lyctus planicollis, biology. 4016

Lyctus sinensis, possibly established in Kent. England. 3244

Lygaeidae (Hem., Het.),

149, 254, 782, 813, 993, 994, 1091, 1338, 1381, 1888, 2661, 2704, 2840, 2893, 2969-

2971, 3054, 3058, 3093, 3424, 3479, 3600,

4010, 4316-4319, 4401, 4740, 4758, 5397,

5446, 5546, 5705, 5921, 6051

of Congo-Brazzaville, 1381

Rhyparochrominae revised. 4317

seasonal populations on Gossypium in Egypt.

thoracic sclerites. 149

Lygaeus kalmii (Hem., Het., Lygaeidae),

flight-duration a heritable characteristic, 1338 geographical variation in N. American populations, 1888

Lygaeus reclivatus, geographical variation in Mexican and N. American populations. 1888

Lygus cervinus var. coccineus (Hem., Het., Miridae), placed in Orthops. 3327

Lygus disponsi,

amylase of gut and salivary gland. 2628, 4526 carbohydrase of gut and salivary gland, 4526

Lygus hesperus, discrimination between meridic diets. 3566

Lygus lineolaris,

attraction to Medicago sativa sprayed with sucrose solution. 4838

interactions with Aphididae and Medicago sativa.

new insecticides for control. 4678

Lygus lucorum, spatial distribution in cotton fields.

Lygus vosseleri, trap crop for protection of cotton. 5438

Lymaenon (Hym., Mymaridae), Belgian spp listed and new spp described. 3343

Lymantria, see also Porthetria

Lymantria monacha (Lep., Lymantriidae), protection of tree-stands by fertilization in GFR. 4797

Lymantria obfuscata,

external morphology. 604 present in N.W. Himalaya. 604

Lymantriidae (Lep.).

287, 604, 1188, 1629, 2063, 3165, 4084, 4097, 4109, 4457, 4613, 4649, 4672, 4682, 4797, 4949, 5052, 5103, 5293, 5353, 5798, 6000, 6048

Lymexylonidae (Col.), 1368, 1412, 2878

of the Carpathian Basin, Hungary. 1368

of Musée Royal de l'Afrique Central, Tervuren, Belgium. 2878

Lymnaea (Gastropoda), food of larval Dictya fontinalis sp.n. in California, USA, 1878

**Lymnaea ollula**, Sepedon sauteri established in Hawaii for control. 4110

Lymnaea stagnalis, neurohormone D from Periplaneta americana in relation to neurons. 5190

Lyonetia clerkella (Lep., Lyonetiidae), adaptation to the leaf-mining habit. 1706

Lyonetiidae (Lep.), 1706, 2221, 3591

Lyonia lucida (Bricaceae) (tetter bush), feeding and longevity of of Culex pipiens quinquefasciatus, 3565

Lysandra (Lep., Lycaenidae), chromosomes and taxonomy of corridon sp-group. 3215

**Lysandra caelestissima**, not a subsp of caucasica but of corridon. 3215

Lysergic acid diethylamide, mutagenicity for Drosophila melanogaster. 1771

Lysimachia terrestris (Primulaceae), Monostegia abdominalis on in Quebec, Canada. 4063

Lysine,

binding with soluble proteins in silk-glands in Bombyx mori, 3954

level in Musca domestica tīssues during metamorphosis. 4647

metabolism in relation to cytochrome c in Apis mellifera. 4524

metabolism in wild-type and lethal mutant larvae of Drosophila melanogaster, 664

Lysiphlebus thelaxis (Hym., Aphididae), parasitic on Thelaxes suberis on Quercus in Kurdistan, Iraq. 2121

**Lysosomes**, presence in normal haemocytes of Spodoptera littoralis. 2002

Lysozyme,

concentration in relation to acquired immunity against Pseudomonas aeruginosa in Galleria mellonella. 5167

injection into Periplaneta americana in relation to haemolymph and water-distribution. 1094, 1095, 2609

Lytta nuttalli (Col., Meloidae), gut during postembryonic development. 5220

Lytta viridana, embryonic blastoderm, germ-layers and body-segments. 2049

# M

Maaltica gen.n. (Col., Chrysomelidae), established.

Macgregoromyia babana sp.n. (Dipt., Tipulidae), described. 547 Machilidae (Thysanura),

453, 843, 1950, 3834, 4464, 5475 distribution in Republic of S. Africa. 843

Machilis arctica (Thysanura, Machilidae), type-sp of Petridiobius gen.n. 3834

Machiloides spinipes (Thysanura, Machilidae), muscle attachment to cuticle. 4464

Machimus fimbriatus (Dipt., Asilidae), predaceous on Symmictus costatus in Provence, France. 316

Maconellicoccus hirsutus (Hom., Pseudococcidae), association with Gynaikothrips ficorum in leafrolls on Ficus nitida. 6047

Macquart, Tachinidae described by in Bremi collection, Zürich, Switzerland. 5682

Macracanthorhynchus hirudinaceus (Acanthocephala), cell responses of Periplaneta americana to larvae. 3559

Macrargus multesimus (Arach., Aran.), new for Norway. 469

Macraspis dichroa cribrata (Col., Scarabaeidae), larva described. 4433

Macrocera (Dipt., Mycetophilidae), new for Subantartic Islands. 4306

Macrocera aegaea sp.n., described. 69

Macrocera crozetensis sp. n. , described. 4306

Macrocera pictipennis sp.n., described. 2949 Macrocerca (Dipt., Mycetophilidae), Ethiopian

Macrocerca (Dipt., Mycetophilidae), Ethiopian Region spp revised and new spp described. 5671

Macrocheles muscaedomesticae (Arach., Acari, Macrochelidae),

behaviour in relation to phoresy on Musca domestica. 4502

frequency of poultry manure removal in relation to populations in N. California, USA. 4836

Macrocheles peniculatus, temperature in relation to fecundity, longevity and population growth. 3996

Macrochelidae (Arach., Acari),

control of Diptera in caged-poultry houses. 5350 of Riparia riparia in Switzerland. 4106

Macrodactylus (Col., Melolonthidae), new spp described, 5005

Macrodorcus (Col., Lucanidae), chromosomes of binervis and rectus. 1326

Macrodorcus ruficrus sp.n., described. 5001 Macrolophus nubilis (Het., Miridae), new for France. 5705

Macromyzus indicus sp.n. (Hom., Aphididae), described, 91

Macronemum zebratum (Trich., Hydropsychidae), O<sub>2</sub>-consumption of larvae. 172

Macronychus (Col., Elminthidae), plastron studied by scanning electron-microscopy. 174

Macronyssinae (Arach., Acari, Dermanyssidae), compared with Rhinonyssinae. 510

Macropathinae (Orth., Rhaphidophoridae), chromosomes of 3 Australian spp. 1742

Macropes (Hem., Het., Lygaeidae), sp-groups

Macropes (Hem., Het., Lygaeidae), contd. defined. 2969

Macropsidae (Hem., Hom.), 937

Macrosiphoniella (Hem., Hom., Aphididae), new taxa described. 2978, 2979

Macrosiphum euphorbiae (Hem., Hom., Aphididae), distal apical structure of cornicles. 3382 insecticidal control on Solanum tuberosum. 3603 wild Solanum of Mexico resistant to. 4800

Macrosiphum geranii sp.n., described. 90

Macrosiphum holsti Takahashi 1935, transferred to Ericoliphium. 93

Macrosiphum rosae, parasitized by Aphelinus flavipes in France. 5410

Macrosteles cristatus (Hem., Hom., Cicadellidae), populations on Humulus lupulus at Aschersleben, GDR, and its suitability as host-plant. 327

Macrosteles fascifrons, insecticidal control. 4830 Macrosteles sexnotatus,

new for Egypt. 6052

suitability of Humulus lupulus as host-plant. 327
Macrostomion (Hym., Braconidae), characterized.

Macrotermes (Isopt., Termitidae), neutral lipids of queen goliath and natalensis. 1115

Macrotermitinae (Isopt., Termitidae), biology of colonies from Ivory Coast. 350

Madacantha gen.n. (Arach., Aran., Argiopidae), established. 2887

Madagascar,

Antestiopsis reviewed. 1438 Haplocrepis keyed. 4263

karyotypes and meiosis in Eumastacidae. 6075

marine Araneae and their ecology. 2467

Myriapoda from. 2540

new Buprestidae from. 2894, 4260

new Buthidae from. 2474

new Carabidae from. 4263

new Cerambycidae from. 2900

new Crambidae from. 5756

new Ephemeridae from. 2247

new Eumastacidae from. 4393

new Histeridae from. 39, 2913, 5645

new Lasiocampidae from. 4371, 4372

new localities for Eumastacidae. 4393

new Lygaeidae from. 4316

new Mycetophilidae from. 2949

new Myriapoda from. 2540

new Noctuoidea from. 3002

new Pselaphidae from. 2496

new Pteromalidae from. 4360

new Reduviidae from, 4323

new Sminthuridae from. 5662

new Tenebrionidae from. 533, 2929

Tiew Tellop I billion of 120mm 500, 272

new Thysanoptera from. 5772

new Tineidae from. 1473

Reduviidae from. 4323

Rickettsiella cetonidarum sp.n. from undetermined larva of Cetonia. 5168

Schizomida of. 492

Tenebrionidae from. 2929

Madeira (Atlantic Ocean),

Atomaria of. 5639

Calanthus of, 5626

Calosoma and related genera of. 438

new Carabidae from. 5626

Tarphius keyed. 3303

Mageochaeta malgassica kenricki subsp.n. (Lep., Noctuidae), described. 3002

Magnesium,

-EDTA [disodium magnesium ethylene diamine tetracetate] in relation to egg-production of Tetranychus urticae. 5290

inhibition of actin-myosin interaction in fibrillar flight muscle of Lethocerus maximus, 1046

in relation to isoleucine incorporation by template-active RNA from Tenebrio molitor. 3072

in relation to reaggregation of pupal fat-body cells in Saturniidae. 3047

in relation to ribosomal nuclease of Acheta domestica. 4540

Magnesium chloride, concentration in artificial diet in relation to wing-production in Myzus persicae. 4632

Magnocellus (Hem., Het., Miridae), new spp described and key. 5035

Mahmoodia mirabilis gen. et sp. n. (Hem., Hom., Cicadellidae), described. 5694

Maize, see Zea mays

Maize rootworm, see Buphonella murina

Maize stem-borer, see Chilo partellus

Malachidius (Col., Cantharidae), syn.n. of Malthinus. 3734

Malachiidae, see Melyridae

Malachite Green, use for determining age of cocoons of Neodiprion sertifer in soil. 1500

Malachius (Col., Melyridae),

predator of Laspeyresia funebrana in Rostov area, USSR. 1675

structure of elytral cuticle. 3394

Malachius limbellus, transferred to Anthocomus.
4987

Malaconothrus japonicus (Arach., Acari, Oribatei), new for USSR. 4973

Malacosoma californicum fragile (Lep., Lasiocampidae), number of larval instars. 3387

Malacosoma californicum pluviale, hormone mimics in relation to mortality, metamorphosis and reproduction. 2632

Malacosoma disstria,

actinomycin in relation to cellular RNA-synthesis and cytoplasmic-polyhedrosis virus replication. 5540

disruption of cytoplasmic polyhedrosis virus. 5104

growth of epithelial cells and haemocytes in primary culture. 5282

sex-pheromone and responses. 5326

"Malacosoma fragile", taxonomic identity on bitter-

"Malacosoma fragile", contd.

brush in California, USA. 3387

Malacosoma neustria, light responses in relation to external disturbance and time of day. 5848

Malacosoma pluviale,

hormonal control of metamorphosis and ovarian development. 2076

qualitative population changes. 4097

Malacodermata (Col.), of the Carpathian Basin, Hungary. 1368

Malagassa (Orth., Bumastacidae), new spp described and key. 4393

Malamoeba locustae (Protozoa), life-cycle in Locusta migratoria migratorioides. 5161

Malate, required for butyrate oxidation by adult tissues of Lucilia cuprina in vitro. 1141

Malathion,

aerial application of ULV malathion against Haematobia irritans and Musca autumnalis. 5329

CO<sub>2</sub> anaesthesia in relation to toxicity of Coleoptera. 4562

control of Dacus tryoni in combination with cue-lure. 5137

control of Epitrix hirtipennis on flue-cured tobacco. 5355

control of Neoschoengastia americana on turkeys. 5348

Culicidae populations in Texas (USA) in relation to ULV malathion treatment. 4831

DEF potentiation of methyl-malathion toxicity in Anthonomus grandis. 5159

dimethyl sulphoxide in relation to toxicity to Tenebrio molitor. 3934

esterase inhibition during malathion poisoning in Schistocerca gregaria, 3931

esterase recovery after malathion treatment in Musca domestica. 5905

genetic and metabolic bases of resistance in Chrysomya putoria, 1158

genetics of resistance in Laodelphax striatellus. 6100

host-plant nutrition in relation to tolerance in Tetranychus cinnabarinus. 5266

Mattesia grandis infection in relation to toxicity to Anthonomus grandis. 4450

method for determining dosage mortality curve in Acyrthosiphon pisum. 3029

γ- and X-radiation in relation to toxicity to Musca domestica. 5265

resistance in relation to fenthion-resistance in larval Culex pipiens pallens. 2850

resistance in Tetranychus cinnabarinus in Israel.

selection of Culex pipiens fatigans and Aedes aegypti for resistance. 4169

toxicity to Anthonomus grandis. 5259

toxicity to Attagenus alfierii and A. megatoma larvae. 4454

toxicity to Porthetria dispar and control. 4682

toxicity to Telmatoscopus albipunctatus larvae. 5987

toxicity to Tribolium castaneum and T. confusum 5819

Malawi,

bottom fauna in drying phase of L. Chilwa. 3162 new Nymphalidae from. 4381 Nymphalidae from. 4381

Malaysia,

biology and ecology of Trombiculidae in relation to scrub typhus. 5471

distribution and ecology of Bakerocoptes cynopteri. 2747

ecology of Basilia hispida in W. Malaysia. 2789 ecology of Leptocorisa oratorius in Sarawak. 4103

ecology of Odonata in Kuala Lumpur area. 3606 Gerridae reviewed. 1886

host distribution of Haemaphysalis bispinosa and probable date of introduction. 4782

Lycaenidae from. 1930

new Asilidae from. 2938

new Braconidae from. 2521

new Carcinophoridae from. 1860

new Cerambycidae from. 3300

new Ceratopogonidae from. 4299

new Hesperiidae from. 5063

new Lucanidae from. 5001

new Lygaeidae from. 2971

new Mymaridae from. 3807 new Pseudococcidae from. 2519

new iseddococcidae iioni, 2019

new Sarcophagidae from. 2951

new Satyridae from. 1930 new Scarabaeidae from. 3311

new Tortricidae from. 5761

Silini revised. 1837

Malgasochilo autarotellus sp.n. (Lep., Pyralidae), described. 5756

Mali,

Contarinia sorghicola present. 436 recombination and chiasma-frequency in Locusta migratoria populations. 3645

Malic dehydrogenase,

gene-enzyme polymorphism in Drosophila melanogaster and D. simulans natural populations. 902

of Pogonomyrmex barbatus natural populations in Texas, USA. 2831

Malic enzyme, during development in adult of Schistocerca gregaria, 4001

Mallopeimus sublaevis depressus subsp.n. (Col., Carabidae), described. 21

Mallophaga,

from birds on Foula, Shetland Islands. 5594 of birds from Norfolk I., Pacific Ocean. 2744 of birds in Egypt. 6147, 6148 from domestic fowl in Lyppe. 6146.

from domestic fowl in Japan. 6146

new for Egypt. 6147, 6148

new host records from Norfolk I., Pacific Ocean 2744

## Mallophaga, contd.

new host records from Spain. 1367 of New Zealand. 3694

of Spain. 1367

# Mallota (Dipt., Syrphidae), o' genitalia. 1166 Malpighian tubules,

activity induced by starvation in Periplaneta americana. 183

alkaline phosphatase activity in Schistocerca gregaria. 3932

allantoinase in adult Schistocerca gregaria. 3451

of Aphodius molestus. 3916

of Aulacophora foveicollis. 2621

cell size and number in Dermestes. 188

of Cyaneolytta acteon. 3924

in relation to dehydration and rehydration in Periplaneta americana. 4559

detection of Anaplasma marginale in nymphal Dermacentor andersoni. 4788

development during metamorphosis in Ptychoptera albimana, 4452

distribution of non-doubling DNA in Locusta migratoria. 6081

DNA-synthesis during moulting in Cryzaephilus surinamensis. 242

of ephemeropteran larvae. 1501

esterase activity in relation to CA and CC hormones in Pyrrhocoris apterus, 654

genetics of cytoplasmic granules in Drosophila melanogaster. 182

histology in adult Gnathotrichus retusus, G. sulcatus and Trypodendron lineatum. 684 hormonal control in Carausius morosus. 5859 ion and water movements in Rhodnius prolixus.

kynurenine-3-hydroxylase activity in Calliphora erythrocephala, 1123

life-cycle of Malamoeba locustae in Locusta migratoria migratorioides. 5161

of Onthophagus catta, 3916

in relation to pars intercerebralis and CC hormones in Locusta migratoria and Schistocerca gregaria. 4560

structure and pharmacology in Periplaneta americana. 650

ultrastructure in Culex pipiens pallens, 1553 ultrastructure and regional subdivision in Drosophila melanogaster, 3446

uricase in adult Schistocerca gregaria. 3451 value for estimation of physiological age in Simuliidae. 5907

Malta (Mediterranean Sea), biology of Gonepteryx cleopatra, 5382

### Maltase,

absent from gut in last-instar larva of Eublemma amabilis. 2024

present in gut of Clavigerella gibbosa, 5853 Malthinus (Col., Cantharidae),

longipennis group revised and keyed. 3734 Malachidius syn.n. of. 3734 new spp described. 3734

Malthodes (Col., Cantharidae),

distribution in California, USA. 520 new spp described. 520

Malthodes tauricus sp.n., described. 4990 Maltose,

in relation to bait attractancy for Blattella germanica. 5813

food substrate for Laodelphax striatellus. 2740 nutritive value to Erioischia brassicae. 2722

Malus (Rosaceae)(apple),

Acari associated with in Nova Scotia, Canada.  $4064\,$ 

behaviour, reproduction and survival of Chaetosiphon fragaefolii on. 2700

biology and control of Edwardsiana crataegi and E.froggatti in Tambov region. 2093

distribution and searching behaviour of Typhlodromus mcgregori. 4796

effectiveness of cis-11-tetradecenyl acetate (RiBLuKe) for trapping Argyrotaenia velutinana, 5263

extension of life of stored thinning apples for rearing Synanthedon pictipes, 5107

fumigants for control of Rhagoletis pomonella and Rh. mendax. 5339

Glischrochilus quadrisignatus as pest in Ontario, Canada, 4801

improved method of puncturing thinning apples for rearing of Synanthedon pictipes. 5113 insecticidal control of 5 pest spp. 4670

integrated control in relation to aphids and their enemies in an Ohio (USA) orchard. 5461

life-history of Typhlodromus mcgregori in apple orchards of Utah, USA. 2711

Neocypholaelaps pradhani sp.n. from flowers. 4217

phenology of Grapholitha molesta in S. Missouri, USA. 5507

pollination by Osmia in Japan. 331

population changes on Niagara Peninsula, Ontario, Canada, in relation to insecticide treatments. 2812

population dynamics of Aphis pomi under controlled antennal conditions. 6025

population dynamics of Panonychus ulmi in relation to spray programmes in Nova Scotia, Canada. 6046

populations of Palaeolecanium bituberculatum in Armenian SSR, USSR, 4825

reproductive rate of Tetranychus urticae in relation to physiological state of tree, 1284 serological identity of Rhagoletis pomonella populations, 991

Tetranychidae of sprayed and unsprayed orchards in Poland. 5513

Mamestra (Lep., Noctuidae), activity periods in relation to competition for nectar. 5986

Mamestra brassicae, haemolymph proteins in relation to nuclear polyhedrosis. 3433

Mamestra oleracea, granulosis infection due to Bergoldiavirus oleraceae sp. n. 5345

Mammalia,

Acari ectoparasitic on small mammals in C. Sweden. 4186

Acari on small mammals in Dobrogea, Romania. 2746

Acari on wild mammals in Netherlands. 2757 Anoplura of Insectivora and Primata. 1833 anti-diuretic hormone in relation to Malpighian

tubule secretion in Rhodnius prolixus, 1108 attraction of Scarabaeidae to faeces, 4753

biology and taxonomy of intranasal Trombiculidae. 4237

Coleoptera from nests of small mammals in Transcarpathian region (USSR), 4078 Curculionidae from burrows, 4047

dispersal agent for larval Boophilus microplus. 4071

ecology of Dermacentor andersoni in relation to small mammals in Montana, USA, 5469

ectoparasites of small mammals in Aomori Prefecture, Japan. 3150

Gamasoidea of small mammals in Swedish Lapland, 314

host-feeding associations of Culicidae in Wisconsin, USA, 4752

hosts of Mallophaga in Spain. 1367

hosts of Trombiculidae in Transcarpathia, USSR. 4238

hypopal deutonymphs of phoretic Sarcoptiformes. 1823

Listrophoridae on in Puerto Rici. 5607
mammal hosts of Tabanidae in alluvial and
estuarine areas of Louisiana, USA. 1262
new Aphodius from burrows in USSR. 5013
new free-living Laelapidae on in Pakistan. 4228

new Rhinonyssidae from Belém region, Brazil.
4975

Protura associated with nests of small mammals in Poland. 5593

Siphonaptera on in Ireland, 5595

Siphonaptera on small mammals in Pomerania, Poland. 6154

Siphonaptera on small mammals in Yatsugatake Mts., Japan. 2787

Trombiculidae on small mammals in Raif district, Volga-Kama State Reserve, USSR. 4835 C. Mancini, bibliography of Cesare Mancini (1881-1967). 5609

Manduca quinquemaculata (Lep., Sphingidae), effectiveness of UV-traps, 3374

Manduca sexta,

biology of larva in relation to Apanteles congregatus, 793

development of larvae on burley and dark tobacco. 689

diapause characteristics of N. and S. Carolina strains, 2065

diet in relation to on larval haemolymph. 1548

ecdysone analogue converted to α-ecdysone and 20-hydroxy-ecdysone. 2019

effectiveness of UV-traps. 3374

food-plant chemoreceptors and food-selection behaviour of larvae. 3415

growth of larva on artificial diet and tobacco leaves. 5317

haemolymph of larva in relation to diet and parasitization. 1548

lipid metabolism in fat-body. 5871 mesobiliverdin protein-complex. 665

methods for mass-rearing of larvae. 3370 methods for producing adults from field-collec-

ted larvae, 2567 oviposition in relation to plant vigour, 5134

parasitization in relation to larval haemolymph.

1548

pigment migration and spectral sensitivity of compound eyes. 3898

predation by Passer on larvae. 2799 pupation. 3370

rectal-pad differentiation, 698

responses to artificial oviposition-sites. 4661 surrogate leaf for oviposition. 5134

surrogate leaf for oviposition. 5134 toxicity of trichome exudates of Nicotiana and

Petunia to larvae. 4813 trehalose levels of larva in relation to parasit-

ism. 4512 Manerebia keradialeuka sp.n. (Lep., Satyridae),

described, 1020
Manganese, in relation to choline kinase of Periplaneta americana, 3936

Mangifera indica (Anacardiaceae)(mango),

biology of Amradiplosis allahabadensis. 4023, 4714

breeding of Aedes aegypti in tree-holes in S. India. 4666

galls of Indodiplosis mangifoliae, 4069 Indodromus meerutensis gen. et sp. n. on in Uttar Pradesh, India, 4231

phenology of Chilocorus bipustulatus in Israel. 5500

Mangora gibberosa (Arach., Aran., Argiopidae), predator of Rhyacionia frustrana. 5494

Maniella delhiensis (Hym., Agaonidae), pollenvector for Ficus tsicla, 1707

Mannitol,

contents of overwintering eggs of Aphis pomi, Hyalopterus pruni and Rhopalosiphum padi. 1568

during development of Aulocara elliotti eggs. 1635

nutritive value to Erioischia brassicae, 2722 Mannose,

during development of Aulocara elliotti eggs. 1635

in puparium of Lucilia cuprina. 5227

α-Mannosidase, in Melanoplus bivittatus. 1573 Mansonia (Dipt., Culicidae), in aircraft at Nairobi

airport, Kenya, 4816

Mansonia perturbans, host preferences in Wisconsin, USA. 4752

Mansonia richiardii.

aerial density and flight periodicity in Britain. 2166

biology and ecology in Dorset, England. 835

Mansonia uniformis, DDT in relation to behaviour
and mortality. 845

Mantidae (Mant.).

150, 1054, 1211, 1697, 1701, 2662, 3894-3896, 4493, 4494, 4727, 5390, 5665

defence behaviour of Panamanian spp. 5390 head and mouthparts. 150

phylogenetic affinities, 150

predators of Chilocorus bipustulatus in Israel. 1701

respiration rate and ATP-synthesis in locomotor and strike muscles. 1043

Mantodea,

of C. and E. Predkavkaz'e, USSR. 4195 corrections to Mém. Inst. Fond. Afr. Noire, 62, 91-103(1962). 1863

from N. E. Danube Delta, Romania. 2226

from Niokolo-Koba National Park, Senegal. 1863 seminal receptacle. 3472

Marchalina caucasica sp. n. (Hom., Margarodidae), described. 1445

Mardonius cerasopus (Myriap., Diplop., Spirostreptidae), type-sp of Pseudotibiozus gen.n. 5619

Margarodes vitium (Hom., Margarodidae), biology on roots of Vitis. 742

emergence in relation to humidity and soil temperature. 742

Margarodidae (Hem., Hom.),

742, 1444, 5041, 5433, 6047

biology and ecology in relation to the cocoa farm. 5433

from Mongolia. 5041

Mariana Islands (Pacific Ocean), eradication of Dacus dorsalis. 4832

Marietta javensis (Hym., Braconidae), biology in relation to Anagyrus mirzai in India. 288

Marmarina tigrina (Col., Scarabaeidae), larva described, 4433

Marmorodas spinulatus gen. et sp. n. (Hem., Het., Miridae), described. 5707

Marmota (Rodentia), Hirstionyssus blanchardi on in Kazakhstan, USSR. 4781

Marmota balbacina centralis, in relation to synanthropic Diptera in Tyan'-Shan' Mts., Kirgizia, USSR. 4860

Maro mimutus (Arach., Aran., Linyphiidae), new for Poland. 6111

Marsupialia,

Amblycera of. 5079

biology and taxonomy of intranasal Trombiculidae. 4237

dung collected by Australian Tentegia. 4047 Masaridae (Hym.), 112, 3346

Masencyrtus (Hym., Encyrtidae), synonymous with Helegonatopus. 104

Masonaphis (Hem., Hom., Aphididae), new spp described, 2517

Mastax royi sp.n. (Col., Carabidae), described.

Mastigini (Col., Scydmaenidae), of Republic of S. Africa revised, 47

Mastigoproctus (Arach., Uropygi, Thelyphonidae), courtship behaviour, sperm transfer and spermatophore, 3525

Mastigus (Col., Scydmaenidae), new taxa described and key. 47

Mating,

ability in hempa-sterilized \*Aedes aegypti. 5303

advantage of rare of in Drosophila pseudoobscura. 2855, 3671, 3684, 4175, 4182

of Aedes rempeli. 4073

of Amradiplosis allahabadensis. 4023

of Arachnida of alpine tundra in Colorado, USA. 4730

of Avicularia avicularia, 4721

between sibling Dacus spp in E. Australia. 429

of Blatta orientalis, 5958

of Blattodea, 5269

in relation to bovine blood of diet in Musca autumnalia. 5316

of Bracon mollitor, 1656

of Bradysia impatiens. 4704

of Cardiaspina densitexta. 5362

in relation to chemosterilants in Oncopeltus fasciatus. 3093

choice in crosses between Drosophila pseudoobscura geographical populations. 433

of Clytrinae and Cryptocephalinae of C. Europe. 4030

competition between eastern and western Hypera postica strains. 730

competitiveness of Ceratitis capitata marked with fluorescent powders. 5322

competitiveness in relation to hempa in Culex pipiens. 4622

competitiveness in relation to tepa in Culex pipiens. 4622

competitiveness of tepa-sterilized of Popillia japonica. 5304

copulation of Carausius morosus. 4015

copulation of Drosophila persimilis. 731 copulation in Rhyacophilidae. 5774

courtship behaviour in Swedish Hercostomus. 4014

of Cylindroiulus punctatus. 5957

of Dacus neohumeralis and D. tryoni. 2081

dancing over water by & Nephrotoma flavipalpis possibly related to mating. 5372

death of Anagasta kuehniella during copulation.
4111

of Diatraeophaga striatalis. 5415

of Diplolaboncus tumorificus, 3117

#### Mating, contd.

of Diptera. 1225

of Doclostaurus curvicercus in relation to CA hormones. 4664

duration in relation to culture medium in Drosophila pseudoobscura, 269

duration in Drosophila pseudoobscura. 269

of Dysmachus fuscipennis. 2092

effects of cross-mating in Aedes (Stegomyia). 4638

of Epiphyas postvittana in relation to pheromone concentration. 734

in Erannis leucophaearia between merularia and nigricaria morphs. 5556

of Eriosoma ulmi, 4039

of Eurytoma martellii. 3114

of Euxoa ochrogaster. 4034

eye-pigmentation and wing-vibration in courtship of Drosophila melanogaster. 2697

in relation to fat-body RNA-synthesis in adult Tenebrio molitor, 4545

of o Musca domestica in relation to o accessory secretions. 259

fertilization rate and space and time relationships at the mating site in Scatophaga stercoraria, 3532

of Gastrimargus africanus and G. nigericus. 3104

genetics of mating speed in Drosophila pseudoobscura, 1786

of Glossina palpalis. 5470

of Gryon flavipes. 5375

of Hypera brunneipennis. 5973

of Hypolimnas misippus. 4653

of Hyposoter placidus. 5990

of Ips cembrae. 4036

of Laspeyresia caryana in relation to presence of pecan nuts. 2699

of Leptoconops irritans and L. kerteszi. 4043

of Leucostoma simplex. 4702

in relation to light-dark cycles in Plodia interpunctella, 4619

of Locusta migratoria. 3104

of Lucanidae. 2694

of of Carausius morosus. 4015

of of Stictochironomus crassiforceps, 4648

of Megacyttarus crossirostris. 2080

of Melichares tarsalis. 267

of Microbracon kirkpatricki. 5991

of Microplitis croceipes. 3548

of Musca domestica. 4665

of Nephus regularis. 759

neurohormonal control of mating flights in queen Apis mellifera. 5314

of Nezara viridula. 2698

in relation to nuclear polyhedrosis in Trichoplusia ni. 1204

of Nymphalis antiopa. 6024

of Odites artigena. 5368

of Oncopera, 4652

organization of mating-speed in Drosophila pseudoobscura, 271

in relation to oviposition in Plodia interpunctella.
4619

of Papilio. 4653

of Periplaneta. 5958

of Phanerotoma flavitestacea. 5371

of Phasiinae. 3529

of pheromone-stimulated of Trichoplusia ni. 4662

of Polydesmus angustus. 4663

population density at the mating site in Scatophaga stercoraria. 3531

position in Joppeicus paradoxus. 4706

preferences of eastern and western Hypera postica strains. 5323

previous mating in relation to ♂ response to ♀ sex-pheromone in Trogoderma granarium.

propensity in Drosophila persimilis. 731

in relation to proteins in Tenebrio molitor, 5861

of Pyemotes boylei. 4026

of Pytho depressus. 4042

in relation to  $\gamma\text{-radiation}$  of Stomoxys calcitrans. 5300

relative contribution of the sexes in Drosophila pseudoobscura. 271

repeated mating on sterilization in relation to to 1,3-propanediol dimethanesulphonate and X-rays in Musca domestica. 4608

of Satyrium sylvinus dryope. 4038

of Selasia unicolor. 4737

in relation to selection for 'escape' behaviour in Drosophila melanogaster. 3675

in relation to selection for insecticide-resistance in Ostrinia nubilalis. 4914

selection for mating preference in Drosophila. 431

sequence for indirect spermatophore transfer in Bourletiella bicincta and B. repanda, 1220

in relation to sex-pheromone release by φ Tenebrio molitor. 666

sex-pheromone responses of Malacosoma disstria, 5326

of sibling Rhagoletis spp. 2859

in relation to songs in Tritomegas bicolor. 673

speed in relation to chromosomes interactions in Drosophila robusta. 268

of Sphenophorus venatus confluens. 1655

of Spilopsyllus cuniculi. 4640

of Spodoptera mauritia acronyctoides. 732

success in Dacus neohumeralis and D. tryoni. 2081

success in Drosophila willistoni group. 420 systems in relation to larval weight in Tribolium castaneum. 239

technique for mating Olethreutidae and Tortricidae in the laboratory, 5777

technique for mating Rhyacionia buoliana in the laboratory. 5777

Mating, contd.

of Termatophylum insigne. 5983

of Thomasiella tomentosae, 4027

of Toumeyella liriodendri. 3535

of Triatoma rubrofasciata, 5988

of Viria ruralis. 3536

of Xenopsylla cheopis. 4640

Matricaria chamomilla (Compositae), toxicity of extracts for Culex pipiens larvae. 5824

Matrone, protein components in Aedes aegypti.

Mattesia (Protozoa), mortality source for laboratory populations of Anagasta kuehniella, 4111

Mattesia grandis, in relation to fat content and insecticide susceptibility of Anthonomus grandis, 4450

Mattiphus oblongus (Hem, Tessaratomidae), transferred to Asiarcha, 5715

Mauritania,

biological control of Parlatoria blanchardi by Coccinellidae, 595

Chilocorus bipustulatus established for control of Parlatoria blanchardi. 595

Mauritia vinifera (Palmae), Triatominae from in Uberaba Municipality, Minais Gerais, Brazil.

Mauritius (Indian Ocean),

Schizomida of. 492

Scolytidae from, 5652

Mayala genurostris (Dipt., Culicidae), breedingsites in Kuching area, Sarawak. 5493

Mayetia skeeteri sp. n. (Col., Pselaphidae), described, 2920

Mayetiola destructor (Dipt., Cecidomyiidae),

chromosome elimination during spermatogenesis. 1329

parasites and predators, 4101

stunting of monon wheat and survival in 2 races. 1329

Mayomyia (Dipt.), transferred to Heleomyzidae. 57 Mayrencyrtus (Hym., Encyrtidae),

Anagyrus ceroplastae transferred to. 5724 new for Africa, 5724

Mayrencyrtus armillatus sp.n., described. 5724 Mazax (Arach., Aran., Clubionidae), transferred to

Castianeirinae subfam.n., new spp described and phylogeny. 2469

Mazax pax, nom.n. for M. spinosa Chickering 1937. 2469

MCA-600 [benzo[b]thien-4-yl methyl], control of Epitrix hirtipennis on flue-cured tobacco. 5355

Mealybugs, see Pseudococcidae

Mecarbam, contact spray against Musca domestica.
4451

Mecaspidius (Col., Scarabaeidae), new African taxa. 5650

Mecinus pilichi sp. n. (Col., Curculionidae), described, 3730

Mecistocephalidae (Myriap., Chil.), morphology. 3837

Mecistocephalus punctifrons (Myriap., Chil., Mecistocephalidae), redescribed. 3837

Mecistogaster (Odon., Pseudostigmatidae), autosomal fragmentation and fusion and chromosome number. 929

Mecomma ambulans (Het., Miridae), habitats in Inverness-shire, Scotland. 3183

Meconium,

formation and defecation in Trogoderma parabile. 5217

structure in Attagenus megatoma in relation to Pyxinia frenzeli infection. 5217

Mecopisthes silus (Arach., Aran., Micryphantidae), new for Poland. 6111

Mecoptera,

gravity perception in relation to leg proprioceptors. 4495

of New Zealand, 3694

Mecopteroidea, relationships with Strepsiptera. 3692

Medetera (Dipt., Dolichopodidae), feeding behaviour towards wood-boring Coleoptera. 2739

Medetera aldrichii, location of overwintering larva and orientation of pupa, 4745

Medetera truncorum, predation on Oscinella frit in oats. 2792

Media,

culture of imaginal discs of Drosophila melanogaster in vitro. 591

in vitro embryonic development without dormancy in Bombyx mori. 2564

larval rearing and oviposition in Scolytus multistriatus. 2556

low-cost larval rearing medium for massproduction of Ceratitis capitata and Dacus dorsalis. 2557

sampling populations of stored-product Insecta. 5105

tissue culture of cells of Ixodoidea, 600 tissue culture of ovary explants of Schistocerca gregaria, 589

Medicago (Leguminosae),

Apioninae associated with in the Leningrad (USSR) area, 4794

feeding responses of Hypera postica. 5400 Medicago sativa (alfalfa, lucerne),

Aceria medicaginis and Tarsonemus setifer associated with in Imperial Valley, California, USA. 5454

annual spring seeding in relation to population size of Hypera postica. 3613

Apion on in Israel. 5510

Apoidea pollinating in Hungarian Great Plain, 1280

in relation to BHC-resistance in Phytonomus variabilis in Ararat Valley, Armenia, USSR. 4845

discrimination among flowers and flower-scents in Apis mellifera. 4122

ecology of Aphididae in Delaware, Maryland and

Medicago sativa (alfalfa, lucerne), contd.

New Jersey, USA. 5503

ecology of apoid pollinators in Hungarian Great Plain. 1280

feeding behaviour of Spissistilus festinus in relation to plant size. 5405

feeding responses of Hypera postica to related plant spp. 5400

host of Contarinia medicaginis. 332

interactions with Aphididae and Lygus lineolaris.

intrinsic rate of increase of Acyrthosiphon pisum. 3614

kinesis of Hypera postica towards. 2733

Megachile rotundata and Nomia melanderi for pollination in USA. 5962

in relation to oviposition by Hypera postica. 2692

oviposition by Hypera postica in relation to growth in Ohio, USA. 4846

oviposition sites of Dasyneura ignorata in C. Bohemia, Czechoslovakia. 324

in relation to parasitization of Acyrthosiphon pisum.  $3182\,$ 

pollination frequency for Apis mellifera and wild Apoidea. 5449

population dynamics of Insecta in S. Moravia, Czechoslovakia. 6061

screening for resistance to larval Hypera postica.

temperature in relation to orientation by Hypera postica. 1257

Mediterranean Basin,

parasites and predators of Prays oleae, 320 Stagetus of W. Mediterranean revised and new spp described, 3731

Medlure.

in aerial sprays against Ceratitis capitata and Dacus cucurbitae. 4686

response of Q Ceratitis capitata in relative absence of 37. 4660

Medocostidae (Hem., Het.), 148

Medon pectiniventris (Col., Staphylinidae), not a British sp. 2922

Megabothris turbidus (Siphon., Ceratophyllidae), reproductive biology on Clethrionomys glareolus. 2086

Megabothris walkeri, new for Noord-Beveland, Netherlands. 2876, 6155

Megacephala germaini (Col., Cicindelidae), redescribed. 3734

Megacerus (Col., Bruchidae), o genitalia of coryphae and discoides. 1164

Megachile centuncularis (Hym., Megachilidae), Perezia maura a gynandromorph of. 4341

Megachile rotundata,

adult emergence rhythm. 4603 control of egg fertilization. 4017 nesting behaviour. 2819 use for pollination of Medicago sativa in USA. 5962 Megachile umbripennis, mortality and parasites.
4123

Megachilidae (Hym.),

113, 331, 1817, 1977, 2819, 3806, 4017, 4123, 4340, 4341, 4603, 4820, 5057, 5215, 5379, 5734, 5735, 5962, 6007

genera and subgenera of Anthidiinae. 5734 rectal pads. 5215

Megacoelini trib.n. (Col., Cerambycidae), established. 2898

Megacoelus (Col., Cerambycidae), placed in Megacoelini trib. n. 2898

Megacyttarus crassirostris (Dipt., Empididae), mating behaviour. 2080

Megadelphax kangauzi sp.n. (Hom., Delphacidae), described. 5701

Megaderma lyra sinensis (Chiroptera), host of Strebla molossa. 1880

Megalagrion oahuense (Odon., Coenagrionidae), chromosomes. 4144

Megalestes (Odon., Synlestidae), distans, heros and micans compared. 1386

Megalomus hirtus (Neur., Hemerobiidae), new record from S. Norway. 3701

Megaloptera,

gravity perception in relation to leg proprioceptors. 4495

type-specimens in British Museum (Natural History), London, England, 5087

Megalothorax minimus (Collem., Neelidae), food substrates and gut content. 5996

Megalurothrips (Thysanopt., Thripidae), not synonymous with Taeniothrips. 3019 Pongamiothrips syn.n. of. 3019

Megalurothrips centrispinosus, syn.n. of M. typicus. 4404

Megalurothrips distalis, Taeniothrips distalis var. infernalis syn. n. of. 3019

Megalurothrips morosus, Taeniothrips ditissimus syn.n. of. 3019

Megamerini dae (Dipt.), 5678

Syringogaster transferred to Syringogastridae fam. n. 5678

Megaphragma (Hym., Trichogrammatidae), key to spp. 4365

Megaphragma longiciliatum sp.n., described, 4365 Megapodagriidae (Odon.), 4391, 5085

type-specimens in British Museum (Natural History), London, England, listed and lectotypes designated. 4391

Megarhogas (Hym., Braconidae), characterized.

Megarhyssa (Hym., Ichneumonidae), key to spp. 1920

Megarhyssa emarginatoria,

ecology in relation to Sirex dux and Urocerus argonautarium in N.W. Kavkaz, USSR. 5481 immature stages described. 4438

Megarhyssa perlata, new for Romania. 1920 Megaselia (Dipt., Phoridae), World spp Megaselia (Dipt., Phoridae), contd.

catalogued. 70

Megaspilus lucens (Hym., Ceraphronidae), status. 2987

Megaspis (Dipt., Syrphidae), o genitalia. 1166 Megasternum obscurum (Col., Hydrophilidae), teratology. 452

Megodontus (Col., Carabidae), European spp of violaceus group revised and key. 4264

Megophrys (Anura), hosts of Vercammenia hendricksoni in Malaya. 4245

Megoschizomus gen.n. (Arach., Uropygi, Schizomidae), established. 492

Megoura pallipes (Hom., Aphididae), described.
4328

Megoura viciae,

differentiation of 9 gonad, 3084

ovarial changes in relation to amphigony and parthenogenesis. 3086

reproduction in relation to cold and photoperiod. 709, 3094

Megouroparsus (Hom., Aphididae), new for Oriental Region. 555

Megouroparsus doarsis sp.n., described. 555
Meiboma (Leguminosae), host of Schizotetranychus
rhynosperus sp.n. in Brazil. 3288

Meibomeus musculus (Col., Bruchidae), & genitalia.

Meimuna protopalifera sp.n. (Hom., Cicadellidae), described. 5692

Meioneta simplicitarsis (Arach., Aran.), redescribed. 4246

Meiosis.

artificial control in Insecta, 5552

in Caloglyphus mycophagus. 3087

chiasma-type hypothesis of meiotic chromosomes supported. 3648

in relation to crowding in Drosophila melanogaster, 1618

in cuticular papillae of Peripatus acacioi. 3396 disjunctional consequences of interchange in Drosophila. 380

in relation to DNA-synthesis in Acheta domestica oocytes, 4547

in Eumastacidae. 6075

fine structure of chromosome polarization and pairing in Locusta migratoria spermatocytes, 5533

genetic control in Drosophila melanogaster. 406 in Gomphidae. 912

in Histiostoma feroniarum, 5531

interchange-mediated non-disjunction in Drosophila melanogaster. 4898

meiotic analysis of Q Planococcus citri. 5530

meiotic drive by organic mercury compounds in Drosophila melanogaster. 252

meiotic origin of spontaneous crossovers in ♂ Drosophila ananassae. 1765

multiple-core complexes in Chorthippus longicornis spermatocytes and spermatids. 871 mutants affecting meiosis in Drosophila melanogaster natural populations. 406

normal chiasmate meiosis in Nauphoeta cinerea.

in Odonata. 912

in Sitotroga cerealella. 1985

in relation to synaptinemal complex in Drosophila melanogaster. 367

in X-irradiated of Pseudococcus obscurus. 5548

Melagria (Col., Staphylinidae), of W. Palaearctic revised and keyed and new taxa described. 3314

Melampsalta (Hom., Cicadidae), prey of Neoitamus bulbus in New Zealand. 3569

Melampsalta cingulata, transferred to Amphipsalta gen. n. 3337

Melanagromyza (Dipt., Agromyzidae), new spp described, 5022

Melanagromyza obtusa,

gut. 5216

thorax and its musculature. 147

Melanagromyza phaseoli,

E. African distribution, host-plants and lifecycle. 2502

parasitized by Opius melanagromyzae in E. Africa. 2502

Melanagromyza spencerella sp. n., described. 2502

parasitized by Eucoilidae. 2502

Melanargia galathea (Lep., Satyridae), new for Lower Harz, GDR. 6132

Melanchra cespitis (Lep., Noctuidae), host of Microplitis sofron sp. n. in Sweden. 5052

Melancistrus gen.n. (Hym., Pteromalidae), established. 5059

Melangyna (Dipt., Syrphidae),

Austrosyrphus and Melanosyrphus subgen.n. established. 1881

new spp described. 1881

Melanin,

action of 'tu' genes in Drosophila. 4137

in adult and puparial cuticle of Sarcophaga bullata. 609

in relation to bursicon in adult Sarcophaga bullata. 610

formation in Galleria mellonella stung by Bracon. 209

genetic control of melanotic tumours in Drosophila. 4137

melanization of acanthocephalan larvae in Periplaneta americana, 3559

melanization in adult cuticle of Sarcophaga. 3397 melanization of larval cuticle in Entomophthora infection in Diprion similis. 809

production in 'lozenge' mutants of Drosophila melanogaster, 4899

in relation to thermoregulation in Colias eurytheme. 3226

in relation to tyrosine metabolism in 'He' and 'Us' mutants of Anagasta kuehniella. 3865

Melanism,

aberration of Graphium agamemnon from Malaya.

abundance of melanistic Erannis leucophaearia at Dresden (GDR) in 1921-1966. 4090

in Amathes glareosa in Shetland Islands. 417

breeding experiments in Erannis leucophaearia. 5556

causes and adaptive significance in Lepidoptera.

dark mutant of Trichoplusia ni. 555

in Japanese subspp of Pompilus fumipennis. 569 melanoid çç of Syrphidae. 6098

Melanitis bankia (Lep., Nymphalidae), new for Lord Howe I., Australia. 4925

Melanochiton (Col., Carabidae), new taxa described.

Melanoplus (Orth., Acrididae), suitability as hosts for Acridomyia sacharovi and Blaesoxipha lineata. 4793

Melanoplus bivittatus,

crystalline-array virus. 5818

enzymes degrading polysaccharide of plant cellwalls. 1573

Melanoplus differentialis,

apholate in relation to chromosomes of  $\sigma$  germcells. 4153

co-orientation stability of experimentally interlocked bivalents. 5529

Melanoplus femurrubrum, plant extracts promoting growth in artificial diets. 3978

Melanoplus sanguinipes,

food preferences in relation to Gramineae and Leguminosae. 787

growth in relation to food-plant, 787

melanotic lesions, 5814

neurosecretory system and retrocerebral endocrine glands of adult, 4476

non-diapause strain characterized. 2067 oviposition of allatectomized 99, 3511

oviposition stimulated by raccessory-gland substance. 2078

plant factors affecting feeding, 787

salt stress in relation to brain neurosecretion.

temperature preference. 2607

Melanosoma (Dipt., Conopidae), pallipes and rubripes transferred to Myopotta gen. n. 1427

Melanostoma (Dipt., Syrphidae), 'melanoid' çç described. 6098

Melanosyrphus subgen.n. (Dipt., Syrphidae), established within Melangyna, 1881

Melanotus (Col., Elateridae),

larvae predaceous on Hylobius rhizophagus in Wisconsin, USA, 281

new spp described. 527, 4997

Melanotus fusciceps, biology and ecology in the USSR. 1659

Melanozetes (Arach., Acari, Ceratozetidae), new spp described. 4970 Melasidae, see Eucnemidae

Melasoma (Col., Chrysomelidae), 6-methyl uridin in relation to diapause and moulting in populi and tremulae. 5293

Melcha (Hym., Ichneumonidae),

genus recognised and spp keyed. 111 parasitic on Scirpophaga in Bangladesh. 4841

Melcha albispina (Hym., Ichneumonidae), a valid sp. 111

Melcha albomaculata, M. hyalinus syn.n. of. 111 Meleagris gallopava (Aves) (turkey), insecticidal control of Neoschoengastia americana. 5348

5361

Melecta (Hym., Anthophoridae), parasitic on Anthophora edwardsii in California, USA. 2817

Melecta separata callura, biology, ecology and parasites. 2748

Melecura (Neur. Chrysonidae) Chrysona deli-

Meleoma (Neur., Chrysopidae), Chrysopa dolicharthra and tezcucana transferred to and new spp described, 4389

Meleoma cavifrons, M. dolicharthra syn. n. of. 4389

Meleoma tezcucana comb.n., new for Arizona, USA. 4389

Melezitose,

food acceptibility for Solenopsis saevissima. 4760

4760 nutritive value to Erioischia brassicae. 2722

Melia azadirachta (Meliaceae), responses of mout part receptors in Locusta migratoria migratorioides and Schistocerca gregaria.

Melibiose, nutritive value to Erioischia brassicae 2722

Melicharellini (Hem., Hom., Cicadellidae), N. African genera keyed, 3792

Melichares tarsalis (Arach., Acarl, Asceidae), bionomics. 267

new for Poland, 5434

predaceous on Acari attacking stored sugarbee seeds, 5445

Meligethes aeneus (Col., Nitidulidae), colour discrimination and phototaxis, 166

Meligramma (Dipt., Syrphidae), genus recognized 78

Melilotus (Leguminosae),

Apioninae associated with in the Leningrad (USSR) area. 4794

feeding responses of Hypera postica. 5400

Melipona (Hym., Apidae),

biology, morphology and taxonomy. 1316 citral in relation to workers. 5260

interspecific relationships in S. American spp. 1904

Melipona favosa, chromosomes of sp-group, 190-

Melipona quadrifasciata, chromosomes. 1904 Melitaea aetherie (Lep., Nymphalidae), continued

presence at Madonia, Sicilia. 449

Melitaea rubicunda, H. Edwards has priority over W. H. Edwards as authority. 3280

Melitaea varia.

biology and distribution of French subspp. 4739 immature stages. 4437

Melitomma (Col., Lymexylonidae), only africanum, auberti and benitonum valid for Africa, 1412 Melitta leporina (Hym., Melittidae),

pollinator of Medicago sativa in Hungarian Great

Plain, 1280

pollination frequency for Medicago sativa. 5449

Mellitidae (Hym.), 1280, 5215, 5449

rectal pads. 5215 Melittin, effects on cellular and lysosomal mem-

branes of rabbit polymorphonuclear leucocvtes. 1246

Mellitobia hawaiiensis (Hym., Eulophidae), parasitic on Megachile umbripennis. 4123

Meloborus fuscifemora (Hym., Ichneumonidae), parasitic on Heliothis zea larvae in S. California, USA. 5420

Meloborus islandicus sp. n., described. 1921

Melocosa (Arach., Aran.), transferred to Lycosidae from Pisauridae. 1828

Melocosa fumosa, described, 1828

Meloe (Col., Meloidae),

bionomics, life-cycle and reproductive behaviour. 3745

New World spp revised and keyed and new spp described, 3745

Meloe (Trapezimeloe) bytinskii sp. n., described. 5003

Meloidae (Col. ),

485, 1413, 2049, 2234, 3107, 3745, 3924, 4280, 4988, 5003, 5220

from Ivory Coast. 485

Mylabrini of N. Africa and Middle East revised.

of Niokolo-Koba National Park, Senegal, 2234

Melolontha melolontha (Col., Melolonthidae), agricultural and forest pest in N. W. Szechuan, China. 292

larval locomotion, 5919

larval moulting-phases and pupation. 5919

life-history at Luho, China. 292

mycoplasma-like microorganisms from fat-body and heart. 5163

sensitization of larvae to Beauveria tenella mycosis by previous infection with Bacillus popilliae. 5170

Vagoiavirus melolonthae for control in France. 5173

Melolontha vulgaris, lift output in relation to angle of incidence, 3867

Melolonthidae (Col.), see also Scarabaeidae 828, 976, 977, 2918, 3867, 5004-5007

Melophagus ovinus (Dipt., Hippoboscidae), feeding mechanism on mouse ear. 3568

Melophorus (Hym., Formicidae), larval body profile, 4430

Melsheimer, author of Pachyonychus. 2904

Melyridae (Col.),

452, 935, 1368, 1675, 1804, 3394, 3848, 4024, 4987

of the Carpathian Basin, Hungary, 1368 status of British spp. 1804 subfamilies and tribes keyed on larval charac-

ters. 3848

Membracidae (Hem., Hom.),

349, 561, 562, 679, 3582, 3852, 4337, 5405 African spp described by Gerstaecker, 561 distribution in Wisconsin (USA) in relation to the tension zone. 349

spermatozoa, 679

Memory,

in relation to cold in Tenebrio molitor. 1238 for colours in Apoidea and Formicidae, 850.

for scents in Apis mellifera, 851

Menacanthus stramineus (Mall., Menoponidae), control by dichlorvos-impregnated resin strands on laying hens. 4673

Mengea coreana sp. n. (Arach., Aran.), described. 5617

Menida (Hem., Het., Pentatomidae), new synonomy.

Menida archias sp. n., described, 5713

Menida maculiventris, a valid sp. 5713

Menochilus sexmaculatus (Col., Coccinellidae), parasitized by Perilitus coccinellae. 1266 predaceous on larval Chilo zonellus in India.

Menopon aurifasciatum (Mall., Menoponidae), transferred to Fregatiella gen. n. 578

Menopon gallinae,

control by dichlorvos-impregnated resin strands on laying hens. 4673

on Gallus domesticus in Punjab, India. 1700 Menopon intermissum, syn.n. of Fregatiella

aurifasciata comb. n. 578

Menoponidae (Mall.),

575, 576, 577, 578, 1474, 1475, 1700, 1939, 3008, 3009, 4385, 5386, 4387, 4673, 5080 taxonomy and key to genera and subgenera. 1939

Mentawi Islands (Indonesia),

new Cerambycidae from. 3300 new Nymphalidae from. 1936

Menthidae (Arach., Pseudoscorp.), ecology, geography and phylogeny. 2472 new for Chile, 2472

Menthus (Arach., Pseudoscorp., Menthidae), key to spp. 2472

Menziesia ferruginea (Ericaceae), host of Masonaphis menziesiae sp. n. 2517

Meoneura (Dipt., Milichiidae), new spp described.

Meotica williamsi (Col., Staphylinidae), transferred to Pragensiella. 2922

Mepachymerus ensifer (Dipt., Chloropidae), new for Primor'e, USSR. 5571

2-Mercaptoethanol,

high concentration as requirement for ribosome isolation from adult Acheta domestica. 4534

in relation to thymidine kinase and thymidine-7hydroxylase activity in pupal Hyalophora cecropia. 4525

Mercuric acetate, in relation to diapause in Atrachya menestriesi eggs. 2066

Mercuric chloride, in relation to diapause in Atrachya menestriesi eggs. 2066

Mercuric ion [Hg<sup>++</sup>], in relation to gut amylase of Lygus disponsi. 4526

Mercury compounds, in relation to chromosome segregation in Drosophila melanogaster. 252

Merilia hiekei sp.n. (Col., Chrysomelidae), described. 2484

Meringis (Siphon., Hystrichopsyllidae), new distribution and host records for californicus and cummingi in California, USA. 6009

Meriones erythrourus (Rodentia), Ctenoglyphus bulanovae sp.n. from nest. 5615

Meriones tristrami, host of Miyatrombicula caucasica sp.n. in Azerbaydzhan, USSR. 4979

Meristaearus africanus annobonensis subsp.n. (Arach., Acari, Lohmaniidae), described. 3724

Meristhus (Col., Elateridae), Elater lepidotus Pal. de Beauv. 1805 type-sp. 4278

Meristhus scobinula Cand. 1857, not type-sp of Meristhus. 4278

Merobruchus julianus (Col., Bruchidae), Acacia greggii host-plant in USA. 2479

Merodon (Dipt., Syrphidae), of genitalia. 1166 Merohister ariasi (Col., Histeridae), new for Lazio, Italy. 6117

Meropathus randi (Col., Hydraenidae), unusual abundance on Possession I. in 1966. 441

Merothripidae (Thysanopt.), 3018, 3586 associated with Polyporales in S.Blue Ridge region, N.Carolina, USA. 3586

Mersalyl, in relation to succinate oxidation by flight-muscle mitochondria from Musca domestica. 4531

Merunympha nipha gen. et sp. n. (Lep., Tineidae), described, 3826

Merycomyia (Dipt., Tabanidae), larva and pupa of eastern N. American spp. 5680

Mesa petiolaris (Hym., Myzinidae), ♀ described for first time. 2525

Mesachorutes (Collem., Hypogastruridae), eggs fed on Ascoschoengastia latyshevi. 5365

Mesanthidiellum amoenum sp.n. (Hym., Megachilidae), described, 5734

Mesanthidium (Hym., Megachilidae), new spp described, 5735

Mesembrius (Dipt., Syrphidae), o genitalia. 1166

Mesitius (Hym., Bethylidae), new spp described. 1448, 5722

new synonomy. 5722 Mesitius carceli, & described for first time. 5722

Mesobiliverdin, protein-complex from larval
Manduca sexta. 665

Mesocanthus albus minutus (Myriap., Chil.), redescribed, 1383

Mesocentrus (Hym., Braconidae), removed from Rogadinae. 1908

Mesocerus marginatus (Hem., Het., Coreidae), photogeotactic angle-transposition, 5207

Mesocherus meridionator (Hym., Ichneumonidae), a valid sp. 3804

Mesocricetus (Rodentia), new host for Hirstionyssus criceti, 2746

Mesoinositol, effects on growth of Lasioderma serricorne, 1181

Mesolestes (Col., Carabidae), distribution discussed. 5628

Mesolestes basilewskyi camerounensis subsp.n., described, 5628

Mesolestes senegalensis sp.n., described. 1839 Mesoligia (Lep., Noctuidae), of genitalia described for furuncula and literosa. 1461

Mesoneta (Ephem., Ametropodidae), status. 3323 Mesophylax adspersus (Trich., Limnephilidae),

biology and ecology in Italian caves. 862, 863 Mesoponera caffraria (Hym., Formicidae), trophallaxis. 3636

Mesopsocidae (Psoc.), 5377

Mesopsocus (Psoc., Mesopsocidae), life-history of Leiophron claviventris in relation to in S. England, 5377

Mesoserphinae subfam.n. (Hym., Proctotrupidae), established. 5716

Mesoserphus (Hym., Proctotrupidae), type-genus of Mesoserphinae subfam.n. 5716

Mesostenus (Hym., Ichneumonidae), new synonymy
110

Mesostenus multimaculatus, type-sp of Amrapalia gen.n. 5733

Mesostigmata (Arach., Acari),

forestry practices in relation to soil fauna. 3179 new spp from Japan. 503

parasitic on small mammals in Aomori Prefecture, Japan. 3150

recolonization of insecticide-treated soil. 1721 soil populations at a farm at Giza, Egypt. 6054

Mesosyrphus (Dipt., Syrphidae), genus recognized.
78

Messa nana (Hym., Tenthredinidae),

immature stages and life-cycle. 4025 new for Canada. 4025

Messor (Hym., Formicidae), new spp described. 5729

Messor aegyptiacus,

temperature-resistance. 155 water-permeability of integument. 155

Messor arenarius, ecology in great dunes of

Messor arenarius, contd.,

N. W. Sahara, 4827

Messor caviceps, ecology in great dunes of N. W. Sahara, 4827

Messor excursionis, adults described for first time, 5729

Messor maroccana, distribution, ecology and habits in Mamora Forest, Morocco. 4862

Messor variabilis, of described for first time. 5729 Mesurol, inhibition of esterases of Tetranychus. 5904

# Metabolism.

excretion rate of 65Zn as index of metabolic activity, 4565

metabolic rates of Arachnida. 4503

Metacantharis (Col., Cantharidae), revised, new spp described and key. 4261

Metadromus royi sp. n. (Col., Carabidae), described. 1839

Metagonium niokolokobanum sp.n. (Col., Carabidae), described, 1838

Metahepialus xenoctenis (Lep., Hepialidae), adaptation of non-occluded virus of Nudaurelia cytherea capensis. 5820

Metallactulus jucundus sp. n. (Col., Lucanidae), described, 5001

#### Metals.

chelating agent in relation to sperm motility in Cimex. 1210

in puparium of Lucilia cuprina. 5227 egg-production of Tetranychus urticae on chelate-treated leaves. 5290

Metamasius (Col., Curculionidae), American ranges extended, 2908

Metamasius spurius, ♀ described. 2908

Metamerization, in Polyxenus lagurus, 2668

Metamonius (Ephem., Siphlonuridae), relationship to Rallidentinae. 2248

#### Metamorphosis.

action of "aa" gene in Drosophila hydei. 4155 antibiotics in relation to epidermal metamorphosis and nucleic-acid synthesis in Tenebrio molitor, 4610

in relation to Bracon envenomation in Galleria mellonella, 209

carbohydrate catabolism in Lucilia cuprina. 682 changes in size and respiration rate in Bombyx mori during, 1170

in relation to Chilo iridescent virus in Bombyx mori, 3092

in relation to cholinergic system. 1196

cholinesterase activity in relation to Spodoptera littoralis. 5941

in Clytrinae and Cryptocephalinae of C. Europe.

of CNS in Musca domestica. 159

CNS spontaneous electrical activity in Insecta.

cuticular architecture in Tenebrio molitor. 4460 DNA-synthesis of Galleria mellonella wingdiscs, 1198

ecdysis of 4th-instar Panstrongylus geniculatus.

ecdysone in relation to DNA-synthesis and morphology of Galleria mellonella wing-discs.

esterase pattern in Drosophila immigrans. 1606 fat-body proteins of Diatraea grandiosella, 4641 fatty-acid composition in Hyalophora cecropia. 4623

free amino acids in Musca domestica. 4647 α-glycerophosphate dehydrogenase activity in Drosophila melanogaster, 4629

glycogen content in Philosamia cynthia ricini.

glycolytic enzyme activity in Lucilia cuprina.

growth of ventral diverticulum in Aedes aegypti and A. triseriatus. 4597

of gut in Hvalophora cecropia, 2670

haemolymph osmolality in Antheraea pernyi.

hormonal control in Malacosoma californicum pluviale, 2076

hormonal and neural control in Galleria mellonella. 3517

in relation to hormone mimics in Malacosoma californicum pluviale, 2632

hormones in relation to protein- and RNAsynthesis in Philosamia cynthia ricini wingdiscs. 3510

labial gland in larvae of Zygoptera. 2649 lactate dehydrogenase activity in Drosophila melanogaster, 4629

in relation to learning in Tenebrio molitor. 3423 in relation to JH analogues in Oncopeltus

fasciatus and Pyrrhocoris apterus, 4010 JH titre in Hyalophora cecropia. 4623

midgut proteolytic activity in Galleria mellonella.

mycotoxins of Entomophthoraceae in relation to Galleria mellonella, 5815

neural control in Galleria mellonella. 3517 nucleic-acid synthesis in relation to antibiotics in epidermis of Tenebrio molitor. 4610 in relation to oenocytoids. 175

optic ganglion structure in Tribolium castaneum. 1608

of organ systems in Ptychoptera albimana. 4452 phosphorus compounds in Philosamia cynthia ricini. 4625

phosphorylase activity in Philosamia cynthia ricini. 4000

protein-synthesis in relation to hormones in Philosamia cynthia ricini wing-discs. 3510 proteolytic enzymes of Chironomus tentans. 216

of prothoracic glands in Locusta migratoria.

respiration and size of Bombyx mori ovaries in vitro. 1170

Metamorphosis, contd.

RNA-synthesis in relation to hormones in Philosamia cynthia ricini wing-discs. 3510

of transplanted imaginal discs in Musca domestica nebulo, 2669

triglyceride carbon-number distribution and fatty-acid composition in 5 insect spp. 3070

ultrastructure of proleg metamorphosis in Galleria mellonella, 1988

ultrastructure of wing-discs in Drosophila melanogaster. 2054

Metaphidippus aeneolus (Arach., Aran., Salticidae), eye structure. 1537

Metaphidippus flavipedes, predaceous on Choristoneura pinus in Michigan, USA. 3615

Metaphidippus harfordi, eye and retina movements in response to visual stimuli. 1532

Metaphycus hubai sp.n. (Hym., Encyrtidae), described, 104

Metarrhizium anisopliae (Fungi),

control of Chalcodermus aeneus. 5177 ultrastructure during attack on Elateridae. 5153, 5154

Metaseiulus occidentalis (Arach., Acari, Phytoseiidae),

diapause and overwintering-sites in peach orchards, 5383

life-history in relation to Tetranychus urticae.

rate of predation on Tetranychus urticae. 749, 4079

Metasyrphus (Dipt., Syrphidae), genus valid. 78 Metasystox R.

indirect effects on Eutetranychus orientalis.

inhibition of esterases in Tetranychus. 5904 Metathion, in relation to Cycloneda limbifer. 2091

Meteorus dimidiatus (Hym., Braconidae), host of Dimmockia pallipes in Trichotaphe levisella. 1274

primary solitary larval parasite of Trichotaphe levisella, 1274

Metena.

in relation to aliesterase activity and egg viability in Musca domestica, 712

chemosterilant for Musca sorbens. 4621 in relation to longevity, mating and spermato-

genesis in 7 Oncopeltus fasciatus, 3093 in relation to mating and oviposition in Blattella

in relation to mating and oviposition in Blattella germanica, 1222

in relation to mitochondrial respiration in Musca domestica ovaries. 3509

in relation to Musca autumnalis. 3514

in relation to nucleic-acid content of Musca domestica ovaries. 3509

tumefactions produced in follicular epithelium of Musca domestica. 3509

Methacrylic acid, in defensive secretion of Scaphinotus, 4750 Methionine,

in relation to development of Neomyzus circumflexus, 2079

level during metamorphosis in Musca domestica tissues. 4647

metabolism in Lasioderma serricorne and Stegobium paniceum. 2023

possible synthesis in Acantholyda nemoralis. 5868

product of sulphate metabolism in Neomyzus circumflexus. 2079

in relation to wing-production in Myzus persicae.
4632

Methoca articulata (Hym., Methocidae), new for Carpathian Basin, Hungary, 568

Methoca sisala sp.n., described. 568

Methocidae (Hym.), 568

of Carpathian Basin, Hungary. 568 Methods.

agar-gel immunodiffusion for blood-meal identification in Aedes notoscriptus. 3358

analysis of gene expression. 1569

analysis of life-tables and development of population models. 4850

analysis of stomach-contents of herbivores. 5782

autocidal methods for insect control, 4414 bioassay of sex-pheromone of Diatraea saccha-

ralis. 3523 calculation of activity rhythms. 3419

calculations of coefficient of dichroicity of absorption in ommatidia, 1084

character selection in numerical taxonomy for valid phylogenetic conclusions, 1359

clearing of Musca autumnalis puparia for sexdetermination. 3372

cluster analysis for study of insect distribution in rivers. 3164

collection of Collembola, 3197, 5779

collection of Ixodoidea, 1960

collection of leaf-litter Thysanoptera. 5773

comparison of fossil insect wings. 3843 crossing and selection as method of genetic

sampling in Drosophila melanogaster populations, 2853

cytochemical analysis. 3048

detection of mating status of  $\sigma$  Lucilia sericata. 1038

detection of olfactory stimulants. 1032 determination of age in Corixidae. 2053

determination of dosage mortality curve for malathion in Acyrthosiphon pisum. 3029

determination of energy assimilation by radioisotope method, 4759

determination of inorganic ion content of habitat in Tropisternus. 859

determination of pheromone structure. 5120 determination of resistance of Ixodoidea to chemicals, 4580

determination of respiratory rates of aquatic

## Methods, contd.

invertebrates, 5099

determination of transfer rate through foodchains, 298

dip method for screening pathogens of Diatraea grandiosella, 5822

direct observation of rhabdomeres in insect eves. 3889

disease-free culture of Heliothis, 4605

effectiveness of Manitoba fly-trap for Tabanidae in Japan, 1310

estimation of ant predation on insects, 132

estimation of attractancy of rice grains for Sitophilus zeamais. 133

estimation of Diatraea saccharalis populations.

estimation of time of first emergence and mean peak of emergence in Rhagoletis pomonella. 3032

estimation of fledging and hatching dates in Schistocerca gregaria. 3098

estimation of immature Tendipes dorsalis populations. 1307

estimation of interspecific segregation, 1717 estimation of invertebrate populations of grasscover. 5788

estimation of natural infection of Rhodnius prolixus with Trypanosoma, 4687

estimation of Nephotettix cincticeps populations in the resting paddy field, 4852

estimation of Oscinella frit populations in oats. 2695

estimation of ovarian maturation time for Dacus tryoni, 5480

estimation of parasitism rate in Delphacidae.

estimation of relative fitness of phenotypes for a metrical trait within Drosophila melanogaster populations. 4920

estimation of Thrips tabaci populations on onion.

estimation of time since blood-meal in Culicidae. 1688

fixation of Collembola. 5779

flag method for studying surface distribution of Phlebotominae in a sandy desert. 6050

fly-activity index for use in integrated control programmes in caged-poultry houses, 5350

forecasting of population trends in Croesia semipurpurana, 2552

genetic method for study of enzyme subunit structure. 4149

handling of ants in the laboratory. 3367

histological location of recording electrode in eye studies. 5110

identification of insects in faecal and stomach samples. 3843

infection of Acrosternum hilare with Nematospora coryli. 5428

laboratory culture of Casca smithi. 6045

laboratory rearing of Acyrthosiphon pisum. 3029

laboratory rearing of adults from field-collected Manduca sexta larvae, 2567

laboratory rearing of Anoecia corni. 1031

laboratory rearing of Camponotus, 3367

laboratory rearing of Cerambycidae, 3842

laboratory rearing of Feltia subterranea, 1037

laboratory rearing of Glossina, 5138

laboratory rearing of Graphognathus, 3368

laboratory rearing of Grapholitha molesta, 3845 laboratory rearing of Heteropeza pygmaea.

laboratory rearing of Hylobius pales, 3371 laboratory rearing of Pediculus humanus on

rabbit, 5123 laboratory rearing of Psila rosae. 5923

laboratory rearing of Tetraneura ulmi. 1031

laboratory rearing of Trichogramma. 137 limitations of sweeping for estimating numbers of Nephotettix cincticeps in the resting paddy field. 4852

long-term maintenance of culicid colonies. 5780 maintenance of Culex portesi in the laboratory.

marking of adult Dioryctria abietella. 4416 marking of Argyrotaenia velutinana for dispersal studies, 5108

marking of Synanthedon pictipes for dispersal studies. 5108

mass-rearing of Hyalophora cecropia in field and laboratory, 3369

mass-rearing of Manduca sexta, 3370 mass-rearing of Sitotroga cerealella. 1495

measurement of dose of Bacillus thuringiensis ingested by larval Galleria mellonella. 5781

microcauterization for maxillectomy of lepidopteran larvae by fulguration, 2560

mounting of Collembola, 5779

mounting of insects for bacteriological studies of faeces. 588

mounting of lepidopteran wings. 592

mounting of Thysanoptera in Canada balsam.

observation of mining insects in cambium, 136 observation of Phytobia, 136

perfusion of muscle preparation from Schistocerca gregaria, 3401

permanent preparations of lepidopteran wings.

permanent whole-mount preparations of lepidopteran genitalia to show sex-pheromone gland, 4412

photographing of insects. 5783

Potter laboratory spray tower, 5819

preparation of thin sections of Acari for highresolution light microscopy. 1035

preservation of Collembola, 5779

production of tumour-like lesions in Leucophaea maderae, 3438

Methods, contd.

prolongation of life of stored thinning apples for rearing of Synanthedon pictipes. 5107

puncturing of thinning apples for rearing of Synanthedon pictipes. 5113

quantitative methods for stream insects. 5482

recording of activity from supraoesophageal ganglion. 622

replicated miniature larvicide tests in a large river. 1033

sampling of Adelges piceae. 1957

sampling of adult Culicidae. 1490

sampling of Formicidae populations. 336

sampling of Glossina. 1958

sampling of Grapholitha molesta. 4081

sampling of pseudoscorpion populations. 4854 sampling of stored-product insect populations. 5105

semi-quantitative determination of waxes of Coccoidea. 1987

separation of castes in Polistes exclamans. 355 separation of Ctenicera destructor eggs from soil. 1496

separation of Dioryctria abietella eggs from oviposition site, 4416

separation of immature stages of Sitophilus zeamais from substrate. 3030

separation of microsomal pellets from mitochondria, 1103

separation of Musca domestica pupae from rearing medium. 5109

separation of Phthorimaea operculella larvae from foliage, 3844

sexing of Trogoderma pupae. 2559

storage of Aedes abserratus and Ae. vexans eggs. 2639

study of Araneae during development, 5117 study of biology of soil animals, 2822

study of chemoreceptors on maxillae in lepidopteran larvae, 2560

study of Quaternary insect fossils. 4955

surface sterilization of Dioryctria abietella eggs.
4416

sweeping an inadequate method for population studies of Cercopidae and Cicadellidae on hop. 327

sweeping as method for quantitative estimation of invertebrates in grass-cover. 5788

testing of acaricides and ovicides. 5358

testing for DDT-resistance in Siphonaptera. 4581

transplantation of Formica polyctena nests. 2780

transplantation of imaginal discs in prepupa of Musca domestica nebulo. 2669

trap crop for protection of cotton from Lygus vosseleri, 5438

trapping of Laspeyresia pomonella, 134 tree dissection for calculation of population changes in Corthylus columbianus, 3602

triangulation method for purification of Nosema spores from insect tissues, 5090

Methomyl, toxicity to eggs and larvae of Trichoplusia ni. 5160

Methoxychlor,

control of Hypera postica. 4671, 4681 control of Neoschoengastia americana on turkeys.

dimethyl sulphoxide in relation to toxicity for Tenebrio molitor. 3934

Methoxymethyl mercury chloride, in relation to chromosome segregation in Drosophila melanogaster. 252

Methyl bromide,

in relation to carabid populations. 825 control of Rhagoletis mendax and Rh. pomonella larvae on apple. 5339

Methyl carbamates, genetics of resistance in Musca domestica. 3229

Methyl cyclohexanepropionate, attractant for Popillia japonica in combination with eugenol. 4684

Methyl Dursban, selection of Aedes aegypti and Culex pipiens fatigans for resistance. 4169

Methyl ethyl ketone, in relation to aliesterase activity in Blattella germanica. 711

Methyl farnesoate dichloride, in relation to gonads of Pyrrhocoris apterus. 720

Methyl p-hydroxybenzoate, in relation to egg-hatch in Urbanus proteus. 5312

Methyl mercuric chloride, in relation to diapause in Atrachya menestriesi eggs. 2066

Methyl mercury hydroxide, in relation to chromosome segregation in Drosophila melanogaster.

Methylmethanesulphonate,

deletions produced in Drosophila melanogaster.  $6088\,$ 

mutagenicity in relation to storage of Drosophila melanogaster spermatozoa. 3222

recessive sex-linked lethal and semilethal mutations induced in Drosophila melanogaster, 6095

Methyl parathion,

in combination with Bathyplectes curculionis for control of Hypera postica. 5330

control of Anthonomus grandis and Heliothis zea in N. Carolina, USA. 5337

control of Epitrix hirtipennis on flue-cured tobacco. 5355

control of Hypera meles. 4671, 4681

genetic analysis of resistance in Spodoptera littoralis. 4912

genetics of resistance in New Zealand populations of Tetranychus urticae. 3677

temperature in relation to toxicity to methyl parathion to Anthonomus grandis. 5259

toxaphene-DDT-methylparathion for control of cotton pests in Sudan. 5383

Methyl phenyldiazenecarboxylate azoester, in relation to feeding behaviour of blood-sucking Diptera. 1254

- 2-Methyl butyric acid, in osmeterial secretions of larval Papilionidae. 2043, 4749
- Methyl 14,15-epoxygeranylgeranate, JH activity in Culex pipiens, Rhodnius neglectus and Tenebrio molitor. 5878
- 14-Methyl-cis-8-hexacecen-1-ol, component of sex-pheromone of o Trogoderma inclusum. 1151
- 1-Methyl-2-mercaptoimidazole, in relation to diapause and moulting in 12 insect spp. 5293
- Methyl-14-methyl-cis-8-hexadecenoate, component of sex-pheromone of ♀ Trogoderma inclusum. 1151
- 7-Methyl-3-methylene-1, 6-octadiene (myrcene), from Acanthomyops claviger workers. 661
- N-Methyl-N'-nitro-N-nitrosoguanidine, mutagenicity in Drosophila melanogaster. 895
- Methyl-cis-10,11-oxido-3,11-dimethyl-7-ethyltrideca-trans-trans-2,6-dienoate (dl-C<sub>18</sub> cecropia JH), stereospecific total synthesis.
- 2-Methyl propionic acid, secreted by osmeterium in Papilio machaon larva, 2043
- 6-Methyl-8-ribityl-isoxantholumacine, from ♂ Formica polyctena. 4543
- **6-Methyl uridine**, in relation to diapause and moulting in 12 insect spp. 5293
- 3-Methylcholanthrene,
  - melanotic lesions produced in Drosophila melanogaster and Melanoplus sanguinipes. 5814
  - in relation to Periplaneta americana. 3430
- L-Methylhistidine, in haemolymph of Apis mellifera. 5226
- Methylmyristate, in relation to bait attractancy for Blattella germanica. 5813
- Methylthiophosphonic acid diethyleneimide,
  - deletions produced in Drosophila melanogaster. 6088
  - in relation to fertility of Drosophila melanogaster.  $6088\,$
- Metopiinae (Hym., Ichneumonidae), new for France. 110
- Metopininae (Dipt., Phoridae), new and littleknown spp from Neotropical Region. 5674
- Metopinini (Dipt., Phoridae), tribe recognized. 70 Metopon (Gol., Cicindelidae), included in Prothy-
- mina. 27

  Metriocnemus (Dipt., Chironomidae), larvae in
  Sarracenia purpurea pitchers at Lac Carré,
  Quebec, Canada. 3589
- Metriocnemus martinii, life-history and population fluctuations in Berkshire, England, 3627
- Metrioppiidae (Arach., Acari, Liacaroidea), relationships within Liacaroidea. 514
- Metrioptera brachyptera (Orth., Tettigoniidae), chiasma-production and chromosomes in natural populations. 369
  - significance of chromosomal heterochromatin. 369

- Metrioptera sphagnorum, songs. 3959
- Metropis (Hem., Hom., Delphacidae), new spp described, 5042
- Metzneria (Lep., Gelechiidae), ? neuropterella on Cirsium vulgare, 326
- Mevinphos, toxicity to eggs and larvae of Trichoplusia ni. 5160
- Mexican fruit-fly, see Anastrepha ludens Mexico,
  - Andrenidae revised, 1901
  - Carabidae new for. 3736
  - Curculionidae new for. 4275
  - Dioptrophorus attacking Pinus. 1434
  - distribution of Trichogramma pretiosum. 4789 geographical variation in Lygaeus reclivatus.
    - 1888
  - Holcopsis reviewed and keyed, 2508
  - migration of Pseudatomoscelis seriatus into USA, 2798
  - new Acrididae from. 2536
  - new Argasidae from, 508
  - new Braconidae from. 102
  - new Canaceidae from. 3760
  - new Carabidae from. 1840
  - new Cerambycidae from. 2899
  - new Chilopoda from, 5088
  - new Chrysopidae from. 4389
  - new Cicadellidae from, 1000, 5045, 5046
  - new Culicidae from. 3769
  - new Curculionidae from. 2911, 4275, 4276
  - new Gerridae from, 2965
  - new Hydrophilidae from, 1411, 2914
  - new Lycaenidae from. 4377
  - new Miridae from. 1437, 2972
  - new Periscelidae from. 57
  - new Pompilidae from, 5738
  - new Pseudopomyzidae from. 57
  - new record for Cephise. 4735
  - new Scarabaeidae from. 4283
  - new Scelionidae from. 1927
  - new Scolytidae from. 3749
  - new Sphecidae from. 1456, 2999
  - new Stratiomyidae from. 1433, 1434, 3320
  - new Syrphidae from, 1881
  - new Tipulidae from, 2961
  - new Trombiculidae from. 4240, 4241, 4242, 4243
  - new Vejovidae from. 2892, 4251
  - Pissodes attacking Pinus. 4275
  - records for Argas radiatus and A. sanchezi. 4219
  - Scarabaeoidea of Museo de Historia Natural, México. 4254
  - Solanum spp resistant to Macrosiphum euphorbiae and Myzus persicae. 4800
  - Tillomorphini of. 2899
- Meyenia subdivisa (Porifera), host of larval Sisyridae in Louisiana and Texas, USA. 861
- Micaredemus (Hem., Het., Lygaeidae), new spp described. 4316
- Micaredemus antennatus, M. decolor syn. n. of. 4316

Micariinae (Arach., Aran., Gnaphosidae), spp transferred to Castianeirinae subfam.n. 2469

Micractis varialis (Lep., Pyralidae), new host for Trathala flavo-orbitalis from Japan. 321

Micralymma marinum (Col., Staphylinidae), from Foula, Shetland Islands. 5594

Micrargus herbigradus maius (Arach., Aran., Micryphantidae), new for Poland. 6111

Micraspis sedecimpunctata (Col., Coccinellidae), feeding on Erysiphaceae in Switzerland. 1258

Micratriinae subfam.n. (Col.), established within Anthicidae, 4988

Microbracon kirkpatricki (Hym., Braconidae), biology in Egypt. 5991

Microcentria pusilla (Arach., Aran.), new for Norway. 469

Microcephalothrips (Thysanopt., Thripidae), Aureothrips syn.n. of. 4404

Microcerotermes beesoni (Isopt., Termitidae), seasonal variations in nest populations. 4877

Micrococcus cryophilus (Bacteria), fate in gut of larval Bibio marci. 3919

Micrococcus lysodeikticus, lysis by enzyme from Periplaneta americana cells in vitro. 3935

Microcrambon gen.n. (Lep., Pyralidae), established. 5756

Microcreagrina (Arach., Pseudoscorp.), present on Sardegna. 439

Microcreagris cambridgei (Arach., Pseudoscorp.), life cycle, longevity and phenology. 4854

Microcreagis italica ruffoi subsp. n., described. 2891

Microcricotopus bicolor (Dipt., Chironomidae), abundance in littoral region of Hungarian stretch of R. Danube. 3163

Microcylloepus (Col., Elminthidae), plastron studies by scanning electron microscopy. 174

Microdispus (Arach., Acari, Oribatei), new spp from Bolivia and Brazil. 1392 Rostrodispus subgen.n. established. 1392

Microdispus (Rostrodispus subgen.n.) proboscidatus sp.n., described. 1392

Microdrosophila (Dipt., Drosophilidae), in Hokkaido, Japan. 2144, 4200

Microlulus urbanskii sp.n. (Myriap., Diplop.), described. 3022

Microlarinus lypriformis (Col., Curculionidae), established in Hawaii for control of Tribulus cistoides and T. terrestris, 4110

Microledrella minuta gent. et sp. n. (Hem., Hom., Cicadellidae), described. 2983

Microleptinae (Hym., Ichneumonidae), new for France. 110

Microlinyphia (Arach., Aran., Linyphiidae), spp redescribed, 960

Microlycus (Hym., Eulophidae), new spp described, 1451

parasitic on Odites artigena in Kenya. 5368 Micromimus (Col., Curculionidae), new for

Italy, 2909

Micromimus osellai sp.n., described. 2909 Micromolpus gen.n. (Col., Chrysomelidae), established. 1408

Micromyrmex (Col., Curculionidae), redefined.
4276

Micromyzus judenkoi (Hem., Hom., Aphididae), apterous form described. 2978

Micronecta (Hem., Het., Corixidae),

abundance of macropterous forms in R.Grabia and its inundation area, Poland, 4934 Taiwan spp keyed, 549

Micronecta orientalis, new for Taiwan. 549
Micronecta unguiculata sp. n., described. 549

Micronectinae (Hem., Het., Corixidae), species identification on larval characters. 2577

Micronesia (Pacific Ocean), presence of Dacus dorsalis. 3777

Microorganisms,

control of Arthropoda. 1

dispersal by Lethocerus uhleri. 3169

of fungus gardens of Odontotermes redemanni. 852

in interactions of Rhizopertha dominica and Sitophilus zeamais. 1718

in relation to longevity of Drosophila melanogaster. 4453

probable microbial nature of symbionts of Psylla pyricola. 2743

Micropathus fuscus (Orth., Rhaphidophoridae), chromosomes and sex-determination. 1742 Micropezidae (Dipt.), 58, 2451, 3388

larval characters of Catobatina, Mimegralla, Rainieria and Taeniaptera. 3388

taxa described by E.T. Cresson, jun., 1906-1949. 2451

Microphysidae (Hem., Het.), 2966

Microplitis (Hym., Braconidae), N.W. European spp revised and new spp described, 5052

Microplitis croceipes,

biology. 2752, 3548

Heliothis spp suitable as hosts. 5424 immature stages. 3548

method for rearing on Heliothis zea. 5124

Microplitis feltiae,

Agrotis ipsilon and Lacinipolio renigera new hosts. 4713

biology. 4713

Microplitis rufiventris, parasitic on Spodoptera littoralis in Israel. 5418

Micropterna (Trich., Limnephilidae), biology and ecology in Italian caves. 862, 863

Micropterna nycterobia, phenology and population dynamics in Grotte du Crochet, France. 602

Micropterygidae (Lep.), 4461

Micropteryx (Lep., Micropterygidae), scanning electron microscopy of wing scales in calthella and thumbergella, 4461

Microrhopala cyanea (Col., Chrysomelidae), from British Columbia, Canada, 3278 Microscolia papuana (Hym., Scoliidae), not synonomus with Scolia pygmaea, 5739

Microserica janetscheki sp.n. (Col., Melolonthidae), described, 5004

Microsetia sexguttella (Lep., Gelechiidae), adaptation to the leaf-mining habit. 1706

Microsiphum millefolii (Hem., Hom., Aphididae), new for Norway. 4191

Microsphaera alphitoides (Fungi), food of Micraspis sedecimpunctata and Thea vigintiduopunctata in Switzerland, 1258

Microsporida (Protozoa),

hormonal mimics in relation to infection in Malacosoma californicum pluviale. 2632 juvenilizing effect on adult Tenebrio molitor.

new spp from trichopteran larvae, 4133

Microstagetus parvulus (Col., Pselaphidae), new for Is. Canarias, 3297

Microtegeus alvarezi sp. n. (Arach., Aran., Cepheidae), described. 3724

Microterys (Hymen., Encyrtidae), 830

Microterys flavus, parasitic on Coccus hesperidum in lower Rio Grande Valley (USA) in 1966. 830

Microtinae (Rodentia Cricetidae),

German Siphonaptera. 4092 Siphonaptera from nests in Romania. 2229

Microctonus (Hym., Braconidae), Nearctic spp reviewed and keyed and new spp described. 1911

Microctonus aethiops, development in hormonetreated Hypera postica, 5421

Microtritia tropica dusan subsp.n. (Arach., Acari, Euphthiracaroidea), described. 506

Microtus agrestis (Rodentia), infestation rates by ectoparasitic Acari in C. Sweden. 4186

Microtus arvalis,

Acaroidea of nests in Belorussia, USSR. 1292 host of Neotrombicula talmiensis carpathicum subsp.n. 4238

Microtus montebelli, ectoparasites in Aomori Prefecture, Japan. 3150

Microtus oeconomus,

host of Ixodes trianguliceps in Netherlands. 2757

Siphonaptera associated with in Noord-Beveland, Netherlands. 2876, 6155

Microtus pennsylvanicus, distribution of Peromyscopsylla h. hamifer in relation to. 6032

Microtus socialis, host of Ctenophthalmus nairicus sp. n. 5771

Microvella (Hem., Het., Veliidae), check-list of Australian spp. 1891

Microvelia childi sp.n., described. 1891

Microweisea planiceps (Col., Coccinellidae), transferred to Gnathoweisea gen. n. 4994

Micryphantidae (Arach., Aran.), see also Erigonidae parasitized by Ichneumonidae on W. Coast of Schleswig-Holstein, GFR. 5478 of Tadzhikistan, USSR. 5618

Middle East,

Acari and Insecta injurious to crops. 4062 Mylabrini revised. 4280

Midilambia gen.n. (Lep., Pyralidae), established. 1471

Migration,

of Anax junius in S. Minnesota, USA. 758

of anholocyclic Therioaphis maculata into E. Nebraska, USA, 1710

of aphidophagous Syrphidae. 1230

British specimens of Cosymbia pupillaria primary migrants. 5589

deterministic matrix model for migration processes in spatially distributed populations. 4080

evolution of migratory habit in Lepidoptera. 2131

genetic background in relation to migratory behaviour of Drosophila melanogaster. 4168 genetic effects on geotaxis and phototaxis in

Drosophila pseudoobscura. 920 Insecta captured on ships in the Pacific. 2132, 2133, 2134

of larval Chironomidae in L. Kariba, Africa.

of larval Diabrotica virgifera in the soil. 5455 of larval Eucarcellia rutilla in the host. 1265

of larval Simuliidae. 4814

of Lepidoptera in relation to Canada. 3276

light-threshold controlling vertical migration in Chaoborus punctipennis. 3951

Mallophaga on migratory birds in Egypt. 6147 marking and recapture experiments on migrating Anthomyiidae, Noctuidae and Syrphidae. 1287

means of passage of Hypoderma larvae through host tissues. 1273

meteorological aspects of insect migration. 5456 method for estimation of invertebrate movement in grass-cover. 5788

migrant Geometridae and Noctuidae of GDR. 2872

migrant Lepidoptera taken at Diepenveen, Netherlands. 6134

migrant Lepidoptera taken in Monmouthshire, Wales, in 1969. 5581

migrant Lepidoptera taken at Palmerston North, New Zealand, in 1968. 3697

migratory behaviour of Nymphalis antiopa. 6024 migratory and trivial flight-activity of Drepanosiphum platanoides. 2137

of Myzus persicae from peach in Essex County, Ontario, Canada. 3161

of N. American insects in relation to Pleistocene and glaciation. 1388

of Odonata over North Sea Islands. 437 parental effects in Pieris rapae. 2131

phase-polymorphism in Aedes taeniorhynchus. 1239

of Pseudatomoscelis seriatus in south-eastern

Migration, contd.

USA. 2798

of Pseudoscorpiones from soil to litter in winter.  $4854\,$ 

reproductive physiology of migrant Autographa gamma in Hungary, 3533

in Sphingidae of Freetown area, Sierra Leone, 4855

of Spodoptera mauritia acronyctoides in Sarawak. 732

of surface-dwelling Collembola in coniferous forest soil. 2160

of Syrphidae in Austria in August 1967. 335

temperature in relation to flight-direction in British Lepidoptera. 2131

trapping-device for marking migrating insects. 1029

of Trichocera saltator, 5364

of Vanessa kershawi in Australia in 1963-1968. 2772

vertical migration of larval Alleculidae, Elateridae and Tenebrionidae. 5463

vertical migration of Polyrhachis simplex. 4874

vitamin E in relation to egg-maturation in migrant Herse convolvuli, 4012

Mikiola fagi (Dipt., Cecidomyiidae), nurse-cell nucleus growth. 262

Milichiidae (Dipt.), 58, 4106

in Riparia riparia nests in Switzerland, 4106 Milichoidea (Dipt.), relationships with Drosophiloidea, 5146

Millipede, see Diplopoda

Millet (Echinochloa, Panicum, Setaria:Gramineae), damage due to Atherigona at Delhi, India. 4807 damage due to Geromyia penniseti comb. n. 1425

Miltogramma (Dipt., Sarcophagidae), Polish spp reviewed and biology. 4931

Mimablymore kaszabi gen.et sp.n. (Col., Cerambycidae), described. 3738

Mimecyroschema tuberculipenne gen. et sp. n. (Col., Cerambycidae), described, 1407

Mimegralla (Dipt., Micropezidae), larval characters. 3388

Mimeresia issia sp.n. (Lep., Lycaenidae), described. 5068

Mimesa (Hym., Sphecidae), Iberian Peninsula spp. 1361

Mimesia unicolor (Hym., Sphecidae), Iberian distribution. 1361

Mimetauge napeogenalis gen. et sp. n. (Lep., Pyralidae), described, 3825

Mimetus puritans (Arach., Aran.), predation on Dioryctria amatella and D. zimmermanni populations in Pinus echinata cones. 5491

Mimicry,
ant mimicry in classification of Castianeirinae
subfam.n. 2469

courtship behaviour in mixed-species groups of Heliconius. 4655

ecological factors affecting selective advantage

of Batesian mimic. 913

experimental study of Batesian mimicry in Trinidad, W.Indies. 913

in Insecta. 5554

mating of Lepidoptera with mimetic 99 and nonmimetic 46. 4653 Mimetauge napeogenalis gen. et sp. n. from Peru

mimetic. 3825

mimetic coloration in intergrading populations of Limenitis arthemis and L. astyanax. 914 modifier-genes in mimetic polymorphism of

Papilio dardanus. 1788

Müllerian mimicry in Acraea encedon in Uganda 1302

in Orthopteroidea of Panama. 5390

in Pseudocreobotra wahlbergi. 4727

in Rhyacophilidae. 5774

in Stenoporpia larvae in Arizona, USA. 1966 wasp mimicry in Coiloupus gen. n. 2974

Mimogonellus gen.n. (Col., Staphylinidae), established. 5653

Mimogonodermus gen.n. (Col., Staphylinidae), established. 3312

Mimogonus (Col., Staphylinidae), new spp described, 5653

Mimoleiopus gen.n. (Col., Cerambycidae), established. 3300

Mimoricopis gen.n. (Col., Cerambycidae), established. 1843

Mimosa (Leguminosae), new host records for Bruchidae in USA. 2479

Mimosa fragrans, not USA host-plant of Merobruchus julianus. 2479

Mimosa strigillosa,

host of Acanthoscelides tridenticulatus sp.n. 2479

not USA host-plant of Acanthoscelides distinguendus. 2479

Minerals, concentration of trace minerals in artificial diet in relation to wing-production in Myzus persicae. 4632

Mines, invertebrates of mine-shafts in Morecamber Bay area, England. 6108

Minthea rugicollis (Col., Lyctidae), biology. 4016 Minunthozetes reticulatus sp.n. (Arach., Acari, Oribatel), described. 3723

Miocene,

Folindusia sp.n. from Idaho and Washington, USA. 4406

larval mine in leaf from Miocene of E. Washing ton, USA. 944

Meimuna protopalifera sp. n. described. 5692 systematic position of Siphlurites explanatus. 3325

Miomerocerus (Hem., Het., Reduviidae), new sp described. 87

Miopanesthia (Blatt., Panesthiidae), new spp described. 3756

Mioxena (Arach., Aran.), new for Ethiopian Region, 2470 Mioxena celisi sp. n., described. 2470

Mira Schellenberg 1803 (Hym., Encyrtidae), name made official. 3782

Miraini (Hym., Encyrtidae), new name for Mirini Ashmead 1900. 3782

Miridae (Hem., Het.),

347, 995, 1380, 1437, 1562, 2513, 2514, 2628, 2629, 2673, 2798, 2972, 3138, 3183, 3265, 3327, 3566, 3611, 3615, 3782, 3783, 4320-4322, 4526, 4678, 4838, 5035, 5036, 5038, 5039, 5307, 5438, 5705-5708, 6051

Hahn 1933 made official, 3782

new for Congo-Brazzaville, 5707

seasonal populations on Gossypium in Egypt.  $6051\,$ 

Mirini Ashmead 1900 (Hym., Encyrtidae), name changed to Miraini. 3782

Miris Fabricius 1794 (Hem., Het., Miridae), name made official. 3782

Miris roseus (Hem., Het., Miridae), transferred to Neotropicomiris gen.n. 4321

Miscophus (Hym., Sphecidae), nesting behaviour in relation to morphology, 3112

Miscophus americanus, nesting behaviour. 3112

Miscophus venustus sp.n., described, 1008

Mitchella exsula gen. et sp. n. (Siphon., Ischnopsyllidae), described. 4400

Mitin, susceptibility of Monopis speculella. 5992 Mitomycin C,

in relation to epidermal metamorphosis and nucleic-acid synthesis in Tenebrio molitor. 4610

mutagenicity in Bombyx mori, 394, 396, 3663, 3668

mutagenicity in Drosophila. 396 mutagenicity in Habrobracon. 404

Mitopus morio (Arach., Opil.), ultrastructure of photoreceptors. 3893

Mitopus pario, eye ultrastructure in relation to habitat. 3059

Mitosis.

C-mitoses in relation to automimicry parthenogenesis of Bacillus rossius. 2660

in relation to cuticle formation in Corixidae. 2053

in cuticular papillae of Peripatus acacioi, 3396 duration of mitotic cycle in Aedes dorsalis brain cells, 1984

endomitosis in Bacillus rossius. 2660

endomitosis in nurse-cell nuclei in Cecidomyii-dae. 262

endomitotic cycle in Labidura riparia nurse cells, 3085

in growth of ventral diverticulum during metamorphosis in Aedes aegypti and Ac, triseriatus, 4597

of haemocytes in Lepidoptera, 5282

ligaturing in relation to haemocyte mitotic index in larval Galleria mellonella, 1092

mitogens associated with ovarian tumours in

Drosophila melangoaster. 4151

mitotic phases in wing-discs of Pieris brassicae. 3505

mitotic recombination in relation to heterochromatization in "white-variegated" Drosophile melanogaster, 6073

in oogonia of Drosophila melanogaster. 3475 rhythms in Aedes taeniorhynchus larvae. 697 ring-chromosome exchanges in normal mitoses in Drosophila melanogaster. 6087

in relation to ring-gland in oculo-antennal discs of Calliphora erythrocephala in vitro, 3981

in scale development on forewing of 'Us' mutant of Anagasta kuehniella, 3865

in relation to temperature in Acrida lata spermatocytes. 5827

Mitostoma (Arach., Opil., Nemastomatidae),
Romanian spp discussed and new spp described.

Mitraelabrini trib, n. (Col., Anthicidae), established within Eurygeniini stat. n. of Anthicidae. 4988

Mitraelabrus obscurus (Col., Anthicidae), type-sp of Phaeogala, 4988

Mitragyna macrophylla (Naucleaceae), host of Aceria mitragyneae sp.n. in Camerous. 3720

Miyatrombicula caucasica sp. n. (Arach., Acari, Trombiculidae), described. 4979

Mnesarchaeidae (Lep.), 4461

Mnesarchaea hamadelpha (Lep., Mnesarchaeidae), scanning electron microscopy of wing-scales.

4461

Mobil MC-A-600 [benzo[b]thien-4-yl methylcarbamate], effectiveness against Porthetria dispar tested in laboratory and field, 4682

Mocis frugalis (Lep., Noctuidae), frequenting eyes of domestic mammals in Bangladesh, 4033

Mockernut hickory, see Carya tomentosa

Modicogryflus (Orth., Gryllidae), new spp. 1945 Mohelencyrtus acuminatus gen. et sp. n. (Hym., Encyrtidae), described. 104

Molippa denhezi sp.n. (Lep., Saturniidae), described. 117

Molophilus ater (Dipt., Tipulidae), adult biology. 2090

Molophilus (s. str.) picitibia sp.n., described. 547
Molorchus bimaculatus semiustus (Col., Cerambycidae), host-plant, larval habits and parasites in Texas, USA. 5445

Molossus molossus fortis (Chiroptera),

Dentrocarpus silvai from in Puerto Rico. 5607 host of Paralabidocarpus artibei. 5607

Mollucca Islands (Indonesia),

Ameniinae of. 2864 new Lucanidae from. 5001 new Nymphalidae from. 1936 Scoliidae from. 5739

Mollusca, food of Ischyropsalis hellwigi. 3728 Momius hispidus gen.et sp.n. (Arach., Aran., Amaurobiidae), described, 959 Mompha (Lep., Cosmopterigidae), adaptation to the leaf-mining habit. 1706

Monachina cf. schultzei (Thysanura, Lepismatidae), muscle attachment to cuticle. 4464

Monarch butterfly, see Danaus plexippus

Mongaillardia callitoca (Arach., Acari, Oribatei), new for Hungary. 952

Mongolia,

Coccoidea from, 5041 Cucujidae from, 6116 Formicidae from, 4192

localities for 6th expedition of Dr. Z. Kaszab.

new Aphididae from. 3785

new Bombyliidae from. 1424

new Cantharidae from. 4987

new Coccoidea from. 5041

new fossil Odonata from. 499

new Tachinidae from. 1435

new Tenebrionidae from. 532

new Therevidae from. 5031

Tachinidae new for. 1435

Tenebrionidae of N. Mongolia, 532

Mongolojassus tianshanicus sp.n. (Hem., Hom., Cicadellidae), described, 5044

Monilifornis dubius (Acanthocephala), cell responses of Periplaneta americana to larvae. 3559

Monitor, control of Brevicoryne brassicae on broccoli and cauliflower. 5341

Monocentra lepidoptera (Trich., Limnephilidae), biology and ecology in Italian caves. 863

Monocrotophos,

control of Brevicoryne brassicae on broccoli in W.New York, USA. 5336

control of Epitrix hirtipennis on flue-cured tobacco. 5355

control of Noctuidae on Zea mays in C. and S. Florida, USA. 5335

control of Spodoptera littoralis in Egypt. 5352 in relation to fecundity and longevity of Anthonomus grandis. 5302

resistance in Trichoplusia ni in New York, USA.

Monodiger (Col., Pselaphidae), placed in Hoplitoxenini trib.n. 2496

Monodontomerus dentipes (Hym., Torymidae), displacement as major parasite of Diprion similis in Wisconsin, USA. 794

Monodontomerus obscurus, hyperparasite of Eumenes papillarius. 5409

Monohelea (Dipt., Ceratopogonidae),

from S. E. Louisiana and S. Mississippi, USA. 2944

spp new for Mississippi, USA. 1426

Monohelea wirthi sp.n., described. 1426, 2944 Monohydrogenarsenate, in relation to cross-over frequency in Drosophila melanogaster. 882

Monolobus ovalipennis sp.n. (Col., Carabidae), described, 2895

Monomorium (Hym., Formicidae), predators of

Diatraea saccharalis eggs in Cuba. 1311

Monomorium chobauti, occurrence and ecology in great dunes of N. W. Sahara. 4827

Monomorium pharaonis, associated with Gynaikothripe ficorum in leaf-rolls on Ficus nitida. 6047

Monomorium salomonis,

distribution, ecology and habits in Mamora Forest, Morocco. 4862

temperature-resistance. 155

water-permeability of integument, 155

Monomorphism, in relation to dispersal and population survival in Carabidae, 5457

Mononychidae (Hem., Het.), 1885

types in Institut Royal des Sciences Naturelles de Belgique, Bruxelles, Belgium. 1885

Mononychus mcgregori sp. n. (Arach., Acari, Tetranychidae), described. 3288

Monopis addenda (Lep., Tineidae), M. stenorrhoea and M. marcans syn. n. of. 3827

Monopis ministrans, o described. 3827

Monopis speculella, bionomics and insecticidesusceptibility. 5992

Monostegia abdominalis (Hym., Tenthredinidae), on Lysimachia terrestris in Quebec, Canada. 4063

Monotocrotophos, control of Trialeurodes vaporariorum. 5349

Monroa (Lep., Geometridae), Cleora formosata proposed as type-sp. 3811

Montandoniella moraguesi (Hem., Het., Anthocoridae), predator of Gynaikothrips ficorum on Ficus nitida, 6047

Moon,

moonlight in relation to captures of  $\sigma$  Trichoplusia ni in pheromone-baited traps. 4566

lunar phase in relation to black-light trapping of Laspeyresia pomonella. 5486

semi-lunar rhythms in Clunio marinus, 1734

Mopani moth, see Gonimbrasia belina

Moraba (Orth., Eumastacidae), soluble pigments and proteins. 2021

Moraba viatica, population cytogenetics on Kangaroo I., Australia. 1781

Morabinae (Orth., Eumastacidae),

anatomical and morphological variation, 1982 asymmetrical heteropycnosis in tetraploid cells of sp P52a, 5524

growth and sexual differentiation. 1982

Mordellidae (Col.), 41, 5008

Mordellina (Col., Mordellidae), Ivory Coast spp keyed and new spp described, 41

Mordellistenini (Col., Mordellidae), genera keyed. 5008

Mordellochroidea lutea gen. et sp. n. (Col., Mordellidae), described. 5008

Morellia podagrica (Dipt., Muscidae), Myianoetus tuomikoskii sp. n. associated with, 3719

Morestan [6-methyl-2,3-quinoxalinedithiol cyclic S,S-dithiocarbonate], control of Phylloxera

Morestan [6-methyl-2, 3-quinoxalinedithiol cyclic S, S-dithiocarbonate], contd.

vitifoliae in Ontario, Canada, 4677

Mormon cricket, see Anabrus simplex Mormoniella, see Nasonia

Morocco.

Acari and Insecta associated with Halogeton sativus. 3585

Acridoidea new for. 5764

ecology and habits of Formicidae in Mamora Forest, 4862

new Anobiidae from. 3731

new Cantharidae from, 3734

new Colydiidae from, 1849

new Megachilidae from, 4340

Morphocarabus monilis (Col., Carabidae), distribution in Alpes-Maritimes, France, 4188

Morphogenesis.

correlation with germ-cell differentiation in Choristoneura fumiferana. 4587

in Dactylochelifer latreillei, 3383

diffusion-reaction scheme of pattern-formation supported in Drosophila melanogaster, 4136 of insect sperm, 5273

in relation to X-irradiation in Musca domestica nebulo. 1630

of pupal integument in Galleria mellonella. 241 Morphology,

differential morphological variation in males and females of Polistes exclamans. 1355

endoskeletal structures of metathoracic tergum in Spodoptera mauritia, 605

endosternum of Haemogamasus ambulans, 3868 evolution in sibling Rhagoletis spp. 2859 genetics of biometric ratios in Schistocerca

enetics of biometric ratios in Schistocerca gregaria, 2857

morph determination in relation to diet in Myzus persicae. 4632

morph determination in relation to host-plant in Brevicoryne brassicae. 2158

morphometrics of Morabinae, 1982

'morpho-species' concept in relation to Ischyropsalis. 3728

number of external spinning structures in relation to population isolation in Clubiona phragmitis. 4119

 $\begin{array}{c} {\rm posterior\ procoxal\ bridges\ of\ Scarabaeoidea.} \\ 3044 \end{array}$ 

secondary sexual characters of N, American Ips. 1978

siphonal hair types from a 4-4 true-bred population of autogenous Culex pipiens, 2175

skeleton in relation to denervation and high  ${\rm O_2}$ -tension in Antheraea pernyi. 1060

skeleton of head in Campodea chardardi. 5833 skeleton of prothorax in larval Embria ramburi. 3855

skeleton of thorax in larval Chrysopa and Coniopterygidae. 2579

sternites VIII and IX of 7 Siphonaptera. 4591

of stream insects. 5482

subgenital plate relationships in Cecidomyiidae. 3973

terminology for pretarsus in Heteroptera. 3392
Morphomordellochroa testacea gen. et sp. n. (Col.,
Mordellidae), described. 5008

Morphyella (Ephem., Isonychidae), relationships to Siphlurites explanatus, 3325

Mortality,

annual losses in Corthylus columbianus in relation to population density. 3602

ascorbic acid and glucose in relation to perinatal mortality in Schistocerca gregaria. 2075

causes in Leptocorisa oratorius on rice in Sarawak. 4103

causes in natural populations of Oulema melanopus in N. Indiana, USA. 3554

deterministic matrix model in spatially distributed populations, 4080

factors in Cosmobaris americana on Beta vulgaris, 4710

factors in laboratory populations of Anagasta kuehniella. 4111

factors in Trioza erytreae populations, 5465 haemolymph changes accompanying heat death in Centroptera muricata, 5885

methods for measuring in Grapholitha molesta.
4081

population density in relation to mortality rate of Blattella germanica in choice-boxes. 5208

population density in relation to pre-imaginal mortality in Japanese populations of Callosobruchus chinensis. 3607

due to predation in cage populations of Heliothis zea. 3600

pre-pupation mortality in Sarcophaga tibialis. 4659

variation in pupal mortality between geographical strains of Lucilia sericata. 4792

Morus (Moraceae), leaf protein-content in relation to amino-acid concentration and cocoon in larval Bombyx mori. 4509

Morus bombycis,

in relation to haemolymph proteins of Hyphantria cunea. 3928

polyisoprenols of leaves in relation to those of faeces of Bombyx mori, 5872

Morus nigra, host of Schizotetranychus rhynosperus sp. n. in Brazil. 3288

Mosaics,

gene-expression in genetic mosaics of Drosophila, 1337

induction by X-irradiation in Bombyx mori. 4163 mechanism of EMS-induced mutations observed as mosaics in Drosophila melanogaster. 4900

mechanism of induction at post-meiotic stages of spermatogenesis in Bombyx mori, 3663

in relation to  $\mathrm{N}_2$  in irradiated spermatogenetic cells of Bombyx mori. 3669

non-random distribution of mosaic tissues in

Mosaics, contd.

Drosophila melanogaster, 1772

Mosquitoes, see Culicidae

Moulting,

in Caloglyphus boharti, 1178

in relation to CC in Insecta. 5898

characteristics in relation to hormones in Bombyx mori. 3076

clock mechanism in ecdysis in Saturniidae. 3987 crustecdysone and ecdysone content in Calliphora stygia and C. vicina, 694

in relation to cuticular muscle attachment in Apterygota, 4464

in relation to cuticular permeability of Hyalomma dromedarii and Ornithodoros savignyi. 4458

cycle of Spirostreptus asthenes. 5917

in relation to DNA-synthesis in Drosophila hydei. 211

in relation to DNA-synthesis in larval Dacus cucurbitae. 3952

in relation to DNA-synthesis in Oryzaephilus surinamensis. 242

ecdysone-analogues inducing supernumerary ecdysis in Bombyx mori. 3489

ecdysterone inducing in integument from diapausing larva of Chilo suppressalis in vitro. 1613

environment in relation to hypopial apolysis in Caloglyphus boharti. 1612

in relation to epidermal cell-growth cycle in Philosamia cynthia ricini. 3399

food requirement in Dermacentor variabilis.

haemocyte permeability and haemolymph hormone levels during ecdysis in Periplaneta americana. 2633

in relation to haemolymph proteins of Dysdercus intermedius. 4005

in relation to haemolymph proteins of Pyrrhocoris apterus. 3912

hypopial apolysis in relation to environmental factors in Caloglyphus boharti, 1612

in relation to incubation temperature during incubation in Bombyx mori, 3096

in relation to light-regime during incubation in Bombyx mori. 3096

insect moulting substances isolated from Blechnum. 5439

larval moult number in genetically diverse popu-

lations of Tribolium castaneum. 4171 larval phases of Melolontha melolontha, 5919

loss of Nematospora coryli during moulting in Acrosternum hilare. 5428

in relation to 1-methyl-2-mercaptoimidazole in 12 insect spp. 5293

in relation to 6-methyl uridine in 12 insect spp. 5293

moult number in Anagasta kuehniella. 5985 moult number in Corcyra cephalonica, 5985 moult number in Thomisus onustus. 4728

moulting-hormone precursor release from pars intercerebralis in cave Leiodidae. 4550 parasitization inhibiting in Paurocephala calo-

on Pardosa lapidicina. 1669

dendri, 4741

production of supplementary reproductives of Kalotermes flavicollis. 354

in relation to prothoracic-gland hormone of Lucilia cuprina. 3945

in relation to rearing conditions in Blaberus giganteus. 2563

threshold temperatures in Panonychus ulmi. 3997

in relation to vitellogenesis in Lepismodes inquilinus, 1637

Mountains, composition and origin of alpine coleopteran faunas. 5560

Mouse, see Mus

Mouthparts.

of Aedes atropalpus and Ae. stimulans. 3922

of Ammophila campestris larva, 1977 apical sensilla of labrum in Culicidae, 3922

of Calliopsis crypta larva. 1977

chemoreceptors of Lema trilineata daturaphila.  $4270\,$ 

cibarial receptors in Q Chrysops vittatus. 2108 cibarial stretch-receptors in Calliphora erythrocephala and Glossina austeni. 2586

contact chemoreceptors of labella in Tabanidae. 5197

of Cybister tripunctatus africanus larva. 5790

of Delphacodes propingua. 1974

DNA-synthesis of labial glands during moulting in Oryzaephilus surinamensis. 242

electrophysiology of stylet receptors in Triatoma infestans, 4486

of Eukoenenia mirabilis. 2581

of Eumenes unguiculus larva. 1977

of Gryllodes sigillatus. 151

of Hoplitis larva. 1977

labial palp in sound-detection by Celerio. 4482

labium of Aphelocheirus aestivalis. 606

labium of Cenocorixa bifida, 1511

labium in feeding of larval Diabrotica virgifera. 300

labium of Xylastodoris luteolus. 1510

labro-maxillary complex of Andrena morio and Bombus terrestris. 1973

labro-maxillary complex of Scolia haemorroidalis, 1977

labrum of Heteroptera. 148

of Liburnia pallescens. 1974

mandible shapes in Formicinae. 4430

mandible structure in relation to diet in Carabidae. 4518

maxillae in relation to feeding of larval Diabrotica virgifera, 300

maxillary mycangium in Dendroctonus ponderosae. 3854

maxillectomy of lepidopterous larvae by

Mouthparts, contd.

fulguration, 2560

of Ornithodoros denmarki and O. kelleyi. 4515

of Philippine Orthoptera. 150

proboscis in regulation of sugar intake in Pieris rapae crucivora, 2738

proboscis in temperature reactions of Cimex lectularius, 5205

receptors in relation to feeding in Locusta migratoria migratorioides and Schistocerca gregaria. 2731

of Rhagio scolopaceus larva. 1970

role in response to aggregation pheromone in ovipositing φ Schistocerca gregaria. 5320

of Sargus bipunctatus larva. 1970

sense-organs of maxillary palps of ♀ Culicidae. 5202

sensillum sensitive to  $\text{CO}_2\text{-concentration}$  of maxillary palps of  $\circ$  Aedes aegypti. 1539

specialized setae on palps in Eukoenenia mirabilis. 2581

stylet-sheath of Oncopeltus fasciatus, 5397 stylostome of Trombiculidae, 6001

trypanosome infection rates in Glossina in Zambia. 1277

ultrastructure of labial sensilla in larval Speophyes lucidulus, 1995

of Vespa orientalis, 5796

of Wyeomyia smithii. 3922

## Mozambique,

biology, ecology, economic importance and taxonomy of Lamiinae. 4266

new Carabidae from. 5630

new Cerambycidae from. 24

new Entomobryidae from. 535

new Scolytidae from. 5652

Scolytidae from. 5652

## Mucopolysaccharides,

acid mucopolysaccharide layer in egg membranes of Apanteles glomeratus. 4594

acid mucopolysaccharides from labial gland of larval Zygoptera, 2649

of developing oocytes of Argas persicus. 4635

of Q accessory gland in relation to oviposition of Chrysopa perla. 4644

in neural lamella of Geophilus longicornis and Lithobius forficatus, 5191

Mucor (Fungi), attacking Bupalus piniarius pupae in Poland in 1964-1968. 5417

Muesebeckella mannae gen, et sp.n. (Siphon., Pygiopsyllidae), and nadi sp.n. described. 1949

Muesebeckia (Hym., Braconidae), transferred to Muesebeckiini trib.n., new spp described and key. 1907

Muesebeckidium gen.n. (Hym., Chrysididae), established and occidentale sp.n. described. 1914

Muesebeckiini trib.n. (Hym., Braconidae), established in Ichneutinae. 1907 Muesebeckisia mandibularis gen. et sp. n. (Hym., Pteromalidae), described, 1925

Muliercula (Arach., Acari, Oribatulidae), new spp described. 515

Mulsantina (Col., Coccinellidae), hudsonica and picta differentiated from Aphidecta obliterata. 32

Multioppia neglecta sp. n. (Arach., Acari, Oribatei), described, 3723

Mumaseius (Arach., Acari, Phytoseiidae), new spp described. 5616

Muntiacus muntjak vaginalis (Artiodactyla), host of Haemaphysalis darjeeling sp.n. in W.Bengal, India. 4222

# Muridae (Rodentia),

German Siphonaptera, 4092

Siphonaptera from nests in Romania, 2229

## Mus (Rodentia) (mouse),

engorgement of Ixodes halocyclus on and host mortality. 3840

feeding mechanism of Melophagus ovinus on ear. 3568

maturation feeding of Nosopsyllus fasciatus on castrated adrenalectomized mouse. 4640

survival of larval Hypoderma lineatum implanted in white mice. 5425

## Mus musculus,

host of Ceratophyllus gallinae. 3124 host of Listrophorus musculus in Puerto Rico. 5607

#### Musa paradisiaca (Musaceae) (banana),

Arthropoda found among bananas at Arras, France. 4815

banana as attractant for Glischrochilus quadrisignalus. 3116

host of Cataenococcus larai sp. n. in Costa Rica. 563

host of Pentalonia nigronervosa in Gujarat, India. 328

Musca (Dipt., Muscidae), biology and ecology of desert spp in Egypt. 4829

# Musca autumnalis,

aerial application of ULV organophosphates. 5329

biological control. 823

biology and ecology. 273

bovine blood in diet in relation to egg-hatch and oviposition. 5316

collections of adults in Yellow Stone National Park, Montana and Wyoming, USA. 4701

control by ULV applications of concentrated insecticides. 4698

diapause induction, 700

effects of hempa and metepa. 3514

egg-hatch in relation to bovine blood in diet. 5316

Heterotylenchus autumnalis infection in relation to reproduction. 823

hymenopteran parasites, 823

lipids during diapause and reproduction. 700

Musca autumnalis, contd.

mating and reproductive physiology. 4665 method for clearing puparia for sex-determina-

tion. 3372 mortality factors for larvae. 1296

oviposition in relation to bovine blood in diet. 5316

parasites and predators at Guelph, Ontario, Canada. 273

pest activity in Ontario, Canada, in 1968. 3181 pest of bison in Montana, USA. 4701 predation by Aleochara tristis. 823

Musca canicularis Linnaeus 1761, name made official, 1429

#### Musca domestica,

 $\beta$ -alanine biosynthesis in wild and black-puparium strains, 204

aldrin and dihydroaldrin oxidation, 221 aliesterase activity of eggs and adults, 712 amino-acid metabolism of nurse-cell nucleoli.

amylase isozymes studied genetically and biochemically, 191

anticholinesterase and insecticidal properties of thioether N-methyl carbamates. 5157

apholate in relation to O<sub>2</sub>-consumption of eggs.

attraction to colours as basis for control. 4668 behaviour of Macrocheles muscaedomesticae in relation to phoresy. 4502

biochemical genetics of diazinon resistance. 2018

boron compounds as chemosterilants, 3503 CA and ovaries in relation to size of fat-body, 1199

carbohydrate metabolism of nurse-cell nucleoli. 723

carboxylesterase and degradative enzymes in relation to diazinon and diazoxon, 5267

chemosterilants in relation to embryonic development, 231

cholesterol metabolism and uptake in relation to insecticide-resistance. 660

choline analogues incorporated into phospholipids in larva, 3933

cholinesterase solubility in head homogenates.

circadian rhythmicity of pyrethrum susceptibility. 4576

CNS of larvae and adults. 159

CNS and pars intercerebralis histology and histochemistry, 3879

control in caged-poultry houses. 5350

control by ULV applications of concentrated insecticides, 4698

damage sustained during phoresy by Macrocheles muscaedomesticae. 4502

DDT in relation to aliesterase activity and egg viability. 712

DDT diffusion pathways and areas of concen-

tration. 2582

diazinon in relation to aliesterase activity and egg viability. 712

diazinon detoxification by subcellular fractions. 2018

DNA-content of spermatids. 2183

ecdysone sensitivity. 691

egg-hatch and sex-ratios in translocation heterozygotes. 3662

electrophysiology of optic-lobe interneurons in relation to colour vision. 1080

electroretinogram. 2598

enzymes in relation to organophosphate resistance. 3961

esterase recovery after organophosphate treatment. 5905

eye-colour mutations. 4162

faeces and vomit attractive to adult M. domestica, 3135

fertility and sperm transfer in relation to 1, 3propanediol dimethanesulphonate and X-rays. 4608

first optic ganglion structure and synaptic organization. 5200

folic acid cofactors. 3460

eyes. 3886

forced air for separation of pupae from rearing medium. 5109

free amino acids during metamorphosis. 4647 genetics of insecticide resistance. 2851 geometry and exact description of compound

γ-L-glutamyl-L-phenylalanine synthesis by larva, 4626

hexadecasphing-4-exine and tetradecasphing-4-enine as principal sphingosines. 5241

host of Aphaereta muesebecki sp. n. in Mississippi, USA. 1909

hybrid, inbred and outbred strains as test insects, 4411

bis-[(m-hydroxyphenyl)trimethylammonium iodide] esters of polymethylenedicarbamic acids as inhibitors of head acetylcholinesterase, 5236

21-hydroxypregnane-6, 20-dione derivatives as chemosterilants. 264

ingestion and transmission of viable spores. 3564

inheritance of dominant factors for carbamate resistance. 4913

insecticide toxicity differences between larvae and adult 99, 4578

insecticides evaluated as contact sprays against adults. 4451

integration of sterile-male releases with other control methods, 5328

 $\gamma\text{-}$  amd X-irradiation in relation to malathion toxicity. 5265

kojic acid in relation to larval development, 1643

laboratory host of Amblymerus

## Musca domestica, contd.

bruchophagi, 4705

landing reaction in relation to stimulus dimensions and position, 4496

larval populations in relation to poultry-manureremoval in N. California, USA, 4836

light - and colour reactions. 5210

linkage-group/karvotype correlation, 1756

localized cholinesterase inhibition in NS.

of accessory secretions in relation to mating and oviposition, 259

male-determining factors in Bowhill strain,

median-cord development in egg. 2661

mersalyl in relation to succinate oxidation by flight-muscle mitochondria, 4531

metabolism of fenazaflor and related 2-trifluoromethylbenzimidazoles. 5240

metepa in relation to aliesterase activity and egg viability. 712

metepa in relation to ovary mitochondrial respiration. 3509

mutations and polyspermy produced by hempa and tepa. 2186

NAPPH-dependent oxidases in relation to insecticide metabolism, 3229

nucleic acid metabolism of nurse-cell nucleoli.

ommochromes, 5251

one-carbon metabolism in developing ovary, 1644 optical detection and fixation of objects by fixed flies. 1034

ovarian regulation of CA. 2634

oxidation metabolism of 1-14C-hexadecane, 193 pars intercerebralis in relation to neurosecretion, 3024

penetration of air barriers in relation to airvelocity, 4472

phospholipids acylation and deacylation by larval microsomes. 3927

phospholipid composition of mitochondria. 5242 populations in food-processing establishments in Czechoslovakia, 842

proteins associated with protocerebral neurosecretion, 3879

reactions catalysed by particle-bound enzymes in larvae. 3927

reproduction and survival of mutant strains in population cages. 898, 4180

RNase resistance of polysomes. 196

'ruby' mutant a case of diplicate genes. 1773

sarcoplasmic reticulum and T-system in femoral muscle, 615

separator for pupae. 1493

sesamex in relation to metabolism and toxicity of cyclodienes and their photoisomers. 5230

sex-determination mechanism of Australian strain. 910

starvation in relation to nurse-cell nucleus, 4003

succinate dehydrogenase activity in mitochondrial preparations, 3941

tepa in relation to flight and respiratory responses, 4564

tepa in relation to ovary mitochondrial respiration, 509

traps. 5111

trehalose utilization during flight, 616

ultrastructure of microsomal preparations from adult. 1103

use in new biological assay of ecdysone, 691 Musca domestica nebulo.

benzamide in relation to embryonic development.

corpus luteum formation. 1206

evagination of transplanted imaginal discs. 2669 X-irradiation in relation to morphogenesis, 1630 method for transplanting imaginal discs in prepupa. 2669

ovariole structure during pre-oviposition period.

oviposition and ovulation, 1206

Musca domestica vicina,

mortality and reproduction in relation to overwintering in Chengtu, China. 752

sterilization with thio-tepa. 261

Musca lateralis Linnaeus 1758, name suppressed.

Musca nectarea, syn. n. of Scatopse notata, 5028 Musca sorbens, sterilization by metepa, 4621 Musca vetustissima,

age indicated by changes in o reproductive system. 687

duration of reproductive cycles. 687 Heterotylenchus infections, 4679

Muscanda (Hem., Het.), transferred from Tessaratomidae to Pentatomidae, 5715

Muscardinus avellanarius (Rodentia),

German Siphonaptera. 4092

host of Neotrombicula talmiensis carpathicum subsp. n. 4238

Muscicapa (Aves), host of Ptilonyssus muscicapae sp. n. 4235

Muscidae (Dipt.), 159, 191, 193, 196, 204, 221, 231, 244, 259,

261, 264, 273, 539, 615, 616, 660, 687, 691, 700, 712, 723, 752, 754, 798, 823, 842, 898, 900, 910, 911, 1080, 1103, 1117, 1199, 1206, 1254, 1268, 1277, 1296, 1429, 1493, 1507, 1514, 1576, 1630, 1643, 1644, 1650, 1686, 1756, 1773, 1873, 1909, 2018, 2183, 2186,

2582, 2598, 2634, 2661, 2669, 2751, 2851, 2939, 3024, 3135, 3181, 3229, 3318, 3372,

3404, 3460, 3503, 3509, 3514, 3540, 3563,

3662, 3719, 3879, 3886, 3927, 3933, 3941, 3961, 4003, 4162, 4180, 4411, 4451, 4472,

4496, 4531, 4564, 4576, 4578, 4789, 4608

4609, 4621, 4626, 4630, 4647, 4665, 4668, 4679, 4698, 4705, 4748, 4766, 4793, 4816,

4823, 4829, 4913, 5109, 5111, 5139, 5157,

Muscidae, contd.

5200, 5210, 5230, 5236, 5240-5242, 5251, 5265, 5267, 5300, 5316, 5328, 5329, 5350, 5394, 5404, 5573, 5905, 5932

Australian genera with facial carina revised and keyed. 3318

distribution, ecology and systematics of synanthropic spp in Tyan'-Shan' Mts., Kirgizia, USSR. 4860

intercepted in aircraft at Nairobi airport, Kenya. 4816

of Israel, 5573

method for study of pattern discrimination. 1034 Muscina stabulans (Dipt., Muscidae),

eye-colour mutations, 4162

larval populations in relation to poultry-manure removal in N. California, USA. 4836

populations in food-processing establishments in Czechoslovakia. 842

#### Muscles,

age-related changes in Drosophila repleta myofibres. 2615

ageing in relation to esterases from muscle in Periplaneta americana, 4530

alary muscles of Insecta. 4511

alkaline phosphatase activity of gut muscles in Schistocerca gregaria. 3932

amitotic clasmatotenic nuclear division in flightmuscle of adult and embryonic Coleoptera, Diptera, Hymenoptera and Lepidoptera. 1050 of antennae of Plecoptera. 4425

ATP activity and tension in relation to fibre elongation on glycerination in Lethocerus cordofanus, 612

ATP citrate lyase activity absent from flightmuscles of adult of Schistocerca gregaria, 4001

ATP not a specific energy-source in fibrillar muscle of Lethocerus maximus, 613

ATP-synthesis and respiration by mitochondria from locomotory and strike muscles of Mantodea. 1043

ATPase and Ca<sup>++</sup>-independent contraction in glycerinated muscle-fibres after troponin extraction in Lethocerus maximus, 1042

attachment to cuticle in Collembola, Diplura and Thysanura, 4464

benzo- $[\alpha]$ pyrene in relation to hindgut muscle cells of Periplaneta americana. 3436

Brugia pahangi in thoracic muscle of Armigeres subalbatus during double infection. 4675

CA in relation to flight-muscle mitochondria in Locusta migratoria. 5893

CA implantation in relation to flight-muscle development in Locusta migratoria, 2030

CA in relation to respiration in Periplaneta americana. 5246

caffeine in relation to excitation-contraction coupling in skeletal muscle of Locusta migratoria migratorioides. 1047

CA++ in relation to fructose-1, 6-diphosphatase,

hexokinase and phosphofructokinase of fibrillar and non-fibrillar muscles. 1116

carbohydrate content of flight-muscles in adult of Schistocerca gregaria. 4596

carbohydrate metabolism of flight-muscle in Glossina morsitans and Sarcophaga nodosa. 3067

carbohydrate oxidation by flight-muscle in adult of Schistocerca gregaria. 3456

castration in relation to flight-muscle degeneration in Acheta domestica. 1173

CC in relation to respiration in Periplaneta americana. 5246

chlorinated hydrocarbon insecticides in relation to ATPases in Periplaneta americana, 614

cholinergic neuromuscular transmission in Blattodea, Lepidoptera and Orthoptera, 4467 contractility of muscle fibres in relation to

ultrastructure. 1519

control of stridulation in Gryllus campestris. 3957

cranial stomodaeum and mandibles of larval Cybister tripunctatus africanus. 5790

crystalline-array virus in Melanoplus bivittatus. 5818

degeneration of flight-muscle in Belostoma malkini and Lethocerus maximus. 1661

degeneration of flight-muscles in British Psocoptera. 1709

denervation and high  ${\rm O}_2$ -tension in relation to development of dorso-longitudinal muscles in Antheraea pernyi. 1060

depressor and elevator wing-muscles in relation to flight in Schistocerca gregaria. 3872

development and histolysis of indirect flightmuscles in Dysdercus intermedius, 1172

development of thoracic muscle and flightbehaviour of Glossina morsitans orientalis. 1514

discharge patterns of coxal levator and depressor motoneurons in Periplaneta americana. 3057

DNA-synthesis during moulting-cycle of Oryzaephilus surinamensis. 242

dorso-ventral musculature and metamerization in Polyxenus lagurus. 2668

drugs in relation to perfused isolated leg preparations of Gromphadorhina portentosa. 4468

ecdysone in relation to respiration in Periplaneta americana, 5246

electrical activity and innervation of flightmuscles in Schistocerca gregaria. 3872

electrophysiology of tymbal muscles in Fidicina rana, 1157

enzymes associated with lipogenesis in flightmuscle of adult & Schistocerca gregaria, 4001

fatty-acid composition of flight-muscle during metamorphosis in Hyalophora cecropia. 4623

flight-muscle histolysis in relation to feeding

## Muscles, contd.

- and copulation in Dysdercus intermedius.
- flight-muscles of Ips sexdentatus. 3051
- glucose oxidation in flight-muscle of Schistocerca gregaria. 3401
- $\alpha\text{-}\mathrm{glycerophosphate}$  oxidase and phosphofructokinase in relation to NADH  $_2\text{-}\mathrm{reoxidation}$  in Insecta. 1122
- glycogen of flight-muscle of Phormia regina. 5239
- group effects on flight-muscles in alate Hodotermes mossambicus. 1730
- of Haemogamasus ambulans, 3868
- head in Campodea chardardi. 5833
- of head and neck in adult of Choristoneura fumiferana, 3866
- of head and prothorax in Embia ramburi, 3855, 4447
- of head-capsule in Delphacodes propinqua and Liburnia pallescens. 1974
- hexokinase isozyme distribution in Drosophila robusta. 2830
- histology of leg muscle in Blattella germanica and Periplaneta australasiae. 1048
- histolysis in relation to flight in Schizaphis graminum. 4466
- histolysis of intersegmental muscle in newlyemerged Antheraea polyphemus, 1207
- histones from Acheta domestica. 4536
- impulsa patterns in flight motor neurons of Bombus californicus and Oncopeltus fasciatus. 3058
- innervation of proctodaeal muscle-fibres in Periplaneta americana, 1516
- inosine triphosphate as energy-source in fibrillar muscle of Lethocerus maximus. 613
- intracellular potentials of myocardial cells in Sarcophaga bullata. 3434
- iridescent virus in sarcolemma of larval Aedes stimulans. 5812
- JH titre during metamorphosis in Hyalophora cecropia. 4623
- lactate dehydrogenase in larval Drosophila melanogaster. 4629
- leucine uptake by flight-muscles in larval Locusta migratoria migratorioides. 1093
- lipid content of flight-muscles in adult & Schistocerca gregaria. 4596
- lipid oxidation by flight-muscle in adult & Schistocerca gregaria, 3456
- Mg<sup>++</sup> inhibition of actin-myosin interaction in fibrillar flight-muscle of Lethocerus maximus.
- of & Nomia melanderi, 1732
- of egenitalia in Poekilocerus pictus. 3869
- of denitalia in Rhyacophilidae. 5774
- mechanical properties of flight-muscle at large amplitudes of oscillation in Lethocerus annulipes and L. cordofanus. 1517

- mechanical responses of metathoracic extensor tibiae muscles in Schistocerca gregaria, 3050
- mersalyl in relation to succinate oxidation by flight-muscle mitochondria from Musca domestica, 4531
- method for perfusing an isolated thoracic muscle preparation from Schistocerca gregaria, 3401
- mode of action of nicotinoids, pyrethroids and rotenoids in Insecta. 4539
- monoglyceride lipase activity in flight-muscle of Lepidoptera, 1128
- myogenic oscillation in Lethocerus maximus. 613
- myotropic function of CC. 5898
- NAD in relation to respiration in Periplaneta americana. 5246
- neck musculature of adult of Choristoneura fumiferana, 3866
- nerve-muscle apparatus in Insecta. 1057
- nervous control of indirect flight-muscle in Apis mellifera. 3870
- nervous control of muscular activity in Insecta. 1065
- neural patterns associated with ventilatory movements in larval Odonata.  $3\,425$
- neural relations of proctodaeal muscles in Periplaneta americana. 1059
- neuromuscular physiology of pedipalp closer muscles in Leiurus quinquestriatus, 3871
- in relation to peripheral control of courtship song in Gomphocerippus rufus, 3958
- of pharyngeal grinding mills in larval Eumerus strigatus and Sargus bipunctatus. 2010
- phosphomonesterase activity absent from skeletal muscle in Schistocerca gregaria. 4535
- phosphomonesterase activity of cardiac muscles in Schistocerca gregaria. 4535
- physics of muscular contraction in flightmuscles of Insecta. 4465
- post-teneral development of thoracic flightmuscles in Glossina austeni and G. morsitans.
- K/Na ratio during heat death in Centrioptera muricata. 5885
- proctodaeal muscle-fibres myogenic with CNS control. 1516
- proctodaeal muscles in relation to mechanical stretch in Periplaneta americana, 3400
- proline synthesis by flight-muscles during development in Hyalophora gloveri. 1633
- protein turnover in flight-muscle of adult of Drosophila subobscura, 3939
- of prothorax in adult of Choristoneura fumiferana.
- of proventriculus in Ips cembrae. 4513
- regeneration of leg muscles in Acheta domestica.
- resistance of larval muscles to NaCl during diapause and overwintering in Laspeyresia

Muscles, contd.

pomonella, 1620

respiratory rate of flight-muscle mitochondria in relation to acid and phosphate in Apis mellifera, 5224

sarcoplasmic reticulum of femoral muscle of Musca domestica. 615

of seminal receptacle in Bombyliidae. 5910

soluble esterases from thoracic muscles of Periplaneta americana, 4528

in song-production of Acheta domestica, Gryllus bimaculatus and G. campestris. 674

in relation to sound-production in Apis mellifera. 675

in relation to sound-production in Gryllus bimaculatus. 2654

γ-sterilization in relation to flight-muscle development and blood-meal utilization in Glossina austeni. 5927

stridulatory musculature of Gryllotalpa, 5901 supercontracting and non-supercontracting

visceral muscles in Glossina austeni. 4470

synchronized cross-bridge movement in damped oscillation in stretched flight-muscle fibres in Lethocerus maximus, 1044

temperature in relation to flight-muscle metabolism in Calliphora. 2028

tergo-trochanteral muscles in relation to flightinitiation in Calliphora vicina, 619

of thorax in adult Tenebrio molitor. 158

of thorax in larval Chrysopa and Coniopterygidae. 2579

of thorax in Melanagromyza obtusa. 147

trehalases of flight-muscle in Sarcophaga barbata. 5874

ultrastructure of abdominal longitudinal muscles of larval Baëtis rhodani and Ecdyonurus helveticus, 5834

ultrastructure of Carausius morosus and Locusta migratoria migratorioides in relation to excitation-contraction coupling, 5189

ultrastructure of flight-muscle glycogen from Phormia regina. 5239

ultrastructure of flight-muscles in Pieris brassicae and Triphaena pronuba, 3873

ultrastructure of muscle attachments in Latrodectus mactans. 2584

ultrastructure of muscle fibres from legs of Periplaneta americana, 1519

ultrastructure and physiology of abdominal airguide retractor muscles in Lethocerus americanus, 1545

ultrastructure of proleg musculature during metamorphosis in Galleria mellonella, 1988

Muscoidea (Dipt.), first pre-Tertiary record. 3759 Museum Zoologicum Bogoriense (Indonesia), Coleoptera and Isoptera types. 951

Mustravia sulciventris (Hem., Het., Tessaratomidae), immature stages and life-history. 3546
Mustard oils, Phyllotreta restricted to host-plants

containing. 4763

Mutations,

"abnormal abdomen" (aa), in adult Drosophila hydei. 4155

"abnormal abdomen" (aa), gene in Drosophila simulans. 4155

accumulation of lethals in X-irradiated Drosophila melanogaster populations. 917

acids as mutagens in combination with formaldehyde in Drosophila melanogaster. 3223

'actidione-sensitive' (act), analysis in Drosophila melanogaster, 4904

action of SR agent in Drosophila melanogaster. 364

affecting meiosis in Drosophila melanogaster natural populations. 406

age in relation to sex-linked recessive lethal frequencies in Drosophila melanogaster sperm. 410

ageing effect of segregation distortion in Drosophila melanogaster. 4134

'alicurve' (ac), associated with chromosome 1 in Musca domestica. 1756

'alicurve' (ac), survival and reproduction in cage populations of Musca domestica, 898, 4180

alkylating agents inducing complete and mosaic mutations in Drosophila melanogaster. 397

alkylating agents inducing in spermatozoa of Bombyx mori following storage. 394

allelic relations between lethals in Drosophila melanogaster natural populations. 3681, 4170 almond larval body-colour in Antheraea mylitta.

2844

in relation to aneuploidy in Drosophila melanogaster. 6090

'Antennapedia', clonal analysis of determination in Drosophila melanogaster. 3220 'apterous-Xasta', cell degeneration in develop-

ment of Drosophila melanogaster, 230 'aristapedia' (ar), associated with chromosome

'aristapedia' (ar), associated with chromosome 2 in Musca domestica. 1756

'aristapedia' (ar), survival and reproduction in cage populations of Musca domestica, 8981, 4180

associated with Y-chromosome lampbrush loops in Drosophila hydei. 4887

autonomous pleiotropy of cell and developmental lethal genes in Drosophila, 1337

autosomal lethal rates in Drosophila melanogaster, 407

balanced lethal stocks successfully maintained in Drosophila pararubida, 891

'Bar', cell degeneration in development of Drosophila melanogaster. 230

'Beadex', cell degeneration in development of Drosophila melanogaster, 230

biochemistry and genetics of lethal albino larvae of Bombyx mori, 3666

'bk', ommochrome synthesis partially blocked

## Mutations, contd.

- in Apis mellifera. 1582
- 'black' (b), fate under natural selection in Tribolium castaneum hybrid population. 1782
- 'black' (b), larval age range in relation to survival of Tribolium castaneum in mixed cultures, 4086
- 'black' (b), survival in relation to environment shape in Tribolium castaneum. 4082
- 'black', courtship behaviour in Drosophila melanogaster. 4166
- 'bobbed' (bb), magnification in semi-lethal 'Ybbl' Drosophila melanogaster, 1766
- 'bobbed' (bb), rDNA redundancy in Drosophila melanogaster, 1341
- 'bobbed' (bb), exchanges and locus structure in Drosophila melanogaster. 4141
- 'bobbed' (bb), reversions of partially deleted locus in Drosophila melanogaster. 1341
- body malformations in Dahlbominus. 901
- 5-bromodeoxyuridine mutagenicity in relation to X-irradiation in larval Bombyx mori. 892
- 5-bromouracil-deoxyriboside as mutagen in relation to radiation in Prosophila melanogaster. 1344
- 'brown body-colour' (bwb), associated with chromosome 3 in Musca domestica. 1756
- 'brown-spots' (bsp), genetics in Drosophila melanogaster. 4895
- 'bu', ommochromes in Musca domestica, 5251 'bubbly pronotum', cytology in Blattella germanica, 865
- 'c(3)G', in Drosophila melanogaster. 367
- 'c(3)G', radiosensitivity in Drosophila melanogaster. 411
- 'car', ommochromes in Musca domestica. 5251 in relation to carbamate susceptibility in Musca domestica. 4913
- 'carnation' (car), associated with chromosome 2 in Musca domestica. 1756
- cell degeneration in development of mutants of Drosophila melanogaster. 230
- 'ch', 3-hydroxy-kynurenine accumulation in Apis mellifera, 1582
- chemical mutagens for Bombyx mori. 3663
- of Y-chromosome in relation to spermiogenesis and sterility in Drosophila melanogaster. 226
- 'claret-nondisjunctional', in relation to chromosome behaviour in Drosophila melanogaster. 1741
- 'claret', pteridines in Drosophila melanogaster.
- 'classic wings' (clw), survival and reproduction in cage populations of Musca domestica. 898, 4180
- 'cm', ommochromes in Musca domestica. 5251 co-mutagenicity of 5-bromodeoxyuridine and X-rays in Bombyx mori. 882
- colour mutant of Pyrrhocoris apterus. 373 control of insect populations by dominant condition-

- al lethal traits. 4108
- 'countercoiled genitalia' (ctc), survival and reproduction in cage populations of Musca domestica. 898, 4180
- 'cr', 3-hydroxykynurenine accumulation in Apis mellifera, 1582
- crowding in relation to larval viability of 'ebony' and 'vestigial' Drosophila melanogaster. 3647
- due to crystalline hormones in Drosophila melanogaster. 3986
- 'curly wing' (cw), cytology in Blattella germanica. 865
- 'curly wing' (Cy), in relation to delta extra chromosomal element in Drosophila melanogaster. 3657
- 'curly wing' (cyn), survival and reproduction in cage populations of Musca domestica, 898, 4180
- 'curved', analysis in Blattella germanica. 4905 'cut', cell degeneration in development of Drosophila melanogaster. 230
- 'cut wing-tip' (ct), associated with chromosome 4 in Musca domestica. 1756
- dark mutant of Trichoplusia ni. 5555
- 'depressed' (dep), analysis in Tribolium confusum. 4908
- development and genetics of lethal giant-larvae of Drosophila melanogaster. 398
- 1, 4-bis-diazoacetyl-butane as mutagen in Drosophila melanogaster. 1770, 6094
- 1,2-dichloroethane inducing recessive sexlinked lethals in Drosophila melanogaster.
- diet in relation to lethal frequency in X-irradiated Drosophila melanogaster. 1628
- dispersal in relation to frequency of lethal allelism in a Drosophila natural population. 4917
- DNA in relation to eye-colour and tryptophan pyrrolase (A<sup>+</sup>) in Anagasta kuehniella, 3655
- DNA replication in relation to intragenic changes in 'white' region in Drosophila melanogaster. 384
- dominance relationships of new mutants in Drosophila melanogaster natural populations. 1784
- dominant lethal frequency in relation to storage in Drosophila melanogaster. 4156
- dominant lethality in  $\gamma$ -irradiated ovaries of Stomoxys calcitrans. 4609
- 'dumpy', EMS induction of complete 'dumpy' mutants in Drosophila. 899
- dynamics of mutation process in Drosophila melanogaster. 6089
- dysfunctional sperm-production in Drosophila melanogaster of homozygous for segregation distorter elements. 3656
- 'ebony', abnormal behaviour and electroretinogram in Drosophila melanogaster, 890

Mutations, contd.

'ebony', abnormal sex-ratio in Drosophila melanogaster. 908

'ebony', competitiveness in mixed cultures of Drosophila melanogaster. 4172

'ebony', courtship behaviour in Drosophila melanogaster. 4166

'ebony', larval viability in relation to crowding and zygosity in Drosophila melanogaster. 3647

'ebony', viability in relation to food conditioning in Drosophila melanogaster. 4173

'echinus deltex' (ec dx), Y-chromosome lethal in Drosophila melanogaster, 887

electrophysiology of optic-lobe interneurons in white-eyed Musca domestica. 1080

elimination and linkage of deleterious mutants from Tribolium castaneum experimental populations. 4179

EMS-induced mutations observed as mosaics of Drosophila melanogaster. 4900

EMS inducing complete 'dumpy' mutants in Drosophila. 899

EMS inducing lethals and semi-lethals on chromosome 2 in Prosophila melanogaster. 412

EMS inducing nutritional conditional mutations in Prosophila melanogaster, 897

EMS mutagenic for pre-meiotic of germ-cells in Bombyx mori. 3668

enzyme genetics of lethal lemon larvae of Bombyx mori. 4158

'extended wings' (ext), survival and reproduction in cage populations of Musca domestica. 898, 4180

extra-terrestrial radiation inducing lethals in sex-chromosomes of & Drosophila melanogaster. 402

extra-terrestrial radiation in relation to lethalinduction in Habrobracon and Tribolium. 249

'ey', in relation to modifier genes in Drosophila melanogaster. 893

'ey', nature of 'ey', ey $^2$ ', ey $^4$ ' and 'ey $^K$ ' in Drosophila melanogaster. 893

eye-colour in relation to DNA in Anagasta kuehniella. 3655

eye-colour mutants of Calyptrata reviewed, 4162

eye-colour mutants of Dahlbominus, 901 eye-colour mutation biochemistry in Apis mellifera, 1582

eye-colour mutation of Tribolium castaneum in relation to competition with T. confusum. 1780

'eye-gone' (eyg), in relation to diet in Drosophila melanogaster, 894

'eye-gone' (eyg), lethal interaction with 'eyeless' in Drosophila melanogaster. 3667

'eyeless' (ey), cell degeneration in development of Drosophila melanogaster, 230 'eyeless' (ey), converted by ethionine into semidominant gene in Drosophila. 699

'eyeless-dominant' (ey<sup>D</sup>), larvae of Drosophila melanogaster, 3225

'eyeless' (ey), expression in relation to dietary RNA in Drosophila melanogaster, 893

'eyeless' (ey), lethal interaction with 'eye-gone' (eyg) in Drosophila melanogaster. 3667

'eyeless' (ey), metabolic interaction with 'eyegone' (eyg) in Drosophila melanogaster. 894

female-sterile factor in Tetranychus urticae.
4902

fibroin synthesis in oily larvae of Bombyx mori. 3453

'Forked', expression in X-irradiated Drosophila melanogaster. 250

formaldehyde-induced mutations in relation to presence of acids in Drosophila melanogaster. 3223

frequency of 2nd-chromosome recessive lethals in X-irradiated Drosophila melanogaster populations, 918

frequency distribution of lethal 2nd-chromosomes in small Drosophila melanogaster populations. 419

frequency in Drosophila melanogaster natural populations from Golombia. 927

frequency in relation to extra-terrestrial radiation in Prosophila reproductive cells. 388

frequency due to extra-terrestrial radiation in sex-chromosome of Drosophila melanogaster. 402

frequency of mitomycin-C induced mosaic and whole-body mutations in Bombyx mori and Drosophila. 396

frequency of radiation-induced mosaic and whole-body mutations in Bombyx mori o postmeiotic cells. 401

frequency in relation to season in Drosophila melanogaster natural populations. 3686

frequency of spontaneous sex-linked lethal mutations in Drosophila melanogaster spermatozoa, 410

'g', eye-colour change in Apis mellifera due to ommochrome redox behaviour. 1582

'ge', adult productivity in Musca domestica.
4176

'ge', ommochromes in Musca domestica. 5251 genes producing hereditary ovarian tumours in Drosophila melanogaster. 4151

genetic fine structure and complementation at albino locus in Tetranychus pacificus and urticae. 2846

'glass', sexuality in relation to dosage-compensation in Drosophila. 1757

'hairy-wing' (Hw/Hw), tissue distribution in Drosophila melanogaster mosaics. 1772

'He', tyrosine in Anagasta kuehniella. 3865 heliotrine inducing in Drosophila melanogaster. 405

## Mutations, contd.

- hempa-induced dominant lethals in Musca domestica, 2186
- heterozygosity of radiation-induced mutations in relation to larval viability in Drosophila melanogaster. 399, 6092
- heterozygote viability in relation to lethal mutation frequency in Drosophila melanogaster natural populations. 6106
- 'i'', ommochrome synthesis partially blocked in Apis mellifera. 1582
- in relation to induced crossing-over in Drosophila melanogaster. 4143
- induced by EMS and X-rays in Drosophila melanogaster compared, 400
- induction mechanism for mono- and polyfunctional alkylating agents. 394
- insect viruses inducing lethals in Drosophila melanogaster. 5549
- in insecticide-resistance of Musca domestica. 3229
- 'Killer-prune' (K-pn), analyzed in Drosophila melanogaster, 1769
- kynurenine accumulation in eye mutant of Apis mellifera, 1582
- '1(2)gl', ring-glands in Drosophila melanogaster. 3221
- lethal accumulation in X-irradiated Drosophila melanogaster population. 917
- lethal 2nd-chromosome frequency in small
  Drosophila melanogaster populations. 419
- lethal factors in Chironomus nuditarsis popula-
- lethal frequency in Drosophila melanogaster natural populations from Colombia. 927
- lethal frequency in relation to season in Drosophila melanogaster natural populations, 6104
- lethal induction in Bracon hebetor sperm. 258
- lethal induction in relation to extra-terrestrial radiation in Habrobracon and Tribolium. 249
- lethal induction by insect viruses in Drosophila melanogaster. 5549
- lethal induction by poliomyelitis virus in Drosophile melanogaster. 2847
- lethal mutation rate in relation to LSD-25 in Drosophila melanogaster. 1343
- lethal-production enhanced by  ${\rm O}_2$  and  ${\rm N}_2$  post-treatments in Drosophila after X-irradiation, 247
- lethal and semi-lethal induction on chromosome 2 by EMS in Prosophila melanogaster, 412
- lethal sensitive to temperature induced by thymidine in Drosophila melanogaster. 2187
- 'lethal tumorous' (ltl), differential chromosome activity in Drosophila melanogaster, 2181
- lethals induced in Drosophila melanogaster by heliotrine. 405
- lethals induced by EMS in Drosophila melanogaster. 412, 897
- lethals induced by X-irradiation in newly-

- inseminated eggs of Drosophila melanogaster.
- lethals latent in Drosophila melanogaster natural populations in Japan. 422
- lethals in Planococcus citri. 5530
- lethals in relation to selection for bristle number in Drosophila melanogaster, 428
- 'lme', protein metabolism in Drosophila melanogaster. 664
- 'loboid-ophthalmoptera', analyzed in Drosophila melanogaster, 4903
- 'low pyridoxal oxidase' (lpo), in Drosophila melanogaster, 1774
- low-temperature post-treatment in relation to frequency of radiation-induced mutations in Bombyx mori occytes, 3664
- 'lozenge', cell degeneration in development of Drosophila melanogaster. 230
- 'lozenge', phenoloxidase activity during pupal development in Drosophila melanogaster. 1768, 4899
- LSD-25 in relation to lethal mutation rate in Drosophila melanogaster. 1343
- 'ltr', protein metabolism in Drosophila melanogaster. 664
- lysergic acid diethylamide as mutagen in Drosophila melanogaster, 1771
- 'maroon-like', analysis in Drosophila melanogaster, 1759
- 'maroon-like', complementation and fine structure in Drosophila melanogaster, 5545
- maternal age in relation to radiation-induced mutants in Dahlbominus. 901
- metabolic inhibitors in relation to morphological mutants of Drosophila. 699
- method for identifying recombinational lethals in Drosophila melanogaster, 1342
- method for production of chromosome translocations in Glossina austeni, 900
- methods for estimating degree of chromosomal allelism of lethals within and between populations, 921
- N-methyl-N'-nitro-N-nitrosoguanidine inducing in Drosophila melanogaster. 895
- 14 MeV neutrons mutagenic in Bombyx mori. 3663
- 'miniature', cell degeneration in development of Drosophila melanogaster. 230
- 'Minute', terminal mitochondrial respiration in Drosophila melanogaster. 1345
- mitomycin C inducing in Habrobracon sperm.
- mitomycin C as mutagen during spermatogenesis in Bombyx mori and Drosophila. 396
- mitomycin C mutagenic for pre-mieotic  $\sigma$  germcells in Bombyx mori. 3668
- mutagenicity of X-irradiation in relation to sperm utilization in Drosophila melanogaster. 3212
- mutation rates for autosomal lethals in Droso-

#### Mutations, conid.

phila melanogaster, 407

nature of homoeosis in Drosophila melanogaster. 4903

neutrons inducing recessive lethals and translocations in sperm and spermatids of Drosophila melanogaster. 4907

new radiation-induced mutants in Dahlbominus fuscipennis. 4161

N2 post-treatment in relation to frequency in Xirradiated Drosophila melanogaster, 247

nutritional conditional mutants produced by EMS in Drosophila melanogaster. 897

'ocra-eyes' (ocra), associated with chromosome 5 in Musca domestica, 1756

'ocra-eyes' (ocrà), survival and reproduction in cage populations of Musca domestica. 898, 4180

'ocra-eyes' (ocra), ommochromes in Musca domestica, 5251

ommochromes of mutant Musca domestica. 5251 ommochromes partially absent from red-eyed strain of Anopheles atroparvus. 5881

due to oncogenic viruses in Drosophila melanogaster, 3986

'ophthalmopedia', antennal and eye discs in manifestation in Drosophila melanogaster. 6085

in relation to organophosphate-resistance in New Zealand Tetranychus urticae populations. 3677

 $O_2$  post-treatment in relation to frequency in X-irradiated Drosophila melanogaster. 247

peptidase activity of body-fluid and hypodermis in oily larvae of Bombyx mori. 3453

persistence of clustering lethals in Drosophila melanogaster populations, 4181

persistence of visible mutant in Drosophila melanogaster natural populations, 423

'pink', ommochromes in Musca domestica, 5251 poliomyelitis virus inducing lethals in Drosophile melanogaster, 2847

position-effect variegation in relation to region 3-C loci in Drosophila melanogaster, 3661

 3-propanediol dimethanesulphonate inducing in Musca domestica. 4608

"prowing" (Pw), cytology in Blattella germanica. 865

'prune' (pn), action in Drosophila melanogaster. 1753

'prune' (pn), interaction with 'K-pn' in Drosophila melanogaster, 1753, 1760

'prune' (pn), intracistronic changes in Droso-

phila melanogaster, 1760
'prune' (pn), sexuality in relation to dosage-

compensation in Drosophila. 1757 pteridine synthesis in oily larvae of Bombyx

pterines of Anopheles atroparvus eye-colour mutant. 5883

at 'R' locus in Nasonia vitripennis. 3658

radiation-induced body-malformations and eyecolour mutations in relation to maternal age and length of irradiation in Dahlbominus. 901

radiation inducing partially sterile mutants in Glossina austeni, 900

radiation in relation to mutagenicity of 5-bromouracil-deoxyriboside in Drosophila melanogaster, 1344

 $\gamma$ -radiation inducing in  $\sigma$  Eucosma schistaceana. 1190

γ-radiation mutagenic in Bombyx mori. 3663

X-radiation inducing in Bombyx mori. 4163

X-radiation inducing lethals in newly-inseminated eggs of Drosophila melanogaster. 413

X-radiation inducing lethals in pupae of Eucosma schistaceana, 1190

X-radiation inducing in Musca domestica. 4608

X-radiation inducing spermatogenesis of Drosophila melanogaster. 6093

X-radiation inducing 'white-ivory' reversion in Drosophila melanogaster. 408

radiosensitivity of c<sup>3</sup> G mutant of Drosophila melanogaster, 411

radiosensitivity in relation to repair of premutational damage in Bombyx mori. 3669 'rb', ommochromes in Musca domestica, 5251

'rb', response in Bombyx mori. 395

recessive eye-colour mutation on Y chromosome of Calliphora erythrocephala. 1340

recessive sex-linked lethals induced by 1,2dichloroethane in Drosophila melanogaster, 6091

'red', analysis in Tribolium confusum. 4908 'red-eye' mutation rate at locus in Choristoneura fumiferana. 3168

repair system in Drosophila melanogaster, 4886 RNA of diet in relation to 'eyeless' (ey) in Drosophila melanogaster, 893

'rolled' (rl), eye pigments and size in Drosophila melanogaster. 4901

'Rolled-wing' (R1), associated with chromosome
1 in Musca domestica, 1756

'ruby', analyzed in Musca domestica. 1773

'S', tryptophan accumulation in Apis mellifera. 1582

'st', ommochrome synthesis partially blocked in Apis mellifera, 1582

scale development on forewing in 'Us' mutant of
Anagasta kuehniella. 3865

'scute' (sc), gene affecting allelic recombination in Drosophila melanogaster. 4142

'scute' (sc), bristle frequency in Drosophila melanogaster gynandromorph. 2845

'Segregation distorter' (SD), ageing effect in Drosophila melanogaster. 4134

'Segregation distorter' (SD), dysfunctional sperm production in Drosophila melanogaster of homozygotes. 3656

'Segregation distorter' (SD), in relation to geno-

Mutations, contd.

type frequency at alcohol dehydrogenase locus in Drosophila melanogaster. 883

'Segregation distorter' (SD), in relation to progeny sperm ratios in Drosophila melanogaster. 4138

'Segregation distorter' (SD), mode of action in Drosophila melanogaster, 909

'Segregation distorter' (SP), new gene in Drosophile melanogaster natural populations. 406

'Segregation distorter' (SD), non-random assortment in heterozygous XYY of Drosophila melanogaster. 3211

selection against lethals in X-irradiated Drosophila melanogaster populations, 919

semi-incompatibility system in Pissodes. 905 sex-linked neurological mutants in Drosophila

melanogaster, 1767

sex-linked recessive lethal frequencies in relation to age in Drosophila melanogaster spermatozoa. 410

sexuality in relation to dosage-compensation in Drosophila mutants. 1757

'sooty', DDT in relation to mortality and reproduction in Tribolium castaneum, 3993

'sooty', X-irradiation in relation to mortality and reproduction in Tribolium castaneum.

'sp', use of 'sp' Cochliomyia hominivorax to evaluate efficiency of marking. 1961

sperm flagellum in Y-mutants of Drosophila melanogaster, 3967

spontaneous and X-ray-induced reversions in 'white-ivory' mutant of Drosophila melano-

storage of Drosophila melanogaster spermatozoa in relation to mutagenicity of monofunctional alkylation. 3222

storage in relation to dominant lethal frequency in Drosophila melanogaster. 4156

'stubby-wings' (stw), survival and reproduction in cage populations of Musca domestica, 898, 4180

'tan', abnormal behaviour and electroretinogram in Drosophila melanogaster. 890

'tan', courtship behaviour in Prosophila melanogaster, 4166

'tan', electroretinogram abnormality in Drosophila melanogaster. 896

'tan', histology and ultrastructure in Drosophila melanogaster. 896

TEM inducing in Drosophila sperm. 392

temperature-sensitive lethals induced by mitomycin C in Habrobracon sperm, 404

temperature-sensitive lethals induced by thymidine in Drosophila melanogaster. 2187

temperature-sensitive mutants induced by EMS in Drosophila melanogaster. 412

tepa-induced dominant lethals in Musca domestica. 2186

N, N<sup>1</sup>-tetramethylenebis (1-aziridinecarboxamide) mutagenicity in relation to delayed fertilization in Cochliomyia hominivorax. 3665

thymidine inducing temperature-sensitive lethal in Drosophila melanogaster. 2187

tryptophan pyrrolase (A<sup>+</sup>) in relation to DNA in Anagasta kuehniella. 3655

tryptophan pyrrolase regulated by vermilionsuppressor in Drosophila melanogaster, 3659

'tu', nutrition in relation to penetrance in Drosophile melanogaster. 4150

tumours in mutant Drosophila melanogaster tissues. 4160

'twisted front legs' (tw), survival and reproduction in cage populations of Musca domestica. 898, 4180

tyrosine metabolism in lethal lemon and albino lethal larvae of Bombyx mori. 3937

'Us', tyrosine in Anagasta kuehniella. 3865 use to establish abdominal and genital homolo-

gies in Cochliomyia hominivorax. 4424 'vibw', courtship behaviour in Drosophila melanogaster. 2697

'vermilion', modification of 'perichromatin granules' in Drosophila melanogaster. 409

'vermilion', perichromatin granules in Drosophila melanogaster. 409

'vermilion', tryptophan pyrrolase regulated by vermilion-suppressor in Drosophila melanogaster. 3659

'vestigial', cell degeneration in development of Drosophila melanogaster. 230

'vestigial', larval viability in relation to crowding and zygosity in Drosophila melanogaster. 3647

'vestigial', migratory behaviour in Drosophila melanogaster. 4168

viability polygene synergism in Drosophila melanogaster natural populations. 1785

visual pathways in Drosophila melanogaster.

"w" yellow-eyed or among "w" Calliphora erythrocephala. 1340

'wa' fractionation of 'w+' and 'wa' Drosophila melanogaster by optomotor reaction, 4167

'w+', fractionation of 'w+' and 'wa' Drosophila melanogaster by optomotor reaction. 4167

'w<sup>3</sup>', ommochromes in Musca domestica. 5251

'white', courtship behaviour in Drosophila melanogaster. 4175

'white', intragenic changes in 'white' region in relation to DNA replication in Drosophila melanogaster. 384

'white', somatic recombination within the locus in Drosophila melanogaster. 3650

'white-apricot', sexuality in relation to dosagecompensation in Drosophila. 1757

'white-crimson' (w<sup>c</sup>), gene and its controlling element mapped in Drosophila melano-

Mutations, contd.

gaster. 1746

'white-crimson' (w<sup>c</sup>), transpositions in Drosophila melanogaster. 1763

'white-eosin', sexuality in relation to dosagecompensation in Prosophila. 1757

'white-eyes' (w), crossover values with sexfactor in Culex pipiens molestus. 2177

'white-eyes' (w), survival and reproduction in cage populations of Musca domestica, 898, 4180

'white-ivory', nature in Drosophila melanogaster. 408

'white-ivory', spontaneous and X-ray-induced reversion in Drosophila melanogaster. 408

'white-variegated', X-ray-induced mitotic recombination in relation to heterochromatization in Drosophila melanogaster. 6073

'x-7', electroretinggram abnormality in Drosophila melanogaster. 896

'x-7', histology in Drosophila melanogaster. 896

'x-7', histology and ultrastructure in Drosophila melanogaster, 896

'Xasta', genetics in Drosophila melanogaster.
403

'Xasta', population and selection studies in Drosophila melanogaster. 4157

'yellow', analysis in Blattella germanica. 4905

'yellow-eye', of Lucilia sericata. 4162

'yellow-eyes' (ye), associated with chromosome 4 in Musca domestica. 1756

'yellow-eyes' (ye), ommochromes in Musca domestica. 5251

'yellow-eyes' (ye), survival and reproduction in cage populations of Musca domestica. 898, 4180

'yellow' (y/y), tissue distribution in Drosophila melanogaster mosaics. 1772

Mutilla glossinae (Hym., Mutillidae),

as parasite of Glossina in Rhodesia, 798, 800 reproductive morphology and development of immature stages, 5275

Mutillidae (Hym.),

798, 800, 2219, 2520, 2748, 2996, 5275, 5736

parasitic on Evylaeus nigripes. 4127

Myacarus hypudaei (Arach., Acari), new for Romania, 2746

Mycalesis patiana sp.n. (Lep., Satyridae), described, 1930

Mycangia, maxillary mycangium of Dendroctonus ponderosae. 3854

Mycetobia divergens (Dipt., Anisopodidae), in brown slime-fluxes in S. New England, USA. 4096
Mycetome,

development in aposymbiotic eggs of Euscelis plebejus. 310

endosymbionts and their transmission in Aetalionidae, Cicadellidae and Eurymelidae. 4053 histochemistry and ultrastructure in Psylla pyricola, 2743

in vitro culture and infection with symbiotic bacteria in Euscelis plebejus. 3918

Mycetophagidae (Col.), 42, 5647 from Congo-Brazzaville. 5647

Mycetophila (Dipt., Mycetophilidae), from Iran. 2950

Mycetophila bohemica, new for Britain. 3261

Mycetophila curviseta, frequency in Caspian provinces of Iran. 2950

Mycetophila hyrcania sp. n., described. 2950 Mycetophilidae (Dipt.),

67, 68, 69, 785, 1874, 2949, 2950, 3261, 4306, 5671, 5672

from Britain. 3261

spp attacking acorns in N. America. 785

Mycetoporus (Col., Staphylinidae), new spp described. 49

Mycetosoritis explicata sp. n. (Hym., Formicidae), described. 107

Mycobacteria, isolated from Argas persicus in USSR. 4776

Mycobacterium (Bacteria), presence in gut flora of larval Bibio marci. 3919

Mycobacterium fortuitum, isolated from gut of Reduviidae. 2005

Mycodiplosis spondiasi (Dipt., Cecidomyiidae), status discussed. 2941

Mycodrosophila (Dipt., Drosophilidae), chromosomal polymorphism. 1776

Mycoplasmatales,

histopathology of mycoplasm ingestion in Euscelidius and Euscelis. 806, 3920

my coplasma-like inclusions in testes of sterile of hybrids of Drosophila paulistorum complex. 5186

transmission of corn stunt agent to Zea mays by Dalbulus elimatus, 4067

transmission of plant-pathogenic mycoplasma by insects. 5441

Mycteridae (Col.), 4988

Mydaidae (Dipt.), 5673

from Afghanistan for first time. 5673

Myianoetus (Arach., Acari, Anoetoidea), new spp described. 3719

Myiasis, of new-born calves in Hawaii due to Chrysomya rufifacies. 4040

Myiomma capeneri sp. n. (Het., Miridae), described. 5035

Mylabrini (Col., Meloidae), from N. Africa and Middle East revised, 4280

Mylabris (Col., Meloidae),

Mautitabris and Zitunabris subgen. n. established. 4280

spp of Zonabris transferred to. 4280 subgenus Eumylabris redefined. 4280

Mylabris sinawata, confirmed as member of subgenus Micrabris. 4280 Mylabris wheelocki (Col., Bruchidae), location of

356

- Mylabris wheelocki (Col., Bruchidae), contd. holotype, 1402
- Mylothris (Lep., Pieridae), pterine synthesis in relation to atmospheric O<sub>2</sub>-pressure, 1583

Mymaridae (Hym.),

1007, 1276, 2093, 2677, 3343, 3897, 4702, 4784, 4834, 4846, 5100, 5106, 5363

anatomy and histology of o reproductive system.

new records for C. and N. Europe, 3343

- Myobia (Arach., Acari, Myobiidae), blairi and michaeli transferred to Crocidurobia gen.n. 4230
- Myocoptidae (Arach., Acari), parasitic on rodents in Belgium and Netherlands. 6008
- Myodalis (Arach., Amblypygi), Ethiopian spp keyed. 2877
- Myonebrides flavomaculata sp. n. (Col., Cerambycidae), described. 3738
- Myonyssus (Arach., Acari, Laelapidae), reviewed and spp keyed. 4972
- Myonyssus rossicus, new for Romania. 2746
- Myonyssus tuberosus sp. n., described. 4972 Myopini (Dipt., Conopidae), genera keyed. 1427
- Myopotta gen. n. (Dipt., Gonopidae), established. 1427

Myosin.

- Mg<sup>2+</sup> inhibition of actin-myosin interaction in fibrillar flight-muscle of Lethocerus maximus, 1046
- turnover-frequency in fibrillar muscle of Lethocerus maximus. 613
- Myotis (Chiroptera), host of Colicus minicolus sp.n. in Colombia, 4977
- Myotis mystacinus, host of Basilia rybini sp.n. 2505
- Myotomys unisulcatus (Rodentia), host of Ixodes myotomys sp. n. in Republic of S. Africa. 4226
- Myrcene [7-methyl-3-methylene-1,6-octadiene], extracted from worker Acanthomyops claviger, 661

Myriapoda,

found among bananas at Arras, France. 4815 new for Surrey, England, 4943

not ancestors of Insecta. 435

position of Carboniferous Arthropleura, 2249

from S. W. Madagascar. 2540

types in Instituto Miguel Lillo, Tucumán, Argentina. 950

- vertical distribution in 3 soil types in Japan. 2813
- Myrina anettae (Lep., Lycaenidae), lectotype designated. 1466
- Myrina silenus deserticola subsp. n., described. 1466
- Myrmecaelurus trigrammus (Neur., Myrmeleonidae).
  - new for Islas Baleares. 1373 occurrence in N. E. Danube Delta, Romania. 2227

- Myrmecia gulosa (Hym., Formicidae), inhibitor of insect mitochondrial respiration in venom. 5237
- Myrmecorhynchus (Hym., Formicidae), larva described, 4430
- Myrmecotypus (Arach., Aran., Clubionidae), transferred to Castianeirinae subfam.n., new spp described and phylogeny. 2469
- Myrmecozelinae (Lep., Tineidae), relationships of Protaphoreutis and new Madagascan genera. 1473
- Myrmedobia (Hem., Het., Microphysidae), new spp described, 2966
- Myrmedoniini (Col., Staphylinidae), differentiated from Skatitoxinini trib. n. 531
- Myrmelachista (Hym., Formicidae), larval body-profile and mandibular shape. 4430 new spp described. 4354
- Myrmeleon inconspicuus (Neur., Myrmeleonidae), occurrence in N. E. Danube Delta, Romania. 2227
- Myrmeleon obscurus, lunar-day synodic activity rhythms of pit-building in larvae. 750
- Myrmeleonidae (Neur.),

750, 1373, 2227, 2875, 3010 from N. E. Danube Delta, Romania. 2227

- Myrmeleotettix maculatus (Orth., Acrididae), DNA from B chromosomes, 2837
- Myrmex (Col., Curculionidae), associated with cynipid galls, 4047 new spn described, 4276
- new spp described. 4276
  Myrmica (Hym., Formicidae),
  collection of eggs of Chrysomelidae. 4030
  - metathoracic gland secretion. 2647 physiology of relation with Atemeles pubicollis.
- Myrmica aloba, Sifolinia kabylica sp. n. parasitic on. 4355
- Myrmica brevinodis, alarm pheromones. 1592 Myrmica laevinodis.
  - antennal sense-organs in relation to behaviour.
- Atemeles pubicollis attracted by odour, 3422
- Myrmica rubra,
  - fecundity, mortality and or production. 4873 queen head extracts in relation to larval growth. 1614
- Myrmica scabrinodis, effects of experimental transplantation of Lasius flavus nest-mounds. 2151
- Myrmica sulcinodis, ecology on Mt. Terminillo, Italy. 1727
- Myrmicinae (Hym., Formicidae),
  - ecological distribution in Gregory Canyon, Colorado, USA. 3632
  - metathoracic gland secretion. 2647
  - protease activity absent from non-attine taxa.  $2618\,$
- Myrmicolelaps gen.n. (Hym., Pteromalidae), established, 4360

Myrmilla (Hym., Mutillidae), new spp described.

Myrothecium verrucaria (Fungi), toxicity of culture filtrates to Isoptera. 2168

Mystalides corallipes (Myriap., Diplop.), redescribed, 2540

Mystrops (Col., Nitidulidae), new spp described. 2493

Mystrothrips (Thysanopt., Phlaeothripidae), new spp described. 5773

Mythimna unipuncta (Lep., Noctuidae), dispersal in Basses-Pyrénées, France. 334

Mythimna vitallina, unusual abundance in C. Madrid, Spain. 2149

Myverol, use with naled and fattractants for control of Ceratitis capitata and Dacus cucurbitae in Hawaii. 4686

Myxomatosis, spread via introduction of Spilopsyllus cuniculi into Australia. 801

Myxophaga (Col.), plastron respiration in adults. 1999

Myzakkala gen. n. (Hem., Hom., Aphididae), established. 1441

Myzinae (Hem., Hom., Aphididae), of Norway.

Myzinidae (Hym.), 2525

Myzocallis (Dryomyzus) polychaetes sp. n. (Hem., Hom., Aphididae), described. 96

Myzodes persicae, see Myzus persicae

Myzus (Hem., Hom., Aphididae), isolation mechanisms demonstrated by hybridization experiments. 932

Myzus brevisiphon sp. n., described, 1441 Myzus filicis sp. n., described, 1441 Myzus persicae,

artificial diet composition in relation to wing production, 4632

control on potatoes by systemic insecticides and soil fumigation. 3603, 4692

ecology, life-cycles and systematics. 1294 factors affecting length of teneral stage and time

of onset of flight activity. 1171 fecundity in relation to physiological state of

host-plant, 1197 histochemistry of salivary gland, 5895

isolation mechanisms. 932

long-distance migration, 5456

methods for sampling, 596

migration from peach in Essex County, Ontario, Canada, 3161

morphology of individuals from anholocyclic and holocyclic colonies. 3161

prey of larval Syrphus latifasciatus in S. India. 47 43

resistance of Brassica napus. 2129

resistance to organophosphates. 5462

virus transmission in relation to host-plant.

wild Solanum spp of Mexico resistant to. 4800 Myzus persicae group, spp keyed. 1294

Myzus variens, biology and population dynamics on peach. 5462

Nabidae (Het.), 3328, 3600, 4702, 6051, 6128 collections of larvae in Hungary, 6128 seasonal populations on Gossypium in Egypt.

Nabis americoferus (Het., Nabidae),

biology of parasites in California, USA. 4702 effect on cage populations of Heliothis zea. 3600

Nabius elegans (Het., Lygaeidae), transferred to Hereus. 4317

Nacaduba normani sp. n. (Lep., Lycaenidae), and subspp described, 1930

NAD [nicotinamide adenine dinucleotide], CC extract of Periplaneta americana in relation to tissue respiration. 5246

NADH2 [reduced nicotinamide adenine dinucleotide], reoxidation in insect muscle. 1122

NADPH2 [reduced nicotinamide adenine dinucleotide phosphate], genetic relation to NADPHdependent oxidases to insecticide metabolism in Musca domestica, 3229

Naenaria (Hym., Ichneumonidae), Burmese spp keyed and new spp described. 109

Naenarides superior gen. et sp. n. (Hym., Ichneumonidae), described. 1006

Nagatomyia melanica (Dipt., Tabanidae), of described for first time. 543

Nahublatella furcata sp. n. (Blatt., Blattidae), described, 56

Naizema (Neur., Berothidae), Argentina distribution. 4205

Nakanaia gen. n. (Col., Chrysomelidae), established. 1408

Nala lividipes (Derm., Labiduridae), rearing in the laboratory, 5131

control of Epitrix hirtipennis on flue-cured tobacco, 5355

genetics of resistance in New Zealand populations of Tetranychus urticae. 3677

toxicity to 6 spp of Diptera. 4578

use with extenders and aerial sprays of lure for control of d Dacus curcurbitae and Ceratitis capitata in Hawaii. 4686

Naled + eugenol, use in conjunction with sterilemale release for eradication of Dacus dorsalis from Mariana Islands. 4832

Nalepella haarlovi (Arach., Acari, Eriophyidae), new variety described, 953

Nalepella shevtchenkoi sp.n., described. 1826 Nanhermannia ussurica sp.n. (Arach., Acari, Oribatei), described. 4973

Nanneria longinqua sp. n. (Arach., Acari, Oribatulidae), described. 515

Nannocoris (Het., Schizopteridae), new spp from Trinidad described, 552

Nanophyes telephii (Col., Curculionidae), new for C. Europe and biology. 5569

Nanorchestes (Arach., Acari, Nanorchestidae), new spp described and key to spp. 513

4-Naphthoquinone, reduction of feeding in Scolytus multistriatus. 4771

Narceus americanus (Myriap., Diplop., Spirobalidae), responses to desiccation. 205, 4558

Narceus annularis, function of egg-capsule. 3501

Nasonavia compositellae (Hem., Hom., Aphididae), new for Scandinavia. 4191

Nasonia vitripennis (Hym., Pteromalidae),

co-evolution and integration with Lucilia sericata. 4922

detection of parasitized host puparia by  ${\rm M}.~1695$  diapause and photoperiodism. 5283

early stages, 5794

host sp in relation to diapause induction. 3493 genetic analysis of 'R' locus, 3658

interactions with Lucilia sericata. 4792

oogenesis. 4642 post-courtship behaviour. 2696

starvation in relation to ultrastructure of venom system. 4751

tetraploid 99. 1779

Nasonovia altaensis sp. n. (Hem., Aphididae), described and biology. 95

Nasutitermes (Isopt., Termitidae),

Fletcheritermes syn. n. of. 3779 gut. 4514

new for Senegal. 1929

Nasutitermes costalis, RH and starvation in relation to survival. 207

Nasutitermes lujae, integration of Termitopullus with. 214

Nasutitermes rippertii, RH and starvation in relation to survival. 207

Nasutitermitinae (Isopt., Termitidae),

biology of Ivory Coast colonies. 350 gut. 4514

Natalicolinae (Hem., Het.), inclusion in Tessaratomidae justified. 88

Nathanica capitata (Neur., Chrysopidae), larvae taken on Crataegus in Berkshire, England. 5591

Naucoridae (Hem., Het.),

606, 1589, 1590, 1885, 2007, 5706, 5710 Aphelocheirus removed to separate family. 2007 classification of higher groups. 5710

food-pump. 2007

labium, 606

types in Institut Royal des Sciences Naturelles de Belgique, Bruxelles, Belgium. 1885 Nauphoeta cinerea (Blatt., Blaberidae),

host of Proctolaelaps nauphoetae. 1667 neurotropic drugs in relation to endogenous activity of CNS, 618

normal chiasmate meiosis present, 3644

Neanura (Collem., Hypogastruridae), new spp described and Vitronura subgen.n. established, 2499

Neanura hystrix, syn.n. of N.longiseta. 4983 Neanura muscorum, food preferences and gut contents. 4769

Nearctaphis (Hem., Hom., Aphididae), new taxa described and spp keyed, 3333, 3334

Nearctaphis bakeri, spreading rapidly in Europe. 3333

Nearctic Region,

Aspilota of section B and signifrons group revised. 1910, 5051

Atrometus revised. 1922

Bolbomvia keved, 1430

Cicidocharella new for. 3321

Coloburiscinae present, 3325

distribution of Euchloe. 4117

host index for Roepkea, 3335

Hybolasioptera new for. 1869

Ichneumoniae Stenopneusticae supplemented. 3341

Lasiopteridi revised, 1869

Lycaenidae reviewed. 4375

Lycosidae genera keyed. 1828

Microtonus keyed, 1911

new Aphididae from. 3335

new Braconidae from. 3338

new Ichneumonidae from. 1922

new Rhyacophilidae from. 5774

Orgilus revised and keyed, 3338

Pnigalio reviewed, 5725

Psenini revised and genera and subgenera keyed. 1010

Ptenus keyed, 4344

Roepkea reviewed, 3335

Sympiesis reviewed, 5725

Trieces onitis group revised. 2524

value form in Limenitis. 5911 Neargyrioides gen.n. (Lep., Pyralidae), estab-

lished. 5756

Nebophilus hirsutus gen. et sp. n. (Col., Trogossitidae), described. 4985

Nechilo gen, n. (Lep., Pyralidae), established, 5756

Necremnus (Hym., Eulophidae), new spp described. 1451

Necrodes littoralis (Col., Silphidae), from Westmorland, England. 3250

Necrophorus (Col., Silphidae),

biology and ecology in Hutcheson Memorial Forest, New Jersey, USA. 4085

diffraction-gratings. 2033

Necrophorus investigator, particles in haemolymph, 4457

Necrophorus nepalensis, diffraction-gratings. 2033 Necrophorus orbicollis, occurrence on carrion. 3167

Necrophorus pustulatus, occurrence on carrion. 3167

Necrophorus surinamensis, occurrence on carrion. 3167

Nederlands Entomologisch Vereniging, possession of 'Intermédiaire des Bombycultueurs et Entomologistes'. 5744

Neelidae (Collem.), 5996

Negastrlinae (Col., Elateridae), evolution. 1360 Negomphoides (Odon., Gomphidae), complex discussed and new spp described. 5763

Negritomyia (Dipt., Stratiomyidae), new spp described and Philippine spp keyed. 2507

Neivamyrmex (Hym., Formicidae), reproductive morphology and behaviour of Trichatelura manni. 2087

Neivamyrmex harrisi, biology of Helluomorphoides texanus. 3139

Neivamyrmex nigrescens, attractant-repellent interactions with Leptotyphlops dulcis. 4863

Neivamyrmex pilosus,

biology of Helluomorphoides texanus. 3139 Ecitoglossa borgmeieri sp. n. from colony. 5655

Nelima (Arach., Opil., Leiobunidae), C. European spp redescribed and new spp from S. Europe. 4247

Nelipophygus cicatricosus sp.n. (Blatt., Blattidae), described. 56

Neltumius arizonensis (Col., Bruchidae), oʻgenitalia described, 1164

Nemadiopsis barbarae sp.n. (Col., Leiodidae), described. 22

Nemastoma lugubre (Arach., Opil., Nemastomati-

ultrastructure of eye in relation to habitat. 3059 ultrastructure of pedipalpal setae. 3395

Nematinae (Hym., Tenthredinidae), biology of gallmaking genera in California, USA. 3538 Nematoda.

from Blattisocius patagiorum and Typhlodromus potentillae on Noctuidae. 4700

control of Cirphis compta and Pseudaletia separata in India by DD-136. 2143

infecting Blattella germanica in New York City, USA. 4689

infecting Paravespula germanica. 5409

Scarabaeidae as intermediate hosts for swine spirurids in S.Georgia, USA. 4669

simultaneous infection of Armigeres subalbatus with Breinlia sergenti and Brugia pahangi. 4675

Nematodes filum (Col., Eucnemidae), invalid. 36 Nematodes foveicollis, syn.n. of Hypocoelus fleischeri. 36

Nematospora coryli (Fungi), loss and retention by Acrosternum hilare, 5428

Nematus ribessii (Hym., Tenthredinidae), biology and ecology in Belorussia. 1290 6-methyl uridine in relation to diapause and moulting. 5293

Nemesia caementaria (Arach., Aran., Ctenizidae), reproductive cycle, oviposition and postembryonic development. 5959

Nemestrinidae (Dipt.), 316, 1864, 4296 new for Sokotra. 4296 from S. Spain. 1864

Nemoptera aegyptiaca (Neur., Nemopteridae), new for Arabian Peninsula. 1942

Nemoptera sinuata, new for Syria and Turkey. 1942

Nemopteridae (Neur.), 1942, 4205 Argentina distribution. 4205 of Near East revised. 1942

Nemoraea (Dipt., Tachinidae), Japanese spp keyed and new spp described. 1882

Nemoria pulcherrima (Lep., Geometridae), colour and pattern morphs of a Sierra Nevada (California, USA) population. 4121

Nemorilla floralis (Dipt., Tachinidae), parasitic on fruit-tree and conifer types of Dechocrocis punctiferalis, 1272

Nemorius himalayanus sp.n. (Dipt., Tabanidae), described. 81

Nemotelus (Dipt., Stratiomyidae), new spp described. 77

Nemotelus obscuripes, new for Romania. 2206 Nemoura (Plec., Nemouridae), European spp doubtfully occurring in C. Asia. 1481

Nemoura cinerea,

abundance on Orkney Islands. 2213 diurnal periodicity of emergence. 1216 photo-geotactic angle-transposition. 5207

Nemoura completa, control of activity and drift by light. 2096

Nemoura flexuosa,

abundance in R. Vindelalven, Swedish Lapland. 4089

upstream movements in a stream in South Sweden, 2815

Nemoura sahlbergi, abundance and distribution in Kaltisjokk and associated waters, Sweden. 1323

Nemoura trispinosa, new localities in New Hampshire, USA. 3355

Nemoura washingtoniana, new localities in New Hampshire, USA. 3355

Nemouridae (Plec.),

1216, 1323, 1481, 2096, 2213, 2781, 2815, 3113, 3355, 5207

from S.E. Asia. 3014

Neoacyrthosiphon (Hom., Aphididae), generic status upheld. 93

Neoaliturus (Hom., Cicadellidae), differentiated from Circulifer. 4333

Neoantedon (Hym., Dryinidae), syn.n. of Bocchus. 2522

- Neoaplectana glaseri (Nematoda), susceptibility of 5 insect spp. 4696
- Neoarthropleona (Collem.), families keyed. 52
- Neobemisia atraphaxius sp. n. (Hom., Aleyrodidae), described, 4326
- Neobisiidae (Arach., Pseudoscorp.), British spp keyed. 4
- Neobisium (Arach., Pseudoscorp.), Sardinian and European distribution. 439
- Neobisium muscorum, life-cycle, longevity and phenology. 4854
- Neobisnius (Col., Staphylinidae), new spp described. 5654
- Neoblatella (Blatt., Blattidae), new spp described.
- Neocanonopis suorum (Col., Curculionidae), populations on Possession Island. 441
- Neocheritra nisibis (Lep., Lycaenidae), type-sp of Thrix. 3812
- Neochrysocharis (Hym., Eulophidae), Proacrias syn.n. of. 1451
- Neochrysocharis jazyga sp.n., described. 5049, 5717
- Neochthonius troglodytes sp. n. (Arach., Pseudoscorp.), described. 5
- Neocicindela tuberculata (Col., Cicindelidae), prey of Neoitamus bulbus in New Zealand. 3569
- Neoclinocentrus (Hym., Braconidae), removed from Rogadinae. 1908
- Neoclosterus (Col., Cerambycidae), placed in Plectogasterini trib.n. 2898
- Neocolosterus curvipes, new synonymy. 2898 Neocolobopsis (Hym., Formicidae), syn.n. of
- Hypercolobopsis. 107 Neocordulia biancoi sp.n. (Odon., Corduliidae),
- described, 5082 Neocratojoppa flavescipes gen. et sp. n. (Hym.,
- Ichneumonidae), described. 1006
  Neocthonius (Arach., Pseudoscorp., Chthoniidae),
  reviewed and new sp described. 5
- Neocurupira (Dipt., Blepharoceridae), Paracurupira syn.n. of. 3758
- Neocurupira rotalapisculus sp. n., described and New Zealand spp keyed. 3758
- New Zealand spp keyed. 5758

  Neocuterebra squamosa (Dipt., Cuterebridae), biology in relation to Loxodonta africana. 5416
- Neocypholaelaps pradhani sp. n. (Arach., Acari, Ameroseiidae), described. 4217
- Neodimmockia agromyzae (Hym., Eulophidae), syn.n. of Hemiptarsenus semialbiclavus. 1451
- Neodiprion (Hym., Diprionidae), contact toxicity of organophosphates and carbamates to banksianae, pratti and swainei. 5180
- Neodiprion sertifer,
  - ability of larvae to distinguish between pine genotypes. 2728
  - crystal violet and Malachite Green for determining age of cocoons in soil. 1500
  - distribution of egg-clusters in a pine plantation. 2728

- introduced into Ontario, Canada, in 1968. 3184 mass-rearing for production of nuclear polyhedrosis virus. 5116
- measurement of cocoon density of a given generation. 1500
- spatial and temporal coincidence of parasites
  Exenterus canadensis and Pleolophus basizonus, 1270

## Neodiprion swainei,

- cyst formation as defence reaction. 3431 nuclear polyhedrosis infection of larva. 2022 populational features of reproductive capacity. 4107
- uric acid formation in larvae. 2022
- Neodiprion tsugae, hymenopteran parasites in S.E. Alaska, USA, and key. 3149
- Neodiprion virginianus, infestation in N.E. New Brunswick, Canada. 4094
- Neoelmis (Col., Elminthidae), scanning electron microscopy of plastron. 174
- Neogressitia pseudopunctaticeps gen. et sp. n. (Col., Cantharidae), described. 1837
- Neoitamus bulbus (Dipt., Asilidae), hunting behaviour and prey in New Zealand. 3569
- Neolobopteromorpha martinicensis gen. et sp. n. (Blatt., Blattidae), described. 56
- Neolycaena sinensis (Lep., Lycaenidae), made official. 3816
- Neomamersa (Arach., Acari., Limnesiidae), new spp and subsp described. 13
- Neomolgus (Arach., Acari, Prostigmata), new spp from Japan described, 504
- Neomordellistina ivoirensis sp.n. (Col., Mordellidae), described. 41
- Neomycin, in relation to in vitro protein synthesis using Tenebrio RNA. 203, 3072
- Neomysia oblongoguttata (Col., Coccinellidae), larvae in pitfall-traps among Abies in GDR. 4104
- Neomyzus circumflexus (Hom., Aphididae), cysteine, cystine, methionine and sulphate in relation to development. 2079
- Neopedilini trib.n. (Col., Anthicidae), established within Pedilinae stat.n. 4988
- Neopedilus gen.n. (Col., Anthicidae), established. 4988
- Neophasia menapia (Lep., Pieridae), factors affecting pupal coloration. 2638
- Neophilaenus (Hom., Cercopidae), parasitization of campestris and lineatus by Verrallia setosa. 1267
- Neophilacrus lineatus, stochastic models for population dynamics. 4118
- Neophron percnopterus (Aves), host of Argas beklemishevi in Tadzhikistan (USSR). 4218
- Neoplasmas, in relation to phylogeny in invertebrates. 4924
- Neoponera (Hym., Formicidae), Argentina spp keyed. 4354

Neoponera (Eumecopone) golbachi sp. n., described. 4354

Neopterobilin, in Rhopalocera. 1142

Neoradamopsis coiffaiti gen. et sp. n. (Col., Pselaphidae), described. 2494

Neoron [isopropyl-4, 4'-dibromobenzilate], control of Phyllocoptruta oleivora in Israel. 5360

Neoschoengastia americana (Arach., Acari, Trombiculidae),

biology in relation to turkeys in Texas, USA. 1660

candidate insecticides for control on turkeys.

Dursban for control in experimental pens. 5361

Neoscona (Arach., Aran., Argiopidae), predator of Rhyacionia frustrana. 5494

Neoscutops peruvianus sp. n. (Dipt., Periscelidae), described. 57

Neoselenaspidus triangularis sp. n. (Hom., Diaspididae), described. 5047

Neoserica vietnamensis sp. n. (Col., Scarabaeidae), described. 4986

Neosorius (Col., Staphylinidae), new spp described. 5653

Neoteneriffiola (Arach., Acari, Teneriffiidae), new for USSR and key to spp. 4976

Neoteneriffiola tadjikistanica sp. n., described 4976

Neotermes (Isopt., Kalotermitidae), symbiotic Projoenia sawayai from. 3637

Neothereva (Dipt., Therevidae), new spp described. 5031

Neothereva hermaphrodita, new for Romania. 2205 Neotoma (Rodentia) (wood rat), biology of Triatoma in Texas, USA. 4707

Neotoma fuscipes, Acarus nidicolous sp.n. from nests. 3721

Neotrombicula (Arach., Acari, Trombiculidae), ecology in Raif district, Volga-Kama State Reserve, USSR. 4835

Transcarpathian (USSR) spp keyed. 4238

Neotrombicula autumnalis inopinatum, histology of stylostome. 6001

Neotrombicula talmiensis carpathicum subsp.n., described. 4238

Neotrombicula zachvatkini, histology of stylostome. 6001

Neotropical Region,

Apsida reviewed and keyed. 4289 Cerambycidae new for. 4952

classification and distribution of Tabanidae. 545

Dasystole revised. 1464

distribution of Acanthoderes. 4952

distribution of Dicranoplius. 5737

genetics of Drosophila melanogaster populations in European and Neotropical environments. 2854

Lecteria revised, 5685

Metoponinae from. 5674

miscellaneous studies on Formicidae. 107 new Argasidae from. 508

new Catopidae from. 22

new Cicadellidae from. 1444

new Ereynetidae from. 2885

new Eumenidae from. 1005

new Gomphidae from. 5763

new Phoridae from. 5674

new Tabanidae from. 545, 987

new Tipulidae from. 5684

new Trichoceridae from. 5684

new Vespidae from. 5742

Phorinae from. 5674

Prepops reviewed and keyed. 2514

Psenulus new for. 1456

Rhynchosciara revised, 540

Sarcophagidae reared from Gastropoda. 5675 Tabanidae keyed. 545

Neotropicomiris pilosus gen. et sp. n. (Het., Miridae), and other new spp described. 4321

Nepal,

chromosome numbers of ⊃anaidae, Lycaenidae and Nymphalidae. 1325

ecology of Arcyophora icterica. 1385

Leptotrombidium keyed. 4978

new Cicadellidae from. 1894, 5693

new Hystrichopsyllidae from. 4399

new Ischnopsyllidae from. 4400

new Laelapidae from. 4972

new Melolonthidae from. 5004

new Nymphalidae from. 1936

new Papilionidae from. 3921

new Sarcophagidae from. 1877

new Tabanidae from. 81

new Trombiculidae from. 4978

records of Ischnopsyllidae. 4400

Nepaloserica similis sp. n. (Col., Scarabaeidae), described. 5004

Nepean Island (Norfolk I., Pacific Ocean), Rhopalocera of. 2865

Nepenthes (Nepenthaceae), egg characteristics of Tripteroides breeding in. 4436

Nephele (Lep., Sphingidae), seasonal changes in energy content and population dynamics of aequivaleus and funebris in Sierra Leone. 4855

Nephelobotys gen.n. (Lep., Pyralidae), established. 3824

Nephila clavipes (Arach., Aran.), habits and populations in Panama. 2805

Nephotettix (Hom., Cicadellidae), abundance on rice in Philippines. 2141

Nephotettix cincticeps,

differentiation of instars and sex. 4434 methods for estimation of numbers in the resting paddy field. 4852

pathogenicity of rice dwarf virus. 5458

Nephotettix impicticeps, resistance of rice varieties. 1285

Nephridia, fine structure of maxillary nephridia in Scutigerella immaculata, 3447 Nephrotoma (Dipt., Tipulidae),

new spp described. 85

scalaris and submaculosa on Letea I., Romania.

from S. Spain. 474

Nephrotoma flavipalpis, dancing over water by Jr.

Nephus regularis (Col., Coccinellidae), biology and ecology in Madhya Pradesh, India, and Indian distribution, 759

Nepidae (Hem., Het.),

606, 864, 1738, 1885, 2180, 2725, 5706

morphology of labium, 606

types in Institut Royal des Sciences Naturelles de Belgique, Bruxelles, Belgium. 1885 Nepticulidae (Lep.).

944, 1706, 2125, 2126, 2223, 5586, 5587, 5916, 6140, 6141

larval mine in leaf from Miocene of E. Washington, USA, 944

from N. E. Danube Delta, Romania. 2223

Neptini (Lep., Nymphalidae), Australian taxa and Eurasian revised and keyed, 1936

Neptis ananta taiwana (Lep., Nymphalidae), karyotype. 875

Neptis sunica sp.n., described, 1936

Nepytia phantasmaria (Lep., Geometridae), biology in relation to Pseudotsuga menziesii in California, USA, 2703

Neralsia hyalinipennis (Hym., Figitidae), parasitic on Haematobia irritans in N. E. Mississippi, USA. 2751

Nereis neso (Lep., Nymphalidae), type-sp of Ceratiscada gen. n. 5755

Neriene (Arach., Aran., Linyphiidae), World taxa keyed and new spp described. 960

Nerium oleander (Apocynaceae), cardiac glycosides in Aphis nerii. 4527

Nerves.

abnormalities in combined 'eye-gone' and 'eyeless' mutants of Drosophila melanogaster.

acetylcholinesterase activity in CNS of winter larvae of Odagmia, 3881

acid phosphatase activity of neurons in Schistocerca gregaria, 4535

acoustic centre in supra-oesophageal ganglion of Locusta migratoria. 622

y-aminobutyric acid in synaptic inhibition in Culicidae, 308

anatomy of nervous system of Chrysocoris stollii. 3882

auditory system of Cicadidae and Orthoptera.

axon fusion in sensory nerves improbable. 160 axon outgrowth and cell migration from nervous system of Periplaneta americana embryos in vitro. 1513, 3402

axon pathways from antennal sense-organs into brain of Calliphora vicina and Periplaneta

americana, 3406

Bidrin in relation to cholinesterase activity in 7 Plodia interpunctella, 2691

in relation to brain infection with Brachylecithum mosquensis in Camponotus, 2816

catecholamines in nervous system of Aeshna sp and Locusta migratoria migratoria. 1991

catecholamines of thoracic ganglia in Anabolia nervosa, 4477

cations in relation to conduction in CNS of Carausius morosus. 1067

central and peripheral conditions in relation to courtship song in Gomphocerippus rufus. 3958

central and peripheral control of stridulation in Gryllus campestris, 3957

changes in nervous system during metamorphosis in Ptychoptera albimana, 4452

chlorinated hydrocarbon insecticides in relation to ATPases in Periplaneta americana. 614

cholinergic neuromuscular transmission in Blattodea, Lepidoptera and Orthoptera. 4467

circadian changes in protein synthesis in neurosecretory cells of suboesophageal ganglion in Acheta domestica. 2587

circadian rhythm of RNA-synthesis in suboesophageal ganglion neurosecretory cells in Acheta domestica, 617

CNS in relation to feeding of Acrididae. 2731 control of case-building in Limnephilus flavicornis and L. rhombicus. 3641

control of circadian rhythm of locomotor activity in Acheta domestica. 5837

control of ecdysone release by suboesophageal ganglion in Galleria mellonella, 2635

decapitation in relation to spiracular behaviour in Aedes, 4504

denervation in relation to development of dorsolongitudinal muscles in Antheraea pernyi.

dieldrin resistance in relation to nerve components in Blattella germanica. 4577

diet in relation to lesions induced by nerve severance in Periplaneta americana, 5156

directionally selective motion-detecting neuron units in optic lobe of Apis mellifera. 5842

discharge frequency of neurons of cibarial stretch-receptors in Calliphora erythrocephala and Glossina austeni. 2586

discharge pattern of antennal joint-receptor in Calliphora vicina in relation to air-flow perception, 3892

discharge patterns of coxal levator and depressor motoneurons in Periplaneta americana. 3057

effect of frontal ganglion implantation into larval Schistocerca gregaria, 1525

effect of nicotine on synaptic transmission in Periplaneta americana, 4473

electrical activity and innervation of flightmuscles in Schistocerca gregaria, 3872

#### Nerves, contd.

- electrical activity of neurohaemal tissue in Carausius morosus. 4474
- electrophysiological responses of Phormia regina to acids. 3887
- electrophysiology and functions of oesophageal multipolar neurons and ventricular nerves in Acheta domestica and Gryllus campestris. 1062
- electrophysiology of optic-lobe interneurons in relation to colour vision in Calliphora phaenicia and Musca domestica, 1080
- electrophysiology of stylet receptors in Triatoma infestans. 4486
- exact neural projection of visual fields on 1st and 2nd ganglia in eyes of Insecta. 3891
- excitatory and inhibitory motoneurons for metathoracic extensor tibiae muscles in Schistocerca gregaria, 3050
- ganglia of abdominal nerve-cord in Carabidae. 5623
- giant-fibre and small-fibre pathways involved in evasive behaviour of Periplaneta americana, 3878
- glial cells probably an interconnected cellular system in Periplaneta americana. 623
- growth of neurons in brain of Notonecta glauca. 3861
- habituation characteristics and response level and central control of  $\alpha$ -auditory interneuron in Gastrimargus africanus. 1071
- histochemistry of nerve sheath in Euscorpius carpathicus and Roncus lubricus. 1989
- impulse patterns in flight motor neurons in Bombus californicus and Oncopeltus fasciatus. 3058
- information-processing in optic lobes of Romalea microptera. 3880
- innervation of muscles and sense-organs in antennae and cerci of Plecoptera, 4425
- innervation of spines and campaniform sensilla in mesothoracic tibiae of Blaberus craniifer. 1530
- lactate dehydrogenase present in larval Drosophila melanogaster. 4629
- Latrodectus mactans tredecimguttatus venom in relation to evoked action potentials in nervecord of Periplaneta americana. 1247, 5391
- leptinotarsin in relation to neuromuscular junctions in Periplaneta americana. 5392
- localization of primary sensory afferent nerves in prothoracic ganglion of Formica lugubris. 2588
- localization and structure of giant nerve-cells in Icerya purchasi, 1523
- localized inhibition of cholinesterase in Musca domestica. 3404
- location of type-C neurosecretion in Clitumnus extradentatus. 4475
- of gonads in relation to peripheral inhibition of

- flashing in Luciola lusitanica. 3960
- in manifestation of 'brown spots' (bsp) in Drosophila melanogaster. 4895
- median-cord development in insect embryology.
- median-nerve neurosecretory cells in abdominal ganglia of Periplaneta americana. 2589
- method for recording activity from supraoesophageal ganglion. 622
- midgut epithelium of Periplaneta americana in relation to sites of release of neurosecretion. 5218
- mitochondria in relation to origin of nerve impulse in chemoreceptors. 1085
- mode of action of neurohormone D on lateral cardiac nerve of Periplaneta americana. 5192 mode of action of pyrethroids, nicotinoids and
- rotenoids in Insecta. 4539
- motor innervation of visceral muscles in Glossina austeni. 4470
- motor neurons and interneurons in Calliphora vicina. 619
- myocardial-cell activity in Sarcophaga bullata.  $3\,43\,4$
- nerve bands of ephemeropteran larvae. 1501 nerve-cord activity in response to wing-nerve
- stimulation in Schistocerca gregaria. 5835 nerve-muscle apparatus in Insecta. 1057
- nervous control of indirect flight-muscles in Apis mellifera, 3870
- nervous system of head and prothorax in Embia ramburi, 4447
- nervous system of Nomia melanderi. 1732 neural basis of colour vision in Papilio troilus. 5198
- neural control of pupation in Galleria mellonella.
- neural organs in relation to formation of globuli of corpora pedunculata in Pachylus quinamavidensis, 3090
- neural patterns associated with ventilatory movements in larvae of Odonata. 3425
- neurogenesis in relation to initiation of development of cholinergic system. 1196
- neurohormone D of Periplaneta americana in relation to neurons of Lymnaea stagnalis.
- neuromuscular physiology of pedipalp closer muscles in Leiurus quinquestriatus, 3871
- neuron regeneration in relation to post-wounding orientation of Locusta migratoria migratorioides to light, 3903
- neuronal properties of brain neurosecretory cells in Sarcophaga bullata. 3 405
- neurons of legs of Locusta migratoria. 1518 neurons of mesothoracic and metathoracic ganglia of Periplaneta americana. 620
- neurosecretion in brain of drone Apis mellifera.
- neurosecretion in relation to gut digestive

#### Nerves, contd.

- enzymes in adult o Blatta orientalis. 4522 neurosecretion in Insecta, 1064
- neurosecretion of suboesophageal ganglion in 5th-instar Schistocerca gregaria larva, 215
- neurosecretory axons in head of Coenagrion angulatum. 2591
- neurosecretory system and retrocerebral endocrine glands of adult Melanoplus sanguinipes. 4476
- neurotropic drugs in relation to endogenous activity of CNS in Nauphoeta cinerea. 618 neurotropic function of CC. 5898
- non-replicating DNA in ganglion-cell chromosomes of Drosophila melanogaster. 1748
- ocellar nerves of Zygentoma. 5841 optic ganglion structure during metamorphosis in Tribolium castaneum. 1608
- ovaries in relation to tumour development after nerve section in Periplaneta americana, 3443
- paraldehyde-fuchsin technique for neurosecretory system in Culicidae, 4418
- pathways and structure of sympathetic centres in nervous system of Aeshna sp and Locusta migratoria, 1991
- patterns of connections of 1st- and 2nd-order neurons in Calliphora vomitoria, 5194
- 'periproctodaeal' net in Periplaneta americana not neural. 1059
- pharmacology of synaptic transmission. 1057 physiology of  $\alpha$  and  $\beta$  auditory interneurons of Gastrimargus africanus. 1070
- physiology of auditory interneurons of Homorocoryphus. 1529
- physiology of auditory nerve of Fidicina rana. 1535
- physiology of axons of ventral photoreceptor cells of Limulus polyphemus. 2603
- physiology and ultrastructure of ventral photoreceptor cell-axons in Limulus polyphemus. 2602
- polyaxonal innervation of muscle fibres of proctodaeum of Periplaneta americana. 1516
- possible continuity of ciliary fibrils and microtubules in antennal sensory dendrite of Forficula auricularia. 4487
- of proctodaeum in Periplaneta americana. 1059 production of diuretic hormone in suboesophageal ganglion in Carausius morosus. 5859
- properties of acoustic neurons in Locusta migratoria. 622
- properties and receptive fields of central neurons of cercal auditory system in Acheta domestica. 5838
- prothoracic ganglion and gland in relation to Leucophaea maderae nerve regeneration in vitro. 3078
- rate of stimulation in relation to glucose oxidation in flight-muscle of Schistocerca gregaria. 3401

- regeneration of leg nerves in Acheta domestica. 688
- regenerative growth in allectomized  $\ensuremath{\text{\scriptsize Q}}$  Melanoplus sanguinipes, 3511
- regulation of ecdysone release in Galleria mellonella, 2635
- relative phase-differences in index of neurosecretory material in Iphita limbata, 5128
- responses of perfused isolated leg preparations of Gromphadorhina portentosa to drugs. 4468
- site of action of curare in Periplaneta americana.
- sites of action of dieldrin, parathion and sevin in Acheta domestica, 5252
- $\mathrm{Na}^+$  regulation in CNS of Carausius morosus. 3883
- spike activity and synaptic potentials in 3rd thoracic ganglion of Periplaneta fuliginosa. 2590
- spontaneous electrical activity in insect neurons. 1068
- structure associated with CA in Antheraea pernyi and Rhodnius prolixus, 5896
- structure of cephalic nervous system in Aphaenogaster senilis. 4478
- structure and synaptic organization of 1st optic ganglion in Musca domestica. 5200
- structure of terminal ganglionic mass in Schistocerca gregaria, 3408
- suboesophageal ganglion hormone in relation to carbohydrate and nitrogen metabolism in Bombyx mori, 3076
- sympathetic nervous system of Aeshna, 1991 sympathetic nervous system of Locusta migratoria, 1991
- synapses in larval CNS of Sarcophaga bullata and Tenebrio molitor. 2592
- synaptic potentials of giant axon in Periplaneta americana. 3877
- synaptic potentials of spike activity in 3rd thoracic ganglia in Periplaneta fuliginosa. 2590
- topological map of motor neurons of flight system in Schistocerca gregaria. 4480
- transmitter roles of acetylcholine and GABA in CNS of Periplaneta americana, 1526
- d-tubocurarine chloride blocking nerve impulses in Periplaneta americana. 4481
- tumours induced by nerve severance in Periplaneta americana. 3441, 4449
- ultrastructure of campaniform sensilla of halteres of Drosophila melanogaster, 3412
- ultrastructure of mandibular and maxillary nerves in Rhodnius prolixus. 4486
- ultrastructure of nerve-sheath in Euscorpius carpathicus and Roncus lubricus, 1989
- ultrastructure of neural lamella in Geophilus longicornis and Lithobius forficatus. 5191
- ultrastructure of neurons of inter-pseudotracheal papillae of Boettcherisca peregrina, 1077

Nerves, contd.

ultrastructure of proleg nerves during metamorphosis in Galleria mellonella. 1988

ultrastructure of sensory dendrites in antenna of Forficula auricularia, 4487

yield of  $\sigma$  virus from nerves after inoculation into abdomen and thorax in Drosophila melanogaster, 5175

Nesaeocarabus interruptus (Col., Carabidae), egg and larva described and laboratory development. 4443

Nesithmysus (Col., Cerambycidae), of Hawaiian Islands revised, 3739

Nesogonia (Odon., Libellulidae), cytotaxonomic affinities with Sympetrum. 4144

Nesogonia blackburni, chromosomes. 4144

Nesolestes (Odon., Megapodagriidae), first find outside Madagascar, 5085

Nesolestes nigeriensis sp. n., described. 5085 Nesotoxidium (Col., Scaphydiidae), cacuminum and typicum transferred to Scaphobaeocera, 3747

Nesticus (Arach., Aran.), new spp from Korea.

#### Nests,

adaptive and ecological significance of nest dispersal in Polistes, 355

architecture and social behaviour evolution in Halictidae, 2169

artificial multiplication of Formica nests by means of small colonies. 5092

artificial nests for laboratory rearing of Camponotus, 3367

behaviour of Nomia melanderi within the nest.

building behaviour of worker Paravespula vulgaris. 4746

Coleoptera in nests of Ardea cinerea in Bergen, Norway, 311

Coleoptera from nests of small mammals in Transcarpathia (USSR), 4078

construction in Evylaeus nigripes. 4127 ecology of Apoidea. 1317

formation in Melipona and Trigona. 1316

materials and division of labour in construction by Lasius fuliginosus, 4124

mortality in Megachile umbripennis. 4123

nest and nesting behaviour of Anthophora edwardsii in California, USA. 2817

nesting behaviour of Agapostemon nasutus, 1728 nesting behaviour of Crabro advenus and C. latipes, 4021

nesting behaviour of Megachile rotundata. 2819 nesting behaviour in relation to morphology in Miscophus and Nitelopterus, 3112

nesting behaviour of Solierella blaisdelli and S. peckhami. 4740

nesting sites of stem- and twig-inhabiting African Apoidea, 5379

2-stemmed nest of Polistes chinensis antennalis. 356

structure and degree of development in Formica polyctena. 2820

structure in Japanese Ceratina. 352

structure and nesting behaviour in Agapostemon nasutus in Costa Rica. 3193

structure in Pogonomyrmex occidentalis. 847 structure in Trigona. 5519

# Netherlands.

Acari parasitic on wild mammals, 2757 Aculeata of St. Pietersberg, Maastricht. 4929 Antichloris eriphia imported with bananas. 444 Archiearis notha new for. 2873, 6139 captures of Macrolepidoptera in 1968 in relation to weather conditions, 3121

Chalcidoidea of. 4791

dispersal of Carabidae in E. Flevoland, 5457 distribution of 69 spp of Chalcidoidea. 3268 Lepidoptera from. 6133

Lepidoptera from Sion Abbey, Diepenveen. 6134 life-cycle of Chaoborus crystallinus in a pond.

Listrophorus parasitizing Ondatra zibethica.

Lomaptera in Amsterdam and Leiden Museums catalogued. 4268

Macrolepidoptera from. 3121, 6135 Mycoptidae parasitic on rodents. 6008

Ornithomyia of Vlieland Island. 2208

predation by Elateridae on Bupalus piniarius in De Hoge Veluwe pinewoods. 2161

Proisotoma filifera new for, 6120

Siphonaptera of Noord-Beveland. 2876, 6155

Syrphidae new for. 6123, 6124

Triaenodes reuteri and T. simulans new for.

Neumania armata sp. n. (Arach., Acari, Hydracarina), described. 4214

Neuraphes (Col., Scydmaenidae), British spp. 1803 Neuraphes helvolus, from S. E. London, England. 3249

Neurocaenis (Ephem., Caenidae), effects of sand and silt in Vaal R. system, Republic of S. Africa, 2172

Neurohaemal organs, of Hysterochelifer meridianus. 5840

Neurohormone D, CC extract of Periplaneta americana in relation to tissue respiration, 5246

Neuroleon arenarius (Neur., Myrmeleonidae), new for Islas Baleares, 1373

#### Neuroptera,

of Argentina and Uruguay. 1387

of Austria, 5590

of C. Europe, 5590

distribution in Argentina, 4205

gravity perception in relation to leg proprioceptors. 4495

homologies of genitalia. 5081

new localities for S. Norway. 3701

from N. E. Danube Delta, Romania, 2228 of Pituisas, Is. Baleares, 1373

#### Neuroptera, contd.

- predation on larval Laspeyresia pseudotsugae sp. n. in Canada. 1468
- synergistic ratio of carbaryl with piperonyl butoxide. 4582

# ultrastructure of rectal cuticle. 3444

# Neurosecretion,

- anatomy and tracheation of brain neurosecretory system in Gryllus bimaculatus, 3884
- arginine content of neurosecretory cells in Acrida gigantea. 3875
- in Aspidiotus perniciosus. 677
- in brain of drone Apis mellifera, 1990
- in brain of Eurygaster integriceps, 5193
- brain neurosecretion in allectomized of Melanoplus sanguinipes. 3511
- $\ensuremath{\mathsf{CC}}$  hormone in relation to non-specific esterase activity in adult Pyrrhocoris apterus. 654
- circadian changes in protein synthesis in neurosecretory cells in CNS of Acheta domestica, 2587
- circadian rhythms of RNA-synthesis in suboesophageal ganglion in Acheta domestica, 617
- control of case-building in Limnephilus, 3641 control of Malpighian-tubule secretion in Rhodnius prolixus, 1108
- control of mating flights and oviposition in queen Apis mellifera, 5314
- control of water-budget in larval Chaoborus crystallinus. 3947
- in diapause and oocyte maturation in Pterostichus nigrita, 4008
- in relation to ecdysone in puparium-formation in Calyptrata, 3074
- electrical activity in neurohaemal tissue of Carausius morosus. 4474
- in relation to flight-muscle histolysis in Dysdercus intermedius. 1611
- by giant nerve-cells in Icerya purchasi. 1523
- in relation to gut digestive enzymes of adult  $\ensuremath{\wp}$  Blatta orientalis. 4522
- implantation of endocrine organs in relation to neuroendocrine system in Schistocerca gregaria, 1525
- in larval Schistocerca gregaria. 215
- in late larvae of Galleria mellonella. 3517
- location of type-C neurosecretion in Clitumnus extradentatus. 4475
- in relation to locomotor activity in Acheta domestica. 2587
- in manifestation of 'brown spots' (bsp) in Drosophila melanogaster, 4895
- median-nerve neurosecretory cells of abdominal ganglia of Periplaneta americana. 2589
- median neurosecretory cells in protein metabolism of φ Blatta orientalis. 4522
- midgut epithelium of Periplaneta americana in relation to sites of release. 5218
- mode of action of neurohormone □ of Periplaneta americana. 4551

- neuroendocrine control of diapause and oocyte maturation in Pterostichus nigrita. 4008
- neuroendocrine control of ecdysis in Saturniidae.
- neurohormone D functions in Periplaneta americana. 5192
- neuronal properties of brain neurosecretory cells in Sarcophaga bullata. 3 405
- neurosecretory cells of head in Coenagrion angulatum. 2591
- neurosecretory cells in Insecta. 1064
- neurosecretory cells and pathways in Pyrilla perpusilla. 1527
- neurosecretory innervation in sternal gland of Kalotermes flavicollis. 1058
- neurosecretory system and retrocerebral endocrine glands of adult Melanoplus sanguinipes. 4476
- ovary implantation in relation to of Periplaneta americana. 1640
- in relation to  ${\rm O}_2$ -consumption in Oncopeltus fasciatus,  $3\,42\,4$
- paraldehyde fuchsin staining for study of pars intercerebralis in Musca domestica. 3024
- paraldehyde-fuchsin technique for neurosecretory system in Culicidae. 4418
- pars intercerebralis A and B cells in relation to CA,  $3\,463$
- in peripheral inhibition of flashing in Luciola lusitanica. 3960
- proteins associated with protocerebral neurosecretion in Musca domestica. 3879
- relative phase-differences in index of neurosecretory material in Iphita limbata. 5128
- in reproduction of Megoura viciae and Pterocomma jacksoni. 709
- in reproductive cycles of Q Lepismodes inquilinus. 1637
- retardation of gonad development in Leptinotarsa decemlineata, 3992
- rhythmicity of nuclear size in median neurosecretory cells of Aedes taeniorhynchus larvae. 697
- and RNA synthesis in brain and suboesophageal ganglion of Acheta domestica. 617
- salt stress in relation to brain neurosecretion in Melanoplus sanguinipes. 1055
- of suboesophageal ganglion in relation to diapause in Bombyx mori and Orgyia antiqua. 1188
- of suboesophageal ganglion in relation to embryonic diapause in Orgyia antiqua, 1188
- of suboesophageal ganglion in 5th-instar Schistocerca gregaria. 215
- suppression of glycogen synthesis in Aedes taeniorhynchus. 2636
- temperature in relation to neurosecretory activity in Nezara viridula, 1524
- in relation to testis development in Periplaneta americana. 4636

Neuroterus (Hym., Cynipidae),

alternative differential mortality and sex differentiation, 2113

oak-galls in Méhes collection in Museum of Natural History, Budapest, Hungary, 1278

Neutrons,

fast and thermal neutrons in relation to Anthonomus grandis. 2683

mutagenicity of 14 MeV neutrons in Bombyx mori.

RBE values of genetic effects in Drosophila melanogaster. 385, 4907

Nevskyella (Hom., Aphididae), syn.n. of Iziphya. 3789

New Britain (Pacific Ocean),

new Cantharidae from. 1837

new Pyralidae from. 5758

new Rutelidae from. 5011

New Caledonia (Pacific Ocean),

eggs described for Tripteroides caledonicus and T. melanesiensis. 4436

new Cerambycidae from. 3300

new Scaphidiidae from. 3308

new Simuliidae from. 542

Scaphisomini of. 3308

Uroscelio luteipes new for. 1928

New Guinea,

Ameninae of, 2864

biology of Poecilips pteridophytae in relation to Pteridium squilinum, 6015

Cetoniidae from. 4268

Chiromyzinae of, 2954

Dermanyssidae keyed. 5411

intranasal Trombiculidae of. 4237

new Ameroseiidae from. 4216

new Araneae from. 502

new Argiopidae from. 2468

new Cantharidae from. 1837

new Cerambycidae from. 3300, 3738

new Cetoniidae from. 4268

new Chrysomelidae from. 1408, 1846

new Cicadellidae from. 2983

new Ephydridae from, 4304

new host and locality records for Dermanyssidae.

new Leptoceridae from, 1846

new Lucanidae from. 5001

new Muscidae from, 3318

new Mymaridae from. 3807

new Noctuidae from. 4379

new Nymphalidae from. 1936

new Polycentropodidae from, 1951

new Propalticidae from. 2488

new Pygiopsyllidae from. 1949

new Rutelidae from. 5011

new Sarcophagidae from, 2952

new Scarabaeidae from. 3311, 4259

new Scolytidae from, 2495

Silini revised, 1837

new Staphylinidae from. 2923, 5657

new Stratiomyidae from. 2954

new Syrphidae from. 1881

new Trombiculidae from. 4237

Speleognathopsis galli new for. 3581

Staphylinidae new for. 2923

Stenus from and key to spp. 5657

zoogeography of montane Trichoptera. 1951

New Hebrides (Pacific Ocean), new Cerambycidae from. 3300

New Ireland (Pacific Ocean), new Gelechiidae from. 1463

New Zealand,

Acarapis vagans on Apis mellifera for first time. 3634

Aegyptobia new for. 3287

Anoplura of. 3694

Apterygota of. 3693

Austroperlidae revised. 1946

biological control of weeds in 1927-1948. 6027

biology and distribution of Paropsis charybdis.

Blattodea of, 3696

Blepharoceridae revised, 3758

control and ecology of pest spp in forests. 833 Curculio modestus Fabricius 1781 present. 2906

Dermaptera of, 3696

distribution of Diptera in hot-spring thermal

gradients at Waimangu. 2783 distribution of Dipt., Hom., Orth. and Lep. on

North and South Islands, 3699 ecology of Chironomus zealandicus in Kiosk

Pond, Auckland Domain. 3617 ecology of Costelytra zealandica and Wiseana

and control of former, 828 genetics of insecticide resistance in Tetranychus

urticae. 3677, 3678

Isoptera of. 3638

life-cycle of Tuckerella flabellifera in Nelson region. 3290

Mallophaga of. 3694

Mecoptera of. 3694

migrant Lepidoptera at Palmerston North in 1968. 3697

new Blepharoceridae from. 3758

new Cicadidae from. 3337

new Encyrtidae from. 2990, 2991

new Gripopterygidae from. 3831

new Hydrachnellae from. 3375

new Lygaeidae from. 2970, 2971

new records of Lepidoptera from Mt. Egmont

and Mt. Ruapehu. 3698 new Syrphidae from. 1881

new Tenuipalpidae from, 3287

new Termopsidae from. 3001

new Tuckerellidae from, 3290

new Tydeidae from. 3291

Nysius revised. 2970

Orthoptera of, 3696

Phasmatidae surveyed. 4185

Pleistocene climates in relation to insect

New Zealand, contd.

fauna. 3699

Psocoptera of and relations with Australian fauna, 3695, 3711

Siphonaptera of. 3694

Tachinidae genera classified. 2957

Tuckerella flabellifera new for, 3290

Zelandobius revised. 3831

Nexophallus gen. n. (Col., Coccinellidae), and new spp described. 2905

Nezara viridula (Het., Pentatomidae),

longevity and mating behaviour. 2698

temperature in relation to neurosecretory activity, 1524

Trichopoda pennipes and Trissolcus basalis established in Hawaii for control. 4110

Nias Island (Indonesia).

new Cerambycidae from. 3300

new Nymphalidae from. 1936

Nicagus obscurus (Col., Lucanidae), morphology and systematic position. 3305

Nicaragua,

new Gyropidae from. 3007

new Tydeidae from. 3291

lickel.

in relation to aldrin epoxidation in vitro by Prodenia eridania larval gut. 220

in relation to choline kinase of Periplaneta americana. 3936

Nicoletiidae (Thysanura), 2087

Nicotiana (Solanaceae).

attractiveness of extracts to Manduca sexta QQ. 4661

development of insect pests. 693

growth rate of larval Manduca sexta on tobacco leaves and artificial diet. 5317

Nysius raphanus as pest in Florida and Georgia, USA. 5446

plant vigour in relation to oviposition response of Manduca sexta. 5134

toxicity of trichome exudates to larval Manduca sexta. 4813

Nicotiana tabacum (tobacco),

carbamates and organophosphates for control of Epitrix hirtipennis on flue-cured tobacco. 5355

development of Manduca sexta larvae on burley and dark tobacco. 689

Nicotine,

in relation to endogenous activity and synaptic transmission in Periplaneta americana. 1528, 4473

genetics of resistance in Diptera. 2851

in relation to neuromuscular transmission in Blattodea, Lepidoptera and Orthoptera. 4467

release of synaptically active material in CNS of Periplaneta americana. 4479

Nicotinoids, mode of action in Insecta. 4539

Nicylla sundevalli (Arach., Aran., Salticidae), redescribed. 7 Nigella (Ranunculaceae), toxicity of extracts for Culex pipiens larvae, 5824

Niger Republic,

Contarinia sorghicola present, 426 ecology of Schistocerca gregaria in relation to Schouwia purpurea, 3120

Nigeria,

new Bethylidae from. 5722

new Culicidae from. 3768

new Diaspididae from. 5047

new Eulophidae from. 1451

new Gelechiidae from. 571

new localities for Periommatus. 3746

new Megapodagridae from. 5085

new Noctuidae from. 571

new Platypodidae from. 3746

new Psyllidae from. 564

new Reduviidae from. 3329

new Saturniidae from. 5747

new Thripidae from. 4403

new Trichodectidae from. 1940

peri-domestic breeding behaviour and resting sites of Glossina tachinoides. 4041

Sosvlus from. 29

Trichodectidae on mammals. 1940

Nigrospora sphaerica (Fungi), in relation to arthropods and environmental variables in bulkgrain ecosystems. 4822

Nilaparvata lugens (Hom., Delphacidae),

abundance on rice in Philippines. 2141

development in relation to RH and temperature.  $3550\,$ 

resistance of rice varieties. 1285, 3550

Ninhydrin-positive substances, concentration during silk production in Antheraea pernyi. 2614

Nipaecoccus vastator (Hom., Coccidae), host of Alamella kerrichi sp.n. 5724

Niphadobata (Dipt., Tipulidae), C. and S. European spp revised, new spp described and key to spp. 2959

Nipponodorcus (Col., Lucanidae), karyotype. 1326 Nivaninae (Hem., Hom., Cicadellidae), new for Pakistan, 4331

Nitelopterus (Hym., Sphecidae), nesting behaviour in relation to morphology. 3112

Nitelopterus kansensis sp. n., described and nesting behaviour. 2998, 3112

Nitelopterus slossonae, nesting behaviour, 3112 Nitidulidae (Col.),

738, 978, 2193, 2235, 2493, 2919, 3116, 3158, 3245, 3246, 4206, 4742, 4801, 5492

of Bismarck Islands and Philippines keyed. 2193 from Niokolo-Koba National Park, Senegal. 2235 Nitrate [NO<sub>2</sub>],

activation of salivary amylase in Lygus disponsi.

in relation to gut amylase of Lygus disponsi.
4526

```
Nitrogen,
amino
syr
compo
```

amino acids as source of nitrogen for fungal symbionts of Xyleborus ferrugineus. 3574 compounds of honeydew of Lipaphis erysimi.

compounds of honeydew of Lipaphis erysimi.

hormones in relation to metabolism in Bombyx mori. 3076

liquid-nitrogen-operated chamber for insect super-cooling studies. 4409

in relation to mutation frequency in irradiated spermatogenetic cells of Bombyx mori. 3669

phosphate level and diet of Vicia faba in relation to malathion tolerance of Tetranychus cinnabarinus. 5266

post-treatment in relation to mortality of Xirradiated Drosophila eggs and oocytes. 247, 248

semi-synthetic diet in relation to nitrogenous compounds of larval haemolymph of Pieris brassicae. 1547

in relation to 3 spp of stored-product insects. 5257

Nitrogen mustard, chemosterilant of & Bracon hebetor. 258

Nitrophenanthenes, extraction from Pachlioptera aristolochiae. 186

N-Nitrosomethylurea, genetic effects on spermatogenesis in Drosophila melanogaster. 251

Nixonia (Hym., Scelionidae), systematic position. 5060

Nixonia atra sp. n., described, 5060

Nocardia (Bacteria),

from gut of Reduviidae. 2005

population-limiting factor for Ascoschoengastia latyshevi. 5365

Nocardia rhodnii, effects of antibiotics in Rhodnius prolixus. 2120

Nocticanace (Dipt., Canaceidae), new spp from Galápagos Islands. 3757

Noctua orbona (Lep., Noctuidae), unusual abundance in Madrid, Spain. 2149

Noctua pronuba,

dispersal in Basses-Pyrénées, France. 334 experiments on migration. 1287 unusual abundance in Madrid, Spain. 2149

Noctuidae (Lep.),

131, 167, 181, 192, 220, 227, 245, 255, 282, 285, 301, 303, 304, 321, 334, 346, 417, 455, 571, 590, 605, 621, 638, 732, 767, 799, 802, 1016, 1037, 1051, 1079, 1088, 1192, 1193, 1204, 1219, 1224, 1245, 1260, 1269, 1287, 1304, 1385, 1467, 1503, 1627, 1631, 1708, 1806, 2002, 2003, 2024, 2037, 2055, 2060, 2070, 2071, 2123, 2143, 2149, 2223, 2238, 2241, 2550, 2572, 2573, 2585, 2598, 2605, 2613, 1661, 2680, 2682, 2701, 2750, 2752, 2872, 2874, 3033, 3062, 3097, 3153, 3154, 3158, 3184, 3190, 3374, 3413, 3433, 3516, 3533, 3536, 3541, 3545, 3548, 3600, 3697, 3817, 3873, 3904, 3921, 3930, 4022, 4031-

```
4034, 4054, 4055, 4110, 4202, 4379, 4380,
   4408, 4421, 4485, 4489, 4500, 4505, 4516,
   4566, 4573, 4593, 4601, 4605, 4654, 4662,
   4688, 4693, 4696, 4700, 4713, 4764, 4783,
   4789, 4797, 4912, 4939, 4940, 4949, 5052,
   5091, 5095, 5114, 5120, 5124, 5135, 5142,
   5158, 5160, 5181, 5182, 5282, 5286, 5293,
  5301, 5335, 5337, 5338, 5345, 5352, 5357,
   5359, 5374, 5413, 5418, 5420, 5424, 5447,
   5456, 5498, 5499, 5506, 5555, 5588, 5725,
   5744, 5752-5754, 5804, 5805, 5820, 5823,
   5882, 5933, 5941, 5947, 5961, 5963-5965,
   5969, 5986, 5999, 6010, 6019, 6022, 6049,
   6059, 6138, 6142, 6143
abundance on cabbage in S. California, USA.
   5479
associated with pig carrion in S. Carolina, USA.
   3545
biology of Pediobius furvus in relation to. 4055
```

exceptional populations in Madrid, Spain. 2149

of GDR. 2872

migrations through Alpine passes of Switzerland in autumn 1968. 1287

control on Zea mays in C. and S. Florida, USA.

from N.E. Danube Delta, Romania. 2223 new for Orkney Islands. 4940

new for New Jersey, USA. 4949

from Niokolo-Koba National Park, Senegal.

response to pulsed ultrasound. 167

Noctuoidea (Lep.), ecology and flight periods in Siljan, S. Norway. 1672

Nodinini (Col., Chrysomelidae), new genera and spp from New Guinea and partial key to Papuan taxa. 1408

Nodisoplata gen.n. (Hym., Pteromalidae), established. 5059

Nodostoma (Col., Chrysomelidae), spp transferred to new Papuan genera of Nodinini. 1408

Nodostomella (Col., Chrysomelidae), spp transferred to new Papuan genera of Nodinini. 1408

Noeeta sinica (Dipt., Tephritidae), new data on. 5032

Nomadacris septemfasciata (Orth., Acrididae),

aggregation pheromone and aggregation response lacking on ovipositing qq. 5320 pest of maize and rice on Comoro Islands, 3011

swarming and aerial control in Rukwa Valley, Tanzania. 5497

Nomia melanderi (Hym., Halictidae),

abdominal glands, musculature and nervous system. 1732

behaviour within nest. 4864

laboratory host of Amblymerus bruchophagi. 4705

for pollination of Medicago sativa in the USA.  $5962\,$ 

reaction of adult 99 to pathogenic fungi in brood

Nomia melanderi (Hym., Halictidae), contd. cells, 1313

n-Nonadecane, in Novomessor cockerelli, 194 Noradrenaline.

absence from nerve-cord of Periplaneta americana, 1528

in relation to endogenous activity and synaptic transmission in nerve-cord of Periplaneta americana, 1528

in relation to glucose and phenylalanine catabolism in Drosophila melanogaster, 1561

presence in thoracic ganglia of Anabolia nervosa.
4477

Norellia (Dipt., Cordyluridae), unidentified sp new for Britain. 2953

Norfolk Island (Pacific Ocean),

bird ectoparasites from. 2744

occurrence of Vanessa kershawi during migration. 2772

Ornithodoros capensis new for. 2744 Rhopalocera of. 2865 Simuliidae new for. 542

North Sea, Odonata of islands and coastal areas.

Norva anufrievi gen. et sp. n. (Hem., Cicadellidae), described. 5043

Norva japonica sp.n., described, 5695 Norvellina (Hom., Cicadellidae), new spp des-

cribed. 1000

Norway, adaptations of Clunio marinus to Arctic conditions, 1734

Aphididae new for. 4191

biology and larval development of Chironomus salinarius in W. Norway. 2667

Bombycoidea of Telemark, 1672

Campylosteira verna new for. 1792

Chrysopa with Notochrysa-like cell in forewings. 1509

Coleoptera from nest of Strix aluco, 1690

Coleoptera from Finse. 462

Coleoptera new for. 452

Collembola as prey of Calidris maritima in Svalbard, 3165

Conwentzia pineticola new for. 1805

distributions of Diamesini extended, 4189

distributions of Rhyacionia buoliana and Rh. pinicolana. 1797

ecology and flight periods of Bombycoidea and Noctuoidea in Siljan, S.Norway. 1672

ecology of soil-inhabiting Collembola and Oribatei of Olderfjord, 4130

Geophilus insculptus new for. 457

habitats and life-histories of Bembidiini on river banks in C. and N. Norway. 4093

Myzinae surveyed, 4191

new Araneae from. 469

new localities for Coniopterygidae. 1805

new localities for Dilta hibernica, 453

new localities for Geophilus proximus. 457

new localities for Mymaridae, 3343

new localities for Neuroptera in S. Norway. 3701

new locality for Sisyra dalii. 1810

new Mymaridae from. 3343

Noctuoidea of Telemark, 1672 parasites of Hylemya brassicae and H. floralis.

1702

Pompiloidea, 463

refugium of Coleoptera for post-Glacial recolonization of Scandinavia not in Norway but in Britain, 498

Simplocaria metallica new for Svalbard, 467 Stenus list revised, 4926

studies on Arthropoda in progress in 1970. 4019 supercooling point of overwintering eggs of Zeiraphera diniana in Norway. 1585

Thysanura of. 453

Nosema (Protozoa), triangulation method for purification of spores from insect tissues. 5090

Nosema algerae, control in an Anopheles stephensi colony by an egg-rinsing technique. 5101

Nosema apis,

free-amino-acid composition of haemolymph in infected Apis mellifera. 5226

in relation to haemolymph proteins of Apis mellifera. 3911

in relation to hypopharyngeal glands of worker Apis mellifera. 2648

purification of spores from Apis mellifera, 5090 Nosema heliothidis, purification of spores from Heliothis zea, 5090

Nosema mesnili.

temperature in relation to development in Pieris brassicae, 5158

infections in parasites of Pieris brassicae. 2804 Nosopsyllus fasciatus (Siphon., Ceratophyllidae),

from Apodemus sylvaticus thuleo on Foula, Shetland Islands. 5594

maturation feeding on castrated adrenalectomized mouse. 4640

particles present in haemolymph. 4457

Nosy Bé Island (Madagascar), new Argiopidae from. 2887

Notagonum addendum (Col., Carabidae), new for Bismarck Archipelago. 2897

Noteridae (Col.), 5603

Nothohoraia micrognathia gen. et sp. n. (Dipt., Blepharoceridae), described. 3758

Nothrus gamasakii (Arach., Acari, Oribatei), new for USSR. 4973

Nothrus silvestris, respiratory metabolism. 2000 Notiophilini (Col., Carabidae), o reproductive system. 5623

Notiophilus biguttatus (Col., Carabidae), predaceous on Oscinella frit larvae in oats. 2695

Notiophygidae, see Discolomidae

Notiophygus (Col., Notiophygidae), larval morphology. 143

Notiphila riparia (Dipt., Ephydridae), larval morphology, respiration and behaviour. 2174

Notochrysa (Neur., Chrysopidae), Notochrysa-like cell in forewings of Chrysopa spp. 1509

Notodontidae (Lep.),

Notonecta (Het., Notonectidae),

compound eyes. 1536

alarm ventilation in larvae. 3426 spectral sensitivities of dark- and light-adapted

Notonecta glauca,

exact neural projection of visual fields on 1st and 2nd ganglia of eye, 3891

microtubule system associated with cytoplasmic movement in ovarioles. 4588

ultrastructure of brain. 3861

ultrastructure of scent-glands. 5261

Notonecta insulata, spectral sensitivity of darkand light-adapted eyes. 1536

Notonecta irrorata, spectral sensitivity of darkand light-adapted eyes. 1536

Notonecta pallidula, new for Portugal. 3263

Notonecta undulata,

median-cord development in egg. 2661 reared in the laboratory. 3028 spectral sensitivity of dark- and light-adapted eyes. 1536

Notonecta viridis, new for Portugal. 3263 Notonectidae (Hem., Het.),

550, 806, 1536, 1738, 2661, 3028, 3263, 3426, 3861, 3891, 4588, 5261

dispersal of Algae, Protozoa and Fungi, 4131 morphology of labium. 606

Notostira elongata (Hem., Het., Miridae), latesummer sp of herb stratum at Korshage, Sjaelland, Denmark. 3611

Notosyrphus gen.n. (Dipt., Syrphidae), established. 1881

Novitzkyanus (Hym., Pteromalidae), new for Italy. 6130

Novomessor cockerelli (Hym., Formicidae),

free amino acids. 2016 hydrocarbons. 194

volatile compounds. 2017

Novophytoptus (Arach., Acari, Phytoptidae), spermatophore. 4586

Nucleases, activity of ribosomal and soluble fractions of Acheta domestica. 4540

Nuclei,

amitotic clasmatotenic division in Coleoptera,
Diptera, Hymenoptera and Lepidoptera. 1050
annular chromatin in giant nerve-cells of Icerya

purchasi, 1523

association between heterochromatic chromosomes and nuclear membrane in Planococcus citri. 1333

circadian rhythms of volume in salivary glands of Drosophila melanogaster. 3471

distribution of non-doubling DNA series in somatic tissues of Locusta migratoria, 6081 DNA and RNA incorporation in Chironomus thummi and Drosophila melanogaster. 3069 DNA and RNA metabolism in nurse cells of

Drosophila melanogaster. 3506

ecdysone accumulation in salivary glands of Drosophila hydei. 4549

extra-chromosomal DNA body in early oogenesis in Acheta domestica. 4004

hormones in relation to RNA synthesis in fatbody of Calliphora erythrocephala. 4553

hypertrophy of pre-follicular nuclei in Ulopa reticulata. 3964

primary site of ecdysone action in larval Antheraea pernyi. 5243

RNA synthesis in salivary-gland nuclei of Drosophila hydei. 662

RNase in relation to ultrastructure in larval salivary-glands of Drosophila virilis. 3929

starvation in relation to nurse-cells in Musca domestica. 4003

template-active RNA from pupal Tenebrio molitor. 3072

volume in cuticular papilloblasts of Peripatus acacioi, 3396

Nucleic acids,

antibiotics in relation to synthesis in Tenebrio molitor. 4610

apholate and hempa in relation to synthesis in Aedes aegypti. 2624

metabolism in development of nurse cells in Drosophila melanogaster. 3506

metabolism of nurse-cell nucleoli in Musca domestica. 723

metabolism in wing imaginal discs of larval Pieris brassicae. 3505

metepa in relation to content of ovaries in Musca domestica. 3509

origin of bases of royal jelly in Apis mellifera. 3071

renaturation and hybridization of DNA and RNA from pupal Drosophila melanogaster in formamide, 3457

amide. 3457 synthesis associated with DNA body in oocytes of Acheta domestica. 4547

synthesis in giant chromosomes. 3217

temperature in relation to synthesis in embryonic Bombyx mori. 2687

Nucleoli,

cytidine and uridine incorporation in Chironomus tentans. 6078

cytochemistry and ultrastructure in oocytes of Acheta domestica. 1603

development in nurse cells of Drosophila melanogaster. 3506

DNA and RNA incorporation in Chironomus thummi and Drosophila melanogaster. 3069

in relation to gene activity. 2833

and hormone deprivation in ovaries of Galleria mellonella. 3999

metabolism in nurse-cells of Musca domestica.
723

#### Nucleoli.

micronucleoli in DNA-synthesis in salivarygland cells of Hybosciara fragilis, 1137

in relation to RNase in larval salivary glands of Drosophila virilis. 3929

synthesis of nucleolar RNA in relation to DNA body in oocytes of Acheta domestica. 4547

ultrastructure in polytene nuclei of Drosophila melanogaster. 368

ultrastructure in relation to time of incubation in Drosophila virilis. 3929

#### Nucleotides,

compartmentalization of intracellular pool in Bombyx mori silk-gland incubated in vitro. 4532

of euchromatic and heterochromatic DNA of Drosophila melanogaster, 202

pyridine nucleotides of flight-muscle mitochondria in Apis mellifera. 5224

sequence homology within genome of Drosophila melanogaster. 199

Nudaurelia cytherea capensis (Lep., Saturniidae), non-occluded virus, 5820

Nudobius canariensis sp. n. (Col., Staphylinidae), described, 3297

#### Nurse cells,

absence from Caloglyphus mycophagus. 3087 and corpus luteum formation in Philosamia cynthia ricini. 3970

DNA-synthesis and movement in Dytiscus marginalis, 717

fate in Musca domestica nebulo. 4589

growth of nuclei in egg-follicle development in Cecidomyiidae. 262

in relation to hormone deprivation in Galleria mellonella, 3999

of Labidura riparia, 3085

nucleolar metabolism in Musca domestica. 723 programming of cystocytes in Drosophila melanogaster. 4159

RNA synthesis in Culex fatigans. 263

starvation in relation to nuclei in Musca domestica. 4003

Nut grass, see Cyperus rotundus

Nyctegretis achatinella (Lep., Phycitidae), phenology, population densities and distribution in Hungary. 1301

Nycteola degenerana (Lep., Noctuidae), new for Denmark. 2871

Nycteribia (Dipt., Nycteribiidae), descriptions supplemented for lindbergi and quasiocellata. 2505

Nycteribiidae (Dipt.), 2505, 2789

from Kavkaz and C. Asia (USSR) and zoogeography of C. Asian spp. 2505

Nycteridopsylla eusarca (Siphon., Ischnopsyllidae), larva described. 1040

Nyctibora intermedia sp. n. (Blatt., Blattidae), described. 56 Nymphalidae (Lep.),

449, 735, 866, 875, 914, 1017, 1187, 1325, 1469, 1713, 1714, 1936, 1937, 2772, 2848,

2865, 3280, 3349, 3377, 3470, 3545, 3583,

3595, 3697, 3818, 3819, 4381, 4382, 4437,

4555, 4653, 4655, 4739, 4925, 4948, 4953, 5071, 5188, 5755, 5846, 5848, 5911, 5949, 5982, 6024, 6138

associated with pig carrion in S. Carolina, USA. 3545

characters for distinguishing genera of Dircennini. 5755

chromosome numbers and karyotypes of Taiwan spp. 875

chromosome numbers of spp from Himalaya of Nepal. 1325

new for Michigan, USA. 4948

proposals with regard to Papilio aglaja Linnaeus 1758 and P. charlotta Haworth 1803. 3810

Nymphalis antiopa (Lep., Nymphalidae), migratory behaviour. 6024

Nymphomyia (Dipt., Nymphomyiidae), biology and systematic position. 3319

Nymphomyia alba (Dipt., Nymphomyiidae), literature reviewed, 3319

Nymphomyiidae (Dipt.), 3319

biology and systematic position. 3319

#### Nymphs.

age in relation to attachment rate in Amblyomma americanum. 4780

circadian rhythm of drop-off in Dermacentor variabilis, 5395

detection of Anaplasma marginale in Dermacentor andersoni. 4788

duration of nymphal stage in natural populations of Panonychus ulmi, 3551

engorgement in relation to host skin temperature in Hyalomma aegyptium, 4774

feeding in Haemaphysalis kitaokai sp. n. 4223 number of nymphal instars in Panonychus ulmi. 5053

nymph of Haemaphysalis pentalagi described.

nymph of Humerobates rostrolamellatus described, 3123

nymph of Kuzinia laevis described, 5381 nymph of Liacarus cidarus described, 3042 partial feeding in relation to development in Dermacentor variabilis, 3484

photoperiod in relation to behaviour and development in Ixodes ricinus. 4604

toxicity of Ixodes halocyclus to mouse, 3840 uptake of water-vapour in Hyalomma dromedarii

and Ornithodoros savignyi. 4556

Nysius (Het., Lygaeidae),

New Zealand spp revised and keyed. 2970 raphanus and tenellus as food of Solierella. 4740

Nysius litiputanus sp.n., described. 2970

Nysius raphanus, as pest of tobacco in Florida and Georgia, USA. 5446 0

Oak, see Quercus

Oak silk moth, see Antheraea pernyi

Oats, see Avena

Oberea (Col., Cerambycidae), new taxa described.

Oberea delongi, predation by woodpeckers in Arkansas and Mississippi, USA, 1312

Obtusodonta montana (Hym., Ichneumonidae), syn.n. of Ichneumon restrictus. 3341

Obuchovia segusina sp. n. (Dipt., Simuliidae), described. 5676

Ocaria gen.n. (Lep., Lycaenidae), established. 4374

Ocaria ocaria, new for USA. 4950

Oceania,

geographical isolation in Gryllidae. 3231 Tiphiinae types in British Museum (Natural History) and at Oxford University, England, redescribed. 3345

Ocelli,

anatomy in Zygentoma. 5841

barium and tetraethylammonium chloride in relation to electroretinogram in Blaberus craniifer. 3890

of Heteropeza pygmaea. 5836

not required for circadian rhythmicity of oviposition in Chorthippus curtipennis. 5310 spectral sensitivities of single cells in median

ocellus of Limulus polyphemus. 2599

Ochrochroma gen.n. (Lep., Lasiocampidae), established and new spp described. 4372

Ochteridae (Hem., Het.), 606 morphology of labium. 606

Ochthebius (Col., Hydraenidae),

key to spp. 3744, 4999

new records and new spp from Turkmenistan.
4998

new spp and aberrations described, 3744 new taxa from Hungary, 4999

Ochthebius romanicus sp. n., described. 2491

Ocnothrips indicus gen. et sp. n. (Thysanopt., Phlaeothripidae), described. 1482

Oct-2-en-1-al, component of secretion of metathoracic glands of adult Dysdercus intermedius. 1251

Oct-trans-2-enal, presence in scent-gland reservoir of larval Pternistria bispina, 5264

n-Octadecane, in Novomessor cockerelli. 194 Octan-3-one, major component of alarm-pheromone complex of Crematogaster peringueyi. 1148

Octanol, component of secretion of metathoracic glands of adult Dysdercus intermedius. 1251 Octanol dehydrogenase, tetramer structure in Drosophila melanogaster. 4149

3-Octanol, alarm-pheromone of Myrmica brevinodis, 1592

3-Octanone, alarm-pheromone of Myrmica brevinodis. 1592

Ocyusa hibernica (Col., Staphylinidae), Cousya laticollis synonymous with. 2922

Odagmia (Dipt., Simuliidae), acetylcholinesterase activity in CNS of winter larvae. 3881

Odagmia ornata,

autogeny and physiological age. 5907 from N. Italy and taxonomic status. 468

Odagmia variegata, taxonomy. 468

Odites artigena (Lep., Xyloryctidae), biology and parasites on coffee in Kenya. 5368

Odocoileus virginianus (Artiodactyla), Cephenemyia jellisoni on in E. Oklahoma, USA. 837

Odonata,

attraction to lights at sea. 2133

autosomal fragmentation and fusion and chromosome number. 929

from central coastal region of Surinam. 4203 of Danube Delta islands, Romania. 1808 of Dominica reviewed, 3830

ecology in Kuala Lumpur area, Malaysia. 3606 feeding of larvae on lake Tricladida. 4765 gravity perception in relation to leg proprioceptors. 4495

from Hupeh and Szechuan Provinces, China.

karyotype evolution. 912, 929

of Lake Chad, Africa, and their biology and ecology. 3597

larvae of Hydracarina as age indicators. 3034 Lesser Antilles spp keyed. 3830

location of types of Australasian spp of Tillyard and designation of lectotypes. 4390

of Magdeburg, GDR. 6151

new subspecific character. 1944

new for Wisconsin, USA. 3705

of Niokolo-Koba National Park, Senegal. 1815

of Pitiusas (Islas Baleares), 1373

preying on Chrysopa at Nankum, India. 4840 of rivers in 'Iron Gates' dam area, Romania.

relative density variation. 1983

sex-determination, 912

from Sierra Leone, 491

succession in sandpit ponds in L. Erie, Pennsylvania, USA. 3166

types in Deutsches Entomologisches Institut. 1820

types in British Museum (Natural History), London, England. 4391

ultra-weak luminescence of larvae, 5903 of Wadden and North Sea Islands, 437 at weather-station 'Tango' in Pacific, 2133

zoogeography of Danube Delta fauna. 1808

- Odontacarus robbinsi sp. n. (Arach., Acari, Trombiculidae), described. 4243
- Odontestra malgassica sp. n. (Lep., Noctuidae), described. 3002
- Odontoceridae (Trich.), 3542
- Odontocerum albicorne (Trich., Odontoceridae), diel activity patterns of larvae, 3542
- Odontochila (Col., Cicindelidae), new genera established. 27
- Odontocolon geniculatus (Hym., Ichneumonidae), immature stages described. 4438
- Odontolabis (Col., Lucanidae), new taxa described. 5001
- Odontomastix cornuta (Orth., Eumastacidae), transferred to Rhabdomastax gen. n. 4393
- Odontomastix spinulosa, type-sp of Rhabdomastax gen.n. 4393
- Odonatomorpha nom.n., and Ephemeromorpha nom.n. constitute Hydropalaeoptera sensu Rohdendorf, 3322
- Odontophyllobius subgen.n. (Col., Curculionidae), established in Phyllobius. 5641
- Odontopus calceatus (Col., Curculionidae), fat content in relation to seasonal activity in adults. 3125
- Odontotermes (Isopt., Termitidae), new spp described. 1929
- Odontotermes assmuthi, replacement of primary reproductives. 6065
- Odontotermes obesus, pathology of Aspergillus flavus infection of queen, 611, 663
- Odontotermes redemanni, caprylic acid secretion of queen in relation to growth of Xylaria nigripes in fungus gardens.
  - fungi and microorganisms of fungus gardens. 852
- Odontothrips melilotus (Thysanopt., Thripidae), new for Britain. 3272
- Odontria (Col., Scarabaeidae), prey of Neoitamus bulbus in New Zealand. 3569
- Odorous house ant, see Tapinoma sessile
- Odynerus (Hym., Eumenidae), cuyanus transferred to Araucodynerus gen.n. as
  - type-sp. 1005
    romandinus transferred to Incodynerus gen. n.
  - as type-sp. 1005
  - tuberculatus transferred to Cuyodynerus gen.n. as type-sp. 1005
- Oecanthus celerinictus (Orth., Gryllidae), callingsong analyzed. 4420
- Oecanthus fultoni, mechanisms of song-synchronization, 1598
- Oecanthus quadripunctatus, ultrastructure of microcylinders in flagellar fibres of spermatids. 5271
- Oecetis tripunctata (Trich., Leptoceridae), new for Lithuania. 4197
- Oechalia schellembergi (Het., Pentatomidae), biological control of Paropsis charybdis in New

- Zealand, 3553
- Oecobius tadzhikus sp.n. (Arach., Aran., Oecobiidae), described, 959
- Oecophoridae (Lep.), 1018, 2881, 4940, 5444 larvae in Baltic amber. 2881 new for Orkney Islands. 4940
- Oecophylla (Hym., Formicidae), mandibular shape of larva, 4430
- Oecophylla longinoda, mode of colony foundation and  $\varrho$  weight. 3194
- Oedaleus decorus (Orth., Acrididae), host of Blaesoxipha paolii in France. 3146
- Oedemeridae (Col.), 43 of Italy, 43
- Oedionychina (Col., Chrysomelidae), X-chromosomes and karyotypes, 5536
- Oegoconia quadripuncta (Lep., Gelechiidae), Danish records concern Oe. deauratella. 2871
- Oenanthe oenanthe (Aves), parasitized by Trypocalliphora lindneri in N. Finland. 322
- Oenanthe silaifolia (Onagraceae), nectar source for adult Aedes dorsalis, 3128
- Oeneis (Lep., Satyridae),
  - biology, ecology and behaviour of forest spp. 3609
- reviewed and sp-groups defined. 5075
- Oeneis chryxus, chromosome number of  $\sigma$ , 866 Oeneis melissa, chromosome number of  $\sigma$ , 866
- Oenocytes,
  - and cuticulin formation in Insecta. 4463
    DNA-synthesis during moulting-cycle in Oryzae-
  - philus surinamensis. 242 iridescent virus present in larval Aedes stimulans. 5812
  - in relation to lipid formation in cuticle of Culex
  - pipiens. 4459 site of development for Rickettsiella cetoni-
  - darum sp.n. in larval Cetonia, 5168 structural lipids of cuticle and function of oeno-
  - cytes. 4463 ultrastructure in pupal Culex pipiens. 4459
  - uptake of haemolymph proteins in Locusta. 652
- $17\beta$ -Oestradiol, in defence secretion of Ilybius fenestratus. 5387
- Oestridae (Dipt.),
  - 154, 837, 1273, 1275, 1865, 5416, 5797 from S. Spain. 1865
- Oestrogen, in relation to development and insemination in Spilopsyllus cuniculi and Xenopsylla cheopis. 4640
- Oestrone, in defence secretions of Ilybius fenestratus. 5387
- Oestrus ovis (Dipt., Oestridae),
  - larva described, 1275
  - larva in conjunctiva of woman. 1275
  - seasonal occurrence in C.Iraq. 4856
- Oichillus minutus (Col., Tenebrionidae), biology in relation to Pheidole pallidula, 3573
- Oil,
  - mineral oil in relation to amylase and activity in

Oil, contd.

Aonidiella aurantii and Chrysomphalus aonidum. 5238

petroleum oil treatment in relation to Aonidiella aurantii populations on citrus in S. California, USA. 5488

Okanagana rimosa (Hom., Cicadidae), bacterial disease of larvae. 2139

Oleandrin, absence from body tissues of Aphis nerii. 4527

#### Oleic acid,

in relation to age in larval lipid of Acheta domestica. 3507

and JH titre during metamorphosis in Hyalophora cecropia. 4623

major free fatty acid in head of Myrmica rubra queen, 1614

#### Oleoresin.

producing mass-aggregation of flying Dendroctonus brevicomis. 1288

and resistance of Coniferales to insect pests. 5442

Olethreutes (Lep., Olethreutidae), new spp described. 1021

Olethreutes inquietana, biology and larval morphology. 2863

Olethreutes mengelana, biology and larval morphology. 2863

Olethreutidae (Lep.), see also Tortricidae 276, 321, 326, 785, 1021, 1121, 1186, 1189, 1190, 1298, 1349, 1488, 1593, 1601, 2095, 2531, 2568, 2699, 2762, 2812, 2863, 3031, 3184, 3378, 3492, 3524, 3596, 3615, 3845, 3866, 3972, 4081, 4587, 4590, 4599, 4618, 4670, 4797, 4804, 5102, 5126, 5282, 5430, 5486, 5494, 5507, 5547, 5586, 5777, 5800, 5808, 5832

of Arctic. 2863

attacking acorns in N. America. 785 mechanisms of resistance of Coniferales. 5442

sex-pheromone glands. 4412

Olethreutini (Lep., Olethreutidae), new spp and subspp described, 1021

#### Olfaction,

in aggregation response to pheromone in ovipositing  $\ensuremath{\circ}$  Schistocerca gregaria. 5320

alarm-pheromones in sterochemical theory of olfaction, 1242

and antennal receptors of Danaus gilippus berenice. 3897

antennal receptors in Hodotermes mossambicus and Trinervitermes trinervoides. 217

in approach of newly recruited honey-bees to a food site. 5402

attraction of Hylemya seneciella to Senecia jacobaea. 3521

discrimination among flowers and flower scents of Medicago sativa by Apis mellifera, 4122 and electromagnetic sensitivity of antennae of Heliothis zea. 4485

in elimination of supplementary reproductives in Kalotermes flavicollis. 4724

in host-finding in Glossina morsitans and G. pallidipes. 2734

in host selection by Atemeles pubicollis. 4052

in mating of Musca autumnalis. 4665

method for detection of olfactory stimulants. 1032

probable olfactory sensillum in Agrion ornatum larva. 3038

olfactory stimuli in  $\sigma$  sexual behaviour of Stictochironomus crassiforceps. 4648

olfactory stimuli in relation to probing by Stomoxys calcitrans. 4766

olfactory and tactile behaviour of Trogoderma granarium in relation to assembling scent. 3902

response of Dioryctia abietella to cones of Pinus elliottii var. elliottii. 4656

responses of Rhagoletis cerasi. 5212

and tarsal sense-organs of Macrocheles muscaedomesticae. 4502

and vision in Lasius fuliginosus. 353

Olfactometer, for bioassay of ♀ sex-pheromone of Aonidiella aurantii. 737

Olgisca gen.n. (Ephem., Hexaginitidae), established. 3324

Oliarus bingervillei sp.n. (Hom., Cixiidae), described. 490

Oligia (Lep., Noctuidae), & genitalia of 4 spp. 1461 Oligocene, new Scelionidae from Mexican amber. 1927

Oligodranes langemarki sp. n. (Dipt., Bombyliidae), described. 60

Oligolophus (Arach., Opil.), eye ultrastructure in relation to habitat. 3059

Oligomenthus chilensis sp. n. (Arach., Pseudoscorp., Menthidae), described and spp keyed. 2472

Oligoneuriidae (Ephem.), 2245, 5034 phyletic relationships within Siphlonuroidea. 2245

Oligoneurus (Hym., Braconidae), transferred to Muesebeckiini trib.n, 1907

Oligonychus (Arach., Acari, Tetranychidae), prey of Feltiella (?) tetranychi. 1240

Oligonychus coffeae, light in relation to oviposition rhythm. 1626

Oligonychus punicae.

mass-release of Stethorus picipes in relation to populations. 2796

population growth in relation to leaf condition of Persea indica. 4833

Oligonychus ununguis, biology in Finland. 5977 Oligophlebodes sigma (Trich., Limnephilidae), drift catches of larvae. 2549

Oligoplectrum maculatum (Trich., Brachycentridae), adaptation to life in torrential streams.

- Oligositoides semicinctium sp. n. (Hym., Trichogrammatidae), described and biology. 2526, 2755
- Oligotrophidi (Dipt., Cecidomyiidae), Luzonomyia transferred to Asphondyliidi, 2941
- Olivierina extensa (Neur., Nemopteridae), new for Turkey and Arabia. 1942
- Ololaelaps sellniki (Arach., Acari), Ondatra zibethica new host for, 2746
- Omaliinae (Col., Staphylinidae), larvae of British genera keyed and biology. 4441
- Omalium rugatum (Col., Staphylinidae), from Devon, England, 3253
- Omicron (Hym., Eumenidae), Eumenes campanulata and minuta transferred to, 3346
- Omicron callimorphum, syn.n. of O. campanulatum comb.n. 3346
- Ommata (Col., Cerambycidae), subgenus Rhopalessa revised. 4267
- Ommata nigricollis sp. n., described, 4267
- Ommatidothrips gen.n. (Thysanopt., Phlaeothripidae), established, 5773
- Ommatius (Dipt., Asilidae), new spp described, 59 Ommexechidae (Orth.), 3899
  - tympanal organs. 3899
- Ommochromes,
  - in eye-colour mutants of Apis mellifera, 1582 in eyes of "rolled" (rl) Drosophila melanogaster, 4901
  - partial absence in red-eyed strain of Anopheles atroparvus, 5881
  - quantitative variations in normal and mutant strains of Musca domestica, 5251
  - redox behaviour in eyes of 'g' mutant of Apis mellifera, 1582
  - seasonal changes in Chrysopa carnea, 5249 synthesis in 'bk', 'iu' and 'st' mutants of Apis mellifera, 1582
- Omophlus proteus (Col., Alleculidae), prey of Dysmachus fuscipennis in Romania. 2092
- Onchocerciasis, infectivity of Simulium damnosum in Tanzania. 824
- Oncomerinae (Het., Tessaratomidae),
  - biology, morphology and affinities. 1890 developmental stages of Australasian spp. 1890
- Oncopeltus fasciatus (Het., Lygaeidae),
  - action of chemosterilants on dd. 3093
  - biology and development in relation to host. 813 chromosomal fragments transmitted through generations, 2840
  - cytogenetics of inherited partial sterility in relation to holokinetic chromosomes. 5546
  - directional control of stylets. 4758
  - feeding and food preferences. 813, 5397
  - flight, 3054 haemolymph protein concentration, 1091
  - impulse patterns in flight motor neurons. 3058  $\gamma$ -irradiation in relation to life-span. 254 life-table. 2704
  - median-cord development in egg. 2661

- metamorphosis prevented by JH analogues. 4010 O2-consumption in relation to neurosecretion and nutrition. 3424
- responses to chemically defined diets. 5921 Oncopeltus unifasciatellus, life-table, 2704
- Oncopera (Lep., Hepialidae), mating-flight and oviposition behaviour, 4652
- Oncophanes pusillus (Hym., Braconidae), primary gregarious larval parasite of Trichotaphe levisella in Minnesota, USA. 1274
- Oncopsis flavicollis (Hom., Cicadellidae), ultrastructure of Johnston's organ, 5196
- Oncopsis juglans, new for Shikoku, Japan. 937 Ondatra zibethica (Rodentia).
  - Acaroidea of nests in Belorussia, USSR. 1292 host of Listrophorus ondatra sp. n. and L. validus. 4229
  - new host for Androlaelaps fahrenholzi, Hypoaspis aculeifer and Ololaelaps sellniki. 2746
- Oniscigastrinae (Ephem., Siphlonuridae), relationships to Baetiscidae, 2246
- Oniscus (Isopoda), food preferences. 2822
- Ononis (Leguminosae), host of Therioaphis hillerislambersi sp. n. 556
- Ononis repens, pigments present in Polyommatus icarus.  $3\,458$
- Ontholestes cingulatus (Col., Staphylinidae), predaceous on adult Musca autumnalis at Guelph, Ontario, Canada, 273
- Onthophagus catta (Col., Scarabaeidae), gut and Malpighian tubules, 3916
- Onthophagus mextexus, new name for O. monticolus Howden et Cartwright, 5014
- Onychiuridae (Collem.), 862, 2146, 2162, 2170, 2499, 3258, 4769, 5996
- Onychiurus (Collem., Onychiuridae), feeding on exuviae of Limnephilidae. 862
- Onychiurus absoloni, aggregations in Pinus sylvestris forest in Perthshire, Scotland. 2162
- Onychiurus armatus, food preferences and gut contents. 4769, 5996
- Onychiurus bhatti, biology and natural enemies. 2170
- Onychiurus jubilarius, new for Britain. 3258
- Onychiurus (Protaphorura) longisensillatus sp. n., described. 2499
- Onychiurus sibiricus, soil populations in Hidaka-Mombetsu, S. Hokkaido, Japan. 2146
- Onychogomphus forcipatus (Odon., Gomphidae), sex-chromosomes and sex-determining mechanism. 912
- Onychophora, band period links of collagen, 4542 Onychotelusia sedlacki gen.et sp.n. (Col., Cantharidae), described, 1837
- Ooctonus (Hym., Mymaridae), new spp described. 3343
- Oogeneius Solier 1857 (Col., Scarabaeidae), replaced by Anticheira Eschscholtz 1818. 4282

#### Oogenesis,

- in relation to allatectomy in Spodoptera littoralis. 4631
- amino-acid, carbohydrate and nucleic-acid metabolism of nurse-cell nucleoli in Musca domestica. 723
- amino-acid and protein metabolism in Culex pipiens. 726
- in relation to aminopterin in Bombyx mori. 1638 in Caloglyphus mycophagus. 3087
- carbohydrate metabolism of oocytes in Panorpa communis, 715
- chromosome arrangement in mature oocytes of Drosophila melanogaster, 4154
- chromosome behaviour in Drosophila melanogaster. 6077
- chromosome behaviour in oocytes and nursecells of Rhynchosciara angelae. 1205
- Y-chromosome fragment in immature oocytes of Drosophila melanogaster. 1747
- control of oocyte formation in φ-sterile Drosophila melanogaster, 4159
- cystocyte programming in Drosophila melanogaster. 4159
- cytochemistry and ultrastructure of primary and secondary oocyte nucleoli in Acheta domestica, 1603
- development of nucleoli in nurse-cells of Drosophila melanogaster, 3506
- in relation to diet in Gastroidea viridula. 5786
- DNA bodies in Acheta domestica oocytes, 5534 DNA- and RNA-synthesis in nurse-cells of
- Rhynchosciara angelae, 1205
- DNA-synthesis in Dytiscus marginalis. 717
- electrophoretic properties of oocytes in adult Tenebrio molitor. 5861
- endocrine control of protein synthesis during oocyte maturation in Leucophaea maderae, 721
- extra-chromosomal DNA present in early stages in Acheta domestica. 4004
- extra-terrestrial radiation in relation to oogonial and oocyte chromosomes of Habrobracon and Tribolium, 249
- fat-body metabolism in Pyrrhocoris apterus. 1200
- follicle-cells not involved in yolk carbohydrate synthesis in Panorpa communis, 715
- formation of oocyte envelopes in Aeshna. 232
- in Galleria mellonella pupae. 3966 glycogen synthesis and protein accumulation in pupal oocytes of Bombyx mori. 2689
- histochemistry of developing oocytes in Argas persicus, 4635
- hormone deprivation in relation to oocytes of Galleria mellonella. 3999
- incorporation of <sup>3</sup>H-thymidine in Culex pipiens.
- induction of whole-body and mosaic mutations in Bombyx mori oocytes. 4163

- intercellular migration of centrioles in germarium of Drosophila melanogaster. 5274
- in relation to  $\gamma$ -irradiation in Stomoxys calcitrans. 4609
- low-temperature post-treatment in relation to frequency of radiation-induced mutations in Bombyx mori oocytes. 3664
- migration of symbionts in Euscelis plebejus oocytes. 3142
- mineral inclusions in Polydesmus complanatus occytes, 3858
- in Nasonia vitripennis. 4642
- neuro-endocrine control of oocyte maturation in Pterostichus nigrita. 4008
- nucleic-acid synthesis associated with DNA body in Acheta domestica oocytes. 4547
- oocyte centrifugation in Tegenaria atrica, 3980 oocyte degeneration in Caloglyphus mycophagus, 3087
- oocyte development in Drosophila melanogaster. 3475
- oocyte growth during vitellogenesis in Drosophila melanogaster, 1604
- oocyte maturation in British Psocoptera. 5315 origin of protein yolk-spheres in Drosophila melanogaster oocytes. 4585
- pheromones in relation to oocyte growth in young Tenebrio molitor. 5297
- polarity and symmetry in composite oocytes of Carausius morosus. 4592
- possible incorporation of haemolymph lipids into Hyalophora cecropia oocytes. 4623
- presence of 37 in relation to oocyte production in Sitona cylindricollis. 4628
- proteins during vitellogenesis in Acheta domestica oocytes. 4645
- radiosensitivity of oocyte chromosomes during meiosis in Drosophila melanogaster. 5550
- X-ray-induced chromosome changes in relation to anoxia in Drosophila melanogaster oocytes, 391
- X-ray-induced Y-chromosome fragments in mature oocytes of Drosophila melanogaster. 4154
- resorption of terminal oocyte following allatectomy in Leptinotarsa decemlineata. 5950
- RNA-synthesis in Culex fatigans oocytes. 263
- RNA-synthesis in follicle cells of Culex fatigans.
- route of haemolymph-protein transport into Panorpa communis oocytes. 1209
- transmission of endosymbionts in Aetalionidae, Cicadellidae and Eurymelidae oocytes, 4053 in Ulopa reticulata, 3964
- vitellogenic stages in Drosophila melanogaster.  $1604\,$
- yolk deposition in oocyte cortex in Hyalophora cecropia, 1634
- yolk formation by follicle cells in Hyalophora cecropia. 2688

Oopterinus (Col., Curculionidae), associated with cynipid galls, 4047

Oopterinus convexipennis, transferred to Micromyrmex. 4276

Oothecae.

aliesterase in relation to production in Blattella germanica. 711

foam in relation to egg and larval viability in Schistocerca gregaria. 3515

protein in Sphodromantis centralis. 1211

Opatrinae (Col., Tenebrionidae), from S.E. Madagascar. 2929

Operophtera brumata (Lep., Geometridae), population model for interaction with Cyzenis albicans. 2159

Ophidia (Reptilia), effect of Neivamyrmex nigrescens secretions on attractant/repellent interactions between Leptotyphlops dulcis and Neivamyrmex nigrescens, 4863

Ophiomyia centrosematis (Dipt., Agromyzidae), E. African distribution, host-plants and lifecycle. 2502

Ophiomyia lantanae, new host for Erythmelus helopeltidis, 3807

Ophioninae (Hym., Ichneumonidae), new for France. 110

Ophiosoma ulmi (Fungi), transmitted by Scolytus multistriatus to elms at Wroc/aw, Poland.

Ophiusa tirhaca (Lep., Noctuidae),

feeding and food-plants in Italy, 303, 304 fruit-piercing habit in Yugoslavia, 5999

Ophonus pubescens (Col., Carabidae), external disturbance and time of day in relation to light-reactions. 5848

Ophonus rufipes, dispersal, 6023

Ophthalmoconalia castanea gen. et sp. n. (Col., Mordellidae), described, 41

Ophthalmomiris reuteri (Het., Miridae), redescribed, 4321

Ophthalmoserica nepalensis sp. n. (Col., Melolonthidae), described. 5004

Ophyra leucostoma (Dipt., Muscidae),

control in caged-poultry houses. 5350

frequency of poultry-manure-removal in relation to populations in N. California, USA. 4836

Oplinae (Hym., Braconidae), from GDR. 1449 Opilio bucephalus C. L. Koch 1835 (Arach., Opil.), type-sp of Platybunus. 1399

Opilio parietinus, eye ultrastructure in relation to habitat. 3059

Opilioacarida (Arach., Acari), chaetotaxy, stasis number and relationships, 2466

Opilioacarus (Arach., Acari), relationships. 2466 Opilioacarus platensis, redescribed. 2466 Opiliones (Arach.).

1398, 1399, 3294, 3395, 3728, 3893, 3969, 4247, 4730, 4980, 5562

of caves of Romania, 5562

life-histories of alpine tundra spp in Colorado,

USA. 4730

systematic value of genital characters.

Opilo pallidus (Col., Cleridae), possible predaceous on Phymatodes fasciatus in Romania. 2127

Opisthomitus avicularis (Protozoa), ultrastructure in Kalotermes dispar, 4129

Opisthophthalmus (Arach., Scorp.), new taxa described, 501

Opisthopsis (Hym., Formicidae), larva described. 4430

Opius (Hym., Braconidae),

from Agromyzidae and Ephydridae in Poland, 4936

new spp from Ethiopia described, 103

sp-groups of section A and spp of sections A-D keyed, 103

spp new for Germany. 1449

turnesi group keyed and new spp described, 4345 Opius fletcheri, appearance of parasitized pupa of Dacus cucurbitae, 2548

Opius melanagromyzae, parasitic on Melanagromyza phaseoli in E. Africa, 2502

Opius oophilus, appearance of parasitized pupa of Dacus dorsalis, 2548

Opius pulicariae sp. n., described, 1449

Opius tryoni, appearance of parasitized pupa of Ceratitis capitata, 2548

Oplongnathus Kirby 1828 (Col., Scarabaeidae), replaces Hoplognathus Burmeister 1844. 4282 Opomyzidae (Dipt.), 536

from S. Spain. 536

Oporinia autumnata (Lep., Geometridae), ichneumonid populations after a mass-outbreak on Betula in Finland, 2153

Opossum, see Didelphis virginiana

Oppia primorica sp.n. (Acari, Oribatei), described, 4973

Oppia spinosa, type-sp of Oxyoppia gen.n. 1391 Opsibotys (Lep., Pyralidae), Pyrausta furcobrun-

nealis transferred to, 1470 Opsibotys flavidecoralis sp.n. (Lep., Pyralidae),

described. 1470 Opsibotys ocellalis, type-sp of Proteurrhypara

gen. n. 1470

Opsibotys persuscalis sp.n., described, 1470

Opuntia inermis (Cactaceae), introduction of Insecta for control in Australia. 341

Orange, see Citrus aurantium

Orange scale, see Cornuaspis beckii

Orbignya martiana (Palmae), Triatominae from in Uberaba municipality, Minais Gerais, Brazil. 5511

Orchesella ainsliei (Collem., Entomobryidae), activity and local distribution in an Indiana (USA) woodland. 4020

Orchesella cincta, biology and population structure in coniferous forest soil. 2160

Orchesella hexfasciata, activity and local distribu-

Orchesella hexfasciata, contd.

tion in an Indiana (USA) woodland. 4020

Orchesella ranzii, presence on Molara and Tavolara Is., Italy. 3315

Orectochilus villosus (Col., Gyrinidae), genitalia.

Orectogyrus (Col., Gyrinidae), dimidiatus and vagus from Ivory Coast. 478

Oreometides firmus (Arach., Aran., Linyphiidae), new for Poland, 6111

Orgamarella lata gen. et sp. n. (Hom., Dictyopharidae), and oblonga sp. n. described, 1002

Organic wastes, effects on oviposition by Culex pipiens quinquefasciatus. 6036

Organometallics, anti-feedant effect for larval Gnorimoschema operculella, 5393

Organophosphates,

aerial application of ULV organophosphates against Haematobia irritans and Musca autumnalis, 5329

antagonism of DMS in adult Tenebrio molitor. 3934

contact toxicity to Neodiprion and Pristiphora erichsonii. 5180

control of Epitrix hirtipennis. 5355

enzymes of Musca domestica strains in relation to resistance, 3961

esterase recovery in Musca domestica, 5905 genetics of resistance in Diptera, 2851 genetics of resistance in Musca domestica. 3229 genetics of resistance in Tetranychus urticae. 3677, 6101

potentiation of toxicity in Anthonomus grandis by defoliants. 5159

RE-11775 for control of organophosphateresistant Culicidae, 5354

resistance in Myzus persicae on peach. 5462 resistance in Trichoplusia ni in New York, USA.

selection of Aedes aegypti and Culex pipiens fatigans for resistance, 4169

sites of cholinesterase inhibition in Musca domestica. 3404

substitutes for DDT in control of Epitrix hirtipennis. 5355

temperature relationships during poisoning in Anthonomus grandis. 5259

toxicity to larval Attagenus alfierii and A. megatoma, 4454

toxicity to larval Euxoa messoria. 5182

Organotin compounds, genetics of resistance in Diptera, 2851

Orgeriinae (Hom., Dictyopharidae), Palaearctic taxa reclassified and new taxa described. 1002

Orgilinae (Hym., Braconidae), genera keyed, 3338 Orgilus (Hym., Braconidae), Nearctic spp revised

and keyed and new spp described, 3338 Orgilus indagator, primary solitary larval parasite of Trichotaphe levisella in Minnesota,

USA, 1274

Orgilus lepidus, biology in relation to Phthorimaea operculella, 2702

Orgyia antiqua (Lep., Lymantriidae), suboesophageal ganglion neurosecretion in relation to diapause, ecology and geography, 1188

Orgyia australis postica, biology and dispersal.

Oribatei (Arach., Acari).

from Annobon I., Gulf of Guinea. 3724

from Bolivia. 2462

from Brazil. 2462

of Carpinus-Quercus forest at Louvain, Belgium.

ecology in Olderfjord region, N. Norway. 4130 of forest soil at Mt. Soranuma, Sapporo, Japan. 4410

forestry practices in relation to soil fauna. 3179 modified Tullgren apparatus for extraction from soil. 4410

new spp from Japan. 505

new spp from Tanzania. 3718

new taxa from Bolivia and Brazil. 1391

new for USSR. 4973

phylogeny. 514

populations at a farm at Giza, Egypt. 6054 from Tatra Mts. of Czechoslovakia and Poland. 6109

taxonomy. 514

from Uruguay. 2462

from wetland forests of S. Primorskiy Kray, USSR. 4973

Oribatula (Arach., Acari, Oribatidae), new spp described, 3725

Oribatulidae (Arach., Acari), taxonomy and key to genera, 515

Oribotritiidae (Arach., Acari, Cryptostigmata), new taxa described, 506

Oriental migratory locust, see Locusta migratoria manilensis

Oriental Region,

Alticinae of Indian Subcontinent reviewed. 1845 Ancylolomia revised, 5757

Curtonotidae revised. 2947

Eurhadina revised, 2985

geographical distribution of damage potential of Schistocerca gregaria. 3157

Helopeltis of. 2513

Hyphoporus revised, 2490

Liothrips revised and keyed and new taxa described, 1024

Neptini revised, 1936

new Chironomidae from. 3317

new Cicadellidae from, 2985

new Curtonotidae from. 2947

new Dytiscidae from. 2490

new Ephemeroptera from S. E. Asia. 2962

new Melolonthidae from. 977

new Mymaridae from Far East. 3807

new Phlaeothripidae from. 1024

Oriental Region, contd.

new Syrphidae from, 1881

Risbecocoris from for first time, 3780

S. E. Asian Aedes (Diceromyia) reviewed and keyed. 4301

sp-groups defined within Pithitis. 2988

Orientopsaltria (Hom., Cicadidae), agatha comb.n. from Cosmopsaltria, 97

Orientopsaltria, montivaga discussed. 97

Orimarga (Dipt., Tipulidae), new spp described. 547

Orius albidipennis (Het., Anthocoridae), predator of Gynaikothrips ficorum on Ficus nitida. 6047

Orius indicus, biology in relation to Taeniothrips nigricornis, 4715

Orius insidiosus, in relation to Aphididae and Thripidae on Zea mays in N. America, 834

Orkney Islands (North Sea),

Ephemeroptera from. 2213

Lepidoptera of. 4940 Plecoptera from. 2213

Ornamentals, damage by Acari and Insecta in Ontario, Canada, in 1968, 3158

Orneodes objurgatella (Lep., Alucitidae), probable host of Reikosiella melina gen. et sp. n. in Hawaii. 2992

Ornipholidotos (Lep., Lycaenidae), new spp described, 1466, 5068

Ornithacris turbida (Orth., Acrididae), embryology. 4595

Ornithine transaminase, activity during development in Hyalophora gloveri. 1633

Ornithodoros (Arach., Acari, Argasidae), new spp from C. and S. America. 508

Ornithodoros capensis, new for Norfolk I., Pacific Ocean. 2744

Ornithodoros coniceps, ecology and host distribution on Mangyshlak Peninsula, USSR. 4785

Ornithodoros denmarki, mouthparts. 4515

Ornithodoros hermsi, responsible for outbreak of tick-borne relapsing fever in Washington, USA. 2756

Ornithodoros kelleyi, gut anatomy and histology. 4515

Ornithodoros lahorensis, ultrastructure of coxal organ, 1107

Ornithodoros moubata,

excretion of African swine fever virus. 3147 haemolymph proteins and vitellogenesis. 1201 ultrastructure of coxal organ, 1107 ultrastructure of symbionts and their lysis by lysosomes, 788

Ornithodoros (Alectorobius) muesebecki sp. n., described, 1824

Ornithodoros savignyi,

external agents in relation to cuticular permeability. 4458

uptake of water-vapour, 4556 water-loss from spiracles, 4557

Ornithodoros talaje, ultrastructure of coxal organ. 1107

Ornithodoros tartakovskyi, ecology and hist distribution on Mangyshlak Peninsula, USSR, 4785

Ornithodoros tholozani, methyl phenyldiazenecarboxylate azoester in relation to feeding behaviour, 1254

Ornithomyia (Dipt., Hippoboscidae), of Vlieland I., Netherlands. 2208

Ornithomyia comosa, new for USSR and Palaearctic Region. 4930

Ornithonyssus bursa (Arach., Acari), intergradation with O. sylviarum. 5411 on man and Passer domesticus in Rajasthan,

India. 3622

Ornithonyssus sylviarum,

combined sulphonamide feed additive for control. 4699

survival in relation to RH and starvation. 2643 Orobanche crenata (Orobanchaceae), Phytomyza

orobanchia giving natural control in Egypt. 6016

Orocharis (Orth., Gryllidae),

biology and ecology of USA spp. 125 USA spp and new spp described. 125

Orosagrotis Hampson 1903 (Lep., Noctuidae), recognition of generic name. 1016

Orosagrotis montana Morrison 1875, recognition of specific name. 1016

Orosius (Hom., Cicadellidae), seasonal populations on Gossypium in Egypt. 6052

Orphnabaccha (Dipt., Syrphidae), transferred from Bacchini to Syrphini. 1881

Orthacheta hirtipes (Dipt., Anthomylidae), biology and immature stages. 274

Orthellia caesarion (Dipt., Muscidae), host of Aphaereta pallipes in USA. 1909

Orthetrum (Odon., Libellulidae), karyotypes with and without autosomal fusion, 929

Orthetrum coerulescens, autosomal fragmentation and fusion and chromosome number. 929

Orthezildae (Hom.), from Mongolia. 5041

Orthocentrinae (Hym., Ichneumonidae), new for France. 110

Orthocephalus ferrarii (Het., Miridae), new for Sweden, 1380

Orthocladiinae (Dipt., Chironomidae),

lectotype designation for Lundbeck (1898) spp. 5669

Nearctic spp reviewed. 2945

Orthocladius difficilis (Dipt., Chironomidae), lectotype designation. 5669

Orthocladius nr. nivoriundus, associated with Spongilla fragilis in Savannah R., USA, 1692

Orthoperus (Col., Corylophidae), British spp revised and keyed, 5567

Orthoperus punctatulus, identity discussed. 5567

Orthopodomyia pulchripalpis (Dipt., Culicidae), light-trapping in S. England, 2574

Orthopodomyia signifera, polyhedrosis virus

Orthopodomyia signifera, contd.

infection of gut. 2009

Orthops (Het., Miridae), European spp keyed. 3327 Orthops coccineus, stat. n. from Lygus cervinus

var. coccineus. 3327

Orthoptera,

altitudinal and seasonal distribution in Rocky Mts., N. Colorado, USA. 2775

biology and control of spp injurious to crops in the Middle East. 4062

of C. and E. Predkavkaz'e, USSR. 4195

distribution in Denmark, 3700

electrophoretic patterns of egg proteins. 2625 evolution of stridulatory mechanisms. 5086

gravity perception in relation to leg proprioceptors. 4495

head and mouthparts of Philippine spp. 150 life-cycles of Pyrenean spp. 2014

light-trap records from W. Tanzania. 748

of New Zealand, 3696

from N. E. Danube Delta, Romania. 2226

relative density variation, 1983 seminal receptacle, 3472

of S. Krasnoyarsk region, USSR. 6150 synergistic ratio of carbaryl with piperonyl

butoxide. 4582 taxonomic value of sound-producing organs, 948

from Tuscan Appennino, Italy, 6149 ultra-weak luminescence of larvae. 5963 Orthopteroidea,

of C. and E. Predkavkaz'e, USSR. 4195 defensive behaviour of Panamanian spp. 5390

Orthosia advena (Lep., Noctuidae), egg morphology, larval rearing and oviposition behaviour. 4654

Orthosia cruda, host of Microplitis naenia sp. n. in England, 5052

Orthosia gothica, flight-period in Siljan, S. Norway.

Orthosia hibisci, attacking azaleas, rhododendrons and roses in Maryland and Virginia, USA.

Orthotaenia (Lep., Tortricidae), larval food selection, 1253

Orthotomicus nobilis (Col., Scolytidae), new for Is. Canarias. 3297

Orthotrichia tetensii (Trich., Hydroptilidae), on Phragmites and Typha in Danube Delta, Romania, 2824

Oryctes congonis sp. n. (Col., Scarabaeidae), described, 2918

Oryctes elegans,

larva described, 3115

rearing and life-cycle in the laboratory, 3115

Oryctes rhinoceros.

Dientamoeba dobelli from. 4676

Rhabdionvirus oryctes established in W. Samoa.

Oryctolagus cuniculus (Lagomorpha) (rabbit), behaviour of Hyalomma aegyptium. 4774 cage for restricting Dermacentor andersoni on. 5136

feeding by Tabanidae of alluvial and estuarine areas of Louisiana, USA. 1262

German Siphonaptera of, 4092

Listrophorus gibbus from in Puerto Rico. 5607 method for rearing Pediculus humanus. 5123 productivity of Glossina austeni on. 4076

Oryza sativa (Gramineae) (rice),

Anagrus parasitic on Sogatella furcifera in India.

attractant of grains for Sitophilus zeamais. 299 biology and ecology of Leptocorisa oratorius in Sarawak. 4103

damage by Cadra cautella to stored grain. 786 development of Pachydiplosis oryzae. 4061 germination of seeds damaged by larval Sitotroga cerealella, 4812

methods for estimating numbers of Nephotettix cincticeps in the resting paddy field. 4852

Nematoda for control of Cirphis compta and Pseudaletia separata, 2143

Nomadacris septemfasciata as pest in Is. Comores. 3011

parasites of stem borers in Sarawak. 5498 populations of Cicadellidae and Delphacidae in relation to diazinon treatments in Philippines.

resistance to Nephotettix impicticeps and Niloparvata lugens. 1285, 3550 seasonal fluctuations in pest populations in

Philippines. 346

varieties in relation to growth of reproductive system in Tryporyza incertulas. 227

Oryzaephilus mercator (Col., Silvanidae), soundproduction during mating, 1599

Oryzaephilus surinamensis,

behaviour in temperature gradient. 5887 DNA-synthesis during moulting-cycle. 242 inability of adults to penetrate aluminium foil. 5403

Oryzomys capito (Rodentia), host of Polylopadium aspasium sp.n. in Brazil. 4244

Oryzomys macconellii, host of Arisocerus amapensis gen. et sp. n. in Brazil and Surinam.

Oryzomys minutus, host of Ixodes jonesae sp. n. in Venezuela, 4227

Osborniella crotophargae (Mall., Menoponidae), syn. n. of Ardeiphilus incertus. 5080

Oscinella frit (Dipt., Chloropidae),

insecticide treatment and weather in relation to O. frit and predators. 2792 larval development on oat seedlings. 2695 methods for assessing populations in oats. 2695 oviposition on oat seedlings. 2695

Osmeterium, secretions of larvae of Baronia, Battus, Eurytides and Papilio. 4749

Osmia (Hym., Megachilidae),

of Asia Minor redescribed and new spp described. 3806

Osmia (Hym., Megachilidae), contd.

as pollinator of apple in Japan. 331

Osmia cornifrons, homing ability. 331

Osmia fasciata, redescribed, 4340

Osmia grinincensis sp.n., described, 4340

Osmia leucomelalaena, from gall of Lipara lucens on Phragmites communis. 4820

Osmia leucomelana, transferred to Hoplitis. 5057

Osmia pedicornis, homing ability. 331

Osmia tingitana sp. n., described, 4340 Osmoregulation,

in brackish-water Trichoptera, 362

in Calliphora erythrocephala. 2035

by gut in Antheraea pernyi during metamorphosis. 2614

in Halacarus basteri. 1319

by rectal glands of Halosalda lateralis and Hydrometra stagnorum, 1552

via saliva in Boophilus microplus, 649

Osmylidae (Neur.), 4495, 5081

method for preparation of o genitalia. 5081

Osmylus chrysops (Neur., Osmylidae), gravity perception and leg proprioceptors. 4495

Osoriellus (Col., Staphylinidae), new spp described, 5653

Osoriinae (Col., Staphylinidae), of Ethiopian Region keyed and new taxa described, 3312

Osoriocanthus (Col., Staphylinidae), new spp described, 5653

Ostomatidae, see Trogossitidae

Ostrinia nubilalis (Lep., Pyralidae),

acoustic sensitivity, 1992

biology in S. Carolina, USA, 2716

collar- and sheath-feeding resistance in dent
corn. 5452

control by single application of insecticide, 5334 damage caused and establishment of larvae from field-collected and laboratory-reared specimens, 815

diapause-inducing factors for Alabama and Georgia (USA) populations. 701

diet in relation to egg sterility and larval survival. 5948

drinking water in relation to egg-production in mass-rearings, 3364

fatty-acid composition of larvae. 1121

fecundity on resistant and susceptible Zea mays varieties. 736

growth of epithelial cells and haemocytes in primary culture, 5282

mortality of 2nd-brood larvae on inbred lines of dent corn. 803

mould inhibitors in relation to development and egg-production. 5785

palmitoleic acid content of larvae. 1121

pollen in relation to growth. 696

pollen in relation to larval establishment on dent corn. 696

rearing on diets containing corn leaf and wheat germ. 4417

rearing on semi-artificial diet. 5785

selection for resistance to carbaryl, DDT and diazinon. 4914

sex-pheromone probably cis-11-tetradecenyl
acetate. 667

source of eggs in relation to efficacy of infestation of dent corn. 5948

treatment of larvae with Fumidil B against Perezia pyraustae. 5183

ultrasound in relation to captures with UV-lamps.

ultrasound sensitivity. 2550

ultrastructure of ileum in non-feeding diapause larvae. 1105

voltinism distribution of Hungarian populations, 3624

Zea mays pollen in relation to survival and development of 2nd-brood larvae. 4639

Othoes saharae (Arach., Solifugae), water-permeability of integument and temperature-resistance. 155

Othonna coronopifolia (Compositae), host of Neoselenaspidus triangularis sp. n. in Republic of S. Africa. 5047

Othreis fullonia (Lep., Noctuidae), immature stages. 1503

Othreis materna,

CNS, 621

immature stages and life-history. 1503 mouthparts. 301

Otinotus (Hom., Membracidae), Centronotus pacificus transferred to. 561

Otinotus tribulis sp. n., described, 561

Otiorrhynchus (Col., Curculionidae),

Italian taxa of griseopunctatus group discussed. 5640

new spp described and synonymy. 2910

Otiorrhynchus griseopunctatus falteronae subsp. n. , described. 5640

Otiorrhynchus ovatus, biology and ecology. 4720 Otiorrhynchus paradisiacus sp. n., described, 5640

Otiorrhynchus sulcatus, biology and damage to Vitis vinifera, 5427

Otiorrhynchus uncinatus, established in Ireland.

Otitidae (Dipt.), 58, 785, 1489, 4307, 4860 attacking acorns in N. America. 785

distribution, ecology and systematics of synanthropic spp in Tyan'-Shan' Mts., Kirgizia, USSR. 4860

Hawaiian spp. 4307

Otjosondia hirta gen. et sp. n. (Col., Chrysomelidae), described, 2484

Otophyllobius subgen.n. (Col., Curculionidae), established within Phyllobius. 5641

Ouabain,

in relation to electrolyte movement in isolated midgut of Periplaneta americana, 1549

in relation to epidermal metamorphosis and nucleic-acid synthesis in Tenebrio

Ouabain, contd.

molitor, 4610

in relation to primary process of reception in type-3 water receptor of Phormia terraenovae. 5199

Oubanghinum (Col., Tenebrionidae), synonymous with Heterotarsus, 2928

Oulema (Col., Chrysomelidae), separation from Lema justified. 365

Oulema melanopus,

bionomics and ecology in N. Indiana, USA. 3554 chromosomes, 365

container for releasing Anaphes flavipes from parasitized eggs. 5100

development of Anaphes flavipes as superparasite. 2677

development of Anaphes flavipes in X-raysterilized eggs. 4784

dispersal patterns and effectiveness of Anaphes flavipes, 4834

oviposition in relation to temperature and population density. 708

parasitized by Hyalomyodes triangulifer in Michigan, USA. 795

parasitized by Trichogramma sp in Michigan, USA, 2753

selective bibliography. 4964

Oulimnius (Col., Elminthidae), plastron studied by scanning electron microscopy. 174

Ovaries.

allometry between respiration and size in Bombyx mori during metamorphosis. 1170

aminopterin in relation to tissues in Bombyx mori. 1638

in relation to amphigony and parthenogenesis in Megoura viciae. 3086

apholate in relation to alkaline phosphatase activity in Aedes aegypti, 714

of Atta laevigata workers. 4125

CA and ovaries in relation to size of fat-body in Musca domestica. 1199

1-carbon metabolism during development in Musca domestica. 1644

castration in relation to flight-muscle degeneration in Acheta domestica. 1173

CC in relation to ovarian function. 5898

cell response to disturbance of hormone supply in Galleria mellonella. 3999

chemosterilants in relation to mitochondrial respiration in Musca domestica. 3509

corpus luteum formation in Philosamia cynthia ricini. 3970

culture of Iphita limbata ovaries in vitro, 3982 cytogenetics of hereditary ovarian tumours in Drosophila melanogaster, 4151

development controlled by GA hormones in Locusta migratoria manilensis. 265

development in relation to diet in Atrichopogon pollinivorus. 3259

development in relation to egg-eating behaviour

in Bombus lapidarius. 2818

development of nurse-cell nucleoli in Drosophila melanogaster, 3506

development in pupal Galleria mellonella. 3966 development retarded in Anopheles gambiae during dry season in Sudan. 4859

differentiation in Megoura viciae, 3084

distribution of non-doubling DNA in Locusta migratoria ovarioles. 6081

environment and CA size in irradiated Dacus cucumis, 5928

estimation of physiological age in Simuliidae. 5907

evidence for protein synthesis in Hyalophora cecropia. 1634

extra-chromosomal DNA present in early oogenesis in Acheta domestica, 4004

farnesylmethylether in relation to maturation in Pterostichus nigrita. 2686

genetic control of ovariole number in Morabinae. 1982

glycogen synthesis, oocyte age and protein accumulation in pupal ovaries of Bombyx mori. 2689

<sup>3</sup>H-thymidine incorporation in Culex pipiens. 3477

hexokinase isozyme distribution in Drosophila robusta, 2830

histology of ovarioles in Philosamia cynthia ricini. 3970

histology in Ulopa reticulata, 3964

implantation in of Periplaneta americana, 1640

in vitro culture of Iphita limbata ovary. 3982 independence of JH action on flight-muscles and

ovaries in Acheta domestica, 1173 inhibition of development by 20-hydroxyecdy-sone in Stomoxys calcitrans, 4630

inhibition of Schiff reaction in chromosomes of ovigerous tissues in Anoetidae, 1956

iridescent virus present in larval Aedes stimulans, 5812

JH in relation to uptake of vitellogenins by follicle cells in Leptinotarsa decemlineata.

location of alkaline phosphatase in Schistocerca gregaria, 4006

maturation in relation to CA activity in seasonal morphs of Polygonia c-aureum. 5949

maturation in Herse convolvuli after feeding with vitamin E. 4012

maturation in Leptoconops irritans and L. kerteszi. 4043

metepa in relation to nucleic acid content. 3509 of Mutilla glossinae. 5275

neutral lipid composition in queen Macrotermes goliath and M. natalensis. 1115

nuclear-polyhedrosis virus infection in pupal Trichoplusia ni. 5823

neutral lipids in Macrotermes goliath and M. natalensis queens. 1115

#### Ovaries, contd.

oocyte maturation in Hylemya seneciella, 2777 ovariole microtubule system associated with

cytoplasmic movement in Notonecta glauca. 4588

ovariole number in British Psocoptera. 5315 ovariole number in Morabinae. 1982

ovariole number in Tryporyza incertulas. 227

ovariole structure during pre-oviposition period in Musca domestica nebulo. 4589

ovarioles in relation to age in Aedes albopictus and Culex pipiens pallens, 260

ovulation in Musca domestica nebulo. 1206

physiological age determination in Culex fatigans. 725

production of diapause and non-diapause oocytes in Pyrrhocoris apterus. 1159

programming of wild-type cystocytes as nursecells or oocytes in Drosophila melanogaster, 4159

regulation by CA in Musca domestica. 2634 respiration in relation to CA, CC, ecdysone and NAD in Periplaneta americana. 5246

RNA-synthesis in developing ovaries of Culex fatigans, 263

satellite DNA in Acheta domestica. 4546 size in Polistes exclamans. 355

starvation in relation to nurse-cell nuclei in Musca domestica. 4003

temperature in relation to maturation in  $\Omega$  acus tryoni. 5480

of Tetrigidae, 170

in relation to tumour development after nerve section in Periplaneta americana, 3443

in relation to tumour formation in Periplaneta americana. 4449

ultrastructure of follicle cells in Leptinotarsa decemlineata, 2659

ultrastructure of prothoracic glands of solitary green adult Locusta migratoria migratorioides during ovarian cycles. 1154

ultrastructure of ring-canal system in ovarian cystocytes of Drosophila melanogaster. 3475

ultrastructure of symbionts in Ornithodoros moubata. 788

vinblastine sulphate in relation to microtubular organization in Rhodnius prolixus, 5908

 $\sigma ext{-virus}$  in relation to egg-chamber development in Drosophila melanogaster. 5821

vitamin E required for maturation in Autographa gamma in Hungary, 3533

yolk formation by follicle cells in Hyalophora cecropia. 2688

#### Overwintering,

of Acari in bovine manure in S. Dakota, USA. 744

of Acridoidea in Lebanon. 4726

in Acrobasis comptoniella. 4037

of adult Coccinellidae at Kew, London, England, 2097

of Aedes japonicus and Ae. natorii in rockpools

in the Nagatoro R., Japan. 2165

of Agrilus ater. 1658

of Agriotes ponticus. 1659

of Alniphagus aspericollis in S. W. British Columbia, Canada, 2099

of alpine tundra Arachnida in Colorado, USA. 4730

of Anaphothrips validus. 5597

of Anopheles superpictus in Sulaimanyyah and Kirkuk Liwas, N. Iraq. 5989

of Anthophora edwardsii. 2817

of Apanteles flavipes in Chilo zonellus at □elhi, India. 278

of Aphanostigma piri in Krym, USSR. 5384

of aphidophagous Syrphidae, 1230

of aquatic Heteroptera of R. Grabia and its inundation area, Poland. 4934

of Balaustium putmani. 3549

of Bembidiini on river banks in C. and N. Norway. 4093

birds in relation to overwintering populations of Diatraea grandiosella in Mississippi, USA. 4851

of Bracon mollitor in the laboratory. 1656

of British Pseudoscorpiones. 4854

of British Psocoptera, 4435

of Čalovo virus in artificially infected of Anopheles maculipennis messeae. 5356

of G. European Clytrinae and Cryptocephalinae. 4030

of Chilo agamemnon, 5981

of Chironomus salinarius larvae in W. Norway. 2667

of Conophthorus ponderosae. 4703

of Cosmobaris americana, 4710

of Curculionidae in meadows and clover fields. 6043

of Dendrolimus spectabilis in Kyoto, Japan. 4035

of Dendrosoter protuberans. 4779, 5466

of Diatraea grandiosella larvae in Zea mays stalks in Louisiana, USA, 2814

of Diplopoda in a Cheshire (England) wood. 4839

of Draeculacephala mollipes. 4711

of Euxoa tristicula. 2701

in relation to fat-content in Odontopus calceatus. 3125

fat storage in midgut wall in Tetranychus urticae, 4517

glycerol content in relation to cold-hardiness in Pterostichus brevicornis. 4548

of Gonepteryx cleopatra in Malta. 5382

of Grapholitha molesta. 4081, 5507

in relation to high palmitoleic acid content of lepidopteran larvae. 1121

of Humerobates rostrolamellatus. 3123

of Hylobius pales in C. Pennsylvania, USA. 4738

of Hypera postica in W. Virginia, USA. 5376

of Insecta in Cronartium fusiforme cankers. 4065

of inseminated of Anopheles punctipennis in

# Overwintering, contd.

California, USA, 4744

- of Ips cembrae in N. E. Scotland. 4036
- of Kuzinia laevis, 5381
- of Lamyctes and Lithobius in Iceland, 4928
- of Lithophane laticinerae, 3541
- location of overwintering larvae of Medetera aldrichii on Pseudotsuga menziesii. 4745
- of Megabothris turbidus, 2086
- of Melanotus fusciceps. 1659
- of Melecta separata callura. 2748
- of Microplitis feltiae. 4713
- of Musca domestica vicina in Chengtu, China.
- Myzus persicae not overwintering on Capsella bursapastoris. 3161
- number of winters overwintered for emergence in Saturnia pavonia, 5979
- of Nymphalis antiopa. 6024
- of Oligonychus ununguis in Finland, 5977
- of Otiorrhynchus ovatus. 4720
- of Oxytelus rugosus. 5367
- of Pachylobius picivorus in S. Carolina, USA.
- of Pamphilius ochreipes in Ontario, Canada. 4044
- of Papilio demoleus, 5971
- of Pardosa concinna in cocoon. 4730
- of Paropsis charybdis, 3553
- of Petrobius brevistylis and maritimus. 5475
- of Petrobia latens. 4718
- of Philonthus fuscipennis. 5367
- physiological conditioning of overwintering Q Anopheles freeborni in California, USA. 3518
- of Phytobia larvae in Fraxinus americana. 3587
- of Pissodes approximatus in C. Pennsylvania, USA, 4738
- in relation to population dynamics of Eurygaster integriceps, 5505
- in relation to potential freezing temperature distribution in Insecta. 5884
- of Protocalliphora metallica as adult in Delaware, USA, 753
- of Pseudatomoscelis seriatus in Rio Grande Valley, USA. 2798
- of Psilococcus parvus. 2713
- of Ranzovius moerens, 3188
- required for development of reproductive system in Sitona cylindricollis. 4628
- resistance of larval muscles to NaCl in relation to diapause and overwintering in Laspeyresia pomonella, 1620
- of Rhodnius prolixus in San Antonia area, Texas, USA, 4707
- of Satyrium sylvinus dryope. 4038
- of Sesamia cretica, 5969
- of Siphonaptera in Belorussia. 1809
- sites for Metaseiulus occidentalis in peach orchards. 5383
- of soil Pseudoscorpiones in leaf-litter, 4854

- stages of Aleurocanthus spiniferus at Ooshima, Japan. 4729
- stages of Culex in Highveld region of Republic of S. Africa. 756
- stages of Finnish Macrolepidoptera. 1673
- supercooling points and mannitol and glycerol contents of overwintering eggs of Aphidoidea. 1568
- supercooling point of overwintering eggs of Zeiraphera diniana. 1585
- of surface-dwelling Collembola in coniferous forest soil. 2160
- of synanthropic Diptera in Tyan'-Shan' Mts., Kirgizia, USSR. 4860
- of Tarachidia candefacta. 6019
- temperature rhythm regulating diapause in Saturnia pyri. 5926
- of Tenuipalpus eriophyoides on Phoenix dactylifera in Iraq. 5370
- of Tetanocera clava, plebeia and valida. 4716
- of Thanasimus dubius. 3537
- of Tiphia berbereti. 4734
- of Toumeyella liriodenderi. 3535
- of Ulobaris loricata in Romania. 2098
- in a unisexual population of Phenacaspis pinifoliae. 841
- Ovex, control of Neoschoengastia americana on turkeys, 5348

#### Ovicides,

aliphatic amines ovicidal in Aedes aegypti. 2685 laboratory methods for testing. 5358

# Oviducts,

- alkaline phosphatase present in Schistocerca gregaria. 4006
- sperm retention in artificially inseminated queen Apis mellifera. 3478
- Oviparity, in Pentalonia nigronervosa in W.Bengal. 4066

## Oviposition,

- of Acrobasis comptoniella. 4037
- in relation to adult of paragonial substance of Drosophila melanogaster. 4009
- aggregation pheromone and response in o Schistocerca gregaria, 5320
- of allatectomized  $\varrho$  Melanoplus sanguinipes. 3511
- of alpine tundra Arachnida in Colorado, USA. 4730
- of Amblymerus bruchophagi. 4705
- of Amblyseius fallacis. 4708
- of Amradiplosis allahabadensis, 4023
- of Amrasca splendens. 4714
- of Anaphothrips validus. 5597
- in relation to artificial lighting in Heliothis. 2573
- attractancy of Juniperus virginia to predaceous Coccinellidae, 2084
- in relation to availability of oviposition site in Callosobruchus. 4116
- behaviour of Blattodea. 5269
- behaviour of Campoletis perdistinctus in relation

Oviposition, contd.

to Lepidoptera, 5413

behaviour of Dysmachus fuscipennis. 2092

behaviour of Empoasca fabae on Vicia faba. 4657

behaviour of Goes tigrinus on Quercus alba. 733

behaviour of Hylemya seneciella. 3521

behaviour of Hyposoter pilosulus. 5412

behaviour of Leucostoma simplex in relation to Nabis americoferus, 4702

behaviour of Megachile rotundata, 4017

behaviour of Melecta separata callura. 2748

behaviour of Monostegia abdominalis. 4063

behaviour of Oncopera, 4652

behaviour of Orthosia advena. 4654

behaviour of Phanerotoma flavitestacea in relation to arrhenotoky, 5371

behaviour of Polistes biglumis and P. snelleni.

behaviour and sites of Chrysomya rufifacies,  $4040\,$ 

behaviour of Spodoptera mauritia acronyctoides.

behaviour of Tetrastichus incertus in relation to Hypera postica, 5324

behaviour of Tettigonioidea in Trinidad (W. Indies).

behaviour of Trichogramma minutum in relation to age of host eggs. 2750

in Bombus, 4871

bovine blood of diet in relation to oviposition rate in Musca autumnalis, 5316

of Bracon mollitor, 1656

in relation to brain neurosecretion of Iphita limbata, 5128

cage for large-scale egg-production by Coccinella
septempunctata, 5112

cage for Laspeyresia pomonella. 3378

cage for studying oviposition behaviour of Hylobius rhizophagus. 1954

cage for uniform oviposition by Liriomyza munda on exposed plants. 5097

of Cardiaspina densitexta, 5362

in relation to Carya pecan foliage in Gretchena bolliana. 5126

of C. European Clytrinae and Cryptocephalinae. 4030

of Ceratiscada canaris sp. n. 5755

of Chelonus curvimaculatus in Phthorimaea operculella, 791

of Chilo zonellus on bajra, maize and sorghum.
4798

by Chironomidae in new habitats of L. Kariba, Africa, 4087

of Chironomus salinarius. 1221

circadian rhythm in Chorthippus curtipennis. 5310

circadian rhythm in Zeiraphera diniana. 1028

by Coccinella septempunetata in enlarged oviposition cage. 5112

of Contarinia pisi. 4029

of Crabro advenus and C. latipes. 4021

in relation to crowding in Dermacentor nitens. 5294

of Dacus tryoni, 1217

of Dasyneura ignorata in C. Bohemia. 324

of Dendrosoter protuberans. 4779

diel periodicity in Diapheromera femorata. 745 in relation to diet in Amblyseius chilensis and

A. hibisci, 5313

distribution of Neodiprion sertifer egg-clusters in a pine plantation. 2728

diurnal periodicity in Euxoa ochrogaster, 4034

of Draeculacephala mollipes. 4711

duration in Hypera postica isolated after mating. 3527

in relation to duration of laboratory rearing in Ostrinia nubilalis, 815

of Ectomyelois ceratoniae. 5288

of Ectropis bhurmitra. 2164

of egg parasites of Entypotrachelus meyeri and E. micans on tea and Cinchona. 2755

of Empoasca fabae on Solanum and Vicia faba.  $740\,$ 

of Empoasca fabae on soybean in relation to plant pubescence. 814

of Ephydra bruesi on Zygogonium ericetorum. 3621

of Eumerus strigatus. 291

of Eurytoma martellii. 3114

in relation to  $\phi$  accessory gland in Chrysopa perla. 4644

of Gilpinia hercyniae. 5369

of ground-dwelling Theridiidae. 1215

of Gryon flavipes. 5375

of Gymnoscelis pumilata. 5970

of Haematobia irritans. 3540

of Hedychridium solierellae. 4740

of Holotrichia diomphalia, 5366

in relation to host density in Eulophidae. 2115

host suitability in Eucarcellia rutilla. 1265

of hybrid, inbred and outbred Musca domestica.
4411

of Hylobius pales in C.Pennsylvania, USA. 4738

of Hypera postica in relation to Medicago sativa growth in Ohio, USA, 4846

by Hypera postica on plants other than Medicago sativa. 2692

of Hypoderma, 2693

of Hyposoter placidus. 5990

larval haemolymph fraction of Galleria mellonella inducing oviposition in Itoplectis conquisitor and Pimpla turionellae. 716

of Lespeyresia caryana in relation to presence of pecan nuts. 2699

of Lema trilineata daturaphila. 4712

of Leptocorisa oratorius, 4103

in relation to light-dark cycles in Plodia interpunctella. 4619

of Lipara lucens on Phragmites communis. 4820 in relation to of accessory secretion in Musca

#### Oviposition, contd.

domestica, 259

in relation to mating and presence of spermatophore in Plodia interpunctella. 4619

medium for Scolytus multistriatus. 2556

of Megachile rotundata. 2819

in Microplitis croceipes, 3548

of Microplitis feltiae. 4713

mortality due to in Anagasta kuehniella. 4111

of Musca domestica nebulo. 1206

of Nemesia caementaria, 5959

of Nephytia phantasmaria. 2703

neurohormonal control in Apis mellifera. 5314

of Nomia melanderi. 4864

in relation to nuclear polyhedrosis in Trichoplusia ni. 1204

of Odites artigena, 5368

in relation to organic wastes in Culex pipiens quinquefasciatus. 6036

of Orgilus lepidus. 2702

of Orius indicus. 4715

by Oscinella frit on oat seedlings. 2695

of Otiorrhynchus ovatus. 4720

of Oxyteles rugosus. 5367

of Panonychus ulmi. 5976

of parasites of Scolytus multistriatus. 4779

pattern of Anthonomus grandis in Arizona, USA. 3552

patterns of Lepidoptera in relation to ecology and life-history. 735

of Petrobia latens. 4718

of Philonthus fuscipennis. 5367

of Phyllocnistis citrella. 5378

of Pieris krueperi on Alyssum. 5141

of Pieris rapae. 1651

of Pissodes approximatus in C. Pennsylvania, USA. 4738

of Pityophthorus orarius on Pseudotsuga menziesii. 4059

in relation to plant vigour in Manduca sexta. 5134

of Polydesmus angustus. 4663

of Polydorus aristolochiae. 4747

of Polynema. 4702

population density at the oviposition site in Scatophaga stercoraria. 3531

in relation to population level in Callosobruchus chinensis, 4116

population and plant factors for Atherigona varia soccata in relation to sorghum. 3530

in relation to presence of other members of sp in Locusta migratoria cinerascens. 1648

of Pseudolopyga taylori. 4740

of Psilococcus parvus. 2713

of Psylla pyricola on Plantago major. 4795

quebrachitol of Pappea capensis leaves not an attractant for ovipositing Serrodes partita. 1260

responses of laboratory-reared Manduca sexta to artificial oviposition sites, 4661

of Saccharosydne saccharivora. 2719

of Satyrium sylvinus dryope. 4038

of Scopula ochroleucaria. 5972

seasonal fluctuations in Pieris in S. Australia. 3995

seasonality in Hypera postica in Ohio, USA. 739 selection by Microplitis croceipes in relation to Heliothis. 5424

selection of oviposition site in Hippelates dissidens. 4651

of Sesamia cretica. 5969

sex-ratio in Itoplectis cristatae in relation to oviposition behaviour, 1349

site selection in Sitophilus. 5321

sites for Dioryctria abietella on Pinus elliotti var. elliottii. 4656

in Solierella blaisdelli and S. peckhami. 4740

space and time relationships in Scatophaga stercoraria. 3532

of Steatoda bipunctata. 5954

structure of ovarioles during pre-oviposition period in Musea domestica nebulo. 4589

by Stylogaster on Calypteratae associated with ants and animal dung, 1268

substrates for Laodelphax striatellus. 5776 surrogate leaf for oviposition by Manduca sexta. 5134

of Tabanidae in relation to vegetation height in a New Jersey (USA) salt-marsh, 4828

in relation to tarsal chemoreceptors in Danaus gilippus berenice. 3410

in relation to temperature in Drosophila. 5308 temperature optimum for Drosophila melanogaster. 4091

of Termatophylum insigne. 5983

of Tetranychus evansi. 743

of Tetrastichus flavigaster. 4741

of Teutana grossa. 5954

of Thomasiella tomentosae. 4027

of Trichogramma cacoeciae and T. evanescens. 5407

variation with host in Acridomyia sacharovi and Blaesoxipha lineata, 4793

voluntary control of egg fertilization in Megachile rotundata, 4017

in Voria ruralis. 3536

in relation to Zea mays hybrids in Dalbulus maidis and Graminella maidis. 727, 728

Ovis (Artiodactyla) (sheep),

incidence of Demodex in eyelids in southwestern USA. 1698

occurrence of Oestrus ovis in C. Iraq. 4856 population dynamics of Damalinia ovis. 1293 Simulium feeding on at Darjeeling, India. 4821

Ovis aries musimon (Artiodactyla), host of Ixodes trianguliceps in Netherlands, 2757

Ox, see Box taurus

Oxaea flavescens (Hym., Andrenidae), rectal pads. 5215

#### Oxalic acid.

phagostimulant for Gastroidea viridula larvae. 5786

response of mouthpart receptors in Locusta migratoria migratorioides and Schistocerca gregaria. 2731

Oxaloacetate, in relation to malate dehydrogenases activity in Drosophila virilis, 4544

#### Oxidases.

detoxification of thioether N\*methylcarbamates by mixed\*function oxidases in Musca domestica and Culex, 5157

distribution of multi-function oxidases in Insecta.
4582

endogenous inhibitor of microsomal mixedfunction oxidases in Prodenia eridania. 3930

phenoloxidase activity at puparium formation in "lozenge" mutants of Drosophila melanogaster. 4899

Oxidation lagoons, insect fauna in Missouri, USA. 1738, 3199

4-Oxo-trans-hex-2-enal, in odoriferous secretion of Libyaspis angolensis. 1155

9-Oxodec-2-enoic acid, absent from queen Myrmica rubra. 1614

9-Oxodec-trans-2-enoic acid, present in queen Apis. 5867

4-Oxohex-trans-2-enal, present in scent-gland reservoir of larval Pternistria bispina. 5264

Oxya chinensis (Orth., Acrididae), morphology of head and mouthparts. 150

Oxybelus maculipes (Hym., Sphecidae), new for Romania, 2217

Oxycarenus (Het., Lygaeidae),

of Africa revised and keyed and new taxa described. 4318

host-plants of African spp. 4318

Oxycera hispanica sp.n. (Dipt., Stratiomyidae), described, 1864

Oxycetonia jucunda (Col., Scarabaeidae), daily fluctuations in visits to citrus flowers. 4742

Oxychirus camerunus (Col., Phaenomerididae), from Ivory Coast. 482

#### Oxydemeton-methyl,

control of Brevicoryne brassicae in cabbage and cauliflower in W. New York, USA. 5336 control of Macrosteles fascifrons. 4830

Oxydendrum arboreum (Ericaceae) (sourwood), feeding by larval Peltoperla maria. 4755

Oxyethira fagesii (Trich., Hydroptilidae), on Phragmites and Typha in Danube Delta, Romania. 2824

## Oxygen,

anoxia in relation to X-ray-induced chromosome changes in Drosophila melanogaster oocytes. 391

apholate in relation to consumption by Musca domestica eggs. 244

atmospheric  $O_2$ -pressure in relation to pterine synthesis in Mylothris. 1583

atmospheric proportion in relation to storedproduct insects. 5257

circadian rhythm of consumption in whole colonies of Cubitermes. 4866

concentration in relation to activity patterns in trichopteran larvae. 3542

concentration in relation to alternation of generations in Heteropeza pygmaea. 3520

concentration in relation to larval mortality of Ephemerella rotunda. 1997

concentration in relation to net-spinning in Hydropsyche instabilis. 3118

consumption in relation to acclimation in Ptinus tectus and Tenebrio molitor. 5888

consumption of Arachnida, 4503

consumption of Baetisca laurentina. 172

consumption of Calopteryx, 172

consumption in relation to CC. 5898

consumption in Cicadella viridis. 5850

consumption of Cryptocercus punctulatus. 4565 consumption in relation to development in

Heliothis zea. 4505

consumption in eggs of terrestrial insects. 5791

consumption of Ephemera simulans. 172

consumption of Eylais hamata. 3909

consumption during flight in Apis mellifera. 3870

consumption of Hetaerina. 172

consumption in relation to index-organism classification of aquatic insects. 172

consumption of larval Anax junius. 3427

consumption of larval Hypoderma bovis. 5311 consumption of larval and pupal Galleria mell-

onella in relation to Bracon envenomation. 209

consumption of larval Pycnopsyche. 3907 consumption of Leptophlebia. 172

consumption of Macronemum zebratum. 172

consumption of Nothrus silvestris. 2000 consumption of overwintered adult Perillus

bioculatus. 2642

consumption of Paragnetina media. 172 consumption of Periplaneta americana under starvation. 1998

consumption of Popilius disjunctus. 4565

consumption of Potomanthus. 172

consumption of Pteronarcys pictetii. 172

consumption during pupal diapause in Celerio lineata. 4602

consumption of Pycnopsyche guttifer. 172 consumption in relation to sterilizing levels of

tepa in Musca domestica, 4564 consumption of Taeniopoda eques, 171

consumption in relation to temperature acclimation in Culex pipiens. 3910

consumption by Tenebroides mauritanicus at redued atmospheric pressure. 2608

consumption of Tipula. 172

diet and neurosecretion in relation to consumption in Oncopeltus fasciatus. 3424

Oxygen, contd.

in relation to frequency of X-ray-induced somatic crossing-over in Drosophila melano-gaster. 1339

high tensions in relation to dorso-longitudinal muscle development in Antheraea pernyi.

hypoxia in relation to spiracular behaviour in Aedes. 4504

low tensions in relation to respiratory metabolism of larval Donacia simplex. 1087

in relation to mutation frequency in irradiated spermatogenetic cells of Bombyx mori. 3669

post-treatment in relation to mortality of Xirradiated Drosophila eggs and occytes. 247, 248

in relation to X-ray-induced aberrations in Drosophila spermatozoa and spermatids. 266

resistance to anoxia in Drosophila melanogaster larvae heterozygous for induced mutations.

respiration rate in relation to partial pressure in adult Donacia simplex. 5213

in relation to sperm activation and movement in Cimex. 1210

spiracular responses of Aedes. 4506

Oxygonia (Col., Cicindelidae), included in Prothymina. 27

Oxymonas (Protozoa), ultrastructure in Kalotermes dispar. 4129

Oxyopes (Arach., Aran., Oxyopidae),

new spp described. 6, 959

Tadzhikistan (USSR) spp keyed. 959

Oxyopidae (Arach., Aran.),

new spp from New Guinea. 502 predaceous on Choristoneura pinus in Michigan, USA. 3615

of Tadzhikistan (USSR). 959

Oxyoppia gen.n. (Acari, Oribatei), established. 1391

Oxypoda (Col., Staphylinidae), British list revised. 5570

Oxytelus rugosus (Col., Staphylinidae), biology and ecology. 5367

Oxytetra cycline,

effects on Rhodnius prolixus. 2120

induction of puffs in Chironomus thummi. 5532

Oxythioquimox, control of Trialeurodes vaporariorum on cucumber, 5351

Oxythrips occitanus (Thysanopt., Thripidae), syn.n. of O.ulmifoliorum. 3018

P

Pachlioptera aristolochiae (Lep., Papilionidae), extraction of aristolochic acid-1.186

Pachnoda (Col., Scarabaeidae), new African taxa. 5650

Pachybrachis (Col., Chrysomelidae), Italian and European spp revised and keyed and new spp described. 5636

Pachycarabus staehlini kodorii subsp.n. (Col., Carabidae), described. 5627

Pachydiplosis oryzae (Dipt., Cecidomyiidae), development and larval habits on rice. 4061 parasites and predators. 4101

Pachyelmis tibialis (Col., Elminthidae), described.

Pachyiulus cassinensis (Myriap., Diplop.), status of named subspp. 3273

Pachyiulus foetidissimus, distribution in mixed forests of N.Kavkaz, USSR. 5396

Pachylaelaps islandicus sp.n. (Arach., Acari), described. 957

Pachylobius picivorus (Col., Curculionidae), dispersal and phenology in S.Carolina (USA) populations. 4725

Pachylus quinamavidensis sp.n. (Arach., Opil., Gonyleptidae),

described. 2471

origin of globuli of corpora pedunculata. 3090

Pachymeria ringdahli sp.n. (Dipt., Empididae), described. 538

Pachymerium (Myriap., Chil., Geophilidae), Romanian spp revised and key to spp. 1952

Pachymerium antipai sp.n., described. 1952 Pachymerium tabacarui sp.n., described. 1952

Pachymeta simplex (Lep., Lasiocampidae), type of Ochrochroma gen.n. 4372

Pachynematus (Hym., Tenthredinidae), albipennis, vagus and xanthocarpus new for Romania. 2217

Pachyneuron (Hym., Pteromalidae), parasitic on aphidophagous Syrphidae in Gujarat, India. 319

Pachyneuron siculum, hyperparasitic on Homalotylus flaminius in Chilocorus bipustulatus in Israel. 1701

Panonychus (Col., Chrysomelidae), Melsheimer
the author of. 2904

Pachyschelus (Col., Buprestidae), new spp described. 3298

Pacific Ocean, air-borne insects captured on ships. 2132-2134

Paczoskia budhium sp.n. (Hom., Aphididae), described. 2978 Paddy, see Oryza sativa

Paddy borer, see Tryporyza incertulas

Paecilomyces farinosus (Fungi),

attacking Bupalus piniarius pupae in Poland in 1964-1968.5417

collection, preservation and insect hosts. 4056

Paedephemera (Ephem., Hexagenitidae), systematic position. 3324

Paedephemera oppenheimi, syn.n. of Ephemera multinervosa. 3324

Paedephemera schwertschlageri, type-sp of Olgisca gen.n. 3324

Paedephemeridae (Ephem.), syn.n. of Hexagenitidae. 3324

Paedephemeridea (Ephem.), syn.n. of Siphlonuroidea. 3324

Paederus (Col., Staphylinidae), biology and ecology in India. 285

Paederus illiesi sp.n., described. 2923

Paederus politus, new for New Guinea. 2923 Paedogenesis,

in Aprionus. 3962

environmental conditions determining in Heteropeza pygmaea. 3520

Paenicotechys gen.n. (Het., Enicocephalidae), established. 2512

Pakistan,

biology and control of Chilo partellus in Peshawar. 1657

biology of Brachycoryphus nursei in Karachi. 2114

bottom fauna of Korang Stream, Rawalpindi . 2171

Culicidae new for Lahore Division. 4075

ecology of Culicidae in Changa Manga National Forest. 4075

geographical and seasonal variation in susceptibility of Anopheles to Plasmodium cynomolgi. 3625

Hyalomma a.anatolicum on buffalo and cattle in Lahore. 5422

Ixodidae from buffalo and cattle in Lahore. 5423

Nemopteridae new for . 1942

new Aleyrodidae from. 3784

new Anoetidae from . 3722

new Cicadellidae from . 998, 3793, 4331

new Coreidae from . 3780

new Laelapidae from . 4228

new Megachilidae from . 5735

new Mymaridae from . 3807

new Pentatomidae from . 1440

new Ulidiidae from . 5687

Nirvaninae new for . 4331

Parisomias revised and keyed. 971

Zygina of. 3793

Paktia gardezae gen. et sp.n. (Orth., Pamphagidae), described. 5086

Palaearctic Region,

Acari and Insecta injurious to crops in Middle

Palaearctic Region, contd.

East. 4062

Aedes thibaulti new for . 4927

Amara (Zezea) revised. 5622

Chamaemyia reviewed. 5668

Clytra discussed. 4269

Delphax keyed. 5702

Dialineura reviewed. 546

distribution of Agabus melanocornis. 2489

distribution of Agrion ornatum. 3038

distribution of hybrid races among Pieris. 1796

Eurhadina revised. 2985

genera and subgenera of Anthidiinae. 5734

geographical distribution of damage potential of Schistocerca gregaria. 3157

host index for Roepkea. 3335

identity of Cicadellidae transmitting curly top of sugar beet in Near East. 4333

Iziphya revised. 3789

Leptobium of W.Palaearctic revised. 2924

Longitarsus of W.Palaearctic revised. 4271

Melagria of W.Palaearctic revised and keyed. 3314

Metacantharis revised. 4261

Nemopteridae revised. 1942

new Anthomyiidae from . 2937

new Cantharidae from . 4261

new Cicadellidae from . 2985

new Conopidae from . 1427

new hybrid race of Pieris. 1796

new Ichneumonidae from . 1454

new Pselaphidae from . 981

new Rhyacophilidae from . 5774

new Staphylinidae from W.Palaearctic. 2924,

5514

new synonymy within Scolytus. 5016

Organinae reclassified. 1002

Ornithomyia comosa new for. 4930

Roepkea reviewed. 3335

Scaphisomini partly revised. 3748

Scolytidae of Cedrus in N.Africa and Near East.

Subgenera Stenocrotaphon and Symboethus of Tryphon keyed. 4357

11 y priori Reyear 1007

taxonomy of Anastoeelus. 4298

Toxidiini revised. 3747

Trixoscelis keyed. 5686

Tryphon reviewed. 1454, 4357

zoogeography of ichneumonid genera with 1-2 spp in Europe. 4193

Palaeodipteron walkeri (Dipt., Nymphomyiidae), Canadian distribution, larva and life-history.

Palaeoeneis (Col., Coccinellidae), transferred to Plotini and revised. 1848

Palaeoeneis coccinea, type-sp of Haemoplotina gen.n. 1848

Palaeogryon muesebecki gen. et sp.n. (Hym., Scelionidae), described. 1927 Palaeolecanium bituberculatum (Hom., Coccidae), biology and ecology in Armenian SSR, USSR. 4825

Pales weevil, see Hylobius pales

Palestine,

Chrysididae of. 5723

new Chrysididae from . 5723

Palexorista quadrizonula (Dipt., Tachinidae), redescribed. 4054

Pallifera (Mollusca, Stylommatophora), larval biology of Tetanocera clara. 4716

Pallopteridae (Dipt.), 58

Palmae (Monocotyledones), Triatominae on in Uberaba Municipality, Minais Gerais, Brazil. 5511

Palmitic acid,

in relation to age in larval lipid of Acheta domestica. 3507

in relation to JH titre during metamorphosis in Hyalophora cecropia. 4623

in leaves of Cheirodendron gaudichaudi in Hawaii in relation to Drosophila. 647 metabolism in adult o' Schistocerca gregaria.

3456

Palmitoleic acid, concentration in lepidopteran larvae. 1121

Palomena prasina (Het., Pentatomidae), xanthopterin in integument. 5248

Palpigrada (Arach.), 2581, 5523, 5562

of caves of Romania. 5562

soil-living Palpigrada recorded from Alps for first time. 5523

specialized setae on chelicerae and palps. 2581 Palpimanidae (Arach., Aran.), of Tadzhikistan, USSR. 959

Palpimanus sogdianus (Arach., Aran., Palpimanidae), o'described for first time. 959

Palpomorda paradoxa gen. et sp.n. (Col., Mordellidae), described. 5008

Palpomyia (Dipt., Ceratopogonidae), populations in waste-stabilization lagoons in Missouri, USA. 337

Paluda (Hom., Cicadellidae), new sp described. 5042

Pamakani fly, see Procecidochares utilis

Pammene ignorata (Lep., Olethreutidae), new for Denmark. 2871

Pamphagidae (Orth.), 3899, 5086, 5764

from Morocco. 5764 new for Morocco. 5764

tympanal organs. 3899

Pamphagulus (Orth., Acrididae), key to spp. 5764Pamphagus (Orth., Pamphagidae), designation of type-sp. 1023

Pamphiliidae (Hym.), 1378, 3623, 4044, 5868 of Poles'e of Belorussia. 1378

Pamphilius ochreipes (Hym., Pamphiliidae), foodplants, immature stages and phenology. 4044 Pamphilius phyllisae,

infestation of Quercus rubra in Pennsylvania,

Pamphilius phyllisae, contd. USA. 3623 larva and life-history. 3623 Pamphobeteus roseus (Arach., Aran., Dipluridae), proteolytic activity of venom. 5994 Panama (including Canal Zone). defensive behaviour of Orthopteroidea. 5390 ecological distribution and geographical replacement in Euglossa of C.Panama. 2811 feeding habits of Deinocerites . 5398 habits and populations of Nephila clavipes and Uloborus mundior. 2805 Leishmania braziliensis s.lato isolated from Lutzomyia panamensis. 4683 new Apidae from . 5050 new Braconidae from . 1450 new Culicidae from . 3767 new Gyropidae from . 3007 new Pompilidae from . 5738 new records for Ecitoglossa and Ecitoxenia. new Saturniidae from . 117

new Saturnidae from . 117

new Staphylinidae from . 5655

new Tabanidae from . 545

new Telegeusidae from . 2927

new Tipulidae from . 5685

records of Argas miniatus . 4219

Panaxia dominula (Lep., Arctiidae),

medionigra polymorphism . 3228

particles present in defensive fluid . 4457

Pandania (Col., Leiodidae), evolutionary relationships. 2483
Pandeleteinus (Col., Curculionidae), new records

and subcancer sp.n. described. 2911

Pandeleteius nodifer (Col., Curculionidae),

lectotype designated. 4277

Pandeleteius subtropicus, transferred to Scalaventor and lectotype designated. 4277

Pandemis (Lep., Tortricidae), larval foodselection. 1253

Pandinus gambiensis (Arach., Scorp.), postembryonic development. 5920

Panesthia (Blatt., Panesthiidae), new spp described. 3756

Pangoniinae (Dipt., Tabanidae), tribes, genera
and subgenera keyed. 545

Panicum (Gramineae),

damage due to Atherigona in Delhi, India. 4807 host of Ostrinia nubilalis in S.Carolina, USA. 2716

Panicum stafianum, preferred food of Hodotermes mossambicus. 854

Panolis flammea (Lep., Noctuidae), protection of tree-stands by fertilization in GFR. 4797

Panonychus citri (Arach., Acari, Tetranychidae), prey of Feltiella ? tetranychi. 1240

Panonychus ulmi,

biology in Giza, Egypt. 5976 control by petroleum oils on Anjou pears in Canada. 340 dispersal, instar number and sex-ratios. 5952 hatching from winter eggs. 5305

insecticidal control on apple. 4670

occurrence and transmission of virus disease.
4842

populations in apple orchards in Poland in relation to spraying. 5513

population dynamics in relation to spray programmes in Nova Scotia, Canada. 6046 predation behaviour of Tetranychus urticae

towards. 4028

prey of Balaustium putmani. 3549
prey of Typhlodromus mcgregori in apple
 orchards in Utah, USA. 2711

temperature in relation to diapause termination. 5305

temperature thresholds for development. 3997

Panorpa (Mec., Panorpidae), Romanian spp keyed.

1941

Panorpa alpina, Romanian distribution. 1941 Panorpa antiporum sp.n., described. 1941 Panorpa communis,

acanthae in proventriculus. 3915 carbohydrate metabolism in oocytes. 715 Romanian distribution. 1941 route of haemolymph-protein transport into oocytes. 1209

Panorpa germanica,

acanthae in proventriculus. 3915 Romanian distribution. 1941

Panorpa hybrida, Romanian distribution. 1941 Panorpa susteri sp.n., described. 4388 Panorpidae (Mec.), 715, 1209, 1941, 3915, 4388

Panotrogus nepalensis sp.n. (Col., Melolonthidae), described. 5004

Panstrongylus geniculatus (Het., Reduviidae), larval. 2058

Panstrongylus megistus,

bacteria from gut. 2005

from palms in Uberaba Municipality, Minais Gerais, Brazil. 5511

Trypanosoma cruzi from Desmodus r.rotundus infective in. 5967

Pantala flavescens (Odon., Libellulidae),

captured at weather-station "Tango" in the Pacific. 2133

predaceous on Chrysopa at Nankum, India. 4840 Pantochlora (Het., Pentatomidae), transferred to

Pantochlora (Het., Pentatomidae), transferred t Pentatominae from Tessaratomidae. 88

Paphagus rugosus (Hym., Scelionidae), status discussed. 2987

Papilio (Lep., Papilionidae),

diapause induction and termination. 1185 mating behaviour. 4653 osmeterial secretion of larva. 4749

Papilio aglaja Linnaeus 1758, homonymy. 1469,

Papilio charlotta Haworth 1803, proposal to make specific name official. 3810

Papilio dardanus, modifier genes in mimetic

Papilio dardanus, contd.

polymorphism. 1788

Papilio demoleus.

biology in relation to citrus in Sudan. 5971 development on Citrus medica and Psoralea

corylifolia. 237

hymenopteran parasites. 5971

Papilio demoleus sthenelus, new for Lord Howe I., Australia. 4925

Papilio ilioneus, seasonal occurrence on Norfolk I., Pacific Ocean. 4953

Papilio machaon, secretion and ultrastructure of osmeterium. 2043

Papilio mulciber Cramer 1777, type-sp of Trepsichrois. 3822

Papilio multicaudata, chromosome number. 866 Papilio polytes, early embryology. 1168

Papilio polyxenes, diapause induction and termination of diapause. 1185

Papilio protenor demetrius, rearing on artificial diets. 2012

Papilio saportae Huebner 1828/32 (Lep.,

Lycaenidae), proposed suppression of specific name. 1014

Papilio troilus, neural basis of colour vision. 5198 Papilio xuthus.

papiliochromes of wings. 4554

rearing on artificial diets without leaf powder.

Papiliochromes, I and II in wings of Papilio xuthus. 4554

Papilionidae (Lep.),

186, 237, 866, 913, 1036, 1168, 1185, 1788, 2012, 2043, 3545, 3820-3822, 4383, 4554, 4653, 4747, 4749, 4925, 4948, 4953, 5188, 5198, 5971

associated with pig carrion in S.Carolina, USA. 3545

extensions of ranges in Michigan, USA. 4948 osmeterial secretions of larvae. 4749

Papilionoidea (Lep.), distribution of Australian taxa. 2880

Papillacarus (Arach., Acari., Oribatei), key to spp. 3724

Papillomurus transequatoria (Collem., Isotomidae), described. 4291

Pappea capensis (Sapindaceae), quebrachitol of leaves a feeding stimulant for Serrodes partita. 1260

Papua,

Cromnocryptus revised. 2993 new Nymphalidae from. 1936

new Pygiopsyllidae from . 1949

Speleognathopsis galli new for . 3581

Papuan Subregion,

new Chrysomelidae from . 1846 new Melolonthidae from . 977

Papuana (Col., Melolonthidae), new spp described.

Parabaeus machadoi (Hym., Scelionidae), type-sp

of Angolobaeus gen.n. 5716

Paracaciella gen.n. (Col., Cerambycidae), established. 3300

Paracalanthis binnaburrense gen. et sp.n. (Col., Trogossitidae), described. 4985

Paracantharis gen.n. (Col., Cantharidae), established. 967

Paracapnia opis (Plec., Capniidae), ecology and life-history in Laurentides, Canada. 1668

Paracardiophorous sequens (Candèze 1873) (Col., Elateridae), Cardiophorus lewisi Fleutiaux 1902 syn.n. of. 972

Paracarus (Arach., Acari.), relationship with Adenacarus and Opilioacarus. 2466

Paracerocephala hirta gen. et sp.n. (Hym., Pteromalidae), described. 1925

Parachaea (Arach., Aran., Archaeidae), new spp described. 958, 3293

Parachaetocladius gen.n. (Dipt., Chironomidae), raised from subgenus. 2945

Paracladoxena rungweensis sp.n. (Col., Languriidae), described. 5000

Paracoccus burnerae (Hom., Pseudococcidae), host of Alamella kerrichi sp.n. 5724

Paracoenia turbida (Dipt., Ephydridae), biology and ecology. 768

Paracordulia sericea (Odon., Corduliidae), 9 described for first time. 5082

Paracornallis gen.n. (Col., Cerambycidae), established. 3300

Paracroria milloti sp.n. (Lep., Noctuidae), described. 3002

Paracurupira (Dipt., Blepharoceridae), syn.n. of Neocurupira. 3758

Paracymus (Col., Hydrophilidae), Mexican and C.American spp keyed and new spp described. 1411, 2914

Paracymus armatus, lectotype designation. 2915 Paradacrys spatulatum gen. et sp.n. (Col., Curculionidae), and P.ensiformis sp.n. described. 4277

Paradasyhelea olympiae sp.n. (Dipt., Ceratogonidae), described. 61

Paraderpas gen.n. (Col., Cerambycidae), established. 23

Paradichosia (Dipt., Calliphoridae), new for USSR and USSR spp keyed. 6122

Paradichostathes mirei gen. et sp.n. (Col., Cerambycidae), described. 1407

Paradis (Hym., Ichneumonidae), minutus corsicato: subsp.n. described. 3804

Paradrymadusa bucharica sp.n. (Orth., Tettigoniidae), described. 1478

Paragnetina media (Plec., Perlidae),

ecology and life-history in Laurentides, Canada 1668

O2-consumption of larva. 172

Paraguay,

Brentidae of. 965

new Discolomidae from . 2488

Paraguay, contd.

new Miridae from . 5708

new Nitidulidae from . 2493

new records of Eriophyidae. 4204

Phytocoris from . 5708

records of Argas persicus. 4219

Paragus quadrifasciatus (Dipt., Syrphidae), new for Romania. 2210

Paragus serratus, first record from Gujarat, India, and parasites there. 319

Parahomalopoda derceto sp.n. (Hym., Encyrtidae), described. 5053

Parakoebelea (Hym., Torymidae), from Ficus gnaphalocarpa. 2128

Paralabidocarpus artibei (Arach., Acari, Listrophoridae), on Stenoderma rufum darioi and Artibeus j.jamaicensis in Puerto Rico. 5607

Paralabis ryukyuensis sp.n. (Derm., Labiduridae), described. 54

Paralastoroides de Saussure 1856 (Hym., Eumenidae), suppressed. 3801

Paraleaster coreanus (Col., Staphylinidae), from limestone caves of S.Korea. 2826

Paraleuctra purcellana (Plec., Leuctridae), new for Wyoming, USA. 3355

Paraligoneurus (Hym., Braconidae), transferred to Muesebeckiini trib.n. 1907

Paralimnus confuscus (Hom., Cicadellidae), Q described for the first time. 1443

Paraliochthonus singularis (Arach., Pseudoscorp.), discontinuous distribution. 439

Parallelodiplosis (Dipt., Cecidomyiidae), Profeltiella orientalis transferred to . 2941

Paralobesia viteana (Lep., Olethreutidae), continuous mass-rearing. 2095

Paralosalda innova gen. et sp.n. (Het., Saldidae), described. 2975

Paralysis,

of host by Tetrastichus flavigaster. 4741

of Nysius by Solierella. 4740

of Pectinophora gossypiella larvae by Microbracon kirkpatricki. 5991

stinging pattern in prey-paralyzation by Podalonia hirsuta. 4501

Paramenia (Dipt., Calliphoridae), of Bismarck Islands, Moluccas, New Guinea and Philippines. 2864

Paramenthus (Arach., Pseudoscorp., Menthidae), key to spp. 2472

Parametriocnemus graminicola (Dipt., Chironomidae), lectotype designation. 5669

Paramordellaria ivoirensis gen. et sp.n. (Col., Mordellidae), described. 41

Paranauphoeta (Blatt., Perisphaeriidae), new spp described. 3756

Parancistrocerus (Hym., Eumenidae), Vespa binotata Fabricius transferred to. 3346

Parancyra splendens (Hom., Eurybrachidae), syn.n. of Harmosa bivulneratum. 1003, 1899

Paranommatus (Col., Colydiidae), new spp

described. 1849

Paranthrene (Lep., Sesiidae), predation by woodpeckers in Arkansas and Mississippi, USA. 1312

Parapalaeosepsis (Dipt., Sepsidae), revised, new spp described and key to spp. 2506

Paraperinthus (Col., Staphylinidae), revised and new spp described. 4287

Paraperinthus sheasbyi sp.n., integumentary glands. 4287

Paraphaenocladius debilipennis comb.n. (Dipt., Chironomidae), lectotype designation. 5669

Paraphenice decellei sp.n. (Hom., Derbidae), described. 490

Paraplotina flavomaculata gen. et sp.n. (Col., Coccinellidae), described. 1848

Parapomecyna gen.n. (Col., Cerambycidae), established. 23

Parapsectra nana gen. et sp.n. (Dipt., Chironomidae), and P.uliginosa sp.n. described. 2504

Parapygmephorus (Arach., Acari,, Pyemotidae), parasitic on Agapostemon nasutus in Costa Rica. 3193

Pararchaea (Arach., Aran., Archaeidae), new spp described. 3293

Pararge megera (Lep., Satyridae), biology and rearing. 3360

Parargus emeljanovi sp.n. (Hom., Cicadellidae), described. 5044

Parasarcophaga (Liosarcophaga) (Dipt., Sarcophagidae), new spp described. 4310

Parascarabaeus tonkineus (Col., Scarabaeidae), svn.n. of Sceliages augias. 1851

Parascatopse (Dipt., Scatopsidae), spp keyed. 76 Paraschizaphis (Hom., Aphididae), of Denmark. 2869

Parasinota (Dipt., Curtonotidae), syn.n. of Curtonotum. 2947

Parasitidae (Arach., Acari),

poultry manure removal in relation to populations in N.California, USA. 4836

role in control of Diptera in caged-poultry houses. 5350

Parasitism,

abundance of Conops ceriaeformis in S.E. London, England, and biology. 3260

Acari ectoparasitic on small mammals in C.Sweden. 4186

Acari parasitic on wild mammals in Netherlands. 2757

Acari and Siphonaptera associated with Apodemus sylvaticus thuleo on Foula, Shetland Islands. 5594

Acarus farris hypopi on parasitic Hymenoptera in Poland. 3572

acridiophage Diptera in Provence, France. 316 action of midgut contents of larval Hypoderma bovis and H.lineatum on host tissues. 1273 adaptations to parasitic habit in

Pygiopsyllidae. 1949

adaptations to parasitic habit in Trichogramma cacoeciae and T.evanescens. 5407

Adelencyrtoides gen.n. parasitic on Diaspididae in New Zealand. 2990

Afrephialtes revised. 2994

age in relation to attachment rate of Amblyonma americanum. 4780

age of Cadra cautella eggs in relation to parasitism by Trichogramma evanescens. 2759

altitude distribution of Tabanidae in Dagestan, USSR . 5476

Anagrus sp parasitic on Sogatella furcifera eggs on rice in India. 1276

Anagyrina of Hawaiian Is. reviewed. 3800

of Anagyrus mirzai on Pseudococcus citri. 288

Anicetus toumeyella parasitic on Toumeyella liriodendri. 3535

Anoura geoffroyi host of Chirorhynchosia matsoni sp.n. 4221

on Anthophora edwardsii in California, USA.

antihistamine and tranquillizing drugs on relation to cattle resistance to Boophilus microplus. 3576

of Apanteles congregatus on larval Manduca sexta. 793

of Apanteles flavipes on Chilo zonellus at Delhi, India. 278

Apanteles sp parasitic on Eucosma monitorana larvae. 2762

Aphidius attacking Acyrthosiphon pisum keyed.
4446

Aphidoidea and their parasites on Quercus in Kurdistan, Iraq. 2121

Aphycomorpha aspidioti sp.n. from New Zealand. 2991

Aphycus apicalis parasitic on Phenacoccus aceris in Alpes-Maritimes, France. 5408

of Aphytis on Coccoidea in Libya. 312

Aphytis sp parasitic on Chrysomphalus dictyospermi in Egypt. 6034

Archenomus arabicus sp.n. from Parlatoria blanchardi. 5721

Argas hermanni and A.beklemishevi on birds in USSR. 4218

Argas miniatus, persicus, radiatus and sanchezi redescribed and New World records. 4219

Argas streptopelia sp.n. described, and recorded from migrating and resident doves in Senegal. 4220, 4777

Argas theilerae sp.n. parasitic on Gyps africanus in Republic of S.Africa. 3283

of Arrenurus agrionicolus and A.mitoensis in relation to Cercion hieroglyphicum. 1299

association of Musca autumnalis with hoofed mammals in Montana, USA. 4701

ataxia prevented in heifers treated with systemic insecticides against Hypoderma

bovis. 4790

Atemeles pubicollis on Formica and Myrmica. 4052

Bakericheyla chanayi on fringillid birds in California, USA. 317

behaviour of Braunsapis towards Echthrodape africana parasitic on them. 1504

behaviour, ecology and life-cycle of Proctolaelaps nauphoetae in relation to Nauphoeta cinerea. 1667

behaviour and ecology of Melecta separata callura. 2748

biological evaluation of European cultures of Anaphes flavipes. 5363

biology and African distribution of Pediobius furvus. 4055

biology and behaviour of Trichogramma minutum in the laboratory. 3154

biology of Brachycoryphus nursei in relation to Clania cameri at Karachi, Pakistan. 2114 biology of Dibrachys. 3144, 6130

biology and ecology of Perilitus coccinellae in relation to Coccinellidae. 1266

biology of egg parasites of Entypotrachelus on tea and Cinchona. 2755

biology of Eurytoma martellii in the laboratory. 3114

biology of Hymenoptera and parasites of Ips in Virginia, USA. 4733

biology and immature stages of Tetanura pallidiventris. 5974

biology and laboratory rearing of Amblymerus bruchophagi. 4705

biology and mass-rearing of Phanerotoma flavitestacea. 5371

biology of Microplitis croceipes in relation to Heliothis in the laboratory. 2752

biology of Microplitis feltiae in relation to Agrotis ipsilon and other Noctuidae. 4713

biology of Orgilus lepidus parasitic on Phthorimaea operculella. 2702

biology of parasites associated with Nabis americoferus in S.California, USA. 4702

biology of Pseudorhyssa sternata in relation to Siricidae. 1663

biology of Pyemotes boylei. 4026

biology of Solierella in relation to Chrysidid parasites. 4740

biology of Tetrastichus flavigaster in relation to Paurocephala calodendri. 4741

biology of Verrallia aucta and V.setosa in British Cercopidae. 1267

biology of Voria ruralis in relation to Trichoplusia ni. 3536

blood-meals of Stomoxys calcitrans on California (USA) poultry ranches . 5404

Boophilus microplus populations in relation to prevention of cattle from grooming. 3577

Bracon (Lucobracon) of Carpathian Basin (Hungary) reviewed. 3797

- Bracon mollitor parasitic on Anthonomus grandis.
- brood parasitism in Curculionidae. 4047
- cage for maintenance of Trichogramma. 4419
- cages for studying Dermacentor andersoni on rabbit. 5136
- Cardiochiles nigriceps in relation to development and tissue physiology of Heliothis virescens. 3062, 5947
- C.European Pseudomenopon revised and new spp described. 4387
- Cervidae hosts of Ixodes scapularis in N.Wisconsin, USA. 4945
- Chalcididae of Netherlands . 4791
- Chalicodoma cincta combusta and Synargris analis hosts of Anthrax conspircuta. 6007
- Charops sp on Ectropis bhurmitra on tea in Sri Lanka. 2164
- Cheiloneurus inimicus primary parasite of Saissetia oleae in Florida, USA. 4778
- Chelictinia riocourii host of Pterophilus sudanensis gen. et sp.n. 4386
- Chelonus contracta parasitic on Tischeria marginea in Romania, 2221
- Cheyletiella parasitivorax feeding on Spilopsyllus cuniculi, 3145
- Chirorhyncobia matsoni sp.n. on Anoura geoffroyi in Venezuela. 4221
- Chrysididae of Palestine . 5723
- circadian rhythm of drop-off of engorged

  Dermacentor variabilis in relation to host
  metabolism. 5395
- circadian rhythm of drop-off in engorged ticks. 2760
- Colias eurytheme host of Trichogramma pretiosum in California, USA. 4789
- Colicus gen.n. from rodents in Brazil and Colombia. 4977
- coloration and resting sites of Trombiculidae in relation to scrub typhus in Malaya. 5471
- Comperiella bifasciata on Aonidiella orientalis. 288
- competition and co-operation between Agathis pumila and Chrysocharis laricinellae on Coleophora laricella. 6005
- container for releasing Anaphes flavipes from parasitized Oulema melanopus eggs. 5100
- control of Chrysomphalus anoidum by Aphytis holoxanthus in Florida, USA. 1694
- control of Trialeurodes vaporariorum by Encarsia formosa. 5351
- control of vertebrate ectoparasites by antibiotics. 2120
- Cynipoidea and Ichneumonidae parasitic on Boriomyia subnebulosa in N.Germany. 313
- Cyrtogonatopus reviewed. 4349
- defence mechanism of social insects against parasites. 5389
- Degeeria luctuosa parasitic on Synharmonia conglodata. 2116

- detection of parasitized host puparia by of Nasonia vitripennis. 1695
- development of Anaphes flavipes in X-raysterilized Oulema melanopus eggs. 4784
- development of Microctonus aethiops in hormonetreated Hypera postica. 5421
- development of Pseudocoila bochei in Drosophila. 3575
- Diadegma acuta and Rhexidermus huardi parasitic on Platyptilia pica cratea in California, USA. 3580
- diapause and photoperiodism in Nasonia vitripennis. 5283
- Diarthonomyia chrysanthemi and Zeuxidiplosis giardi hosts of Platygaster aciculosis sp.n. in Hawaii. 4359
- Dibrachoides druso established as parasite of Hypera brunneipennis in S.California, USA. 3148
- differentiation of parasitized and unparasitized pupae of Tephritidae. 2548
- Dipodomys and Peromyscus hosts of Hexidionis in USA and Mexico. 4241, 4242
- distribution and ecology of Bakerocoptes cynopteri in relation to Cynopterus brachyotis in Malaysia. 2747
- distribution, host preference and seasonal abundance of Siphonaptera in New England, USA. 5605
- distribution and host-specificity of Siphonaptera in C. and S.Kenya. 1696
- distribution and hosts of Astichus. 4350
- distribution of Peromyscopsylla h.hamifer in relation to Microtus pennsylvanicus. 6032
- distribution and taxonomy of Gelis cyanurus. 5056
- Ducula sp and Trichoglossus haematodus hosts of new Ameroseius spp. 4216
- eastern N.American Tabanidae. 5680
- ecological distribution of Trombiculidae in N.E. Azerbaydzhan, USSR. 1726
- ecology of Basilia hispida on Tylonycteris pachypus and T.robustula in W.Malaysia. 2789
- ecology of Dermacentor andersoni in relation to Colorado tick fever. 5469
- ecology and host distribution of Ornithodoros coniceps and O.tartakovskyi on Mangyshlak Peninsula, USSR. 4785
- ecology of Ichneumonidae of W.Coast of Schleswig-Holstein, GFR. 5478
- ecology and life-cycle of Dendrosoter protuberans in relation to Scolytus multistriatus. 4779
- ecology of Lixophaga diatraeae in relation to Diatraea saccharalis in Cuba. 1311
- ectoparasites of birds from Norfolk I., Pacific Ocean. 2744
- ectoparasites of small mammals in Aomori Prefecture, Japan. 3150
- emergence and flight-activity of Tabanidae in

New Jersey, USA. 3543

Encyrtidae from Republic of S. Africa. 5724 engorgement in relation to host skin-temperature

in sub-adult Hyalomma aegyptium. 4774

Eriaporus syn.n. of Promuscidea. 2997

estimation of parasitism of delphacid eggs by Anagrus nr.flaveolus. 5106

Eulophidae parasitic on Zeiraphera diniana in Engadin, Switzerland. 2115

evolution in calyptrate Diptera. 2758

evolution of host-parasite interactions. 4792

evolution of host-parasite systems. 4922

evolution, hybridization and sex-ratio in Aphytis. 5720

factor in collapse of Dendrolimus pini outbreak in Hungary. 4077

fecundity and ♀ reproductive system in Aphididae.

feeding habits and life-cycle of Nearctic slugkilling Tetanocera. 4716

feeding mechanism in Melophagus ovinus. 3568 Flavopimpla revised. 2994

food concentrate in pellet form for standard culture of Siphonaptera, 4423

Frankliniella lilivora host of Megaphragma longiciliatum sp.n. in India. 4365

Gamasoidea on Lagurus luteus in Zaysanskiy Depression, Kazakhstan, USSR. 5487

genetic analysis of 'R' locus in Nasonia vitripennis. 3658

Goniozus delhiensis sp.n. primary larval parasite of Dichocrocis punctiferalis in India.

Gryon flavipes parasite of Leptocorisa oratorius in Sarawak. 4103, 5375

gut of Ornithodoros kelleyi. 4515

Haemaphysalis darjeeling sp.n. from mammals in Burma, India and Thailand. 4222

Haemaphysalis kitaokai sp.n. from mammals in Japan and Taiwan, 4223

Haemaphysalis pentalagi redescribed. 4224 Haematobia irritans pupae in N.E.Mississippi, USA. 2751

haemocyte reactions of Drosophila melanogaster to attack by Pseudeucoila. 1248

Halictophagus languedoci sp.n. parasitic on Cicadellidae. 3015

Hannemania from Anura in Mexico and USA.

Heliothis suitable as hosts for Microplitis croceipes. 5424

Heliothis zea, H. virescens and Trichoplusia ni eggs by Trichogramma semifumatum in lower Rio Grande Valley, Texas, USA. 5499

Hirstionyssus blanchardi parasitic on Marmota in Kazakhstan, USSR. 4781

Hirsutiella gen.n. and Neotrombicula taimiensis carpathicum subsp.n. from rodents. 4238 Hirundo rustica and Riparia riparia hosts of

Ornithomyia comosa in S. Kazakhstan, USSR . 4930

history of Aphytis holoxanthus and Casca smithi as parasites of Chrysomphalus aonidum 6045.

Hockeria maetai sp.n. parasitic on Ceratina flavipes. 1913

Hoplocampoides reviewed. 116

host acceptance and oviposition by Podagrion meridionale in Sphodromantis viridis eggs.

host age in relation to parasitism by Trichogramma minutum in Trichoplusia ni. 2750

host in relation to altitude in Ctenophthalmus cophurus in Kenya. 16%

host availability in relation to progeny production by Telenomus fariai. 5502

host-density, superparasitism and synchrony in parasitization of Neodiprion sertifer. 1270

host distribution of Haemaphysalis bispinosa in Borneo and Malay Peninsula. 4782

host hormones in relation to specialized parasites. 5386

host number in Hyalomma aegyptium. 4774 host preferences of Culicoides and Simuliidae at Darjeeling, India. 4821

host relations of Aedes dorsalis in Dorset, England. 3128

host relations of Braconidae. 1906

host relations and life-cycle of Ceratophyllus gallinae. 3124

host relations of Panama Deinocerites. 5398

host relations of Vercammenia. 4245

host-selection and larval survival of Eucarcellia rutilla. 1265

host in relation to sex-ratio of Trichogramma embryophagum. 3524

host shortage and species in relation to diapause of Nasonia vitripennis. 3493, 5283

host-specificity versus niche-specificity. 5725

host variation in Pulex of Belorussia. 1809 hosts of Aphaereta in USA. 1909

hosts of Aphelinus in France. 5410

hosts of Blaesoxipha paolii in France. 3146

hosts and host-age preferences of Campoletis peridistinctus. 5413

hosts of Japanese Ichneumonidae. 2117

hosts of new Microtonus from N.America. 1911 hosts of New Zealand Tachinidae. 2957

hosts of Palexorista quadrizonula. 4054

hosts of Trichogramma pretiosum in Mexico and southwestern USA. 4789

hosts of Tryphon. 1454

Hymenoptera parasitic on Musca autumnalis.

Hymenoptera parasitic on Neodiprion tsugae in S.E.Alaska, USA, 3149

Hymenopteran parasites of Dasineura balsamicola in Maine, USA. 4786

Hymenopteran parasites from Papilio demoleus.

Hymenopteran parasites in relation to populations of Geromyia penniseti comb.n. 1425

Hymenopteran parasites of stored-product insects in Israel. 5563

hyperparasites of Dolichovespula saxonica and Eumenes papillarius. 5409

hyperparasites and primary parasites of Chilocorus bipustulatus in Israel. 1701

hyperparasites and primary parasites of

Diprion similis in Wisconsin, USA. 794 hyperparasitism of dipteran parasites of

Orthoptera in Provence, France. 316 hyperparasitism of Tetrastichus flavigaster. 4741

Hyposoter pilosulus new for Arizona and Estigmene acreae new host. 5412

Ichneumonidae types of Schmiedeknecht in Rudolstadt Museum, GDR. 5055

identity of Bruesia Kieffer and Dermasothes Menozzi. 4338

immature stages of Echthrodape africana parasitic on Braunsapis. 1504

immature stages of European Ichneumonidae parasitic on Siricidae. 4438

incidence of Demodex in eyelids of domestic ungulates in south-western USA. 1698

Indo-Papuan Cremnocryptus revised. 2993 infestation of Yorkshire terriers by Cheyletiella yasguri and effects on man. 3578

insect parasites in relation to Dioryctria populations in Pinus echinata cone. 5491

insect parasites of insect gall-formers in Europe. 2118

insect parasites of rice stem borers on Luzon I., Philippines. 799

insecticidal control of Hypera postica in relation to Bathyplectes curculionis in N.Utah, USA. 4230

interactions between Xyzenis albicans and Operophtera brumata. 2159

interactions between Lucilia sericata and Nasonia vitripennis. 4792

interactions of parasites with host spp. 4850 interspecific competition between parasites of Pseudococcus comstocki. 315

intranasal Trombiculidae reviewed. 4237

introduction of Apanteles rubecula into USA as parasite of Pieris rapae. 5414

introduction of Aphidius smithi into Acyrthosiphon pisum habitats suggested, 3182

ionizing radiation and radioactive isotopes to study host-parasite relationships. 4414

Ixodes himalayensis sp.n. from Rodentia and Insectivora in Himachal Pradesh, India. 4775

Johnsonia and Weyrauchimyia as parasites of Gastropoda. 5675

Kleidocerys resedae probable host of Laonia canadensis gen. et sp.n. 4401

Lacertilia hosts of Odontacarus robbinsi sp.n. in Mexico. 4243

Laelapidae from Laos and Vietnam and key to Indo-China and Thailand spp. 4971

larvae and adults of Crivellia silenus. 5797 larval Arrenurus agrionicolus as age-indicators

in Cercion hieroglyphicum. 3034 larval biology of Hoplocampoides xylostei. 116

larval Oestrus ovis from conjunctiva of woman.

1275

larval parasitism limiting Perthida glyphopa populations. 5464

Laspeyresia pseudotsugae sp.n. in Canada. 1468

last-instar larvae of parasites of Tetropium velutinum. 3039

Leptomatidea bifasciata parasitic on Phenacoccus aceris in Alpes-Maritimes, France. 5408

life-cycle of Gryon flavipes in relation to Leptocorisa oratorius in Sarawak, 5375

life-cycle of Leiophron claviventris and L. similis in relation to Psocoptera in S.England. 5377

life-cycle of Tiphia berbereti in relation to Phyllophaga anxia. 4734

life-cycle of Xenopsylla skrjabini. 5460 light in relation to drop-off of Ixodes texanus.

Listrophoridae parasitic on mammals in Puerto Rico, 5607

Loxanoetus bassoni sp.n. from Loxodonta africana. 5613

Lysiphlebus thelaxis on Thelaxes suberis on Quercus in Kurdistan, Iraq. 2121

o' genitalia of Siphonaptera. 4591

Mallophaga on birds in Egypt. 6147, 6148
Mallophaga from domestic fowl in Japan. 6146
Mallophaga on Gallus domesticus in Punjab,

India. 1700

Marietta javensis on Anagyrus mirzai. 288 meeting of the sexes and mating in Phasiinae. 3529

methods for measuring in Grapholitha molesta.

Microtus socialis hosts of Ctenophthalmus nairicus sp.n. 5771

in relation to mortality of larval Musca autumnalis. 1296

mouthparts of Ornithodoros denmarki. 4515 Muscicapa hosts of Ptilonyssus muscicapae sp.n. 4235

Myocoptidae parasitic on rodents in Belgium and Netherlands. 6008

Myotomys unisulcatus host of Ixodes myotomys sp.n. in Republic of S.Africa. 4226

Nearctic Aspilota signifrons group revised. 5051

Nearctic Pnigalio and Sympiesis reviewed. 5725

Nearctic spp of Trieces onitis group revised. 2524

Neochrysocharis jazyga sp.n. described. 5717 in relation to nest dispersal in Polistes. 355

nest parasites of Megachile umbripennis. 4123

new Ameroseiidae on birds in New Guinea. 4216

new Apegus from Europe. 3809

new Chironopteran hosts of Listrophoridae. 5607

new Diparini described. 4360

new distribution and host records for Meringis in California, USA. 6009

new Enicospilus from Marathwada, India. 3805

new Eurytomidae from Hungary. 3802

new host records for Trichodectidae in Nigeria.  $1\,940$ 

new hosts and localities for New Guinea Dermanyssidae. 5411

new host of Mallophaga. 2744

new inductive population model for insect parasites. 1271

new lepidopteran hosts for Campoletis perdistinctus. 5413

new Leptotrombidium from Nepal. 4978

new Mesitius described, 5722

new Myiatrombicula from Azerbaydzhan, USSR . 4979

new Mymaridae from Ethiopian Region and Far East. 3807

new Myonyssus from Nepal. 4972

new parasite of Oulema melanopus in Michigan, USA. 795

new parasites of Choristoneura pinus. 2800

new Poropoea from India and Indonesia. 4366

new Proctotrupidae from Japan. 3808

new records of Anoplura from Africa. 2745

new Rhinonyssidae from Belém region, N.Brazil. 4975

new Siphonaptera from Cambodia. 5770

new Trachysphyrus from Bolivia. 2995

new Trichogramma from India. 5135

Nixonia atra sp.n. described. 5060

N.American Acrididae suitable as hosts for Acridomyia sacharovi and Blaesoxipha lineata. 4793

N.W.European Microplitis revised. 5052 Nosema mesnili infections in parasites of

Pieris brassicae. 2804

Oligositoides semicinctium sp.n. parasitic on Entypotrachelus meyeri eggs. 2526

Ondarra zibethica host of Listrophorus ondarrae sp.n. and L.validus in Europe and Canada, 4229

oogenesis in Nasonia vitripennis. 4642

Ophiomyia lantanae host of Erythmelus helopeltidis. 3807

Opiinae parasitic on Agromyzidae and Ephydridae from Poland. 4936

Opius turnesi group of Neotropical Region reviewed. 4345

Oryzomys macconnelli host of Arisocerus amapensis gen. et sp.n. in Brazil and Surinam. 4239

Oryzomys minutus and Thomasomys laniger hosts of Ixodes jonesae sp.n. in Venezuela. 4227

outbreak of Pamphilius phyllisae in relation to parasites. 3623

ovarial development in relation to diet in Atrichopogon pollinivorus. 3259

oviposition behaviour of Tetrastichus incertus in relation to Hypera postica. 5324

oviposition behaviour of Zodion americanum.

Parahomalopoda derceto sp.n. described. 5053 parasite complex associated with Gynaikothrips ficorum on Ficus nitida. 6047

parasites of Acrobasis comptoniella in Michigan, USA. 4037

parasites of Agapostemon nasutus in Costa Rica. 3193

parasites of Agromyzidae associated with Phaseolus vulgaris in E.Africa. 2502 parasites of Aphidoidea in Iraq. 4818 parasites of Arzama densa in Louisiana. USA

parasites of Arzama densa in Louisiana, USA. 282 parasites associated with Eucosma rescissoriana

in Pinus monticola in N.Idaho, USA. 2531 parasites of Bupalus piniarius during gradation in 1964-1968 in Poland. 5417

parasites of cabbage pests in S.California, USA. 5479

parasites of Coccus hesperidum in citrus groves of the lower Rio Grande Valley, USA, in 1966.830

parasites of Coleophora laricella in British Columbia, Canada. 3152

parasites of Contarinia medicaginis. 332 parasites of Culicidae in Dorset, England. 835 parasites of Dechocrocis punctiferalis. 1272

parasites of Diatraea saccharalis in Cuba. 1311 parasites of Earias in Gujarat, India. 4783

parasites of Ectomyelois ceratoniae in Israel.

parasites of Edwardsiana crataegi and E. froggatti on Malus in Tambov region, USSR. 2093

parasites of eggs and larvae of Spodoptera littoralis in Israel. 5418

parasites of Evylaeus nigripes. 4127

parasites of Fenusa pusilla in Quebec, Canada. 2119

parasites of Hemerocampa pseudotsugata in N.E.California, USA. 4084

parasites of Herpetogramma licarsisalis in Hawaii. 4736

parasites of Homoeosoma electellum in Texas, USA. 2808

parasites of Hylemya brassicae and H.floralis in Norway. 1702

parasites of Indian Cecidomyiidae. 4101 parasites introduced into California, USA, from Mexico for biological control of Ferrisia virgata. 797

parasites of larval Chorizagrotis auxilliaris. 802

parasites of larval Heliothis zea on Zea mays tassels in S.California, USA. 5420

parasites of larval Syrphus latifasciatus in S.India. 4743

parasites of Laspyresia funebrana in Rostov area, USSR. 1675

parasites of Laspeyresia pomonella. 5430

parasites of Lipara lucens. 4820

parasites of Lycaena helle. 5990

parasites of Marchalina caucasica sp.n. 1445

parasites of Melecta separata callura. 2748 parasites of Mozambique Lamiinae. 4266

parasites of Musca autumnalis at Guelph, Ontario, Canada. 273

parasites of Myzus persicae. 1294

parasites of Neodiprion virginianus. 4094

parasites of Noctuidae in S.California, USA. 3153

parasites of Odites artigena on Coffea arabica in Kenya. 5368

parasites of Parlatoria oleae in Lenkoran', USSR. 1674

parasites in relation to populations of Choristoneura pinus in Michigan, USA, 2800

parasites of Prays oleae in Mediterranean Basin. 320

parasites of pupal Haplegis flavitarsis. 4820 parasites of pupal Rhopolophora rugicollis. 5445

parasites of Quadraspidiotus perniciosus on Sakhalin, USSR. 1289

parasites of rice stemborers in Sarawak. 5498 parasites of Riparia riparia in Switzerland. 4106 parasites of Schistocerca gregaria in Ethiopia. 2155

parasites of Scirpophaga attacking sugar-cane in Bangladesh. 4841

parasites of Spodoptera mauritia acronyctoides in Sarawak. 732

parasites of stem borers of maize and sorghum in Sudan. 6011

parasites of Sternorrhyncha on citrus in Israel.

parasites of synanthropic Diptera in Tyan'-Shan' Mts., Kirgizia, USSR. 4860

parasites of Therioaphis on Medicago sativa in Delaware, Maryland and New Jersey, USA.

parasites of Thersamonia dispar. 5990 parasites of Thomasiella tomentosae. 4027

of Parasson luna on Hypera postica eggs in Ohio, USA. 4846

parasitization by Alloneura oryzaetora in relation to larval Nephotettix cincticeps. 4434

parasitization of Glossina morsitans orientalis puparia in Rhodesia. 800

parasitization in relation to haemolymph of larval Manduca sexta. 1548

parasitization of Hemerocampa pseudotsugata cocoons in N.E.California, USA. 4804

parasitization in relation to total haemocyte count in larval Pieris rapae crucivora. 2004

parasitoid complexes of gall-making Nematinae in California, USA. 3538

pathology of Laemobothrion vulturis daneckii on Gypaetus barbatus. 3579

of Pediculoides ventricosus on Callosobruchus maculatus. 4844

Perlitus rutilus new for Poland. 5579

phenology of parasites in relation to insects on Stipa pennata in Hungary. 5717

phenology and population build-up of Bathyplectes curculionis. 3599

Physocephala bimarginipennis redescribed and biology. 5670

Piagetiella of Pelecaniformes revised. 4385

Picicola of Picidae revised. 4384

Pipistrellus (?) sp host of Mitchella exsula gen. et sp.n. 4400

population fluctuations of Bathyplectes curculionis and Tetrastichus incertus in Massachusetts, USA. 5331

population fluctuations in Evetria cristata in relation to parasitism. 3596

possible dipteran parasites of Sphecidae. 5409 possible parasitism of Blattisocius tarsalis on Epizeuxis aemula. 4022

primary parasites of Saissetia oleae in Florida, USA. 4778

Proctotrupoidea of Provancher revised. 2987 proper use of Latin genitive case in forming names of parasites. 2455

Pseudisobrachium of Argentina and Chile reviewed. 3796, 5718

of Pseudococcus comstocki by 2 Anagyrus. 315 Pteromalidae new for Italy. 6130

Pteromalidae of N.W.Europe reviewed. 5059 of puparia of Glossina morsitans and G.

pallidipes in Rhodesia. 798

of Quadraspidiotus perniciosus on Sakhalin, USSR. 1289

Radfordiella sp in oral mucosa of Leptonycteris nivalis. 1699

rearing of Microplitis croceipes on Heliothis zea. 5124

of released Anaphes flavipes on Oulema melanopus. 4834

reproduction and sex-ratio in Trichogramma embryophagum. 3524

reproductive biology of Plagiolepis grassei and P.xene. 5955

reproductive morphology and development of immature stages in Mutilla glossinae. 5275 reproductive physiology of Pulicidae in relation

to host hormones. 4640

responses to high temperature in Apanteles militaris. 2682

responses to high temperature in Pseudaletia unipuncta. 2682

revision of Nearctic Orgilus. 3338

RH in relation to Aphelinus. 5410

Rhinolophus hosts of Argas boueti in USSR. 5564

on rice stem borers on Luzon I., Philippines.

rodent hosts of new Polylopadium spp in Brazil and Colombia. 4244

role in population dynamics of Eurygaster integriceps. 5505

of Scoliidae on scarabaeid larvae in S.Walachia, Romania. 2218

seasonal occurrence of Oestrus ovis in C.Iraq. 4856

seasonal variation in parasitism of Aphidius ervi on Acyrthosiphon pisum. 3182

sex-differentiation by differential mortality in Aphelinidae. 2113

Sichel specimens of Paratiphia. 5062

Sifolinia kabylica sp.n. parasitic on Myrmica aloba. 4355

Siphonaptera of Insectivora, Lagomorpha and Rodentia in Germany, 4092

Siphonaptera new for France. 4942

Siphonaptera from Noord-Beveland, Netherlands. 6155

Siphonaptera from N.New York, USA. 4196 Siphonaptera from rodent nests in Romania. 2229

Siphonaptera from small mammals in Pomerania, Poland. 6154

skin reaction to repeated attachment and feeding of Ixodidae. 4787

social parasites in relation to queen fecundity of Plagiolepis pygmaea. 4872

social parasitism of Lasius teranishii on L. flavus. 108

Soriculus nigrescens host of Stenischia pagiana sp.n. in Nepal. 4399

Sozites kerichoensis sp.n. parasitic on Entypotrachelus. 2523

Spathius of America N. of Mexico revised. 4346 spatial and temporal coincidence between

Neodiprion sertifer and its parasites. 1270

Speleognathopsis galli infesting fowl in Papua-New Guinea. 3581

sperm-transfer by spermatophores in Glossina austeni. 3534

Sphecidae as probable hosts of new Chrysididae. 1914

spp and categories of parasites of Trichotaphe levisella in Minnesota, USA. 1274

starvation in relation to ultrastructure of venom system in Nasonia vitripennis. 4751

superparasitism in relation to development of Anaphes flavipes. 2677

superparasitism of Diatraeophaga striatalis in Chilo sacchariphagus. 5415

superparasitism and intraspecific competition in Leucostoma simplex. 4702

suprageneric groupings of Proctotrupoidea. 5716

survival of larval Hypoderma lineatum implanted in white mice. 5425

Syncerus caffer host of Choriopsoroptes kenyensis gen. et sp.n. 4232

Syncerus caffer host of Psoroptes pienaari sp.n. in Republic of S.Africa and Uganda. 4233

Syncerus caffer new host for Psoroptes natalensis in Kenya. 4232

synchronization of population dynamics of Chilocorus bipustulatus and its parasites in Israel, 1701

Tabanidae of GDR . 6126

Tabanidae of Patuxent Wildlife Research Centre, Maryland, USA. 4946

tachinid parasitism in relation to egg-production in Neodiprion swainei. 4107

taxonomy of European Encyrtidae. 3799

taxonomy and new spp of Ichneumonidae from Corse. 3804

temperature in relation to longevity and progeny production of Lespesia archippivora in Spodoptera exigua. 1627

of Tetrapolipus hippodamiae sp.n. on Hippodamiae convergens. 2464

Tetraponera ledouxi sp.n. a temporary parasite of T.anthracina in Cameroun. 1452

Thelaxes suberis host of Trioxys quercicola sp.n. in Iraq. 2121

tick-borne encephalitis foci of C.Europe. 5509 Tischeria marginea new host for Chelonus

contracta. 2221 Torymidae from Ficus gnaphalocarpa. 2128 in relation to trehalose levels in larval Manduca sexta. 4512

Triatoma dimidiata host of Pimeliaphilus zeledoni sp.n. 4234

Trichogramma sp on Oulema melanopus in Michigan, USA. 2753

Trioza erytreae in E.Transvaal (Republic of S.Africa) and Swaziland. 792

Trombiculidae from Brazil and Surinam. 4239

Trombiculidae of Volga-Kama State Reserve, USSR, and their ecology. 4835

unidentified parasite of Amradiplosis allahabadensis. 4023

uniparental and sibling spp and semi-spp in relation to taxonomy and biological control of parasitic Hymenoptera. 4967

validity of host subspecific name in parasites. 4968

Xenopacarus africanus gen. et sp.n. parasitic on Xenopus laevis. 3284

Xiphosomella setoni sp.n. from S.Carolina, USA. 3340

Parasitus (Arach., Acari, Parasitidae).

ecology in Zaysanskiy Depression, Kazakhstan, USSR. 5487

status of subgenera Eugamasus, Parasitus and Vulgarogamasus subgen.n. 4974

Parasitus burchanensis, type-sp of Vulgarogamasus subgen.n. and Eugamasus butleri syn.n. of

Parasmermus tonkinensis gen. et sp.n. (Col., Cerambycidae), described. 524

Parastasia wauensis sp.n. (Col., Scarabaeidae), described. 5011

Parasymploce (Blatt., Blattidae), new spp described. 3756

Parasystates elongatus (Col., Curculionidae), ecology in alpine zone of M.Kenya, Africa. 1715

Paratendipes intermedius (Dipt., Chironomidae), ecology and biomass-production in Yugoslavian section of R. Danube. 3601

Parathion,

in relation to acoustical and sexual behaviour of Acheta domestica. 5252

in relation to Aonidiella aurantii populations on citrus in California, USA. 5488

chemistry and ultrastructure of parathionactivating microsomes from Periplaneta americana fat-body. 4579

control of Brevicoryne brassicae on Brassica in W.New York, USA. 5336

control of Conoderus falli. 5347

control of Epitrix hirtipennis on flue-cured
tobacco. 5355

control of Hypera meles. 4671, 4681

control of Pseudaletia separata on wheat at Delhi, India. 4861

control of Spodoptera littoralis in Egypt. 5352 control of Trialeurodes vaporariorum. 5349 genetics in Trichoplusia ni in New York, USA.

5506 simultaneous control of Diabrotica virgifera and Ostrinia nubilalis in Iowa and Missouri,

USA. 5334 toxicity in relation to developmental time in Drosophila melanogaster. 5938

'aratiphia (Hym., Tiphiidae), Sichel specimens reviewed and aureohirta syn.n. of sumichrasti. 5062

rasti. 5002 Paratrechina flavipes (Hym., Formicidae), populations in Sapporo, Japan. 336

aratrechina longicornis, predator on saccharalis eggs in Cuba. 1311

aratropus (Col., Histeridae), new spp described.
479

aravespula germanica (Hym., Vespidae), infection by larval Gordioidea. 5409

aravespula vulgaris, division of labour in worker caste. 4746

Pardosa (Arach., Aran., Lycosidae), life-histories
 of alpine tundra spp in Colorado, USA. 4730

Pardosa aenigmatica, o'described. 2888

Pardosa barndti sp.n., described. 4246

Pardosa birmanica, predaceous on Collembola. 2170

Pardosa concinna, overwintering in cocoon in Colorado, USA. 4730

Pardosa gavannae, ♀ described. 2888

Pardosa lapidicina, behaviour and biology. 1669
Pardosa vittata, ultrastructure of sperm flagellum.
5276

Parectatomma (Hym., Formicidae), Argentine spp keyed and dina sp.n. described. 4354

Parecyroschema cristipenne gen. et sp.n. (Col., Cerambycidae), described. 1407

Parena (s.str.) esakii sp.n. (Col., Carabidae), described. 20

Parentonium gen.n. (Col., Peltidae), established and australicum sp.n. described. 4985

Pareoporis gen.n. (Col., Cerambycidae), established. 1843

Pareparchus (Derm., Forficulidae), minisculus and parvimeter compared. 2501

Parepidosis mamaevi sp.n. (Dipt., Cecidomyiidae), described. 1872

Parepistaurus comoroensis sp.n. (Orth., Acrididae), described. 3011

Pareryssamena gen.n. (Col., Cerambycidae), established. 5032

Parhexacinia palpata (Dipt., Tephritidae), new data. 5032

Paria (Col., Chrysomelidae), N.American spp revised and keyed and new taxa described. 4272

Parides anchises (Lep., Papilionidae), Batesian mimicry experiment in Trinidad, W.Indies. 913

Parisomias (Col., Curculionidae), Indian and Pakistan spp revised and keyed and new spp described. 971

Paritheates (Dipt., Blepharoceridae), New Zealand spp keyed and new synonymy. 3758

Parlagena (Hem., Hom., Diaspididae), spp keyed and bennetti sp.n. described. 559

Parlatoria blanchardi (Hom., Diaspididae),
Archenomus arabicus sp.n. hyperparasitic on.

Parlatoria oleae, biology and ecology in Lenkoran, USSR . 1674

Parmaschema wauanus sp.n. (Col., Propalticidae), described. 2488

Parmelia aspidota (Lichenes), in relation to overwintering population distribution of Lepidoptera on Larix in C.Switzerland. 4083

Parnassius apollo mariae subsp.n. (Lep., Papilionidae), described. 4383

Parnassius apollo oravensis subsp.n., described. 3821

Parnassius apollo strecsnoensis, redescribed. 3821

Parochius kiefferi (Dipt., Chironomidae), distribution in a stream in Quebec, Canada. 1711 Paropsis charybdis (Col., Chrysomelidae), New

Zealand distribution. 3553

Parthenogenesis,

absence from Sitotroga cerealella. 1985 American populations of Chamaemyia 'polystigma'. 4658

amphiphasic 99 in Acyrthosiphon pisum. 3965 artificial parthenogenesis in Bombyx mori. 5552 automixis in Bacillus rossius. 2660

in Blattodea. 5269

chromosomes of parthenogenetic races of Scepticus insularis in Japan. 424

cytology of embryonic development in parthenogenetic Bacillus rossius. 3975

deuterotoky in Tetranychus urticae. 5906 differentiation of  $\mbox{\ensuremath{$\wp$}}$  gonads in Megoura viciae.

facultative parthenogenesis in Aculus cornutus and Phyllocoptruta oleivora. 4586

in Helophorus orientalis. 4279

in σ-production of Eupulvinaria hydrangeae. 3126 meiosis in a thelytokous strain of Histiostoma feroniarum. 5531

in Microbracon kirkpatricki. 5991

in Myzus hybrids. 932

in Otiorrhynchus ovatus. 4720

ovarian changes in relation to amphigony and parthenogenesis in Megoura viciae. 3086

in Panonychus ulmi. 5976

in Perilitus coccinellae. 1266

in Petrobia latens. 4718

in Phasmatidae of New Zealand. 4185

in relation to photoperiod in Megoura viciae. 3094

 $\begin{array}{c} \textbf{possible occurrence in Pediculoides ventricosus.} \\ 4844 \end{array}$ 

thelytoky doubtful in Oecophylla. 4890

thelytoky in a hybrid between Trichogramma perkinsi and Trichogramma D-67. 5527

thelytoky in Tarsonemus virigineus sp.n. 1827 thelytoky in Tetranychidae. 4146

in Trichogramma embryophagum. 3524

Partridge, see Perdix

Parvotettix goedei (Orth., Rhaphidophoridae), chromosomes and sex-determination. 1742

Pasimachus (Col., Carabidae), scent-fluid of californicus and duplicatus. 2645

Pasimachus elongatus, ecological distribution in wheat. 831

Passalidae (Col.), 640, 3044, 4565 abdominal spiracles. 640 of Museo de Historia Natural, Mexico. 4254 phylogeny. 3044 posterior procoxal bridges. 3044

Passer domesticus (Aves) (sparrow),

nuclear-polyhedrosis virus of Trichoplusia ni recovered from faeces. 6049

Ornithonyssus bursa on in Rajasthan, India. 3622

predation on larval Manduca sexta. 2799

Pastranaia (Neur., Nemopteridae), Argentine distribution. 4205

Patanga succinata (Orth., Acrididae),

life-cycle and rearing in the laboratory. 4617 taxonomy. 1022

Patasson (Hym., Mymaridae), new spp described.

Patasson luna, rate of parasitization of Hypera postica eggs in Ohio, USA. 4846

Pathology,

age-related degenerative changes in cardiac myofibres of Drosophila repleta. 2615

Aspergillus flavus infection in queen Odontotermes obesus. 611

bacterial disease of larval Okanagana rimosa. 2139

bacterial, protozoan and viral diseases of insects.  $5166\,$ 

behavioural and morphological changes in Camponotus infected with Brachylecithum mosquensis. 2816

biochemical changes in blood of Odontotermes obesus queen during Aspergillus flavus infection. 663

bites of Loxosceles arizonica and L.unicolor. 1244

bloating disease of adult Rhagoletis pomonella.

of Bracon envenomation in Galleria mellonella. 209

clover-phyllody mycoplasma infection in Aphrodes bicinctus and Euscelidius variegatu 806

control of Cirphis compta and Pseudaletia separata in India by Nematoda. 2143

cyst formation as defence reaction in Neodiprion swainei. 3431

degeneration of sectioned neck-connectives in Schistocerca and Sphodromantis. 1053, 1054

disease in mass-reared Hyalophora cecropia in the laboratory. 3369

disease susceptibility of Bombyx mori larva in relation to diet. 2011

ecology of Coelomomyces indicus infection in Anopheles gambiae in Zambia. 817

effect of cytoplasmic polyhedrosis on Trichoplusia ni. 2055

effect of Heterotylenchus autumnalis infection or Musca autumnalis. 823

effect of lysozyme in Periplaneta americana .  $1094,\ 1095$ 

effect of nucleopolyhedrosis on pupal Trichoplus ni. 2060

Entomophthora aquatica sp.n. in Aedes canaden, sis and Culiseta morsitans. 1737

Entomophthora infection in larval Diprion similis, 809

histopathology of Biotrol BTB Process 183 in

Pathology, contd.

larval Anagasta kuehniella. 3468, 3469 histopathology of nuclear-polyhedrosis virus in Trichoplusia ni. 1204

hormonal mimics in relation to Malacosoma californicum pluviale. 2632

inflammatory response of Leucophaea maderae to tissue injections. 2612

JH-analogues in relation to tumorigenic strains of Drosophila melanogaster. 1615

juvenilization of adult Tenebrio molitor by microsporidan infection. 2665

Loxosceles reclusa venom in relation to Heliothis virescens larvae. 1245

lysozyme in relation to inflammatory process in Periplaneta americana. 2609

media for serological tests of insect pathogens. 5147

method for surface sterilization of Dioryctria abietella eggs. 4416

mode of infection of Anopheles gambiae by Coelomomyces indicus. 817

morphology of Camponotus infected by Bradylecithum morquensis. 2816

mortality due to disease in Anthophora edwardsii in California, USA. 2817

mortality due to disease in Diatraea grandiosella larvae in Louisiana, USA. 2814

Neoaplectana glaseri in 5 insect spp. 4696 Nosema infection in relation to hypopharyngeal glands of worker Apis mellifera. 2648

Nosema mesnili infections in parasites of Pieris brassicae. 2804

pathogens of larval Chorizagrotis auxiliaris. 802 pathogens of Simulium damnosum in Tanzania.

phagocytosis inhibitor in sectioned axons in Schistocerca and Sphodromantis. 1054

pipunculid parasitization in relation to cercopid hosts. 1267

primary pathogens in relation to epizootic development in Porthetria dispar. 4109

problems and prospects in use of pathogens for insect control. 3155

salivary-gland infection of Rhodnius prolixus with Trypanosoma cruzi and T.rangeli in Colombia. 4687

selection for resistance to Bacillus larvae in Apis mellifera. 2046

starvation in relation to Attagenus megatoma infected with Pyxinia frenzeli. 1097

technique for confining insects to leaf-surfaces and use in pathogen bioassay. 3033

tissue damage in Tropisternus lateralis nimbatus exposed to sublethal concentrations of inorganic ions. 859

trans-ovum transmission of nuclear-polyhedrosis virus and induction of susceptibility in Porthetria dispar. 2063 triangulation method for purification of Nosema spores from insect tissues. 5090

tumour-like gut lesions in Leucophaea maderae after anal blockage. 1100

ultrastructure of fat-body and foregut in pupalwinged adult Tenebrio molitor. 1180yield of  $\sigma$  virus and abdominal and thoracic

yield of  $\sigma$  virus and abdominal and thoracic symptoms in Drosophila melanogaster. 5175

Patrizia alternata sp.n. (Col., Carabidae), described. 1838

Pauliniidae (Orth.), 3899 tympanal organs. 3899

Paululusus calypso gen. et sp.n. (Col., Curculionidae), and other new spp described. 4277

Paurocephala calodendri (Hom., Psyllidae), biology of Tetrastichus flavigaster. 4741

Pauropoda (Myriap.), 1981, 5826, 6070 from Bulgarian caves. 6070

ultrastructure of antennal flagellum and glomerulus. 1981

Pea, see Pisum

Pea aphid, see Acyrthosiphon pisum

Peach, see Prunus persica

Peach tree, see Sanninoidea exitiosa

Pear, see Pyrus communis

Pear psylla, see Psylla pyricola

Pecan, see Carya pecan

Pecan bud moth, see Gretchena bolliana

Pectinatella magnifica (Bryozoa), association with Glyptotendipes atrimanus. 5025

Pectinophora gossypiella (Lep., Gelechiidae), biology of Microbracon kirkpatricki. 5991 control by means of induced sterilization. 1298 development and fecundity in relation to cytoplasmic polyhedrosis. 3963, 5268, 5802

eggs parasitized by Trichogramma minutum in the laboratory. 3154

feeding and nutrition. 6000

sex-attractant. 3361

formaldehyde for prevention of cytoplasmic polyhedrosis in eggs. 1959

hexaline as attractant and use in control. 212 insecticidal activity of HD-1 strain of Bacillus thuringiensis var.alesti. 5964

laboratory synthesis of sex-pheromone. 1594  $\gamma\text{-radiation}$  for control or eradication. 5968 short synthesis of sex-pheromone. 4574

toxicity of insecticides to larvae. 5359 trapping with modified Frick trap baited with

Pectinophora scutigera, distribution, host-plants and economic importance in Queensland, Australia. 838

Pedaloides (Lep., Satyridae), new spp described. 1020

Pedetopinae subfam.n. (Arach., Acari, Acaridae), established. 1823

Pedicularis (Scrophulariaceae), biology of Olethreutes inquietana. 2863

Pediculidae (Anopl.), 5123

Pediculoides ventricosus (Arach., Acari, Tarsonemidae),

parasitic on Callosobruchus maculatus in Vigna catjang seeds. 4844

parthenogenesis. 4844

Pediculus humanus (Anopl., Pediculidae), method for rearing on rabbits . 5123

Pedilidae (Col.), 4988

reduced to subfamily of Anthicidae. 4988

Pediobius (Hym., Eulophidae),

hyperparasitic on Odites artigena in Kenya. 5368 in relation to population fluctuations of Evetria cristata in Japan. 3596

Pediobius furvus, biology and African distribution. 4055

Pediobius sexdentatus, secondary gregarious pupal parasite of Temelucha nr.epagoges in Minnesota, USA.1274

Pedipalps, neuromuscular physiology of closer muscles in Leiurus quinquestriatus. 3871

Pegohylemyia retusa (Dipt., Anthomyiidae), redescribed. 1866

Pegomya mixta (Dipt., Anthomyiidae), anatomy and taxonomy. 3381

Pelargonium (Geraniaceae), host of Rhexidermus huardi in California, USA. 3580

Pelecypoda (Mollusca), prey of Sciomyzidae. 5997 Pelicaniformes (Aves).

Eidonanella reviewed. 4385 Piagetiella revised. 4385

Pelidnota luxuriosa Blackwelder (Col., Scarabaeidae), syn.n. of P.sumptuosa Vigors. 4282

Pelocoris convexus sp.n. (Het., Naucoridae), described. 5706

Pelocoris femoratus, food-pump. 2007

Pelopia punctipennis (Dipt., Chironomidae), ecology and biomass-production in Yugoslavian section of R. Danube. 3601

Peloridiidae (Hem., Het.), 3699

distribution on N. and S.Islands, New Zealand. 3699

Peltidae (Col.), 4985

subfamilies keyed, Calitys and Egoliinae transferred to Trogossitidae, and affinities of Rentoniinae and Decamerinae. 4985

Peltoperla maria (Plec., Peltoperlidae), larval feeding pattern and food consumption. 4755

Peltoperlidae (Plec.), 1668, 3014, 4755 biology and ecology in Laurentides, Canada. 1668

from S.E.Asia. 3014

Pemba Island (Indian Ocean), new Nymphalidae from. 4381

Pemphigidae (Hom.), 89, 533, 1031, 4039, 4329, 5461

Pemphiginae (Hom., Pemphigidae), associated with roots of conifers in N.America. 553

Pemphigus, aedificator, immunis and napaeus redescribed and lectotypes designated. 4329 Pemphredon lethifer (Hym., Sphecidae), larva described. 1964

Penicillidia (Dipt., Nycteribiidae), descriptions supplemented for dufourii and monoceros. 2505

Penicillin,

in relation to fecundity and larval growth in Ceratitis capitata. 4611, 4612

in relation to longevity in newly-emerged Apis mellifera. 3633

Penicillium (Fungi),

food of Onychiurus armatus. 4769 toxicity to Glyciphagus and Histiostoma. 1722

Penicillium citrinum, attacking larval Antheraea mylitta. 5164

Penicillium funiculosum, strains toxic to larval Hylotrupes bajulus. 692

Penicillium glaucum, metathoracic-gland secretion of Myrmicinae antibiotic against. 2647

Pennisetum (Gramineae), food-plant of Proceras venosatus in Japan. 1281

Pennisetum clandestinum, preferred host of Herpetogramma licarsisalis in Hawaii. 4736

Pennisetum typhoides (bajra), susceptibility to Chilo zonellus. 4798

Pennsalt TD-5032 [hexamethylditin], control of Spodoptera littoralis on greenhouse roses. 5963

Pennsalt TD-5063 [S-phenyl thiocrotonate], toxicity to larvae of Heliothis virescens, H.zea and Pectinophora gossypiella. 5359

Penolanguria bicolorata sp.n. (Col., Languriidae), described. 5000

Pentacomia gen.n. (Col., Cicindelidae), established. 27

Pentacora sphacelata (Het., Saldidae), lectotype designated. 551

n-Pentadecane, in Novomessor cockerelli.

Pentalagus furnessi (Lagomorpha), Haemaphysalis pentalagi from Japan redescribed. 4224

Pentalonia nigronervosa (Hom., Aphididae), apterous ovipara collected near Calcutta, India. 4066

populations on Musa paradisiaca in Gujarat, India. 328

Pentamerismus (Arach., Acari, Tenuipalpidae), juniperi, oregonensis and taxa new for Hungary. 1379

Pentaphyllus (Col., Tenebrionidae), Congo spp keyed. 3754

Pentathemis membranulata (Odon., Corduliidae), redescribed. 4392

Pentatoma rufipes (Het., Pentatomidae), on bog grass in Scotland and coloration. 3132

Pentatomidae (Het.), 149, 210, 1155, 1438-1440, 1524, 2629, 2642, Pentatomidae (Het.), contd.

2676, 2698, 3132, 3326, 3529, 3553, 3615, 3882, 4110, 5207, 5248, 5428, 5711-5713, 6051

genera transferred from Tessaratomidae. 5715 of the Institut Royal des Sciences Naturelles de Belgique, Bruxelles, Belgium. 3326

seasonal populations on Gossypium in Egypt. 6051

thoracic sclerites. 149

Pentatominae (Hem., Het. Pentatomidae), Janeirona, Kahlamba and Pantochlora transferred to. 88

Pentatomoidea (Hem., Het.), Naticolinae and Tessaratomidae discussed. 88

Pentatomomorpha (Hem., Het.), pulvillus. 3392 Pentatrichosiphum luteum gen. et sp.n. (Hom.,

Aphididae), described. 1441

Penthophera morio (Lep., Lymantriidae), host of Microplitis capeki sp.n. in Czechoslovakia. 5052

Pentodon bidens (Col., Scarabaeidae), new for Yugoslavia. 6118

Pentose, utilization by Lipaphis erysimi. 5858 Pentose phosphate pathway,

in larval development of Apis mellifera. 2015 in nurse-cell nucleoli of Musca domestica. 723

Peploptera (Col., Chrysomelidae), new taxa described. 2484

Peptidases,

absence from gut in last-instar larva of Eublemma amabilis, 2024

activity in hypodermis and body-fluid of hybrid and mutant Bombyx mori larvae. 3453

in relation to organophosphate-resistance in Musca domestica. 3961

Peptides.

MCD-peptide of Apis mellifera venom. 760 of paragonial substance of adult of Drosophila melanogaster. 4009

peptide chains of haemoglobin CTT-III in Chironomus th.thummi. 3450

peptide derivatives of rRNA from silk-gland of Bombyx mori. 1570

Perdix (Aves) (partridge), predator of arthropods.

Peregrinus maidis (Hom., Delphacidae), prey of Geocoris tricolor in India. 782

Perezia maura Ferton (Hym., Megachilidae), a gynandromorph of Megachile centuncularis. 4341

Perezia pyraustae (Protozoa Microsporida),

Fumidil B for control in Ostrinia nubilalis larvae. 5183

Pergamasus (Arach., Acari), ecology in relation to Lagurus luteus in Kazakhstan, USSR. 5487

Pergamasus crassipes var.longicornis, new for Romania. 2746

Pergamasus longicornis, predation on Oscinella frit in oats in relation to insecticide treatments and weather. 2792

Pericoma (Dipt., Psychodidae), from Italy. 73

Peridroma saucia (Lep., Noctuidae),

biology of Microplitis feltiae. 4713

new for Faeroe Is., North Sea. 6138 preferred host of Campoletis perdistinctus in the

laboratory. 5413

unusual abundance in C.Madrid, Spain. 2149

Perilampidae (Hym.), 316, 318, 1504, 2808, 5058 parasitic on Homoeosoma electellum in Texas, USA. 2808

Perilampus (Hym., Perilampidae), planidia from Barbitistes fischeri and Euchorthippus pulvinatus. 316

Perilampus aureoviridis, a valid sp and of described first time. 5058

Perilestidae (Odon.), 4391

type-specimens in British Museum (Natural History), London, England, and lectotypes designated. 4391

Perilitus coccinellae (Hym., Braconidae), biology and ecology. 1266

Perilitus rutilus, new for Poland. 5579

Perillus bioculatus (Het., Pentatomidae), watercontent and  ${\rm O}_2$ -consumption in overwintered adults. 2642

Perinthina (Col., Staphylinidae),

median gland in abdominal segment VII. 4287 relationships to Corotocini. 4287

Perinthodes (Col., Staphylinidae),

integumentary glands and integration with host.  $214\,$ 

revised and new spp described. 4287

Periommatus (Col., Platypodidae),

new Nigerian localities for mkusii and piceus. 3746

new spp described. 3746

Peripatus acacioi (Onychophora), cytology and development of cuticular papillae. 3396

Periplaneta (Blatt., Blattidae),

mating behaviour of australasia, brunnea and fuliginosa. 5958

new spp described. 3756

response of Blattella germanica to faeces. 4567 Periplaneta americana,

activity rhythms. 5253

activity of spermatozoa from  $\mathbb{Q}$  reproductive tract. 1195

ageing in relation to esterase isozymes. 4530 antennal cold receptor in relation to slowly changing temperature. 629

ascorbic-acid synthesis in gut. 178

axon-outgrowth and cell-migration from embryonic nervous system in vitro. 1513, 3402

axon pathways from antennal sense-organs into brain, 3406

bacteriolytic enzyme produced by cells in vitro.

brain extract in relation to  ${\rm O_2}$ -consumption in Calliphora erythrocephala. 5246

Calliphora erythrocephala. 5246 bursicon initiation of dopamine synthesis. 1512 Periplaneta americana, contd.

CA and CC antigens. 5234

campaniform sensilla of tibio-tarsal joint. 2600 CO<sub>2</sub>-release. 4422

carcinogens in relation to larvae and adults. 3430

cell responses to acanthocephalan larvae. 3559 central neurons in relation to acetylcholine and GABA. 1526

chlorinated hydrocarbon insecticides in relation to ATPases of muscle and nerves. 614

choline kinase. 3936

cholinergic neuromuscular transmission. 4467 chordotonal organ of tibio-tarsal joint. 2600

compounds related to cyanoacetic acid as repellents. 5148

cuticle structure. 2583

cyanocobalmin required for in vitro growthstimulation by serum proteins. 1609

diets in relation to lesions induced by nerve severance. 5156

3, 4-dihydroxy-mandelic acid and a phenol extracted from mushroom gland. 678

discharge patterns of coxal levator and depressor motoneurons: 3057

distribution of  $\circ$  sex-pheromone in gut. 3437 drugs in relation to endogenous activity and synaptic transmission in nerve-cord. 1528

effects of dehydration and rehydration. 4559

effects of implantation of P.americana CA in Lepismodes inquilinus. 1637

electrical potentials, innervation and contraction in proctodaeal muscles. 1516

electrolyte movement in isolated midgut. 1549 electroretinogram. 2598

endogenous activity and synaptic transmission of nerve-cord in relation to time. 1528

esterases from thoracic musculature. 4528 free amino acids of haemolymph in castrated  $\sigma\sigma$ . 5232

giant- and small-fibre pathways involved in evasion behaviour. 3878

glial cells an interconnected cellular system.

haemolymph hormone levels and blood-cell permeability during ecdysis. 2633

haemolymph protein deficiency in relation to tumour susceptibility 4449

haemolymph volume and water-distribution in relation to lysozyme injection. 1095

cis, cis-6, 9-heptacosadiene in cuticle. 608

Hexamastix periplanetae sp.n. from rectum.

Hexamastix periplanetae sp.n. from rectum. 5214

hormonal control of spermatogenesis. 4636 5-hydroxy-tryptamine in relation to Malpighian tubule movement. 650

implantation of ovaries in the  $\sigma$ . 1640 innervation of proctodaeal muscles. 1059 ion-transport in rectum. 648  $\gamma$ -irradiation in relation to life-span. 254

JH in relation to vitellogenesis. 718 lateral cardiac nerve in relation to neurohormone

D. 5192

Latrodectus mactans tredecimguttatus venom in relation to evoked action potentials in isolated nerve-cord. 1247, 5391

leptinotarsin in relation to CNS neuromuscular junctions and cholinesterase activity. 5392

localization of catecholamines in corpora pedunculata. 3409

lysozyme injection in relation to haemolymph composition. 1094, 2609

Malpighian tubule structure and pharmacology. 650

mating behaviour. 5958

median-cord development in egg. 2661

median-nerve neurosecretory cells in abdominal ganglia. 2589

midgut epithelium in relation to sites of neurosecretory release. 5218

mode of action of midgut lipase. 1550

nerve impulses blocked by d-tubocurarine chloride. 4481

neurohormone D mode of action. 4551, 5192 neurohormone D in relation to neurons of Lymnaea stagnalis. 5190

neurons of meso- and metathoracic ganglion.

nicotine in relation to neural synaptic transmission. 4473, 4479

ovaries in relation to tumour development after nerve-section. 3443

 $O_2$ -consumption in relation to starvation. 1998 parathion-activating microsomes from fat-body.

peroxidase uptake by glial cells in de-sheathed ganglia. 623

pheromone production. 5958

population changes when maintained with other Blattodea in small containers. 2806

potassium and sodium movement across midgut epithelium. 1101

proctodaeal muscles in relation to mechanical stretch. 3400

protocatechuic acid-4-0,  $\beta$ -glucoside synthesis. 2626

rectal lumen concentration in relation to ion and water reabsorption. 3946

rectal pads in relation to fluid-transport. 648 reproductive cycle. 3101, 5942

spontaneous precipitation of haemolymph proteins. 3913

starvation in relation to Malpighian tubules. 183 starvation in relation to response to sex and food stimuli in  $\sigma$ , 3496

synaptic potentials of giant axons. 3877 tetraethyl-ammonium TEA<sup>+</sup> inhibiting K<sup>+</sup> in giant axons. 1056

tryptophan oxidation via glutarate pathway absent. 657

Periplaneta americana, contd.

d-tubocurarine chloride in relation to leg contraction. 5254

tumefactions in rectal pad. 3445

tumours induced by nerve severance. 3441, 3443

tyrosine metabolism. 3461

ultrastructure of embryonic cells producing chitinase in vitro. 3860

ultrastructure of fat-body parathion-activating microsomes. 2609

ultrastructure of leg muscle-fibres. 1519

ultrastructure of rectal pads. 648

ultrastructure of spermatozoon. 223

vitellogenic blood-proteins. 2623

vitellogenin secretion and synthesis by fat body. 1212

water-secretion across midgut epithelium. 3466 water-transport in rectum. 648

wound-healing. 3857

Periplaneta australasiae, histology of leg muscle.

Periplaneta fuliginosa, synaptic potentials and spike activity in 3rd thoracic ganglion. 2590

Periplaneta japanna sp.n., described. 1419

Perisama rusea sp.n. (Lep., Nymphalidae), described. 4382

Periscelidae (Dipt.), 57

Periscelis (Dipt., Periscelidae), new spp described.

Perisphaerus (Blatt., Derocalymmidae), new spp described. 3756

Perissomma (Dipt., Perissomatidae), Antartic distribution, biology and new spp described. 1875

Perissomma mcalpinei, larva and of described for first time, 1875

Perissomastix madagascarica sp.n. (Lep., Tineidae), described. 1473

Perissommatidae (Dipt.), 1875

Perisympathetic organs, type-C neurosecretion in Clitumnus extradentatus. 4475

Peritheates intermedius (Dipt., Blepharoceridae), syn.n. of P.turrifer. 3758

Perithous (Hym., Ichneumonidae), new synonymy.

Peritrophic membrane,

absent from adult Ptychoptera albimana. 4452 Aedes aegypti and Anopheles stephensi. 644 in Calliphora erythrocephala. 4521 larval Chironomus strenzkei. 1099

larval Chironomus strenzkei. 109

in larval Rhynchaenus fagi. 179

in Lytta nuttalli. 5220

permeability in larval Aedes aegypti. 4519 ultrastructure in larval Chironomus strenzkei. 1099

ultrastructure in worker larvae of Apis mellifera. 5222

Peritropis armillarius sp.n. (Het., Miridae), described. 5707

Peritymbia vitifolii (Hom., Aphididae), biology

and damage to Vitis vinifera. 5427

Perizoma faeniata (Lep., Arctiidae), new for Denmark. 2871

Peria marginata (Plec., Perlidae), antennae and cerci. 4425

Periesta placida (Plec., Perlidae),

mating behaviour and reproductive system. 2657 microdistribution of larvae in relation to substrate particle-size. 3180

Perlidae (Plec.),

1322, 1668, 2096, 2110, 2657, 3180, 4115, 4425, 5766, 5768

biology and ecology in Laurentides, Canada. 1668

dispersal of Algae, Fungi and Protozoa. 4131 from S.E.Asia. 3014

Perlodidae (Plec.), 3355, 5768

Perlohmannia (Arach., Acari, Perlohmanniidae), Apolohmannia syn.n. of. 3286

Perlohmannia coiffaiti, new for Japan. 3286

Perlohmannia gigantea comb.n., new for Hokkaido, Japan. 3286

Permian,

ephemeropteran larvae placed in Archodonata. 3322

wing of Stenoviciidae (?) from Sentinel Mts., Antarctic. 946

Perognathus flavus (Rodentia), Acarus macrocoryne sp.n. from nests. 3721

Peromyscopsylla fallax (Siphon., Leptopsyllidae), new for Poland. 6154

Peromyscopsylla hamifer, ecological and seasonal factors affecting distribution. 6032

Peromyscus eremicus (Rodentia), host of Hexidionis macropus sp.n. in Mexico. 4241

Peronomerus fumatus (Col., Carabidae), new for Bismarck Archipelago. 2897

Peroxidase,

localization of peroxidase for cuticle formation in Calpodes ethlius. 1986

uptake by glial cells in de-sheathed ganglia of Periplaneta americana. 623

Persea gratissima (Myrtaceae) (avocado),

phenology of Chilocorus bipustulatus in Israel. 5500

Stethorus picipes for control of Oligonychus punicae in California, USA. 2796

Persea indica, population growth of Oligonychus punicea in relation to leaf condition. 4833

Perthida glyphosa gen. et sp.n. (Lep., Incurvariidae),

biology in relation to Eucalyptus. 5464 described. 3814

Peru.

new Aulacigastridae from . 57

new Braconidae from . 1450, 4345

new Buprestidae from . 3298

new Cerambycidae from . 5634

new Chrysomelidae from . 969

new Colletidae from . 4343

Peru, contd.

new Curculionidae from. 2907

new Dictyopharidae from . 1899

new Eumenidae from . 4351

new Ixodidae from . 508

new Lucanidae from. 2917, 5001

new Odiniidae from . 57

new Periscelidae from . 57

new Pieridae from . 3823

new Pseudopomyzidae from . 57

new Pyralidae from . 3825

new records of Hispinae. 969

new records of Tricorythidae. 2964

new Sarcophagidae from . 4311, 5675

new Tabanidae from . 545

new Tipulidae from . 5685

new Tricorythidae from . 1436, 2964

Pieridae of Chanchamayo region reviewed.

Sarcophagidae from Gastropoda. 5675

Pestalotia (Fungi), ingestion and transmission by adult Musca domestica. 3564

Pesticides, in relation to aphidophagous Syrphidae.

Petalocephala (Hom., Cicadellidae), new spp described. 2983

Petaluridae (Odon.), 1943

types in British Museum (Natural History), London, England. 1943

Petasites albus (Compositae), host of Phytomyza buhriella sp.n. 5022

Petridiobius gen.n. (Thysanura, Machilidae), established. 3834

Petrobia latens (Arach., Acari),

biology in relation to barley and wheat in Rajasthan, India. 4718

new secondary hosts. 4718

Petrobiinae (Thysanura, Machilidae), genera keyed. 3834

Petrobius (Thysanura, Machilidae), British distribution and habitat requirements of brevistylis and maritimus. 5475

Petrobius maritimus, Petromachilis longicornis syn.n. 1950

Petroleum oils, control of Panonychus ulmi and Psylla pyricola on Anjou pear in Canada. 340

Petromachilis longicornis (Thysanura, Machilidae), syn.n. of Petrobius maritimus. 1950

Petrorossia (Dipt., Bombyliidae), seminal receptacle. 5910

Petrorossia royi sp.n., described. 1868

Petrova (Lep., Olethreutidae), new spp described. 1021

Petrova cristata, pupal size in relation to sex of Itoplectis cristatae. 1349

Petunia (Solanaceae), toxicity of trichome exudates

to larval Manduca sexta. 4813

Pezothrips (Thysanopt., Thripidae), systematic position. 4404

pH,

changes during heat death in Centrioptera muricata. 5885

of gut in Clavigerella gibbosa. 5853

in relation to life-cycle of Tanytarsus dissimilis.

in relation to primary reception in type-3 water-receptor of Phormia terranovae. 5199

in relation to spontaneous precipitation of haemolymph proteins in Galleria mellonella and Periplaneta americana. 3913

PH76-24(tetradifon + Sumithion), control of Spodoptera littoralis in Egypt. 5352

Phaedyma chinga sp.n. (Lep., Nymphalidae), described. 1936

Phaenocarpa (Hym., Braconidae), Neotropical spp keyed and new spp described. 1450

Phaenocytus gen.n. (Hym., Pteromalidae), established. 5059

Phaenomerididae (Col.), 482

Phaenothrips subgen.n. (Thysanopt., Phlaeothripidae), established in Liothrips. 1024

Phaeophilacris (Orth., Gryllidae), biology, new spp described and evolution of cave-dwelling spp in Tropical Africa. 363

Phaeothrips mimicus gen. et sp.n. (Thysanopt., Phlaeothripidae), described. 1482

Phaeodesmus (Myriap., Diplop., Paradoxosomatidae), South African spp discussed. 1025

Phaeogala (Col.), transferred to Mycteridae from Anthicidae. 4988

Phaeogenes (Hym., Ichneumonidae), primary solitary pupal parasite of Trichotaphe levisella in Minnesota, USA. 1274

Phaeogenes arcticus, parasitic on Laspeyresia pseudotsugae sp.n. and hyperparasitized by Elachertus. 1468

Phaeogenes hariolus,

Dirophanes banksianae syn.n. of. 2800 rate of parasitism on Choristoneura pinus in Michigan, USA. 2800

Phagocarpus solennis sp.n. (Dipt., Tephritidae), described. 5032

Phainodina gen.n. (Col., Chrysomelidae), established. 1408

Phalacrocorax nigrogularis (Aves), host of Eidmanniella naucyae sp.n. 577

Phalacrotophora halictorum (Dipt., Phoridae),
parasitic on Agapostemon nasutus in Costa Rica.

Phaleria (Col., Tenebrionidae),

Madagascan spp revised and keyed and new sp described. 2929

revised. 5659

Phaloniidae (Lep.), 3591

Phanacis (Hym., Cynipidae), oak-galls in Méhes collection in Museum of Natural History,

Phanacis (Hym., Cynipidae), contd.
Budapest, Hungary. 1278

Phanaeus (Col., Scarabaeidae), behaviour in relation to dung of opossum and pig. 4753

Phanaeus vindex, rate of infection with Physocephalus sexalatus in S.Georgia, USA. 4669

Phaneroptera bivittata (Orth., Tettigoniidae), Q described for first time. 1478

Phanerotoma flavitestacea (Hym., Braconidae), biology and mass-rearing. 5371 parasite of Ectomyelois ceratoniae in Israel.

Phanoceroides (Col., Elminthidae), plastron studied by scanning electron microscope. 174

Phanodesta (Col., Trogossitidae), larva. 4985 Phantom hemlock looper, see Nepytia phantasmaria

Phaonia (Dipt., Muscidae), oviposition by Stylogaster on adults. 1268

Pharaphodius apicesetosus sp.n. (Col., Scarabaeidae), described. 1852

Pharmacis (Lep., Cochylidae), apicana transferred from Phtheochroides. 118

Pharoscymnus ovoideus (Col., Coccinellidae), rearing. 595

Pharyngobolus africanus (Dipt., Gastrophilidae), biology in relation to Loxodonta africana. 5416

Phaseolus vulgaris (Leguminosae),

Agromyzidae associated with in E.Africa. 2502 growth of Trogoderma granarium on. 2666 host of Melanagromyza spencerella sp.n. 2502 new host for Caryedon gonagra. 5443

Phasganophora capitata (Plec., Perlidae), control of activity and drift by light. 2096

Phasia Latreille 1804 (Dipt., Tachinidae), placed on Official List. 3776

Phasiinae (Dipt., Tachinidae),

accidental parasites of Ephippiger in Provence, France. 316

meeting of the sexes and mating. 3529 New Zealand genera. 2957

Phasis argyroplaga wykehami subsp.n. (Lep., Lycaenidae), described. 1935

Phasis sardonyx, ab.peringueyi raised to subsp and ♀ described. 1934

Phasmatidae (Phasm.),

150, 645, 657, 745, 1067, 1143, 2583, 2660, 3384, 3390, 3703, 3883, 3975, 4015, 4135, 4185, 4474, 4475, 4592, 5178, 5189, 5390, 5859

defence behaviour of Panamanian spp. 5390 head and mouthparts. 150

of New Zealand surveyed. 4185 phylogenetic affinities. 150

Phasmatodea.

of C. and E.Predkaykaz'e (USSR) surveyed. 4195 relationships to Embioptera. 4447 ultrastructure of rectal cuticle. 3444

Pheidole dentata (Hym., Formicidae), volatile compounds. 2017

Pheidole pallidula, Oichillus minutus a facultative

myrmecophile. 3573

Pheidole punctulata, association with Planococcus citri on Coffea arabica roots in Kenya. 6056

Phelomerus (Col., Bruchidae), syn.n. of Pygiopachymerus. 4989

Phenacaspis pinifoliae (Hom., Diaspididae), biology and cytology of Oregon (USA) populations. 841

Phenacoccus aceris (Hom., Pseudococcidae),

Aphycus apicalis and Leptomatidea bifasciata parasitic on in Alpes-Maritimes, France. 5408

Phenethyl butyrate, attractant for Popillia japonica. 4685

Phenobarbital, stimulation of protein synthesis in vitro in Aedes aegypti cells. 5864

Phenolase, in gut of prepupae of Diprion pini and Pristiphora polytomus. 646

Phenology,

of Acrobasis comptoniella in Michigan, USA. 4037

of Agapostemon nasutus in Costa Rica. 3193

of Agrotis venustula in Hungary. 4031

of Alleculidae in USSR. 5463

of Alniphagus aspericollis in S.W.British Columbia, Canada. 2099

of Amblymerus bruchophagi. 4705

of Amitermes in N.America. 3195

of Amphipsalta gen.n. in New Zealand. 3337

of Amradiplosis allahabadensis in India. 4023

of Anagasta kuehniella infesting flour-mills in Cairo, Egypt. 6033

of Anaphes flavipes in N.Indiana, USA. 4834

of Anaphothrips validus. 5597

of Anax junius in C.Pennsylvania, USA. 4722

of Andrenidae in Hokkaido, Japan. 2163

of Anopheles superpictus in Kirkuk and Sulaimanyyah Liwas, N.Iraq. 5989

of Apamea finitima in New Brunswick, Canada. 6010

of Aphanostigma piri in Krym, USSR. 5384

of Aphididae in Punjab Plains and Kulu Valley, India. 4201

of Aphis gossypii in Japan. 6017

of Apion on winter Leguminosae in Israel. 5510

of Apoidea pollinating Medicago sativa in Hungarian Great Plain. 1280

of aquatic Heteroptera of R.Grabia and its inundation area, Poland. 4934

of Araneae on a raised beach in England. 3555

of Arctocorisa carinata in rock-pools in Finland. 2770

of Astylus atromaculatus. 4024

of Auchenorrhyncha in N.E.Danube Delta, Romania. 2216

of Autographa gamma in Hungary. 3533

of Balaustium putmani. 3549

of Bathyplectes curculionis in Indiana, USA. 3599

of Belothrips acuminatus in Scotland. 1671

of blood-sucking Ceratopogonidae. 2790

of Bombycoidea and Noctuoidea in Siljan, S. Norway. 1672

## Phenology, contd.

- of Bothynus gibbosus. 2678
- of British Pseudoscorpiones. 4854
- of Bruchophagus roddi. 4705
- of Cabera exanthemata and C.pusaria in Belorussia. 1236
- of California producta in rock-pools in Finland. 2770
- of Callosobruchus chinensis. 3610
- of Caradrina in Hungary. 4031
- of Cardiaspina densitexta. 5362
- of C.European Clytrinae and Cryptocephalinae. 4030
- of Chaoborus crystallinus in a pond in the Netherlands. 3547
- of Cheilosia fasciata and Ch.semifasciata. 2955
- of Chilo agamemnon. 5981
- of Chilo suppressalis in relation to geography. 4723
- of Chilocorus bipustulatus in Israel. 5500
- of Chironomidae in L.Chad, Africa. 3597
- of Chrysomphalus dictyospermi. 6034
- of Clunio marinus under Arctic conditions in Norway. 1734
- of Clytomyia helluo in the field and laboratory. 5386
- of Cnephia ornithophilia in Maryland, USA. 4884
- of Coleophora tamesis in Ireland. 5373
- of Conophthorus ponderosae in relation to Pinus ponderosa in S.New Mexico, USA. 4703
- of Conotrachelus nenuphar in the Missouri Ozarks, USA. 2717
- of Contarinia pisi. 4029
- of Corcyra cephalonica infesting flour-mills in Cairo, Egypt. 6033
- of Corthylus columbianus. 3602
- of Cosmobaris americana in Northwestern USA.  $4710\,$
- of Culex modestus in Camargue, France. 6037
- of Culex tritaeniorhynchus summorosus in
- Toyama Prefecture, Japan. 1676 of Culicoides at Darjeeling, India. 4821
- of Culicoides furens in Florida, USA. 4011
- of Currentes In Florida, USA. 401
- of Culicoides in S.England. 1261, 1724
- of Dendrolimus spectabilis in Kyoto, Japan. 4035
- of Dermacentor andersoni in S.W.Montana, USA. 5469
- of Dermestes laniarius. 4826
- of desert Calyptrata in Egypt. 4829
- of Diplolaboneus tumorificus in N.Italy. 3117
- of Diplopoda in a Cheshire (England) wood. 4839
- of Diprion pini. 3630
- of Dominican Odonata. 3830
- of Dorytomus hirtipennis. 3127
- of Draeculacephala mollipes in Kentucky, USA.
  4711
- of Drosophila phalerata in USSR . 5925
- of dune Araneae in Sweden. 2138
- of Dysmachus fuscipennis in Romania. 2092
- of Elateridae in the USSR . 5463

- of Epinotia cedricida in relation to Cedrus in France. 3110
- of Eriosoma ulmi in Warszawa area, Poland. 4039
- of Eupithecia innotata and Eu.szelenyii sp.n. 1465
- of Euthypoda acutipennis. 4717
- of Evylaeus nigripes. 4127
- of Florinia externa in Maryland, USA. 2718
- of Gilipinia hercyniae in Lithuanian SSR, USSR. 5369
- of Gonepteryx cleopatra in Malta. 5382
- of Gonocephalum depressum in India. 6042
- of Grapholitha molesta in S.Missouri, USA. 5507
- of Hemisarcoptes dzhashii sp.n. 1393
- of Heteroptera on Gossypium in Egypt. 6051
- of Heteropterus morpheus in N.Italy. 5993
- of Homoeosoma electellum in Texas, USA. 2808
- of Humerobates rostrolamellatus. 3123
- of Hungarian populations of Ostrinia nubilalis. 3624
- of Hyalophora cecropia in Illinois, USA. 2675
- of Hylobius pales in C.Pennsylvania, USA. 4738
- of Hypera brunneipennis in Egypt. 6040
- of Hypera postica. 2708, 3613, 5376
- of Hypochrysops piceata sp.n. in Queensland, Australia. 3815
- of Insecta of the Bigoray R ., Alberta, Canada.  $3201\,$
- of Insecta of Lake Chad. 4849
- of Insecta in relation to Stipa pennata in Hungary 5717
- of Ips cembrae in N.E.Scotland. 4036
- of Kermes bytinskii sp.n. in Israel. 5048
- of Lamyctes in Iceland. 4928
- of Laspyresia funebrana in Rostov area, USSR. 1675
- of Leiophron claviventris and L.similis. 5377
- of Lepidoptera of Norfolk I., Pacific Ocean. 4953
- of Leptoconops irritans and L.kerteszi in Grossetano, Italy. 4043, 4113
- of Licinus. 4442
- of Limnephilus nigriceps in N.E.Danube Delta, Romania. 2230
- of Lithobius in Iceland. 4928
- methods for measuring generations in Grapholitha molesta populations. 4081
- of Microbracon kirkpatricki. 5991
- of Micropterna nycterobia. 6026
- of Molophilus after. 2090
- of Molorchus bimaculatus semiustus in Texas, USA. 5445
- of Monostegia abdominalis. 4063
- of Nearctic Euchloe. 4117
- of Nematus ribessii in Belorussia. 1290
- of Nyctegretis achatinella in Hungary. 1301
- of Odites artigena in Kenya. 5368
- of Odonata of islands of the Danube Delta,

## Phenology, contd.

Romania. 1808

- of Odontopus calceatus. 3125
- of Oestrus ovis in C.Iraq. 4856
- of Orthoptera in Rocky Mts., N.Colorado, USA. 2775
- of Ostrinia nubilalis in Hungary. 3624
- of Otiorrhynchus ovatus. 4720
- of Oxytelus rugosus. 5367
- of Pachylobius picivorus in Upper S.Carolina, USA. 4725
- of Pamphilius ochreipes in Ontario, Canada.
- of Parapsectra, 2504
- of Parlatoria oleae in Lenkoran, USSR. 1674
- of Paropsis charybdis in New Zealand. 3553
- of Peromyscopsylla h.hamifer. 6032
- of Petrobia latens. 4718
- of Philonthus fuscipennis. 5367
- of Phymatodes fasciatus in relation to Vitis sylvestris in Romania. 2127
- of Pissodes approximatus in C.Pennsylvania, USA. 4738
- of Polydorus aristolochiae. 4747
- of Polyommatus icarus in Britain. 2102
- of Prodenia eridania in the laboratory. 5114
- of Prosimulium vernale in Maryland, USA. 4884
- of Pseudatomoscelis seriatus in Rio Grande Valley, USA. 2798
- of Psocoptera of Britain. 4435
- of Psocoptera of Ireland. 6153
- of Psychoda alternata in Yokohama, Japan. 6053
- of Psychoglypha. 3356
- of Psylla pyricola in Nova Scotia, Canada. 6057
- of Rhopolophora rugicollis in Texas, USA. 5445
- of Satyrium sylvinus dryope in California, USA. 4038
- of Scirpophaga attacking Saccharum in Bangladesh and their parasites. 4841
- of Scolvtus numidicus in N.Africa. 3159
- of Scolytus scolytus in Britain. 2803
- of Scopula ancellata. 4439
- seasonal activity periods of Lepidoptera in relation to competition for nectar. 5986
- of Sesamia cretica. 5969
- of Simuliidae at Darjeeling, India. 4821
- of Simuliidae in W.Cameroun. 2684
- of Siphonaptera in New England, USA. 5605
- of Siphonaptera on small mammals in Yatsugatake Mts., Japan. 2787
- of Sphenophorus parvulus in W.New York, USA. 4824
- of Sphingidae of Sierre Leone. 4857
- of Stenischia. 4399
- of Syrphidae in Okanagan Valley, British Columbia, Canada. 3279
- of Systema frontalis larvae in relation to Zea mays. 2767

- of Tabanidae at Great Swamp, New Jersey, USA. 2774
- of Tarachidia candefacta, 6019
- of Telmatoscopus albipunctatus in Yokohama, Japan. 6053
- of Tenebrionidae in USSR. 5463
- of Tenuipalpus eriophyoides in relation to Phoenix dactylifera in Iraq. 5370
- of Termatophylum insigne. 5983
- of Tetanocera. 4716
- of Tetanura pallidiventris. 5974
- of Tetropium cinnamopterum in British Columbia, Canada. 3129
- of Thanasimus dubius, 3537
- of Thomasiella tomentosae. 4027
- of Thrips tabaci in relation to onion in Hungary.
- of Toumeyella liriodenderi. 3535
- of Triatoma gerstaeckeri in S.W.Texas, USA. 4707
- of Trichatelura manni. 2087
- of Trichocera of Denmark. 5364
- of Trichoptera in N. Wales. 3198
- of Ulobaris loricata in Romania. 2098
- vitamins C and E of host-plants in relation to Barathra brassicae. 4516
- voltinism and hormones in Bombyx mori. 3076
- voltinism and incubation-temperature in Bombyx mori. 3096
- voltinism and temperature in Ips typographus. 1194
- of Xenopsylla skrjabini. 5460

## Phenoloxidase,

- activation of haemolymph phenoloxidase by larval cuticle in Drosophila melanogaster. 3862, 5228
- activity during pupal development in 'lozenge' mutants of Drosophila melanogaster. 1768
- properties of cuticular phenoloxidase in white puparia of Drosophila virilis. 1558
- Phenols, products of DDT metabolism in Boophilus microplus, 4575
- Phenyl isovalerate, attractant for Popillia japonica. 4685
- Phenylacetic acid, secreted by metapleural gland of Atta sexdens. 2647

# Phenylalanine,

- $\beta\text{-alanine},$  dopamine and noradrenaline in relation to catabolism in Drosophila melanogaster. 1561
- dandelion pollen fortified with phenylalanine unsuitable as diet for Apis mellifera. 4627
- level in Musca domestica tissues during metamorphosis. 4647
- Phenylalanine decarboxylase,  $\beta$ -alanine, dopamine and noradrenaline in relation to activity in Drosophila melanogaster. 1561

## Phenylalanine hydroxylase,

activity in lethal albino larvae of Bombyx mori. 3666

Phenylalanine hydroxylase, contd.

cofactor role of sepiapterin in Bombyx mori explained. 3937

Phenyl mercuric acetate,

causing termination of diapause in Atrachya menestriesi eggs. 2066

in relation to chromosome segregation in Drosophila melanogaster. 252

Phenylmethanesulphonyl fluoride, in relation to inhibition of microsomal mixed-function oxidases in Prodenia eridania. 3930

Phenylthiocarbamide, toxicity in relation to developmental time in Drosophila melanogaster. 5938

Phenylthiourea, preventing melanosis in Odontotermes obesus queen during Aspergillus flavus infection. 663

Pherbellia (Dipt., Sciomyzidae), chromosomes. 3206

Pheromones, see also attractants

absence of aggregation pheromone and response in ovipositing Nomadacris septemfasciata.  $5320\,$ 

13-acetoxy-cis-8, cis-10-heptadecadien-1-ol not a sex attractant for Porthetria dispar. 4649

age in relation to ♂ sex-pheromone in Trogoderma granarium. 270

age in relation to sex-pheromone release by  $\mathbb{Q}$  Tenebrio molitor. 666

aggregation pheromone of Dendroctonus brevicomis. 1288

aggregation pheromone of Dendroctonus pseudotsugae analyzed. 4569

aggregation pheromone of Dysdercus intermedius.

aggregation pheromone produced by larval Dysdercus intermedius. 1149

aggregation pheromone and response in ovipositing  $\ensuremath{\mathtt{P}}$  Schistocerca gregaria. 5320

alarm activity in relation to molecular shape in alarm pheromones of Iridomyrmex pruinosus and Pogonomyrmex badius. 1314

alarm pheromones. 1242

alarm pheromones of Myrmica brevinodis. 1592 antennal proteins in relation to sex-pheromone perception in & Antheraea pernyi. 3885

antennal responsiveness of o'Trichoplusia ni. 4489

attraction of Zygaena filipendulae of to Q Lasiocampa quercus. 5327

Bidrin in relation to response of o'Plodia interpunctella to 9 sex-pheromone. 2691

bioassay for and behaviour in relation to in Diatraea saccharalis. 3523

bioassay and preliminary purification of sexpheromone of  $\mbox{\tt Q}$  Tenebrio molitor. 666

bioassay of sex-pheromone of Prodenia eridania. 5095

in caste formation in Hodotermes mossambicus.

4875

citral in trail-laying and robbing in Trigona subterranea. 5260

conditioning of Apis mellifera to pheromones and other odours. 3888

conditioning of Apis mellifera to queen substance. 3888

conditions for extrusion of sex-pheromone gland in 9 Choristoneura fumiferana. 2082

crowding in relation to sex-pheromone release by 9 Tenebrio molitor. 666

detection by antennae in Heliothis zea. 4485

detection of extracts of  $\mbox{\scriptsize $Q$}$  Diparopsis castanea by of. 1032

dispensers for pheromone black-light traps for Trichoplusia ni . 4408

distribution of  $\mathbb{Q}$  sex-pheromone in gut of Periplaneta americana. 3437

distribution by larval Hodotermes mossambicus 846

elimination of supplementary reproductives in Kalotermes flavicollis. 4724

environmental and seasonal factors in relation to captures of  $\sigma$  Trichoplusia ni in pheromone baited traps. 4566

of  $\phi$  Erannis aurantiaria and E.defoliaria. 218  $\phi$  sex-attractant of Trogoderma inclusum

analyzed. 1151
field responses of Dendroctonus pseudotsugae to

synthetic frontalin. 4569 field responses of laboratory-reared of

Trichoplusia ni to synthetic sex-pheromone.
4693

in relation to flight activity in  $\ensuremath{\sigma}$  Aonidiella aurantii . 3544

flight-mill for studying effects of volatile substances on flight. 1491

flight in relation to sex-pheromones in Dendroct onus pseudotsugae and Trypodendron lineatum. 1491

Frick trap baited with sex-attractant for Pectinophora gossypiella. 3361

 $\begin{array}{c} \text{gregarization pheromone of Locusta migratoria} \\ \text{migratorioides.} \ 5262 \end{array}$ 

2-heptanone and isopentyl acetate as alarm pheromones for Apis mellifera. 1680

 $\delta$ -n-hexadecalactone identified as pheromone of Vespa orientalis queen. 1150

identification and synthesis in Danaus plexippus 213

incomplete species-specificity of aggregation pheromone of Blattella germanica. 4567

interspecific response to sex-pheromones in Trogoderma. 4750

 $\gamma\text{-irradiation}$  in relation to 9 attractiveness to  $\mbox{\sc of}$  in Porthetria dispar. 4613

o'o' in Porthetria dispar. 4613 isosteres of 2-heptanone in relation to alarm behaviour in Conomyrma pyramica. 3562

JH in relation to pheromone secretion in Tenebrio molitor. 4552

## Pheromones, contd.

- location of ♀ sex-pheromone gland in Prodenia litura. 4573
- in low-molecular-weight fatty acids from cuticular wax of Lucilia cuprina, 5187
- of of Anthonomus grandis identified and synthesized. 2651
- o'responses in Schizaphis borealis (?). 5952
- of and  $\varphi$  scent in relation to reproductive
- maturation in young  $\mathbb{?}$  Tenebrio molitor. 5297 masking of aggregation pheromone in Dendroct-
- masking of aggregation pheromone in Dendroctonus pseudotsugae. 1725
- mating behaviour of Epiphyas postvittana in relation to pheromone concentration. 734
- mating in relation to oresponse to 9 sexpheromone in Trogoderma granarium. 270
- mating in relation to sex-pheromone release by 2 Tenebrio molitor, 666
- means of prey perception in Thanasimus dubius. 2742
- method for determining structures of sexpheromones. 5120
- neurosecretory control of trail-pheromone secretion in Kalotermes flavicollis. 1058
- not involved in mating of Glossina morsitans orientalis. 1650
- octan-3-one a major component of alarmpheromone of Crematogaster peringueyi. 1148
- olfactometer for bioassay in Aonidiella aurantii. 737
- olfactory and tactile assembling scent of Trogoderma granarium behaviour in relation to. 3902
- olfactory stimulus essential for mating in Callosobruchus chinensis. 1214
- orientation at a fork in a scent-trail by Lasius fuliginosus. 353
- oviposition stimulated in Melanoplus sanguinipes by d'accessory-gland substance. 2078
- 9-oxodec-trans-2-enoic acid in Apis queens.
- partial structure of sex-pheromones of Heliothis
- permanent whole-mount preparations of lepidopteran genitalia to show sex-pheromone gland. 4412
- pheromonal effect of aggregation-site odour in of Drosophila melanogaster and Lucilia cuprina. 2690
- pheromone-like nestling factor in relation to Spilopsyllus cuniculi and Xenopsylla cheopis. 4640
- of prey used for reproduction in Thanasimus dubius. 2742
- production in Aonidiella aurantii reared on lemons and potatoes. 2646
- production in Cercoma schaefferi. 3107
- production in hindgut of Trypodendron lineatum.
- production induced by synthetic JH in Ips

- confusus. 2637
- production in d'Nomia melanderi. 1732 production and d'responses in Periplaneta americana. 5958
- production by queen Bombus terrestris. 5518 queen pheromones of Apis mellifera in relation to worker foraging behaviour. 3953
- reactions to alarm-pheromone in Crematogaster peringueyi. 1148
- regulating mass-attack and colonization of
  Pinus ponderosa by Dendroctonus brevicomis.
- response of Blattella germanica to faeces of Periplaneta. 4567
- response of Ips grandicollis of to attractant of of attacking Pinus taeda. 2714
- in scolytid attack on host-plants. 3590
- secretion from abdominal scent-glands in Alphitobius diaperinus. 2072
- secretion or synthesis of locustone in crop of Locusta migratoria migratorioides. 5262
- sex-pheromone of Argyrotaenia velutinana identified. 1593
- sex-pheromone glands of  $\sigma$  Dacus tryoni.
- sex-pheromone of Grapholitha molesta identified. 1593
- sex-pheromone of Pectinophora gossypiella compared with hexaline as attractant. 212
- sex-pheromone of Pectinophora gossypiella synthesized in laboratory. 1594, 4574.
- sex-pheromone perception and courtship behaviour in Danaus gilippus berenice. 3522
- sex-pheromone and responses in Malacosoma disstria. 5326
- sex-pheromone of Tenebrio molitor analyzed. 4568
- sex-pheromone trapping of Argyrotaenia velutinana. 5130
- short-range visual orientation in pheromonestimulated of Trichoplusia ni. 4662
- spacing of screen traps baited with synthetic sex-pheromone in relation to captures of Trichoplusia ni . 4421
- starvation in relation to response of  $\sigma$  Periplaneta americana to sex-stimuli. 3496
- stereoselective total synthesis of racemic pheromone of Anthonomus grandis. 5247
- synthetic sex-pheromone of Apis mellifera in relation to drone congregation. 5522
- cis-11-tetradecenyl acetate probably the sexpheromone of Ostrinia nubilalis. 667
- cis-11-tetradecenyl acetate RiBLuKe for trapping Argyrotaenia velutinana in Hudson Valley (USA) apple orchards. 5263
- track pheromone produced from hindlegs of Crematogaster ashmeadi. 2042
- trail-substance perception and secretion in Hodotermes mossambicus and Trinervitermes

Pheromones, contd. trinervoides. 217 trail substances of Hodotermes and Trinervitermes. 217 for trapping Laspeyresia pomonella. 134 ultrastructure of pheromone-secreting gland of Bombyx mori. 1596 use of host trails by Helluomorphoides texanus. 3139 use of host trails by Vatesus. 3137 volatile substances of host in relation to response in Dendroctonus brevicomis. 1652 Phialophora aurantiaca (Fungi), in relation to larval growth of Hylotrupes bajulus. 692 Phibalothrips longiceps (Thysanopt., Thripidae), discussed. 4403 Phidippus johnsoni (Arach., Aran., Salticidae), eye and retina movements in response to visual stimuli. 1532 retinal structure of principal eyes in relation to visual optics. 1537 Philaenus (Hom., Cercopidae), origin of balanced polymorphism in Philaenus signatus and Ph. spumarius. 2849 Philaenus spumarius, founder principle, genetic drift and selection in isolated populations. 4916 parasitization by Verrallia aucta. 1267 populations at Aschersleben, GDR. 327 Philampelinae (Lep., Sphingidae), genitalia. 121 Philanthus coronatus (Hym., Sphecidae), new name for occidentalis. 5740 Philharmostes (Col., Acanthoceridae), new spp from Brazzaville-Congo. 519 Philip Island (Norfolk I., Pacific Ocean), Rhopalocera of. 2865 Philippine Islands (Indian Ocean), Ameniinae of. 2864 Cecidomyiidae of Felt reviewed. 2941 Celyphidae revised. 2942 Chaeturia dubia predaceous on Apis. 839 check-list and host list of plant pests. 3593 Collembola of, 52 Dacus dorsalis present. 3777 distribution and reproductive potential of Triatoma rubrofasciata. 442 Ephemeroptera from . 1884 head and mouthparts of Orthoptera. 150 Hymenoptera parasitic on rice stem borers on Luzon Island. 799 Ixodidae from . 2192 Lycaenidae of. 440 Negritomyia keyed. 2507 new Baetidae from . 1884 new Braconidae from . 2521 new Celyphidae from . 2942 new Cerambycidae from . 3300

new Ephydridae from . 66 new Ichneumonidae from. 3342 new Lucanidae from . 5001 new Menoponidae from . 3009 new Noctuidae from . 4379 new Nymphalidae from . 1936 new Pteromalidae from . 1925 new Pyralidae from . 5757, 5758 new Scaphidiidae from . 3747 new Sphecidae from . 1456 new Stratiomyidae from . 2507 new Tetranychidae from . 15 Nitidulidae from . 2193 Plecoptera from . 3014 populations of Cicadellidae and Delphacidae on diazinon-treated and untreated rice. 2141 seasonal fluctuations of leaf-folders, stemborers and thrips of rice. 346 Stratiomyidae from . 2507 Toxorhynchites gigantulus redescribed. 1975 Philoche haroldi sp.n. (Dipt., Tabanidae), described, 81 Philodromus (Arach., Aran., Thomisidae), dispar and infuscatus sp-groups of C. and N. America and W.Indies revised and new taxa described. 1397 Philometra biloba (Lep., Noctuidae), long-distance migrations. 5456 Philomycus (Mollusca, Stylommatophora), larval biology of Tetanocera clara. 4716 Philonthus (Col., Staphylinidae), in collection of 'Grigore Antipa' Museum, București, Romania. 1854 Philonthus alpinus, occurrence in Britain questioned Philonthus cruentatus, predaceous on larval Musca autumnalis. 1296 Philonthus fuscipennis, biology and ecology. 5367 Philonthus parcus, in Strix aluco nest in Norway. 1690 Philonthus picipes, new for Romania. 1854 Philonthus productus, status. 2925 Philonthus pseudovarians, new for Romania. 1854 Philonthus rectangulus, new for Scotland and status discussed. 2925 Philonthus sanguinolentus f.suturamanus, new for Romania. 1854 Philonthus varians f.thessalicus, new for Romania. 1854 Philopotamidae (Trich.), 3198, 5489, 5516 Philopotamus montanus (Trich., Philopotamidae), upstream flight by mature egg-bearing. 5516 Philopteridae (Mall.), 579, 1700, 4384, 4673 Philosamia cynthia (Lep., Saturniidae), adhesive properties of dissociated fat-body cells 3047 JH-induced deuteropupae. 1616 Philosamia cynthia ricini. acid phosphatase of silk gland. 1136 cell-growth and moulting cycles in

new Ceraphronidae from . 566

new Diopsidae from . 1871

new Dryinidae from . 2522

Philosamia cynthia ricini, contd. epidermis. 3399

ecdysone and JH in relation protein and RNAsynthesis in imaginal wing-discs. 3510

histology of ovarioles and corpus luteum formation. 3970

phosphorus compounds during metamorphosis. 4625

phosphorylase activity and glycogen content during development. 4000

Philotarsidae (Psoc.), 3711

relationships between Australian and New Zealand faunas. 3711

Philygria galapagensis sp.n. (Dipt., Ephydridae), described. 3757

Phlaeothripidae (Thysanopt.),

1024, 1482, 3016, 3017, 3018, 3043, 3272, 3586, 3833, 4402, 5772, 5773, 5983, 6047

associated with Polyporales in S.Blue Ridge region, western N.Carolina, USA. 3586 galls on Acacia in Australia. 3043

Phlebiastes salsuginosus sp.n. (Hom., Cercopidae), described. 5044

Phlebotominae (Dipt., Psychodidae),

flag method for studying surface distribution in a sandy desert. 6050

vertical distribution in British Honduras. 4046

Phlebotomus caucasicus, estimation of surface distribution in a sandy desert. 6050

Phlebotomus longipalpis, immature stages described. 4431

Phlebotomus (Euphlebotomus) mesghali sp.n., described. 4308

Phlepsidius (Hom., Cicadellidae), new sp described. 5042

Phleum (Gramineae), ecology of Aculodes dubius in Ohio, USA. 2769

Phloeopora angustiformis (Col., Staphylinidae), from Northamptonshire and Yorkshire, England. 3255

Phlocogining (Col. Scolutidae) new genus-gro

Phloeosinina (Col., Scolytidae), new genus-group established for Phloesinus thujae. 1039

Phloeosinites sexspinosus (Col., Scolytidae), description supplemented. 5651

Phloeosinus cedriae (Col., Scolytidae), subspp described. 3159

Phloesinus thujae, larva described and sp placed in Phloeosinina. 1039

Phloeostichidae fam.n. (Col.), established. 964 Phloephthorus cristatus (Col., Scolytidae), larva described. 3385

Phlogophora meticulosa (Lep., Noctuidae), unusual abundance in C.Madrid, Spain. 2149

Phlox (Polemoniaceae), interspecific pollen-flow in relation to pollinators. 1279

Phlugis (Orth., Tettigoniidae), biology and reproductive morphology. 3103

Phoca vitulina concolor (Pinnipedia), infestation with Echinophthirius horridus in Florida,

USA. 2749

Phoenix dactylifera (Palmae) (date-palm), biology of Tenuipalpus eriophyoides in Iraq. 5370 development of Phytoseius plumifer on. 2710

Pholcidae (Arach., Aran.), of Tadzhikistan (USSR).

Pholcus phalangioides (Arach., Aran., Pholcidae), ultrastructure of sperm flagellum. 5276

Pholiota adiposa (Fungi), Coleoptera from in Inverness-shire, Scotland. 3251

Phonapate uncinata uncinata (Col., Bostrychidae), new for Iran, 475

Phonomyia curvinervis (Dipt., Tachinidae), new for Mongolia. 1435

Phorate.

control of Hypera postica in N.Utah, USA. 4681 control of pests on Medicago and Phaseolus. 4678 simultaneous control of Diabrotica virgifera and Ostrinia nubilalis in Iowa and Missouri, USA. 5334

Phorbia brunnescens (Dipt., Muscidae), morphology of larva and adult. 5139 a pest of Dianthus caryophyllus. 5139

Phorbia cardui, not a pest of Dianthus caryophyllus. 5139

Phoresy,

of Acarus farris hypopi on parasitic Hymenoptera in Poland. 3572

of Antennoseius on Carabidae. 4969

behaviour of Macrocheles muscae-domesticae in relation to Musca domestica. 4502

of Blattisocius tarsalis on Epizeuxis aemula.  $4022\,$ 

of Cheletomorpha lepidopterorum on Caradrina clavipalpis. 6022

of Melichares tarsalis on Plodia interpunctella.  $267\,$ 

new phoretic Simuliidae from W Cameroun.  $4313\,$ 

Phoridae (Dipt.), 70, 71, 1728, 3193, 5674

little-known and new Metopininae and Phorinae from Neotropical Region. 5674

in nests of Riparia riparia in Switzerland. 4106 World taxa catalogued. 70

Phorinae, little-known and new spp from Neotropical Region. 5674

Phormia regina (Dipt., Calliphoridae),

carbon-number distribution of triglycerides.

carnitine decarboxylase and phosphokinase in larval gut. 1556

ecdysone and neurosecretion in relation to puparium formation. 3074

eye-colour mutations. 4162

fate of N, N'-tetramethylenebis(1-aziridine-carboxamide). 5231

glycogen from flight-muscle characterized. 5239 instantaneous air-velocities in a plane behind the wings. 3055

phosphatidyl-choline biosynthesis in larval

Phormia regina (Dipt., Calliphoridae), contd.

fat-body. 1555

responses to acids. 3887

responses of tarsal chemoreceptor hairs. 1534

tarsal water-receptors absent. 1534

tryptophan oxidation via glutarate pathway absent. 657

#### Phormia terrae-novae,

in relation to diapause induction in Nasonia vitripennis. 3493

food location by taste. 4497

populations in food-processing establishments in Czechoslovakia. 842

primary process of reception in type-3 waterreceptor. 5199

responses to light in relation to external disturbance and time of day. 5848

Phorodon humuli (Hom., Aphididae), insecticide resistance and population density in 1967-1968 in Czechoslovakia. 6055

#### Phosphamidon.

contact toxicity to Neodiprion pratti banksianae, N.swainei and Pristiphora erichsonii. 5180

control of Epitrix hirtipennis on flue-cured tobacco. 5355

Phosphorylcholine cytidyltransferase, from fat-body of Phormia regina larvae. 1555

Phosphorylcholine glyceride transferase, from fat-body of Phormia regina larvae. 1555

O-Phosphorylcholine, probable intermediate in biosynthesis of phosphatidylcholine in Phormia regina larvae. 1555

#### Phosphatases,

acid phosphatase activity in Mitopus morio photoreceptors. 3893

acid phosphatase of silk-gland of Philosamia cynthia ricini, 1136

alkaline phosphatase activity in Aedes aegypti ovary. 714

alkaline phosphatase of gut in Schistocerca gregaria. 1109, 3932

alkaline phosphatase isozymes of Italian and Rhodesian strains of Aedes vittatus. 1560

alkaline phosphatases of gut in Poekilocerus pictus. 1110

of Anthonomus grandis. 1110

of haemolymph in larval and pupal Pieris brassicae. 1096

localization of alkaline phosphatase in reproductive system of Schistocerca gregaria. 4006

tissue distribution of phosphatases in Schistocerca gregaria. 4535

ultrastructural localization in larval midgut of Bombyx mori. 1104

## Phosphate,

level in relation to malathion tolerance of Tetranychus cinnabarinus. 5266

mersalyl in relation to concentration in flightmuscle mitochondria from Musca domestica. 4531 release of acid-linked respiratory inhibition in flight-muscle mitochondria of Apis mellifera. 5224

uptake by Hypoderma lineatum larvae in vitro. 154

#### Phosphatidylcholine,

biosynthesis from choline in fat-body of Phormia regina larvae. 1555

content of mitochondria in Musca domestica. 5242

#### Phosphatidyl ethanolamine,

abundance in larval Culex pipiens fatigans. 4007 content of mitochondria in Musca domestica. 5242

variation in adult Dacus oleae. 2627

Phosphatidyl-β-methylcholine, biosynthesis in larval Tenebrio molitor. 1132

Phosphoenolpyruvate, in relation to isoleucine incorporation by template-active RNA from Tenebrio molitor. 3072

Phosphoethanolamine, presence in haemolymph of Apis mellifera. 5226

## Phosphofructokinase,

activity of flight-muscle in Glossina morsitans and Sarcophaga nodosa. 3067

during adult of development in Schistocerca gregaria. 4001

Ca<sup>++</sup> in relation to activity in insect muscle.

in relation to NADH  $_{\rm 2}$  reoxidation in insect muscle. 1122

## Phosphoglucomutase,

activity of flight-muscle in Glossina morsitans and Sarcophaga nodosa. 3067

locus in Drosophila melanogaster. 6083

6-Phosphogluconate, activity in a Tribolium castaneum population. 5309

## 6-Phosphogluconate dehydrogenase,

dosage compensation for activity in Drosophila melanogaster. 877

genetic regulation of activity in Drosophila melanogaster. 2184

isozymes in developing Apis mellifera. 2015 Phosphokinase, in gut of Phormia regina larvae. 1556

## Phospholipids,

acylation and de-acylation by microsomes from larval Musca domestica. 3927

of adult Glossina morsitans. 1117

in relation to allatectomy in  $\mbox{\ensuremath{$\mathfrak{P}$}}$  Spodoptera littoralis. 4631

in relation to cholinekinase in Periplaneta americana. 3936

composition and content in Lepisma saccharina.

composition of mitochondria in Musca domestica. 5242

dietary requirement by larval Tenebrio molitor. 1132

of 5 insect spp. 3070

## Phospholipids, contd.

incorporation of choline analogues in larval Musca domestica. 3933

of larval Culex pipiens fatigans. 4007 metabolism in Tribolium confusum. 3449

technique for studying metabolism in Insecta.

3449
Phosphomonesterases, tissue distribution in

Schistocerca gregaria. 4535 Phosphoric acid, esters inhibitory to esterases of

# Tetranychus. 5904 Phosphorus.

phosphorus-containing compounds during metamorphosis in Philosamia cynthia ricini. 4625

uptake of <sup>32</sup>P by larval Anopheles quadrimaculatus and retention and transfer during mating. 1572

## Phosphorylase,

activity of flight-muscle in Glossina morsitans and Sarcophaga nodosa. 3067

activity and glycogen content during development in Philosamia cynthia ricini. 4000

affinity for glycogen of flight-muscle phosphorylase of Phormia regina. 5239

Phosphoserine, phosphorylation of chromosomal protein in Sciara coprophila. 2838

Phothydraena atrata (Col., Hydraenidae), new for Romania. 2491

## Photinus pyralis (Col., Lampyridae),

carbon-number distribution of triglycerides. 3070

luciferin-binding site of luciferase.

resilin in lens-cuticle. 3060

## Photography,

of Insecta. 5783

sound-synchronized ultra-high-speed photography for studying stridulation in Gryllidae and Tettigoniidae. 4420

Photometry, device for measuring foliage loss due to Insecta 4413

#### Photoperiod,

in relation to behaviour of larval Myrmeleon obscurus. 750

in relation to circadian rhythm of flight-activity in Aedes aegypti. 1232

control of melanin synthesis and thermoregulation in Colias eurytheme. 3226

in relation to development and diapause in Pleolophus basizonus. 1619

in relation to development and larval diapause in Limenitis archippus. 1187

in relation to development of meso- and metathoracic legs of Diprion similis. 1622

in relation to development and reproduction of Megoura viciae. 3094

in relation to diapause in Grapholitha molesta. 5507

in relation to diapause induction in Chilo

suppressalis. 1183

diapause induction in Contarinia medicaginis. 332

in relation to diapause induction in Laspeyresia pomonella of C. and E.Switzerland. 1189

in relation to diapause induction and termination in Papilio polyxenes. 1185

in relation to diapause in Laspeyresia pomonella. 1186

in ecological differentiation of Clunio marinus.

in relation to endocrine aspects of insect diapause. 5284

in relation to feeding activity and sexual maturation in gregarious Locusta migratoria migratorioides. 5936

in relation to geographical distribution of Aedes aegypti. 1232

induction of diapause in Chrysopa oculata. 1182 induction of diapause in Hylemya brassicae.

in relation to induction of pupal diapause in Heliothis zea. 5286

induction of winged form in Callosobruchus maculatus. 2073

in relation to instar number in Heliothis armigera. 3097

oscillatory concept. 4448

reactions of Nasonia vitripennis. 5283

in relation to regression of prothoracic glands in Locusta migratoria migratorioides. 1152

in relation to reproductive behaviour of Anagasta kuehniella. 5939

in relation to RNA-synthesis in neurosecretory cells of brain and suboesophageal ganglion of Acheta domestica. 617

seasonal changes in reaction of Drosophila phalerata. 5925

timing of emergence in Hyphantria cunea. 233 Photurocantharis (Col., Cantharidae), new synonomy. 967

## Phoxim,

control of Spodoptera littoralis in Egypt. 5352 toxicity to Attagenus alfierii and A.megatoma larvae. 4454

toxicity to Euxoa messoria larvae. 5182

# Phragmites communis (Gramineae),

Cemonus lethifer fabricii and Osmia leucomelaena from gall of Lipara lucens. 4820

galling by Lipara lucens. 4820

insect fauna in Danube Delta, Romania. 2824

Phronia (Dipt., Mycetophilidae), Finnish distribution, taxonomy and new spp described. 5672

Phronia dubiodes sp.n., described. 67

Phrydiuchus (Col., Curculionidae),

larvae and pupae reviewed. 3389

new spp described and speiseri and topiarius redescribed. 2485

Phryganea grandis (Trich., Phryganeidae), salinity preference and tolerance of larvae. 362 Phryganeidae (Trich.). 362, 4133 new Microsporida from larvae. 4133

Phryganopsyche brunnea sp.n. (Trich., Phryganopsychidae), described. 1485

Phryganopsychidae (Trich.), 1485

Phrynichinae (Arach., Amblypygi), Ethiopian genera keyed. 2877

Phrynichus (Arach., Amplypygi), Ethiopian spp keyed. 2877

Phryxe vulgaris (Dipt., Tachinidae), parasite of Lycaena helle. 5990

Phtheochroides clandestina (Lep., Cochylidae), nom.n. for Ph.vulneratana. 118

Phthiracarus montanus sp.n. (Arach., Acari, Oribatei), described. 3723

Phthiraptera, see also Anoplura and Mallophaga suprageneric relationships. 5079

Phthiria barbatula sp.n. (Dipt., Bombylidae), described. 60

Phthirothrips morgani (Thysanopt., Phlaeothripidae), associated with Polyporus pargamenus and Stereum fasciatum in N.Carolina, USA. 3586

Phthorimaea operculella (Lep., Gelechiidae), biology of Orgilus lepidus. 2702 method for recovering larvae from foliage. 3844 new for Denmark. 2871

Phycitidae (Lep.), see also Pyralidae 267, 713, 786, 1041, 1076, 1133, 1301, 1599, 2575, 2691, 2759, 2808, 3048, 3468, 3469, 3513, 3591, 3655, 3865, 4037, 4065, 4111, 4416, 4619, 4656, 4697, 5257, 5306, 5491, 5492, 5515, 5725, 5884, 5939, 5985, 6033

Phygadeuon (Hym., Ichneumonidae), parasitic on pupal Haematobia irritans in N.E. Mississippi, USA. 2751

Phygadeuon nobilitatus meridionellator subsp.n., described. 110

Phygadeuon trichops, parasitic on Hylemya brassicae and H.floralis in Norway, 1702

Phyllanthus (Euphorbiaceae), hosts of Schizotetranychus rhynosperus sp.n. in Brazil. 3288

Phyllidae (Phasm.), 5390

defence behaviour of Panamanian spp. 5390

Phyllobius (Col., Curculionidae), new subgenera established. 5641

Phyllobius longicornis, chromosomal dimorphism. 3213

Phyllocarabodes gen.n. (Arach., Acari, Oribatei), established. 2462

Phyllocnistis citrella (Lep., Tineidae), biology and distribution in Sudan and larva described. 5378

Phyllocolpa (Hym., Tenthredinidae),

biology and ecology in California, USA, and larva described. 3538

 $\operatorname{spp}$  new for Sweden and galls of Swedish  $\operatorname{spp}$  . 330

Phyllocolpa coriacea, galls, larva and life-cycle in Sweden. 330

Phyllocoptes farkasi sp.n. (Arach., Acari,

Eriophyidae), described. 1825

Phyllocoptes fructiphilus, transmission of plant viruses. 5440

Phyllocoptes rosarum, status discussed. 1825 Phyllocoptruta oleivora (Arach., Acari, Eriophyidae).

acaricide for control. 5360

as diet for Amblyseius chilenensis and A.hibisci 5313

facultative parthenogenesis. 4586 spermatophore. 4586

Phyllocycla (Odon., Gomphidae), new spp described 5763

Phyllodroma gen.n. (Col., Cicindelidae), established. 27

Phyllodromica (Blatt., Ectobiidae), new spp described. 3756

Phyllogomphoides gen.n. (Odon., Gomphidae), established. 5763

Phyllonorycter (Lep., Gracillariidae), British and French spp keyed. 5745 Ulmus spp as host-plants of 4 spp. 5745

Phyllophaga (Col., Scarabaeidae), susceptibility to Neoaplectana glaseri. 4696

Phyllophaga anxia, life-cycle of Tiphia berbereti.

Phyllotreta (Col., Chrysomelidae),

karyotype. 5536

restricted to plants containing mustard oils. 4763

Phyllotreta turcmenica schreineri, from deserts of Dagestan, USSR. 466

Phylloptrupes (Col., Chrysomelidae), karyotype. 5536

Phylloxera, see also Viteus

Physloxera glabra (Hom., Physloxeridae), abundance in relation to that of Pullus auritus. 2097

Phylloxera vitifoliae,

chemical control of leaf form in Ontario, Canada. 4677

strains occurring in Ontario (Canada) and damage caused. 4811

Phylloxeridae (Hom.), see also Adelgidae 32, 89, 325, 781, 2097, 4677, 4811, 5384, 6020

Phylogeny,

of Acalypterae. 5146

of Actias. 2834

of aculeate Hymenoptera. 1977

of Amara. 5622

of Anthicidae. 4988

of Apoidea in relation to rectal pad structure. 5215

of Baëtidae. 3323

of Blattaria in relation to proventricular morphology. 642

of Blepharoceridae of New Zealand. 3758

of Caecilius caligonus and subflavus groups of N.America. 1948

Phylogeny, contd.

of Calosoma, Caminara, Ctenosta and Haplothorax of the Atlantic islands. 438

of Castianeirinae subfam.n. 2469

centromere condition not a guide to affinities between insect orders. 1751

of centromere types in Insecta. 1751

of Chrysomeloidea. 152

of Cleroidea. 4985

collagen macromolecule of Articulata not phylogenetically distinct from that of Vertebrata. 4542

of Cyphomyia bicarinata group. 1433

cytophylogenetic relations in Cnephia (Stegopterna). 873

of Dermanyssidae. 510

of Diplocolenus. 3691

in relation to DNA-release and gene-amplification in Insecta . 1120

DNA-RNA hybridization studies in Drosophila. 4147

of Drosophila paulistorum. 2841

of Dyschirius. 3736

of Empididae of Southern Africa. 3772

of Epicauta albida group. 1413

of Epyris of America. 1905

of Eriophyinae. 4923

of Eumastacidae. 6075

of Gryllidae. 3231

Hennig-Brundin 'Phylogenetic Systematics' in relation to Antarctic biogeography. 6107

of Insecta. 435

of Insecta in relation to external genitalia of Ectognatha. 1161

of Ischyropsalis. 3728

of Joppeicidae. 4706

of Lepidoptera in relation to neopterobilin and pterobilin. 1142

of Limnephilinae in relation to chromosomes.

of Loricera s.str. 1840

of Menthidae. 2472

method in numerical taxonomy leading to valid phylogenetic conclusions. 1359

in relation to oncogeny in invertebrates. 4924

of Oribatei. 514

of Orthoptera, 150

of Passalidae. 3044

of Phaleria s.str. 5659

of Phoridae, 70

of photo-geotactic angle-transposition in Pterygota. 5207

in relation to polyploidy. 6071

of Proctotrupoidea and Proctotrupinae. 5716

of Psenini of Nearctic. 1010

of Pseudosinella of European caves. 983

radiation of Diplocolenus. 3691

relationships between Amblypygi and Uropygi. 3525

of Rhyacophilidae. 5774

of Scarabaeoidea. 640, 2001

of Siphlaenigmatidae. 3323

of Siphlonuroidea. 2245

of Stenoporpia. 1013

of Strepsiptera. 3690

of Tabanidae of Neotropical Region. 545

in relation to ultrastructure of corneal surface topography in Insecta. 4484

value of egg-protein patterns. 2625

Phymateidae (Orth.), 1023

proposed rejection in favour of Pyrgomorphidae.

Phymatodes fasciatus (Col., Cerambycidae), biology and ecology in N.E.Danube Delta, Romania. 2127

Phymatosmylus caprorum gen. et sp.n. (Neur., Osmylidae), described. 5081

Physa virgata (Mollusca), food of larval Dictya fontinalis sp.n. in California, USA. 1878

Physalis floridana (Solanaceae), virus transmission by Myzus persicae. 1282

Physaloptera (Nematoda), from Scarabeidae in S. Georgia, USA. 4669

Physapus (Thysanopt., Thripidae), part transferred to Florithrips gen.n. 4404

Physocephala (Dipt., Conopidae), puparia resembling those of Glossina. 1507

Physocephala bimarginipennis, redescribed and immature stages described. 5670

Physocephalus sexalatus (Nematoda), rate of infection of Scarabaeidae in S.Georgia, USA. 4669

Physocyclus simoni (Arach., Aran., Pholcidae), new for Austria. 6112

Physokermes hemicryphus (Hom., Coccidae), honeydew production on Abies in 1968. 2152

Physoperinthus (Col., Staphylinidae), integumentary pores present. 4287 new spp described. 4287

Physorrhininae (Col., Elateridae), genera and subgenera keyed. 5660

Phytaene, in food-plants and Polyommatus icarus. 3458

Phytobia (Dipt., Agromyzidae),

biology, feeding and populations in S.C. Pennsylvania, USA. 3587

method for observing. 136

Phytocoris (Het., Miridae),

from Argentina, Brazil, Colombia and Paraguay.  $5708\,$ 

of Chile reviewed. 5036

new spp from Argentina, Brazil, Colombia and Paraguay. 5708

new spp from Chile. 5036

Phytocoris varipes, midsummer sp of herb stratum at Korshage, Sjaelland, Denmark. 3611

Phytodecta linnaeanus (Col., Chrysomelidae), status of Nordic material. 1409 Phytoecia vulneris (Col., Cerambycidae), possible new subspp. 465

Phytoliriomyza (Dipt., Agromyzidae), taxonomy, relationships and phylogeny. 1421

Phytoliriomyza horticola, plesiomorphic characters. 1421

Phytoliriomyza scotica, atavistic characters. 1421Phytomastax elegans sp.n., (Orth., Eumastacidae), described. 1478

Phytomastax salebrosa sp.n., described. 581

Phytometra tarassota (Lep., Noctuidae), type-sp of Acanthoplusia gen.n. 4379

Phytomyptera nitidiventris (Dipt., Tachinidae), parasitic on Prays oleae in Mediteranean Basin. 320

Phytomyza (Dipt., Agromyzidae),

adaptations to leaf-mining habit in cicutae, obscura and tetrasticha. 1706 mining plants in Romania. 2125

new spp described. 5022

Phytomyza horticola, articulation within 3rd segment of arista plesiomorphic. 1421

Phytomyza notata, oʻgenitalia described for first time. 1421

Phytomyza obscura, adaptation to leaf-mining habit. 1706

Phytomyza orobanchia, natural control of Orobanche crenata in Egypt. 6016

Phytomyza ranunculi group, taxonomy and relationships. 1421

Phytomyza rhabdophora, ♀ indistinguishable from that of Ph.taraxacocecis. 1421

Phytomyza syngenesiae group, taxonomy and relationships. 1421

Phytonomus variabilis (Col., Curculionidae), resistance to BHC in Ararat Valley, Armenia, USSR . 4845

Phytoptidae (Arach., Acari), new for Poland. 1826 Phytoseiidae (Arach., Acari),

in relation to acaricide treatment against Phyllocoptruta oleivora. 5360

biology and ecology in Belorussia. 1305

Phytoseiulus persimilis (Arach., Acari, Phytoseiidae), predation on Tetranychus urticae. 4079

Phytoseius macropilis (Arach., Acari, Phytoseiidae), predaceous on Tetranychidae in Belorussia. 1305 Phytoseius plumifer,

in relation to development. 2710

life-history. 2710

Piagetiella (Mall., Menoponidae), of Pelecaniformes revised. 4385

Piagetiella africana, Tetrophthalmus australis syn.n. of. 4385

Piagetiella titan, Tetrophthalmus subtitan syn.n. of. 4385

Picea (Pinaceae), engelmanni, glauca and mariana hosts of Tetropium cinnamopterum in British Columbia, Canada. 3129

Picea abies,

host of Nalepella haarlovi piceae-abietis var.n.

in Finland. 953

host of Pineus pineiodes in Britain. 3266 Picea orientalis,

host of Marchalina caucasica sp.n. in Kavkaz, USSR. 1445

host of Pineus orientalis in Britain. 3266

Picicola (Mall., Philopteridae), of Picidae revised, new spp described and synonomy. 4384

Picidae (Aves),

Picicola revised. 4384

predation on insects of hardwood trees in Mississippi and Arkansas, USA. 1312

Picinyssus buccanodon gen. et sp.n. (Arach., Acari, Ereynetidae), described. 2885

Picrotoxin, responses of perfused isolated leg preparations of Gromphadorhina portentosa. 4468

Pierella (Lep., Satyridae), biology of astyoche and hyalinus in Venezuela. 4819

Pieridae (Lep.),

294, 690, 735, 1096, 1134, 1144, 1469, 1547, 1583, 1651, 1796, 2004, 2131, 2150, 2596, 2638, 2738, 2804, 3226, 3269, 3350, 3505, 3583, 3591, 3704, 3823, 3866, 3873, 3995,

4117, 4495, 4789, 4925, 4948, 4953, 5072, 5073, 5141, 5158, 5188, 5382, 5414, 5526, 5961, 6000

abundance on cabbage in S.California, USA.

new for Michigan, USA. 4948

status of Papilio aglaja Linnaeus 1758. 3810

Pieris (Lep., Pieridae),

distribution of hybrid races among Palaearctic spp. 1796

interactions with Euchloe. 4117 seasonal fluctuations in oviposition in

S.Australia. 3995

status of hybrids between meridionalis and Corsican form. 5072

Pieris X balcarica, from Palaearctic Region described. 1796

Pieris brassicae,

calliphorin absent. 1134

enzymes in haemolymph of larvae and pupa.  $1096\,$  feeding and nutrition.  $6000\,$ 

haemolymph protein during larval and pupal development. 1096

Nosema mesnili infections in parasites. 2804 nucleic-acid metabolism and development of wing imaginal discs during 5th larval instar.

semi-synthetic diet in relation to nitrogenous compounds of larval haemolymph. 1547

temperature in relation to development of Nosema mesnili. 5158

ultrastructure of flight-muscles. 3873

Pieris dubiosa, Calabrian and Corsican forms and status discussed. 5072, 5073

Pieris krueperi,

egg and larva described. 5141

Pieris krueperi, contd.

oviposition on Alyssum . 5141

Pieris napi, gravity perception and leg proprioceptors. 4495

Pieris protodice, extreme example of vernal phenotype. 3350

Pieris rapae,

abundance on cabbage in S.California, USA. 5479

Apanteles rubecula introduced into USA as parasite. 5414

carriage of Asclepias syriaca pollen. 3583 control by viruses applied to soil and foliage for control. 5961

cruciferous diets in relation to larval growth.
690

fecundity, mating and oviposition in the insectary. 1651

parental effects on migration. 2131

weed control in relation to numbers on Brussels sprouts. 2150

Pieris rapae crucivora,

diet and light in relation to pupal coloration.

haemocyte count in parasitized larvae. 2004 inefficacy of haemocytic reaction against Apanteles glomerulatus. 294

proboscis-extension time and sugar ingestion.
2738

Piesma jugatum (Het., Piesmatidae). new for Chad, Ethiopia and Sudan. 996

Piesma linnavuorii sp.n., described. 996

Piesma marginepictum, new for Chad, Ethiopia and Sudan. 996

Piesmatidae (Hem., Het.), 996, 2973

Pig, see Sus scrofa

mori. 3666

Pigments,

 $\begin{array}{c} \text{atmospheric O}_2\text{-pressure in relation to pterine} \\ \text{synthesis in Mylothris.} \ 1583 \end{array}$ 

biochemistry in Enoplognatha ovata. 2032 biochemistry of lethal albino larvae of Bombyx

of Carausius morosus. 1143

carotenoids of Chironomus annularius egg. 2034 of Chrysopa carnea. 5249

development of pigmentation on forewing of Us-mutant of Anagasta kuehniella. 3865

electrophysiology of optic-lobe interneurons in relation to colour-vision in Calliphora phaenicia and Musca domestica. 1080

eye pigmentation in relation to courtship behaviour of Drosophila melanogaster. 2697

eye pigments of Apis mellifera. 1582

eye pigments of Attagenus megatoma in early adult life. 2597

eye size, eye pigment quantity and eye pigmentgranule size in Drosophila melanogaster. 4901

food-plant pigments present in Polyommatus icarus. 3458

melanin production in "lozenge" mutants of

Drosophila melanogaster. 4899

metabolism in Carausius morosus. 1143

migration and spectral sensitivity in compound eyes of Manduca sexta. 3898

mutations effecting eye pigment in Dahlbominus fuscipennis. 4161

ommochromes of mutant and normal strains of Musca domestica. 5251

ommochromes partly absent from red-eyed strain of Anopheles atroparvus. 5881

papiliochromes from wings of Papilio xuthus.
4554

red eye-pigment in relation to other pteridines in Drosophila melanogaster. 3649

pigmentation associated with tumour-like lesions in Leucophaea maderae. 3438

presence of bile-pigments in Tettigonia viridissima. 1143

pteridines of Atteva punctella. 5250

pterines of eyes in mutant and normal Anopheles atroparvus. 5883

sarcophagine not a direct precursor of melanin. 3459

35S-sodium sulphate for study of pigment changes in wings of seasonal-dimorphic forms of Araschnia levana-prorsa. 4555

storage form for tyrosinase substrates in Drosophila melanogaster. 1574

temperature in relation to seasonal dimorphism of Araschnia levana. 3470

variation of pigmentation in Aphelinus chaonia. 5410

visual pigments of Insecta. 1072

visual pigments of Odonata. 624

of wings in seasonal-dimorphic forms of Araschnia levanaprorsa. 4555

xanthopterin present in integument of Palomena prasina. 5248

Pignut hickory, see Carya glabra

Pilipalpus (Col., Pyrochroidae), Copobaenus ater and maculicollis transferred to. 4988

Pilobates carpetanus sp.n. (Arach., Acari, Oribatei), described. 3723

Pilophorus pusillus (Het., Miridae), new for Sweden. 1380

Pilusomydrus furfurosus gen. et sp.n. (Het., Lygaeidae), described. 994

Pimelia (Col., Tenebrionidae), anemo-menotaxis in grossa and tenuicornis. 635

Pimeliaphilus zeledoni sp.n. (Arach., Acari, Pterygosomidae), described. 4234

Pimpla (Hym., Ichneumonidae),

larva described and partial key to larvae. 2580 secondary solitary pupal parasite of Temelucha nr.epagoges in Trichotaphe levisella in Minnesota, USA. 1274

Pimpla instigator, infection by Nosema mesnili. 2804

Pimpla roborator, parasitic on Laspeyresia pomonella. 5430

Pimpla sikkimensis, syn.n, of Afrephialtes latiannulatus. 2994

Pimpla turionellae, fraction of Galleria mellonella larval haemolymph inducing oviposition. 716

Pimplinae (Hym., Ichneumonidae),

larval characters. 2580 new for France. 110

Pimplini (Hym., Ichneumonidae), larval characters and partial key to larvae. 2580

Pimplopterus (Hym., Ichneumonidae), parasitic on Eucosma rescissoriana in Pinus monticola cones in N.Idaho, USA. 2531

Pimplopterus marginatus, primary solitary larval parasite of Trichotaphe levisella in Minnesota, USA. 1274

Pine needle gall fly, see Itonida pinirigidae Pine needle scale, see Phenacaspis pinifoliae Pine root-tip weevil, see Hylobius rhizophagus Pine-shoot moth, see Evetria cristata

Pine squirrel, see Tamiasciuris

Pine tree emperor moth, see Nudaurelia cytherea capensis

α-Pinene, constituent of cotton bud attractive for Anthonomus grandis- 5431

Pineus orientalis (Hom., Adelgidae), new for Britain. 3266

Pineus pineiodes, new for Britain. 3266 Pinhole borers, see Platypodidae Pink bollworm moth, see Pectinophora gossypiella Pink stem-borer, see Sesamia inferens Pinus (Pinaceae).

attack and flight pattern of Platypus flavicornis in E.Texas, USA. 751

cage for studying root wounding by Hylobius
 rhizophagus. 1954

3-carene in relation to pheromone response in Dendroctonus brevicomis. 1652

Cinara pinihabitans rediscovered in Steiermark, Austria. 5429

distribution of egg clusters of Neodiprion sertifer. 2728

feeding responses in Coptotermes formosanus, Reticulitermes flavipes and R. virginicus. 4762

host of Dendroctonus rhizophagus sp.n. in Mexico. 3749

host of Dioptrophorus and Pissodes in Mexico.  $4275\,$ 

host of Dioryctria vancouverella sp.n. 2535 infestation by Eurytomidae in California, USA. 810

infestation level of Itonida pinirigidae in irridiated P.echinata, P.taeda and P. virginiana. 3612

JH-mimicking activity of bark and wood extracts.

larval Pyanisia tristis in boards in Alabama, USA. 3040

oleoresin in resistance to insect pests. 5442 Pytho depressus in field pine in GDR. 4042 Pinus attenuata, attacked by Exoteleia burkei in Sierra Nevada, California, USA. 2242

Pinus banksiana,

factors limiting population size of Araneae. 3615

host of Dioryctria banksiella sp.n. 2534 host of Hylobius rhizophagus in Wisconsin, USA. 281

infestation by Neodiprion virginianus complex in N.E.New Brunswick, Canada. 4094

Pinus contorta,

host of new Dioryctria spp. 2534, 2535 rearing media for Dendroctonus ponderosae from. 3379

Pinus echinata, ecology of Dioryctria amatella and D.zimmermanni larvae in relation to 2nd-year cones. 5491, 5492

Pinus elliottii var.elliottii, olfactory response of Dioryctria abietella. 4656

Pinus engelmannii, feeding of Cheiroplatys clunalis. 279

Pinus kesiya, host of Dioryctria castanea sp.n. in Assam. 574

Pinus maritima, Cronartium flaccidum and Pissodes notatus in mortality in Bouconne Forest, Haute-Garonne, France. 3588

Pinus monticola,

host of Dioryctria monticolella sp.n. 2534 parasites associated with Eucosma rescissoriana in N.Idaho, USA. 2531

Pinus ponderosa,

biology of Conophthorus ponderosae in S.New Mexico, USA. 4703

host of new Dioryctria spp. 2534, 2535 pheromones regulating attack and colonization by Dendroctonus brevicomis. 1288

Pinus radiata, Lepidosira gupta sp.n. from litter in S.Australia. 3729

Pinus resinosa (red pine),

bionomics of Eucosma monitorana in Wisconsin, USA. 2762

host of Hylobius rhizophagus in Wisconsin, USA. 281

Pinus strobus,

distribution of Pissodes strobi in stands. 333 host of Hylobius rhizophagus in Wisconsin, USA. 281

Pinus sylvestris,

aggregations of Collembola in soil. 2162 feeding of Hylobius pales and Pissodes approximatus. 4738

host of Hylobius rhizophagus in Wisconsin, USA. 281

Pinus taeda,

feeding responses in Coptotermes formosanus, Reticulitermes flavipes and R .virginicus. 4762

response of d'Ips grandicollis to attractant of other dd attacking P.taeda. 2714

Pinus thunbergii, populations of Evetria cristata in

Pinus thunbergii, contd.

relation to parasitism. 3596

Pinus virginiana, new host for Pissodes strobi. 1286

Piogaster albina (Hym., Ichneumonidae), new morph described. 110

Pionea damastesalis (Lep., Pyralidae), frequenting eyes of domestic mammals in Bangladesh. 4033

Pionea nephelistalis, type-sp of Nephelobotys gen.n. 3824

Piophila casei (Dipt., Piophilidae), populations in food-processing establishments in Czecho-slovakia. 842

Piophilidae (Dipt.), 842

Piperonyl butoxide, synergistic ratio with carbaryl in 8 insect orders. 4582

Pipilo erythrophthalmus (Aves), host of Bakericheyla chanayi in California, USA. 317

Pipistrellus (Chiroptera), host of Mitchella exsula gen. et sp.n. 4400

Pipiza (Dipt., Syrphidae), separation of Triglyphus from Pipiza supported. 986

Pipronyssus (Arach., Acari, Rhinonyssidae), new sp from Belém region, N.Brazil. 4975

Pipunculidae (Dipt.), 72, 1267, 4434

larval biology with respect to Cercopidae. 4975 taxa described by E.T.Cresson, jun., 1906-1949. 2451

Pirates (Hem., Het., Reduviidae), patricius and picturatus syn.n. of quadrinolatus. 3330

Pirates quadrinolatus, P.picturatus and P.patricus syn.n. of. 3330

Pirene (Hym., Lamprotatidae), parasitic on Cecidomyiidae in India. 4101

Pirnodus soyeri sp.n. (Arach., Acari, Oribatei), described. 1822

Piroplasmosis, in relation to Ixodoidea in Switzerland. 4187

Pisauridae (Arach., Aran.),

Melocosa transferred to Lycosidae. 1828 new spp from New Guinea described. 502

Pisaurina (Arach., Aran.), ultrastructure of spermiogenesis. 5277

Pison atrum (Hym., Sphecidae), new for Romania. 2219

Pison strandi, larva described. 1963

Pissodes (Col., Curculionidae),

inhabiting Cronartium fusiforme cankers in winter. 4065

semi-incompatibility system in C-metacentric taxa. 4164

Pissodes approximatus,

dieldrin, dimethoate and endosulphan for control in C.Pennsylvania, USA. 5340

life-history in C.Pennsylvania, USA. 4738

Pissodes notatus, in relation to mortality of Pinus maritimus in Bouconne Forest, Haute-Garonne, France, 3588

Pissodes obscurus, feeding behaviour of Medetera

sp A. 2739

Pissodes strobi,

distribution in Pinus stands. 333 infestations and reproductive rate in Pinus virginiana in Maryland, USA. 1286

Pissodes terminalis, chromosome polymorphism and the semi-incompatibility system. 905, 4164

Pissodes zitacuarense sp.n., described. 4275 Pisum (Leguminosae).

behaviour, reproduction and survival of Chaetosiphon fragaefolii. 2700

probing behaviour of Chaetosiphon fragaefolii.

vitamin E and C contents in relation to phenology and physiology of Barathra brassicae. 4516  $\,$ 

Pisum sativum (pea), alate production of Acyrthosiphon pisum. 1617

method for rearing Contarinia pisi in pods. 593
Pitch-eating weevil, see Pachylobius picivorus

Pithitis (Hym., Anthophoridae), World spp reviewed, African and Oriental sp-groups defined and keyed. 2988

Pithitis indica sp.n., described. 2988

Pittosporum japonicum (Pittosporaceae), longevity of o' Culex pipiens quinquefasciatus. 3565

Pituophis catenifer (Ophidia), Hepatozoon rarefaciens transferred from Drymarchon corais by Culex tarsalis. 6060

Pityogenes (Col., Scolytidae), key to larvae. 3385 Pityohyphantes phrygianus (Arach., Aran., Linyphiidae), biology and ecology on Acer in Michigan, USA. 3592

Pityophthorus orarius (Col., Scolytidae), habits in relation to Pseudotsuga menziesii. 4059

Placoblatta rugosa gen. et sp.n. (Blatt., Epilampridae), described. 3756

Placomyobia wilsoni gen. et sp.n. (Arach., Acari, Myobiidae), described. 4230

Plagiochilus (Col., Scarabaeidae), new African taxa. 5650

Plagiognathus chrysanthemi (Hem., Het., Miridae), midsummer sp of herb stratum at Korshage, Sjaelland, Denmark. 3611

Plagiolepis (Hym., Formicidae),

distribution, ecology and habits in Mamora Forest, Morocco. 4862

mandibular shape of larva. 4430

reproductive biology of grassei, pygmaea and xene. 4872, 5955

Plagiorrhamma (Hem., Het., Miridae), differentiated from Hallodapus. 5709

Plagiothrips gen.n. (Thysanopt., Phlaeothripidae), established. 1024

Plagiotrophus (Hym., Cynipidae), oak-galls in Méhes collection in Museum of Natural History, Budapest, Hungary. 1278

Plagithmysinae (Col., Cerambycidae), distribution and speciation. 3739 of Hawaiian Islands revised and new taxa Plagithmysinae (Col., Cerambycidae), contd. described. 3739

Plagithmysus (Col., Cerambycidae), of Hawaiian Islands revised. 3739

Plameustomus flavicollis (Col., Staphylinidae), occurrence in Britain questioned. 2922

Planaeschna milnei (Odon., Aeshnidae), sexchromosomes and sex-determining mechanism. 912

Planinasus venezuelensis sp.n. (Dipt., Aulacigastridae), described. 57

Planococcus citri (Hem., Hom., Pseudococcidae), associated with Gynaikothrips ficorum in leafrolls on Ficus nitida. 6047

association between heterochromatic chromosomes and nuclear membrane. 1333

chromosome rearrangements, lethals and genetic markers. 5530

on Coffea arabica roots in Kenya. 6056

development and reproduction on sprouting potato tubers. 1231

 $\begin{tabular}{ll} developmental control of heterochromatization \\ of paternal chromosomes. 1327 \end{tabular}$ 

histones. 4536

sex dimorphism of cell numbers and DNAcontent. 1327

Planorbella (Gastropoda), food of larval Dictya fontinalis sp.n. in California, USA. 1878

Plantago (Plantaginaceae), food-plants of Melitaea varia in France. 4739

Plantago asiatica, overwintering host for Aphis gossypii. 6017

Plantago major, transient host-plant for Psylla pyricola in Canada. 4795

Plants.

Acacia aneura as host of Dunatothrips aneurae.

Acacia mearnsii galled by Dactylothrips tasmani sp.n. 4402

Acari as vectors of plant viruses. 5440 in relation to acaricides and resulting effects on Eutetranychus orientalis. 6035

Aceria medicaginis and Tarsonemus setifer associated with Medicago sativa in Imperial Valley, California, USA. 5454

Acherontia atropos larva feeding on Ligustrum vulgare in nature, 6013

Altica carduorum for control of Cirsium arvense in Canada. 4068

Amblyseius fallacis not phytophagous. 4708 antibiosis towards larval Anthonomus grandis in Hampea sp. 811

annual spring seeding of alfalfa in relation to population size in Hypera postica. 3613

aphid and parasite relationships in Quercus in Iraq. 4818

Aphididae and Coccinellidae on crops in a 4-field rotation system. 5495

Apioninae associated with wild Leguminosae in the Leningrad (USSR) area. 4794 Araneae and Culicidae of the ecotone between alderwood and mixed woodland in Poland. 5508

Araneae and Insecta in pitchers of Sarracenia purpurea at L.Carré, Québec, Canada. 3589

Asclepias syriaca pollen carried by Lepidoptera. 3583

associated with Symphyta in Tanzania. 5600 Atherigona attacking millet at Delhi, India.

Atherigona naquii attacking barley in India. 4805

azalea, rhododendron and rose as hosts of Orthosia hibisci in Maryland and Virginia, USA. 5447

behaviour of larval Coleophora tamesis in relation to Juncus articulatus. 5373

behaviour of Papilio troilus in relation to flower colour. 5198

behaviour, reproduction and survival of Chaetosiphon fragaefolii in relation to host plant. 2700

biological bases for plant protection against Elateridae in USSR. 5463

biological control of weeds in New Zealand in 1927-1948. 6027

biological, morphological and physiological adaptations of leaf-mining insects. 1706

biology of Acalitus vaccinii in relation to Vaccinium. 4709

biology of Amradiplosis allahabadensis in relation to Mangifera indica. 4023

biology of Conophthorus ponderosae in relation to Pinus ponderosa in S.New Mexico, USA.

biology of Contarinia coffeae sp.n. in relation to coffee in Uganda. 3762

biology, control, ecology and economic importance of Scolytidae. 3590

biology of Dacus dorsalis. 3777

biology and ecology of Araneae on Acer in Michigan, USA. 3592

biology and ecology of Lecanium deltae in relation to citrus in Tucumán, Argentina. 4058

biology and ecology of Leptocorisa oratorius on rice and other Gramineae in Sarawak. 4103

biology of gall-making Nematinae in California, USA. 3538

biology of Panonychus ulmi in relation to Pyrus in Giza, Egypt. 5976

biology of Papilio demoleus in relation to citrus in Sudan. 5971

biology of Poecilips pteridophytae in relation to Pteridium aquilinum. 6015

brood measurement as index to pollinator value of Apis mellifera. 4865

carbohydrate and nitrogen-compound utilization of Lipaphis erysimi in relation to host plant. 5858

Casuarina luehmanni as host of Hypochrysops

- piceata sp.n. in Queensland, Australia. 3815 Cecidomyiidae galling Ficus and Tectona grandis in India. 3761
- Celtis as host of Molorchus bimaculatus semiustus and Rhopolophora rugicollis in Texas, USA. 5445
- Cicadellidae transmitting curly top of sugar beet in Near East. 4333
- circular rotating cage for uniform oviposition by Liriomyza munda in plants. 5097
- Collembola as 'neutral' animals on fruit trees. 5504
- Colorchus bimaculatus semiustus mining Celtis. 5445
- competition for nectar in relation to seasonal activity in Lepidoptera. 5986
- control of Noctuidae on Zea mays in C. and S. Florida, USA. 5335
- cotton-bud constituent attractive to Anthonomus grandis. 5431
- Crataegus as host of Stigmella paradoxa at Wicken Fen. England, 5586
- Cronartium flaccidum and Pissodes notatus as mortality agents in Pinus maritima in Bouconne Forest, Haute-Garonne, France. 3588
- Cynodon dactylon galled by Tristephanus cynodontis sp.n. in India. 3764
- Cyperus rotundus partially controlled by Laspeyresia perfricta in India. 4804
- cytopathology and multiplication of wound tumour virus in Agallia constricta. 3984
- daily egg-production of Tetranychus urticae on metal-chelate-treated leaves. 5290
- daily fluctuation in visits to citrus flowers by Oxycetonia jucunda. 4742
- Dalbulus elimatus as vector of corn stunt agent to Zea mays. 4067
- damage caused to citrus by Phyllocnistis citrella. 5378
- damage caused to Medicago sativa by Therioaphis maculata in Delaware, Maryland and New Jersey, USA. 5503
- damage caused to rice by Pachydiplosis oryzae.
  4061
- diapause and food consumption in Dioryctria amatella and D.zimmermanni in 2nd-year cones of Pinus echinata. 5492
- Dioryctria abietella attracted to cones of Pinus elliottii var.elliottii. 4656
- Diplopoda in relation to litter breakdown in mixed forests of N.Kavkaz, USSR. 5396
- directional control of stylets in phytophagous Hemiptera. 4758
- discrimination among flowers and flower-scents of Medicago sativa by Apis mellifera. 4122
- discrimination among pine genotypes by Neodiprion sertifer larvae. 2728
- distribution of chemoreceptors for food-plant

- perception in Q Danaus gilippus berenice.
- distribution of Hemerocampa pseudotsugata cocoons on Abies concolor, 4084
- distribution of Palaeolecanium bituberculatum larvae in the tree-crown. 4825
- distribution of pond-shore populations of Collembola in relation to vegetation, 4817
- ecological groupings of Coccoidea associated with plant communities in Ocjów National Park, Poland. 5577
- ecology of Dioryctria amatella and D.zimmermanni larvae in Pinus echinata cones. 5491
- egg characteristics of Tripteroides breeding in Nepenthes. 4436
- egg source in relation to infestation of dent corn by larval Ostrinia nubilalis, 5948
- Eotrama gen.n. from thistle roots in Lebanon. 3788
- Euryoma sabiae sp.n. and Prodecatoma sabiae sp.n. from galls on Sabia campanulata. 4352
- extracts promoting growth in artificial diets for Melanoplus femurrubrum. 3978
- factors affecting oviposition by Atherigona varia soccata on sorghum. 3530
- factors affecting population density of Brevicoryne brassicae. 342
- factors affecting population size of Araneae on Pinus banksiana. 3615
- in relation to faunal distribution in coastal areas of Kiel, GFR. 4095
- feeding behaviour and oviposition of Polydorus aristolochiae. 4747
- feeding damage by Gerstaeckeria occurring N. of Mexico. 3304
- feeding of Eublemma parva larval on Pulicaria dysenterica. 5142
- feeding levels of Pristiphora erichsonii on Larix in Maryland, USA. 5399
- feeding pattern of Phytobia in Fraxinus americana. 3587
- feeding preferences of Anabrus simplex. 4772 feeding responses of Heliothis zea larvae to
- extracts of Zea mays kernels and silks. 4764 feeding responses to sound wood in Coptotermes formosanus, Reticulitermes flavipes and R. virginicus. 4762
- feeding and resting behaviour of Biini and Haeterini in Venezuela. 4819
- feeding sites of Ips cembrae. 4036
- fertilization of tree-stands in relation to forestpests. 4797
- flower preferences of Andrenidae in Hokkaido, Japan. 2163
- foliar application of viruses for control of Pieris rapae and Trichoplusia ni. 5961
- food-plant differentiation by larval Manduca sexta. 3415
- food-plant pigments in Polyommatus icarus. 3458

food-plants of Glaucopsyche in California, USA. 3707

food-plant in relation to haemolymph proteins of Hyphantria cunea. 3928

food-plants of Hungarian Lepidoptera. 5432

food-plants of Japanese Symphyta. 4799

food-plants of Melitaea varia in France. 4739 food preferences of Peltoperla maria larvae.

foraging activity of Apis mellifera with regard to cucumber. 812

foraging behaviour of Hodotermes mossambicus.

gall formation by Eurosta solidaginis on Solidago canadensis. 3584

galls of Cercothrips brevicornis sp.n. 5772

galls of Eriophyes brevitarsus on Alnus glutinosa. 4057

galls of Indodiplosis mangifoliae on Mangifera indica. 4069

galls of Pontania proxima on Salix triandra. 4060

galls of Rhabdophaga albipennis and Rh. saliciperda. 5453

gene and pollen dispersal by Apoidea in relation to plant density. 3192

germination of seeds of Indian crop spp damaged by larval Sitotroga cerealella. 4812

Glischrochilus quadrisignatus attacking Malus in Ontario, Canada. 4801

growth of Manduca sexta larvae on artificial diet and tobacco leaves. 5317

growth of Phragmites communis in relation to gall-development of Lipara lucens. 4820

habits of Formicidae in Mamora Forest, Morocco. 4862

habits of Pityophthorus orarius in relation to Pseudotsuga menziesii. 4059

Hippelates dissidens 99 attracted to damaged vegetation. 4651

Holotrichia serrata attacking Nicotiana at Kateru, India. 4808

host distribution of Scolytidae in Israel. 6119 host distribution of Stictocephala bubalus on an

island in the Mississippi R., USA. 3582

host index for Roepkea in Holarctic. 3335

host and non-host plants as sites for baited traps for Ceratitis capitata. 5346

host nutrition in relation to malathion-tolerance of Tetranychus cinnabarinus. 5266

host preferences of Chrysops vittatus. 4756 host restriction in Aulacorthum solani. 5690

host-selection behaviour of Acyrthosiphon pisum. 6002

host-selection behaviour of Cardiaspina densitexta, 5362

host-selection behaviour of Pyrgomorpha conica. 6003

host-selection in Nearctic Euchloe. 4117

host species in relation to amylase and invertase activity in Aonidiella aurantii and Chrysomphalus aonidum. 5238

host-specificity of Euura, Phyllocolpa and Pontania. 3538

host-specificity of Rhagoletis. 2859 hosts of African Oxycarenus. 4318

hosts of Agromyzidae associated with Phaseolus vulgaris in E.Africa. 2502

hosts of Agromyzidae attacked by Opiinae in Poland. 4936

hosts of Aphididae in Kulu Valley and Punjab plains, India. 4201

hosts of Blissinae in Indo-China and Thailand.

hosts of C.European Clytrinae and Cryptocephalinae. 4030

hosts of Circulifer in N.W.India. 4332

hosts of Dichtiria turbidella and Gypsonoma oppressella at Wicken Fen, England. 5586

hosts, feeding sites and phenology of Insecta associated with Rhamnaceae in Europe. 3591

hosts of Impatientinum impatiensae dalhousiensis subsp.n. and Protama penecaeca in N.W. India. 3787

hosts of Lamiinae of Mozambique. 4266

hosts of Laspeyresia pomonella. 5430

hosts of Lithocolletis klimeschiella sp.n. in Is. Canarias. 5067

hosts of Lithophane laticinerea. 3541

hosts of new Aphididae from Europe. 3786

hosts of new Aphididae from India. 4327, 4328

hosts of new Coccidae from Angola and USA. 5040

hosts of new Diaspididae from Africa. 5047 hosts of new Paria from N.America. 4272

hosts of new Pleotrichophorus from USA. 5691

hosts of Oligonychus ununguis in Finland. 5977

hosts of Philippine plant pests. 3593 hosts of Pontania. 5741

hosts of Protama penecaeca in N.W.India.

hosts of Rhynchaenus alni and Rh.testaceus.

hosts of Sesamia cretica. 5969

N.Carolina, USA. 5337

infestation levels of Itonida pinirigidae in Pinus. 3612

Insecta associated with Stipa pennata in Hungary. 5049, 5717

Insecta from brown slime-fluxes in S.New England, USA. 4096

Insecta of sugar-cane fields in Egypt. 6058 insecticidal control of Anthonomus grandis and Heliothis zea in relation to cotton yields in

integrated control of Trialeurodes vaporariorum

- on cucumber. 5351
- intrinsic rate of increase of Acyrthosiphon pisum on alfalfa. 3614
- Iziphya grandipes sp.n. from Carex in Ontario, Canada. 3790
- Larix as host of Laspeyresia deciduana sp.n. 5077
- larval mine of Dechtiria turbidella. 5586
- larval mines of Stigmella malella and paradoxa. 5387, 5916
- leaf age in relation to development and fecundity of Ennomos subsignarius. 4633
- leaf-mining insects of Romania. 2124, 2125
- Leguminosae attacked by Caryedon gonagra in India. 5443
- life-history of Anaphothrips validus in relation to Galium palustre. 5597
- life-history of Pamphilius phyllisae in relation to Ouercus rubra, 3623
- Lobopteromyia bivalviae comb.n. galling Acacia catechu in Uttar Pradesh, India. 3763
- location of food-plant via antennal chemoreceptors in Epilachna vigintioctopunctata.
- macrophytes as food of larval Anabolia nervosa, Drusus annulatus and Potamophylax cingulatus. 3542
- method for observing mining insects in cambium. 136
- methods for permanent preparations of epidermis of Gramineae. 5782
- microfauna of leaf-rolls of Ficus nitida. 6047 Microlepidoptera mining plants in Romania.
- mine of Phyllocnistis citrella in Citrus. 5378 Nathanica capitata on Crataegus and Taxus in
- Nathanica capitata on Crataegus and Taxus in Berkshire, England. 5591
- natural control of Orobanche crenata by Phytomyza orobanchia in Egypt. 6016
- Neocypholaelaps pradhani sp.n. from Malus domestica flowers, India. 4217
- nesting sites of stem- and twig-inhabiting Apoidea in Africa. 5379
- nesting by Solierella blaisdelli and S.peckhami.
- new Agromyzidae from European plants. 5022 new hosts for Chaeturothrips machadoi and Copidothrips formosus. 4403
- new Phytoseiidae from Mangifera indica and Ricinus communis in India. 4231
- new secondary hosts of Petrobia latens. 4718
  Nicotiana as host of Nysius raphanus in Florida
- and Georgia, USA. 5446 nutritive value of plant secretions to Erioischia
- oleoresin in relation to conifer resistance to Insecta. 5442
- Ophiosoma ulmi transmitted to elms at Wrockaw (Poland) by Scolytus. 6018

brassicae, 2722

- overwintering of Curculionidae in meadows and Trifolium pratense fields . 6043
- overwintering population distribution of Lepidoptera on Larix in C.Switzerland. 4083
- overwintering sites of Metaseiulus occidentalis on peach. 5383
- oviposition behaviour of Empoasca fabae on host and non-host plants. 4657
- in relation to oviposition of Dendrosoter protuberans. 4779
- oviposition of Hypera postica in relation to growth of Medicago sativa in Ohio, USA. 4846
- oviposition of Pieris krueperi on Alyssum. 5141
- oviposition response in relation to plant vigour in Manduca sexta. 5134
- oviposition-site selection of Sitophilus in relation to cereal grain. 5321
- oviposition of Termatophylum insigne in Ficus nitida. 5983
- parasitism of Delphacidae eggs by Anagrus nr.flaveolus.5106
- Pediculoides ventricosus parasitic on Callosobruchus maculatus in seeds of Vigna catjung. 4844
- phenology of Apion on winter Leguminosae in Israel. 5510
- phenology of Callosobruchus chinensis in relation to growth of host beans. 3610
- phenology of Chilocorus bipustulatus in relation to avocado, citrus and mango in Israel. 5500
- 32P taken up by o' Culex pipiens quinquefasciatus. 3565
- photometric device for measuring foliage loss due to Insecta . 4413
- Phyllotreta restricted to hosts containing mustard oils. 4763
- Phylloxera vitifoliae strains occurring in Ontario (Canada) and damage caused. 4811
- phytochemical arrestants for Acromyrmex octospinosus and Atta cephalotes. 4128
- phytotoxicity of chemosterilants of Tetranychus urticae. 5152
- Pinus attacked by Dioptrophorus and Pissodes in Mexico. 4275
- Planococcus citri complex on roots of Coffea arabica in Kenya. 6056
- Plantago major as transient host for Psylla pyricola in Canada. 4795
- pollination frequency for Medicago sativa in relation to Apis mellifera and wild Apoidea. 5449
- pome-fruit pests and their control. 4810 population dynamics of Panonychus ulmi on
- apple in Nova Scotia, Canada.  $6046\,$  population growth of Oligonychus punicea in
- relation to leaf condition of Persea indica.
  4833
- portable platforms for watering leaves in acrylic cages containing small leaf-feeding arthropods. 5122

preferences of Macrosiphum euphorbiae and Myzus persicae among potato varieties. 3603 preferred hosts of Draeculacephala mollipes.

4711

presence of surrounding plants in relation to captures of o'Trichoplusia ni in pheromonebaited traps. 4566

primary hosts of Aphis gossypii and colonization of secondary hosts. 6017

probing behaviour of Chaetosiphon fragaefolii. 4770

Prodecatoma sabiae sp.n. from galls on Sabia campanulata. 4352

Prunus cerasus confirmed as host of Rhagoletis pomonella. 5436

Quercus ithaburensis as host of Kermes bytinskii sp.n. in Israel. 5048

Quercus laurifolia as host of Quernaspis quercicola sp.n. in Georgia, USA. 4336

rearing of Gastroidea viridula on Rumex obtusifolius. 5786

resistance of Arachis hypogea lines to Diabrotica undecimpunctata howardi. 5448

resistance of Eucalyptus to Perthida glyphopa. 5464

resistance of Hungarian hybrids of Prunus cerasus to Quadraspidiotus perniciosus. 4803

resistance of Medicago sativa clones to Hypera postica larvae. 5450

resistance of rice varieties to Nephotettix impicticeps and Nilaparvata lugens. 1285

resistance of Zea mays to Ostrinia nubilalis. 5452

resistance of Zea mays varieties to Atherigona.

respiration rate of adult Donacia simplex in relation to O<sub>2</sub> partial pressure of plants. 5213

responses of Dendroctonus pseudotsugae to synthetic frontalin. 4569

Rhopolophora rugicollis mining Celtis. 5445

Salix pentandra as host of Elasmostethus brevis in Sweden. 4802

sap consumption by Cicadella viridis population.
5850

seasonal populations of Hemiptera on Gossypium in Egypt. 6051, 6052

shade in relation to infestation of Trichochiton scleroxylon by Diclidophlebia. 5891

Silene vulgaris alpina as host of Volutaphis alpinae sp.n. in Austria. 4330

size of Chirothrips manicatus larvae in relation to host. 3852

Solanum resistant to Macrosiphum euphorbiae and Myzus persicae. 4800

stem borers of maize and sorghum and their parasites in Sudan. 6011

stigmatomycosis in relation to fruit-piercing

noctuids in Europe. 303

Stipa pennata as host of Neochrysocharis jazyga sp.n. in Hungary. 5049

stochastic model of plant-to-plant movement in Aphididae. 4070

suitability for Cosmobaris americana. 4710 surrogate leaf for oviposition by Manduca sexta. 5134

susceptibility of bajra, maize and sorghum to Chilo zonellus. 4798

susceptibility of Pyrus to Aphanostigma piri.

in relation to take-off time of Schizaphis graminum. 4466

technique for confining insects to leaf-surfaces and its use in pathogen bioassay. 3033

Tephritidae giving natural control of weed Compositae in Hungary. 6014

Tillandsia usneoides as host of Pseudoparlatoria tillandsiae sp.n. in Georgia, USA. 4335

toxicity of trichome exudates of Nicotiana and Petunia to larval Manduca sexta. 4813

trap crop for protection of cotton from Lygus vosseleri. 5438

tree-dissection for calculating population changes in Corthylus columbianus. 3602

tree-holes as breeding-sites for Aedes and Culex in S.India. 4666

Triatominae on Palmae in Uberaba Municipality, Minais Gerais, Brazil. 5511

Typhlodromus mcgregori in control of fruit-tree Acari. 4796

Ulmus as hosts of Phyllonorycter. 5745 vegetation cover in relation to distribution of Formicidae in the great dunes of N.W. Sahara. 4827

vegetation height in relation to larval distribution and oviposition of Tabanidae in a New Jersey (USA) salt-marsh. 4828

vegetation type in relation to population dynamics of Ennomos subsignarius. 4633

Viburnum opulus as host of Pamphilius ochreipes in Ontario, Canada. 4044

visited by Syrphidae in Okanagan Valley, British Columbia, Canada. 3279

vitamin E and C contents of host in relation to phenology and physiology of Barathra brassicae. 4516

weeds in relation to Graminella nigrifrons as vector of corn stunt disease. 5512

weeds in relation to Ichneumonidae on W.Coast of Schleswig-Holstein, GFR. 5478

in relation to woodland populations of Collembola in Indiana, USA. 4020

yield loss of Saccharum due to cane borers in Egypt. 6012

Zea mays attacked by Atherigona orientalis in India. 4806

Plasmodium (Protozoa), feeding habits of Culicidae in relation to asexual reproductive

Plasmodium (Protozoa), contd.

cycles. 5799

Plasmodium brasilianum, infectivity for Anopheles. 5809

Plasmodium cynomolgi, geographical and seasonal variation in relation to susceptibility of Anopheles. 3625

Plasmodium malariae, infectivity to Anopheles freeborni feeding on Aotus trivirgatus. 4680

Plastophora balearica sp.n. (Dipt., Phoridae), described. 71

Plastrons,

occurrence and significance in eggs of terrestrial insects. 5791

respiration in adults of Myxophaga. 1999 respiration in egg of Cordilura deceptiva. 290 scanning electron microscopy in Elminthidae. 174

Platambus maculatus (Col., Dytiscidae), upstream movements in a stream in S.Sweden. 2815

Plataspidae (Hem., Het.), 1900

types in Institut Royal des Sciences Naturelles de Belgique, Bruxelles, Belgium. 1900

Plateros (Col., Lycidae), part transferred to Asioplateros gen.n. 528

Plateros alishanus sp.n., described. 2492

Plathypena scabra (Lep., Noctuidae), consumption of Glycine max leaf tissue. 4413

Platocharis gen.n. (Hym., Eulophidae), established. 1451

Platybunus (Arach., Opil.), Opilio bucephalus C.L. Koch 1835 proposed as type-sp. 1399

Platybunus decui, described and discussed. 1832 Platyceroides latus (Col., Lucanidae), morphology and systematic position. 3305

Platyceropsis keeni (Col., Lucanidae), morphology and systematic position. 3305

Platycerus (Col., Lucanidae), W.Mediterranean spp reviewed. 975

Platycerus acuticollis sp.n., described. 3306 Platycerus delicatulus, redescribed. 3306

Platycerus oregonensis, morphology and systematic position. 3305

Platycerus virescens, mating behaviour. 2694

Platycheirus (Dipt., Syrphidae), "melanoid" 99
described. 6098

Platycheirus clypeatus, aphid predator in N.E. Belorussia. 1306

Platycheirus ovalis,

♀ described for first time. 5679 new for Netherlands. 6123

Platycis cosnardi (Col., Lucanidae), from Sussex, England. 3243

Platycleis meridiana sp.n. (Orth., Tettigoniidae),

described. 581

Platycleis (Squamiana) squamiptera, C.Asian distribution. 1478

Platycnemididae (Odon.), 4391

type-specimens in British Museum (Natural History), London, England, listed and

lectotypes designated. 4391

Platyderus davatchii sp.n. (Col., Carabidae), described. 4262

Platygaster (Hym., Platygasteridae),

parasitic on Contarinia tritici and Sitodiplosis mosellana. 4101

parasitic on Dasineura balsamicola in Maine, USA. 4786

Platygaster aciculosis sp.n., described. 4359 Platygaster marikovskii, type-sp of Anirama

gen.n. 5716 Platygasteridae (Hym.), 1923, 1924, 2755, 4101,

4262, 4359, 4786, 5716 new characters for generic separation. 1924 parasitic on Dasineura balsamicola in Maine, USA. 4786

subfamilies and tribes reviewed. 5716

Platymetopius (Hem., Hom., Cicadellidae), new sp described. 5042

Platymetopus xanthographus senegalensis subsp.n. (Col., Carabidae), described. 1838

Platymischus torquatus (Hym., Diapriidae), status discussed. 2987

Platynocheilus cuprifrons (Hym., Pteromalidae), new for Finland. 2870

Platynothrus nevadensis sp.n. (Arach., Acari, Oribatei), described. 3723

Platynothrus punctatus L.Koch 1879,

synonomy of Heminothrus valentianus Hull 1916 confirmed. 4212

geographical distribution and synonomy. 4212 new record from Britain. 4212

Platynotus punctatipennis (Col., Tenebrionidae), o' genitalis. 1162

Platypatasson fransseni (Hym., Mymaridae), o' described for first time. 3807

Platypezidae (Dipt.), 1213

genital circumversion and mating-positions. 1213

Platypodidae (Col.),

29, 751, 807, 1850, 2495, 3746, 5648, 5651, 5652

associated with Sosylus in Nigeria. 29 biology in Sierre Leone. 5648

intercepted in logs in Japanese ports. 1850 from New Guinea. 2495

from Southern Africa and Indian Ocean Islands. 5652

Platypolynema cautum (Hym., Mymaridae), allotype ♀ described. 1007

Platyproctus (Hem., Hom., Cicadellidae), key to spp. 3792

Platyproctus camilla sp.n., described. 3792

Platyptilia carduidactyla (Lep., Pterophoridae), fecundity in relation to insemination. 3528

Platyptilia pica cratea, parasitized by Diadegma acuta and Rhexidermus huardi in California, USA. 3580

Platypus (Col., Platypodidae), new taxa described. 1850, 5648

Platypus comoreanus sp.n., described. 5652

Platypus flavicornis, attack and flight patterns in relation to Dendroctonus frontalis infestations in E.Texas, USA. 751

Platysamia cecropia, see Hyalophora cecropia Platyscapus (Col., Platypodidae), new spp described. 1850

Platyscapus arduus, of described for first time. 1850

Platystasius (Hym., Platygasteridae), differentiated from Fidobia. 1923

Platystasius benjamini sp.n., described and biology in relation to Entypotrachelus. 1923, 2755

Platystasius citri sp.n., described. 1923

Platystictidae (Odon.), 4391

type-specimens in British Museum (Natural History), London, England, listed and lectotypes designated. 4391

Platystomidae (Dipt.), 58

Platytatini (Hem., Het., Tessaratomidae), reduced to subtribe of Sepinini. 88

Platytetranychus (Arach., Acari, Tetranychidae), new spp described. 3288

Platytropesa (Dipt., Calliphoridae), of Bismarck Islands, Moluccas, New Guinea and Philippines. 2864

Platyura subdiscoloria sp.n. (Dipt., Mycetophilidae), described. 67

Plea leachi (Hem., Het., Pleidae), extra-ocular light-sensitivity lacking. 5844

Plebejus coridon (Lep., Lycaenidae), new variety described. 2224

Plecoptera,

abundance and distribution in Kaltisjokk and associated waters, Sweden. 1323

biology and ecology in Gaitscale Gill, Lake District, England. 1322

biology and ecology in Laurentides, Canada. 1668

from Bridger Wilderness area, Wyoming, USA. 3355

from central coastal region of Surinam. 4203 in relation to DDD and DDT in shallow rapids of St. Lawrence R., Canada, 1033

distribution in Hungary. 3271

distribution in Lincolnshire, England. 3171

downstream drift in Speed R., Ontario, Canada.  $832\,$ 

ecological segregation. 1717

ecology in R. Duddon, England. 2788

hatching mechanisms. 2663

larval prothorax. 3855

from Orkney Islands. 2213

from R. Vindelalven, Swedish Lapland. 4089 of rivers in the 'Iron Gates' dam area, Romania.

type-specimens in Deutsches Entomologisches Institut, Berlin, GDR. 1820

Plectanthrus (Labiatae), host-plant of Indocinara

hottensis gen. et sp.n. 2979

Plectoptera martinicae sp.n. (Blatt., Blattellidae), described. 56

Plecotus auritius (Chiroptera), Siphonaptera in Ireland. 5595

Plectogaster (Col., Cerambycidae), placed in Plectogasterini trib.n. 2898

Plectogaster jordani, P.puncticollis syn.n. of. 2898 Plectogaster schoutedeni, stat.n. from subsp of jordani. 2898

Plectogasterini trib.n. (Col., Cerambycidae), established and genera keyed. 2898

Plectophoeus erichsoni (Col., Pselaphidae), new subsp described. 981

Plectris rectangula (Col., Melolonthidae), syn.n. of Alvarinus pallidipennis. 5005

Plectrocnemia geniculata (Trich., Polycentropodidae),

larva feeding on lake Tricladida. 4765 time of emergence from a stream in N.Wales. 3198

Plectrothrips eximius sp.n. (Thysanopt., Phlaeothripidae), described. 3017 Pleidae (Hem., Het), 5706, 5844

Pleidae (Hem., Het), 5706, 584

sertifer. 1270

Pleistocene,

climates in relation to New Zealand insect fauna. 3699

in relation to evolution of Loricera s.str. 1840 fauna from Northamptonshire, England. 500 in relation to N.American insect fauna. 1388 in relation to Scarabaeidae of N.America. 1388 Terpnosia nigricosta forewing. 5692

Pleolophus basizonus (Hym., Ichneumonidae), development and diapause in relation to photoperiod and temperature. 1619 spatial and temporal coincidence with Neodiprion

Pleotrichophorus (Hem., Hom., Aphididae), apterous viviparae of American spp keyed. 2982 new spp described. 2982, 5691

Plesiocoris rugicollis (Hem., Het., Miridae), habitats in Inverness-shire, Scotland. 3183

Plesiocyptera (Dipt., Tachinidae), puparium. 1507 Pleurodytes (Col., Dytiscidae), reviewed. 526

Pleurophorina turgida gen. et sp.n. (Dipt., Phoridae), described. 5674

Pleurotropis (Hym., Eulophidae), parasitic on Gynaikothrips ficorum on Ficus nitida. 6047

Pleurotropis furvum, parasitic on Chilo zonellus and Sesamia cretica in Sudan. 6011

Plistophora schubergi noctuidae (Protozoa), temperature in relation to development in Agrotis segetum. 5158

Plocaederus (Col., Cerambycidae), distinguished from Teraschema and new spp described. 2900

Plodia interpunctella (Lep., Phycitidae), carrier for Melichares tarsalis. 267 eggs for laboratory rearing of Melichares tarsalis. 267

- lodia interpunctella (Lep., Phycitidae), contd.

  of response to ♀ sex-pheromone after Bidrin
  treatment. 2691
  - mortality in relation to atmospheric gas composition and temperature. 5257
  - oviposition in relation to photoperiod. 4619 sex-dimorphism of neutral-lipid metabolism.
- lokiophilidae (Hem., Het.), 1510
- relationships to Thaumastocoridae. 1510
- lotina (Col., Coccinellidae), revised. 1848 lusia (Lep., Noctuidae), iota and pulchrina
  - differentiated. 4939
- lusia accentifera (Lep., Noctuidae), new for Britain. 6143
- lusia argentifera, taken at Palmerston North, New Zealand, in 1968. 3697
- lusia chariessa sp.n., described. 4379
- lusia gamma,
- dispersal in Basses-Pyrénées, France. 334 unusual abundance in C.Madrid, Spain. 2149
- lusia peponis, new host for Campopletis chlorideae in Japan. 321
- lusia saucia, dispersal in Basses-Pyrénées, France. 334
- lutella maculipennis (Lep., Plutellidae),
  - abundance on cabbage in S.California, USA. 5479
- host-plant and presence of of in relation to ovarian development and oviposition. 2077
- lutella xylostella, granulosis of larva. 5344
- utellidae (Lep.), 2077, 2881, 5344, 5479 abundance on cabbage in S.California, USA. 5479
- larvae from Baltic amber. 2881
- lutomurus (Collem., Tomoceridae), USSR spp reviewed and keyed and new spp described. 534
- neumoridae (Orth.), 3899
- tympanal organ absent. 3899
- nigalio (Hym., Eulophidae), Nearctic spp reviewed. 5725
- oa (Gramineae), preferred overwintering host of Draeculacephala mollipes. 4711
- pa pratensis, Contarinia poae and Dasyneura poae attacking seeds in Poland. 5435
- odabrinus (Col., Cantharidae), new synonomy. 967
- dabrocephalus (Col., Cantharidae), new synonymy. 967
- Mabrus (Col., Cantharidae), new synonyomy. 967
  Mabrus alpinus, occurrence of annulatus morph
  in Appennino, Italy. 3236
- dabrus pruinosus, death from unknown predator.
- 3133 dagrion meridionale (Hym., Podagrionidae),
- host acceptance and oviposition in Sphodromantis viridis eggs. 1697
- dagrionidae (Hym.), 1697
- dalonia hirsuta (Hym., Sphecidae), stinging pattern in prey paralyzation. 4501

- Podapolipodidae (Arach., Acari), placed in Tarsonemida. 4213
- Podiceps auritius (Aves), host of Pseudomenopon janiszewskae sp.n. 4387
- Podiceps griseigena, host of Pseudomenopon stuchlyi sp.n. 4387
- Podisus serieventris (Hem., Het., Pentatomidae), predaceous on Choristoneura pinus in Michigan, USA. 3615
- Podochresimus (Myriap., Diplop., Paradoxosomatidae), spp of Republic of S.Africa reviewed. 1025
- Podoctidae (Arach., Opil.), new for the Americas. 4980
- Podonominae (Dipt., Chironomidae), Nearctic spp reviewed. 2945
- Podopterotegaeus pectus gen. et sp.n. (Arach., Acari, Carabodidae), described, 505
- Podosesia fraxini (Lep., Aegeriidae), predation by woodpeckers in Arkansas and Mississippi, USA. 1312
- Podothrombium (Arach., Acari, Prostigmata), new spp from Japan. 504
- Poecilictis libyca (Carnivora), host of Trichodectes zorillae in Nigeria. 1940
- Poecilips pteridophytae (Col., Scolytidae), biology on Pteridium aquilinum. 6015
- Poecillojopoides sanfordi birmanicus subsp.n. (Hym., Ichneumonidae), described. 1006
- Poecilmitis beaufortia charlesi subsp.n. (Lep., Lycaenidae), described. 5070
- Poecilmitis pyroeis hersaleki subsp.n., described. 5751
- Poecilocapus lineatus (Hem., Het., Miridae), new insecticides for control. 4678
- Poekiloceridae (Orth.), proposed rejection in favour of Pyrgomorphidae. 1023
- Poekilocerus (Orth., Pyrgomorphidae), type-sp designation. 1023
- Poekilocerus pictus,
  - alkaline phosphatases of gut. 1110 musculature of o' genitalia. 3869
- Pogonognathellus (Collem., Tomoceridae), USSR spp described and keyed. 534
- Pogognathellus flavescens, activity and local distribution in an Indiana (USA) woodland.
- Pogonoglossus punctulatus sp.n. (Col., Carabidae), described. 3299
- Pogonomyrmex badius (Hym., Formicidae), molecular shape in relation to alarm activity of alarm-pheromones. 1314
- Pogonomyrmex barbatus,
  - free amino acids. 2016
  - isozymes in natural populations in Texas, USA. 2831
  - volatile compounds. 2017
- Pogonomyrmex californicus, mating in relation to rhythmic activity in 99.1731

Pogonomyrmex occidentalis,

bionomics, inquilines and nest structure. 847 free amino acids. 2016

Poinciana regia (Leguminosae), breeding of Aedes aegypti in S.India. 4666

### Poland,

Acari from Tatra Mts. 6109

Acari new for. 5434

Acarus farrisi hypopi associated with Brachymera and Diadromus. 3572

aquatic Heteroptera of R.Grabia and its inundation area. 4934

aquatic Heteroptera of Meidzychód and Sieraków areas. 4933

Araneae and Culicidae of the ecotone between alderwood and mixed woodland. 5508

Araneae from Lower Silesia. 6111

Araneae new for. 6111

biology of Kuzinia laevis in relation to Bombus. 5381

Bombus of Bieszczady Mts. 1366

Cecidomyiidae attacking stored grass seeds. 5435

Coccoidea new for . 5577

Coccoidea of Ocjów National Park. 5577

Contarinia poae new for . 5435

Diamesa campestris new for. 2868

Elmis maugei in streams of Kaszuby Lake District. 3642

Eriophyidae new for. 1825, 1826

Kuzinia new for . 5381

Lepidoptera from Kraków area. 6137

macroptery in aquatic Heteroptera. 3934

Miltogramma reviewed. 4931

new Aphididae from . 554

new Eriophyidae from . 1825, 1826

new Leuctridae from . 5767

new Phytoptidae from . 1826

new Staphylinidae from . 5658

new Tarsonemidae from . 1827

Opiinae from Agromyzidae and Ephydridae. 4936

parasites of Bupalus piniarius during gradation in 1964-1968. 5417

Perilitus rutilus new for. 5579

Peromyscopsylla fallax new for . 6154

Phytoptidae new for. 1826

Protura associated with nests of small mammals.  $\ensuremath{5593}$ 

Protura from. 5593

Protura new for. 5592, 5593

Protura of Ocjów National Park. 5592

Scolytus multistriatus and S.scolytus as vectors of Ophiosoma ulmi at Wrockaw. 6018

Simuliidae from . 4932

Simuliidae new for . 4932

Siphonaptera from small mammals in Pomerania. 6154

Tarsonemus crassus new for. 6110 Tetranychidae of apple orchards. 5513 Polemius (Col., Cantharidae), new synonomy.

Polemon liparae (Hym., Braconidae), in relation to mortality of Lipara lucens. 4820

Polia (Lep., Noctuidae), lilacina, liquida and pulverulenta new for California (USA) and colour-forms. 4202

Polia dissimilis, 6-methyl uridine in relation to diapause and moulting. 5293

Polididus (Hem., Het., Reduviidae), new spp described. 3329

Polistes (Hym., Vespidae), distribution of acid phosphatase in compound eye. 164

Polistes biglumis, caste ratios and life-history in Japan. 2101

Polistes billardieri, P.rufficornis var. demararaensis syn.n. of. 3346

Polistes chinensis antennalis, 2-stem nest. 356 Polistes dorsalis, syn.n. of P.hunteri. 3346 Polistes exclamans,

biology and ecology in Kansas, USA. 3346 morphological variation. 1355

Polistes metricus, nest dispersal in relation to inquilines and parasites. 355

Polistes snelleni, caste-ratios and life-history in Japan. 2101

### Pollen,

· in relation to larval establishment of Ostrinia nubilalis on dent corn. 696

in relation to longevity of newly-emerged Apis mellifera. 3633

propolis as excretory product of pollen digestio in Apis mellifera. 5219

proteins of pollen and pollen substitute in relation to development of hypopharyngeal glands in Apis mellifera. 4571

toxicity of carbaryl-contaminated pollen to adult Apis mellifera. 5179

Zea mays pollen in relation to development and survival of Ostrinia nubilalis larvae. 4639

Pollenia rudis (Dipt., Calliphoridae), pest status i Ontario, Canada, in 1968. 3181

Polleniini (Dipt., Calliphoridae), ovipositor for 9 differentiation. 5023

## Pollination,

brood measurement as index of pollinator value of Apis mellifera. 4865

of Chamaenerion angustifolium by Insecta. 2123

co-evolution of colour-vision in Apoidea and corolla colour in plants. 1073

of cucumber by Apis mellifera. 812

ecology and phenology of Apoidea pollinating Medicago sativa in Hungarian Great Plain. 1280

of Ficus by Agaonidae. 1707

of Fragaria by Apis mellifera. 5437

of Medicago sativa by Apis mellifera and wild Apoidea. 5449

of Medicago sativa by Megachile rotundata and Nomia melanderi in USA, 5962

ollution,

arthropod drift in relation to water pollution. 832 resistance to water pollution in larval Stenopsyche griseipennis. 856

olybia (Hym., Vespidae), new spp described. 5742 olycentropodidae (Trich.), 1951, 3198, 3597, 4765 olycentropus drummondi sp.n. (Trich., Polycent-

ropodidae), described. 1951

olycentropus flavomaculatus, larval feeding on lake Tricladida. 4765

olychlorobiphenyl, in relation to development of larval Chorthippus brunneus. 706

olycrosis botrana (Lep., Tortricidae), biology and damage to Vitis vinifera. 5427

olyctenidae (Hem., Het.), 148

olydesmus (Myriap., Diplop.), population dynamics in a Cheshire (England) wood. 4839

lydesmus angustus,

mathematical model for sampling by pitfall trapping. 5490

mating, oviposition and 'sexual drive'. 4663 olydesmus complanatus, mineral inclusions of oocytes. 3858

olydesmus coriaceus, new for Iceland. 4928 olydesmus mediterraneus valachicus, new for Bulgaria. 3022

Nydorus aristolochiae (Lep., Papilionidae), lifecycle. 4747

olygonia c-aureum (Lep., Nymphalidae), ovarian maturation in relation to corpora allata activity. 5949

lygonia satyrus, West Coast (USA) populations.

dygonia satyrus neomarsyas subsp.n., described.

lygonum punctatum (Polygonaceae), not fed on by Agasicles sp.n. 2763

lygrammodes priscalis (Lep., Pyralidae), typesp of Pseudopolygrammodes gen.n. 1470 lyisoprenols, in faeces of Bombyx mori. 5872

lylopadium (Arach., Acari, Trombiculidae),

Kjellum subgen.n. established. 4244 new spp from rodents in Brazil and Colombia and key to spp. 4244

lymerus (Hem., Het., Miridae), of Chile revised and keyed. 4322

lymerus chilensis sp.n., described. 4322 lymethylenedicarbamic acids, inhibition of head

acetylcholinesterase by bis-[(m-hydroxy-phenyl)-trimethyl-ammonium iodide] esters in Musca domestica. 5236

lymitarcidae (Ephem.), 3597, 3604, 4100 lymorphism,

adaptive polymorphism of behaviour in Drosophila willistoni laboratory populations. 5553

in Amathes glareosa populations of Shetland Islands. 418

balanced polymorphism in Theridion ovatum. 5551

balanced polymorphism in a Tribolium castaneum

line. 1780

balanced polymorphism in the 'Xasta' mutant of Drosophila melanogaster.  $403\,$ 

in Choristoneura in relation to control. 3168 chromosomal polymorphism associated with

cold-resistance in adult Drosophila pseudoobscura. 1330

chromosomal polymorphism and genetic load in Drosophila pseudoobscura. 1775

chromosomal polymorphism and incompatibility in Pissodes terminalis. 905, 4164

chromosomal polymorphism in a Moskva (USSR) population of Drosophila funebris. 6096

chromosomal polymorphism in Mycodrosophila claytonae and M.stalkeri. 1776

chromosomal polymorphism in subgenus Stegopterna of Cnephia. 873

of chromosome number in Hymenoptera. 904

of chromosome number in Rhytidoponera metallica in Victoria, Australia. 904

of chromosomes in Drosophila guaramunu and guarani subgroups. 366

of chromosomes in Drosophila pseudoobscura and D.robusta. 414

of chromosomes in Drosophila tetrachaeta in Papua-New Guinea. 414

of colour-forms of Acraea encedon in Uganda.

colour-morph frequencies in island populations of Philaenus spumarius. 4916

in Danaus chrysippus. 2176

development rate in relation to inversion polymorphism in Drosophila pavani. 1777

of enzymes in Apis mellifera ligustica. 903 of esterases in Culex pipiens fatigans. 2020

of esterases in Dacus oleae. 3219

of esterases and proteins in Apis mellifera ligustica. 903

flight-behaviour and phase-polymorphism in Aedes taeniorhynchus. 1239

gene-enzyme polymorphisms in Drosophila melanogaster and D.simulans natural populations. 902

of genes in central, marginal and isolated populations of Drosophila pseudoobscura. 1787

of genes controlling radio-resistance in Drosophila melanogaster. 907, 2036

of genes in Drosophila persimilis and D.pseudoobscura natural populations. 1353

genetic load in mono- and polymorphic Drosophila robusta populations. 4177

genetic polymorphism and interspecific competitive ability in Drosophila. 3670

genetics of larval colour-forms in Chlosyne lacinia. 2848

green-brown polymorphism in Homorocoryphus nitidulus and Pseudorhynchus. 3227

of haemoglobin in Chironomus tentans and Ch. pallidivittatus. 5557

Polymorphism, contd.

inversion polymorphisms in Chironomidae, Culicidae and Drosophila. 1347

inversion polymorphisms in Drosophila grimshawi subgroup. 1348

isoelectric focussing of haemoglobins of Chironomus thummi. 3454

in Isoptera. 350

kinetics of chromosome polymorphism in Drosophila melanogaster experimental populations. 906

of lactic dehydrogenase of haemolymph in Gryllus campestris. 2014

long-term changes in chromosomally polymorphic Drosophila pavani laboratory populations. 1346

maintained in populations by facilitation between competitors. 3679

in relation to mating advantage of rare of genotype in Drosophila melanogaster. 3671

mechanisms for maintaining inversion polymorphisms in Drosophila ananassae. 415

mechanisms of maintenance in Drosophila melanogaster and D.simulans natural populations. 902

'medionigra' polymorphism in Panaxia dominula. 3228

melanin variation and thermoregulation in Colias eurytheme. 3226

modifier genes in relation to mimetic polymorphism of Papilio dardanus. 1788

in Neptini of Eurasia and Australia. 1936 origin of balanced polymorphism in Philaenus.

polymorphism in Utetheisa ornatrix complex in the Caribbean. 930

relative fitness of mono- and polymorphic Drosophila arizonensis and D.mojavensis populations. 2856

selection in Drosophila pseudoobscura populations differing in initial gene-arrangement frequency. 3687

of supernumerary segments in Chorthippus parallelus populations in Britain. 416, 5559

wing polymorphism in relation to diapause in Psylla pyricola in California, USA. 3989

Polynema (Hym., Mymaridae), biology in relation to Nabis americoferus in S.California, USA. 4702

Polynema oophaga sp.n., described. 3807 Polynema ruymbekei sp.n., described. 3343 Polynema valkenburgense, o'described. 3343

Polynemula rufosignata gen. et sp.n. (Hym., Mymaridae), described. 1007

Polyneoptera, larval prothorax. 3855 Polynesia (Pacific Ocean),

Culicoides of. 2943

new Ceratopogonidae from. 2943 Stenus keyed. 2926 Polyommatus icarus (Lep., Lycaenidae), food-plant pigments present. 3458 voltinism in Britain. 2102

Polyommatus melanops Boisduval 1828, proposed recognition of specific name. 1014

Polypedilum (Dipt., Chironomidae), ecology in L. Washington, USA. 348

Polypedilum deletum, abundance in relation to wate level in L.Kariba, Africa. 4087

Polypedilum nubeculosum group, ecology in Hungarian section of R.Danube. 1736, 3163

Polyphagidae (Blatt.), 4294 Polyphemus moth, see Antheraea polyphemus

Polyphenol oxidase, in relation to 6-methyl uridine in Agrotis segetum and Melasoma populi. 5293

Polyphemothrips (Thysanopt., Phlaeothripidae), Indian spp reviewed and keyed and new spp described. 3016

Folyphemothrips cracens, o'described. 3016 Polyphemothrips minor, Q described. 3016 Polyphenol peroxidases, of combustion chambers

of Brachinus crepitans and B.explodens. 3926 Polyphenols, present in Odontotermes obesus queens during Aspergillus flavus infection. 663

Polyplax deomydis sp.n. (Anopl., Hoplopleuridae), described. 2475

Polyploca flavicornis meridionalis subsp.n. (Lep., Cymatophoridae), described. 5064

Polyporales (Fungi), Thysanoptera associated with in Southern Blue Ridge region, western N. Carolina, USA. 3586

Polyporus (Fungi),

Astichus maculatus sp.n. associated with. 4350 Thysanoptera associated with in Southern Blue Ridge region, western N.Carolina, USA. 3586

Polyporus adustus, feeding and reproduction of Acarus siro and Tyrophagus putrescentiae. 1684

Polyporus pargamensus, Phthirothrips morgani associated with in N.Carolina, USA. 3586

Polypsocidae (Psoc.), see also Caeciliidae 4435, 5315

Polyptychus andosus (Lep., Sphingidae), energy content and population dynamics in Sierra Leone. 4855

Polyptychus villiersi sp.n., described. 5759 Polyphachis (Hym., Formicidae), larvae described 4430

Polyrhachis simplex, biology, Israel distribution and laboratory rearing. 4874

Polyram Combie [zinc-activated polyethylene thiuram disulphide], control of Phyllocoptrut

Polysaccharides,

of cells of main salivary gland of Myzus persicae. 5895

oleivora in Israel. 5360

of cuticle in Heterometrus scaber. 3864

Polythoridae (Odon.), 4391

type-specimens in British Museum (Natural History), London, England, listed and lectotypes designated. 4391

Polytoxus ivorensis sp.n. (Hem., Het., Reduviidae), described. 87

Polyxenus lagurus (Myriap., Diplop.), metamerization and dorso-ventral musculature, 2668

Polyzonium controversiarum (Myriap, Diplop.), syn.n. of P.germanicum. 3022

Pompilidae (Hym.), 446, 569, 4358, 5737, 5738 of Sweden, 446

of Tournier collection in Musée d'Histoire Naturelle, Genève, Switzerland, catalogued. 4358

# Pompiloidea (Hym.),

of Fennoscandia, 463

from N.E.Danube Delta, Romania. 2219 of Sweden. 446, 463

Pompilus fumipennis (Hym., Pompilidae), Japanese subspp. 569

Ponana (Hem., Hom., Cicadellidae), differentiated from Ponanella gen.n. 1444

Ponanella ena gen. et sp.n. (Hem., Hom., Cicadellidae), and other new spp described. 1444

### Ponasterone A.

age-related response of isolated pupal abdomens of Bombyx mori. 1179

biosynthesis in larval Calliphora stygia. 1112 chromosomal effects in salivary glands of Drosophila melanogaster. 3986

in relation to fecundity of Stomoxys calcitrans. 4630

isolated from Blechnum, 5439

Ponasterone C, in relation to eye-antennal disc differentiation of Drosophila melanogaster in vitro. 3485

Pondia gen.n. (Hym., Pteromalidae), established and spp keyed. 4360

### Ponds.

biotope distribution of larval and pupal Tabanidae at the Great Swamp, New Jersey. 3620

Dursban in relation to pond populations of Corisella in California, USA. 4880

ecology of Chironomus zealandicus in Kiosk Pond, Auckland Domain, New Zealand. 3617

ecology of Odonata associated with a pond in the Kuala Lumpur area, Malaysia. 3606

ecology of sandspit ponds in L.Erie, Pennsylvania, USA, 3166

Hydracarina in N.C.Colorado, USA. 3172 life-cycle of Chaoborus crystallinus in a pond in the Netherlands. 3547

regeneration of larval chironomid populations after summering or wintering of fish ponds.

seasonal abundance and distribution of Chaoboridae and Chironomidae in a pond in Tennessee, USA. 3631

seasonal activity and distribution of pond-shore populations of Collembola, 4817

Ponerinae (Hym., Formicidae),

ecological distribution in Gregory Canyon, Colorado, USA. 3632

trophallaxis, 3636

Ponerini (Hym., Formicidae), Dorylozelini merged with, 3803

Pongamia pinnata (Leguminosae), breeding of Aedes aegypti in S.India. 4666

Pongamiothrips (Thysanopt., Thripidae), biology in California, USA, 3538

galls of Swedish spp. 330

inquilines and parasitoids. 3538 of Kilpisjärvi District, Finnish Lapland.

larvae. 3538

new host-plants. 5741

new spp described and synonomy. 5741 ovipositor. 3538

Pontania nivalis group, taxonomy. 5741

Pontania proxima, galls on Salix triandra.

Pontania pustulator, new for Sweden. 330 Pontania triandrae, new for Sweden. 330

Pontania tuberculata, galls on Salix phylicifolia, larva and life-history in Sweden. 330

Pontederia cordata (Pontederiaceae), host-plant of Arzama densa in Louisiana, USA. 282 Pools.

breeding of Aedes rempeli in stenothermal rock pools in Arctic Canada. 4073

Ephemeroptera and Plecoptera in Lincolnshire, England. 3171

sex-ratio changes and short-range dispersal of Arctocorisa carinata and Callicorixa producta in rock-pools in Finland. 2770, 2809

Popillia japonica (Col., Scarabaeidae),

artificial diet. 2541

attractants. 4684, 4685

chemosterilants. 5169

growth of Bacillus popilliae in larva. 5155 haemolymph lipoglycoprotein of larva. 5866

infectivity of Bacillus popilliae spores produced on laboratory medium. 5810

larva. 5140

mating competitiveness of tepa-sterilized of.

methyl cyclohexanepropionate and related chemicals as attractants. 4684

Popilius disjunctus (Col., Passalidae), re-ingestion of faeces, excretion of 65Zn and O2-consumption. 4565

## Populations.

abnormal populations of Pamphilius phyllisae on Quercus rubra in Pennsylvania, USA. 3623

abundance of Chironomidae in relation to substrate in Hungarian section of R. Danube. 1736

- abundance of Coccindellidae at Kew, London, England. 2097
- abundance of Edwardsiana crataegi and E. froggatti on Malus in Tambov region, USSR. 2093
- abundance of Hexagenia in an Oklahoma (USA) reservoir. 3173
- abundance of intersexes in populations of Scatophaga stercoraria. 5325
- adaptation in Anopheles gambiae to dry season of Sudan. 4859
- adaptation by natural selection in laboratory populations of Drosophila pseudoobscura. 3688
- adaptation rate, evolution and quantification. 922 adaptedness of Drosophila populations in terms of population size and productivity. 922
- adaptive polymorphism of behaviour in laboratory populations of Drosophila willistoni. 5553
- adaptive significance of increased recombination in crowding Locusta migratoria. 3645
- allelic relations between lethal genes in natural populations of Drosophila melanogaster. 4170
- annual production and respiration in animal populations. 3108
- artificial lighting for reduction of Heliothis populations in cotton fields. 2573
- autogeny in a Florida (USA) population of Culicoides furens. 4011
- behaviour and morphology of Pterophylla camellifolia populations in Iowa, USA. 5514
- bird predation in relation to overwintering populations of Diatraea grandiosella in Mississippi, USA. 4851
- breeding structure of the Ashurst (England)
  population of Chorthippus parallelus. 5559
- population of Chorthippus parallelus. 5559 brief flooding in relation to populations of stream insects. 5489
- build-up of Bathyplectes curculionis in relation to Hypera postica in Indiana, USA. 3599
- co-adaptation in crosses between geographical populations of Drosophila pseudoobscura.
- changes in Acari populations on citrus in response to cessation of spraying, 2807
- changes associated with BHC-resistance in Phytonomus variabilis. 4845
- changes in Bathyplectes curculionis and Tetrastichus incertus in Massachusetts, USA. 5331
- changes in benthic insects of L.Chad, Africa. 4849
- changes in Blattodea populations maintained together in small containers. 2806
- changes in mutation dynamics in Drosophila melanogaster in USSR. 6089
- of Chironomidae in L.Hibara, Japan. 858 chromosomal dimorphism in Phyllobius longicornis. 3213
- chromosomal polymorphism of Drosophila

- tetrachaeta from Papua-New Guinea. 414
- chromosomal polymorphism in a Moskva (USSR) population of Drosophila funebris. 6096
- chromosomes of bisexual and parthenogenetic races of Scepticus insularis in Japan. 424
- clumped distributions in relation to sparse populations of Ixodes ricinus. 2791
- of Coccus hesperidum in citrus groves of Lower Rio Grande Valley, USA, in 1966. 830
- comparative genetics of Drosophila melanogaster in European and Neotropical environments. 2854
- competition for food, predation and other mortality factors in laboratory populations of Anagasta kuehniella. 4111
- competitive displacement of Aedes polynesiens is by Ae .albopictus . 5467
- competitive exclusion principle invalidated experimentally, 2190
- composition and size for Uloborus mundior in Panama. 2805
- control of insect populations by means of dominant conditional lethal traits. 4108
- control of sex-ratio in Tetranychus urticae. 3673 correction formula for light-trap studies of population dynamics of Laspeyresia
- pomonella. 5486 cross- and diazinon-resistance in Culex pipiens
- molestus larval populations. 3230 cross-mating in Dacus. 429
- crossing and selection as method of genetic sampling in Drosophila melanogaster. 2853
- of Culicidae in Texas, USA, in relation to ULV malathion treatments. 4831
- cytology of Teleogryllus populations in Australia and New Zealand. 867
- Darwinian fitness in relation to competition between Tribolium castaneum and T.confusum populations, 922
- DDT-susceptibility of Ceratophyllus fasciatus and Xenopsylla cheopis in USSR . 4581
- decline in insect populations in New Jersey (USA) in 1968. 4949
- densities of ants on Mt. Terminillo, Italy. 1727 densities of Aonidiella aurantii in relation to
- natural enemies on orange in Israel. 2793 densities of Diatraea saccharlis in Cuba. 1311
- densities and larval habitats of Tabanidae in S.
  Louisiana, USA. 844
- densities of Leptoconops bezzii in Grossetano, Italy, 4114
- densities of Nyctegretis achatinella in Hungary. 1301
- densities of Petrobius brevistylis and P. maritimus. 5475
- densities of Phytoseiidae predaceous on Tetranychidae in Belorussia. 1305
- density of Brevicoryne brassicae in relation to state of host-plant. 342, 2158

- density and dispersion in laboratory populations of larval Cheumatopsychidae. 5473
- density in relation to exploratory activity and mortality rate of Blattella germanica in choice-boxes, 5208
- density of Hodotermes mossambicus in relation to food. 854
- density in relation to oviposition rate in Oulema melanopus. 708
- dispersal in relation to frequency of lethal alleles in a natural population of Drosophila in Japan. 4917
- dispersal in relation to mono- and dimorphy in Carabidae. 5457
- dispersal and mortality losses in Corthylus columbianus populations. 3602
- dispersal power in relation to populations of Carabidae. 5457
- dispersal and sex-ratios in Panonychus ulmi populations. 5952
- distribution of Grapholitha molesta in an Ontario (Canada) peach orchard. 4081
- diurnal and seasonal changes in density at the mating and oviposition site in Scatophaga stercoraria. 3531
- Dursban in relation to pond populations of Corisella. 4880
- dynamics of Acarus siro in the laboratory. 1303 dynamics of Acyrthosiphon pisum in Delaware, Maryland and New Jersey, USA. 5503
- dynamics of Adelges on Abies in relation to diseases of predators. 5150
- dynamics of Aleurocanthus spiniferus at Ooshima, Japan. 4729
- dynamics of Aonidiella aurantii on citrus in Israel. 5483
- dynamics of Aphididae and Coccinellidae on crops in a 4-field rotation system. 5495
- dynamics of Aphididae on peach. 5462
- dynamics of Aphis pomi on Malus under controlled autumnal conditions. 6025
- dynamics of Apion on winter Leguminosae in Israel. 5510
- dynamics of arthropod predators and dipteran larvae in relation to poultry-manure-removal in N.California, USA. 4836
- dynamics in relation to biotic and physical factors in Drosophila melanogaster. 4091
- dynamics of Cinara pinihabitans on Pinus in Steiermark, Austria. 5429
- dynamics of Culex portesi in the laboratory. 5496
- dynamics of Culex vishnui complex in Madras State, India. 1654
- dynamics of Culicidae in Gunma Prefecture, Japan. 1679
- dynamics of Culicidae in Hale County, Texas, USA. 4831
- dynamics of Culicoides and Simuliidae at

- Darjeeling, India. 4821
- dynamics of Damalinia ovis on sheep. 1293 dynamics of desert Calyptrata in Egypt. 4829
- dynamics of Diplopoda in a Cheshire (England) wood, 4839
- dynamics of Draeculacephala mollipes in Kentucky, USA. 4711
- dynamics of Ennomos subsignarius in relation to vegetation. 4633
- dynamics of Eurygaster integriceps in relation to spring insecticide treatments and overwintering. 5505
- dynamics of Geromyia penniseti comb.n.1425 dynamics of Heteropterus morpheus in N.Italy. 5993
- dynamics of hymenopteran parasites of Dasineura balsamicola in Maine, USA. 4786
- dynamics of Hypera brunneipennis in Egypt. 6040 dynamics of Hypera postica eggs in Ohio, USA. 4846
- dynamics of Insecta. 4850
- dynamics of Insecta of Medicago sativa fields in S.Moravia, Czechoslovakia, 6061
- dynamics of Isoptera in Ethiopia. 4858
- dynamics of Leptoconops becquaerti larvae in Jamaica. 840
- dynamics of Locustana pardalina in Republic of S.Africa in 1954-1965. 5474
- dynamics of Lygus lineolaris in relation to Aphididae and Medicago sativa. 4838
- dynamics of Myzus persicae. 1294
- dynamics of a natural population of Drosophila in Colombia, 1300
- dynamics of Nymphalis antiopa in relation to migration. 6024
- dynamics of Oestrus ovis in C.Iraq. 4856 dynamics of Panonychus ulmi in relation to spray programmes in Nova Scotia, Canada.
- dynamics of Perthida glyphopa. 5464
- dynamics and phenology of Micropterna nycterobia in Grotte du Crochet, France. 6026
- dynamics of Phorodon humuli. 6055
- dynamics of Scirpophaga attacking sugar-cane in Bangladesh. 4841
- dynamics and seasonal changes in energy content in Sierra Leone Sphingidae, 4855
- dynamics of Simuliidae in Taimyr National District, USSR. 4719
- dynamics of Sipha flava in Puerto Rico in relation to rainfall. 4847
- dynamics of Sphingidae in Sierra Leone. 4857 dynamics of Syrphidae in N.E.Belorussia. 1306 dynamics of Telenomus fariai in the laboratory.
- dynamics of Termatophylum insigne. 5983 dynamics of Tetranychidae. 1295, 5513

dynamics of Tetrastichus flavigaster and its parasite Paurocephala calodendri. 4741

dynamics of Therioaphis on Medicago sativa in Delaware, Maryland and New Jersey, USA. 5503

dynamics of Trichogramma semifumatum in Lower Rio Grande Valley, Texas, USA. 5499

dynamics of Trioza erytreae in relation to weather extremes. 5465

ecological significance of predominantly \$\varphi\$ populations in Acraea encedon. 3672

ecology of insect populations on cabbage in S. California, USA. 5479

elimination and linkage of deleterious mutant genes from experimental populations of Tribolium castaneum. 4179

energy flow through a Chorthippus parallelus population at Tvärminne, Finland. 1720

energy flow through larval populations of Pyrrhosoma nymphula. 3186

Entomophthora regulating Tetranychus urticae populations on cotton. 5485

esterases as system for biochemical characterization of populations. 4528

estimation of ovarian maturation time for Dacus tryoni. 5480

factors affecting population level in Scolytus scolytus. 2803

factors affecting rice dwarf virus infections of Nephotettix cincticeps. 5458

factors causing collapse of Dendrolimus pini outbreak in Hungary. 4077

factors determining fluctuations in laboratory populations of Drosophila melanogaster. 3626

factors determining rates of fitness evolution in laboratory populations of Drosophila pseudoobscura. 3680

fire in relation to carabid populations in Lamto savannah, Ivory Coast. 3174

fitness in relation to B-chromosome content in Pseudococcus obscurus populations. 5558

fitness of introgressed and parental populations of Drosophila arizonensis and D.mojavensis. 2856

fluctuations in Dasyhelea and Metriocnemus martinii populations in Berkshire, England. 3627

fluctuations in Evetria cristata populations in relation to parasitism. 3596

fluctuations of genetic frequencies with time in natural populations of Drosophila melanogaster in Colombia. 927

fluctuations in population size of Chironomus zealandicus in Kiosk Pond, Auckland Domain, New Zealand. 3617

founder principle, genetic drift and selection in isolated populations of Philaenus spumarius. 4916

fractionation of Drosophila melanogaster

populations by optomotor traits. 4167 freezing-temperature distributions in insect populations. 5884

frequency of deleterious chromosomes and allelism between lethal genes in Japanese populations of Drosophila melanogaster. 3681

frequency distribution of lethal 2nd chromosomes in Drosophila melanogaster. 419

frequency of sterile chromosomes in a natural population of Drosophila melanogaster. 3682

gene-enzyme polymorphism in natural populations of Drosophila melanogaster and D. simulans. 902

genetic control of radio-resistance and temperature-resistance in Drosophila melanogaster. 2036

genetic effect on survival in mixed cultures of Tribolium castaneum and T.confusum. 6102 genetic homeostasis in Drosophila. 2189

genetic homeostasis in laboratory populations of Drosophila melanogaster. 923

genetic loads in mono- and polymorphic populations of Drosophila robusta. 4177

genetic polymorphism and interspecific competitive ability in Drosophila. 3670

genetic variation underlying selection response for bristle number in Drosophila melanogaster. 428

genetics of Acraea encedon in Uganda. 1302 genetics of Amathes glareosa in Shetland Islands. 417, 418

genetics of Aricia. 3203

genetics of Chironomus nuditarsis populations.

genetics of Chorthippus parallelus. 416 genetics of Drosophila. 386

genetics of Drosophila pseudoobscura in Colorado, USA. 1775

genetics of Drosophila subobscura. 430 genetics of Drosophila virilis. 375

genetics of medionigra polymorphism in Panaxia dominula. 3228

genetics of Metrioptera brachyptera. 369 genetics of Moraba viatica on Kangaroo I., Australia. 1781

genetics of Mycodrosophila in USA. 1776 genetics of organophosphate resistance in New Zealand populations of Tetranychus urticae.

genetics of tetradifon-resistance in New Zealand populations of Tetranychus urticae. 3678

genome variation in natural populations of Drosophila persimilis and D.pseudoobscura. 1353

geographical variation in development and diapause characteristics of Chilo suppressalis populations, 4723

group effects in Japanese populations of Callosobruchus chinensis. 3607

growth components in genetically diverse

populations of Tribolium castaneum. 4171 growth of Oligonychus punicae populations in relation to leaf condition of Persea indica. 4833

of Helophilus hybridus and Sericomyia silentis in S.W.Norway in summer 1965.344

herbicides in relation to density in Drosophila melanogaster. 1297

heterozygote viability in relation to lethal mutation frequency in natural populations of Drosophila melanogaster. 6106

homochromy of Locusta migratoria in relation to population pressure. 5880

inbreeding under conditions of low population density in Tetranychus urticae. 4911

increase in Acyrthosiphon pisum on alfalfa. 3614

increase in Anthonomus grandis in field cages. 2709

increase in Glossina austeni on goats and rabbits. 4076

increase in Metaseiulus occidentalis in the laboratory. 749

increase in Oncopeltus fasciatus and O.unifasciatellus. 2704

increase in Typhlodromus mcgregori. 2711 inductive population model for insect parasites.

infection levels of Coelomomyces punctatus in natural populations of Anopheles quadrimaculatus. 5807

interaction of chromosomes from rural and urban races in experimental populations of Drosophila funebris. 6103

intermediate gene frequency equilibrium due to linkage disequilibrium in Tribolium castaneum. 4179

interspecific competition and change of genefrequency under migratory conditions in Drosophila melanogaster and D.simulans. 421

interspecific competition in geographical strains of Callosobruchus chinensis and C.maculatus. 947

intrinsic factors causing qualitative changes in populations of Porthetria dispar. 4097

kinetics of chromosome polymorphism in experimental populations of Drosophila melanogaster. 906

larval age-range in relation to survival of Tribolium castaneum in mixed cultures. 4086

larval populations of Cecidomyiidae in soil at Allahabad, India. 4099

lethal genes latent in natural populations of Drosophila melanogaster in Katsunuma and Kofu, Japan. 422

life-stage durations in natural populations of Panonychus ulmi. 3551

life-tables for study of insect natural populations.

local variation in frequency of B-chromosomes in Acrida lata. 4915

long-term changes in chromosomally polymorphic laboratory populations of Drosophila pavani. 1346

long-term directional changes in population structure of Drosophila melanogaster and D. simulans at Alexandria, Egypt, 4183

long-term response to selection for bristle number in Drosophila melanogaster. 427

of Lycosa T-insignata at Tokyo, Japan. 345 maintenance of inversion polymorphisms in Drosophila ananassae. 415

mass-release of Stethorus picipes in relation to populations of Oligonychus punicae. 2796

mating advantage of rare of in Drosophila pseudoobscura. 3684

mating choice in crosses between geographical populations of Drosophila pseudoobscura.

measurement of cocoon density of a given generation in Neodiprion sertifer, 1500

method for assessing relative fitness of phenotypes for a metrical trait within populations of Drosophila melanogaster. 4920

method for estimating numbers of Nephotettix cincticeps in resting paddy fields. 4852

method for estimating population density of immature stages of Tendipes dorsalis. 1307

method of estimating populations of Thrips tabaci on onion. 3616

method for forecasting population trends in Croesia semipurpurana. 2552

method for obtaining sample populations of stored-product insects. 5105

methods for assessing populations of Oscinella frit in oats. 2695

methods for estimating degree of chromosomal allelism within and between populations. 921

methods of estimating population density. 1311 methods for sampling Grapholitha molesta. 4081 methods for studying population growth in soil Acari and Collembola. 2822

methods used in analysis of life-tables and in development of population models. 4850

migratory behaviour of mixed populations of Drosophila melanogaster. 4168

model for interaction between Cyzenis albicans and Operophtera brumata. 2159

modifier-genes in relation to mimetic polymorphism of Papilio dardanus. 1788

morphological differences between Drosophila pseudoobscura populations selected for

opposite geotaxes and phototaxes. 3676 mortality causes in natural populations of

Oulema melanopus in N.Indiana, USA. 3554 mutations affecting meiosis in Drosophila

melanogaster populations. 406
natural selection in relation to dominance of
viability polygenes in Drosophila

melanogaster. 4178

- nuclear polyhedrosis and Streptococcus faecalis infection in relation to Porthetria dispar populations. 4109
- optimum level of heterozygosity in natural populations of Drosophila melanogaster. 1784
- outbreak of Neodiprion virginianus complex on Pinus banksiana in N.E.Brunswick, Canada. 4094
- outbreaks of Schistocerca gregaria in relation to recession populations. 4105
- overwintering population distribution of Lepidoptera on Larix in C.Switzerland, 4083
- parallel polymorphism for supernumerary segments of the Ashurst (England) population of Chorthippus parallelus. 5559
- parameters of Tribolium castaneum strains in environments of different shapes. 4082
- parasitism in relation to populations of Choristoneura pinus in Michigan, USA. 2800
- persistence of clustering lethal genes in Drosophila melanogaster populations. 4181
- persistence of visible mutant in natural populations of Drosophila melanogaster. 423
- polymorphism for esterases in Culex pipiens fatigans. 2020
- polymorphism maintained by facilitation between competitors. 3679
- polymorphism from mating advantage of rare of genotypes in Drosophila melanogaster. 3671
- polymorphism in Utetheisa ornatrix complex in Caribbean. 930
- population size in relation to oviposition by Atherigona varia soccata on sorghum. 3530
- population size in relation to selection response in Drosophila melanogaster. 426, 427
- population structure of Glossina palpalis. 5470 predation in relation to cage populations of Heliothis zea. 3600
- predation by Metaseiulus occidentalis and Phytoseiulus persimilus in relation to populations of Tetranychus urticae. 4079
- rate of fitness evolution in X-irradiated populations of Drosophila birchii. 3689
- recombination disequilibrium of independent inversions in natural populations of Drosophila subobscura. 884
- reduction by release of sterile  $\rm 99\,in\,$  Lucilia cuprina. 4694
- regeneration of larval chironomid populations after summering or wintering of fish ponds. 3629
- release of partially sterile Trichoplusia ni as method of population control. 1304
- reproduction and survival of mutant strains of Musca domestica in population cages. 898
- in relation to reproductive capacity in Neodiprion swainei. 4107
- reproductive physiology of migrant populations

- of Autographa gamma in Hungary. 3533
- sample size for population estimation in Cicadoidea and Heteroptera. 5121
- sap consumption by Cicadella viridis population 5850
- seasonal abundance and distribution of Chaoboridae and Chironomidae in a pond in Tennesse USA. 3631
- seasonal activity and local distribution of pondshore populations of Collembola. 4817
- seasonal changes in genetic structure in natural populations of Drosophila melanogaster. 3686
- seasonal changes in populations of Haematobia irritans. 3540
- seasonal distribution of Tabanus quinquevittatus in New Jersey, USA. 4853
- seasonal fluctuation of lethal mutations in natural populations of Drosophila melanogaster. 6104
- seasonal fluctuations in chaoborid and chironomid larval populations in a floodplain lake in Minnesota, USA. 4098
- seasonal populations of Heteroptera and Homoptera on Gossypium in Egypt. 6051, 6052
- seasonal variations in populations of insects in a stream in Quebec, Canada. 860
- seasonal variations in populations of Microcerotermes beesoni . 4877
- segregation of siphonal hair types in a 4-4 true-bred population of autogenous Culex pipiens. 2175
- selection coefficients of heterozygotes for lethal chromosomes in relation to genetic background in Drosophila pseudoobscura. 3683
- selection in relation to inbreeding rate of laboratory populations of Drosophila melano gaster. 1351, 1352
- selection in populations of Drosophila pseudoobscura differing in initial gene arrangemen frequency. 3687
- selective forces maintaining genetic variation for sternopleural chaeta number in Drosophi melanogaster natural populations. 4920
- self-regulation of population size in Diprion pir by lengthening of eonymphal diapause . 3 630
- self-regulatory processes in agrobiocoenoses under prolonged monoculture. 6031
- sex-index and population numbers of Thripidae on cereals in Finland. 1309
- sex-ratios in populations of Trichogramma embryophagum parasitic on Choristoneura murinana, 3524
- sexual isolation in non-selected populations of Drosophila pseudoobscura. 3209
- short-term response to selection for bristle number in Drosophila melanogaster. 426

sociology of Orthopteroidea of Tuscan Appennino, Italy. 6149

sperm competition in relation to copula duration in Scatophaga stercoraria. 5951

sterility content of 2nd chromosomes in Drosophila melanogaster populations from Fusagasuga, Colombia. 3685

stochastic models for population dynamics of Chorthippus parallelus and Neophilaenus lineatus, 4118

structure in Erebia epipsodea. 4848

structure in relation to success of insect introductions. 341

structure in surface-dwelling Collembola of coniferous forest soil. 2160

synergistic interaction of spontaneous mutant polygenes controlling viability in Drosophila melanogaster. 1785

taxonomic status of Drosophila paulistorum populations. 2841

temperature in relation to growth of Macrocheles peniculatus populations. 3996

of Tendipes in a lake in Georgia, USA. 3618 of Thrips tabaci on onion in Hungary. 3616 traps for sampling populations of Culicidae.

valve form variation within and between populations of N.American Limenitis. 5911

variation of alcohol dehydrogenase locus in a natural population of Drosophila melanogaster. 6105

variation in anatomy of Utah (USA) populations of Typhlodromus occidentalis. 4429

variation in body-weight in geographical populations of Tribolium castaneum. 924

variation at esterase loci in a Greek population of Dacus oleae. 3219

variation in number of external spinning structures in Clubiona phragmitis in relation to population isolation. 4119

variation in population number in Palaeolecanium bituberculatum with altitude. 4825

variation of sternopleural chaeta number in a natural population of Drosophila melanogaster. 4919

variation in wing-venation in Ischnura. 432 viability in relation to siphonal index in Culex pipiens molestus. 3205

vitamin E content of host-plant in relation to population trends in Barathra brassicae.

windbreaks in relation to abundance and distribution of Coccushesperidum in Texas (USA) citrus groves. 4837

wing variation in populations of Drosophila virilis. 153

X-chromosome inversions in eastern and

western strains of Drosophila athabasca. 3652, 4918.

of 'Xasta' mutant of Drosophila melanogaster . 4157

Populus (Salicaceae),

biology and ecology of Agrilus ater in USSR .  $1658\,$ 

biology of Phyllocolpa in California, USA. 3538 Lycia hirtaria recorded in Spain for first time. 1283

Populus alba,

feeding of Gypsonoma oppressella in England in autumn. 5586

host of Dechtiria turbidella at Wicken Fen, England. 5586

Populus tremuloides, leaves not eaten by Julida or Oniscus. 2822

Poria (Fungi), feeding and reproduction of Acarus siro and Tyrophagus putrescentiae on 3 spp. 1684

Porolohmannella curvimandibulata sp.n. (Arach., Acari, Limnohalacaridae), described. 14

Porolohmannella cvetkovi, description expanded. 14 Poropoea (Hym., Trichogrammatidae), spp keyed and new spp described. 4366

Porpomiris (Hem., Het., Miridae), reviewed and spp keyed. 4321

Porrhomma kolosvaryi (Arach., Aran., Linyphiidae), new for Germany and redescribed. 1811

Porrhomma montanum, new for Poland. 6111 Porrhomma obambulatum sp.n., described. 2886

Porthesia similis (Lep., Lymantriidae), protection of tree-stands by fertilization in GFR. 4797

Porthetria dispar (Lep., Lymantriidae),

13-acetoxy-cis-8, cis-10-heptadecadien-1-ol not a sex attractant. 4649

control, dispersal and establishment in Canada. 3176

control with ULV trichlorfon in New York State, USA, in 1967. 4672

devices for cleaning and counting eggs. 5103 ecological side-effects of aerial spraying in New Jersey, USA. 4949

external morphology. 604

feeding and nutrition. 6000

induction of susceptibility to nuclear polyhedrosis virus. 2063

insecticides for control, 4682

instar number in relation to environmental conditions. 4097

intrinsic factors causing qualitative changes in populations. 4097

 $\gamma\text{-irradiation}$  in relation to 9 attractiveness. 4613

6-methyl uridine in relation to diapause and moulting. 5293

not present in N.W.Himalaya. 604

nuclear polyhedrosis virus and Streptococcus faecalis in development of epizootic. 4109, 6048 Porthetria dispar (Lep., Lymantriidae), contd.

particles present in egg fluid. 4457

protection of tree-stands by fertilization in GFR. 4797

starvation in relation to behaviour, developmental rate and instar number. 1629

Streptococcus faecalis strains pathogenic to larvae. 5798

transovarial transmission of nuclear polyhedrosis virus. 2063

#### Portugal,

aquatic Heteroptera from . 3263

aquatic Heteroptera new for . 3263

distribution of Dicranura delavoiei, D.iberica and D.vinula, 1370

Faronus keyed. 979

Geometridae from Algarve. 6136

Geometridae new for . 6136

habits, ranges and taxonomy of Formicidae.

new Colydiidae from . 1849

new Pselaphidae. 979

new records of Formicidae. 3639

Psenini of. 1361

Portulaca oleracea (Portulacaceae), fecundity of Pyrgomorpha conica. 6003

Posthsyrphus (Dipt., Syrphidae), genus valid. 78 Postsubulitermes (Isopt., Termitidae), gut. 4514 Potamogethes ivorensis sp.n., (Col., Elminthidae), described. 34

Potamonectes (Col., Dytiscidae), larvae from Southern Africa. 3041

Potamophylax cingulatus (Trich., Limnephilidae), diel activity patterns of larvae. 3542 upstream movements in a stream in S.Sweden.

Potamophylax latipennis, case-building and choice of building materials. 5211

Potamophylax nigricornis, new for Lithuania. 4197 Potamophylax stellatus, larval behaviour. 1540 Potassium,

haemolymph titre during heat death in Centrioptera muricata. 5885

movement in isolated midgut of Periplaneta americana. 1101, 1549

in relation to ribosomal nuclease of Acheta domestica. 4540

in relation to RNA-polymerase activity in isolated fat-body cell-nuclei of Calliphora erythrocephala. 1126

Potassium cyanide, in relation to cuticular phenoloxidase from white puparia of Drosophila virilis. 1558

Potassium chloride, high concentration required for ribosome isolation from adult Acheta domestica. 4534

Potassium hypophosphate, concentration in artificial diet in relation to wing-production in Myzus persicae. 4632

Potassium nitrate, activation of salivary amylase in

Lygus disponsi. 1562

Potato, see Solanum tuberosum

Potato leafhopper, see Empoasca fabae

Potato tuber moth, see Phthorimaea operculella Potentilla fragarioides (Rosaceae), relations to Andrenidae in Hokkaido, Japan. 2163

Potamanthidae (Ephem.), 172, 2962 from S E.Asia. 2962

Potamanthus (Ephem., Potamanthidae), larval O<sub>2</sub>-consumption. 172

Poultry,

blood-meals of Stomoxys calcitrans on poultry ranches in California, USA. 5404 combined sulphonamide feed-additive for control

of Ornithonyssus sylviarum. 4699 integrated control of Diptera in caged-poultry

integrated control of Diptera in caged-poultry houses. 5350

Escherichia coli and Salmonella from brooderhouse populations of Alphitobius diaperinus. 4520

manure removal in relation to dipteran larvae and predators in N.California, USA. 4836 physical gradients in Tullgren funnels during extraction of Acari from litter. 2566

Povilla adusta (Ephem., Polymitarcidae), biomass production in L.Chad, Africa. 3597 ecology and production in the Volta L., Ghana. 3604, 4100

Pragensiella (Col., Staphylinidae), Meiotica williamsi transferred to. 2922

Pragensiella marchii, Cryptusa capitalis synonymous with. 2922

Prairie grain wireworm, see Ctenicera destructor Praocis (Col., Tenebrionidae), new taxa from Chile. 2497

Praon exsoletum (Hym., Aphidiidae), development in relation to RH. 702 ecology in relation to Therioaphis trifolii in California, USA. 702

Praon exsoletum palitans, attacking Therioaphis maculata in Delaware, Maryland and New Jersey, USA. 5503

Praon volucre, \$\phi\$ reproductive system and fecundity. 5912

Prays citri (Lep., Yponomeutidae), larvae as diet
for Amblyseius chilenensis and A.hibisci.
5313

Prays oleae, biological control parasites and predators in Mediterranean Basin, 320

Precis villida calybe (Lep., Nymphalidae), new for Norfolk Island, Pacific Ocean. 2865

redation,

by adult of Tetranychus urticae. 4028

by Allograpta obliqua and Hippodamia quinquesignata punctata on Brevicoryne brassicae on cabbage in S.California, USA. 5479

of Altica carduorum released against Cirsium arvense in Canada. 4 ->8

by Anagasta kuehnielle on Blattisocius tarsalis eggs. 4111

# Predation, contd.

- Araneae and Insecta predaceous on Choristoneura pinus in Michigan, USA. 3615
- Araneae as predators of Rhyacionia frustrana.
- behaviour of Scatophaga stercoraria in California, USA, 3556
- biology of Amblyseius fallacis in relation to Tetranychus. 4708
- by birds limiting Perthida glyphopa populations. 5464
- by Blattisocius tarsalis on Anagasta kuehniella laboratory populations. 4111
- by Carabidae and Staphylinidae on Erioischia brassicae eggs. 836
- by Cheyletus eruditus on Proctolaelaps nauphoetae on Nauphoeta cinerea. 1667
- by Colaptes auratus on Diatraea grandiosella over-wintering in Mississippi, USA, 4851
- in collapse of Dendrolimus pini outbreak in Hungary. 4077
- by Curculionidae. 4047
- death of Podabrus pruinosus from unknown predator. 3133
- defence against predatory spiders in Cephise cephise. 4735
- defences of social insects. 5389
- in relation to deimatic reaction of Stagmatoptera biocellata. 4494
- diseases affecting predators of Adelges on Abies in Germany, Switzerland and Turkey. 5150
- by elaterid larvae on Bupalus piniarius pupae. 2161
- entomophagy in Curculionidae. 4047
- in relation to expendable surface-area of wings in Lepidoptera. 5188
- in relation to foraging of Hodotermes mossambicus. 5517
- in relation to Heliothis zea cage populations.
- 3600 Hemiptera predaceous on stored-product insects
- in Israel. 5563 by Hemisarcoptes dzhashii sp.n. on Diaspididae in Gruziya, USSR. 1393
- in laboratory populations of Anagasta kuehniella.
- by Laphria gilva on Dendroctonus ponderosae in S.Dakota, USA, 1666
- by Lepomis microlophus and Salmo trutta on Hexagenia limbata californica in California, USA: 5604
- by Limnesia maculata. 1320
- by Menochilus sexmaculata on Chilo zonellus. 306
- Metaseiulus occidentalis and Phytoseiulus persimilis on Tetranychus urticae. 749, 4079
- method for assessing ant predation on insects.
- Mimetus puritans predaceous on Dioryctria. 5491

- monthly changes in <sup>137</sup>Cs levels in predators.
- in natural control of Heliothis zea in California, USA. 3600
- by Neoitamus bulbus in New Zealand. 3569
- of Orius indicus on Taeniothrips nigricornis.
  4715
- in relation to parasitization of Oulema melanopus by Anaphes flavipes. 4834
- by Picidae on insects of hardwood trees in Arkansas and Mississippi, USA. 1312
- in population dynamics of Eurygaster integriceps.
  5505
- predator complex associated with Gynaikothrips ficorum on Ficus nitida, 6047
- predator interactions with host spp. 4850
- predators of Acalitus vaccinii. 4709
- predators of aphidophagous Syrphidae. 1230 predators of Arzama densa in Louisiana, USA.
- predators of Cecidomyiidae in India. 4101 predators of Diatraea saccharalis in Cuba.
- predators of Eriosoma ulmi in Warszawa area, Poland. 4039
- predators of Fenusa pusilla in Quebec, Canada.
- predators of Hemerocampa pseudotsugata in N.E.California, USA, 4084
- predators introduced into California (USA) for control of Ferrisia virgata, 797
- predators of Lamiinae in Mozambique. 4266 predators of Laspyresia funebrana in Rostov area, USSR. 1675
- predators of Laspeyresia pseudotsugae sp.n. in Canada. 1468
- predators of Leptocorisa oratorius in Sarawak. 4103
- predators of Lycosa lugubris in Scotland. 2109 predators of Marchalina caucasica sp.n. 1445 predators of Musca autumnalis at Guelph,
  - Ontario, Canada. 273
- predators of Musca autumnalis larvae. 1296
- predators of Myzus persicae. 1294
- predators of Panonychus ulmi in Giza, Egypt. 5976
- predators of Parlatoria oleae in Lenkoran', . USSR . 1674
- predators of Prays oleae in Mediterranean Basin. 320
- predators and prey of Lycosa lugubris in Scotland. 2109
- predators of Quadraspidiotus perniciosus on Sakhalin, USSR. 1289
- predators of synanthropic Diptera in Tyan-'Shan' Mts., Kırgizia, USSR. 4860
- predators of Tetranychidae. 1295 predators of Toumeyella liriodendri. 3535

Predation, coutd.

prey-catching behaviour of Steatoda bipunctata and Teutana grossa. 5954

prey dispersal in Formica polyctena. 309 prey location in Agelena labyrinthica. 633

rate of consumption of Aphididae by Lygus lineolaris. 4838

searching behaviour in Typhlodromus mcgregori. 4796

of Selasia unicolor on Limicolaria. 4737 size relationships of prey of Acroneuria

californica. 2110

by Solenopsis saevissima richteri. 3136

stinging pattern in prey-paralyzation by Podalonia hirsuta. 4501

by Tribolium on Pseudaletia separata in the laboratory. 6004

in waste-stabilization lagoon communities in Missouri, USA. 337

by white storks on Locustana pardalina. 5474  $\Delta^{4}$ , 6-Pregnadiene-12 $\beta$ -ol-3, 20-dione, in defence secretion of Cybister. 5995

△4,6-Pregnadien-20-ol-3,20-dione, in defence secretion of Cybister limbatus. 3563

 $\Delta^{4,6}$ -Pregnadien-20-ol-3-one, in defence secretion of Cybister limbatus. 3563

 $\Delta^4$ -Pregnen-21-ol-3,20-dione, in defence secretion of Cybister. 3563, 5995

 $\triangle^4$ -Pregnen-20-ol-3-one,

in defence secretion of Cybister. 3563, 5995 in defence secretion of Ilybius fenestratus. 761,

Prenolepis imparis var.nitens (Hym., Formicidae), use of artificial nest for rearing Tetraneura ulmi in the laboratory. 1031

Prepops (Hem., Het., Miridae), Neotropical spp reviewed and keyed. 2514 new spp described. 2514, 5037

Prepusa (Col., Cicindelidae), included in Prothymina. 27

Pressure.

atmospheric pressure in relation to black-light trapping of Laspeyresia pomonella. 5486 hydrostatic pressure in appendage extension

in Haemogamasus ambulans. 3868

Priacma serrata (Col., Cupedidae), immature stages. 3850

Prickly pear, see Opuntia inermis

Primierus indicus (Hem., Het., Lygaeidae), resurrected. 4317

Prinsepia utilis (Rosaceae), host-plant of Tricaudatus indicus sp.n. in India. 2979

Prionochaeta opaca (Col., Leptodiridae), biology and ecology in Hutcheson Memorial Forest, New Jersey, USA. 4085

Prionotheca coronata (Col., Tenebrionidae), temperature resistance and water-permeability of integument. 155

Prionoxystus robiniae (Lep., Cossidae), predation

by Picidae in Arkansas and Mississippi, USA.

Prionus laticollis (Col., Cerambycidae), pupa. 1968

Pristiphora (Hym., Tenthredinidae), 1458 Pristiphora abietina (Hym., Tenthredinidae),

protection of tree-stands by fertilization in GFR. 4797

Pristiphora acidovalva sp.n.,

described. 1458

larval biology and morphology. 1506

Pristiphora erichsonii,

feeding levels on Larix in Maryland, USA. 5399 toxicity of carbamates and organophosphates. 5180

Pristiphora gaunitzi sp.n., described. 115 Pristiphora polytomus, phenolase in gut of prepupa. 646

Proacrias (Hym., Eulophidae), syn.n. of Neochrysocharis. 1451

Procavicola (Meganarionoides) muesebecki sp.n. (Mall., Trichodectidae), described. 1940

Procecidochares utilis (Dipt., Tephritidae), chromosomes. 2836

Proceras venosatus (Col., Carabidae), food-plants in Japan. 1281

Prociphilus (Hem., Hom., Aphididae), new taxa described. 553

Prociphilus osmanthae, new for India. 496

Procladius (Dipt., Chironomidae), biomassproduction and ecology in Yugoslav section of R.Danube. 3601

Procladius bellus, life-cycles in a floodplain lake in Minnesota, USA. 4098

Procladius culiciformis.

ecology in L. Washington, USA. 348 life-cycles in a floodplain lake in Minnesota, USA. 4098

Procelptes carpenteri gen. et sp.n. (Hym., Bethyloidea), described. 2986

Procraerus helvolus (Col., Elateridae), redescribed. 33

Procris chloros hades subsp.n. (Lep., Zygaenidae), described. 5078

Procris horni, ♀ redescribed . 5078

Procrustes aino munakataorum subsp.n. (Col., Carabidae), described. 521

Proctodone, secretion in late larvae of Galleria mellonella. 3517

Proctolaelaps nauphoetae (Arach., Acari, Ascidae),

behaviour, ecology and life-history in relation to Nauphoeta cinerea. 1667

competition with Locustacarus on Nauphoeta cinerea. 1667

prey of Cheyletus eruditus. 1667

Proctotrupidae (Hym.), 3808, 4110, 5716 subfamilies and tribes reviewed. 5716

Proctotrupinae (Hym., Proctotrupidae), new tribes established. 5716

Proctotrupoidea (Hym.),

phylogeny. 5716

Provancher spp re-examined. 2987

suprageneric groupings. 5716

Procyon lotor (Carnivora) (raccoon),

host of Ixodidae in E.C.Oklahoma, USA. 4775

Prodecatoma sabiae sp.n. (Hym., Eurytomidae), described ex gall on Sabia campanulata in India. 4352

Prodenia eridania (Lep., Noctuidae), activity cycles in field and laboratory. 5095

bioassay of sex-pheromone. 5095

endogenous inhibitor of microsomal mixedfunction oxidases. 3930

enzymes for aldrin epoxidation in larvae. 220 improved rearing techniques. 5114

microsomal epoxidase. 220 monoglyceride lipase activity of flight-muscle. 1128

preferred host of Campoletis perdistinctus in laboratory. 5413

ultrastructure of larval microsomes. 1103 Prodenia littoralis, generic position. 3003 Prodenia litura.

generic position. 3003 location of  $\circ$  sex-pheromone gland. 4573 mouthwarts. 301

Prodenia praefica, new host for Campoletis perdistinctus. 5413

Prodilamus gen.n. (Col., Tenebrionidae), established and new taxa described. 1856

Proechimys (Rodentia), host of Polylopadium gibberum sp.n. and Po.musivum sp.n. in Colombia. 4244

Proechimys guyannensis, host of Colicus icomi gen. et sp.n. in N.E.Brazil. 4977.

Proechimys semispinosus panamensis, host of Gyropus emersoni sp.n. in Panama. 3007

Profeltiella orientalis (Dipt., Cecidomyiidae), possibly a Parallelodiplosis. 2941

Proformica (s.str.) seraphimi sp.n. (Hym., Formicidae), described. 5730

Prohardyia (Dipt., Muscidae), nom.n. for Hardyia Malloch 1926 and new spp described. 3318

Proisotoma filifera (Collem., Isotomidae), new for Netherlands. 6120

Proisotoma musci sp.n., described. 2932 Projoenia sawayai (Protozoa), from Neotermes in Brazil. 3637

Proline,

formed during development in Hyalophora gloveri. 1633

level in Musca domestica tissues during metamorphosis. 4647

Promethazine hydrochloride (Phenergan), treatment of cattle in relation to resistance to Boophilus microplus. 3576

Promuscidea (Hym., Pteromalidae), Eriaporus

syn.n. of. 2997

Pronematus ubiquitus (Arach., Acari), population changes on orange in response to cessation of spraying. 2807

Pronotocrepis (Hem., Het., Miridae), new spp described. 4320

Pronura indiana sp.n. (Collem., Neanuridae), described. 4291

Propalticidae (Col.), 2488, 4253 systematic position. 4253

Propalticus simplex sp.n. (Col., Propalticidae), described. 4253

Propalticus wainganus sp.n., described. 2488 1,3-Propanediol dimethanesulphonate.

chemosterilant for o Bracon hebetor. 258
recovery of fertility and sperm-transfer after
exposure in Musca domestica. 4608

Propanol, in odoriferous secretion of Libyaspis angolensis. 1155

Prophytochironomus (Dipt., Chironomidae), syn.n. of Demeijerea. 5025

Propolis, probable origin in Apis mellifera. 5219 Propoxur, toxicity to Neodiprion pratti banksianae, N.swainei and Pristiphora erichsonii. 5180

Proptomaphaginus apodemus gen. et sp.n. (Col., Leiodidae), described. 2483

Propyl-1,4-benzodioxan-2-carboxylic acid, attractant for Amphimallon majalis. 4691

Propylaea japonica (Col., Coccinellidae), host of Perilitus coccinellae. 1266

Propylea quatuordecimpunctata,

previously undescribed abdominal structure.
1972

overwintering at Kew, London, England. 2097 Propyline, as attractant for Pectinophora gossypiella. 212

Propylure, laboratory synthesis. 1594

Prorhinotermes simplex (Isopt., Rhinotermitidae), RH and starvation in relation to survival. 207

Proschistis (Lep., Olethreutidae), new spp described. 1021

Proscopiidae (Orth.), tympanal organ absent. 3899 Prosierola (Hym., Bethylidae), new for Romania. 2520

Prosierola erucarum comb.n., new for Romania. 2520

Prosimulium (Dipt., Simuliidae), dicentum, dicum and exigens discussed and keyed. 4312

Prosimulium dicentum, larva,  $\ensuremath{\sigma}$  and pupa described for first time. 4312

Prosimulium dicum, lectotype designated. 4312 Prosimulium gallii, description completed. 468

Prosimulium inflatum, new for Spain. 2209

Prosimulium magnum, salivary-gland chromosomes

and existence of cytologically distinct populations. 2182

Prosimulium multidentatum, salivary-gland chromosomes. 2182

Prosimulium rufipes, new for Spain. 2209 Prosimulium vernale, new for Patuxent Wildlife Prosimulium vernale, contd.

Research Centre (USA) and ecology. 4884

Prosodes (s.str.) chodzhaksaris sp.n. (Col., Tenebrionidae), described. 4288

Prosodes (Uroprosodes) freibergi sp.n., described.

Prosopistomatidae (Ephem.), 2246 origin and systematic position. 2246

Prosopocera (Alphitopola) kaszabi sp.n. (Col., Cerambycidae), described. 3737

Prosopocera hintzi expressior subsp.n., described.

Prosopocoelus (Col., Lucanidae), new spp described. 5001

Prosopocoelus inclinatus, chromosomes and sexdetermination. 1326

Prosopocoelus serricornis, Thelastoma toxi sp.n. from midgut. 5184

Prospaltella perniciosi (Hym., Chalcididae), parasitic on Quadraspidiotus perniciosus on Sakhalin, USSR. 1289

Prostemma (Hem., Het., Nabidae), zoogeography.

Prostigmata (Acari),

of caves of S.Korea. 2825 new spp from Japan. 504

Protaphreutis (Lep., Tineidae), relationship within Tineidae. 1473

## Proteases,

absent from gut of last-instar larva of Eublemma amabilis. 2024

during development in Chironomus tentans. 216 in faeces of Atta colombica tonsipes. 1689

in gut of Clavigerella gibbosa. 5853

in relation to lack of toxicity of Bacillus thuringiensis crystals for Carausius morosus, 5178

in relation to lysis of larval gut in Galleria mellonella. 724

in midgut of larval Vespa crabro and V. orientalis. 655

in relation to neurosecretion in midgut of  $\varphi$  Blatta orientalis. 4522

in rectal fluid of Attini. 2618

in venom of Pamphobeteus roseus. 5994

#### Proteins.

actinomycin D in relation to synthesis in larval Chironomus tentans. 216

alanine and aspartic acid incorporation in  $\+ \+ \+$  Aedes aegypti. 1554

amino-acid sequences of peptides from silk fibroin of Bombyx mori. 1125

antennal proteins in relation to sex-pheromone perception in of Antheraea pernyi. 3885

antibacterial compounds of haemolymph of Drosophila melanogaster pupae. 1546

anti-viral protein in digestive juice of larval
Bombyx mori. 2011

apholate in relation to ovarian protein in Aedes aegypti. 714

apholate in relation to synthesis in Aedes

aegypti. 2624

associated with cuticular chitin in Heterometrus scaber. 3864

associated with minerals in oocytes of Polydesmus complanatus. 3858

6-azauridine in relation to synthesis in Pyrrhocoris apterus. 1200

CA hormone in relation to metabolism in flightmuscles and fat-body in Locusta migratoria. 2030

calliphorin and Protein II synthesized by larval fat-body of Calliphora erythrocephala in vitro. 1138

CO<sub>2</sub> in relation to haemolymph proteins of Locusta migratoria cinerascens. 3429

cycloheximide in relation to synthesis in larval Chironomus tentans. 216

in relation to cytoplasmic polyhedrosis in midgut epithelium of Bombyx mori. 5855

of developing oocytes of Argas persicus. 4635 ecdysone binding by haemolymph proteins of Pyrrhocoris apterus. 3912

ecdysone in relation to synthesis in larval Antheraea pernyi. 5243

of eggs of 7 insect orders. 2625

endocrine control of synthesis during oocyte maturation in Leucophaea maderae. 721

experimentally induced changes in haemolymph proteins in Oncopeltus fasciatus. 1091

of fat-body of Formica rufa polyctena during development. 1642

of fat-body, haemolymph and oocytes in adult Tenebrio molitor. 5861

of fat-body at metamorphosis in Diatraea grandiosella. 4641

of fat-body in normal and diapausing larvae of Trogoderma granarium. 1130

of fat-body during oogenesis in Pyrrhocoris apterus. 1200

food plants in relation to haemolymph proteins of Hyphantria cunea. 3928

gene relationships of haemolymph proteins in Orthoptera. 2014

glycine utilization in protein-synthesis of Bombyx mori silk-gland in vitro. 1140

glycogen synthesis in relation to oocyte age in pupal ovaries of Bombyx mori. 2689

of haemolymph of Cupiennius salei. 3914

of haemolymph in relation to diet in larval Pieris brassicae. 1547

of haemolymph in relation to diet and parasitization in larval Manduca sexta, 1548

haemolymph-protein deficiency in relation to tumour susceptibility in Periplaneta americana, 4449

haemolymph proteins during development in Dysdercus intermedius. 4005

haemolymph proteins during development in Pieris brassicae. 1096

haemolymph proteins during development in

Proteins, contd.

Rhynchosciara. 4507

haemolymph proteins during 5th instar of Locusta migratoria migratorioides. 1093

haemolymph proteins of ♀ Leptinotarsa decemlineata. 5878

haemolymph proteins of larval Rhynchosciara angelae. 4507

haemolymph proteins of normal and diseased Apis mellifera. 3911

haemolymph proteins of Pyrrhocoris apterus.

haemolymph proteins of Triatoma infestans.

haemolymph proteins in relation to vitellogenesis in Leucophaea maderae. 1202

haemolymph proteins in relation to vitellogenesis in Ornithodoros moubata. 1201

haemolymph, seminal vesicles and spermathecae of Apis mellifera. 2630

hempa in relation to synthesis in Aedes aegypti. 2624

histones of Acheta domestica and Planococcus citri. 4536

hormones in relation to synthesis in imaginal wing-discs of Philosamia cynthia ricini. 3510

in vitro induction in cultured tissue cells of Aedes aegypti. 5864

incorporation and synthesis of yolk-proteins in Acheta domestica. 4645

inheritance of P3 protein variants in Apis mellifera ligustica. 903

inhibitor of insect mitochondrial respiration in Myrmecia gulosa venom. 5237

lysozyme in relation to haemolymph proteins of Periplaneta americana. 1094

of main salivary gland of Myzus persicae.

median neurosecretory cells in relation to metabolism in 9 Blatta orientalis. 4522

metabolism in relation to CC in Insecta.

metabolism during egg maturation in Culex pipiens. 726

metabolism in 5th instar of Locusta migratoria. 1093, 5233

metabolism in wild-type and mutant Drosophila melanogaster. 664

neomycin in relation to synthesis in vitro using pupal nuclear RNA from Tenebrio. 203

non-enzymatic binding of silk-glands amino acids to soluble proteins in Bombyx mori. 3954

non-histone protein synthesis and chromosome replication in Chironomus thummi. 187

nuclear polyhedrosis in relation to haemolymph proteins of larval Mamestra brassicae. 3433

nuclear polyhedrosis in relation to synthesis in silk-gland of Bombyx mori. 1563

ontogenesis of female-specific protein in

Schistocerca gregaria, 5869

origin of protein yolk-spheres in Drosophila melanogaster. 4585

phenoloxidase activator of larval cuticle in Drosophila melanogaster. 3862

plasma protein in relation to re-aggregation of fat-body cells in Saturniidae. 3047

of pollen and pollen substitute in relation to development of hypopharyngeal glands in Apis mellifera. 4571

polymorphism in Apis mellifera ligustica. 903 production by Y-chromosome in trophocytes of Anagasta kuehniella. 3048

protein components of matrone in Aedes aegypti.

proteins during development in Armigeres subalbatus. 5945

proteolytic activity of midgut in relation to growth and metamorphosis in larval Galleria mellonella. 724

proteolytic activity of venom of Pamphobeteus roseus. 5994

proteolytic enzymes of salivary glands of Chironomus tentans. 216

prothoracotropic brain hormone of Bombyx mori.

of puparium of Lucilia cuprina. 5227

ribonucleoprotein produced by Y-chromosome in Anagasta kuehniella trophocytes. 3048

ribosomal protein-synthesis in adult of Drosophila subobscura. 3939

route of haemolymph-protein transport into oocytes of Panorpa communis, 1209

of salivary-gland secretion in Camptochironomus. 5544

secretion in testes of Byrsotria fumigata and Gromphadorrhina portentosa. 3476

selenocystine and sodium monohydrogenarsenate incorporation into chromosomal protein in Drosophila melanogaster. 2179

sex-dimorphism of haemolymph proteins in Locusta migratoria cinerascens. 3429

sex-dimorphism of haemolymph proteins in Pyrenean Orthoptera. 2014

Sheffield Hy Case 802 protein hydrolysate as attractant for Rhagoletis pomonella and Tachinidae. 2720

soluble proteins of Tribolium castaneum. 5309 sources in larval salivary-gland secretion of Chironomus tentans. 669

spontaneous precipitation of haemolymph proteins in Galleria mellonella and Periplaneta americana. 3913

streptomycin in relation to RNA translation in larval Bombyx mori. 4891

sub-microscopic particles in defence fluids, egg fluid and haemolymph of Insecta. 4457

symbionts of Lasioderma serricorne in relation to metabolism. 790

of symbionts of Psylla pyricola. 2743

Proteins, contd.

synthesis in relation to circadian changes in neurosecretory cells of CNS in Acheta domestica. 2587

synthesis by diapause and non-diapause eggs of Bombyx mori. 5285

synthesis in Diatraea grandiosella at metamorphosis. 4641

synthesis in fat-body of adult Tenebrio molitor.

synthesis in giant chromosomes of Chironomus thummi. 187

synthesis in relation to histolysis of intersegmental muscle in newly-emerged adult Antheraea polyphemus. 1207

synthesis in imaginal discs of Drosophila melanogaster in vitro. 591

synthesis in vitro using microsomes from Drosophila melanogaster. 4904

synthesis in 3rd instar of Calliphora stygia. 1559 synthesis in nurse-cells of Musca domestica.

synthesis in oocytes of Rhynchosciara angelae.

synthesis during reproductive cycle in ♀ Lepismodes inquilinus. 1637

synthesis by ribosomes isolated from Acheta domestica. 4534

synthetic mechanisms in Drosophila melanogaster. 195

2-system model for chitin-protein complexes in insect cuticle. 2583

temperature in relation to synthesis in Bombyx mori embryo. 2687

toxicity of parasporal inclusion protein of Bacillus thuringiensis to larval Choristoneura fumiferana. 5800

turnover in adult of Drosophila subobscura. 3939 of type-C neurosecretion in Clitumnus extradentatus. 4475

ultrastructure of protein yolk-spheres in Drosophila melanogaster. 4585

vitellogenic haemolymph proteins of Leptinotarsa decemlineata. 1646

vitellogenic haemolymph proteins of Periplaneta americana. 2623, 3101

vitellogenin in haemolymph of Leucophaea maderae, 1202

vitellogenin secretion and synthesis by fat-body in Hyalophora cecropia and Periplaneta americana. 1212

Protentomidae (Prot.), 5769

Protereismatidae (Ephem.), 3322

Permian larvae transferred to Archodonata.

Proteurrhypara gen.n. (Lep., Pyralidae), established and new spp described. 1470

Proteus mirabilis (Bacteria), in gut of Calliphora vicina. 2013

Prothoracic glands,

of Coenagrion angulatum. 2591

multifactor control of imaginal development in Locusta migratoria, 2672

prothoracotropic hormone secretion in late larvae of Galleria mellonella. 3517

Prothorax.

of Acalypterae and its use in systematics. 5146 of Embia ramburi. 3855, 4447

Prothymina (Col., Cicindelidae), redefined. 27

Protocalliphora (Dipt., Calliphoridae),

distinct from Trypocalliphora. 322 Finnish records. 460

of Riparia riparia in Switzerland. 4106

Protocalliphora metallica, overwintering of adult in Delaware, USA. 753

Protocatechuic acid-4-O, β-glucoside, formation in Periplaneta americana. 2626

Protokalumma afrum sp.n. (Arach., Acari, Parakalummidae), described. 3724

Protomeloe (Col., Meloidae), Copobaenus bicolor transferred to. 4988

Protomyobia nodosa sp.n. (Arach., Acari, Myobiidae), described. 4230

Protonemura (Plec., Nemouridae), 1322 doubtful for C.Asia. 1481 Polish spp. 5767

Protonemura filigera sp.n., described. 3014 Protonemura meyeri,

biology and ecology in a stream in the Lake District, England. 1322 larval activity pattern. 3113

Protoneura ailsa (Odon., Protoneuridae), larva described. 3830

Protoneuridae (Odon.), 3830, 4391

type-specimens in British Museum (Natural History), London, England, listed and lectotypes designated. 4391

Protopeltinae subfam.n. (Col.), established within Peltidae. 4985

Protopeltini (Col., Peltidae), raised to subfamily.

Protozoa.

diseases of Insecta. 5166

dispersal by aquatic insects. 4131

dispersal by Lethocerus uhleri in Texas, USA. 3169

parasitic in Blattella germanica in New York City, USA. 4689

Protrama (Hem., Hom., Aphididae), relationships to Sinolachnus. 3788

Protrama penecaeca, apterous of described. 3787 Protura.

classification. 128

new for Poland. 5592, 5593

of New Zealand. 3693

of N.E.Alps and foot-hills. 4941

of Ocjów National Park, Poland. 5592

from Poland. 5593

Provancher, Proctotrupoidea re-examined. 2987

Proxenus (Col., Scarabaeidae), new African taxa. 5650

Prunomyzus asiaticus sp.n. (Hem., Hom., Aphididae), described. 3785

Prunus armeniaca (Rosaceae) (apricot), host of Eotetranychus boreus sp.n. in Japan. 16

Prunus avium (cherry),

host of Coleophora varii sp.n. 2527 Rhagoletis present in orchards of N.E. Wisconsin, USA. 943

Prunus cerasus (sour cherry),

biology of Glischrochilus quadrisignalus. 3116 confirmed as host of Rhagoletis pomonella.

host of Tinocallaides montanus gen. et sp.n. in W.Bengal, India. 4328

resistance of Hungarian hybrids to Quadraspidiotus perniciosus. 4803

Prunus domestica (plum),

host of Eotetranychus boreus sp.n. in Japan

phenology of Grapholitha molesta in S. Missouri, USA. 5507

Prunus dulcis (almond), nesting of Solierella blaisdelli and S.peckhami. 4740

Prunus persica (Rosaceae) (peach),

biology of Conotrachelus nenuphar in Missouri Ozarks, USA. 2717

fruit as food for fruit-piercing Lepidoptera of Yugoslavia. 5999

infestation by Rhagoletis suavis in New York, USA. 1704

integrated control of Aphididae. 5462 migration of Myzus persicae from in Essex County, Ontario, Canada. 3161

Neoteneriffiola tadjikistanica sp.n. from in Tadzhikistan, USSR. 4976

overwintering sites for Metaseiulus occidentalis in orchards. 5383

phenology of Grapholitha molesta in S. Missouri, USA. 5507

populations of Grapholitha molesta in Ontario, Canada. 2812, 4081

Prunus spinosa (sloe), ecology of Strymon pruni. 3539

Psalidium maxillosum (Col., Curculionidae), general and Italian distributions. 3240

Psalidopteryx psilocorsiphaga (Dipt., Tachinidae), parasitic on Eucosma rescissoriana in Pinus monticola cones in N.Idaho, USA. 2531

Psalidothrips (Thysanopt., Phlaeothripidae), new spp from Solomon Islands. 5773

Sallus ambiguus (Hem., Het., Miridae), habitats in Inverness-shire, Scotland. 3183

sammolestes tertius (Hem., Het., Reduviidae), from palm trees in Uberaba Municipality, Minais Gerais, Brazil. 5511

'sammotettix alienus (Hem., Hom., Cicadellidae), seasonal populations on Gossypium in Egypt.

Psammotettix altimontanus sp.n., described. 5044 Psara licarsisalis (Lep., Pyralidae), frequenting eyes of domestic mammals in Bangladesh.

Psectrocladius dilatata (Dipt., Chironomidae), biomass-production and ecology in Yugoslavian section of R.Danube. 3601

Pselaphidae (Col.),

44, 979, 980, 981, 1414, 1415, 2494, 2496. 2920, 3297, 3307, 4281

Janusculina subtrib.n. established within Centrophthalmini. 4281

synonymy among Palaearctic spp. 981

Pselaphochernes (Arach., Pseudoscorp., Chernetidae), flagellum. 145

Pselaphogenius (Col., Pselaphidae), new taxa described. 44

Pselaphokentron brunneipenne gen. et sp.n. (Col., Mordellidae), described. 5008

Pselaphus bulbifer Reichenbach 1816 (Col., Pselaphidae), recognised as type-sp of Bryaxis. 1414

Psen (Hym., Sphecidae), of Iberian Peninsula. 1361 Pseneo (Hym., Sphecidae), new spp described.

Psenini (Hym., Sphecidae),

Nearctic genera and subgenera redescribed and keyed, biology and phylogeny. 1010

of Spain and new records. 1361 Psenulus (Hym., Sphecidae),

of Iberian Peninsula. 1361 new for Neotropical Region. 1456

Psenulus aztecus sp.n., described. 1456

Psenulus fuscipennis japonicus, larva described.

Psenulus lubricus, larva described. 1964

Psenulus mayorum sp.n., described. 1456

Psenulus pallipes, Iberian distribution. 1361 Psephenoididae (Col.), 3036

larvae and pupae of African taxa. 3036 Psephidonus (Col., Staphylinidae), from limestone

caves of S.Korea. 2826 Pseudachorutes aurefasciatus (Collem., Hypogast-

ruridae), activity and distribution in an Indiana (USA) woodland. 4020

Pseudadonia (Col., Coccinellidae), Coccinellina fulvipennis transferred to. 1847

Pseudadonia chiliana, reduced to subsp of fulvipennis comb.n. 1847

Pseudaletia separata (Lep., Noctuidae), control by parasitic Nematoda in India. 2143 pest of wheat at Delhi, India. 4861 prey of Tribolium. 6004

Pseudaletia unipuncta,

Apanteles militaris established in Hawaii for control. 4110

new host for Campoletis perdistinctus. 5413 responses to high temperature. 2682 temperature in relation to development. 2680 ultrastructure of haemocytes. 3025

Pseudalymon gen.n. (Col., Tenebrionidae), established. 1834

Pseudarthria hookeri (Leguminosae), trap crop for protection of cotton from Lygus vosseleri. 5438

Pseudathyma callina (Lep., Nymphalidae), conspecific with Ps.sybillina. 1017

Pseudathyma falcata sp.n., described. 1017

Pseudatomoscelis seriatus (Hem., Het., Miridae), biology, host-plants and phenology in Rio Grande Valley, Texas, USA. 2798

Pseudatractides pyriformis gen. et sp.n. (Arach., Acari, Hydracarina), described. 4214

Pseudaulacaspis pentagona (Hem., Hom., Diaspididae).

rearing conditions in relation to sex-determination. 4165

use in mass-rearing of Coccinellidae. 595

Pseudeatonica (Ephem., Ephemeridae), possibly subgenus of Hexagenia. 2247

Pseudelaeodes sogai sp.n. (Lep., Noctuidae), described. 3002

Pseudencyrtus (Hym., Encyrtidae), biology in relation to Dasineura balsamicola in Maine, USA. 4786

Pseudepipona atlantica sp.n. (Hym., Eumenidae), described. 3339

Pseuderesia (Lep., Lycaenidae), new spp described. 1466, 5068

Pseudeucoila (Hym., Cynipidae), parasitic on Haematobia irritans in N.E.Mississippi, USA. 2751

Pseudeucoila bochei,

abortive development in Drosophila melanica group. 3575

courtship behaviour. 2085

development in Drosophila melanogaster. 3575 haemocyte reactions in Drosophila melanogaster.

1248

larva. 3575

protection for Ps.mellipes during simultaneous
 parasitization of Drosophila melanogaster.
 1264

Pseudeucoila mellipes,

haemocyte reactions in Drosophila melanogaster. 1248

protection from simultaneous parasitization by Ps.bochei in Drosophila melanogaster. 1264

Pseudeugalta (Hym., Ichneumonidae), distinct from Eugalta. 1453

Pseudisobrachium (Hym., Bethylidae), of Argentina and Chile revised and keyed and new spp described. 3796, 5718

Pseudoacyrthosiphon subgen.n. (Hem., Hom., Aphididae), established in Neoacyrthosiphon.

Pseudoanthidium (Hym., Megachilidae), new spp described. 5735

Pseudoanurophorus isotoma (Collem., Isotomidae), redescribed. 4981

Pseudobironium (Col., Scaphidiidae), revised and keyed and ussuricum sp.n. described. 3748

Pseudobissetia terrestrella (Lep., Crambidae), new for Europe. 2223

Pseudoblothrus (Arach., Pseudoscorp., Syarinidae) differentiated from Chitrella and spp keyed. 961

Pseudoblothrus thiebaudi sp.n., described. 961

Pseudocaeciliidae (Psoc.), 4435, 5315

Pseudocapritermes goanicus sp.n. (Isopt., Termitidae), described. 1460

Pseudocephalelus gen.n. (Hem., Hom., Deltocephalidae), established. 3792

Pseudocheirus (Marsupialia), host of Muesebeckella gen.n. in Papua-New Guinea. 1949

Pseudochthonius strinatii sp.n. (Arach., Pseudoscorp.), described. 962

Pseudocillimops rufoniger gen. et sp.n. (Hym., Ichneumonidae), and malaisei sp.n. described. 1006

Pseudoclavigerodes (Col., Pselaphidae), geographical distribution. 3307

Pseudoclavigerodes basilewskyi sp.n., described. 3307

Pseudoclavigerodes jeanneli sp.n., described. 2494

Pseudococcidae (Hem., Hom.),

114, 288, 315, 563, 681, 759, 780, 797, 1004, 1114, 1231, 1327, 1333, 2519, 2977, 3800, 4536, 5041, 5145, 5408, 5433, 5530, 5548, 5558, 5717, 5724, 6047, 6056

biology and ecology in relation to the cocoa farm .  $5433\,$ 

hosts of new Anagyrina from Hawaiian Islands. 3800

from Mongolia. 5041

occurring on Stipa pennata in Hungary. 5717 prey of Chilocorus bipustulatus. 780

Pseudococcus (Hem., Hom., Pseudococcidae), illustrating importance of systematics in biological control studies 5966

biological control studies. 5966

Pseudococcus citri, biology and damage to Vitis
vinifera. 5427

Pseudococcus coffeae, host of Chartocerus musciformis. 114

Pseudococcus comstocki, twin-parasitization of mummies, 315

Pseudococcus obscurus,

 $\begin{array}{l} \hbox{chromosome translocations. 5548} \\ \hbox{B-chromosomes. 5558} \end{array}$ 

spermatozoa and sperm-bundles. 681

Pseudococcus pipturicolus, host of Gyranusoidea advena sp.n. in Hawaiian Islands. 3800

Pseudocreobotra wahlbergi (Mant., Mantidae), intraspecific display. 4727

Pseudodiamesa (Dipt., Chironomidae), swarming of ්ර්. 4189

Pseudodiscodon gen.n. (Col., Cantharidae), established. 1837

Pseudoesarcus (Col., Mycetophagidae), differentiated from Caserus gen.n. 42

Pseudohylesinus sericeus (Col., Scolytidae), Ps. pini syn.n. and lectotype designated. 3750

Pseudolaptaleus (Col., Anthicidae), new spp described. 1835

Pseudolestidae (Odon.), 4391

type-specimens in British Museum (Natural History), London, England, listed and lectotypes designated. 4391

Pseudolimnophila glabra (Dipt., Tipulidae), new records from Uttar Pradesh, India. 83

Pseudolopyga gen.n. (Hym., Chrysididae), established. 1914

Pseudolopyga taylori comb.n.,

Hedychridium carrilloi syn.n. of. 1914 larval feeding and oviposition in relation to Solierella. 4740

Pseudomacromychus scutellatus circumcinctus subsp.n. (Col., Elminthidae), described. 34 Pseudomasaris (Hym., Masaridae), taxonomy. 112

Pseudomasoreus madecassus sp.n. (Col.,

Carabidae), described. 4263 udomenopon (Mall., Menoponidae),

Pseudomenopon (Mall., Menoponidae), European spp revised and keyed and new spp described. 4387

Pseudomerisus stipae (Hym., Pteromalidae), phenology in relation to Stipa pennata in Hungary. 5717

Pseudomethoca willei sp.n. (Hym., Mutillidae), described. 2996

Pseudomonas (Bacteria),

in relation to bloating disease of Rhagoletis pomonella. 2136

in gut contents of Collembola. 4769

Pseudomonas aeruginosa,

acquired immunity in relation to lysozyme concentration in Galleria mellonella. 5167

bacterial competition in gut of Calliphora vicina. 2013

Pseudomonas fluorescens, in gut of larval Bibio marci. 3919 Pseudomyoma atra (Hym., Formicidae), syn.n.of

Ps.unicolor. 5727 Pseudoparlatoria tillandsiae sp.n. (Hem., Hom.,

Pseudoparlatoria tillandsiae sp.n. (Hem., Hom., Diaspididae), described. 4335

Pseudopentura larvalis gen. et sp.n. (Plec., Austroperlidae), described. 1946

Pseudopezus binigromaculatus gen. et sp.n. (Col., Cerambycidae), described. 1407

Pseudopharsalia gen.n. (Col., Cerambycidae), established. 1843

Pseudoplisus, N.American spp keyed, sp-groups defined and new spp described. 1457, 2999

Pseudopolydesmus serratus (Myriap., Diplop., Polydesmidae), tolerance to desiccation. 4558

Pseudopolygrammodes gen.n. (Lep., Pyralidae), established. 1470

Pseudopomyzella flava gen. et sp.n. (Dipt., Pseudopomyzidae), described. 57

Pseudopomyzidae (Dipt.), 57

reviewed. 57

Pseudoprotizia papillata gen. et sp.n. (Arach., Acari, Hydracarina), described. 4214

Pseudoptilinus fissicollis (Col., Anopiidae), transferred to Ptilinus. 963

Pseudorhynchus (Orth., Tettigoniidae), greenbrown polymorphism. 3227

Pseudorhyssa (Hym., Ichneumonidae), spp keyed.

Pseudorhyssa maculicoxis, in relation to Rhyssa persuasoria in N.W.Kavkaz, USSR 5481

Pseudorhyssa sternata,

immature stages described. 4438 life-history and oviposition. 1663

Pseudornigadops ater sp.n. (Col., Carabidae), described. 2895

Pseudosarcophaga affinis auctt.nec Fallén (Dipt., Sarcophagidae), 3774

Pseudoscaeva gen.n. (Dipt., Syrphidae), established. 1881

Pseudoscione (Dipt., Tabanidae), Lepmia subgen. n. established. 545

Pseudoscorpiones (Arach.),

4, 5, 145, 439, 1400, 1989, 2891, 3295, 3383, 3706, 4249, 4854, 5562, 5840, 6054

of caves of Romania. 5562

of Michigan, USA. 3706

new for Michigan, USA. 3706

problems of sampling and validity of life-history analyses. 4854

of Sardegna. 439

of soil at a farm at Giza, Egypt. 6054

of the S.Appennino, Italy. 2891

suborders keyed. 4

trichobothria in relation to systematics. 3383

Pseudosinella (Collem., Entomobryidae), cave spp from France. 4292

new cave taxa from Europe. 983, 4292

Pseudosinella efficiens sp.n., described. 984 Pseudosinella insubrica sp.n., described. 984

Pseudosinella octopunctata, soil populations in Hidaka-Mombetsu, S.Hokkaido, Japan. 2146

Pseudosinella octopunctata var.picta, redescribed. 4981

Pseudosinella violenta, evolution and geographical variation. 2858

Pseudosmermus (Col., Cerambycidae), differentiated from Parasmermus gen.n. 524

Pseudospingonotus (Orth., Acrididae), spp keyed. 5764

Pseudospingonotus paradoxus, new for Africa. 5764 Pseudostigmatidae (Odon.), 929, 4391

type-specimens in British Museum (Natural History), London, England, listed and lectotypes designated. 4391

Pseudosystole hofferi gen. et sp.n. (Hym., Eurytomidae), described. 106

Pseudotibiozus gen.n. (Myriap., Diplop., Spirostreptidae), established. 5619 Pseudotritia ardua (Arach., Acari, Oribatei), soil

Pseudotritia ardua (Arach., Acari, Oribatei), contd. populations of a farm at Giza, Egypt. 6054 Pseudotsuga menziesii, biology of Nepytia phantasmaria in California, USA. 2703 biology of Pityophthorus orarius. 4059 control of Adelges cooleyi in Washington, USA. extract in relation to development of Malacosoma californicum pluviale. 2632 field responses of Dendroctonus pseudotsugae to synthetic frontalin. 4569 host of Laspeyresia pseudotsugae sp.n. 1468 location of overwintering larvae and orientation of Medetera aldrichii pupae. 4745 oleoresin in relation to resistance to insect pests. 5442 Pseudovostox (Derm., Labiidae), spp keyed. 55 Pseudovostox rudebecki sp.n., described. 55 Pseudoxycarenus subgen.n. (Het., Lygaeidae), established in Oxycarenus. 4318 Psila rosae (Dipt., Psilidae), diapause. 5923 dieldrin resistance in E.Anglia, England. 338 multiple resistance to aldrin, y-BHC and dieldrin. 338, 339 rearing. 5923 Psilidae (Dipt.), 58, 338, 339, 5923 Psilocephala laticornis (Dipt., Therevidae), new for Romania, 2205 Psilocephala nigra, redescribed. 2509 Psilocephala sumichrasti, redescribed. 2509 Psilococcus parvus (Hem., Hom., Coccidae), biology, distribution and immature stages. 2713 placed in Eriopeltis group of Eriopeltini. 2713 Psilogamasus hurlbutti gen. et sp.n. (Arach., Acari, Parasitidae), described. 2883 Psilometriocnemus gen.n. (Dipt., Chironomidae), established. 2945 Psiloptera (Col., Buprestidae), new taxa described. 3298 Psithyrus (Hym., Apidae), British spp. 4935 Psittacobrosus chloropterae (Mall., Menoponidae), Epiara dimorpha syn.n. of. 5080 Psitteuteles johnstoniae (Aves), host of Eomenopon ryani sp.n. 3009 Psocidae (Psoc.), 679 Psocoptera, aerial dispersal of British spp. 1709 of caves of Romania. 5562 crowding in relation to wing-length. 1709

distribution in Eire. 6153 flight-muscle autolysis. 1709 immature stages of British spp keyed. 4435 life-histories of Irish spp. 6153 life-histories of Leiophron similis and L. claviventris. 5377 new for Eire. 6153 of New Zealand. 3695 ovariole number and oocyte maturation in

of the Florida Keys, USA. 821 relationships between Australian and New Zealand faunas. 3711 Psocus (Psoc., Psocidae), spermatozoon. 679 Psoralea corylifolia (Leguminosae), development of Papilio demoleus. 237 Psorophora (Dipt., Culicidae), generic status. 1967 pupae of N. American and Puerto Rico spp. 1967 Psorophora confinnis, polyhedrosis infection of gut. 2009 Psorophora ferox, host preferences in Wisconsin, USA. 4752 Psorophora signipennis, populations in Texas (USA) in relation to ULV malathion treatment. Psoroptes natalensis (Arach., Acari, Psoroptidae), Syncerus caffer new host for . 4232 Psoroptes pienaari sp.n., described. 4233 Psychidae (Lep.), 707, 2114, 5074, 5960 swarming and reproductive behaviour. 5960 Psychoda (Dipt., Psychodidae), new spp described. Psychoda alternata, population dynamics in Yokohoma, Japan. 6053 Psychodidae (Dipt.), 73, 3177, 4046, 4308, 4431, 4683, 5501, 5987, 6050, 6053 altitude distribution in Italy. 73 breeding in garbage pits in S. Carolina, USA. in nests of Riparia riparia in Switzerland. 4106 seasonal variation in captures at a henhouse and pigpens in Japan. 6053 vectors of American cutaneous leishmaniasis in British Honduras. 5501 Psychoglypha (Trich., Limnephilidae), reviewed and keyed and new spp described. 3356 Psychomyiidae (Trich.), 3198, 3835, 3836 dispersal of Algae, Fungi and Protozoa. 4131 Psychophagoides gen.n. (Hym., Pteromalidae), established. 5059 Psylla (Hem., Hom., Psyllidae), new subgenera established and Swedish spp keyed. 5703 Psylla betulae sp.n., described. 5703 Psylla buxi, sex-dimorphism of larvae. 3037 Psylla foersteri, larva described. 5703 Psylla mali, directional control of stylets. 4758 Psylla pyri, sex-dimorphism of larvae. 3037 Psylla pyricola, biology and ecology in Nova Scotia, Canada. 6057 control by means of petroleum oils on Anjou pears in Canada. 340 diapause and wing-polymorphism in California (USA) populations, 3989 histochemistry and ultrastructure of mycetome

and symbionts. 2743

Plantago major as transient host-plant in

British spp. 5315

recolonization of artificially emptied islands

Psylla pyricola, contd. Canada. 4795

Psyllaephagus pulvinatus (Hym., Encyrtidae), host of Aphidencyrtus cassatus sp.n. 5724 parasitic on Trioza erytreae in Republic of S.Africa. 792

Psyllidae (Hem., Hom.),

340, 564, 792, 805, 2743, 3037, 3591, 3989, 4741, 4758, 4795, 5362, 5465, 5703, 5724, 5891, 6052, 6057

seasonal populations on Gossypium in Egypt.  $6052\,$ 

Psyllopsis fraxini (Hem., Hom., Psyllidae), sex-dimorphism of larvae. 3037

Pteleobius vittatus (Col., Scolytidae), larvae described and systematic position discussed. 3849

Ptenidium (Col., Ptiliidae), new spp described. 5009, 5010

Ptenus (Hym., Argidae), Nearctic spp reviewed and keyed and new spp described. 4344
Pteridines.

of Atteva punctella. 5250

of 'claret' mutants of Drosophila melanogaster.

of eye-colour mutants of Apis mellifera. 1582 interaction of analogues with dihydrofolate reductase from Galleria mellonella. 5865 of of Formica polyctena. 4543

metabolism in normal and oily larvae of

metabolism in normal and oily larvae of Bombyx mori. 3453

of 'prune' mutants of Drosophila melanogaster.  $1753\,$ 

variation in red eye-pigment and other pteridines in Drosophila melanogaster. 3649 in visual cycle of Insecta. 1072

Pteridium aquilinum (Pteridophyta), biology of Poecilips pteridophytae. 6015

Pteridophyta, Scolytidae associated with. 6015 Pterin-6-carbonic acid, from o Formica polyctena.

Pterine dehydrogenase, activity of lethal albino larvae of Bombyx mori. 3666

Pterine reductase,

activity of lethal albino larvae of Bombyx mori. 3666

apparently lacking from lethal lemon larvae of Bombyx mori. 4158

Pterines,

atmospheric  $O_2$  pressure in relation to synthesis in Mylothris. 1583

of normal and mutant Anopheles atroparvus. 5883

Pterinochilus (Arach., Aran.), biology, ecology and venom-secretion. 763

Pternistria bispina (Hem., Het., Coreidae), volatile constituents of scent-gland reservoir of larva. 5264

Pterobilin, distribution in Rhopalocera. 1142

Pterochilus phalesatus (Hym., Eumenidae), distribution in Fennoscandia and adjacent Baltic countries. 461

Pterocolus (Col., Curculionidae), brood parasitism on Attelabus in N.American spp. 4047

Pterocomma (Hem., Hom., Aphididae), of Denmark. 2869

Pterocomma jacksoni, cold and photoperiod in relation to reproduction. 709

Pterolophia (Col., Cerambycidae), new taxa described. 524, 3737

Pteromalidae (Hym.),

318, 319, 796, 1274, 1695, 1701, 1779, 1925, 1926, 2696, 2751, 2870, 2987, 3144, 3148, 3152, 3493, 3658, 4360, 4642, 4705, 4733, 4751, 4786, 4792, 4922, 5059, 5283, 5409, 5479, 5680, 5717, 5794, 6130

of N.W.Europe reviewed and new genera and spp described. 5059

parasitic on Dasineura balsamicola in Maine, USA, 4786

parasitic on Haematobia irritans in N.E. Mississippi, USA. 2751

Pteromalus puparum (Hym., Pteromalidae), abundance in relation to lepidopteran larvae on cabbage in S.California, USA. 5479

Pteromicra (Dipt., Sciomyzidae), chromosomes. 3206

Pteronarcella atra (Plec., Austroperlidae), type-sp of Acruroperla gen.n. 1946

Pteronarcidae (Plec.), 3049

Pteronarcys californica (Plec., Pteronarcidae), surface lipids of adults and nymphs. 3049

Pteronarcys pictetii, O<sub>2</sub>-consumption of larva. 172
Pteronemobius (Orth., Gryllidae), abundance of
aethiops and chopardi in traps in relation to
yearly rainfall in W.Tanzania. 748

Pteronidea (Hym., Tenthredinidae), new spp described. 115

Pteronidea ribessii, see Nematus ribessii Pterophilus sudanensis gen. et sp.n. (Mall., Menoponidae), described. 4386

Pterophoridae (Lep.), 3528, 3580

Pterophylla camellifolia (Orth., Tettigoniidae), populations differing in behaviour and morphology in Iowa, USA. 5514

Pteroptrix chinensis (Hym., Chalcididae), parasitic on Quadraspidiotus perniciosus on Sakhalin, USSR. 1289

Pterorthochaetes (Col., Acanthoceridae), from Ivory Coast. 487

Pterostichinae (Col., Carabidae), from Ivory Coast. 21

Pterostichus (Col., Carabidae), partly phytophagous. 783

Pterostichus aterrimus, new records from New Forest, Hampshire, England. 3238

Pterostichus bicolor, abnormalities of antennae and legs. 5918

Pterostichus brevicornis, cold-resistance and

Pterostichus brevicornis, contd.

glycerol content. 1586, 4548

Pterostichus chalcites, furadan, heptachlor and methyl bromide treatment in relation to populations. 825

Pterostichus moestus, ecology in Alpes-Maritimes, France. 2167

Pterostichus niger, food consumption. 2107 Pterostichus nigrita,

farnesvl methyl ether in relation to ovarial maturation. 2686

food consumption, 2107

neuro-endocrine control of diapause and oocyte maturation. 4008

Pterostichus pensylvanicus, differentiated from P. adstrictus. 2482

Pterostichus strenuus, dispersal power. 5457

Pterotaea (Lep., Geometridae), Stenoporpia crickmeri transferred to. 1013

Pterygosoma neumanni (Arach., Acari, Pterygosomidae), new variety described. 1976

Pterygosomidae (Arach., Acari), distribution, hosts and taxonomy. 4234

Pterygota,

evolution of modes of spermatophore formation.

gravity perception and leg proprioceptors. 4495 photo-geotactic angle-transposition. 5207 relationships to Apterygota on basis of external

genital structure, 1161

relative density variation. 1983 Ptiliidae (Col.), 45, 3247, 3297, 5009, 5010

Ptilinus banatensis (Col., Anobiidae), syn.n. of P. fissicollis. 963

Ptiliolum fuscum (Col., Ptiliidae), new for Is. Canarias, 3297

Ptilodactylidae (Col.), larvae and pupae of African

Ptilonyssus (Arach., Acari, Rhinonyssidae), evolution. 510

new spp from N.Brazil. 4975

taxa keyed. 4975

Ptilonyssus muscicapae sp.n., described. 4235 Ptinidae (Col.), 5888

Ptinus tectus (Col., Ptinidae), acclimation in relation to survival at low temperatures.

Ptomaphaginini (Col., Leiodidae), new for Cuba.

Ptomaphaginus (Col., Leiodidae), relationships.

Ptomaphaginus boutini sp.n., described. 4265 Ptycholomoides aeriterana (Lep., Tortricidae), overwintering population distribution on Larix in C.Switzerland. 4083

Ptychoptera albimana (Dipt., Ptychopteridae), metamorphosis of organ systems. 4452

Ptychopteridae (Dipt.), 4452

Ptyopteryx (Col., Torridincolidae), plastron present in adults. 1999

Puerto Rico.

biology of Cycloneda sanguinea in relation to Sipha flava. 4847

Listrophoridae from . 5607 new Miridae from . 5039

population dynamics of Sipha flava in relation to rainfall. 4847

pupae of Psorophora. 1967

Pulchaukia godavari gen. et sp.n. (Hym., Braconidae), described. 1907

Pulex irritans (Siphon., Pulicidae), hosts in Belorussia. 1809

Pulicaria dysenterica (Compositae), feeding by larval Eublemma parva. 5142

Pulicidae (Siphon.),

679, 801, 1647, 1809, 3145, 3504, 4423, 4640, 4942, 5460, 6155

Pullus auritus (Col., Coccinellidae),

abundance in relation to that of Phylloxera glabra. 2097

overwintering at Kew, London, England. 2097 previously undescribed abdominal structure.

Pullus melanarius sp.n., described. 4273 Pulsatile organs, activity of thoracic pulsatile organs and heart during wing-expansion in Bombyx mori. 4508

Pulvinaria hydrangeae (Hem., Hom., Coccidae), heterochromatization of paternal chromosomes.

Pulvinaria psidii, association with Gynaikothrips ficorum in leaf-rolls on Ficus nitida. 6047 Pumpkin, see Cucurbita pepo Pupae,

of Acarus farris hypopi associated with pupae of Bupalus piniarius and Sphinx pinastri.

acetylcholinesterase activity in Celerio euphorbiae. 5940

active metabolism of iron in Apis mellifera.

adhesive properties of dissociated fat-body cells in Saturniidae. 3047

aestivation in relation to energy content in Sphingidae of Sierra Leone. 4855

of African taxa of aquatic Coleoptera. 3036

age-related response of isolated Bombyx mori abdomens to ponasterone A. 1179

amino acids of Glossina palpalis. 3066

of Anisota senatoria, A.stigma and A.virginiensis. 572

antibiotics in relation to epidermal metamorphosis and nucleic-acid synthesis in Tenebrio molitor, 4610

of Atherigona naquii in barley in India. 4805 biometrics and weight in Urbanus proteus. 4428 biotope distribution of tabanid pupae at the

Great Swamp, New Jersey, USA. 3620

cannibalism in relation to survival of Tribolium castaneum in mixed cultures. 4086

Pupae, contd.

carbohydrate metabolism in Apis mellifera. 5862

Centrodora nr.amoena and Clytina giraudi parasitic on pupal Haplegis flavitarsis. 4820 coloration of Neophasia menapia. 2638

coloration of Pieris rapae crucivora in relation to diet and light, 1144

conditions inducing rhythm of adult emergence in Megachile rotundata. 4603

corn pollen in relation to weight in 2nd-brood Ostrinia nubilalis. 4639

cupriethylene diamine for de-silking of Laspeyresia pomonella. 5102

cuticle structure in Tenebrio molitor. 2583 cyst formation as defence reaction in Neodiprion swainei. 3431

development in Pachydiplosis oryzae. 4061 development of Polynema in Nabis americoferus. 4702

diapause in Tetanocera clara, plebeia and valida. 4716

diapause-induction and metabolism in Celerio lineata. 4602

diet in relation to weight in Ostrinia nubilalis. 4417

differentiation of parasitized and unparasitized pupae of Tephritidae. 2548

Diptera parasitized by Ichneumonidae on W. Coast of Schleswig-Holstein, GFR. 5478

duration of pupal period in Polydorus aristolochiae. 4747

duration of papal period in relation to temperature in Glossina morsitans orientalis. 2100

duration of pupal period in relation to temperature in Synthesiomyia nudiseta. 4748

ecdysones in relation to puparium-formation in Calliphora stygia. 1174

of Empididae of Southern Africa. 3772

energy turnover in Lipara lucens. 4820 fat-body proteins of Diatraea grandiosella. 4641

Folindusia sp.n. from Miocene of Idaho and Washington, USA. 4406

forced air for separating Musca domestica pupae from rearing medium. 5109

free amino acids during development in Musca domestica. 4647

free tyrosine during diapause in Anagasta kuehniella. 3865

fungal disease in pupal stage among predators of Adelges. 5150

genes for pupal weight in Tribolium castaneum.

geographical variation in duration of pupal period in Chilo suppressalis. 4723

glutamic acid in relation to concentration of free amino acids in Drosophila melanogaster. 5235

glycogen content and phosphorylase activity in Philosamia ricini. 4000

glycogen synthesis, oocyte age and protein accumulation in Bombyx mori ovaries. 2689

haemolymph osmolality during metamorphosis in Antheraea pernyi. 2614

2-headed pupa of Tribolium confusum. 695 hexokinase isozyme distribution in Drosophila robusta. 2830

histopathology of nuclear polyhedrosis in Trichoplusia ni. 5823

hydrochlorination reaction mixture in relation to Choristoneura fumiferana. 4618

Hymenolepis microstoma infection in relation to growth in Tribolium confusum. 3488

hymenopteran parasites of Haematobia irritans in N.E.Mississippi, USA. 2751

hymenopteran parasites of Ips in Virginia, USA. 4733

Ichneumonidae and Tachinidae parasitic on Bupalus piniarius in Poland in 1964-1968. 5417

X-irradiation in relation to development in Tribolium confusum. 705

JH-mimicking activity of tree extracts in Galleria mellonella. 3462

JH-related compounds in relation to pupal Tenebrio molitor. 5244

key to Aedes varipalpus complex. 3765

key to Anopheles of tree-holes of New World. 3767

key to Prosimulium dicentum, dicum and exigens. 4312

key to Simulium angustipes, S.ornatum and S. spinosum. 5574

key to Trichoptera of Jamaica. 4405

lipid fractions in Heliothis virescens and H.zea. 3516

machine separation of  $\mbox{\ensuremath{$\scriptstyle \circ$}}$  and  $\mbox{\ensuremath{$\scriptstyle \circ$}}$  Lucilia cuprina. 4694

Melcha parasitic on Scirpophaga in Bangladesh. 4841

metamorphosis of organ systems in Ptychoptera albimana. 4452

morphology in taxonomy of Tribolium. 1508 mortality of Lipara lucens due to Polemon liparae. 4820

moulting-hormone content of pharate pupae of Calliphora stygia and C.vicina. 694

of new Forcipomyia. 4299

ninhydrin-positive substances during metamorphosis in Antheraea pernyi. 2614

nuclear polyhedrosis in relation to Trichoplusia ni. 2060

orientation in Medetera aldrichii. 4745

ovariole development in Galleria mellonella. 3966

ovariole growth in Philosamia cynthia ricini. 3970

overwintering stage in Aleurocanthus spiniferus. 4729

overwintering stage for Pissodes approximatus

Pupae, contd.

in C.Pennsylvania, USA. 4738

O<sub>2</sub>-consumption in Chironomus strenzkei. 3908

O2-consumption in Heliothis zea. 4505

parasites of Choristoneura pinus in Michigan, USA. 2800

parasites of Contarinia tritici. 4101

parasites of Rhopolophora rugicollis. 5445

parasites of Sitodiplosis mosellana. 4101

parasitism of rice stemborers in Sarawak. 5498

Pediobius parasitic on Odites artigena. 5368

perception of photoperiod in Chrysopa carnea. 4600

phosphorus compounds during metamorphosis in Philosamia cynthia ricini. 4625

photoperiod in relation to induction of diapause in Heliothis zea. 5286

polytene chromosome behaviour in Calliphora stygia. 3210

post-ecdysial development of setae in Bemisia tabaci.1177

predation by larval Elateridae on Bupalus
piniarius. 2161

prediction of pupal duration of Glossina morsitans orientalis under field conditions, 2100

protein constitution in Armigeres subalbatus. 5945

proteolytic activity of midgut in Galleria
 mellonella. 724

of Psorophora of N.America and Puerto Rico. 1967

pupa of Agapostemon nasutus. 1728, 3193

pupa of Agriotes ponticus. 1657

pupa of Amradiplosis allahabadensis. 4023

pupa of Bradysia impatiens. 4704

pupa of Catobatina geometroides. 3388

pupa of Datana ministra. 572

pupa of Drosophila picta. 3130

pupa of Glyptotendipes atrimanus. 5025

pupa of Gryon flavipes. 5375

pupa of Lema trilineata daturaphila. 4712

pupa of Lithocolletis klimeschiella sp.n. 5067

pupa of Lithophane laticinerea. 3541

pupa of Lixus algirus. 1226

pupa of Melanotus fusciceps. 1659

pupa of Melitaea varia. 4437

pupa of Microplitis croceipes. 3548

pupa of Obuchovia segusina sp.n. 5676

pupa of Odites artigena. 5368

pupa of Othreis materna. 1503

pupa of Pegomya mixta. 3381

pupa of Phlebotomus longipalpis. 4431

pupa of Phrydiuchus. 3389

pupa of Prionus laticollis. 1968

pupa of Prosimulium dicentum. 4312

pupa of Pyanisia tristis. 3040

pupa of Tetrastichus flavigaster. 4741

pupa of Thomasiella tomentosae. 4027

pupal cocoons of Pytho depressus. 4042

in relation to RH in Leucania separata. 255

scale-development in 'Us' mutant of Anagasta kuehniella. 3865

Scatella stagnalis thermarum in Icelandic thermal waters. 4823

selection for insecticide resistance in relation to weight in Ostrinia nubilalis. 4914

separation of Alphitobius diaperinus and A. laevigatus pupae. 4427

separator for Musca domestica pupae. 1493 sex-dimorphic characters in Anisota and Datana. 572

sex-dimorphic characters in Musca autumnalis.

sex-dimorphic characters in Trogoderma. 2559 sex-dimorphic characters in Vogtia malloi.

Simulium atyophilum sp.n. associated with Atya africana in W.Cameroun. 4313

size and weight in laboratory-reared Cochliomyia hominivorax. 5171

survival and weight among geographical strains of Lucilia sericata. 4792

of Tabanus. 5793

temperature in relation to development in Tribolium confusum. 705

temperature in relation to induction of diapause in Heliothis zea. 5286

template-active RNA from Tenebrio molitor. 3072

thymidylic-acid production in Hyalophora cecropia. 4525

of Tribolium. 1508

ultrastructure of integument and oenocytes in Culex pipiens. 4459

viability in combined 'eye-gone' 'eye-less'

mutants of Drosophila melanogaster. 3667 vitamin C and E contents of Barathra brassicae. 4516

vitamin E in relation to weight in Barathra brassicae. 4516

weight of Glossina palpalis in the laboratory.

5470 weight in hybrid, inbred and outbred Musca

domestica strains. 4411

weight of o' Gretchena bolliana. 5126

Puparia,

composition of empty puparium of Lucilia cuprina. 5227

ecdysone in relation to puparium-formation in Calliphora erythrocephala. 5246

ecdysone in relation to puparium-formation in Calyptrata. 3074

electrical stimulation in relation to pupariumformation in Sarcophaga argyrostoma. 5287

fecundity and longevity of Nasonia vitripennis in relation to host puparium thickness. 3493

γ-L-glutamyl-L-phenylalanine in relation to puparium-formation in larval Musca domestica, 4626

method for clearing Musca autumnalis puparia

Puparia, contd.

for sex determination. 3372

morphology of puparia resembling those of Glossina. 1507

neurosecretion in relation to pupariumformation in Calyptrata. 3074

phenoloxidase activity at pupariation in 'lozenge' mutants of Drosophila melanogaster, 4899

process of emergence in Erioptera squalida and Notiphila riparia, 2174

puparium of Gonomyodes tacoma. 603

puparium of Gonomyodes tacoma. 603 puparium of o' Eupulvinaria hydrangeae. 3126

puparium of Physocephala bimarginipennis. 5670

puparium of Tetanura pallidiventris. 5974 of Rhabdomastix. 1505

sarcophagine in relation to puparium-formation in Sarcophaga bullata. 3459

scorpion venom in relation to pupariumformation in Sarcophaga argyrostoma. 5287

size in relation to fecundity in Voria ruralis.

size relationships between puparium and adult in Cochliomyia hominivorax. 5171

Upper Cretaceous muscoid puparia from Canada. 3759

Pupation,

in Acrobasis comptoniella. 4037

in C.European Clytrinae and Cryptocephalinae. 4030

in relation to cytoplasmic polyhedrosis in Pectinophora gossypiella. 5802

density-delayed pupation in relation to cytochrome oxidase activity in Drosophila melanogaster. 1639

endogenous rhythm in Dacus oleae. 5125 environmental factors for Simuliidae in W. Cameroun. 2684

food and space requirements in Galleria mellonella. 2674

in relation to Fumidil B in Ostrinia nubilalis.

in Herpetogramma licarsisalis. 4736

in Holotrichia diomphalia. 5366

hormonal and neural control in Galleria mellonella. 3517

in Leiophron. 5377

in Melolontha melolontha. 5919

in Nepytia phantasmaria. 2703

in Oxytelus rugosus. 5367

phenoloxidase activity in Drosophila melanogaster. 3862

in Philonthus fuscipennis. 5367

in Phyllocnistis citrella. 5378

in Physocephala bimarginipennis. 5670

sites of Prionus laticollis in apple orchards. 1968

in Syrphus latifasciatus. 4743

in Tarachidia candefacta. 6019

in Tetrastichus flavigaster. 4741

time in genetically diverse populations of Tribolium castaneum, 4171

Purines,

of fat-body in Formica rufa polyctena queens during post-embryonic development. 1642

synthesis in developing ovaries of Musca domestica. 1644

Puromycin,

in relation to development of mutant and wildtype Drosophila. 699

in relation to differentiation of ommatidiumforming cells in Drosophila melanogaster in vitro. 3481

in relation to histolysis of intersegmental muscle in newly-emerged adult Antheraea polyphemus. 1207

Purshia tridentata (Rosaceae) (bitter brush), development of Malacosoma californicum

fragile. 3387

taxonomic identity of 'Malacosoma fragile' in California, USA. 3387

Putoniessiella sagitta gen. et sp.n. (Hem., Hom., Cicadellidae), described. 2983

Putorius putorius (Carnivora), host of Listrophorus mustelae in Netherlands. 2757

Pyanisia tristis (Col., Tenebrionidae), larva and pupa. 3040

Pycnogonida (Arach.), of Antarctica reviewed. 2473

Pycnopsyche guttifer (Trich., Limnephilidae),

microdistribution of larvae in relation to substrate particle size. 3180

O2-consumption of larva. 172

respiratory energetics of larva in relation to water-flow. 3907

Pycnopsyche lepida,

microdistribution of larvae in relation to substrate particle size. 3180

respiratory energetics of larva in relation to water-flow. 3907

Pyemotes boylei (Arach., Acari, Pyemotidae), biology in the laboratory. 4026

Pyemotes ventricosus, parasitic on Ectomyelois ceratoniae in Israel. 318

Pyemotidae (Arach., Acari), placed in Tarsonemida.

Pygicornides torridus gen. et sp.n. (Collem., Sminthuridae), described. 1859

Pygidicranidae (Derm.), 1417

Pygiopachymerus (Col., Bruchidae),

key to spp. 4989

Phelomerus syn.n. of. 4989

Pygiopsyllidae (Siphon.), 1949, 3150, 5770 parasitic on small mammals in Aomori

Prefecture, Japan. 3150

Pygmephoridae (Arach., Acari),

new spp from Bolivia. 1392 new spp from Brazil. 1392

from S.America. 1392

Pygmephoroidea (Arach., Acari), new spp from Tanzania. 3718

Australian spp. 1479 Pygomilla villiersi sp.n. (Hym., Mutillidae), concealed copulatory structures. 3472 described. 1447 external morphology of tympanal organs. 3899 Pyralidae (Lep.), from Morocco. 5764 301, 318, 321, 346, 574, 667, 693, 696, 701, from Nagarjuna Sagar Dam area, India. 3275 736, 799, 803, 815, 1103, 1105, 1121, 1128, new for Morocco. 5764 1183, 1203, 1272, 1311, 1372, 1470, 1471, proposed precedence over Phymateidae and 1472, 1610, 1613, 1657, 1992, 2223, 2532, Poekiloceridae. 1023 2533, 2534, 2535, 2550, 2716, 3095, 3364, Pyridoxal oxidase, 3535, 3545, 3624, 3795, 3824, 3866, 3906, a 3rd locus (lpo) regulating in Drosophila 4033, 4055, 4110, 4194, 4417, 4639, 4736, melanogaster . 1774 4841, 4914, 4940, 5135, 5183, 5282, 5288, 'maroon-like' mutants of Drosophila melano-5334, 5371, 5452, 5498, 5547, 5581, 5756, gaster. 1759 5757, 5758, 5785, 5948, 6144 Pyrilla perpusilla (Hem., Hom., Fulgoridae), associated with pig carrion in S. Carolina, USA. neurosecretion. 1527 Pyrimidines, sequences in DNA of 5 insect spp. of Belorussia and new records. 1372 1113, 4894 biology of Pediobius furvus. 4055 Pyrobombus (s.str.) cascadensis sp.n. (Hym., of L. Tiberias region, Israel. 6144 Apidae), described. 4342 new for Israel, 6144 Pyrochroidae (Col.), 4988 new for Orkney Is., North Sea. 4940 Pyrogallol, oxidized by cuticular phenoloxidase from N.E. Danube Delta, Romania. 2223 from white puparia of Drosophila virilis. transfers from Crambinae to other subfamilies. 5756 Pyrophorinae (Col., Elateridae), evolution. 1360 from Wiesbaden area, GFR, 4194 Pyrrhocoridae (Hem., Het.), Pyralis farinalis (Lep., Pyralidae), development 373, 654, 720, 1149, 1159, 1172, 1200, 1251, on bulgur and wheat. 693 1577, 1611, 2183, 2631, 3380, 3912, 3982, Pyraloidea (Lep.), 4005, 4010, 4695, 5128 of Belorussia and new records. 1372 Pyrrhocoris apterus (Het., Pyrrhocoridae), method for elucidating development phases of assimilation, mobilization and transport of poorly-known univoltine taxa. 1235 lipid by fat-body and haemolymph. 1577 phenology of univoltine spp in Belorussia. 1235 6-azauridine in relation to fat-body metabolism. Pyramidophoriella gen.n. (Hym., Pteromalidae), established. 4360 CA and CC hormones in relation to non-specific Pyramidotettix (Hem., Hom., Cicadellidae), new esterase activity. 54 spp described. 98 diapause and non-diapause oocytes. 1159 Pyrausta fuscobrunnealis (Lep., Pyralidae), DNA-content of spermatids. 2183 transferred to Opsibotys. 1470 ecdysone-binding in relation to haemolymph Pyrausta pervulgalis, transferred to Demobotys proteins. 3912 gen.n. 2533 fat-body metabolism during oogenesis. 1200 Pyraustinae (Lep., Pyralidae), of Belorussia and JH-analogue in relation to embryogenesis. 2631 new records. 1372 JH-analogue in relation to gonads. 720 Pyrenees (France/Spain), Gloger's rule applied JH-analogues preventing metamorphosis. 4010 to Collembola. 2797 ♀ and o' genitalia. 1159 Pyrethrins, toxicity to larval Hemerocampa pseudotsugata. 5353 'white-body' mutant. 373 Pyrethroids, Pyrrhosoma nymphula (Odon., Coenagrionidae), energy-flow in larval populations. 3186 genetics of resistance in Musca domestica. 3229 insecticidal characteristics of pyrethroid-like respiratory rates of larva, 5099 compounds. 5176 Pyrroline carboxylate reductase, activity during mode of action in Insecta. 4539 development in Hyalophora gloveri. 1633 Pyrethrum, circadian rhythm of susceptibility in Pyrsonympha vertens (Protozoa), systematic position. 3143 Leucophaea maderae and Musca domestica. ultrastructure. 3143, 4129 Pyrganus gen.n. (Col., Elateridae), established. wood digestion and presence of succinate dehydrogenase. 4868

Pyrus communis (Rosaceae) (pear),

siphon fragaefolii. 2700

5384

behaviour, reproduction and survival of Chaeto-

biology of Aphanostigma piri in Krym, USSR.

Pyrgomorpha conica (Orth., Pyrgomorphidae),

1023, 1110, 1479, 1521, 3275, 3472, 3869,

nutritional ecology. 6003

3899, 5764, 6003

Pyrgomorphidae (Orth.),

Pyrus communis (Rosaceae) (pear), contd.

biology of Panonychus ulmi in Giza, Egypt. 5976 control of Psylla pyricola and Panonychus ulmi on Anjou pear in Canada. 340

Palaeolecanium bituberculatum populations in Armenian SSR, USSR. 4825

phenology of Grapholitha molesta in S.Missouri, USA, 5507

Plantago major in spread of Psylla pyricola to. 4795

susceptibility to attack by Aphanostigma piri.

Pyruvate kinase, during adult of development in Schistocerca gregaria. 4001

Pyruvic acid,

pathway to citrate in fat-body of adult of Schistocerca gregaria. 4001

repellent to Erioischia brassicae. 2722

Pythidae (Col.), 4042

Pytho depressus (Col., Pythidae), biology and occurrence in Mark Brandenburg, GDR. 4042

Pyxinia frenzeli (Protozoa),

in relation to meconium structure of Attagenus megatoma. 5217

natural control of Attagenus megatoma. 1097 in relation to starvation of infected Attagenus megatoma. 1097

# Q

Quack grass, see Agropyron repens Quadraspidiotus labiatarum (Hem., Hom.,

Diaspididae), host of Metaphycus hubai. 104 Quadraspidiotus perniciosus,

biology, ecology and natural enemies on Sakhalin, USSR. 1289

resistance of Hungarian hybrids of Prunus cerasus. 4803

use in mass-rearing of Coccinellidae. 595

failure to reveal Rhipicephalus sanguineus in Denmark. 2196

use in propagation of Coccinellidae for biological control of Parlatoria blanchardi in Mauritania. 595

Quartinia (Hym., Masaridae), new spp described.

Quaternary, distribution, evolution and methods of study of Quaternary insect fossils. 4955 Quebrachitol,

conversion by Serrodes partita larvae to Minositol. 1260

Pappea capensis leaves a feeding stimulant for Serrodes partita larvae. 1260

Quedius lloydi (Col., Staphylinidae), not a British sp. 2922

Queensland fruit fly, see Dacus tryoni

Quercinivana longicephala gen. et sp.n. (Hem., Hom., Cicadellidae), and bengalensis sp.n. described. 4331

Quercus (Fagaceae) (oak),

aphid and parasite relationships. 4818 Aphidoidea and their parasites in Kurdistan, Iraq. 2121

food-plant of Boarmia ribeata. 5978 honeydew collection by Apis mellifera in Hungary. 2761

Insecta damaging acorns in N.America. 785 larval mine in leaf from Miocene of E.Washington, USA. 944

leaves as food substrate for Julida and Oniscus.  $2822\,$ 

Lyctus sinensis possibly established in Kent, England. 3244

rearing of Cosymbia pupillaria on leaves. 5119 Stenoporpia feeding on as larvae. 1966 vertical distribution of macro-animals in soil of beech-oak forest in Japan. 2813

Quercus alba,

damage caused by Corthylus columbianus, Enaphalodes rufulum and Goes tigrinus. 807 oviposition of Goes tigrinus. 733

Quercus douglasii, Arthrolytus muesebecki sp.n. from gall of Andricus brunneus. 1926

Quercus falcata, host-plant of Diapheromera femorata, 3703

Quercus fenestrata, host-plant of Eutrichosiphum assamense sp.n. in India. 2979

Quercus ithaburensis, host of Kermes bytinskii sp.n. in Israel. 5048

Quercus laurifolia, host of Quernaspis quercicola sp.n. in Georgia, USA. 4336

Quercus rubra,

distribution of Diapheromera femorata in relation to. 3703

infestation by Pamphilius phyllisae in Pennsylvania, USA. 3623

leaf age in relation to development and fecundity in Ennomos subsignarius. 4633

Quercus stellata, host-plant of Diapheromera femorata. 3703

Quercus velutina, distribution of Diapheromera femorata in relation to. 3703

Quernaspis quercicola sp.n. (Hem., Hom., Diaspididae), described. 4336

Quince, see Cydonia oblonga

Quinine hydrochloride, response of mouthpart receptors in Locusta migratoria migratorioides and Schistocerca gregaria. 2731

Quinol, stimulation of feeding in Scolytus multistriatus. 4771

#### Quinones,

in defence secretions of Brachinus. 1243 induction of feeding in Scolytus multistriatus. 4771

production in relation to phenoloxidase activity in Drosophila melanogaster. 4899

## R

Rabbit, see Oryctolagus cuniculus Rabbit flea, see Spilopsyllus cuniculi

Rabon[2-chloro-1-2,4,5-tri-chlorophenyl vinyl dimethyl phosphate], aerial application against Haematobia irritans and Musca autumnalis. 5329

Raccoon, see Procyon lotor

Racenaeschna angustristrigis sp.n. (Odon., Aeshnidae), described. 5082

Radfordiella (Arach., Acari, Macronyssidae), in oral mucosa of Leptonycteris nivalis. 1699 Radiation.

blood-meal utilization and flight-muscle development in Glossina austeni following  $\gamma$ -sterilization. 5927

in relation to 5-bromo-uracil-deoxyriboside incorporation in Drosophila melanogaster germ-cells. 1344

CA size and ovarian environment following irradiation in Dacus cucumis. 5928

137<sub>Cs</sub>-irradiation in relation to Spodoptera littoralis. 1224

X-chromosome and chromosome 5 in relation to radiation-induced aneuploidy in Drosophila melanogaster. 6086

in relation to competitive ability of Drosophila melanogaster populations. 919, 3679

cosmic radiation in relation to black-light trapping of Laspeyresia pomonella. 5486 critical phase for radio-sensitivity in Musca

critical phase for radio-sensitivity in Musca domestica nebulo. 1630

cytology of  $\gamma$ -irradiated gonads in Stomoxys calcitrans. 4609

dose accumulated by Chironomid larvae in a \$137\_Cs-contaminated pond. 1030

dose-dependence of X-chromosome loss due to X-irradiation in mature Drosophila melanogaster oocytes. 886

extra-terrestrial irradiation in relation to lethal-induction and life-span in Habrobracon and Tribolium. 249

extra-terrestrial radiation in relation to mutation frequency in Drosophila melanogaster. 388, 390, 402

fitness evolution in X-irradiated Drosophila birchii laboratory populations. 3689

frequencies of 2nd-chromosome recessive tethals in X-irradiated Drosophila melano-

gaster populations. 918

frequency of X-ray-induced crossing-over in chromosomes of different structure in Drosophila melanogaster. 1761

genetic control of radio-resistance in Drosophila melanogaster. 4886

glycine absorption and metabolism in irradiated Anthonomus grandis. 5860

heterozygosity of X-ray-induced mutations in relation to larval viability in Drosophila melanogaster. 6092

hydrogen sulphide protecting Drosophila melanogaster eggs from X-irradiation. 3499

indene protection of X-ray-induced chromosomal aberrations in Drosophila melanogaster. 4897

induced body malformations in relation to maternal age and length of irradiation in Dahlbominus. 901

induced life-shortening compared with natural ageing in Drosophila melanogaster 5291

induction of deletions by ionizing radiation in Drosophila melanogaster. 6088

induction of mutations in Dahlbominus fuscipennis. 4161

infestation level of Itonida pinirigidae in irradiated Pinus. 3612

ionizing radiation in entomological research and insect control. 4414

ionizing radiation in relation to melanotic tumours in Drosophila melanogaster. 3983

IR and visible radiation in relation to diapause response in Anthonomus grandis. 1621

γ-irradiation in relation to Anthonomus grandis.

 $\gamma\text{-irradiation}$  in relation to attractiveness of  $\mbox{\ensuremath{$\mathcal{P}$}}$  Porthetria dispar. 4613

 $\gamma\text{-}irradiation for control of Pectinophora gossypiella. 5968$ 

γ-irradiation in relation to development and reproductive potential in Heliothis virescens.

 $\gamma\text{-}\mathrm{irradiation}$  in relation to larval Heliothis virescens. 2037

 $\gamma\text{-}irradiation$  in relation to longevity of Arthropoda. 254

γ-irradiation in relation to longevity in Drosophila melanogaster. 5291

γ-irradiation in relation to spermatogenesis in Locusta migratoria migratorioides. 3502

 $\gamma\text{-irradiation}$  in relation to spermatogenesis in Trichoplusia ni. 1192

γ-irradiation and terminal chromosome rearrangements in Chironomus riparius. 2

rearrangements in Chironomus riparius. 2843  $\gamma$ -irradiation in relation to Thyridopteryx

ephemeraeform is eggs and larvae. 707  $\gamma$ - and X-irradiation in relation to toxicity of

malathion to Musca domestica. 5265 UV-irradiation in relation to eggs of Musca domestica. 4411

UV-irradiation in relation to recombination in Drosophila melanogaster. 1762

X-irradiation in relation to Anthonomus grandis.

#### Radiation, contd.

- X-irradiation in relation to attached-X ♀♀ of Drosophila. 380
- X-irradiation in relation to bristle development in Drosophila melanogaster. 256
- X-irradiation in relation to c<sup>3</sup>G mutant of Drosophila melanogaster. 411
- X-irradiation in relation to chromosome heterochromatization in Coccoidea, 1327
- X-irradiation in relation to chromosomes of Drosophila sperm. 392
- X-irradiation in relation to Y-chromosome fragments in Drosophila melanogaster oocytes. 1747, 4154
- X-irradiation in relation to crossing-over in Q Drosophila melanogaster. 4140
- X-irradiation in relation to deoxyuridine and thymidine utilization for DNA-thymidylate synthesis in Drosophila melanogaster testis cells. 1580
- X-irradiation in relation to development of or genital discs in Drosophila melanogaster. 3497
- X-irradiation in relation to development of Tribolium confusum pupa. 705
- X-irradiation in relation to differentiation of ommatidium-forming cells of Drosophila melanogaster in vitro. 3481
- X-irradiation in relation to Drosophila melanogaster reared on live-yeast diet. 1628
- X-irradiation in relation to Drosophila melanogaster showing 'pn/K-pn' interaction. 1769
- X-irradiation in relation to egg production and embryo lethality in Habrobracon nuglandis exposed to chronic X-irradiation. 3994
- X-irradiation in relation to eggs of Callosobruchus chinensis. 246
- X-irradiation in relation to embryonic mortality in Bombyx mori. 1623
- X-irradiation in relation to expression of 'forked' mutation in Drosophila melanogaster. 250
- X-irradiation in relation to fitness of Drosophila pseudoobscura strains. 3680
- X-irradiation in relation to free water content of Tenebrio molitor embryos and radiosensitivity. 3519
- X-irradiation in relation to genetic load in Drosophila. 386
- X-irradiation inducing functional rDNA in 'ybbl' mutants of Drosophila melanogaster. 1766
- X-irradiation inducing isochromosomes in of germ-cells in Drosophila melanogaster. 2178
- $X\mbox{-irradiation}$  inducing lethals in newly-inseminated eggs of Drosophila melanogaster , 413
- X-irradiation inducing mutations in post-meiotic cells of o' Bombyx mori. 401
- X-irradiation in relation to Oncopeltus fasciatus o. 5546

- X-irradiation inducing mosaic whole-body mutations in Bombyx mori. 4163
- X-irradiation inducing partial sterility in Glossina austeni. 383
- X-irradiation in relation to induction of XO d'd' in Drosophila melanogaster, 393
- X-irradiation in relation to mitotic recombination in Drosophila melanogaster. 1764
- X-irradiation in relation to morphogenesis in Musca domestica nebulo, 1630
- X-irradiation in relation to mortality and reproduction in Tribolium castaneum and T. confusum. 3993
- X-irradiation in relation to radiosensitivity of overwintered eggs in Bombyx mori. 3500
- X-irradiation in relation to radiosensitivity of synchronized cell populations of Bombyx mori embryos. 2074
- X-irradiation RBE values in Drosophila melanogaster. 385
- X-irradiation in relation to reversion of "whiteivory" mutant in Drosophila melanogaster. 408
- X-irradiation in relation to small competing populations of Drosophila melanogaster. 917
- low-temperature post-treatment in relation to frequency of radiation-induced mutations in Bombyx mori oocytes. 3664
- in relation to mating preference and reproduction in Drosophila melanogaster. 1625
- methods for maintaining vigour of radiationsterilized insects. 1298
- mutagenicity of  $\gamma\text{-radiation}$  in Bombyx mori. 3663
- mutational response in 'rb' strain of Bombyx mori, 395
- mutations induced by X-irradiation in Drosophila melanogaster. 400
- non-disjunction of Y and 4th chromosomes in irradiated compound-X QQ of Drosophila melanogaster. 4895
- normal development of Anaphes flavipes in X-ray-sterilized Oulema melanopus eggs. 4784
- O<sub>2</sub> in relation to frequency of X-ray-induced somatic crossing-over in Drosophila melanogaster. 1339
- $\beta$ -parameters as criteria in comparative studies. 4616
- polymorphism for genes controlling radioresistance in Drosophila melanogaster natural populations. 907
- production of partially sterile mutants in Glossina austeni. 900
- production of translocations and recessive lethals by X-irradiation during spermatogenesis in Drosophila melanogaster. 4907
- protective effect of indenes in Drosophila melanogaster. 4897
- radiant heat in relation to laboratory rearing of Chorthippus brunneus. 1169

#### Radiation, contd.

- natural ageing in Drosophila melanogaster. 5291
- radio-isotopes in entomological research and insect control. 4414
- radio-isotopes in study of arthropod food-chains. 298
- radio-sensitivity of 12 arthropod spp. 254
- radio-sensitivity of Bombyx mori.
- radio-sensitivity of X-chromosomes in Drosophila melanogaster. 413
- radio-sensitivity of Drosophila melanogaster of germ-cells. 393
- radio-sensitivity of Drosophila melanogaster oocytes. 248
- radio-sensitivity of late spermatids and mature spermatozoa in Drosophila. 266
- radio-sensitivity of oocyte chromosomes during meiosis in Drosophila melanogaster. 5550
- radio-sensitivity of paternal X-chromosomes in relation to histone composition in Drosophila melanogaster. 413
- radio-sensitivity in relation to repair of premutational damage in Bombyx mori. 3669
- radio-sensitivity in relation to sperm utilization in Drosophila melanogaster. 3212
- radio-sensitivity of synchronized cell populations of Bombyx mori embryos, 2074
- radio-sensitivity in relation to temperatureresistance in Drosophila melanogaster. 2036
- radio-sensitivity in relation to temperatureresistance in expression of "forked" in Drosophila melanogaster. 250
- radio-sensitivity of Tribolium castaneum and  ${\rm T}$  . confusum . 3993
- $\gamma$ -radio-sensitivity of Acheta domestica. 4616  $\gamma$ -ray-induced mutations in post-meiotic cells
- of Bombyx mori. 401
  X-ray diffraction patterns in waxy covering and
- scales of Coccoidea. 1987 X-ray-induced recombination on 4th chromosome
- of Drosophila melanogaster.  $4888\,$  X-ray-induction of mutations in spermatogenesis
- A-ray-induction of mutations in spermatogenesis of Drosophila melanogaster. 6093
- X-ray-induction of translocations in Pseudococcus obscurus. 5548
- RBE values of genetic effects of neutrons and X-rays in Drosophila melanogaster. 385, 4907
- recovery of fertility and sperm-transfer in X-irradiated Musca domestica. 4608
- segregation of recombinant 4th chromosomes after X-irradiation in Drosophila melanogaster. 4889
- solar radiation in relation to development of Schistocerca gregaria. 3098
- solar radiation in relation to nest development and structure in Formica polyctena. 2820

- solar radiation and UV-light in relation to
  Hodotermes mossambicus adults and larvae.
  849
- γ-sterilization of Eucosma schistaceana of pupae. 1190
- $\gamma$ -sterilization of Stomoxys calcitrans. 5300  $\gamma$ -sterilization of Trichoplusia ni. 1304
- timing of heterochromatization in whitevariegated Drosophila melanogaster by Xray-induced mitotic recombination the eye disc. 6073
- Ragwort seed fly, see Hylemya seneciella Radish, see Raphanus sativus
- Raffaelea (Fungi), association with Xyloterinus politus, 3141
- Raffinose, food substrate for Laodelphax striatellus. 2740

#### Rain.

- in relation to biology of Termitidae in Ivory Coast. 350
- in relation to emergence of Eumerus strigatus.
- in relation to population dynamics of Culicidae in Changa Manga National Forest, Pakistan. 4075
- in relation to population increase in Pseudatomoscelis seriatus. 2798
- in relation to populations of lotic Diptera in Prater's Creek, S.Carolina, USA. 5477
- in relation to populations of rice pests in Philippines. 346
- in relation to populations of Sipha flava .n Puerto Rico. **4**847
- in relation to spring emergence of Bothynus gibbosus. 2678
- Rainieria (Dipt., Micropezidae), larval characters. 3388
- Rallidentinae (Ephem.), placed in Isonychiidae. 2248
- Rallinyssus (Arach., Acari, Dermanyssidae), evolution. 510
- Ramadadesmus (Hem., Het., Lygaeidae), affinities with non-Ethiopian Blissinae. 4316
- Rambesilis (Col., Cantharidae), new synonomy.
- Rambur, travels in Spain. 4209
- Ramsesseus follioti gen. et sp.n. (Hem., Hom., Aleyrodidae), described. 2516
- Rana (Anura),
  - host of Vercammenia hendricksoni in Malaya. 4245
  - predation on Chironomus at Solberg L., Wisconsin, USA. 3558
- Rana pipiens, Latrodectus venom in relation to neuromuscular junction and nerve activity. 3560, 3561
- Ranatra (Hem., Het., Nepidae), chromosomes. 864.2180
- Ranatra galantae sp.n., described. 5706 Ranatra linearis, feeding behaviour and prey-

Ranatra linearis, contd. catching towards Chironomus Iarvae. 2725 Ranissini trib.n. (Hem., Hom., Dictyopharidae), established in Orgeriinae. 1002 Ranzovius moerens (Hem., Het., Miridae), biology in relation to Hololena curta. 3138 Rapala domitia flemingi subsp.n. (Lep., Lycaenidae), described. 1930 Rape, see Brassica napus Raphanus sativus (Cruciferae) (radish), carbohydrate and nitrogen utilization in Lipaphis erysimi. 5858 Raphidia (Neur., Raphidiidae), new synonymy. 129 new taxa described. 3828 Raphidia ulrikae, 🛭 genitalia figured for first time. 3828 Raphidiidae (Neur.), 129, 2228, 3828 from N.E. Danube Delta, Romania. 2228 Raphidophoridae, see Stenopelmatidae Raphidosoma ghazalensis sp.n. (Hem., Het., Reduviidae), described. 997 Raspberry, see Rubus idaeus Rastriopes amphigya (Collem., Sminthuridae), redescribed. 4981 Rattus (Rodentia) (rat), behaviour of Hyalomma aegyptium. 4774 maturation feeding of Xenopsylla cheopis on hypophysectomized host. 4640 new Leptotrombidium from Nepal. 4978 Ravinia (Dipt., Calliphoridae), latisetosa and querula hosts of Aphaereta pallipes in USA. Rawania (Hem., Hom., Cicadellidae), differentiated from Afroccidens gen.n. 557 Raymondia lobulata (Dipt., Streblidae), Strebla molossa syn.n. of. 1880 RE-11775[m-sec-butylphenyl N-methyl-(phenylthio) carbamate], control of larval Culicidae. 5354 Rearing, of Acleris variana. 2664 of Acyrthosiphon pisum. 3029 of Amblymerus bruchophagi. 4705 of Anastrepha suspensa. 4315 of Aonidiella aurantii. 2646 of Apanteles congregatus. 793 of aphidophagous Syrphidae. 1230 of Aphytis. 312 apparatus for Dermaptera. 5131 of Barbara colfaxiana. 3031 of Blaberus giganteus. 2563 of Boarmia ribeata. 5978 boxes for Diptera, Hymenoptera and Microlepidoptera. 5784 of Cardioptera. 5665 of Celerio lineata. 4602 of Cerambycidae. 3842 of Chorthippus brunneus. 1169 conditions in relation to sex-determination in

Pseudaulacaspis pentagona. 4165

of Contarinia pisi. 593 of Cosymbia pupillaria. 5115, 5119 crowding and temperature in relation to Acyrthosiphon pisum. 4606 of Culex portesi. 5496 of Culicoides. 2790 developmental period of Anthonomus grandis in relation to rearing temperature. 3494 devices for stream insect larvae. 4415 diet for Barbara colfaxiana. 3031 diet in relation to brood-rearing capacity of Apis mellifera. 4627 diet for Cerambycidae. 3842 diet for Ceratitis capitata and Dacus dorsalis mass-rearing, 2557 diet for Chilo suppressalis. 5787 diet for Dendroctonus ponderosae from Pinus contorta. 3379 diet for Dioryctria abietella. 4416 diet for Grapholitha molesta. 1488, 3845 diet for Laodelphax striatellus. 1027 diet for Laspeyresia caryana. 2568 diet for Ostrinia nubilalis. 4417, 5785 diet for Papilio xuthus. 1036 diet for Popillia japonica. 2541 diet for Rhagoletis pomonella. 2569 diet for Sanninoidea exitiosa. 2558 diet for Scolytus multistriatus. 2556 diet in relation to sexual vigour of Synanthedon pictipes. 1653 diet for Spodoptera littoralis. 5785 of Dioryctria abietella. 4416 duration of rearing in relation to larval establishment and oviposition of Ostrinia nubilalis. 815 of Elachista. 3362 of Eublemma parva on Pulicaria dysenterica. of Eucelatoria armigera. 1631 of Eurytoma martellii. 3114 extension of life of stored thinning apples for rearing Synanthedon pictipes. 5107 flight and flight-muscle development inhibited in laboratory-reared Glossina morsitans orientalis. 1514 forced air for separating Musca domestica pupae from rearing medium. 5109 of Gastroidea viridula on Rumex obtusifolius. of Glossina p.palpalis and G.p.quanzensis. 5470 of Grapholitha molesta. 3845 of Helophorus orientalis. 4279 of Heteropeza pygmaea. 3520 Honeycomb Hexcel for rearing Heliothis. 2572 of Hylobius pales. 3371 of Hyposoter pilosulus. 5412 isolation in relation to flight tendency in Schistocerca gregaria. 5831 laboratory maintenance in relation to flightmuscle development of Glossina. 5922

of Laodelphax striatellus. 1027

Rearing, contd. larval diet and rearing containers for Dacus oleae. 5125 larval medium for Culicoides variipennis. larval rearing conditions in relation to adult characteristics in Culicidae. 5281 of Leptocera caenosa. 4045 light conditions in relation to locomotor activity of Acheta domestica. 3949 maintenance of Camponotus. 3367 malformations produced in adult Tenebrio molitor, 2665 mass-rearing of Campoletis perdistinctus. mass-rearing of Neodiprion sertifer for production of nuclear polyhedrosis virus. mass-rearing of Paralobesia viteana. 2095 mass-rearing of Phanerotoma flavitestacea on Ectomyelois ceratoniae. 5371 method for Anoecia corni. 1031 method for disease-free cultures of Heliothis. method for Feltia subterranea. 1037 method for Graphognathus. 3368 method for Psila rosae. 5923 method of puncturing thinning apples for rearing Synanthedon pictipes. 5113 method for Sitotroga cerealella mass-rearing. 1495 method for soil micro-arthropods. 2822 method for Tetraneura ulmi. 1031 methods for Cerambycidae. 4440 methods for Glossina. 5138 methods for Hyalophora cecropia mass-rearing. of Microplitis croceipes on Heliothis zea. of Nesaeocarabus interruptus. 4443 of Notonecta undulata. 3028 of Oncopeltus fasciatus. 813 optimum temperature conditions for Microplitis croceipes. 2752 of Orthosia advena. 4654 of Oryctes elegans. 3115 of Ostrinia nubilalis. 4417, 5785 of Papilio xuthus. 1036 of Pararge megera. 3360 of Patanga succinata, 4617 of Pediculus humanus on rabbit. 5123 of Phlebotomus longipalpis. 4431 of Physocephala bimarginipennis. 5670 of Planococcus citri on potato. 1231 of Polyrhachis simplex. 4874 provision of drinking water in relation to egg-

production of Ostrinia nubilalis in mass-

rearing density in relation to larval age

rearing. 3364

of Ranzovius moerens. 3138

of Spodoptera littoralis. 5785 technique for Culicoides. 598 rearing. 5778 Glossina. 5138 Recombination, germanica. 4905 379, 430 exchanges. 3648 somes. 3648 germ-cells. 402

technique for Heliothis virescens and H.zea. technique for Typhlodromus gossipi masstechniques for Gretchena bolliana. 5126 techniques for Prodenia eridania. 5114 techniques for Tenebrio molitor. 5515 of Vanessa atalanta. 3377 workers investigating rearing procedures for abnormalities at the 'R' locus in Nasonia vitripennis. 3658 after UV-irradiation of polar cap cells in Drosophila melanogaster. 1762 associated with mutants in Planococcus citri. between 'curved' and 'yellow' in Blattella "bobbed" (bb) mutations of Drosophila melanogaster in relation to gene crossover. 1766 at "bobbed" locus in Drosophila melanogaster. cause of variability in Drosophila populations. and chiasma-formation in Acrida lata. 377 chiasma number equal to number of crossover chiasma-type hypothesis of meiotic chromochromosomal effects on X-ray-induced mitotic recombination in Drosophila melanogaster. crossover not major cause of rDNA redundancy in Drosophila "bobbed" (bb) mutants. 1766 crossover values between sex-factor and 'w' (white-eye) in Culex pipiens molestus. 2177 in relation to crowding in Locusta migratoria. disequilibrium of independent inversions in Drosophila subobscura natural populations. in Drosophila ananassae of . 382 in Drosophila multispina ♀ X D.funebris ♂. 381 in Drosophila virilis X D.texana hybrids. 6074, explanation at molecular level. 378 extra-terrestrial radiation in relation to crossing-over in of Drosophila melanogaster frequency of X-ray-induced crossing-over in Drosophila melanogaster. 1761 frequency in ring chromosomes in Drosophila melanogaster. 6087 gene affecting recombination at 'scute' locus in Drosophila melanogaster. 4142

structure in Drosophila melanogaster. 4172

separator for Musca domestica pupae. 1493

Recombination, contd.

in relation to genes for pupal weight in Tribolium castaneum. 3660

genetic control of crossover frequency in o' Drosophila ananassae. 1765

induced crossing-over and mutation in Drosophila melanogaster. 4143

interchange-mediated non-disjunction at meiosis in Drosophila melanogaster. 4898

in relation to inversion polymorphism in Chironomidae, Culicidae and Drosophila. 1347

UV-irradiation of polar cap cells in relation to recombination in Drosophila melanogaster. 1762

in relation to X-irradiation in ♀ Drosophila melanogaster, 4140

in relation to lethal mutants in Planococcus citri.

in relation to locustone in Locusta migratoria migratorioides. 5262

mechanism following formaldehyde treatment in Drosophila melanogaster. 4143

meiotic origin of spontaneous crossovers in of Drosophila ananassae. 1765

method for identifying recombinational lethals in Drosophila melanogaster. 1342

in relation to N-methyl-N'-nitro-N-nitrosoguanidine in Drosophila melanogaster. 895

mitotic recombination following UV-irradiation of polar cap cells in Drosophila melanogaster. 1762

monohydrogenarsenate and selenocystine in relation to cross-over frequency in Drosophila melanogaster. 882, 2179

mutants affecting recombination Drosophila melanogaster natural populations. 406

O<sub>2</sub> in relation to X-ray-induced somatic crossing-over in Drosophila melanogaster. 1339

in relation to radiation-repair system in Drosophila melanogaster. 4886

radiosensitivity of recombination-deficient mutant of Drosophila melanogaster. 411

X-ray-induced recombination in 4th chromosome of Drosophila melanogaster. 4888

and rearrangements after formaldehyde treatment in Drosophila melanogaster. 4143

segregational properties of recombinant 4th chromosomes after X-irradiation in Drosophila melanogaster. 4889

in relation to selenoaminoacid in Drosophila melanogaster. 378

somatic recombination at the 'white' locus in Drosophila melanogaster. 3650

suppressed at the 'white' locus in 'white-ivory' mutant of Drosophila melanogaster. 408

timing of heterochromatization in 'whitevariegated' Drosophila melanogaster by Xray-induced mitotic recombination in the eye disc. 6073

Red cedar, see Juniperus virginianus

Red-headed flea beetle, see Systema frontalis

Red oak, see Quercus rubra

Red pine, see Pinus resinosa

Redwood, see Sequoia sempervirens

F.Redi (1626-1697), works in Museo Civico di Storia Naturale, Milano, Italy. 4965

Reduviidae (Hem., Het.),

87, 148, 149, 442, 997, 1108, 1579, 1889,

2005, 2029, 2058, 2120, 2661, 2974, 3329-

3331, 3392, 3452, 3615, 4234, 4323, 4324, 4325, 4445, 4486, 4510, 4570, 4687, 4707.

5165, 5195, 5223, 5256, 5511. 5704, 5714,

5879, 5896, 5908, 5967, 5988

bacteria from gut. 2005

loss of pulvillus possibly secondary. 3392

from Madagascar. 4323

of Niokolo-Koba National Park, Senegal. 1889

thoracic sclerites. 149

Reduvioidea (Hem., Het.), relationships to Thaumastocoridae. 1510

Regeneration,

in relation to carcinogens in Periplaneta americana. 3430

cell determination during regeneration of thoracic appendages in Blaberus craniifer. 3091

compensatory regenerative growth following allatectomy in  $\circ$  Melanoplus sanguinipes. 3511

ecdysterone in relation to leg regeneration in Leucophaea maderae in vitro. 3979

in gut of Lytta nuttalli. 5220

hormonal control of imaginal-disc regeneration in Galleria mellonella. 5877

of imaginal discs in Tenebrio molitor. 2064

of legs in Caloglyphus boharti. 1178

of legs, muscles and nerves in Acheta domestica. 688

of neck connectives in Schistocerca gregaria and Sphodromantis. 1053, 1054

prothoracic ganglion and gland in relation to Leucophaea maderae nerve regeneration in vitro. 3078

of supernumerary antenna in Agrion virgo. 3490 in relation to wound-healing in Periplaneta americana. 3857

Rehnia spinosus (Orth., Tettigoniidae), DNA- and histone-synthesis of spermatocyte X-chromosome. 3942

Reikosiella melina gen. et sp.n. (Hym., Eupelmidae), described. 2992

Remaudiereana (Hem., Het., Lygaeidae), Rhyparochromus inornatus transferred to. 4317

Rennell Island (Solomon Islands, Pacific Ocean), new Argyopidae from . 2468

Renocera cyathiformis (Dipt., Sciomyzidae), feeding habits and life-cycle. 5997

Rentonium chilense sp.n. (Col., Peltidae), described. 4985 Rentonium magnum, type-sp of Parentonium gen.n.
4985

#### Repellents,

for Acromyrmex octospinosus and Atta cephalotes in old grapefruit leaves. 4128

benzaldehyde in relation to drone congregation in Apis mellifera, 5522

compounds related to cyanoacetic acid as repellents for Blattodea. 5148

method for detection of olfactory stimulants. 1032

methyl phenyldiazenecarboxylate azoester as repellent for Aedes aegypti and Culex molestus. 1254

for Neivamyrmex nigrescens produced by Leptotyphlops dulcis. 4863

production by Helluomorphoides texanus. 3139

response of Tribolium castaneum to repellent substance of Trogoderma granarium. 762

selection for insensitivity in Drosophila melanogaster. 6097

use in control of blood-sucking Ceratopogonidae. 2790

### Reproduction,

of Acarus siro on wood-inhabiting Hymenomycetes. 1684

accessory glands in Chilopoda. 5909

accessory glands in Cormocephalus anceps. 5909

of Acheta domestica following sublethal doses of insecticide. 5252

of Acraea encedon in relation to sex-ratio in Ugandan populations. 1302

activity in relation to flight in Schizaphis graminum. 4466

age in relation to reproductive behaviour in Anagasta kuehniella. 5939

ageing effect on segregation distortion in

Drosophila melanogaster. 4134 allatectomy in relation to oviposition in

Melanoplus sanguinipes. 3511

of Anaphes flavipes. 2677

anomaly of vagina in worker Apis mellifera.  $5270\,$ 

aphrodisiac effect of assembling scent in Trogoderma granarium. 3902

6-azauridine in relation to fat-body metabolism in Pyrrhocoris apterus during oogenesis. 1200

of Baeonotidae fam .n. 1423

behaviour in response to sex-pheromone in Diatraea saccharalis. 3523

of Belostoma malkini. 1661

biology of Anagyrus mirzai. 288

biology of Anaphothrips validus. 5597

biology of Anthicidae. 4988

biology of Astromula nitidum. 140

biology of Calopteryx splendens at Östfold, Norway. 289

biology of cave Trichoptera in Italy. 863

biology of Chironomus nuditarsis. 1223

biology of Chremon arimae sp.n. 126

biology of Comperiella bifasciata. 288 biology of Contarinia medicaginis. 332

biology of Dociostaurus curvicercus in Israel.

biology of Dysmachus fuscipennis in Romania. 2092 biology of Enoclerus in relation to Ips grandi-

collis in S.Carolina, USA. 286

biology of Epicauta albida group. 1413

biology of ground-dwelling Theridiidae. 1215 biology of Hemisarcoptes dzhashii sp.n. 1393

biology of Herpystis cuscutae. 323

biology of Itoplectis cristatae in Japan. 276

biology of Lachlania. 5034

biology of Limnephilidae in Grotta di Mt. Cucco Italy. 862

biology of Marietta javensis. 288

biology of Megabothris turbidus on Clethrionomys glareolus. 2086

biology of Melolontha melolontha. 292

biology of Molophilus ater. 2090

biology of Musca autumnalis. 273

biology of Mutilla glossinae in relation to Glossina. 5275

biology of Orocharis of USA. 125

biology of Pardosa lapidicina. 1669

biology of Plagiolepis. 5955

biology of Tettigonioidea of Trinidad (W.Indies 3103

biology of Trichatelura manni. 2087

breeding of Anopheles gambiae throughout dry season in Sudan. 4859

breeding of Culicidae in Kuching area (Sarawak in relation to dengue fever. 5493

breeding habits of Simulium damnosum in Tanzania. 824

breeding sites of blood-sucking Ceratopogonida 2790

breeding sites of Culicidae in Nagatoro R., Japan. 2165

brood development in Lasioglossum duplex. 84 captures of adult Culicidae in relation to parous state. 1490

of Carabidae of field and forest. 1234

Carya pecan foliage in relation to mating and oviposition in Gretchena bolliana. 5126

of Cercoma schaefferi. 3107

of Chaetosiphon fragaefolii in relation to diet and host-plant. 2700

of Chironomidae in L.Chad, Africa. 3597

choline utilization in adult Drosophila melanogaster. 1575

circadian rhythm of copulation and oviposition in Zeiraphera diniana. 1028

in relation to clumped distributions in sparse populations of Ixodes ricinus. 2791

colonization and spawning cycle of Hydracarina 5385

- compatibility in American Trichogramma. 4789 competitive interactions among Aphidius parasitic on Acyrthosiphon pisum. 2088
- competiveness of sterilized insects. 1298
- concealed copulatory structures of Pyrgomorphidae. 3472
- conditions for extrusion of ♀ sex-pheromone gland in Choristoneura fumiferana. 2082
- conditions for maintaining and terminating reproductive diapause in Chrysopa carnea. 4600
- conditions required for successful mating in Spilopsyllus cuniculi. 1647
- control of caste formation in Hodotermes mossambicus. 4875
- control of reproductive cycles in  $\ensuremath{\text{$\mathsepsilon}}$  Lepismodes inquilinus.  $1\,637$
- copulation in relation to flight-muscle histolysis in Dysdercus intermedius. 1611
- copulation frequency in Panonychus ulmi. 5952 copulatory behaviour in Ischyropsalis. 3728
- corpus luteum formation, ovulation and oviposition in Musca domestica nebulo. 1206
- courtship behaviour in 'black', 'ebony' and 'tan' mutants of Drosophila melanogaster. 4166
- courtship behaviour of Empididae of Southern Africa. 3772
- courtship behaviour of Pseudeucoila bochei. 2085
- courtship behaviour and sperm transfer in Mastigoproctus giganteus. 3525
- courtship and copulatory behaviour in Aphidius.
- crowding in relation to alate production in Acyrthosiphon pisum. 710
- cycle of Nemesia caementaria. 5959
- cycle of Periplaneta americana. 3101
- cytological basis for reproductive variability in Anoetidae. 5531
- cytology of spermatogenesis in Lithobius forficatus. 2047
- daily synchronization of sexual activity in relation to mating success in Dacus neohumeralis and D.tryoni. 2081
- in relation to DDT in Tribolium castaneum and T.confusum. 3993
- delayed fertilization in relation to mutagenicity of N,  $N^1$ -tetramethylenebis (1-aziridinecarboxamide) in Cochliomyia hominivorax. 3665
- development of Q genital ducts and associated structures in Callosobruchus maculatus. 1605
- developmental and functional anatomy of o' reproductive organs in Galerucella birmanica.
- diluents and temperature in relation to instrumental insemination of queen Apis mellifera. 3495
- dispermy in Baetis. 3977
- diurnal and seasonal changes in reproductive

- activity at the mating and oviposition site in Scatophaga stercoraria, 3531
- of dominula and medionigra morphs of Panaxia dominula. 3228
- egg-hatch and fecundity of Acarus siro. 1303 egg maturation in Chironomus nuditarsis. 1223
- egg maturation in Hylemya seneciella. 2777
- egg-production, mating and oviposition in Semanotus ligneus amplus and S.litigiosus. 3105
- egg-protective substance secreted by Cingalobolus bugnioni. 1250
- eggs and oviposition in Collembola. 2170
- elimination of supplementary reproductives in Kalotermes flavicollis. 4724
- environmental conditions determining paedogenesis in Heteropeza pygmaea. 3520
- evolution of modes of spermatophore formation in Pterygota. 3968
- evolution of nest architecture and social behaviour in Halictidae. 2169
- evolutionary effect of sperm competition on copula duration in Scatophaga stercoraria. 5951
- factors affecting duration of cycle in Musca vetustissima. 687
- factors affecting host suitability for oviposition in Eucarcelia rutilla. 1265
- fat-body metabolism in Pyrrhocoris apterus during oogenesis. 1200
- fecundity of Brevicoryne brassicae and Myzus persicae in relation to physiological state of host-plant. 1197
- fecundity and insemination in Platyptilia carduidactyla. 3528
- fecundity, mating and oviposition in Pieris rapae. 1651
- feeding activity and photoperiod in relation to sexual maturation in gregarious Locusta migratoria migratorioides. 5936
- $\mbox{$\varsigma$}$  and  $\mbox{$\sigma$}'$  scents in relation to reproductive maturation in young  $\mbox{$\varsigma$}$  Tenebrio molitor. 5297
- fertilization rate and space and time relationships at the mating and oviposition site in Scatophaga stercoraria. 3532
- flight activity in response to sex-pheromone in of Aonidiella aurantii. 3544
- function of abdominal scent-glands in Alphitobius diaperinus. 2072
- gallery construction and oviposition in Almiphagus aspericollis. 2099
- genetics of mating speed in Drosophila pseudoobscura. 1786
- haemolymph proteins in relation to presence of opposite sex in Oncopeltus fasciatus. 1091
- in relation to hormone mimics in Malacosoma californicum pluviale. 2632
- host-plant not required for determination of dd

and oviparae in Acyrthosiphon pisum. 741 host-plant and presence of of in relation to ovarian development and oviposition in

Plutella maculipennis. 2077

of Humerobates rostrolamellatus. 3123

indirect sperm-transfer in Tydeidae.

inherited effects following radiation in Heliothis virescens. 5301

insemination in relation to host hormones in Spilopsyllus cuniculi and Xenopsylla cheopis. 4640

γ-irradiation in relation to mating in Spodoptera littoralis. 1224

γ-irradiation in relation to reproductive potential of Heliothis virescens.

X-irradiation in relation to development of of genital discs in Drosophila melanogaster.

in relation to X-irradiation in Tribolium castaneum and T.confusum. 3993

of Lethocerus maximus, 1661

light-intensity in relation to reproductive behaviour in Anagasta kuehniella. 5939

light in relation to oviposition rhythm in Oligonychus coffeae. 1626

lipids during reproduction in Musca autumnalis.

location of alkaline phosphatase in reproductive system of Schistocerca gregaria, 4006

maternal care in Pardosa lapidicina. 1669

mating behaviour and effectiveness in relation to age in ♀ Aedes aegypti. 1218

mating behaviour of Heliothis zea. 1219

mating behaviour of Lixus algirus. 1226

mating behaviour of Megacyttarus crassirostris.

mating behaviour of sibling Rhagoletis spp.

mating in relation to degree of sterility in Trichoplusia ni . 1304

mating flight of Diptera. 1225

mating habits in relation to competitive advantage of Dacus tryoni over Dacus neohumeralis in the laboratory. 915

mating and oviposition of Agrilus ater. 1658 mating and oviposition of Agriotes ponticus.

mating and oviposition of aphidophagous Syrphidae. 1230

mating and oviposition of Belothrips acuminatus.

mating and oviposition of Blattella germanica.

mating and oviposition of Chilo partellus. 1657 mating and oviposition of Laphria gilva. 1666 mating and oviposition of Melanotus fusciceps. 1659

mating positions in Platypezidae. 1213

mating in relation to rhythmic activity in 9 Pogonomyrmex californicus. 1731

mating sequence for indirect spermatophoretransfer in Bourletiella bicincta and B.repanda

mating and sex-attraction in Glossina morsitans orientalis. 1650

mating and sex-attraction in Synanthedon pictipes. 1653

mating stimulus independent of condition of reproductive organs in parasitized Cercopidae. 1267

of Megoura viciae in relation to photoperiod. 3094

of Meloe. 3745

method for detecting mating state in of Lucilia sericata. 1038

mineral deficiency of Fragaria in relation to reproductive rate in Tetranychus urticae.

minority mating advantage in inter-populational crosses in Drosophila persimilis. 926

modes in relation to evolution in Acari. 5531

modes in Phasmatodea of New Zealand. 4185 of mutant Musca domestica in population cages.

of Nepytia phantasmaria. 2703

nest structure in Callanthidium formosum and C.illustre. 1817

nesting behaviour of Anthophora edwardsii in California, USA. 2817

nesting behaviour of Megachile rotundata. 2819 in relation to neurosecretion in Megoura viciae and Pterocomma jacksoni. 709

nuclear polyhedrosis in relation to mating and oviposition in Trichoplusia ni. 1204

of Oeneis of forest, 3609

of Oligonychus punicae in relation to leaf condition of Persea indica. 4833

of Oligonychus ununguis in Finland. 5977

of Oncopeltus fasciatus in relation to plant-host.

oogenesis in aphidophagous Syrphidae. 1230 of Orgilus lepidus. 2702

oviposition behaviour in relation to presence of other members of the sp in Locusta migratoria cinerascens. 1648

oviposition of Melanoplus sanguinipes stimulated by o' accessory-gland substance. 2078

oviposition of Podagrion meridionale in relation to Sphodromantis viridis eggs. 1697

oviposition of Pseudorhyssa sternata. 1663

oviposition of Stylogaster on Calyptrata associated with animal dung and ants. 1268

oviposition and swarming in Chironomus salinarius. 1221

paragonial substance of adult of Drosophila melanogaster analyzed. 4009 parthenogenesis in Tetranychidae. 4146

of Perlesta placida. 2657

Petrobia latens exclusively parthenogenetic. 4718

pheromone production and of responses in Schizaphis borealis. 5952

pheromones of prey in relation to mating of Thanasimus dubius. 2742

in relation to photoperiod in Megoura viciae and Pterocomma jacksoni. 709

photoperiod in relation to reproductive behaviour of Anagasta kuehniella. 5939

physiological age composition of culicid populations in Gunma Prefecture, Japan. 1679

of Phytoseius plumifer in relation to diet. 2710 of Pissodes strobi on Pinus virginiana in

Maryland, USA. 1286 of Planococcus citri on sprouting potato-tubers.

production of supplementary reproductives in Italian populations of Kalotermes flavicollis. 3196

progeny productivity of chromosome combinations in Drosophila melanogaster. 928

progeny/sperm ratios and Segregation Distorter in Drosophila melanogaster. 4138

proteins of seminal vesicles of Apis mellifera.

protein-synthesis in fat-body of ♀ Tenebrio molitor in relation to mating. 3938

of Psilococcus parvus. 2713

of Psychidae. 5960

rare-type mating advantage in Drosophila pseudoobscura. 2855

replacement of primary reproductives in Odontotermes assmuthi colonies. 6065

reproductive capacity of adult Rhagoletis pomonella reared on artificial diet. 2569

reproductive capacity of Neodiprion swainei. 4107

reproductive capacity and survival of mutant Musca domestica. 4180

reproductive cycles of Periplaneta americana. 5942

reproductive isolation in Aphidius pulcher.

reproductive isolation in Aphytis. 5720

reproductive isolation between Clunio aquilonius and C.tsushimensis. 1971

reproductive isolation between interspecific hybrids and parental spp in Aphytis. 2862

reproductive isolation in Dictya of California, USA, 1878

reproductive period in Dactylochelifer latreillei. 3383

reproductive physiology of Argas arboreus. 4624

reproductive physiology of blood-sucking Ceratopogonidae. 2790 reproductive physiology of Caloglyphus mycophagus. 3087

reproductive physiology of migrant populations of Autographa gamma in Hungary. 3533

reproductive physiology of Musca autumnalis. 4665

reproductive physiology of overwintering Q Anopheles freeborni in California, USA. 3518 reproductive physiology of Pulicidae in relation

to host hormones. 4640

reproductive physiology of triploid intersexes of Drosophila melanogaster. 3088

reproductive system in relation to age in 9 Musca vetustissima. 687

reproductive system of Allothrombium lerouxi. 3974

reproductive system of amphiphasic ♀ Acyrthosiphon pisum. 3965

reproductive system anomaly in worker Apis mellifera. 5270

reproductive system of Aspidiotus perniciosus.

reproductive system of Cardiochiles nigriceps.

reproductive system development of  $\mathbb{Q}$  Aedes stimulans. 2655

reproductive system development of  $\circ$  Sitona cylindricollis. 4628

reproductive system development of of Choristoneura fumiferana. 3972

reproductive system of Dyodiplosis fici. 229

reproductive system of  $\mbox{\scriptsize $\Omega$}$  Aphidiidae. 5912

reproductive system of Q Archaeidae. 4584 reproductive system of Q Notiophilini. 5623

reproductive system of Gnathotrichus retusus and G.sulcatus. 684

reproductive system of Gretchena bolliana. 4590

reproductive system of Leucostoma simplex. 4702

reproductive system of  $\sigma$  Gryllodes sigillatus. 3971

reproductive system of Mutilla glossinae. 5275 reproductive system of Perlesta placida. 2657

reproductive system of Tetrigidae. 170

reproductive system of Tettigonioidea of

Trinidad (W.Indies), 3103 reproductive system of Trichatelura manni.

reproductive system of Trypodendron lineatum.

reproductive system of Tryporyza incertulas.

227
response of of Plodia interpunctella to sex-

pheromone after Bidrin treatment. 2691 response of of Prodenia eridania to sex-

pheromone. 5095

response of Nomia melanderi to pathogenic fungi in brood cells. 1313

responses of Heliothis to ultrasound during reproductive activity. 1079

retention and transfer of <sup>32</sup>P during mating in Anopheles quadrimaculatus. 1572

of Rhyacophilidae. 5774

rhythm of reproduction in Periplaneta americana. 5942

selection for sterno-pleural bristle number in relation to mating behaviour in Drosophila melanogaster. 1649

seminal receptacle structure in Aphidiidae. 5912

seminal receptacle structure in Blattodea, Isoptera, Mantodea and Orthoptera. 3472

seminal receptacle structure in Bombyliidae. 5910

seminal vesicle development in Lithobius forficatus. 2048

sex-pheromones in relation to flight in Dendroctonus pseudotsugae and Trypodendron lineatum. 1491

'sexual drive' of Polydesmus angustus. 4663 sexual forms of Acyrthosiphon pisum produced on artificial diet. 741

sexual isolation absent after disruptive selection for sternopleural-bristle number in Drosophila melanogaster. 1789

sexuality in relation to dosage-compensation in Drosophila melanogaster. 1757

sound-production during mating in storedproduct Insecta. 1599

sperm activation and movement in Sitophilus granarius and S.zeamais. 1163

sperm activity in Periplaneta americana. 1195 sperm retention in artificially-inseminated queen Apis mellifera. 3478

sperm-transfer in Glomeris and Loboglomeris.

spermatogenesis in Lithobius forficatus. 2048 spermatophore transfer in Halacarus basteri. 1319 spermatozoon packaging in Leiobunum. 3969

spermiogenesis from aneuploid spermatids in Drosophila melanogaster. 1335

starvation in relation to response of  $\sigma$  Periplaneta americana to sex-stimuli. 3496

of Steatoda bipunctata. 5954

in relation to sterols in Xyleborus ferrugineus.

stimulation of of Drosophila melanogaster and Lucilia cuprina by aggregation-site odour. 2690

success of Nasonia vitripennis in relation to host strain. 4792

supplementary-reproductive production in Kalotermes flavicollis. 354

of surface-dwelling Collembola in coniferous forest soil. 2160

taxonomic significance in Blattodea. 5269 in relation to temperature in Megoura viciae and Pterocomma jacksoni. 709

temperature in relation to reproductive capacity of Lespesia archippivora. 1627

of Tentana grossa. 5954

of Tetranychus urticae in relation to physiological state of apple. 1284

thelytoky in Tarsonemus virigineus sp.n. 1827 throughout overwintering of Musca domestica vicina in Chengtu, China. 752

of Trichogramma embryophagum. 3524 types of insect sterility. 1298

of Tyrophagus putrescentiae on wood-inhabiting Hymenomycetes. 1684

ultrastructure of prothoracic glands of solitary Locusta migratoria migratorioides during sexual maturation. 1154

ultrastructure of spermatogenesis in Lithobius forficatus. 2047

uterus inspection necessary in dissected  $\mbox{\ensuremath{\wp}}$  Glossina. 3534

cis-vaccenyl acetate in ejaculatory bulb of adult  $\sigma$  Drosophila melanogaster. 4002

valve form in N.American Limenitis. 5911 yield of  $\sigma$ -virus from reproductive system in Drosophila melanogaster. 5175

Reptilia,

biology and taxonomy of intranasal Trombiculidae. 4237

host-feeding associations of Culicidae in Wisconsin, USA. 4752

Republic of South Africa,

abundance and distribution of Locustana pardalina in 1954-1965. 5474

chiasma-frequency recombination of Locusta migratoria populations. 3645

Contarinia sorghicola present. 436

distribution of Lepismatidae and Machilidae. 843

ecology of Trioza erytreae in E.Transvaal. 792

Encyrtidae new for. 5724

genitalia of Notodontidae. 676

larvae of aquatic Coleoptera. 4944

Mastigini revised. 47

new Anoetidae from . 5613

new Argasidae from . 3283

new Bethylidae from . 1448

new Cixiidae from . 1896

new Crambidae from . 5756

new Dermanyssidae from . 2459

new Diaspididae from . 5047

new Encyrtidae from . 5724

new Entomobryidae from . 535

new Eulophidae from . 1451

new Galumnidae from . 511

new Ixodidae from . 4226

new Lycaenidae from. 1935, 4378, 5070, 5751

new Megachilidae from . 5734

new Membracidae from . 561

new Miridae from . 5035

new Nanorchestidae from . 513

new Oribatulidae from . 515

new Psoroptidae from. 4233

new Pteromalidae from . 4360

new Pyralidae from . 5758

new Sarcophagidae from . 75

new Scarabaeidae from . 5012

new Scorpiones from . 501

new Staphylinidae from . 3312, 4287

new Thripidae from . 1483

new Tiphiidae from . 4338

new Tydeidae from . 3291

Paradoxosomatidae of. 1025

sand and silt in relation to arthropod fauna of

Vaal R. system. 2172

Scolytidae from . 5652

#### Resilin,

in campaniform sensilla of halteres in Drosophila melanogaster. 3412

in lens cuticle of Photinus pyralis. 3060

Resin, effect on egg hatch in Dendroctonus ponderosae. 5930

#### Resistance.

to acaricides in Tetranychus cinnabarinus in Israel. 5358

to aldrin in Hylemya platura in Illinois, USA. 2810

BHC-resistance in Phytonomus variabilis in Ararat Valley, Armenia, USSR. 4845

carboxylesterase and degradative enzymes in relation to diazinon and diazoxon in Musca domestica. 5267

cross-resistance to formetanate in Tetranychus.

DDT-resistance in relation to absorption and metabolism in Boophilus microplus. 4575

detoxification mechanisms in diazinonresistant Musca domestica. 2018

to dieldrin in relation to nerve components in Blattella germanica. 4577

feeding behaviour of Anopheles culicifacies in relation to DDT-resistance in Gujarat State, India. 2732

to fenthion and malathion in Culex pipiens pallens larvae. 2850

genetic relation of NADPH-dependent oxidases to insecticide metabolism in Musca domestica. 3229

genetics of DDT-resistance in Tribolium. 3993 genetics of diazinon-resistance in Musca domestica. 2018

genetics of dieldrin-resistance in Blattella

germanica. 2188, 4577 genetics of insecticide-resistance in Culicidae

and Muscidae. 2851 genetics of malathion-resistance in Laodelphax striatellus. 6100

genetics and metabolism of malathion-resistance in Chrysomya putoria. 1158

genetics of methyl-parathion-resistance in Spodoptera littoralis. 4912

genetics of organophosphate-resistance in New

genetics of organophosphate- and tetradifonresistance in Tetranychus urticae in New Zealand. 3677, 3678

genetics in Tetranychus urticae. 6101

inheritance of diazinon-resistance in Culex pipiens molestus larvae. 3230

inheritance of dieldrin-resistance in Culex tritaeniorhynchus larvae. 2852

inheritance of dominant factors for carbamateresistance in Musca domestica. 4913

to insecticides in Telmatoscopus albipunctatus larvae. 5987

in Ixodoidea. 4580

maternal effect in DDT-resistance of Tribolium. 3993

methods for testing for DDT-resistance in Siphonaptera. 4581

in Monopis speculella. 5992

multiple resistance to aldrin,  $\gamma\text{-BHC}$  and dieldrin in Psila rosae. 338, 339

multiple resistance in Phorodon humuli.
6055

to organophosphates in Myzus persicae on peach. 5462

to organophosphates in Trichoplusia ni in New York, USA. 5506

RE-11775 for control of organophosphateresistant Culicidae. 5354

selection for carbaryl-, DDT- and diazinonresistance in Ostrinia nubilalis. 4914

selection for insecticide-resistance in Aedes aegypti and Culex pipiens fatigans.

to thiometon in Phorodon humuli. 6055 Respiration,

during adult development in Schistocerca

gregaria. 4596 of adult Coccinella septempunctata. 173

of adult Epilachna vigintioctopunctata 173 in relation to age in Anthonomus grandis. 3464

alarm ventilation in Notonecta larvae. 3426 in relation to annual production in animal

populations. 3108 in Arachnida. 4503

in relation to ATP-synthesis in isolated muscle mitochondria from Mantodea. 1043

of Bombyx mori ovaries in vitro during metamorphosis. 1170

CO<sub>2</sub>-release in Periplaneta americana. 4422 changes in size and respiration rate in Bombyx

mori during metamorphosis. 1170

circadian rhythm in Cubitermes colonies. 4866 in relation to ecdysone in Calliphora erythrocephala. 5246

energetics of Pycnopsyche larvae in relation to water-flow. 3907

in Erioptera squalida larva. 2174

in Eylais hamata. 3909

fatty-acid oxidation in endogenous respiration of thoracic mitochondria of Lucilia

Respiration, contd.

cuprina. 1141

of flight-muscle mitochondria in relation to acid and phosphate in Apis mellifera. 5224

 $\alpha$ -glycerophosphate cycle and glycolysis in insect muscles. 1122

of green and black larvae of Leucania separata. 1088

group effect on metabolism in alate Hodotermes mossambicus. 1730

inhibitor of insect mitochondrial respiration in Myrmecia gulosa venom. 5237

of insect egg-shells. 1089

in relation to Lannate in Choristoneura occidentalis larva. 1086

of Lipara lucens larvae and pupae. 4820

in relation to locomotory activity in Lycosa Tinsignita. 1544

metabolism of Nothrus silvestris. 2000

in relation to metepa in Musca domestica. 3509 methods for measuring in aquatic invertebrates.

in relation to 1-methyl-2-mercaptoimidazole in Lepidoptera. 5293

in relation to 6-methyl uridine in Lepidoptera. 5293

mitochondrial oxidation of fatty acids in Lucilia cuprina. 1127

mode of action of nicotinoids, pyrethroids and rotenoids on reproductive system in Insecta. 4539

muscles controlling position of abdominal airguide in Lethocerus americanus. 1545

neural patterns associated with ventilatory movements in Odonata larvae. 3425

in relation to neurohormones during development of Calliphora erythrocephala. 5246

not adapted to aquatic life in Acentropus niveus. 3906

of Notiphila riparia larva. 2174

O<sub>2</sub>-consumption during flight in Apis mellifera.

O<sub>2</sub>-consumption in overwintered adults of Perillus bioculatus. 2642

in relation to  ${\rm O}_2$  partial pressure in adult Donacia simplex. 5213

O<sub>2</sub>-uptake in adult Coccinella septempunctata bruckii. 1090

O<sub>2</sub>-uptake of flight-muscle of Calliphora in relation to temperature. 2028

O<sub>2</sub>-uptake in Tenebroides mauritanicus at reduced atmospheric pressure. 2608

pentose phosphate pathway in larval development of Apis mellifera. 2015

in relation to Periplaneta americana brain extract in Calliphora erythrocephala. 5246

physiology of developmental stages of Chironomus strenzkei. 3908

physiology of last-larval instar of Donacia simplex in relation to the ecology. 1087

plastron respiration in adult Myxophaga. 1999 plastron respiration of insect egg-shells. 1089 in Pyrrhosoma nymphula larva. 5099

respiratory system in relation to metabolic rate in Arachnida. 4503

respiratory system of Tetrigidae. 170

spiracles and tracheal system of adult Acentropus niveus. 3906

spiracular behaviour in Aedes aegypti and Ae. triseriatus in relation to external conditions 4504

spiracular responses of Aedes to  $\mathrm{CO}_2$  and  $\mathrm{O}_2$  . 4506

in relation to starvation in Lycosa T-insignita. 1544

temperature acclimation in Culex pipiens pipiens in relation to seasonal selection.

in relation to temperature in Lycosa T-insignit

in relation to temperature in Tendipes plumosu and Tendipes sp. 3618

in relation to tepa in Musca domestica. 3509, 4564

in relation to tepa-sterilization in Diabrotica undecimpunctata howardi. 3428

terminal respiration in mitochondria of 'Minute Drosophila melanogaster. 1345

thermal conductivity device for detecting discontinuous release of CO<sub>2</sub>. 4422

in relation to tree fertilization in lepidopteran larvae. 4797

ventilation receptors in Blaberus craniifer. 341 Reticulitermes (Isopt., Rhinotermitidae),

distribution and ecology in Europe. 6066 humidity and temperature in relation to weight and wood-consumption. 5886

ultrastructure and systematic position of Pyrsonympha vertens. 3143

Reticulitermes flavipes,

bioecological races in Europe. 6066 cold-hardiness. 2821

feeding responses to sound wood. 4762 present in Wisconsin, USA. 2821

sole representative of Isoptera in Wisconsin, USA, 2821

survival in sawdusts. 4773

temperature races. 5886

Reticulitermes lucifugus,

distribution damage caused in Yugoslavia. 936 ultrastructure of Pyrsonympha vertens. 4129 wood digestion and presence of succinate dehydrogenase in symbionts. 4868

Reticulitermes santonensis, probably a hybrid between flavipes and lucifugus. 6066

Reticulitermes virginicus,

feeding responses to sound wood. 4762 survival in sawdusts of wood. 4773

Retinene, replacement by vitamin A during swarm ing in Termes redemanni. 634

Réunion Island (Indian Ocean)

Schizomidae of. 492

Scolytidae from . 5652

Rhabdiopteryx (Plec., Taenopterygidae), Polish spp. 5767

Rhabdoblatta (Blatt., Epilampridae), new spp described. 3756

Rhabdomastax gen.n. (Orth., Eumastacidae), established and blanci sp.n. described. 4393

Rhabdomastix (Dipt., Tipulidae), immature stages and sp-groups. 1505

Rhabdophaga (Dipt., Cecidomyiidae), morphology and galls of albipennis and saliciperda. 5453

Rhabdophaga rosaria, morphs. 5667

Rhabdopsis (Col., Staphylinidae), new spp described. 5653

Rhabdorrhynchus menestriesi (Col., Curculionidae), general and Italian distributions. 3240

Rhabdoscelus obscurus (Col., Curculionidae), Lixophaga sphenophori established in Hawaii for control. 4110

Rhaconotus schoenobivorus (Hym., Braconidae),

parasitic on Tryporyza in Sarawak. 5498 Rhaebus solskyi (Col., Bruchidae), oʻgenitalia described. 1164

Rhaeidia (Arach., Acari, Prostigmata), new spp from Japan. 504

Rhaetulus didieri (Col., Lucanidae), redescribed.

Rhagidiia longisensilla (Arach., Acari, Prostigmata), redescribed. 2825

Rhagio scolopaceus (Dipt., Rhagionidae), head morphology and feeding of larva. 1970 soluble proteins of developmental stages. 1134

Rhagionidae (Dipt.), 1134, 1430, 1864, 1970, 4309 from S.Spain. 1864

Rhagoletis (Dipt., Tephritidae),

distribution. 933

ethylene chlorobromide, ethylene dibromide and methyl bromide as fumigants. 5339

feeding. 933

host specificity. 2859

mating. 933, 2859

in a Prunus serotina orchard in N.E.Wisconsin, USA. 943

speciation via sympatric host-race formation. 933

spp absent and present in an area of N.E. Wisconsin, USA. 943

Rhagoletis cerasi, colour, light and olfactory responses. 5212

Rhagoletis fausta, from Prunus cerasus in Wisconsin, USA. 5436

Rhagoletis mendax, separate from Rh.pomonella on serological evidence. 991

Rhagoletis pomonella,

artificial medium. 2569

attraction to baited and unbaited lures. 2720 attraction to red spheres and yellow panels in

combination. 5127

bloating disease of adults. 2136

emergence in relation to hour-degree
Fahrenheit soil-temperature summations.

Rhagoletis suavis,

attacking Prunus persica in New York, USA. 1704 oviposition and development in peaches. 1704

Rhamnaceae, feeding sites, host ranges and phenology of Insecta in Europe. 3591

Rhamnus cathartica (Rhamnaceae), Insecta for control in Canada. 3591

Rhamnus japonica (Rhamnaceae), primary host of Aphis gossypii. 6017

Rhamphomyia (Dipt., Empididae), prey of Lasiopogon polensis sp.n. in Wyoming, USA. 2939

Rhamphomyia sulcata, soluble proteins of developmental stages. 1134

Rhangonycha (Col., Cantharidae), new synonomy. 967

Rhaphidothrips longistylosus (Thysanopt., Thripidae), new for Britain. 3272

Rhaphiocerinae (Dipt., Stratiomyidae), new taxa from Mexico and key to genera. 3320

Rhegmoclema (Dipt., Scatopsidae), new spp described and key to spp. 76, 5028

Rhegmoclematini (Dipt., Scatopsidae), of Palaearctic reviewed. 76

Rhegmoclemina (Dipt., Scatopsidae), reviewed. 76 Rheocricotopus (Dipt., Chironomidae),

European spp revised, new spp described and key to spp. 3317

pupae. 3317

Rheorthocladius (Dipt., Chironomidae), associated with Spongilla fragilis in Savannah R., USA. 1692

Rheumatobates aestuarius sp.n. (Hem., Het., Gerridae), described. 2965

Rhexidermus huardi (Hym., Ichneumonidae), parasitic on Platyptilia pica cratea in California, USA. 3580

Rhexosa subnitens (Dipt., Scatopsidae), Rh.zacheri syn. of. 5028

Rhicnodes (Col., Tenebrionidae), syn.n. of Chaetyllus. 2928

Rhimphoctona atrocoxalis (Hym., Ichneumonidae), larva described. 3039

Rhinacloa forticornis (Hem., Het., Miridae), temperature in relation to development. 5307

Rhingia siwalikonsis sp.n. (Dipt., Syrphidae), described. 5030

Rhinocoris iracundus (Hem., Het., Reduviidae), morphs and new synonomy. 5714

Rhinocoris linnavuorii sp.n., described. 997 Rhinoecius (Arach., Acari, Dermanyssidae),

evolution. 510 Rhinolophus (Chiroptera), Argas boueti on bochari-

cus and ferrumequinum in USSR. 5564
Rhinomyzini (Dipt., Tabanidae), new for S.America.

Rhinonyssinae (Arach., Acari, Dermanyssidae), compared with Macronyssinae, and phylogeny. Rhinonyssus (Arach., Acari, Dermanyssidae), evolution. 510 Rhinopomyzella gen.n. (Dipt., Pseudopomyzidae), established and new spp described. 57 Rhinotermes magnificus (Isopt., Rhinotermitidae), frontal gland. 2041 Rhinotermitidae (Isopt.), 207, 936, 2041, 2168, 2821, 3143, 4129, 4762, 4773, 4867, 4868, 4878, 5886, 6066 types in Museum Zoologicum Bogoriense, Indonesia. 951 Rhipicephalus sanguineus (Arach., Acari, Ixodoidea), amino acids, glucose and inositol utilized by nymphal cells in vitro. 1139 circadian rhythm of "drop-off". 2760 further introduction into Denmark from Africa. in vitro culture of cells. 600 life-cycle in Denmark. 2196 occurrence in London, England. 3151 neutrophils in relation to formation of feeding lesion on dogs. 4050 Rhithrogena degrangei sp.n. (Ephem., Heptageniidae), described, 5688 Rhithrogena hercynia sp.n., described. 2963 Rhizobium (Bacteria), fate in gut of larval Bibio marci. 3919 Rhizoglyphus engeli sp.n. (Arach., Acari, Acaridae), described. 11 Rhizoglyphus robini, Rh.solani not a synonym of. 11 Solanum tuberosum as type-host. 11 Rhizomaria piceae (Hem., Hom., Aphididae), redescribed. 553 Rhizopertha dominica (Col., Bostrychidae), behaviour in temperature gradient. 5887 development on bulgur and wheat. 693 habitat disturbance in relation to interaction with Sitophilus zea-mays. 1718 reproduction on cereals. 738 RH and temperature in relation to egg-hatch and larval development. 5292 Rhodacaridae (Arach., Acari), of Riparia riparia in Switzerland. 4106 Rhodanella minos (Collem., Isotomidae), redescribed. 1857 Rhodanella plumosa, described. 4291 Rhodesia. Chironomidae from L.Kariba. 537 new Gryllidae from . 363 new Pteromalidae from . 4360 new Scelionidae from . 5060 new Staphylinidae from . 3312 parasites of Glossina morsitans and G.pallidipes

Rhodnius (Hem., Het., Reduviidae), revision and Rhodnius neglectus, Rhodnius prolixus, bacteria from gut. 2005 biology and vector capacity. 4707 corpora allata. 5896 development of Trypanosoma rangeli in haemohaemocytes and role in wound repair. 4510

ion and water movements in Malpighian tubules. method for establishing rate of natural infection with Trypanosoma. 4687 mode of functioning of adhesive pads. 4445 natural infection with Trypanosoma cruzi and T.rangeli in Colombia. 4687 respiratory metabolism following injury. 5256 sublethal high temperature in relation to larval fat-body. 3452 temperature resistance. 155 ultrastructure of CA. 5896 ultrastructure and dark-adaptation of compound eyes. 5195 ultrastructure of mandibular and maxillary nerves. 4486 ultrastructure of pylorus. 5223 ultrastructure of sensory nerve-fibres. ultrastructure of type-B dermal glands. uric-acid synthesis from formate and glycine. vinblastine sulphate in relation to microtubule organization of ovary. 5908 water-permeability of integument. 155 Rhodocoris perplanus gen. et sp.n. (Hem., Het., Miridae), described. 5707 Rhododendron (Ericaceae), Orthosia hibisci attacking in Maryland and Virginia, USA. 5447 Rhododendron arboreum, host of Macrosiphoniella spinipes rhododendri subsp.n. in India. 2979 Rhodometra sacraria (Lep., Geometridae), genetics of labda and sacraria forms. 3646 Rhodonympha gen.n. (Lep., Tortricidae), established. 122 Rhogas nr. pallidator (Hym., Braconidae), parasitic on Earias in Gujarat, India. 4783 Rhogas praetor, parasitic on Leucoma salicis in Romania. 2220

Primor'e, USSR. 5571

rotundus rotundus. 5967

Minais Gerais, Brazil. 5511

in relation to antibiotics in food. 2120

infected by Trypanosoma cruzi from Desmodus

IH activity of methyl-14, 15-epoxygeranylgeran-

from palm trees in Uberaba Municipality,

key to spp. 4325

coel. 5165

puparia. 798

Rhodesiella pallipes (Dipt., Chloropidae), new for

- Rhombomys opimus (Rodentia), surface distribution of Phlebotominae in relation to burrow distribution in a sandy desert. 6050
- Rhopaea demarzi sp.n. (Col., Scarabaeidae), described. 4986
- Rhopaea morbillosa, effects of larvae on clover and grasses. 2122
- Rhopalia (Dipt., Mydaidae), new spp described. 5673
- Rhopalidae (Hem., Het.), 2215, 5599 new for Congo-Brazzaville. 5599 of Romania. 2215
- Rhopalobrachium (Col.), redefined and transferred to Phloeostichidae fam.n. 964
- Rhopalobrachium clavipes, larva described for first time. 964
- Rhopalocera (Lep.),
  - authorship of synopses of N.American taxa published in 1878-1885. 3280
  - biogeography of Indian fauna in relation to continental drift. 2879
  - distribution of neopterobilin and pterobilin. 1142 from Tanzania.  $41\,98$
  - of Nepean, Norfolk and Philip Islands. 2865 new for E.Africa. 4198
  - new for Niokolo-Koba National Park, Senegal. 2237
  - from N.E.Danube Delta, Romania. 2223 relative densities. 1983
- Rhopalopsole fermina sp.n. (Plec., Leuctridae), described. 3014
- Rhopalosiphum (Hem., Hom., Aphididae), of Denmark. 2869
- Rhopalosiphum insertum, control by Boriomyia subnebulosa in N.Germany. 313
- Rhopalosiphum maidis,
  - air-temperature and light-intensity in relation to take-off. 820
  - Aphelinus varipes as parasite in France. 5410 ovipara from Triticum at Delhi, India. 4809
- Rhopalosiphum padi, supercooling points and mannitol and glycerol contents of overwintering eggs. 1568
- Rhopalum clavipes (Hym., Sphecidae), new for Romania. 2217
- Rhopalus lividus (Hem., Het., Coreidae), new for France. 5705
- Rhophitoides canus (Hym., Halictidae), pollinator of Medicago sativa in Hungarian Great Plain. 1280
- Rhopolophora rugicollis (Col., Cerambycidae), host plant, larval habits and parasites in Texas, USA. 5445
- Rhorus binotatus (Hym., Ichneumonidae), species valid. 110
- Rhotidioides montana (Hem., Hom., Cicadellidae), endosymbionts. 4053
- Rhotopota (Lep., Olethreutidae), new spp described. 1021
- Rhus (Anacardiaceae), nesting of Solierella

- blaisdelli and S.peckhami. 4740
- Rhus diversilobiella, host of Caloptilia diversilobiella sp.n. in California, USA. 3004
- Rhus ovata, host of Caloptilia ovatiella sp.n. in California, USA. 3004
- Rhyacionia (Lep., Olethreutidae), distribution of buoliana and pinicolana in Fennoscandia. 1797
- Rhyacionia buoliana,
  - fatty-acid composition of larvae. 1121
  - improved technique for mating in laboratory. 5777
  - mechanisms of resistance of Coniferales. 5442
  - protection of tree-stands by fertilization in GFR. 4797
- Rhyacionia duplana simulata, host of Itoplectis cristatae in Japan. 276
- Rhyacionia frustrana, prey of Araneae. 5494 Rhyacionia zozana, laboratory mating. 5777 Rhyacophila (Trich., Rhyacophilidae),
  - biology and ecology in Italian caves. 863
  - biology, ecology and feeding in experimental stream. 769
  - evolution, morphology, phylogeny, reproduction and taxonomy. 5774
  - larvae of nublia, obliterata and pascoei. 1486 new spp described. 5774
- Rhyacophila armeniaca, new for Romania. 2539 Rhyacophila fasciata, upstream movements in a
- stream in S. Sweden. 2815
- Rhyacophila mocsaryi, distribution and morphology. 2539
- Rhyacophila pascoei, new for Lithuania. 4197 Rhyacophilidae (Trich.),
  - 769, 863, 1486, 2539, 2815, 4197, 5774 evolution, morphology, phylogeny, reproduction
- and taxonomy. 5774
  new spp of Microsporida from larvae. 4133
- Rhyncaphytoptidae (Arach., Acari), phylogeny.
- Rhynchaenus (Col., Curculionidae),
  - host-plants, nomenclature and synonymy of alni and testaceus. 5642
  - hungaricus and sparsus differentiated. 2486
- Rhynchaenus fagi, chitinous thread from larval gut. 179
- Rhynchaenus quercus, adaptation to the leafmining habit. 1706
- Rhynchocynonopus gen.n. (Arach., Acari, Sarcoptiformes), established. 1823
- Rhynchomolpus gen.n. (Col., Chrysomelidae), established. 1408
- Rhynchomydaea (Dipt., Muscidae), redefined. 3318
- Rhynchosciara (Dipt., Sciaridae),
  - americana and mathildae sp-groups established. 540
  - angelae, hollenderi and molleri differentiated by haemolymph electrophoresis. 4507

Rhynchosciara (Dipt., Sciaridae), contd.

DNA-synthesis at chromosome-puffs. I120

new spp described. 540

Neotropical spp revised. 540

Rhynchosciara angelae,

chromosome behaviour in nurse-cells and oocytes during oogenesis. 1205

DNA- and RNA-synthesis in relation to dosagecompensation. 1754

DNA- and RNA-synthesis in nurse-cells. 1205 haemolymph protein patterns. 4507

newly synthesized RNA from salivary glands.

4533 polytene chromosome behaviour in vitro. 1324 protein synthesis in oocytes. 1205

RNA-synthesis in larval salivary glands during development. 1131

Rhynchosciara hollaenderi, DNA complementary to rRNA in polytene chromosomes. 5538

Rhynchosia americana (Leguminosae), host-plant of Acanthoscelides distinguendus in USA. 2479

Rhynchospora (Cyperaceae), host of Schizotetranychus rhynosperus sp.n. in Brazil. 3288

Rhyncoribates (Arach., Acari, Oribatei), S.American spp keyed. 2462

Rhyparida (Col., Chrysomelidae), spp transferred to new genera of Nodinini. 1408

Rhyparidella gen.n. (Col., Chrysomelidae), established. 1408

Rhyparochrominae (Hem., Het., Lygaeidae), World taxa revised. 4317

Rhyparochromus inornatus (Hem., Het., Lygaeidae), transferred to Remaudiereana. 4317

Rhysida lithobioides (Myriap., Chil.), subspp abessynica and paucidens probably identical. 1383

Rhysotritia ardus penicillata subsp.n. (Arach., Acari, Oribatei), described. 3723

Rhysotritia loricata, new for Romania. 2463

Rhyssa (Hym., Ichneumonidae), diagnosed and spp keyed. 1920

Rhyssa amoena, immature stages described. 4438 Rhyssa persuasoria,

ecology in relation to Sirex dux and Urocerus argonautarium in N.W.Kavkaz, USSR. 5481 immature stages described. 4438 new morphs described. 1920

Rhyssella (Hym., Ichneumonidae), diagnosed and spp keyed. 1920

Rhyssemus canaliculatus sp.n. (Col., Scarabaeidae), described. 1852

Rhyssini (Hym., Ichneumonidae), genera and spp keyed. 1920

Rhythms,

of activity in Periplaneta americana. 5253 activity rhythms of Dysmachus fuscipennis. 2092 annual and daily periodicity of drift activity of Hydracarina. 5385

biting rhythm of Culex tritaeniorhynchus

summorosus, 1683

brain neurons controlling circadian rhythm of behaviour in Acheta domestica. 1066

changes with development in Drosophila melanogaster. 3471

circadian changes in protein-synthesis in neurosecretory cells of CNS in Acheta domestica. 2587

circadian rhythm of acetylcholinesterase activity in Acheta domestica brain. 3403

circadian rhythm of adult emergence in Hyphantria cunea. 233

circadian rhythm of 'drop-off' in engorged ticks.  $2760,\ 5395$ 

circadian rhythm of flight-activity of Aedes aegypti. 1232

circadian rhythm of oviposition in Chorthippus curtipennis. 5310

circadian rhythm of pyrethrum susceptibility in Leucophaea maderae and Musca domestica. 4576

circadian rhythm of RNA-synthesis in neurosecretory cells of brain and sub-oesophageal ganglion in Acheta domestica. 617

circadian rhythm of salivary glands in Drosophila melanogaster. 3471

circadian rhythm of spontaneous electrical activity in CNS of Insecta. 1068

circadian rhythm of timing of adult emergence in Hyphantria cunea. 233

circadian rhythms of respiration in colonies of Cubitermes. 4866

circadian and seasonal rhythms in terrestrial Arthropoda. 4448

of daily activity in Simuliidae in Taimyr National District, USSR. 4719

diel activity patterns of Petrobius brevistylis and P.maritimus. 5475

diel activity patterns of trichopteran larvae.

diel periodicity of invertebrate drift in an English Lake District stream . 2781

diel periodicity of RNA-synthesis in epithelial cells of egg vesicles in Acheta domestica. 5946

diel rhythm of larval activity in Culicidae. 5094 diurnal emergence rhythm in Molophilus ater. 2090

diurnal rhythm of honeydew production in Ceroplastes pseudoceriferus. 2008

diurnal rhythms of adult emergence and oviposition in Euxoa ochrogaster. 4034

endogenous activity rhythms of larval Potamophylax stellatus, 1540

endogenous rhythm of photoperiod reaction in Drosophila phalerata. 5925

endogenous rhythm of pupation in Dacus oleae. 5125

feeding periodicity in Acroneuria california. 2110

Rhythms, contd.

flight periodicities of Culicidae in Britain. 2166 light in relation to activity rhythm of Euthypoda acutipennis. 4717

light in relation to circadian rhythm of locomotor activity in Acheta domestica. 3949

light-control of activity rhythm in aquatic Insecta. 2096

light in relation to oviposition rhythm in Oligonychys coffeae. 1626

light in relation to shifts in circadian rhythm of emergence in Drosophila pseudoobscura.

light-refractive rhythm of adult emergence in Megachile rotundata. 4603

locomotor activity not coincident with lightreactions in Coleoptera, Diptera, Lepidoptera and Orthoptera. 5848

mating in relation to activity rhythms of  $\[ \]$  Pogonomyrmex californicus. 1731

of metabolic and physiological processes in larvae and pupae of Aedes taeniorhynchus.  $6974\,$ 

method for calculation of activity rhythms . 3419

nervous control of flight apparatus and other rhythmic systems in Insecta. 1065

neural patterns associated with ventilatory movements in larval Odonata. 3425

neuronal control of circadian rhythms of locomotor activity in Acheta domestica. 5837

of O<sub>2</sub>-uptake in Periplaneta americana in relation to starvation. 1998

periodicity in Clunio marinus populations. 1734

photoperiodic 'clock' of Nasonia vitripennis.

rhythmic reproductive cycle of Periplaneta americana. 3101, 5942

rhythmicity of dawn timer controlling diapause in Laspeyresia pomonella. 1186

rhythmicity of pit-building behaviour in Myrmeleon obscurus larva. 750

rhythmicity of population fluctuation in laboratory populations of Drosophila melanogaster. 3626

of RNA-synthesis in neurosecretory cells of brain and suboesophageal ganglion of Acheta domestica. 617

seasonal periodicity in migratory flight-activity of Drepanosiphum platanoides. 2137

seasonal rhythmicity of background sound in Apis mellifera colonies. 6067

self-regulation of circadian activity in Carabus cancellatus. 3419

sex-dimorphism in diurnal rhythms of Insecta. 3557

temperature rhythm regulating diapause in Saturnia pyri. 5926

Rhytidodus (Hem., Hom., Cicadellidae), reviewed, spp keyed and new spp described. 558, 5042 Rhytidoponera metallica (Hym., Formicidae), polymorphism of chromosome number in populations from Victoria, Australia. 904

Rhyzobius litura (Col., Coccinellidae), abdominal spinules. 1972

overwintering at Kew, London, England. 2097

Ribautodelphax gen.n. (Hem., Hom., Delphacidae), established and new spp described. 5701

Ribes (Grossulariaceae), biology of Eriosoma ulmi in Warszawa area, Poland. 4039

Ribes grossularia, new Tarsonemus from. 1827 Riboflayin.

in relation to development of Neomyzus circumflexus. 2079

from o' Formica polyctena. 4543

Rice, see Oryza sativa

Rice leaf folder, see Cnaphalocrosis medinalis Rice leaf-whorl maggot, see Hydrellia philippina

Rice stem borer, see Chilo suppressalis

Rice thrips, see Thrips oryzae

Rice weevil, see Sitophilus zeamais

Ricinulei (Arach.), 757

anatomy and biology. 757

Ricinus communis (Euphorbiaceae) (castor oil plant).

Dichocrocis punctiferalis larvae in capsules attacked by Goniozus delhiensis sp.n. 3795

Indoseius ricini gen. et sp.n. on leaves in Madras, India. 4231

Thuricide for control of Achaea janata. 5357 Rickettsiella cetonidarum sp.n. (Rickettsiales), from Cetonia larva in Madagascar. 5168

Rickettsioses, in relation to Ixodoidea in Switzerland. 4187

Riodinidae (Lep.), 1019, 4731

Riparia riparia (Aves),

host of Ornithomyia comosa in S.Kazakhstan, USSR. 4930

parasites and nest commensals in Switzerland.

Ripersia delassusi (Hem., Hom., Pseudococcidae), transferred to Amonostherium. 2977

Risbecocoris quadrocephalus gen. et sp.n. (Hem., Het., Coreidae), described. 3780

Rivellia hispanica sp.n. (Dipt., Platystomidae), described. 58

RNA,

actinomycin D in relation to synthesis in larval Chironomus tentans. 216

actinomycin D in relation to synthesis in larval Malacosoma disstria. 5540

actinomycin D in relation to synthesis in Tenebrio molitor. 4610

aminoacyl-tRNA-binding enzymes from Drosophila melanogaster larvae. 4541

apholate in relation to synthesis in Aedes aegypti. 2624

associated with extra-chromosomal DNA in early oogenesis in Acheta domestica. 4004 6-azauridine in relation to synthesis in RNA. contd.

Pyrrhocoris apterus. 1200

base ratios of RNA from a Balbiani ring of Chironomus tentans. 6078

circadian changes in synthesis in neurosecretory cells of brain and sub-oesophageal ganglion of Acheta domestica. 617

cycloheximide in relation to synthesis in larval Chironomus tentans. 216

cytoplasmic and nuclear RNA from pupal Tenebrio. 203

of developing oocytes of Argas persicus, 4635

diel rhythm of synthesis in epithelium cells of egg vesicles in Acheta domestica. 5946

of DNA body of oocytes in Acheta domestica. 5534

DNA complementary to rRNA in polytene chromosomes of Diptera. 5538

dosage compensation in relation to synthesis in chromosome puffs of Drosophila melanogaster. 3654

ecdysone in relation to synthesis in fat-body nuclei of Calliphora erythrocephala. 4553

ecdysone in relation to synthesis in larval Antheraea pernyi. 5243

of fat-body during oogenesis in Pyrrhocoris apterus. 1200

in relation to growth of Lasioderma serricorne.

hempa in relation to synthesis in Aedes aegypti.

in relation to hormone deprivation in ovarioles of Galleria mellonella. 3999

hormones in relation to RNA-polymerase activity in fat-body nuclei of Calliphora erythrocephala. 1126

hormones in relation to synthesis in imaginal wing-discs of Philosamia cynthia ricini. 3510

hybridization with DNA in formamide solution.

hybridization with DNA of reiterated sequences in Aedes, Drosophila and Schistocerca, 4147

incorporation into salivary gland in larval Chironomus thummi and Drosophila melanogaster. 3069

JH in relation to synthesis in fat-body nuclei of Calliphora erythrocephala. 4553

low-molecular-weight RNA of salivary gland of Chironomus tentans. 1567

of main salivary gland of Myzus persicae. 5895 metabolism in nurse-cell nuclei of Drosophila melanogaster. 3506

metabolism in nurse-cell nucleoli in Musca domestica. 723

method for determination of molecular weight.

mitomycin C in relation to synthesis in Tenebrio molitor. 4610

mobility and molecular weight of rRNA of Drosophila. 653

newly-synthesized RNA from salivary glands of Rhynchosciara angelae. 4533

nucleotide sequences of tRNA cistrons of Drosophila melanogaster. 199

peptide derivatives of rRNA from silk-gland of Bombyx mori. 1570

phosphorus levels during metamorphosis in Philosamia ricini. 4625

of polytene chromosomes of Chironomus tentans. 5541

of population of Tribolium castaneum. 5309

potassium in relation to RNA-polymerase activity in fat-body nuclei of Calliphora erythrocephala. 1126

rapidly labelled RNA from posterior silk-gland in Bombyx mori. 2025

ribosomes from adult Acheta domestica.

rRNA of Drosophila virilis. 2839

tRNA in relation to protein-synthesis in Drosophila melanogaster, 195

RNase resistance and temperature stability of DNA-rRNA hybrids in Drosophila melanogaster. 199

sex-dimorphism of nuclear synthesis in Drosophila melanogaster. 3653

sodium in relation to RNA-polymerase activity in fat-body nuclei of Calliphora erythrocephala. 1126

starvation in relation to RNA content of nursecell nuclei in Musca domestica.

streptomycin inducing mistakes in translation in Bombyx mori. 4891

in symbionts of Psylla pyricola. 2743

synthesis in a Balbiani ring in Chironomus tentans. 5543

synthesis in developing ovaries of Culex fatigans. 263

synthesis in developing ovaries of Musca domestica. 1644

synthesis in relation to dosage compensation in Drosophila melanogaster, 200

synthesis in fat-body of adult Tenebrio molitor.

synthesis in giant chromosomes. 3217 synthesis in imaginal discs of Drosophila melanogaster cultured in vitro. 591

synthesis in larval Drosophila melanogaster.

synthesis of nucleolar RNA in relation to DNA-

body in oocytes of Acheta domestica. 4547 synthesis in nurse-cells of Rhynchosciara angelae. 1205

synthesis in ovarioles of Notonecta glauca. 4588 synthesis in polytene chromosomes of Chironomus tentans. 6079

synthesis in polytene chromosomes of Rhynchosciara angelae in vitro. 1324

RNA, contd.

synthesis in polytene nuclei from salivary glands of Drosophila hydei. 662

synthesis during reproduction in Lepismodes inquilinus. 1637

synthesis in Rhynchosciara angelae. 1754 synthesis of rRNA in Drosophila virilis. 2839

synthesis in salivary glands of Rhynchosciara angelae during larval development. 1131

synthesis in trophocytes of pupal Galleria mellonella. 3966

template-active RNA from nuclei of pupal Tenebrio molitor, 203, 3072

template-active RNA from nuclei of pupal Tenebrio in relation to protein-synthesis in vitro. 203

in relation to tumour transmission in Locusta migratoria. 3439

from wing epidermis of Hyalophora cecropia in relation to amino-acid incorporation in ribosomal systems in vitro. 651

#### RNase,

action on polysomes of Drosophila melanogaster in vitro. 196

activity of ribosomal and soluble fractions from Acheta domestica. 4540

in relation to nuclear ultrastructure in salivary glands of larval Drosophila virilis. 3929

resistance of DNA-rRNA hybrids in Drosophila melanogaster. 199

RO-4-1038/1, in relation to endogenous activity of CNS in Nauphoeta cinerea. 618

Robertus lyrifer (Arach., Aran.), new for Norway.

#### Rodentia,

biology and taxonomy of intranasal Trombiculidae. 4237

distribution of Acaroidea in nests in Poles'ye of Belorussia. 1292

feeding of Simulium at Darjeeling, India. 4821 host-feeding associations of Culicidae in Wisconsin, USA. 4752

hosts of Ixodes himalayensis sp.n. in Himachal Pradesh, India. 4225

hosts of Ixodidae in E.C.Oklahoma, USA. 4775 hosts of Mylatrombicula caucasica sp.n. in

Azerbaydzhan, USSR. 4979 Laelapidae from in Laos and Vietnam. 4971 Lutzomyia olmeca probably sole vector of

rodent leishmaniasis in British Honduras.

Mycoptidae from in Belgium and Netherlands. 6008 Myonyssus tuberosus sp.n. from in Nepal. 4972 Ornithodoros coniceps and O.tartakovskyi in

burrows on Mangyshlak Peninsula, USSR.
4785

population dynamics of Siphonaptera in Belorussia. 1809

Siphonaptera of Germany. 4092

Trombiculidae in Raif district, Volga-Kama State Reserve, USSR. 4835

Rodriguez Island (Indian Ocean), Schizomidae of. 492

Roepkea (Hem., Hom., Aphididae), reviewed, keyed and new spp described. 3335

Rogadinae (Hym., Braconidae), Acanthorhogas, Brachycentrus, Mesocentrus, Neoclinocentrus and Semirhytus removed from. 1908

Rogarmycin, effects on Rhodnius prolixus. 2120 Rogas (Hym., Braconidae), status discussed and spp removed from. 1908

Romalea microptera (Orth., Acrididae),

chiasma-frequency in relation to thymidine switch-points. 3648

information processing in optic lobes. 3880 ketone from ant-repellent secretion. 185

#### Romania,

Acari new for . 2746

Acari parasitic on small mammals in Dobrogea. 2746

Acroceridae new for. 2205

Asilidae new for . 2205

Auchenorrhyncha from N.E.Danube Delta. 2216 benthic fauna of rivers in 'Iron Gates' dam area.

biology of Dysmachus fuscipennis. 2092 biology of Phymatodes fasciatus in relation to Vitis sylvestris in N.E.Danube Delta. 2127

biology of Ulobaris Ioricata. 2098

Bombyliidae from Letea I., Danube Delta. 2207 Brachycera from Letea I., Danube Delta. 2206

Braconidae from Dobrogea. 2220

Braconidae from N.E.Danube Delta. 2221

Braconidae new for. 2220, 2221

Chrysididae from N.E.Danube Delta. 2222

Chrysididae new for . 2222

Coccinellidae of Bucuresti area. 1795

Coleophoridae new for . 2126

Coleoptera from N.E.Danube Delta. 2199, 2200

Coleoptera new for. 2200 Conopidae new for. 2205

Corizidae of, 2215

Crambidae new for . 1932

Ctenophthalmus capriciosus subspp of. 584

Diplocephalus revised. 1830

Diptera new for . 2125

larva of Agrion ornatum from . 3038

distribution of cave fauna. 5562

distribution of Chironomidae in Razelm complex, R.Danube, in relation to salinity. 4120

fauna on Phragmites and Typha in Danube Delta. 2824

Halacaridae new for Black Sea coast. 2866

Heteroptera from N.E.Danube Delta. 2214

Hydraenidae from . 24°1

 $Hydraenidae \ new \ for. \ 2491$ 

Hymenoptera new for. 2520 Hymenoptera of S.Walachia. 2218

Ichneumonidae new for . 1919, 1920

Romania, contd.

Ichneumonidae of Danube Delta. 1919

insect fauna and zoogeography of Letea I.,

Danube Delta. 2195

leaf-mining insects. 2125

leaf-mining insects of N.E.Danube Delta. 2124

Lepidoptera from Letea I., Danube Delta. 2223

Lepidoptera mining plants. 2126

Lepidoptera new for. 2125, 2223

Mantodea from N.E.Danube Delta. 2226

Myrmeleonidae from N.E.Danube Delta. 2227

Nepticulidae new for . 2126

Neuroptera from N.E.Danube Delta. 2228

new Asilidae from . 1867

new Bethylidae from . 2520, 5722

new Cecidomyiidae from . 1872

new Crambidae from . 1932

new Curculionidae from . 2485

new Dermanyssidae from . 2460

new Diptera from . 2124

new Geophilidae from . 1952

new Hydraenidae from . 2491

new Hydropsychidae from . 2539

new Ichneumonidae from . 1919, 1920

new Lepidoptera from . 2124

new Methocidae from . 568

new Mutillidae from . 5736

new Mycetophilidae from . 68

new Nemastomatidae from . 1831

new Oribatei from . 2463

new Panorpidae from . 1941, 4388

new Pseudoscorpiones from . 3295

new Scelionidae from . 3809

new Tetragnathidae from . 2198

new Tipulidae from . 2959

Odonata of Danube Delta and their zoogeography.

Odonata new for, 1808

Odonata of islands of Danube Delta. 1808

Orthoptera from N.E. Danube Delta. 2226

Insigniporus of. 1952

Pachymerium of. 1952

Panorpa of. 1941

Philonthus of and morphs new for . 1854

Pompiloidea from N.E.Danube Delta. 2219

Raphidiidae from N.E.Danube Delta. 2228

Rhopalidae of. 2215

Rhyacophilidae new for . 2539

Sarcophagidae new for . 2204

Scolioidea from N.E.Danube Delta. 2219

Siphonaptera from rodent nests. 2229

Sphecidae new for . 2217, 2219

Sphecoidea from N.E.Danube Delta. 2219

Stratiomyidae new for . 2206

Symmocidae of. 2225

Syrphidae from Letea I., Danube Delta. 2210

Syrphidae new for . 2210

Tachinidae new for . 2204

Tenthredinidae new for . 2217

Tenthredinoidea from N.E. Danube Delta. 2219

Therevidae new for. 2205, 2206

Tipulidae from N.E.Danube Delta. 2211 Trichoptera from Jiu and Olt rivers. 2359

Trichoptera from N.E.Danube Delta. 2230

Vespoidea from N.E.Danube Delta. 2219

Romanomermis (Nematoda), factors affecting infections in larval Culex pipiens quinque-fasciatus. 5342

Roncus (Arach., Pseudoscorp.), new cave form from Sardegna. 439

Roncus lubricus,

life-cycle, longevity and phenology. 4854 ultrastructure of nerve-sheath. 1989

Roncus (Parablothrus) permae sp.n., described.

Rondania rubens sp.n. (Dipt., Tachinidae), described. 1865

Ronisia torosa (Hym., Mutillidae), new for Romania. 2219

Ronnel, control of Neoschoengastia americana on turkeys. 5348

Roptrocerus xylophagorum (Hym., Torymidae), biology in relation to Ips in Virginia, USA. 4733 Rosa (Rosaceae),

behaviour, reproduction and survival of Chaetosiphon fragaefolii. 2700

biology of Arge pagana in Belorussia. 1227

host of Paria fragariae kirki subsp.n. in south-eastern USA. 4272

Orthosia hibisci as pest in Maryland and

Virginia, USA. 5447 vaporized Pennsalt TD-5032 (hexamethylditin) for control of Spodoptera littoralis in greenhouses. 5963

Rosa indica, host of Singhiella crenulata sp.n. in Lyallpur, Pakistan. 3784

Rosa setigera, host of Paria pratensis sp.n. in Northern Plains States, USA. 4272

Rosaceae.

host index for Roepkea. 3335

pome-fruit pests and their control. 4810

probing behaviour of Chaetosiphon fragaefolii. 4770

Rosanovia hulthemiae gen. et sp.n. (Hem., Hom., Aleyrodidae), described. 4326

Rostrodispus subgen.n. (Arach., Acari), established in Microdispus. 1392

Rostrozetes (Arach., Acari, Oribatei), S.American spp keyed. 2462

Rotenoids, mode of action in Insecta. 4539

Rotifera, dispersal by Lethocerus uhleri in Texas, USA, 3169

Royal jelly, in relation to body-weight, eggviability, fecundity and longevity in Locusta migratoria cinerascens. 3508

Ruandanyssus (Arach., Acari, Dermanyssidae), evolution. 510

Rubia cordifolia var.mungista (Rubiaceae), primary host for Aphis gossypii. 6017

Rubrosterone, in relation to differentiation of eye-

Rubrosterone, contd.

antennal discs of Drosophila melanogaster in vitro. 3485

Rubsaamenia multinoda (Dipt., Cecidomyiidae), transferred to Camptomyia. 2941

Rubus (Rosaceae),

Apotoforma and Schrenckensteinia festaliella established in Hawaii for control. 4110 host of Tetranycopsis borealis sp.n. in Japan.

Rubus chamaemorus, host of Aphis rubiradicis sp.n. 2517

Rubus fruticosus, control in New Zealand by Coraebus rubi. 6027

Rubus idaeus (raspberry),

attractant for Glischrochilus quadrisignalus. 3116

behaviour, reproduction and survival of Chaetosiphon fragaefolii. 2700

nesting of Solierella blaisdelli and S.peckhami. 4740

Rubus lineatus, host of Aphis ruborum longisetosus subsp.n. in W.Bengal, India. 4328

Rubus spectabilis, host of Aulacorthum capilanoensis sp.n. 2517

Rumex obtusifolius (Polygonaceae),

rearing of Gastroidea viridula. 5786 virus transmission by Myzus persicae. 1282

Rutela lineola (Col., Scarabaeidae), type-sp of Diabasis. 4282

Ruttenia loxodontis (Dipt., Gasterophilidae), biology in relation to Loxodonta africana. 5416 Ryania,

in integrated control of aphids in apple or chards.  $5461\,$ 

in relation to population dynamics of Panonychus ulmi on apple. 6046

toxic to Attractotomus mali and Diaphnocoris.

Rybaxis Saulcy 1876 (Col., Pselaphidae), Bryaxis longicornis designated type-sp. 1415 Rye, see Secale cereale

Rymusia balachowskyi sp.n. (Dipt., Mycetophilidae), described. 67

Ryugadous (Col., Carabidae), spp keyed and new spp described. 522

Ryukyu Islands (Sea of Japan), Carcinophorinae from . 54



Sabacarus corneri gen. et sp.n. (Arach., Acari, Orbibotritiidae), described. 506

Sabia campanulata (Sabiaceae), Eurytoma sabiae sp.n. and Prodecatoma sabiae sp.n. from galls. 4352

Saccharicoccus sacchari (Hem., Hom., Pseudo-coccidae),

amino acids and carbohydrates of honey-dew. 1114

brachypterous morph. 5145

Saccharosydne saccharivora (Hem., Hom., Delphacidae), immature stages and lifehistory. 2719

Saccharum fuscum (Gramineae), food-plant of Proceras venosatus in Japan. 1281

Saccharum officinarum (Gramineae) (sugar-cane), free amino acids and sugars of leaf sap compared with those of Aeneolamia varia saccharina. 656

insect fauna in Egypt. 6058

plant sap and honey-dew of Saccharicoccus sacchari compared. 1114

population levels of Scirpophaga in Bangladesh. 4841

yield loss to cane borers in Egypt. 6012

Saccharum spontaneum, food-plant of Proceras venosatus in Japan. 1281

Saccinobacculus (Protozoa), ultrastructure in Cryptocercus punctulatus. 4129

Sahara desert,

ecology of Formicidae in great dunes of N.W. Sahara. 4827

new and previously known Bombyliidae from southern borderlands. 4297

Saimiri sciureus (Primata), transmission of Plasmodium brasilianum by Anopheles. 5809

St.Helena Island (Atlantic Ocean), Calosoma and related genera. 438

new Tetragnathidae from. 3292 Saissetia miranda (Hem., Hom., Coccidae),

valid sp. 5040 Saissetia neglecta sp.n., described. 5040 Saissetia oleae, primary parasites in Florida,

USA. 4778
Salda coriacea (Hem., Het., Saldidae), lectotype

designated . 551

Salda morio, habitats in Inverness-shire, Scotland. 3183

Saldidae (Hem., Het.), 551, 1375, 1552, 2975, 3183 dispersal of Algae, Fungi and Protozoa. 4131

483

Saldula orbiculata (Hem., Het., Saldidae), lectotype designated. 551

Saldula orthochila, habitats in Inverness-shire, Scotland. 3183

Saldula palustris, new for Hungary. 1375

Saldula separata, lectotype designated. 551

Saldula variabilis, new for Hungary. 1375

Salicylaldehyde, in defence fluid of Calosoma peregrinator. 2103

Salinity,

in relation to adult characteristics at emergence in Culicidae. 5281

in relation to distribution of Chironomidae in Razelm complex, R.Danube, Romania. 4120

in relation to faunal distribution pattern in coastal areas of Kiel, GFR. 4095

preferences and tolerances of larvae of Baltic brackish-water Trichoptera. 362

survival levels for Cenocorixa bifida and C. expleta. 3608

tolerance of Limulus polyphemus. 1587

Salix (Salicaceae),

biology of Euura, Phyllocolpa and Pontania in California, USA. 3538

Eurytoma salicigalla sp.n., and Eu. salicisaquatica sp.n. from Euura galls in California, USA. 4353

host of Cavaniella biswasi sp.n. in India. 2979 host of Pristiphora acidovalva sp.n. in Canada. 1458

life-history of Satyrium sylvinus dryope. 4038 Salix alba,

biology of Dorytomus hirtipennis. 3127 food-plant of Boarmia ribeata. 5978

Salix aurata, food-plant of Phyllocolpa coriacea in Sweden. 330

Salix cinerea, food-plant of Phyllocolpa coriacea in Sweden. 330

Salix pentandra, food-plant of Elasmostethus brevis in Sweden. 4802

Salix phylicifolia, food-plant of Pontania tuberculata in Sweden. 330

Salix subopposita, as diet in relation to haemolymph proteins of Hyphantria cunea. 3928

lymph proteins of Hyphantria cunea. 3928 Salix triandra, galls of Pontania proxima. 4060

Salmo trutta (Pisces), predator of Hexagenia limbata californica in a Californian (USA) warm-water reservoir. 4947, 5604

Salmonella (Bacteria),

carriage by Alphitobius diaperinus in poultry brooder-house populations. 4520

fate when fed to Dermestes maculatus. 588 Salmonella typhimurium,

haemocyte reactions in larval Galleria mellonella. 3063

suppression by other bacteria in gut of Calliphora vicina. 2013

Salts,

in relation to hypopial apolysis in Caloglyphus boharti. 1612

in relation to larval development of Trogoderma granarium. 257

salt stress in relation to brain neurosecretion in Melanoplus sanguinipes. 1055

tolerance levels of Trogoderma granarium on artificial diet. 257

Salt-marsh caterpillar moth, see Estigmene acrea Salt-marshes,

ecological distribution of larval Tabanidae. 4828 emergence and flight activity of Tabanidae in New Jersey, USA. 3543

Heteroptera in Volga Delta, USSR. 2786 Ichneumonidae on W. Coast of Schleswig-

Holstein, GFR. 5478 spatial structure of coast in relation to faunal distribution pattern at Kiel, GFR. 4095

Salticidae (Aran.),

of Babadag Forest, Dobrogea, Romania. 2197 ecology and phenology on a raised beach in England. 3555

eye and retina movements in response to visual stimuli. 1532

of Germany revised. 1396

metabolic rate in relation to respiratory surface and acclimation. 4503

predaceous on Choristoneura pinus in Michigan, USA. 3615

Simon's division of family untenable. 7 visual detection of prey. 1532

Salticus (Aran., Salticidae), cingulatus, olearii and scenicus redescribed. 1396

Salticus mutabilis, not a German sp. 1396

Salvia coccinae (Labiatae), trap crop for protection of cotton from Lygus vosseleri. 5438

Sambucus (Caprifoliaceae), nesting of Solierella blaisdelli and S.peckhami. 4740

Samoa (Pacific Ocean),

new Ceratopogonidae from. 2943

Rhabdionvirus oryctes in Oryctes rhinoceros populations in W.Samoa. 2801

Sampling,

artificial substrate device for benthic stream arthropods. 2542

Betalight traps for larval Culicidae . 5094

in relation to a Chorthippus parallelus population 1720 drift sampler driven by a waterwheel. 2549

UV-light not attractive to Glossina morsitans and G.pallidipes. 2734

mathematical model for pitfall-trap sampling of Diplopoda. 5490

of Diplopoda. 5490 method for Adelges piceae on Fraser fir. 1957

method for stored-product insects. 5105

methods for aphids. 596

methods for Formicidae. 336

methods for Glossina. 1958

methods for Grapholitha molesta. 4081

methods for Nephotettix cincticeps in the resting paddy field. 4852

of Pseudoscorpiones. 4854

Sampling, contd.

sample size for population estimation in Cicadoidea and Heteroptera. 5121

sampling period in relation to dield periodicity of invertebrate drift. 2781

subsampler for stream arthropod drift. 2570

suction-traps for Culicidae. 2166 traps for Culicidae. 2574

Sampoplex elongator (Hym., Ichneumonidae), new form described. 110

San José scale, see Aspidiotus perniciosus

Sand, in relation to arthropod fauna of rivers and streams. 2172

Sandalidae (Col.), 484

Sandalus posthi (Col., Sandalidae), from Ivory Coast. 484

Sandrarhyncolus dubius gen. et sp.n. (Col., Curculionidae), described, 4275

Sanninoidea exitiosa (Lep., Aegeriidae), artificial diet. 2558

Santolina chaemaecyparissius (Compositae), host of Coloradoa bournieri sp.n. in S.E. France.

Santolina rosmarinifolia, host of Coloradoa moralesi sp.n. in Spain. 2980

São Tomé Island (Gulf of Guinea),

new Saturniidae from . 5746

Saturniidae and Sphingidae from . 5746

Saperda calcarata (Col., Cerambycidae), predation by Picidae in Arkansas and Mississippi, USA.

Saphanodes, revised and new spp described. 2901 Sapintus spinipes sp.n. (Col., Anthicidae), described. 1835

Saprinus (Col., Histeridae), Asiatic and Australian spp reviewed. 37

Saprinus lindrothi sp.n., described. 37

Saprinus mersinae, possibly a Chalcionellus. 37

Saprinus therondi sp.n., described. 37

Sarawak.

breeding of Culicidae in Kuching area in relation to dengue fever. 5493

ecology of Leptocorisa oratorius. 4103

life-cycle of Gryon flavipes in relation to

Leptocorisa oratorius. 5375 parasites of rice stem borers. 5498

Sarcophaga (Dipt., Sarcophagidae),

bioassay of insect moulting substance from Blechnum. 5439

biosynthetic criterion for larval species differentiation. 3774

Sarcophaga argyrostoma,

electrical stimulation and scorpion venom in relation to puparium-formation. 5287 histogenesis of cuticle in adult. 3397

Sarcophaga barbata,

calliphorin present. 1134

effect of this host on diapause induction in Nasonia vitripennis. 3493

trehalase of flight-muscle. 5874

Sarcophaga bullata.

bursicon in endocuticle-formation and melanization in adults. 610

carbon-number distribution of triglycerides.

distribution and synthesis of  $\beta$ -alanyl-L-tyrosine in larva. 184

DNA release at chromosome-puffs. 1120

ecdysone and neurosecretion in relation to puparium-formation. 3074

histogenesis of cuticle in adult. 3397

intracellular potentials of myocardial cells.

laboratory host of Amblymerus bruchophagi. 4705

melanin in puparial and adult cuticle. 609

neuronal properties of brain neurosecretory cells. 3405

puffing pattern of chromosome B in polytene foot-pad cells. 5528

sarcophagine in puparium-formation. 3459 synapses of CNS in larva. 2592

synergistic ratio of carbaryl with piperonyl butoxide. 4582

Sarcophaga misera, accidental parasite of Tettigonia viridissima in Provence, France.

Sarcophaga nodosa, carbohydrate metabolism of flight-muscle. 3067

Sarcophaga pharaonis, biology and ecology in Egypt. 4829

Sarcophaga tibialis, life-history, pre-pupation mortality and pupation habits. 4659

Sarcophaga ventricosa, host of Aphaereta pallipes in USA. 1909

Sarcophaga wagneri sp.n., described. 75

Sarcophaga wetzeli sp.n., described. 75

Sarcophagidae (Dipt.), see also Calliphoridae 74, 75, 184, 316, 456, 609, 610, 1077, 1120,

1134, 1876, 1877, 1909, 2204, 2592, 2951,

2952, 3067, 3070, 3073, 3146, 3397, 3405,

3434, 3459, 3493, 3589, 3774, 4310, 4311,

4578, 4582, 4659, 4705, 4793, 4829, 4931,

5027, 5287, 5439, 5528, 5675, 5874

from Argentina. 5675

distribution, ecology and systemics of synanthropic spp in Tyan'-Shan' Mts., Kirgizia, USSR . 4860

new for Romania. 2204

from N.E. Danube Delta. 2204

from Peru. 5675

reared from Neotropical Gastropoda. 5675 from Uruguay. 5675

Sarcophagine, see  $\beta$ -alanyl-L-tyrosine Sarcoptiformes (Arach., Acari).

hypopal deutonymphs phoretic on mammals.

new taxa phoretic on mammals. 1823 parasitic on small mammals in Aomori Prefecture, Japan. 3150

Sarcosolomonia (Dipt., Sarcophagidae), new spp described. 1877, 2952

Sardegna (Tyrrhenian Sea), new Blepharoceridae from . 5666 Pseudoscorpiones of . 439

Sargus bipunctatus (Dipt., Stratiomyidae), head morphology and feeding in larva. 1970 pharyngeal grinding mill of larvae. 2010

Sarracenia flava (Sarraceniaceae), disturbance behaviour of Exyra ridingsi. 4032

Sarracenia purpurea (Sarraceniaceae), Araneae and Insecta found in pitchers at L.Carré, Quebec, Canada. 3589

Saturnia pavonia (Lep., Saturniidae), number of winters overwintered before emergence. 5979

Saturnia pyri, temperature rhythm regulating diapause. 5926

Saturniidae (Lep.),

117, 572, 600, 651, 670, 913, 1060, 1113, 1118, 1128, 1136, 1184, 1207, 1212, 1531, 1578, 1581, 1607, 1616, 1633, 1634, 2614, 2670, 2675, 2688, 2844, 3035, 3047, 3369, 3399, 3510, 3851, 3866, 3885, 3940, 3970, 4000, 4467, 4525, 4599, 4623, 4625, 4894, 4987, 5164, 5243, 5284, 5746, 5747, 5820, 5896, 5926, 5979

new spp from C. and S.America described. 117 from São Tomé Island. 5746

Satyridae (Lep.),

735, 876, 1020, 1930, 3351, 3352, 3360, 3482, 3545, 3609, 3702, 4819, 4848, 4948, 4949, 5075, 5744, 6132

associated with pig carrion in S.Carolina, USA. 3545

chromosome numbers and karyotypes of Taiwan spp. 876

from New Jersey, USA. 4949 new for Michigan, USA. 4948

Satyrium sylvinus dryope (Lep., Lycaenidae), biology and life-history. 4038

Saudi Arabia,

development of Schistocerca gregaria. 3098 new records of Masaridae. 112

Saw palmetto, see Serenoa

Scabinopsis yunnanea gen. et sp.n. (Blatt., Blattidae), described. 3756

Scaeva arcuata Fallén 1817 (Dipt., Syrphidae), proposed suppression of specific name. 1432

Scaeva pyrastri, predator on aphids in N.E. Belorussia. 1306

Scalaventor cyrillae gen. et sp.n. (Col., Curculionidae), and other new spp described. 4277

Scales

development on forewing in 'Us' mutant of Anagasta kuehniella. 3865

morphogenesis and ultrastructure in Galleria mellonella. 3398

scanning electron microscopy of wing-scales of Eriocraniidae, Micropterygidae and

Mnesarchaeidae. 4461

X-ray diffraction patterns of waxy covering of scales of Coccoidea. 1987

Scalida (Blatt., Blattellidae), new spp described. 3756

Scalmatica insularis sp.n. (Lep., Tineidae), described. 1473

Scambus decorus (Hym., Ichneumonidae), parasitic on Coleophora laricella in British Columbia, Canada. 3152

Scambus dobrogensis sp.n., described. 1919 Scambus phragmitidis, parasitic on Lipara lucens.

4820

Scambus tecumseh, hyperparasitic on Temelucha and parasitic on Trichotaphe in USA. 1274

Scambus transgressus, parasitic on Coleophora laricella in British Columbia, Canada. 3152

Scandinavia,

Aphididae new for. 4191

post-Glacial recolonization by Coleoptera. 498

Scapanea archiboldi sp.n. (Odon., Libellulidae), described. 3830

Scaphidiidae (Col.), 452, 3308, 3747, 3748

Scaphinotus (Col., Carabidae),

defensive secretions, 4750

subgenus Brennus, revised and keyed and N.American distribution. 523

Scaphioides reducta (Arach., Aran., Oonopidae), placed in Stenoonops. 2889

Scaphischema (Col., Scaphidiidae), revised and part transferred to Eubaeocera. 3748

Scaphisoma (Col., Scaphidiidae), Scaphosoma notula transferred to. 3308

Scaphisoma eximium sp.n., described. 3308 Scaphisomini (Col., Scaphididae),

of New Caledonia. 3308 revision of 3 genera. 374

revision of 3 genera. 3748

Scaphobaeocera (Col., Scaphidiidae), spp of Nesotoxidium and Toxidium transferred to. 3747

Scaphobaeocera minutissimum sp.n., described. 3747

Scaphosoma boreale (Col., Scaphidiidae), new for Norway. 452

Scaphosoma notula, transferred to Scaphisoma . 3308

Scaphosoma subaeneum, transferred to Eubaeocera. 3308

Scapsipedus (Orth., Gryllidae), biometrics, geographical isolation and phylogeny. 3231

Scaptia (Dipt., Tabanidae), new spp described. 987 Scaptomyza (Dipt., Drosophilidae),

abundances in S.Hokkaido, Japan. 2144 from S.W.Hokkaido, Japan. 4200

Scarabaeidae (Col.),

46, 156, 279, 292, 529, 635, 640, 668, 847, 982, 1388, 1851, 1852, 2057, 2092, 2122, 2218, 2244, 2541, 2678, 2694, 2801, 3115, 3248, 3309-3311, 3569, 3730, 3916, 4259, 4268, 4282, 4283, 4433, 4669, 4674, 4684,

Scarabaeidae (Col.), contd.

4685, 4691, 4696, 4734, 4742, 4753, 4808,

4986, 5001, 5011, 5012-5015, 5140, 5155,

5162, 5163, 5168-5170, 5173, 5304, 5366,

5649, 5650, 5810, 5866, 5919, 6118

abdominal spiracles. 640

American Canthonina revised. 5649

attraction to mammal faeces. 4753

intermediate hosts for swine spirurids in S.

Georgia, USA. 4669

Jamaica spp. 3309

key to tribes. 4254

of the Museo de Historia Natural, México. 4254 parasitized by Scoliidae in S.Walachia, Romania.

Pleistocene in relation to N.American genera.

posterior procoxal bridges of Pleocominae and Scarabaeinae. 3044

teratology. 2057

Scarabaeoidea (Col.),

abdominal spiracles. 640

division into Laparosticti and Pleurosticti untenable. 640

of the Museo de Historia Natural, México. 4254 posterior procoxal bridges. 3044

of the R. Llobregat delta, Spain. 1364

taxonomic value of spiracular structures. 2001 thoracic spiracles and adjacent sclerites. 2001

Scarabaeus sacer (Col., Scarabaeidae), new for Yugoslavia. 6118

Scardiinae (Lep., Tineidae), relationships of Protaphoreutis and new Madagascan genera. 1473

Scarites substriatus quadriceps (Col., Carabidae), furadan, heptachlor and methyl bromide treatments in relation to populations. 825

Scaritini (Col., Carabidae), Dyschiriina trib.n. established. 3736

Scatella stagnalis thermarum (Dipt., Ephydridae), ecology in thermal waters in Iceland. 4823

Scatophaga stercoraria (Dipt., Cordyluridae), apparent intersexes and their evolutionary significance. 5325

diurnal and seasonal changes in population density at the mating and oviposition site. 3531

fertilization rate in relation to selection. 3532 predaceous on Musca autumnalis at Guelph, Ontario. Canada. 273

Ontario, Canada. 2/3
predation on Oscinella frit oats in relation to
insecticide treatments and weather. 2792

as predator in California, USA. 3556

space and time relationships at the mating and oviposition site. 3532

sperm competition and evolutionary effect on duration of copulation. 5951

Scatopse notata (Dipt., Scatopsidae), Musca nectarea syn.n. of. 5028

Scatopsidae (Dipt.), 76, 5028

additions and corrections to the British List.  $5028\,$ 

subfamilies keyed. 76

Sceliages augias (Col., Scarabaeidae), Parascarabaeus tonkineus syn.n. of. 1851

Scelionidae (Hym.),

732, 1927, 1928, 2987, 3809, 4101, 4103, 5060, 5375, 5498, 5502, 5716

evolution. 5060

parasitic on Contarinia tritici. 4101 subfamilies and tribes reviewed. 5716

Scelioninae (Hym., Scelionidae), key to genera. 3809

Sceliphron caementarium (Hym., Sphecidae),  $\gamma$ -irradiation in relation to life-span. 254

Sceliphron madraspatanum, larva described. 1963 Scelodonta dillwyni (Col., Chrysomelidae).

infesting Vitis vinifera in Rajasthan, India, and redescribed. 3742

Sceloporus magister zosteromus (Lacertilia), host of Odontacarus robbinsi sp.n. in Mexico. 4243

Sceloporus orcutti licki, host of Odontacarus robbinsi sp.n. in Mexico. 4243

Scepticus insularis (Col., Curculionidae), chromosomes and sex-determining mechanisms. 3674, 424

Sceptrothelys deione (Hym., Pteromalidae), parasitic on Coleophora laricella in British Columbia, Canada. 3152

Schausiella (Lep., Saturniidae), taxonomy. 117 Schedorhinotermes (Isopt., Rhinotermitidae), presence of neuter larvae and sex of workers and soldiers. 4867

Schedorhinotermes derosus, foraging activity and sound-production. 4878

Schedothrips turnidus gen. et sp.n. (Thysanopt., Phlaeothripidae), described. 1482

Scheelea phalerata (Palmae), Triatominae from in Uberaba Municipality, Minais Gerais, Brazil. 5511

Scheloribates (Arach., Acari, Scheloribatidae), laevigatus and latipes compared. 4236 relationship to Hemileius and Topobates. 4236

Scheloribates alvaradoi sp.n., described. 3723 Scheloribates confusa sp.n., described. 515

Scheloribates louwi nimirumi subsp.n., described.

Scheloribates robustus sp.n., described. 3725 Schendylinae (Myriap., Chil.), Japanese genera keved. 4407

Schenklingia (Col., Chrysomelidae), reviewed. 1846

Scheueria schefflerae (Dipt., Cecidomyiidae), identity confirmed. 2941

Schidium badiensis sp.n. (Hem., Het., Reduviidae). described. 1889

Schidium intermedium sp.n., described. 3329 Schildomyia (Dipt., Odiniidae), new spp described.

57

Schima wallichii (Theaceae), host of Greenidea longirostris sp.n. in W.Bengal, India. 4328 Schistocerca gregaria (Orth., Acrididae),

acetate metabolism of adult of. 3456

aggregation pheromone and response in ovipositing  $\mathop{\lozenge} \mathop{\lozenge}$  . 5320

alkaline phosphatases of gut. 1109, 1110, 3932 alkaline phosphatases of reproductive system. 4006

allantoinase. 3451

antidiuretic and diuretic hormones. 4560 ascorbic acid in relation to phase and perinatal mortality. 2075

banding in spermatid chromosomes. 3214 behaviour towards light-source. 3061 carbohydrate content during adult development. 4596

citrate metabolism of adult of, 3456 constant temperature in relation to egg development, 3991

cuticle structure. 2583

degeneration and regeneration of neck connectives in relation to nerve section. 1054

DNA-RNA hybridization. 4147

ecology in relation to Schouwia purpurea in Niger Republic. 3120

electrical activity of stretch receptors of metathoracic leg. 625

electroretinogram. 2598

energy reserves during flight. 1557

enzymes associated with lipogenesis during adult  $\sigma$  development. 4001

esterase inhibition during malathion poisoning. 3931

exact neural projection of visual fields on 1st and 2nd ganglia of eye. 3891

feeding during adult development. 4596

female-specific protein. 5869

flight tendency after rearing in isolation, 5831 genetics of northern and southern strains, 2857 geographical distribution of damage potential, 3157

glucose metabolism of adult of. 3456 glucose oxidation in flight-muscle. 3401 glucose in relation to phase and perinatal mortality. 2075

gregarine infection in relation to growth. 3487 implantation of endocrine organs in relation to neuro-endocrine system of larva. 1525

injury-associated secretion in sectioned axons.  $1054\,$ 

innervation and electrical activity of flightmuscles. 3872

interreceptor coupling in ommatidia of compound eye. 3414

lipid content during adult development. 4596 long-distance migration. 5456

o' genitalia. 224

mechanical responses of metathoracic extensor tibiae muscles. 3050

medium for ovary explant tissue-cultures. 589 method for estimating fledging and hatching dates. 3098

method for perfusing isolated thoracic-muscle preparation. 3401

mortality factors in an Ethiopian population. 2155

motor neurons of flight system. 4480 mouthpart receptors in relation to feeding. 2731 nerve-cord activity in response to wing-nerve stimulation. 5835

neurosecretion in 5th-instar larva. 215 non-doubling DNA series in somatic tissues. 6081

oothecal foam in relation to egg and larval viability. 3515

outbreaks in relation to recession populations.

palmitate metabolism of adult of. 3456 phosphomonoesterases. 4535

photoperiod in relation to adult diapause. 5924 population dynamics on the coast of Ethiopia. 2155

resolving power of eye. 1533

respiration during adult development. 4596 response to aggregation pheromone of Locusta migratoria. 5320

sensory control of abdomen posture. 5843 soil humidity during incubation in relation to viability of newly-hatched larvae. 3498 temperature in relation to development. 3098

temperature in relation to egg incubation period. 3098

terminal ganglionic mass. 3408

trehalose metabolism of adult of, 3456 ultrastructure of degeneration and regeneration of neck connectives. 1053

ultrastructure of glandular epithelium of accessory reproductive glands. 1160 uricase. 3451

water exchange and uptake late in development.
4561

yaw-correcting postural changes in flight. 5845 Schistoglossa bergvalli sp.n. (Col., Staphylinidae), described. 48

Schizaphis (Hem., Hom., Aphididae), of Denmark. 2869

Schizaphis borealis, pheromone-production and of responses. 5952

Schizaphis graminum,

air-temperature and light-intensity in relation to take-off. 820

biology and development following flight, 4466 plant-host preferences of biotype attacking Sorghum bicolor. 2724

plant-host in relation to take-off time. 4460 take-off behaviour. 4471

Schizaphis hypersiphonata, described. 4328 Schizocharis gen.n. (Hym., Eulophidae), established. 1451

- Schizochroa (Dipt., Aulacigastridae), new spp described. 57
- Schizocosa (Arach., Aran., Lycosidae), new spp described. 1829
- Schizomidae (Arach., Uropygi), of the Ethiopian Region. 492
- Schizomus (Arach., Uropygi, Schizomidae), of Ethiopian Region keyed and new spp described.
  - mossambicus and zuluanus transferred to Megaschizomus gen.n. 492
- Schizoneura meunieri (Hem., Hom., Aphididae), replacement name for patchi Meunier 1917 and taxonomic position. 3794, 5689
- Schizoneurites brevirostris (Hem., Hom., Aphididae), re-described. 5689
- Schizoptera (Hem., Het., Schizopteridae), new spp from Trinidad. 552
- Schizopteridae (Hem., Het.), 552
  - reviewed, annotated catalogue and status within Heteroptera. 552
  - of Trinidad described and keyed. 552
- Schizotetranychus rhynosperus sp.n. (Arach., Acari, Tetranychidae), described. 3288
- Schmiedeknecht, review of Ichneumonidae types in Rudolstadt Museum, GDR. 5055
- Schmutz, publication date of "Thysanopterenfauna von Ceylon" in relation to Ceylonese Thripidae. 1484
- Schoenbaueria pusilla (Dipt., Simuliidae), new for Poland. 4932
- Schoenobiinae (Lep., Pyralidae), taxon transferred to Crambidae. 5756
- Schoenobius alpherakii (Lep., Pyralidae), new for Europe. 2223
- Schoenobius chrysistes, type-sp of Chilandrus gen.n. 5756
- Schouten Islands (New Guinea), new Nymphalidae from . 1936
- Schouwia purpurea (Malvaceae), biology and ecology in relation to Schistocerca gregaria in Niger Republic. 3120
- Schreckensteinia festabliella (Lep., Schreckensteiniidae), establishment in Hawaii. 4110
- Schreckensteiniidae (Lep.), 4110
- Schyzops (Hem., Het., Pentatomidae), new taxa described and spp keyed. 1440
- Schyzops otjimbora, transferred to Dalsira. 1440 Sciara (Dipt., Sciaridae),
- DNA-synthesis at chromosome-puffs. 1120 taxonomic status of spp of Walker. 540 Sciara coprophila,
  - DNA complementary to rRNA in polytene chromosomes. 5538
  - extra replications in DNA-puffs of chromosome
  - phosphorylation of salivary-gland chromosomes.
- Sciara ocellaris,
  - asymmetrical heterozygous puffs. 1332

- DNA-synthesis of homologous chromosomes. 1120
- Sciaridae (Dipt.),
  - 189, 540, 1120, 1131, 1137, 1205, 1324, 1332, 1754, 2838, 4106, 4190, 4507, 4533, 4704, 5029, 5538
- Sciocharis (Col., Staphylinidae),
  - C. and S.American spp revised and keyed and a new sp described. 5656
- Sciocharella not a distinct subgenus. 5656 Sciomyzidae (Dipt.),
  - 541, 1878, 2206, 3206, 3262, 4110, 4716, 5974, 5997
  - cytotaxonomy, 3206
  - from Anglesey and Caernarvonshire, Wales. 3262
  - from N.E.Danube Delta, Romania. 2206 predaceous on Pelecypoda. 5997
  - taxa described by E.T.Cresson, jun., 1906-1949. 2451
- Sciomyzini (Dipt., Sciomyzidae), chromosomes. 3206
- Scione bilineata sp.n. (Dipt., Tabanidae), described. 987
- Sciothrips gen.n. (Thysanopt., Thripidae), established. 4404
- Scirpophaga (Lep., Pyralidae), parasites and population dynamics of auriflua and monostigma on sugar-cane in Bangladesh. 4841
- Scirpophaga nivella, head and neck musculature.
- Scirtophaca gen.n. (Hem., Hom., Dictyopharidae), established. 1002
- Sciuridae (Rodentia), predators of Eriosoma ulmi in Warszawa area, Poland. 4039
- Sciurus (Rodentia),
  - Acaroidea of nests in Belorussia. 1292 population dynamics of Siphonaptera in Belorussia. 1809
- Sciurus carolinensis, Acarus nidicolous sp.n. from nests. 3721
- Sciurus vulgaris,
  - host of Ixodes trianguliceps in Netherlands. 2757 Siphonaptera in Germany. 4092
- Scolia (Hym., Scoliidae), new synonomy. 5739
- Scolia haemorroidalis, labio-maxillary complex. 1977
- Scolia pygmaea, Microscolia papuana not a synonym of. 5739
- Scoliidae (Hym.), 1977, 2218, 5739 parasitic on Scarabaeidae in Romania. 2218
- Scoliocentra engeli (Dipt., Helomyzidae), new for Korea. 2240
- Scoliocentra nigrinervis, cold-hardiness. 206
- Scolioidea (Hym.), from N.E.Danube Delta, Romania. 2219
- Scolioneura nigricans (Hym., Tenthredinidae), new for Romania. 2217
- Scoliopteryx libatrix (Lep., Noctuidae), fruitpiercing habit in Yugoslavia. 5999

Scolobatinae (Hym., Ichneumonidae), new for France. 110

Scolopendra (Myriap., Chil.), ultrastructure of muscle. 157

Scolopendromorpha (Myriap., Chil.), from Eritrea. 1383

Scolothrips longicornis (Thysanopt., Thripidae), predator of Acari on Ficus nitida. 6047

Scolyopteryx libatrix (Lep., Noctuidae), food-plants in Italy. 303, 304

Scolytidae,

219, 286, 302, 684, 751, 833, 1039, 1194, 1237, 1288, 1491, 1652, 1666, 1725, 1850, 1853, 1978, 2057, 2099, 2164, 2465, 2495, 2556, 2637, 2652, 2656, 2706, 2714, 2742, 2766, 2803, 3051, 3068, 3099, 3140, 3141, 3159, 3379, 3385, 3574, 3590, 3602, 3749, 3750, 3849, 3854, 4036, 4049, 4059, 4074, 4284, 4513, 4569, 4676, 4703, 4733, 4745, 4771, 4797, 5016, 5651, 5652, 5890, 5902,

associated with Tarsonemidae in conifers in Canada. 2465

5930, 6000, 6015, 6018, 6119

from Baltic amber. 5651

biological significance of stridulation. 219 biology, control, ecology and economic import-

ance. 3590 of Cedrus in Near East and N.Africa. 3159 from Indian Ocean islands, Mozambique, Republic of S.Africa and S.W.Africa. 5652

intercepted in logs in Japanese ports. 1850

of Israel. 6119

from New Guinea. 2495

pests in New Zealand forests. 833

Poecilips pteridophytae associated with Pteridophyta. 6015

sex differentiation by means of stridulation.

stridulation in German spp. 5902

teratology. 2057

types of Palaearctic taxa in Zoologischeskiy Institut AN SSSR, Leningrad, USSR. 4284

Scolytoidea (Col.),

ecology of associated Collembola. 5504 in 'Grigore Antipa' Museum, București,

new taxa from India. 518

Romania. 1853

synonymy among S. Asian spp. 518

Scolytomimus baloghi sp.n. (Col., Scolytidae), described. 2495

Scolytus (Col., Scolytidae), new synonymy of Palaearctic spp. 5016

Scolytus amygdali, new for Is. Canarias. 3297 Scolytus multistriatus,

biology and ecology of Spathius canadensis, Cheiropachus colon and Entedon leucogramma.

cold-hardiness and super-cooling point. 5466 ecology and life-cycle of Dendrosoter protuberans. 4779

feeding stimulants derived from elm-bark. 4049

feeding stimulation by quinol and inhibition by quinone. 4771

larva described and systematic position discussed. 3849

medium for larval rearing and oviposition.

vector of Ophiosoma ulmi to elms at Wroclaw, Poland. 6018

Scolytus numidicus, morphology and biology in relation to Cedrus, 3159

Scolytus pruni, protection of tree-stands by fertilization in GFR. 4797

Scolytus rugulosus, protection of tree-stands by fertilization in GFR. 4797

Scolytus scolytus.

control, morality and natality in Britain. 2803 larva described and systematic position discussed. 3849

vector of Ophiosoma ulmi to elms at Wroclaw, Poland. 6018

Scolytus ventralis,

biology of Sulphuretylenchus elongatus. 4074 resistance of Abies grandis. 2766

Scopaeus minutus (Col., Staphylinidae), from Devon, England. 3256

Scoparia arundinata (Lep., Pyralidae), sexchromosome trivalent. 5547

Scoparia macrophanes Meyrick 1888, recognition of specific name proposed. 1472

Scopodes (Col., Carabidae), new spp described. 3299

Scopula ancellata (Lep., Geometridae), immature stages and life-history. 4439

Scopula ochroleucaria, fecundity and oviposition. 5972

Scorpiones,

657, 1989, 3296, 3411, 3864, 3871, 3925, 4013, 4250, 4251, 4503, 5287, 5851, 5920 birth and post-birth behaviour of N. American

spp. 4013 preparation for scientific study and display.

Scotia (Lep., Noctuidae), dispersal of ipsilon and segetum in Basses-Pyrénées, France. 334

Scotosia (Lep., Lycaenidae), feeding, host-range and phenology of rhamnata and vetulata in relation to Rhamnaceae in Europe. 3591

Screw-worm fly, see Cochliomyia hominivorax Scrobipalpa (Lep., Gelechiidae), new spp described. 1012, 2528

Scrobipalpa hungeriae, transfer to Scrobipalpopsis opposed. 573

Scrobipalpa nr.klimeschi, new for Denmark. 2871 Scrobipalpopsis (Lep., Gelechiidae), transfer of Scrobipalpa hungeriae opposed. 573

Scrub typhus, coloration and habitats of Trombiculidae in relation to scrub typhus in Malaya.

- Scutacaridae (Arach., Acari), new spp from S.America. 516, 1392 placed in Tarsonemida. 4213
- Scutacarus (Arach., Acari), new spp from Bolivia and Brazil. 1392
- Scutacarus agocsyi sp.n., described. 2458 Scutacarus plurisetus, redescribed. 6109
- Scutacarus retrojectus sp.n., described. 2458
- Scutanoetus permixtus gen. et sp.n. (Arach., Acari), described. 3718
- Scutelleridae (Hem., Het.),
  - 149, 210, 5193, 5295, 5386, 5505, 5894
  - thoracic sclerites. 149
- Scutellista cyanea (Hym., Chalcididae), parasitic on Saissetia oleae in Florida, USA. 4778
- Scutigera (Myriap., Chil.), ultrastructure of muscle. 157
- Scutigerella immaculata (Myriap., Symphyla),
  - distribution in USA. 5606
  - ultrastructure of maxillary nephridia. 3447
- Scutops striatus sp.n. (Dipt., Periscelidae), described. 57
- Scybalophagus (Col., Scarabaeidae), American taxa revised and keyed. 5649
- Scydmaenidae (Col.), 47, 1364, 1803, 3249, 3751 of Britain. 1803
  - of R. Llobregat delta, Spain. 1364
  - Southern African subfamilies keyed. 47
- Scynnus megacephalus (Col., Coccinellidae),
- transferred to Selvadius. 4994 Scymnus stiglundbergi sp.n., described. 970
- Scythrididae (Lep.), 3353
  Scythris (Lep., Scythrididae), new spp described.
  3353
- Scytonotus granulatus (Myriap., Diplop., Polydesmida), tolerance to desiccation. 4558
- SD-9098 [O-[2-chloro-1-(2,5-dichlorophenyl) vinyl] O,O-O-diethyl phosphorothioate], toxicity to Porthetria dispar. 4682
- Sebrus amandus gen. et sp.n. (Lep., Pyralidae), described. 5756
- Secale cereale (Gramineae) (rye),
  - Aphididae and Coccinellidae in a 4-field rotation system. 4595
  - populations and sex-index of Thripidae in Finland. 1309
  - toxicity of insecticides to larval Euxoa messoria when applied as foliage applications. 5182
- ecretion
- of accessory glands in Chilopoda. 5909
- of accessory reproductive glands of Schistocerca gregaria. 1160
- of alarm-pheromones. 1242
- alkaline secretion of anterior midgut in larvae of Culex pipiens molestus and Aedes aegypti. 1551
- antigenicity of saliva from Ixodidae. 4787
- antimicrobial properties of egg-coating secretion of Cingalobolus bugnioni . 1250
- attractant/repellent interactions between

- Leptotyphlops dulcis and Neivamyrmex nigrescens. 4863
- C-21 steroids of defence-secretion of Cybister. 5995
- caprylic acid in exudate of physogastric queen of Odontotermes redemanni. 852
- citral in mandibular-gland secretion of Trigona subterranea. 5260
- cycles of hypodermal cells in Galleria mellonella, 3398
- cycles of salivary glands of Anopheles stephensi.
- defence scent fluid of Calosoma peregrinator. 2103
- defence secretion of Brachinus. 1243
- defence secretion of larvae of Dysdercus intermedius. 1149
- defence secretion of larval Ceratiscada. 5755
- defence secretion of Scaphinotus. 4750
- defence secretion of Uroblaniulus canadensis.
- diet in relation to defence secretion of Scaphinotus. 4750
- effects of total prevention of spinning in Bombyx mori. 5255
- of epithelial cells of ileum in larval Ostrinia nubilalis. 1105
- heat content and ejection temperature of defence secretions of Brachinus. 1243
- of hormonal organs of Heteropeza pygmaea. 5836
- of labial gland in larval Zygoptera. 2649
- in Malpighian tubules of Rhodnius prolixus.
- of mandibular gland of Lestrimelitta limao. 5897
- mass-movement of simuliid larvae on silken threads. 4814
- of metasternal glands of Lethocerus. 4572
- of metathoracic gland in Myrmicinae. 2647 in midgut epithelium of Aphodius moestrus and
- in midgut epithelium of Aphodius moestrus and Onthophagus catta. 3916.
- Nematospora coryli absent from saliva of Acrosternum hilare. 5428
- of oothecal protein in Sphodromantis centralis.
- osmeterial secretions of larval Baronia, Battus, Eurytides and Papilio. 4749
- of pheromones gland of Bombyx mori. 1596
- prostate-gland secretion in relation to sperm activity in Sitophilus granarius. 1163
- proteolytic activity of saliva in Aelia acuminata, Aelo sibirica and Eurygaster integriceps. 210
- rate of formation of peritrophic membrane in Calliphora erythrocephala. 4521
- saliva exchange by trophallaxis in Kalotermes flavicollis. 3640
- saliva in relation to feeding in Oncopeltus fasciatus. 5397
- saliva in relation to osmoregulation in

Secretion, contd.

Boophilus microplus. 649

saliva secretion during feeding in Melophagus ovinus. 3568

salivation in relation to transmission of bean yellow mosaic virus by Acyrthosiphon pisum. 2105

saliva used by larval Syrphus latifasciatus for trapping aphids. 4743

scent fluid of Dicaelus purpuratus. 2644

scent fluid of Dysdercus intermedius. 1149, 1251

scent fluid of Libyaspis angolensis. 1155

scent fluid of Pasimachus californicus and P. duplicatus. 2645

silk secretion in larval Polyrhachis simplex. 4874

steroids of defence secretion of Cybister limbatus and Ilybius fenestratus. 3563, 5387

structure of fibroin molecule of Bombyx mori, 5863

in testes of Byrsotria fumigata and Gromphadorrhina portentosa. 3476

of tubule cells of coxal organ of Ornithodoros.

by type-B dermal glands in Rhodnius prolixus.

ultrastructure of defence secretions of Coleoptera and Lepidoptera. 4457

venom secretion by Ixodes halocyclus in relation to engorgement. 3840

wall secretion by Nomia melanderi in nest construction. 4864

water secretion across midgut epithelium in Periplaneta americana. 3466

wax secretion in Ceroplastes pseudoceriferus.

Sedlacekia gen.n. (Col., Chrysomelidae), established. 1408

Sedum telephium (Crassulaceae), association with Cheilosia semifasciata. 2955

Seed-corn maggot, see Hylemya platura

Segestria senoculata (Arach., Aran., Dysderidae), reproductive system. 4584

Seira iricolor (Collem., Entomobryidae), biology and natural enemies. 2170

Seira sacchii sp.n., from Molara and Tavolara Is., Italy. 3315

Selasia unicolor (Col., Drillidae), immature stages and life-cycle. 4737

Selection.

for abdominal chaeta number and egg-production in Drosophila melanogaster. 2827

for absence of diapause in laboratory strains of Grapholitha molesta. 3492

for absence of diapause in Melanoplus sanguinipes. 2067

adaptation by natural selection in laboratory populations of Drosophila pseudoobscura. 3688

amphiphasic 99 produced in parthenogenetic

lines of Acyrthosiphon pisum. 3965

artificial and natural selection for geotaxis and phototaxis in Drosophila pseudoobscura. 916

artificial selection in relation to inbreeding rates in early generations in Drosophila melanogaster. 1351, 1352

for biological rhythms in terrestrial Arthropoda.

for carbaryl-, DDT- and diazinon-resistance in Ostrinia nubilalis. 4914

for and against 2nd-chromosome recessive lethals in X-irradiated populations of Drosophila melanogaster. 918

coefficients of heterozygotes for lethal chromosomes according to genetic background in Drosophila pseudoobscura. 3683

contrasted with temporary adaptability in Porthetria dispar populations. 4097

correlation between bristle systems in Drosophila melanogaster. 3204

and crossing as method of genetic sampling in Drosophila melanogaster populations. 2853

development of sexual isolation in Drosophila pseudoobscura in the absence of selection. 3209

for dispersal in Tribolium . 4910

for disruptive coloration and mimicry in intergrading populations of Limenitis arthemis and L.astyanax. 914

disruptive and stabilizing selection in relation to body-size of Drosophila melanogaster. 2828

disruptive and stabilizing selection in relation to 'escape' behaviour in Drosophila melanogaster. 3675

ecological factors affecting selective advantage of Batesian mimic. 913

ecology of selection in hybrid populations of Tribolium castaneum. 1782

in relation to ecology in univoltine races of Bombyx mori. 1357

in relation to extra dorsocentral bristles in Drosophila melanogaster. 2832

in relation to eye-pigment in Drosophila melanogaster lines. 3649

factors controlling karyomorph distribution in Ashurst (England) population of Chorthippus parallelus, 5559

in relation to fertilization rate in Scatophaga stercoraria. 3532

for flight direction in British Lepidoptera. 2131 fluctuations and genetic frequencies with time in natural populations of Drosophila melanogaster from Colombia. 927

forces maintaining genetic variation for sternopleural chaeta number in Drosophila melanogaster natural populations. 4920

founder principle and genetic drift in isolated populations of Philaenus spumarius, 4916 gene replicase and repression in relation to

#### Selection, contd.

- phenotypic expression and variability in Drosophila melanogaster. 3218
- genetic analysis of abdominal-bristle selection lines in Drosophila melanogaster. 3208
- genetic effect on geotaxis and phototaxis in Drosophila pseudoobscura. 920
- in relation to genetic homeostasis in laboratory populations of Drosophila melanogaster. 923
- genetic polymorphism and interspecific competitive ability in Drosophila. 3670
- genetic variation underlying response to selection for bristle number in Drosophila melanogaster. 428
- for growth components in genetically diverse populations of Tribolium castaneum. 4171
- for growth rate in relation to larval competitive ability in Drosophila melanogaster.  $21\,91$
- for high and low bristle number in Drosophila melanogaster. 4136
- hybrid, inbred and outbred strains of Musca domestica as test insects compared. 4411
- in X-irradiated populations of Drosophila melanogaster. 917
- independence of response between sexes of Ischnura. 432
- inferior line of Drosophila melanogaster improved by crossing and selection. 925
- in relation to insect mimicry. 5554 for insecticide-resistance in Aedes aegypti and Culex pipiens fatigans. 4169
- in relation to introduction of biological control agents. 2779
- introgression in relation to fitness in Drosophila arizonensis and D. mojavensis. 2856
- for isozymes in natural populations of Pogonomyrmex barbatus in Texas, USA. 2831
- in relation to larval weight in Tribolium castaneum. 239
- in relation to lethal and non-lethal chromosomes in X-irradiated populations of Drosophila melanogaster. 919
- long-term response to selection for bristle number in Drosophila melanogaster. 427
- for longevity in Lucilia sericata. 4792
- for malathion-resistance in Chrysomya putoria. 1158
- mating advantage of rare of in Drosophila pseudoobscura. 3684
- for mating preference in Drosophila. 431
- for 'medionigra' gene in Panaxia dominula. 3228 morphological differences between Drosophila pseudoobscura populations selected for
- opposite geotaxes and phototaxes. 3676
  natural selection in relation to adaptation of
- populations to constant environment. 922 natural selection in the cave environment. 3605
- natural selection in the cave environment, 3005 natural selection in relation to dominance of viability polygenes in Drosophila melanogaster, 4178

- natural selection in relation to genetic homeostasis in Drosophila populations. 2189
- natural selection in laboratory populations of Dacus neohumeralis and D.tryoni. 915
- polymorphism from mating advantage of rare of in Drosophila melanogaster. 3671
- population size in relation to response to bristle selection in Drosophila melanogaster. 426
- in populations of Drosophila pseudoobscura differing in initial gene-arrangement frequency. 3687
- radiation in relation to competitive ability in Drosophila melanogaster. 3679
- for repellent insensitivity in Drosophila melanogaster. 6097
- seasonal selection in relation to temperature acclimation of respiration in Culex pipiens. 3910
- selection for sternopleural bristle number in relation to mating behaviour in Drosophila melanogaster. 1649
- selective advantages of diffraction-gratings. 2033
- selective coefficients maintaining modifiergenes in populations. 1788
- short-term response to selection for bristle number in Drosophila melanogaster. 426
- for siphonal index in 4th-instar Culex pipiens molestus. 3205
- for starvation tolerance in Ceratitis capitata.
  4139
- variation in body-weight in Tribolium castaneum in different geographical populations. 924
- of 'Xasta' mutant of Drosophila melanogaster. 4157
- Selenaspidus (Hem., Hom., Diaspididae), new spp described. 5047
- Selenis Guenée 1852 (Lep., Oecophoridae), proposed replacement by Selenisa. 1018
- Selenisa (Lep., Oecophoridae), replacement name for Selenis Guenée 1852. 1018
- Selenistis laurentica sp.n. (Lep., Noctuidae), described. 3002
- Selenoaminoacid, in relation to crossing-over in Drosophila melanogaster. 378
- Selenocephalus (Hem., Hom., Cicadellidae), shelters made by Camponotus acvapimensis on Vernonia guineensis for. 1729
- Selenocystine, in relation to crossing-over in Drosophila melanogaster. 378, 882, 2179
- Selenomethionine, in relation to crossing-over in Drosophila melanogaster. 378
- Selvadius (Col., Coccinellidae),
  - key to spp and nunenmacheri sp.n. described.
  - 4994 Scymnus megacephalus transferred to. 4994
- Semanotus litigiosus (Col., Cerambycidae), successfully cross-bred with S.ligneus amplus.

Semaranga dorsocentralis (Dipt., Chloropidae), new for Primor'e, USSR. 5571

Semicerura goryshini sp.n. (Collem., Isotomidae), described. 4982

Semiothisa liturata (Lep., Geometridae), hostselection by Eucarcellia rutilla. 1265

Semirhytus (Hym., Braconidae), removed from Rogadinae. 1908

Senecio jacobaea (Compositae),

control in New Zealand by Hylemya seneciella and Tyria jacobaeae. 6027

Hylemya seneciella for control in USA. 2777 oviposition behaviour of Hylemya seneciella.

Seneciobius basirufus (Col., Curculionidae), ecology in alpine zone of Mt. Kenya, Africa. 1715

Senegal,

Acridoidea of Niokolo-Koba National Park. 2239 Anthicidae of Niokolo-Koba National Park. 1835 Aphodiinae of Niokolo-Koba National Park. 1852 Argas streptopelia on migrating and resident doves. 4777

Bombyliidae of Niokolo-Koba National Park. 1868 Bruchidae of Niokolo-Koba National Park. 1836 Carabidae of Niokolo-Koba National Park. 1838,

Cercopidae of Niokolo-Koba National Park. 1895 Cicadidae of Niokolo-Koba National Park. 1895 Coccinellidae of Niokolo-Koba National Park.

Contarinia sorghicola present. 436 Ephemeroptera of Niokolo-Koba National Park.

1814 Gryllidae of Niokolo-Koba National Park. 1945 Heteroceridae of Niokolo-Koba National Park.

Hispinae of Niokolo-Koba National Park. 2231 Isoptera of Niokolo-Koba National Park. 1929

Mantodea of Niokolo-Koba National Park. 1863 Meloidae of Niokolo-Koba National Park. 2234

new Anthicidae from . 1835

new Bombyliidae from . 1868

new Bruchidae from . 1836

new Carabidae from . 1838, 1839

new Cecidomyiidae from . 1425

new Cercopidae from . 1895

new Eulophidae from . 1451

new Gryllidae from . 1945

new Isoptera from . 1929

new Megachilidae from . 5734

new Mogoplistidae, 1945 new Reduviidae from . 1889

new Scarabaeidae from . 1852

new Staphylinidae from . 1855

new Tenebrionidae from . 1856

Nitidulidae from Niokolo-Koba National Park. 2235

Noctuidae from Niokolo-Koba National Park. 2238

occurrence and vector status of Glossina

morsitans submorsitans and G.palpalis gambiensis in Niokolo-Koba National Park. 2236

Odonata of Niokolo-Koba National Park. 1815 Reduviidae of Niokolo-Koba National Park. 1889 Rhopalocera new for Niokolo-Koba National Park. 2237

Steninae from Niokolo-Koba National Park and other localities. 1855

Tenebrionidae of Niokolo-Koba National Park. 1856

Sengosterone, insect-metamorphosing substance from Cyathula capitata. 5451

Sense-organs,

abdominal stretch-receptors in regulation of blood-meal size in Culicidae. 1687

adenotaxy and poroidotaxy in Gamasoidea. 5829 of antennae in relation to behaviour in Aphaenogaster gibbosa and Myrmica laevinodis. 4492

of antennae of Deuterosminthurus wexfordensis sp.n. 1858

of antennae of 9 Culex tarsalis. 2593

of antennae in Plecoptera. 4425

antennal sensillum in Agrion ornatum larva.

axon pathways from antennal sense-organs to brain in Calliphora vicina and Periplaneta americana. 3406

chemoreceptors of Arthropoda, 1078, 4490 chemoreceptors of larval Manduca sexta in relation to diet. 3415

connective chordotonal organ in tibio-tarsal joint of Periplaneta americana. 2600

discharge patterns of antennal joint-receptor in Calliphora vicina in relation to air-flow perception. 3892

distribution of chemoreceptors for food-plant perception in ? Danaus gilippus berenice.

electrical activity of stretch-receptors of metathoracic leg of Schistocerca gregaria, 625

electromagnetic sensitivity and olfaction in antennae of Heliothis zea. 4485

electrophysiology of stylet receptors in Triatoma infestans. 4486

in relation to Fraenkel reflex in Locusta migratoria, 1049

of hypopharynx and labrum tips in Culicidae. 3922

interaction of Al and A2 sense-cells in Heliothis zea. 1051

of interpseudotracheal papillae of Boettcherisca peregrina. 1077

interreceptor coupling in ommatidia of compound eyes in Apis mellifera and Schistocerca gregaria, 3414

of joints in Formica pratensis. 5201

of labium in Agrion ornatum larva. 3038

leg proprioceptors in relation to gravity perception in Pterygota. 4495

Sense-organs, contd.

mechanoreceptors of antennal pedicel as airspeed indicators in Locusta migratoria. 4483

mechanoreceptors in relation to geotactic responses of Tenebrio molitor, 3901

mechanoreceptors involved in flight initiation reflex in Locusta migratoria. 1518

mechanoreceptors in relation to ovipositionsite selection in Sitophilus. 5321

mechanoreceptors of stylets in Triatoma infestans. 4486

membranous lobe of antenna in Speophyes
lucidulus an olfactory receptor. 1085

mitochondria in relation to origin of nerve impulse in Speophyes lucidulus. 1085

new group of campaniform sensilla of tibiotarsal joint in Periplaneta americana. 2600

new type on antenna of  $\circ$  Aedes aegypti. 165 of palps in  $\circ$  Culicidae. 5202

for pheromone perception in Danaus gilippus berenice. 3522

possible temperature receptors in Cimex lectularius. 5205

proprioreceptors in relation to gravity perception in Tenebrio molitor. 3901

sense hairs of head in Locusta migratoria. 4491 sensory control of abdomen posture in Schistocerca gregaria. 5843

sensory physiology of Acari in relation to dry funnel extraction techniques. 2566

separate axons present for spines and campaniform sensilla in Blaberus craniifer. 1530

in relation to sound-detection by Choerocampinae. 4482

stretch-receptors in cibarium of Calliphora erythrocephala and Glossina austeni. 2586

of tarsi in Macrocheles muscaedomesticae. 4502

of Tingis buddleiae in relation to the biology.

trichobothria in prey-location by Agelena labyrinthica. 633

trichobothria in systematics of Pseudoscorpiones.

ultrastructure of campaniform sensilla on halteres in Drosophila melanogaster. 3412

ultrastructure of contact and distance chemoreceptors of Insecta. 1083

ultrastructure of haltere campaniform sensilla in Drosophila melanogaster. 3412

ultrastructure in labium of larval Speophyes lucidulus. 1995

ultrastructure of rostral sense-organs of Cenocorixa bifida. 1595

ultrastructure of sense-organs on halteres in Calliphora erythrocephala. 1994

ultrastructure of ventral photoreceptor cells in Limulus polyphemus. 2602

ventral phasic mechanoreceptors in abdomen of Blaberus craniifer. 3416 ventral photoreceptor cells of Limulus polyphemus. 2603, 2604

wind-sensitivity of antennae and head hairs in Locusta migratoria. 4483, 4491

in relation to yaw-correction in Schistocerca gregaria. 5845

Sepedon (Dipt., Sciomyzidae),

chromosomes. 3206

distribution in N.America. 541

new spp described. 541

Sepedon sauteri, established in Hawaii for control of Lymnaea ollula. 4110

Sepedon spinipes americana, chromosomes. 3206

Sepiapterin,

cofactor role of phenylalanine hydroxylase in Bombyx mori explained. 3937

in lethal lemon larvae of Bombyx mori. 4158

Sepinini (Hem., Het., Tessaratomidae), Platytatini reduced to subtribe of. 88

Sepsidae (Dipt.), 2506, 4860

distribution, ecology and systemics of synanthropic spp in Tyan'-Shan' Mts., Kirgizia, USSR. 4860

Sequoia sempervirens (Taxodiaceae) (redwood), feeding responses of Coptotermes formosanus, Reticulitermes flavipes and R.virginicus. 4762

feeding responses of Rhinotermitidae. 4762 Serboiulus popovi sp.n. (Myriap., Diplop.), described. 3022

Serenoa (Palmae) (saw palmetto), longevity of of Culex pipiens quinquefasciatus on. 3565

Sergentomyia grekovi (Dipt., Psychodidae), surface distribution in a sandy desert. 6050

Sericomyia silentis (Dipt., Syrphidae), population fluctuations in S.W.Norway. 344

Sericophanes (Hem., Het., Miridae), new spp described. 5038

Sericostoma personatum (Trich., Sericostomatidae), biology and life-history in Lake District, England. 360

Sericostomatidae (Trich.), 360, 3198, 3200 Serine,

proteinase an endogenous inhibitor of microsomal mixed-function oxidases in Prodenia eridania. 3930

in relation to RNA-synthesis in developing ovaries of Musca domestica. 1644

Serology,

of Rhagoletis pomonella complex. 991 tests of different media for insect pathogens. 5147

Serotonin, in relation to Malpighian-tubule secretion in Rhodnius prolixus. 1108

Serrodes inara (Lep., Noctuidae), gut. 181 Serrodes partita, quebrachitol of Pappea capensis leaves a feeding stimulant. 1260

Serruria (Proteaceae), host of Selenaspidus

Serruria (Proteaceae), contd.

quadrilobus sp.n. in Republic of S.Africa.

#### Sesamex.

in relation to aldrin and dihydroaldrin oxidation in Musca domestica. 221

in relation to diazinon detoxification in Musca domestica, 2018

hormonal effects of related compounds in Tenebrio molitor pupae. 5244

JH activity in Tenebrio molitor. 5245

in relation to metabolism and toxicity of cyclodienes and their photoisomers in Musca domestica. 5230

Sesamia cretica (Lep., Noctuidae),

biology. 5969

borer of maize in Sudan and its parasites. 6011 Sesamia inferens.

parasites on Luzon I., Philippines. 799 parasites in Sarawak. 5498

reared on artificial diet. 590

seasonal population fluctuations in Philippines.

Sesamum indicum (Pedaliaceae) (sesame), damage by Cadra cautella to stored grain. 786

Sesiidae, see Aegeriidae

Sesinae (Lep., Sphingidae), genitalia. 121

Sesquiterpenes, in osmeterial secretion of larval Battus polydamas. 4749

Sesquiterpene lactones (ambrosanolides), required for development of Tarachidia candefacta.

Sesquiterpenoids, cotton-bud constituents attractive for Anthonomus grandis. 5431

Setanuridae (Collem.), 4291

Setaria (Gramineae), damage due to Atherigona at Delhi, India. 4807

Setaria tomentosa (Gramineae), biology of Thomasiella tomentosae. 4027

Setodocus gen.n. (Col., Cerambycidae), established. 23

Setogaster manipuri (Collem., Entomobryidae), described. 4291

#### Sevin.

in relation to acoustical and sexual behaviour of Acheta domestica, 5252

control of Chilo zonellus and Sesamia cretica in

toxicity to larval Telmatoscopus albipunctatus. 5987

crossover values of sex-factor and 'w' (whiteeye) in Culex pipiens molestus. 2177

method for clearing Musca autumnalis puparia for sexing. 3372

new sex-linked mutations in Tribolium confusum. 4908

sex-differentiation in Morabinae. 1982 sex-differentiation in N.American Ips. 1978 sex-restriction of labda form of Rhodometra sacraria. 3646

sexing by differential mortality in Aphelinidae. 2113

sexing of first-instar larvae of Blaberus discoidalis. 243

sexing of larval Nephotettix cincticeps. 4434

sexing of pupal Anisota. 572

sexing of pupal Datana ministra. 572

sexing of pupal Trogoderma. 2559 sexing of pupal Vogtia malloi. 1041

'sexual drive' of Polydesmus angustus. 4663

sexuality in relation to dosage-compensation in Drosophila melanogaster. 1757

of soldiers and workers in Schedorhinotermes.

specificity of pheromones regulating elimination of supplementary reproductives in Kalotermes flavicollis. 4724

spontaneous sex-linked recessive lethals in spermatozoa of Drosophila melanogaster.

#### Sex-determination.

apparent voluntary control of egg fertilization in Megachile rotundata. 4017

artificial control of sex in Insecta. 5552

in Australian Macropathinae. 1742

in an Australian strain of Musca domestica. 910

in Caloglyphus mycophagus. 3087

in Deporaus pacatoides. 4909 in Eumastacidae. 6075

in Gilletteella coolevi. 3119

in Glyphotaelius pellucidus. 2835

in Gomphidae. 912

in Itoplectis cristatae. 1349

in Lucanidae. 1326

male-determining factors on autosomes II, III and V in a Musca domestica strain. 911

male-production in Myrmica rubra. 4873

in Odonata. 912

in Prosimulium magnum. 2182

in Pyemotes boylei. 4026

in relation to rearing conditions in Pseudaulacaspis pentagona. 4165 in "ruby" mutant of Musca domestica. 1773

in Scepticus insularis. 3674

in Sciomyzidae. 3206

sex-chromosome mechanism in Didymuria violescens. 4135

in Tetranychus urticae. 3673

tetraploid 99 of Mormoniella vitripennis. 1779

in Tetrastichus flavigaster. 4741

in Thermobia domestica. 4892

in Trichogramma embryophagum. 3524

in triploid intersexes of Solenobia triquetrella.

#### Sex-dimorphism,

of acetylcholinesterase activity in Celerio euphorbiae. 5940

of activity and behaviour in Acheta domestica. 52.04

# Sex-dimorphism, contd.

- of activity rhythms in Periplaneta americana. 5253
- in Aderus brevicornis. 3046
- of adult attachment rate in Amblyomma americanum. 4780
- in Alniphagus aspericollis. 2099
- of  $\alpha$ -amylase activity in 'Amy' strains of Drosophila melanogaster. 2622
- in Astylus atromaculatus. 4024
- of attraction to colour in Rhagoletis cerasi. 5212
- of behaviour in Zeiraphera diniana. 1028
- of brain-hormone titre during development in Bombyx mori. 5876
- in Brithrothrips fuscus. 3043
- of cell number and DNA content in Planococcus citri, 1327
- in Choriopsoroptes kenyensis gen. et sp.n. 4232
- of X-chromosome size and RNA-synthesis in Drosophila melanogaster. 3653
- of development in Psilococcus parvus. 2713
- of diapause and pupal development in Manduca sexta. 2065
- of dispersal in Curculio caryae. 2771
- of dispersal in Panonychus ulmi. 5952
- in diurnal rhythms of Insecta. 3557
- in Drosophila pseudoobscura populations selected for opposite geotaxes and phototaxes. 3676
- of emergence in Anaphes flavipes. 4834
- of emergence and longevity in Microbracon kirkpatricki. 5991
- of emergence time in Phanerotoma flavitestacea.
  5371
- of fat content in adult Drosophila melanogaster in relation to age. 5889
- of fat metabolism in Trypodendron lineatum. 3068
- of feeding behaviour in Glossina morsitans submorsitans and G.tachinoides. 2729
- of feeding and longevity in Phytoseius plumifer. 2710
- in first-instar larvae of Blaberus discoidalis. 243
- of flight activity in Haematobia irritans and Stomoxys calcitrans. 754
- of flight tendency in single-reared Schistocerca gregaria. 5831
- of flower-visiting activity in Oxycetonia jucunda. 4742
- of food consumption in Chilocorus bipustulatus.
- of haemolymph in Dolichopoda geniculata. 176
- of haemolymph proteins in Apis mellifera. 2630
- of haemolymph proteins in Dysdercus intermedius. 4005
- of haemolymph proteins in gregarious Locusta migratoria cinerascens. 3429
- of haemolymph proteins in Pyrenean Orthoptera. 2014

- of hexokinase isozymes in Drosophila robusta.  $2830\,$
- in Hypera brunneipennis and H.postica. 1979
- of instar number in Euthypoda acutipennis. 4717
- in Ischnura, 432
- lack in esterase fractions from Periplaneta americana. 4530
- in larval Panstrongylus geniculatus. 2058
- in larval Psyllidae. 3037
- of life-cycle in Thomisus onustus. 4728
- of lipid constitution in adult Dacus oleae. 2627
- of longevity in Acleris variana. 2664
- of longevity in Macrocheles peniculatus. 3996
- in Lyctidae. 4016
- of metasternal scent glands in Lethocerus. 4572
- of neutral-lipid metabolism in Plodia interpunctella. 1133
- of ninhydrin-positive components in Drosophila melanogaster. 4009
- in Nomia melanderi. 1732
- of physiology in Periplaneta americana. 1640
- in Phytoliriomyza and Phytomyza. 1421
- in Polistes exclamans. 1355
- in Prodenia. 3003
- in pupal Musca autumnalis. 3372
- of pupal Nasonia vitripennis. 5794
- of puparial size and weight in Cochliomyia hominivorax. 5171
- in Pytho depressus. 4042
- of rate of parasitization of Hemerocampa pseudotsugata cocoons. 4084
- response to DDT and X-irradiation in Tribolium. 3993
- in Rhagoletis. 2859
- of RNA-synthesis in Drosophila melanogaster. 3654
- in Sipyloidea sipylus. 3390
- of sound-production in Arphia conspersa. 3083
- of sound-production in German Scolytidae. 5902
- in Spodoptera. 3003
- of succinate dehydrogenase activity in mitochondrial preparations from Musca domestica. 3941
- of take-off activity in Acanthoscelides obtectus. 5847
- of tympanal organ in Acridoidea, 3899

## Sex-ratio,

- abnormality due to recessive factor in Drosophila melanogaster 42778
- abnormality due to 'Segregation Distorter' in Drosophila melanogaster. 909
- in Acraea encedon in Uganda. 1302
- in Agapostemon nasutus. 1728
- in relation to altitude in Palaeolecanium bituberculatum. 4825
- in Amblyseius fallacis. 4708
- in Aphytis hybrids. 5720
- in Apoidea. 1317
- in Arctocorisa carinata in Finland. 2809
- in relation to Bacillus thuringiensis infection in

Sex-ratio, contd.

Anagasta kuehniella. 5306

in Basilia hispida. 2789

in Callicorixa producta in Finland. 2809

in chromosomal translocation heterozygotes of Musca domestica. 3662

in Contarinia medicaginis. 332

in crosses between eastern and western Hypera postica strains. 730

in 'curved' and 'yellow' mutants of Blattella germanica. 4905

Darwinian fitness in relation to chromosomal sex-ratio in Drosophila. 922

in Dasyneura ignorata in C.Bohemia. 324

in Dibrachys cavus. 3144

diel changes in light-trap captures of Philopotamus montanus. 5516

of Drosophila melanogaster in a natural population in Japan. 4917

in Drosophilidae of S. Hokkaido, Japan. 2144

in 'ebony' Drosophila melanogaster. 908

of egg parasites of Entypotrachelus meyeri and E.micans. 2755

in Eriosoma ulmi. 4039

in Glossina palpalis. 5470

in Gryon flavipes. 5375

in relation to heliotrine treatment in Drosophila melanogaster. 405

of Hemerocampa pseudotsugata cocoons in  ${\rm N.E.}$  California, USA. 4084

in relation to host density in Eulophidae. 2115

in relation to host size in Itoplectis cristatae. 276

inheritance in Acraea encedon. 3672

inherited effects following irradiation in Heliothis virescens. 5301

in relation to  $\gamma\text{-}\textsc{irradiation}$  in Heliothis virescens. 2070

in Itoplectis cristate. 276, 1349

in laboratory-reared Alphitobius diaperinus. 2072

in laboratory-reared Microplitis croceipes. 5124

in laboratory-reared Paralobesia viteana. 2095

in Leptoconops irritans in Grossetano, Italy. 4113

in Limnephilidae of Grotta di Mt. Cucco, Italy. 862

in Lyctidae. 4016

manipulation in laboratory-reared Apanteles congregatus. 793

at mating and oviposition site in Scatophaga stercoraria. 3532

in relation to mating propensity in Drosophila persimilis. 731

in Microbracon kirkpatricki. 5991

in migrating Syrphidae. 335

in Molophilus ater. 2090

in Odites artigena. 5368

in Oligonychus punicae in relation to leaf

condition of Persea indica. 4833

in Orgilus lepidus. 2702

in Panonychus ulmi. 5952, 5976

in pupal Agapostemon nasutus. 3193

in relation to selection for insecticideresistance in Ostrinia nubilalis. 4914

in Simulium damnosum in W.Cameroun. 2684

in Tabanidae in New Jersey, USA. 3543

in Tetranychidae. 1295

in Tetranychus urticae. 3673

in Tetrastichus flavigaster. 4741

in Thomasiella tomentosae. 4027

of Thripidae on cereals in Finland. 1309

in Trichatelura manni. 2087

in Trichogramma embryophagum. 3524

Seychelle Islands,

new Curculionidae from . 2485

Schizomidae of. 492

Scolytidae from . 5652

Seyrigella notabilis (Orth., Eumastacidae), Madagascan records. 4393

Sheep, see Ovis

Shell SD-8447[2-chloro-1-(2, 4, 5-trichlorophenyl) vinyl dimethyl phosphate], control of Neoschoengastia americana on turkeys, 5348

Shell SD-8530[3,4,5-trimethylphenyl methylcarbamate], control of Porthetria dispar. 4682

Shetland Islands (North Sea),

Acari associated with Apodemus sylvaticus thuleo on Foula. 5594

Calliphora loewi and Micralymma marinum from Foula. 5594

Catocala fraxini new for. 5588

Siphonaptera from Foula. 5594

Shewellia agromyzina gen. et sp.n. (Dipt., Odinidae), described. 57

Shidasterone, isolation from Blechnum niponicum. 5439

Shirakia (Hym., Braconidae),

new for Sudan. 6011

parasitic on Chilo zonellus and Sesamia cretica in Sudan. 6011

Shirakia jokohamensis, parasitic on Scirpophaga in Bangladesh. 4841

Shirakia schoenobii, parasitic on rice stem-borers on Luzon Island, Philippines. 799

Siagona (Col., Carabidae), new taxa from C.Africa 5630

Siagona punctulula sp.n., described. 5629

Sialidae (Megal.), 3180, 3354

Sialis, C.European spp reviewed and keyed and distribution noted. 3354

Sialis vagans, microdistribution of larvae in relation to substrate particle-size. 3180

Sicilia, see Italy

Sida (Malvaceae),

host-plant of Agapostemon nasutus. 1728 host-plant of Schizotetranychus rhynosperus sp.n. in Brazil. 3288 Sierra Leone,

biology of Platypodidae. 5648

energy content of Sphingidae. 4855

new Platypodidae from . 5648

Odonata from . 491

Platypodidae from . 5648

seasonal abundance and species diversity of Sphingidae. 4857

Sifolinia kabylica sp.n. (Hym., Formicidae), described. 4355

Sigara (Hem., Het., Corixidae), Australian spp revised and keyed. 3781

Sigara arguta, eye growth. 2053

Sigara striata, trophic relationships. 5406

Sigara virginiensis, median-cord development. 2661

Signiphoridae (Hym.), 114, 4820

Silba (Dipt., Lonchaeidae), of Kertész redescribed and new synonymy. 3773

Silbomyia (Dipt., Calliphoridae), of Philippines, Bismarck Is. and Moluccas. 2864

Silene vulgaris alpina (Caryophyllaceae), hostplant of Volutaphis alpinae sp.n. in Austria. 4330

Silesis musculus (Col., Elateridae), discussed. 33 Silini (Col., Cantharidae),

Indo-Malayan taxa revised and keyed and new taxa described. 1837

Silis (Col., Cantharidae), new synonomy. 967
Silis ruficollis, occurrence in Appennino, Italy.
3236

Silk,

cupriethylene diamine for desilking pupal

Laspeyresia pomonella. 5102 production in Actias selene. 2834

production in Polyrhachis simplex. 4874

production in relation to incubation temperature in Bombyx mori. 3096

Silo (Trich., Goeridae), case-building. 358, 359
Silometopus elegans (Arach., Aran., Micryphant-idae), new for Poland. 6111

Gilometopus rosemariae sp.n., described. 4246 Gilpha (Col., Silphidae),

biology and ecology in Hutcheson Memorial Forest, New Jersey, USA. 4085

occurrence of 4 spp on carrion. 3167

Silpha quadripunctata Linnaeus, homonymy. 2921 Silphidae (Col.), 2033, 2921, 3167, 3250, 4085,

4457

attracted to carrion. 3167

biology and ecology in Hutcheson Memorial Forest, New Jersey, USA. 4085

Silvanidae (Col.), see also Cucujidae, 5887

Gilvanotelus gen.n. (Col., Cantharidae),

established. 1837

Silvestridia kaguya sp.n. (Prot., Acerentomidae), described. 4397

imemota besuitteti gen. et sp.n. (Col., Cantharidae), described. 4261

Similexocentrus mirei gen. et sp.n. (Col.,

Cerambycidae), described. 1407

Simiskina sibatika sp.n. (Lep., Lycaenidae), described. 1930

Simodenus reflexifollis (Col., Melyridae), larva described. 3848

Simplocaria metallica (Col., Byrrhidae), new records from Norway. 467

Simuliidae (Dipt.),

468, 542, 824, 873, 1134, 1167, 1356, 1431, 1879, 2157, 2182, 2209, 2555, 2650, 2684,

2776, 2781, 3699, 3881, 4312, 4313, 4719,

4814, 4821, 4823, 4884, 4932, 5472, 5477,

5574, 5676, 5907, 6030, 6062

blood-sources and incidence at Darjeeling, India. 4821

cephalic fans of larva not homologous to feedingbrushes of Aedes. 1167

DDT-resistance of larvae in New York State (USA) and E.Canada. 5472

distribution on North and South Islands, New Zealand. 3699

ecology and speciation in African spp. 1356 emergence times in relation to imaginal drift in Prater's Creek, S.Carolina, USA. 5477

emergence time in W.Cameroun. 2684

flight-patterns at Prater's Creek, S.Carolina, USA. 5477

homologies and origins of larval head. 1167 mass-movement of larvae on silken threads.
4814

new for Norfolk Island, Pacific Ocean. 542 from N.Italy. 468

physiological-age estimation. 5907

from Poland. 4932

of rivers in the 'Iron Gates' dam area, Romania. 2776

from S.Spain. 2209

of Taimyr National District, USSR . 4719

Simulium (Dipt., Simuliidae),

apparatus for maintaining larvae in flowing water. 2555

calliphorin present. 1134

diel periodicity of drift in an English Lake District stream. 2781

new for Jersey, Channel Islands. 5574

vertical distribution in benthos of a stream in Ontario, Canada. 6062

Simulium (Psilopelmia) antillarum, redescribed.

Simulium arcticum, outbreaks and control in Alberta, Canada. 2157

Simulium (Lewisellum) atyophilum sp.n., described. 4313

Simulium berneri, description amplified. 1431 Simulium damnosum,

biology, ecology and pathology in Tanzania. 824 ecology and speciation. 1356

emergence times in W.Cameroun. 2684 onchocerciasis infectivity in Tanzania. 824 sex-ratio fluctuations. 2684 Simulium (Phoretomyia) dukei sp.n., described. 1431

Simulium ibariense, new for Poland. 4932

Simulium morsitans, autogeny and physiological age estimation. 5907

Simulium neavei, speciation in relation to larval symbiosis. 1356

Simulium neornatipes sp.n., described. 542

Simulium ornatipes norfolkense subsp.n., described. 542

Simulium ovazzae, description amplified. 1431

Simulium spilmani sp.n., described. 1879

Simulium tarsale, redescribed. 1879

Simulium tuberosum, new for Poland. 4932

Simulium venustum, embryogenesis of head. 1167 Simulium vittatum,

occurrence in thermal waters in Iceland. 4823 salivary glands. 2650

Sinaeschnidia heishankowensis gen. et sp.n. (Odon., Aeshnidae), described. 499

Sinapisoma (Col., Scarabeidae), American taxa revised. 5649

Sinella curbiseta (Collem., Entomobryidae), cleavage morphology of egg. 5278

Sinentomidae fam.n. (Prot.), established. 128

Sinentomon erythranum gen. et sp.n. (Prot.,

Sinentomidae fam.n.), described. 128

Singapore,

new Ceratopogonidae from . 4299 new Chironomidae from . 4300

Singhardina (Hem., Hom., Cicadellidae), reduced to subgenus of Eurhadina. 2985

Singhiella crenulata sp.n. (Hem., Hom., Aleyrodidae), described. 3784

Sinolachnus (Hem., Hom., Aphididae), relationship with Protama. 3788

Sinoxylon pugnax (Col., Bostrychidae), new for Iran. 475

Sipha flava (Hem., Hom., Aphididae),

Acrostalagmus aphidum in relation to populations in Puerto Rico. 4847

biology of Cycloneda sanguinea in Puerto Rico. 4847

rainfall in relation to population dynamics in Puerto Rico. 4847

Siphlaenigmatidae (Ephem.), 3323, 4184 evolutionary trends. 4184 phylogenetic relations. 3323

Siphlonuridae (Ephem.),

1717, 2245, 2248, 2962, 3323, 4184 phyletic relationships within Siphlonuroidea. 2245

Rallidentinae not subfamily of, 2248 from S.E.Asia. 2962

Siphlonurinae (Ephem., Siphlonuridae), evolutionary trends of larvae. 4184 possible origin of Baëtidae from . 3323 relationship to Rallidentinae. 2248

Siphlonuroidea (Ephem.), Paedephemeridea syn.n. of 3324 phyletic relationships of Aenigmephemeridae within. 2245

relationships of Baetiscidae and Prosopistomatidae, 2246

Siphlonurus lacustris (Ephem., Siphlonuridae), abundance in R. Vindelalven, Swedish Lapland.

Siphlurites explanatus (Ephem., Isonychiidae), placed in Coloburiscinae. 3325

Siphonaptera.

from Belorussia. 1809 of caves of Romania. 5562

distribution, host preferences and seasonal abundance in New England, USA. 5605

food concentrate in pellet form for standard culture. 4423

from Foula Island, Shetland Islands. 5594 from Hyrax and small mammals in C. and S.Kenya. 1696

of Insectivora, Lagomorpha and Rodentia in Germany. 4092

methods for testing for DDT-resistance. 4581 new for Ireland. 5595

of New Zealand, 3694

from Noord-Beveland, Netherlands. 2876, 6155

from N.New York, USA. 4196

of Riparia riparia in Switzerland. 4106 from rodent nests in Romania. 2229

from small mammals in Pomerania 6154

of small mammals in Yatsugatake Mts., Japan.

structure of sternites VIII and XI in the J. 4591 thermo-separator for extraction of larvae from birds' nests. 2547

ultrastructure of rectal cuticle. 3444

Siphonophoroides (Hem., Hom., Aphididae), Anconatus gillettei transferred to. 5689

Sipyloidea sipylus (Phasm., Phasmatidae), sex dimorphism. 3390

Sirex dux (Hym., Siricidae), ecology of parasites.

Sirex juvencus, flight-period, forewing/ovipositor ratio and size variation in Finland, 1455 Sirex noctilio,

fungal symbiont probably Amylostereum aerolatum. 1263

prey of Neoitamus bulbus in New Zealand. 3569 Siricidae (Hym.),

1455, 1263, 1663, 3569, 4438, 5481 biology of Pseudorhyssa sternata. 1663

immature stages of European parasites. 4438 Sisyphus (s.str.) natalensis sp.n. (Col., Scarabaeidae), described. 1851

Sisyra dalii (Neur., Sisyridae), new locality for Norway, 1810

Sisyridae (Neur.), 861, 1692, 1810 spongillid hosts of larvae in Louisiana and Texas, USA. 861

Siteroptes (Arach., Acari, Trombidiformes). new spp from Bolivia and Brazil, 1392

Siteroptes (Arach., Acari, Trombidiformes), contd. spp keyed. 2458

Tesiroptes subgen.n. established. 2458

Sitodiplosis mosellana (Dipt., Cecidomyiidae), parasites and predators. 4101

Sitona cylindricollis (Col., Curculionidae),

§ reproductive system. 4628

oocyte production. 4628

Sitophilus (Col., Curculionidae), climbing ability on glass. 5830 oviposition-site selection. 5321

Sitophilus granarius,

reproductive rates on different cereals. 738 sound-production during mating. 1599 sperm activation and movement. 1163

Sitophilus linearis, new for Australia. 4206 Sitophilus oryzae,

behaviour in temperature gradient. 5887 mortality in relation to atmospheric gas composition and temperature. 5257

Sitophilus zeamais,

attractant from rice grains. 133, 299 bioassay for assessment of attractancy of rice grains. 133

development on bulgur and wheat. 693 habitat disturbance in relation to interaction with Rhizopertha dominica. 1718

method for obtaining immature stages from substrate. 3030

sperm activation and movement. 1163  $\beta$ -Sitosterol.

of Cheirodendron gaudichaudi leaves in relation to Drosophila in Hawaii. 647 distribution in larval Gonimbrasia belina. 3940

Sitotroga cerealella (Lep., Gelechiidae), egg-maturation and fertilization. 1985

germination of seeds of Indian crops damaged by larvae. 4812

method for mechanized mass-production. 1495 oviposition by Trichogramma. 5407 parthenogenesis absent. 1985

Sium latifolium (Umbelliferae), alternative hostplant for Depressaria ultimella in Britain. 5444

Sivacrypticus (Col., Tenebrionidae), Congo spp keyed. 3754

Size.

body-size in relation to  $O_2$ -consumption in Eylais hamata. 3909

changes in size and respiration rate in Bombyx mori during metamorphosis. 1170

in relation to crowding in Acyrthosiphon pisum.

in relation to crowding in Spodoptera littoralis larvae. 5933

in relation to cytoplasmic polyhedrosis in Pectinophora gossypiella and Trichoplusia ni. 5802, 5804

in relation to diet in Bombus. 5518 in relation to diet in Culicoides furens. 598

in relation to disruptive and stabilizing selection in Drosophila melanogaster. 2828

in Drosophila pseudoobscura populations selected for opposite geotaxes and phototaxes. 3676

increase in Draeculacephala mollipes larva.
4711

of laboratory-reared Cochliomyia hominivorax pupae and adults. 5171

length variation in Acyrthosiphon pisum. 4607 in relation to  $O_2$ -consumption in Chironomus

strenzkei. 3908 in relation to parental age in thorax of Drosophila melanogaster. 1175

in relation to radiosensitivity in arthropods. 254 relationships in Drosophila during development.

2829 relationships between puparia and adults in

Cochliomyia hominivorax. 5171 size-volume relationships of Leptophlebia

 $\begin{array}{c} \text{cupida eggs.} \ 5459 \\ \text{in relation to temperature in Acyrthosiphon} \end{array}$ 

pisum. 4606 in relation to temperature in Drosophila

melanogaster. 4091 in relation to temperature in a Florida (USA) population of Culicoides furens. 4011

of Tetrastichus flavigaster in relation to instar. 4741

variation in Acyrthosiphon pisum. 4607 variation in incipient colonies of Bombus agrorum. 4876

Skatitoxenini trib.n. (Col., Staphylinidae), established in Aleocharinae. 531

Skatitoxenus coatoni gen. et sp.n. (Col., Staphylinidae), described. 531

Skatole

production by Neivamyrmex nigrescens and effect on snakes. 4863

sensitivity in Macrocheles muscaedomesticae. 4502

Slugs (Mollusca Pulmonata), biology of Tetanocera. 4716

Smaller brown planthopper, see Laodelphax striatellus

Smaller European elm bark beetle, see Scolytus multistriatus

Smilax parvifolia (Liliaceae), host of Impatientinum impatiensae dalhousiensis subsp.n. in N.W.India. 3787

Sminthuridae (Collem.),

1220, 1858, 1859, 2170, 2933, 3258, 3315, 4020, 4981, 5662

variability of metatrochanter setal number. 1858 Sminthurides pseudoassimilis (Collem., Sminthur-

idae), activity and local distribution in an Indiana (USA) woodland. 4020

Sminthurides stachi, new for Britain. 3258

Sminthurinus mime (Collem., Sminthuridae), biology and natural enemies. 2170 Sminthurus (Collem., Sminthuridae), new spp described. 1858

Sminthurus echinatus, presence on Molara and Tavolara Is., Italy. 3315

Smittia (Dipt., Chironomidae), lectotypes designated for parva and velutina. 5669

Snowy tree cricket, see Oecanthus fultoni Sociality,

in Agapostemon nasutus. 1728

in Apoidea. 1317

in Araneae. 3571

Arthropoda cohabiting with social Araneae. 3571 defence mechanisms of social insects against predators and parasites. 5389

evolution in Halictidae. 2169

ionizing radiation and radio-isotopes for study of trophic relations in social insects. 4414

in Melipona. 1316

in Trigona. 1316

#### Sodium,

in relation to electroretinogram of Blaberus craniifer ocellus. 1074

haemolymph titre during heat death in Centrioptera muricata. 5885

movements in midgut of Periplaneta americana. 1101, 1549

regulation in CNS of Carausius morosus. 3883 in relation to RNA-polymerase activity in isolated fat-body cell-nuclei of Calliphora erythrocephala. 1126

#### Sodium chloride.

activation of salivary amylase in Lygus disponsi. 1562

in relation to perinatal mortality and phase in Schistocerca gregaria. 2075

in relation to reception in type-3 waterreceptor of Phormia terranovae. 5199

resistance of larval muscles of Laspeyresia pomonella during diapause and overwintering. 1620

responses of mouthpart receptors in Locusta migratoria migratorioides and Schistocerca gregaria. 2731

### Sodium cyanide.

in relation to reception in type-3 waterreceptor of Phormia terranovae. 5199

in relation to water-loss from spiracles in Hyalomma dromedarii and Ornithodoros savignyi. 4557

Sodium diethyldithiocarbamate, in relation to cuticular phenoloxidase from white puparia of Drosophila virilis. 1558

Sodium monohydrogenarsenate, interaction with selenocystine in relation to crossing-over in Drosophila melanogaster. 2179

Sogatella furcifera (Hem., Hom., Delphacidae), abundance on rice in relation to diazinon treatment in Philippine Islands. 2141 host of Anagrus sp on rice in India. 1276 Sogonidae (Myriap., Chil.), syn.n. of Geophilidae. 5088

Soil,

aestivation and hibernation habits of Hypera postica in W.Virginia, USA. 5376

aggregation of Collembola in Pinus sylvestris forest in Perthshire, Scotland. 2162

apparatus for collecting Coleoptera from litter and soil. 1497

Arachnida at a farm at Giza, Egypt. 6054 arthropod communities in a Carpinus-Quercus forest at Louvain, Belgium. 3598

biological bases for control of Elateridae in the USSR. 5463

biology of Astylus atromaculatus larvae. 4024 biology and ecology of Oxytelus rugosus. 5367 biology and ecology of Philonthus fuscipennis.

biology of Eriosoma ulmi in relation to Ribes and Ulmus in Warszawa area, Poland. 4039

biology and population structure of surfacedwelling Collembola in coniferous forest soil. 2160

biotic relations of arthropods. 2822

burial of Vitacea polistiformis pupae in relation to adult emergence.  $3526\,$ 

coccinellid larvae in pitfall-traps among Abies in GDR . 4104

cocoons and diapause in larval Contarinia pisi.  $4029\,$ 

Coleoptera from soil near nests of small mammals in Transcarpathian region, USSR. 4078

collection, distribution and population structure of leaf-litter Thysanoptera. 5773

Collembola in relation to humus-production. 5504

colonization by elaterid larvae during evolution. 1360

conditions in relation to locomotion of Melolontha melolontha. 5919

crystal violet and malachite green for determining age of Neodiprion sertifer cocoons. 1500

depth in relation to gut contents of Collembola. 5996

dispersion of Diplopoda in a Cheshire (England) wood. 4839

distribution of Scutigerella immaculata in the USA. 5606

ecological distribution of Protura in Poland. 5593

ecology of fauna in Hidaka-Mombetsu, S. Hokkaido, Japan. 2146

ecology and species-distribution of mossdwelling Collembola in Sidobre, Tarn, France. 4879

in relation to faunal distribution in coastal areas of Kiel, GFR. 4095

forestry practices in relation to fauna in coniferous forest. 3179

fumigation in combination with systematic

Soil, contd.

insecticides for control of Insecta and Nematoda in potatoes. 4692

hot-rod technique for extraction of Collembola. 3027

hour-degree (Fahrenheit) temperature summations in relation to adult emergence of Rhagoletis pomonella. 3032

humidity in relation to feeding and weight in Reticulitermes. 5886

humidity during incubation in relation to viability of newly-hatched gregarious larvae of Schistocerca gregaria. 3498

implantation of Bellicositermes bellicosus red termitaria in relation to structure of savannah soil in C.African Republic. 4869

living Palpigrada from Alps for first time.
5523

manipulation of invertebrate populations for trophic studies. 1721

manipulation of invertebrate populations for trophic studies. 1721

method for separating Ctenicera destructor eggs from soil. 1496

methods for studying biology of soil animals.  $2822\,$ 

migration of larval Diabrotica virgifera. 5455 migration of Pseudoscorpiones from soil to litter in winter. 4854

modified Tullgren apparatus for extraction of Oribatei. 4410

moisture in relation to emergence, fecundity and longevity of Conotrachelus nenuphar. 5299

moisture in relation to scarabaeid damage to clover and grasses. 2122

in relation to nest development and structure in Formica polyctena. 2820

in relation to nest distribution of Formicidae in Mamora Forest, Morocco. 4862

organic matter in relation to scarabaeid damage to clover and grasses. 2122

overwintering of Anaphothrips validus. 5597 overwintering of larval Pamphilius ochreipes.

oviposition-sites of Hippelates dissidens. 4651 pH in relation to oviposition in Collembola. 2170 populations of larval Cecidomyiidae at Allahabad, India. 4099

predation by elaterid larvae on Bupalus piniarius pupae. 2161

pupation of Leiophron. 5377

soil bacteria in gut flora of larval Bibio marci. 3919

temperature in relation to feeding and weight in Reticulitermes. 5886

temperature in relation to foraging behaviour of Hodotermes mossambicus. 5517

temperature and heat-flux estimation in stubbed-

cotton-field microhabitats in winter. 1492 toxicity of insecticides to larval Euxoa messoria

when applied as soil treatments. 5182 trophic relations of micro-arthropods. 2822 type in relation to Apoidea pollinating Medicago

sativa in Hungarian Great Plain. 1280

vertical distribution of macro-animals in

vertical distribution of macro-animals in grassland soil in Japan. 2813

viruses for control of Pieris rapae and Trichoplusia ni. 5961

water-movement in termite mounds in Rhodesia. 855

Sokotra (Arabian Gulf),

Nemestrinidae for first time. 4296 new Bombyliidae from. 4296

Solanum (Solanaceae),

oviposition behaviour of Empoasca fabae. 740 seedling resistance in relation to aphid density. 4800

wild Mexican spp resistant to Macrosiphum euphorbiae and Myzus persicae. 4800

Solanum caavurana, host plant of Ceratiscada canaris sp.n. in Brazil. 5755

Solanum chacoense, in relation to feeding and oviposition of Empoasca fabae. 4657

Solanum douglasii, biology of Tetranychus evansi in laboratory. 743

Solanum melongena, fentins as anti-feedants for larval Gnorimoschema operculella. 5393

Solanum pennellii, resistant to Tetranychus cinnabarinus and T.urticae. 1705

Solanum tuberosum (Solanaceae) (potato),

Aphididae and Coccinellidae in a 4-field rotation system. 5495

control of Macrosiphum euphorbiae and Myzus persicae. 3603

control of nematodes and insects by band application of systemic insecticides and soil furnigation. 4692

development and reproduction of Planococcus citri. 1231

pheromone production in Aonidiella aurantii reared on. 2646

rate of transmission of leaf roll virus by Myzus persicae in relation to food-plant. 1282

varietal preferences of Macrosiphum euphorbiae and Myzus persicae. 3603

Soldanellonyx marlieri sp.n. (Arach., Acari, Hydrachnellae), described. 10

Soldep, effects on Cycloneda limbifer. 2091 Solenobia triquetrella (Lep., Tineidae),  $F_1$  gonads

and sex-determination in triploid intersexes.

1350

Solenopsis saevissima (Hym., Formicidae), acceptability of food substrates. 4760

Solenopsis saevissima richteri, food-habits in S.E.Louisiana, USA. 3136

Solidago (Compositae), host of Stictocephala bubalus in Mississippi, USA. 3582

Solidago canadensis, gall formation by butanol

Solidago canadensis, contd.

extract of Eurosta solidaginis. 3584

Solierella (Hym., Sphecidae), feeding, nesting and parasites in blaisdelli and peckhami. 4740

Solifugae (Arach.), 155, 4503

Solomon Islands (Pacific Ocean),

Isotomidae from. 2932 Lucanidae from . 5001

Lycaenidae of. 440

new Cantharidae from . 1837

new Isotomidae from . 2932

new Nymphalidae from . 1936

new Pseudococcidae from . 2519

new Rutelidae from . 5011

new Sarcophagidae from . 2952

new Staphylinidae from . 2926

new Thysanoptera from . 5773

Scoliidae from . 5739

Stenus new for . 2926

Thysanoptera from . 5773

Solomonthrips gen.n. (Thysanopt., Phlaeothripidae), established. 5773

Somalia,

new Carabidae from . 5629

new Scarabaeidae from . 5012

Sonchus oleraceus (Compositae), feeding-sites of Hyperomyzus lactucae. 1685

Soniphilidae (Myriap., Chil.), syn.n. of Geophilidae. 5088

Sophikothrips gen.n. (Thysanopt., Phlaeothripidae), established. 5773

Sophronica fuscipennis sp.n. (Col., Cerambycidae), described. 3737

Sophrops (Col., Scarabaeidae), new spp described.

Sorbic acid, in relation to egg-hatch in Urbanus proteus. 5312

Sorbitol,

nutritive value to Erioschia brassicae. 2722 utilization during flight in Apis mellifera. 4537

Sorbose, repellent to Erioischia brassicae. 2722

Sorex, host of Ixodes himalayensis sp.n. in Himachal Pradesh, India. 4225

Sorex araneus (Insectivora), host of Ixodes trianguliceps in Netherlands. 2757

Sorex minutus, Siphonaptera from Ireland. 5595 Sorghum (Gramineae),

biology of Astylus atromaculatus. 4024 biology of Chilo partellus in Peshawar,

Pakistan. 1657 food-plant of Proceras venosatus in Japan. 1281 oviposition by Atherigona varia soccata. 3530

stem-borers and their parasites in Sudan. 6011 Sorghum bicolor, host preferences of Schizaphis graminum biotype. 2724

Sorghum sudanense (sudan grass), host of Proceras venosatus in Japan. 1281

Sorghum vulgare (jowar, sorghum),

damage caused by Cadra cautella to stored grain. 786

germination in relation to damage by larval Sitotroga cerealella. 4812

host-plant of Contarinia sorghicola in S. France.

susceptibility to Chilo zonellus. 4798

toxicity of roots to Diabrotica virgifera larvae. 818. 3594

trap crop for protection of cotton from Lygus vosseleri. 5438

Sorghum shoot bug, see Peregrinus maidis Sorghum stem borer, see Chilo zonellus

Sorhagenis (Lep., Lyonetiidae), feeding, hostrange and phenology in relation to Rhamnaceae in Europe. 3591

Sorhoanus magnus sp.n. (Hem., Hom., Cicadellidae), described. 5044

Soricidae (Insectivora), German Siphonaptera. 40.92

Soriculus nigrescens (Insectivora), host of Stenischia pagiana sp.n. in Nepal. 4399

Sosylus (Col., Colydiidae), from Nigeria. 29 Sound,

antenna a possible sound-receptor in Oncopsis flavicollis. 5196

auditory system of Cicadidae and Orthoptera.

avoidance response of Ostrinia nubilalis.

background of Apis mellifera colony. 6067 behaviour in relation to intensity in Lepidoptera.

brain interneuron suppression by high soundintensities in Heliothis zea. 1051

calling-song of Oecanthus celerinictus. 4420 central and peripheral conditions in relation to courtship-song organization in Gomphocerippus rufus. 3958

detection in Choerocampinae. 4482

explosion chemistry in Brachinus. 3926 flight-sound of Hypoderma in relation to cattle.

flight-tone in relation to swarming of Chironomus plumosus. 2045

mathematical model of chirping in unstimulated of Acheta domestica. 1156

nervous control of stridulation in Gryllus campestris. 3957

perception in Apis mellifera. 6064

perception of ultrasound in Locusta migratoria.

possible stridulatory device in Xyleutes durvillei and other Lepidoptera. 3855

production in Apis mellifera. 675

production apparatus of Cicadidae and its nervous control. 1063

production by Arphia conspersa in social displays. 3083

production in Cydnidae. 673

production in Fidicina rana. 1157

production in Gryllotalpa. 5901

Sound, contd.

production in Gryllus bimaculatus. 674, 2654 production in Gryllus campestris. 674, 5901 production in Homorocoryphus nitidulus vicinus.

5899

production in Ips of N.America. 219

production in Schedorhinotermes derosus. 4878

production in Scolytidae. 219, 5902

production and songs of Acheta domestica. 674 production and songs of Cyrtoxipha of USA.

production in Steatoda bipunctata. 5954

production in stored-product Insecta during mating. 1599

production in Tritomegas bicolor. 673

resonance of tegminal generator in Homorocoryphus nitidulus vicinus. 5900

responses of  $\alpha$  and  $\beta$  auditory interneurons of Gastrimargus africanus. 1070

responses of auditory system to songs in Fidicina rana. 1535

responses of auditory system to songs in Homorocoryphus. 1529

responses of Heliothis to ultrasound. 1079,

responses of Noctuidae to ultrasound pulses.

responses of Ostrinia nubilalis to ultrasound. 2550

seasonal cyclicity of sound-background in Apis mellifera colonies. 6067

sex differentiation by stridulation in Scolytidae.

song differences between Pterophylla camellifolia populations in Iowa, USA. 5514

song synchronization in Oecanthus fultoni.

songs of Amphipsalta gen.n. 3337

songs of Chremon arimae sp.n. 126

songs of Cicadidae. 2044

songs of Fidicina rana. 1157

songs of Gryllotaipa. 5901

songs for intraspecific signalling in Fidicina rana. 1535

songs of Metrioptera sphagnorum. 3959

songs of Orocharis of USA. 125

songs of Orthoptera. 2044

songs of Tritomegas bicolor in relation to mating. 673

sound-synchronized ultra-high-speed photography for studying stridulation in Gryllidae and Tettigoniidae. 4420

stimulus chirps in relation to chirping in Acheta domestica. 1156

production in Dociostaurus curvicercus in relation to hormonal termination of reproductive diapause. 4661

production in o' Cardiaspina densitexta. 5362

production in Paktia gardezae gen. et sp.n.
5086

production in Tettigonioidea of Trinidad, W. Indies. 3103

sublethal doses of insecticide in relation to sound-production in Acheta domestica. 5252

taxonomic value of sound-producing organs of Coleoptera, Heteroptera and Orthoptera.
948

tympanal organs not related to sound-producing mechanisms in Acridoidea. 3899

ultra-high-speed photography for studying stridulation in Gryllidae and Tettigoniidae. 4420

ultrasound for control of Heliothis zea on cotton. 3190

ultrasound in relation to UV-lamp captures of Heliothis zea and Ostrinia nubilalis. 2550

Sour cherry, see Prunus cerasus

Sourwood, see Oxydendrum arboreum

South African citrus psylla, see Trioza erytreae South-West Africa,

Clytrinae from . 2484

new Argasidae from . 4220

new Chrysomelidae from . 2484

new Pteromalidae from . 4360

new Scarabaeidae from . 5012

new termitophilous Staphylinidae from . 531, 4287 Scolytidae from . 5652

Southern armyworm, see Prodenia eridania Southern cowpea weevil, see Callosobruchus maculatus

Southern green stink bug, see Nezara viridula Southern Hemisphere, Aegyptobia new for. 3287 Southern house mosquito, see Culex pipiens

quinquefasciatus

Southern potato wire-worm, see Conoderus falli Soybean, see Glycine max

Sozites kerichoensis sp.n. (Hym., Ichneumonidae), described and biology. 2523, 2755

Spaelotis clandestina (Lep., Noctuidae), supposed nematode larvae from a Blattisocius patagiorum taken on. 4700

Spain,

Acalyptratae from . 58

Acalyptratae new for. 536

Acari and Insecta associated with Halogeton sativus. 3585

attempt to re-establish Charaxes jasius in Madrid. 1713

biology and ecology of Lixus algirus. 1226

Brachycera from . 1864

Calyptratae new for . 536

Chilopoda from. 3020, 3021

Chrysomelidae new for Catalonia. 2902

Coleoptera of R. Llobregat delta. 1364

Colotis daira nouna from Almeria and Grenada.

distribution of Dicranura delavoiei, iberica and vinula. 1370

Eumenidae from Canet de Mar, Barcelona Province. 1799 Spain, contd. exceptional populations of Noctuidae in Madrid. 2149 Fanniinae of. 471 Faronus keyed. 979 Geopselaphus keyed. 980 Gloger's rule in relation to pigmentation of Collembola of Pyrenees. 2797 habits, ranges and taxonomy of Formicidae. 3639 Heteroptera from . 3263 Hoplia keyed. 982 Ichneumon sarcitorius parasitic on Hydraecia xanthenes. 1269 Lepidoptera catalogued. 1363 Lepidoptera from . 2224 Lonchopteridae from . 473 Lycia hirtaria from Populus for first time. 1283 Mallophaga of. 1367 Nabidae from . 3328 new Aphididae from . 2980 new Apidae from . 4340 new Asteiidae from . 58 new Bombyliidae from . 60, 4298 new Chamaemyiidae from . 473 new Chilopoda from . 1953, 3020, 3021 new Chrysomelidae from . 2902, 5636 new Colydiidae from . 1849 new Diplopoda from. 3023 new Heleomyzidae from . 536 new Histeridae from . 974 new host records for Mallophaga. 1367 new Megachilidae from . 5735 new Milichiidae from . 58 new Muscidae from . 471 new Oribatei from . 3723, 3725 new Otitidae from . 58 new Papilionidae from . 4383 new Phoridae from . 71 new Pipunculidae from . 72 new Platystomatidae from . 58 new Pselaphidae from . 979, 980 new records of Formicidae, 3639 new Scarabaeidae from . 982 new Scythrididae from . 3353 new Stratiomyidae from . 1864 new Tachinidae from . 1865 new Trixoscelidae from . 5686 new Zygaenidae from . 1938 Oestridae from . 1865 Platycerus of. 975 Pupipara new for. 536 Simuliidae new for . 2209 Spodoptera littoralis, not S.litura, present. Syrphidae new for Teruel Province. 1365 Tachinidae new for . 1865 Tephritidae new for. 2212 Tipulidae from Almeria and Granada. 474 travels of Rambur. 4209

Spaniocelyphus (Dipt., Celyphidae), spp keyed. 2942 Spathius (Hym., Braconidae), American and Mexican spp revised and keyed. 4346 Spathius pallidus, biology in relation to Ips in Virginia, USA. 4733 Speciation, in African Simuliidae. 1356 in Aphytis. 2862 chromosomal aspects in Prosimulium. 2182 in relation to chromosomal rearrangements in Didymuria violescens. 4135 in Cyphomyia bicarinata group. 1433 genetic basis in Drosophila. 431 in Gryllidae. 3231 in Insecta of Ontario, Canada. 3276 numerical method for assessment. 1359 in Pithitis. 2988 in Plagithmysinae of Hawaiian Islands. 3739 in relation to polyploidy, 6071 in Rhagoletis. 2859 in Simulium neavei group. 1356 via sympatric host-race formation in Rhagoletis. 933 in Teldenia. 495 Speleognathopsis galli (Arach., Acari), infestation of domestic fowl in Papua-New Guinea. 3581 new for Australasia. 3581 Speleorchestes (Arach., Acari, Nanorchestidae), new spp described and key. 513 Speophyes lucidulus (Col., Leiodidae), egg-weight during embryonic development. 463 release of moulting-hormone precursor in larva. 4550 ultrastructure and electrophysiology of membranous lobe of antenna. 1085 ultrastructure of labial sensilla in larva. 1995 Spercheidae (Col.), 4944 larvae from Republic of S.Africa. 4944 Sperchon (Arach., Acari, Hydrachnellae), daily and annual periodicity of drift activity in glandulosus and setiger. 1321, 5385 activation, disaggregation and movement in Cimex. 1210 activity of Periplaneta americana sperms from

♀ reproductive tract. 1195

Trixoscelidae from . 5686

Romania. 2229

for Finland. 2870

from nests. 5615

Spalacidae (Rodentia), Siphonaptera from nests in

pupae in N.E.Mississippi, USA. 2751

Spalax leucodon (Rodentia), Ctenoglyphus atanasov

Spanagonicus albofasciatus (Hem., Het., Miridae)

temperature in relation to development. 5307

Spalangiopelta alata (Hym., Pteromalidae), new

nigroaenea parasitic on Haematobia irritans

Spalangia (Hym., Pteromalidae), cameroni and

perm, contd.

activity in Sitophilus granarius and S.zeamais.

ageing in relation to segregation distortion in Drosophila melanogaster. 4134 chemical inactivation in Bracon hebetor. 258

chlorazol black for staining. 602

competition in relation to evolution of copula duration in Scatophaga stercoraria. 5951

development in relationship to carnitine acetyltransferase activity in Drosophila melanogaster. 3998

in relation to diluents in queen Apis mellifera. 3495

DNA linear dichroism in sperm-heads of Locusta migratoria. 6080

DNA secondary structure in sperm-heads of Locusta migratoria in relation to RH. 5537

in Drosophila radiosensitivity. 266

in relation to extra-terrestrial radiation in Habrobracon and Tribolium. 249

flagella of Insecta. 679

flagellum in Y-mutants of Drosophila melanogaster. 3967

functionality dependent on 9 genotype in Drosophila melanogaster. 228

in relation to hempa in Musca domestica. 2186 in relation to γ-irradiation in of pupae of Eucosma schistaceana. 1190

of Leiobunum. 3969

longevity in Aculus cornutus. 4586

methylmethanesulphonate inducing recessive sex-linked lethal and semilethal mutations in Drosophila melanogaster. 6095

morphogenesis and structure in Insecta. 5273 mosaic and whole-body mutations in Bombyx mori. 4163

movement in relation to gland activity in of Spilopsyllus cuniculi. 1647

movement and structure in Pseudococcus obscurus, 681

mutations induced by X-rays in Drosophila melanogaster. 6093

neutrons inducing recessive lethals and translocations in Drosophila melanogaster. 4907

non-functional sperm in Drosophila melanogaster. 228

production in o' Drosophila melanogaster homozygous for Segregation Distorter elements. 3656

progeny/sperm ratios in Drosophila melanogaster. 228, 4138

retention in lateral oviducts in artificially inseminated queen Apis mellifera. 3478

'Segregation Distorter' in relation to progeny/ sperm ratios in Drosophila melanogaster. 4138

storage of Drosophila melanogaster sperm in relation to mutagenicity of monofunctional alkylation. 3222

storage of Drosophila melanogaster sperm in relation to spontaneous sex-linked recessivelethal mutations. 410

TEM-induced chromosomal changes in Drosophila. 392

in relation to temperature in queen Apis mellifera. 3495

in relation to tepa in Musca domestica. 2186 transfer in Mastigoproctus giganteus. 3525

transfer recovery in Musca domestica after exposure to 1,3-propanediol dimethanesulphonate and X-rays. 4608

ultrastructure in Apis mellifera. 5272

ultrastructure in Blaberus craniifer. 223

ultrastructure of flagellar accessory tubules in Leptinotarsa decemlineata. 2658 ultrastructure of flagellum in Araneae. 5276 ultrastructure in Periplaneta americana. 223

ultrastructure in Pisaurina, 5277 utilization in relation to radiosensitivity in

Drosophila melanogaster. 3212

Spermathecae.

localization of alkaline phosphatase in Schistocerca gregaria. 4006

proteins of Apis mellifera. 2630

Spermatogenesis,

in relation to aneuploid spermatids in Drosophila melanogaster. 1335

association with Y-chromosome lampbrush loops in Drosophila hydei. 4887

asymmetry of heteropycnosis in tetraploid spermatogonia of Morabinae sp P52a. 5524

banding in spermatid chromosomes of Acrididae. 3214

in relation to CA-implantation in Locusta migratoria migratorioides. 3502

in relation to chemical mutagens in Bombyx mori. 3663

in relation to chemosterilants in of Oncopeltus fasciatus. 3093

in Choristoneura fumiferana. 4587

chromosome elimination in Mayetiola destructor.

in relation to Y-chromosome in Drosophila hydei. 1328

cortex and cytoplasm in temperature-induced unequal division of Acrida lata spermatocytes. 5828

cytochemistry in Lithobius forficatus. 5943 cytology in Lithobius forficatus. 2047

degenerative changes of spermatids in sterile of hybrids of Drosophila paulistorum complex.

DNA-synthesis of X-chromosome in Rehnia spinosus spermatocytes. 3942

DNA-synthesis in relation to meiosis in Locusta migratoria spermatocytes. 869 duration in Culex pipiens. 3477

in relation to EMS in Bombyx mori. 3668 histone synthesis of X-chromosome in Rehnia Spermatogenesis, contd.

spinosus spermatocytes. 3942

hormonal control in Periplaneta americana. 4636

in Insecta. 5273

in relation to irradiation in Locusta migratoria migratorioides. 3502

in relation to  $\gamma$ -irradiation in Bombyx mori. 3663

in relation to  $\gamma$ -irradiation in Stomoxys calcitrans. 4609

in relation to  $\gamma\text{-irradiation}$  in Trichoplusia ni . 1192

X-irradiation inducing mutations in Drosophila melanogaster spermatids. 6093

in relation to X-irradiation in Musca domestica. 4608

X-irradiation producing XO-off in Drosophila melanogaster spermatocytes. 393

in KL-1 of Drosophila melanogaster. 226

in Lithobius forficatus. 2048

methylmethanesulphonate inducing recessive sex-linked lethals and semilethals in Drosophila melanogaster spermatids. 6095

meiotic chromosome polarization and pairing in spermatocytes of Locusta migratoria. 869, 5533

in relation to mitomycin C in Bombyx mori. 396, 3668

in relation to mitomycin C in Drosophila. 396 multiple-core complexes in Chorthippus longicornis spermatocytes and spermatids. 871

in relation to neutrons in Bombyx mori. 3663

neutrons inducing recessive lethals and translocations in Drosophila melanogaster late spermatids. 4907

in relation to N-nitrosomethylurea in Drosophila melanogaster. 251

nutritional role of fat-body cells in Ips confusus

patterns in Drosophila melanogaster. 3212 polyspermy by tepa and hempa in Musca domestica. 2186

in relation to 1,3-propanediol dimethanesulphonate in Musca domestica. 4608

radiosensitivity in relation to repair of premutational damage in Bombyx mori. 3669

repair of pre-mutational damage in of Bombyx mori. 401

spermatocytes lacking heterochromatic chromosome set in of Pseudococcus obscurus. 5548

temperature in relation to mitosis in Acrida lata spermatocytes. 5827

thymidine incorporation in Culex pipiens. 3477 in Trichoplusia ni. 1192, 4593

ultrastructure in Lithobius forficatus. 2047

ultrastructure of microcylinders in flagellar fibres of spermatids of Gryllidae. 5271 ultrastructure of spermatids in Pisaurina. 5277

Spermatophores,

of Eriophyidae. 4586 evolution of modes of formation in Pterygota. 3968

in relation to oviposition in Plodia interpunctella.
4619

production in Lithobius forficatus. 2048 spermatophore of Glossina austeni. 3534 spermatophore of Gretchena bolliana. 4590 spermatophore of Mastigoproctus giganteus. 3525

spermatophore of Tydeus shusteri. 5956 of Tettigonioidea of Trinidad, W.Indies. 3103 transfer in Bourletiella bicincta and B.repanda. 1220

Speyeria aphrodite (Lep., Nymphalidae), carriage of Asclepias syriaca pollen. 3583

Speyeria egleis, chromosome numbers of  $\sigma$ . 866 Sphaeridae (Col.), proposed new name for Sphaeriidae. 3752

Sphaeridium (Col., Hydrophilidae), new aberrations described. 3744 new taxa from Hungary. 4999 Xenanoetus vestigialis gen. et sp.n. associated

Sphaeridium scarabaeoides, in relation to predation by Philonthus cruentatus on larval Musca autumnalis. 1296

Sphaeriidae (Col.), 1999, 3036, 3752 larvae and pupae of African taxa. 3036 proposed change of name to Sphaeridae. 3752 scanning electron microscopy of adult cuticle. 1999

Sphaeroceridae (Dipt.), 536, 4045, 4106, 5146 in Riparia riparia nests in Switzerland. 4106 from S.Spain. 536 superfamily placing. 5146

Sphaerolophus sp near curtipes (Arach., Aran., Erythraeidae), predator of Altica carduorum released against Cirsium arvense in Canada.

Sphaerophoria (Dipt., Syrphidae), "melanoid" 99 described. 6098

Sphaerophoria scripta.

with. 3719

aphid predator in N.E.Belorussia, USSR. 1306 first record from Gujarat, India. 319 hymenopteran parasites in Gujarat, India. 319 migration in Austria in August 1967. 335

Sphaerophthalma unicolor (Hym., Mutillidae), parasitic on Melecta separata callura. 2748

Sphaeroplotina hainanensis sp.n. (Col., Coccinellidae), described. 1848

Sphaerotherium (Myriap., Diplop.), redescribed. 2540

Sphathius canadensis (Hym., Braconidae), biology and ecology in relation to Scolytus multistriatus. 4779

Sphecidae (Hym.),

254, 570, 1008, 1009, 1010, 1361, 1371, 1914, 1963, 1964, 1977, 2083, 2217, 2219, 2986, 2998, 2999, 3112, 3344, 4021, 4361, 4362, 4501, 4740, 4820, 5061, 5409, 5601, 5740

new for Congo-Brazzaville, 5601

Sphecidae (Hym.), contd. new for Romania. 2217 possible dipteran parasites of. 5409 probable hosts of new Chrysididae. 1914 of Rhein-Main area, Germany. 1371 Sphecodemyia infuscata (Dipt., Tabanidae), new for Ivory Coast. 79 Sphecodes alternatus (Hym., Halictidae), specific parasitoid of Evylaeus nigripes. 4127 Sphecoidea (Hym.), of marshy meadows in Hungary. 3187 from N.E. Danube Delta, Romania. 2219 Sphecophaga vesparum (Hym., Ichneumonidae), hyperparasite of Dibrachys vesparum and Dolichovespula saxonica. 5409 Sphecotypus (Arach., Aran., Clubionidae), phylogeny. 2469 transferred to Castianeirinae subfam.n. 2469 Sphedanolestes (Hem., Het., Reduviidae), new taxa described. 997, 3331, 4323 spp and subspp keyed. 3331 Sphegilla (Hym., Mymaridae), Wertanekiella syn.n. of. 3343 Sphenognathus (Col., Lucanidae), new spp described and festameli group keyed. 2917 Sphenognathus pristis sp.n., described. 5001 Sphenophorus parvulus (Col., Curculionidae), current status and control in W.New York, USA. 4824 Sphenophorus phoeniciensis, survival after passage through Bufo borealis gut. 4455 Sphenophorus venatus confluens, biology in Oregon, USA. 1655 Sphenorrhynchus abdimii (Aves), predators of Locustana pardalina. 5474 Sphindidae (Col.), 3297 Sphindus dubius (Col., Sphindidae), new for Is.

Sphindus dubius (Col., Sphindidae), new for Is. Canarias. 3297

Sphingidae (Lep.),

121, 334, 665, 689, 698, 793, 1531, 1548, 2019, 2065, 2567, 2799, 3106, 3370, 3374, 3415, 3545, 3572, 3898, 4012, 4482, 4512, 4602, 4661, 4813, 4855, 4857, 5134, 5188, 5317, 5746, 5759, 5871, 5940, 6013, 6145

associated with pig carrion in S.Carolina, USA. 3545

genitalia. 121

partial key to subfamilies, genera and spp. 121 from Sao Tomé Island. 5746

seasonal changes in energy content in Sierra Leone spp. 4855

Sphingonotus (Orth., Acrididae), new subspp described. 582

Sphingonotus coerulans, host of Blaesoxipha paolii in France. 3146

Sphingosines, hexadecasphing-4-enine and tetradecasphing-4-enine as principal sphingosines in Musca domestica. 5241

Sphinx drupiferarum (Lep., Sphingidae), new for Britain. 6145 Sphinx pinastri, Acarus farris hypopi associated with pupae. 3572

Sphodromantis (Mant., Mantidae), responses to nerve-section. 1054

Sphodromantis centralis,

development of hatching thread in embryo. 2662 oothecal protein. 1211

Sphodromantis viridis, host-acceptance and oviposition by Podagrion meridionale. 1697

Spicaria rileyi (Fungi), for control of Chalcodermus aeneus. 5177

Spider-mites, see Tetranychidae

Spiders, see Araneae

Spilochalcis albifrons (Hym., Chalcididae), parasitic on Coleophora laricella in British Columbia, Canada. 3152

Spiloconis (Neur., Coniopterygidae), status of cerata comb.n., maculata and picticornis. 123

Spilocryptus japonicus (Hym., Ichneumonidae), see Agrothereutes lanceolatus

Spilogaster setulifera (Dipt., Muscidae), type-sp of Hennigiola gen.n. 3318

Spilomicrus longicornis (Hym., Diapriidae), status. 2987

Spilonota lariciana (Lep., Tortricidae), overwintering population distribution on Larix in C.Switzerland. 4083

Spilonota occellana, food-selection of larvae. 1253 Spilopsyllus cuniculi (Siphon., Pulicidae),

conditions for successful mating. 1647

host hormones in relation to development and insemination. 4640

introduction into Australia for spread of myxomatosis. 801

parasitized by Cheyletiella parasitivorax. 3145 in relation to pheromone-like nestling factor. 4640

relation to marsupials in Australia. 801 Spilosoma (Lep., Arctiidae),

activity periods in relation to competition for nectar. 5986

lubricipeda, lutea and urticae at Dungéness, Kent, England. 1801

Spilotabanus gen.n. (Dipt., Tabanidae), established. 545

Spinanurida mandibulata gen. et sp.n. (Collem., Setanuridae), described. 4291

Spiniphora lyneborgi sp.n. (Dipt., Phoridae), described. 71

Spinochlamys (Col., Scarabaeidae), new name for Chrysochlamys Benberitter 1921. 4282

Spinorhacus baloghi gen. et sp.n. (Col., Tenebrionidae), described. 3754

Spiracles.

of abdomen in adult Scarabaeidae. 640 of abdomen in Tetrigidae. 170 of adult Acentropus niveus. 3906 age in relation to closing mechanism in Drosophila melanogaster. 5889

509

Spiracles, contd.

behaviour in relation to external conditions in Aedes aegypti and Ae.triseriatus. 4504

evolution of abdominal spiracles in adult Scarabaeoidea. 640

of larval Arzama densa. 282

of larval Erioptera squalida. 2174

of larval Notiphila riparia. 2174

reception site for gregarization pheromone in Locusta migratoria migratorioides. 5262

responses to  $CO_2$  and  $O_2$  in Aedes. 4506

rosette plates of Carboniferous Arthropleura. 2249

sensitivity to high temperature in Saharan arthropods. 155

of thorax in adult Scarabaeoidea. 2001

of thorax in larval Chrysopa and Coniopterygidae. 2579

value in taxonomy of Scarabaeoidea. 2001

water-loss in Hyalomma dromedarii and Ornithodoros savignyi. 4557

Spiraea canescens (Rosaceae), host of Acyrthosiphon spiraeae sp.n. in Himachal Pradesh, India. 4327

Spiramycin, in relation to fecundity and larval growth of Ceratitis capitata. 4611, 4612

Spirostreptinae (Myriap., Diplop., Spirostreptidae), revised. 5619

Spirostreptus asthenes (Myriap., Diplop., Spirostreptidae), moulting cycle. 5917

Spirotrichonympha flagellata (Protozoa), wooddigestion and presence of succinate dehydrogenase, 4868

Spissistilus festinus (Hem., Hom., Membracidae), feeding behaviour in relation to plant size. 5405

Spittlebugs, see Cercopidae Spodoptera (Lep., Noctuidae), host of Palexorista

quadrizonula in Africa. 4054

Spodoptera exigua, temperature in relation to longevity and progeny-production of Lespesia archippivora. 1627

Spodoptera frugiperda,

anticomplementary activity lacking from haemolymph. 2613

preferred host of Campoletis perdistinctus in the laboratory. 5413

susceptibility to Neoaplectana glaseri. 4696 Spodoptera littoralis,

allatectomy in relation to lipid metabolism of  $\ensuremath{\mathtt{Q}}$  . 4631

cholinesterase activity in relation to development and metamorphosis. 5941

control on peanut in Israel. 5965

control by vaporized Pennsalt TD-5032 (hexamethylditin) on greenhouse roses. 5963

crowding in relation to colour, larval activity and size. 5933

distribution in Spain. 1708

generic position. 3003

genetics of methyl parathion resistance. 4912

in relation to <sup>137</sup>Cs-irradiation. 1224 nuclear polyhedrosis in relation to haemocyte

ultrastructure. 2002 parasites of eggs and larvae in Israel. 5418

rearing on semi-artificial diet. 5785 the 'rosquilla negra' of Spain. 1708

toxicity tests of insecticides. 5352

ultrastructure of haemocytes in relation to nuclear polyhedrosis. 2003

Spodoptera litura,

absent from Iberian Peninsula. 1708 generic position. 3003

Spodoptera mauritia,

endoskeleton of metathoracic tergum. 605 larvae attacked by Hexamermis at Gorakhpur, India. 4688

Spodoptera mauritia acronyctoides, biology and ecology in Sarawak. 732

Spoggosia micronychia sp.n. (Dipt., Tachinidae), described. 5683

Spongilla (Porifera), fragilis and lacustris hosts of larval Sisyridae in Louisiana and Texas, USA. 861

Spongilla fragilis, Diptera, Neuroptera and Trichoptera associated with in Savannah R., USA. 1692

Spongillidae (Porifera), hosts of sisyrid larvae in Louisiana and Texas, USA. 861

Spongiphoridae (Derm.), 1417

Spongovostox anamalaiensis sp.n. (Derm., Labiidae), described. 3755

Spongovostox mirei sp.n., described. 1417 Sponsor (Col., Buprestidae), new taxa described. 2894

Spotted alfalfa aphid, see Therioaphis maculata Spotted cutworm, see Amathes c-nigrum Springs.

biology and ecology of insects in Corbières  $Mts., \\ France. 2142$ 

distribution of Diptera in hot-spring thermal gradients in New Zealand. 2783

Hydracarina of hot springs in N.C.Colorado, USA. 3172

Spruce, see Abies

Spruce budworm, see Choristoneura fumiferana Sri Lanka,

Chartocerus musciformis from . 114

biology and ecology of Ectropis bhurmitra on tea. 2164

freshwater Corixidae and Hydracarina. 4883 new Cerambycidae from. 524

new Crambidae from . 5756

new and previously known Hydrachnellae from. 1821

new Pyralidae from . 5757

Stachyoppia kosarovi (Arach., Acari, Oribatei), new for Hungary. 952

Stachys sylvatica (Labiatae), behaviour of Gymnosoma intermedia, 3529

Stagetus (Col., Anobiidae), of W. Mediterranean

Stagetus (Col., Anobiidae), contd. revised and new spp described. 3731

Stagmatoptera biocellata (Mant., Mantidae), anatomy of fovea of eye. 3895

binocular vision in estimation of long distances.
4493

deimatic reaction. 4494

prey fixation by fovea of eye. 3894, 3896

Stagona (Hem., Hom., Aphididae), new spp described. 553

Stalagmoptera hybrida sp.n. (Col., Tenebrionidae), described. 4288

Staphylinidae (Col.),

48, 49, 50, 214, 273, 285, 441, 530, 531, 823, 836, 1296, 1416, 1690, 1702, 1854, 1855, 2201, 2202, 2203, 2476, 2792, 2826, 2922, 2923, 2924, 2925, 2926, 3137, 3178, 3253, 3254, 3255, 3256, 3257, 3297, 3312, 3313, 3314, 3422, 3753, 4052, 4085, 4106, 4285, 4286, 4287, 4441, 4836, 4926, 5367, 5570, 5594, 5602, 5653, 5654, 5655, 5656,

adaptations and glandular systems of termitophilous spp. 531

biology and ecology in Hutcheson Memorial Forest, New Jersey, USA. 4085

chlorfenvinphos in relation to spp predaceous on Erioischia brassicae. 836

from Congo-Brazzaville. 2476

diazinon in relation to spp predaceous on Erioischia brassicae. 836

of Kabardino-Balkariya, Kavkaz, USSR. 1416

of limestone caves in S.Korea. 2826

from muskrat nest in Ontario, Canada. 5602

new myrmecophilous spp described. 50

Osoriinae of Ethiopian Region keyed. 3312 poultry-manure removal in relation to populations in N.California, USA. 4836

in Riparia riparia nests in Switzerland. 4106

Steninae of Fauvel revised. 3313

Staphylinoidea (Col.), of La Brigue area, Alpes-Maritimes, France. 3188

Staphylococcus (Bacteria),

from gut of Collembola. 4769 from gut of Reduviidae. 2005

Staphylococcus aureus, metathoracic gland secretion of Myrmicinae antibiotic against. 2647

Starch

in relation to bait attractancy for Blattella germanica. 5813

in relation to fecundity of Locusta m.migratoria under crowded conditions. 1208

food substrate for Laodelphax striatellus. 2740 Stauffer B-10095 [O-ethyl (chloromethyl) phosphonothioate O-ester with p-hydroxybenzonitrile], contact spray against Musca domestica. 4451

Stauffer B-10341 [O-ethyl methyl-phosphonothioate O-ester with p-hydroxybenzonitrile], contact spray against adult Musca domestica. 4451 Stauffer N-2596 [S-(p-chlorophenyl) O-ethyl ethylphosphonodithioate], toxicity to larval Euxoa messoria. 5182

Stauffer N-2788 [O-ethyl S-p-tolyl ethylphosphonodithioate], control of Conoderus falli. 5347 Stearic acid.

in relation to JH titre during metamorphosis in Hyalophora cecropia. 4623

of larval lipid of Acheta domestica. 3507

Steatoda bipunctata (Arach., Aran., Theridiidae), courtship and stridulation. 5954

Steganacarus balearicus sp.n. (Arach., Acari, Oribatei), described. 3723

Stegobium paniceum (Col., Anobiidae), cystine and methionine metabolism. 2023

Stelis (Hym., Megachilidae), new spp described. 5735

Stellaria media (Caryophyllaceae), oviposition by Hypera postica in Ohio, USA. 4846

Stellariopsis songini gen. et sp.n. (Hem., Hom., Aphididae), described. 3785

Stemonyphantes lineatus (Arach., Aran.), seasonal growth and size distribution in Sweden. 2138

Stempellia lunata sp.n. (Protozoa Microsporida), attacking larval Culex pilosus in Florida, USA. 5172

Stenarella gladiator (Hym., Ichneumonidae), new morph described, 110

Stenelmis (Col., Elminthidae), plastron studied by scanning electron microscopy. 174

Stenelmis crenata, larval microdistribution in relation to substrate particle-size. 3180

Stenichnus (Col., Scydmaenidae), British list. 1803 Stenidia nigracollis sp.n. (Col., Carabidae), described. 5624

Steninae (Col., Staphylinidae), from China. 4285 of Fauvel revised. 3313 from Senegal. 1855

Stenischia (Siphon., Hystrichopsyllidae), distribution and ecology. 4399

Stenischia pagiana sp.n., described. 4399 Stenobotrus nigromaculatus (Orth., Acrididae), auditory system and songs. 2044

Stenocallimerus okinawanus sp.n. (Col., Cleridae), described. 525

Stenocrates beckeri sp.n. (Col., Scarabaeidae), described, 3309

Stenodema Laporte 1833 (Hem., Het., Miridae), name made official. 3782

Stenodema praecelsus, redescribed. 4321

Stenodemini (Hem., Het., Miridae), name made official. 3782

Stenoderma rufum darioi (Chiroptera), host of Paralabidocarpus artibei. 5607

Stenodontus dobrogicus (Hym., Ichneumonidae), synonym of S.meridionator. 3804

Stenolycus ohirai (Col., Lyctidae), discussed. 528 Stenomacrus merula (Hym., Ichneumonidae), synonymy. 3804 Stenomastigus gen.n. (Col., Scydmaenidae), established and new taxa described. 47

Stenomorda (Col., Mordellidae), Ivory Coast spp keyed and new spp described. 41

Stenomordellariodes fasciata sp.n. (Col., Mordellidae), described. 41

Stenomyar decoratus gen. et sp.n. (Hym., Mymaridae), described. 1007

Stenomyia yezdensis (Dipt., Tabanidae), pupa described, 5793

Stenonema (Ephem., Heptageniidae), control of activity and drift by light. 2096

Stenoonops (Arach., Aran., Oonopidae), of Panama and W.Indies and new taxa described.

Stenopelmatidae (Orth.), 175, 1742, 2537, 3013,

Stenophylacinae (Trich., Limnephilidae), biology and ecology in Italian caves. 863

Stenophyla (Trich., Limnephilidae), biology and ecology in Grotta di Monte Cucco, Italy. 862

Stenophylax permistus, population dynamics in Grotte du Crochet, France. 6026

Stenophylax sequax, time of emergence from a stream in N.Wales. 3198

Stenoplatys vadoni sp.n. (Col., Chrysomelidae), described. 5637

Stenoporpia (Lep., Geometridae), food-plants and mimicry of larvae. 1966 larvae of Arizona (USA) spp. 1966 phylogeny. 1013

revised and new taxa described. 1013

Stenoporpia crickmeri, transferred to Pterotaea. 1013

Stenopsocus (Psoc., Polypsocidae),

immature stages and life-history of immaculatus and stigmaticus. 4435

ovariole number and oocyte maturation. 5315

Stenopsyche griseipennis (Trich., Stenopsychidae), larval ecology in drainage ditches in Japan. 856 Stenopsychidae (Trich.), 856

Stenotabanus (Dipt., Tabanidae), new subgenera established. 545

Stenotabanus trilunatus sp.n., described. 987 Stenothrips (Thysanopt., Thripidae), syn.n. of Baliothrips. 4404

Stenoviciidae (Hem., Hom.), 946 Stenus (Col., Staphylinidae),

addenda and corrigenda for "Catalogus Coleopterorum Fennoscandiae et Daniae". 4926 New Guinea spp keyed. 5657

new taxa described. 1855, 2926, 3313, 4285,

Stenus illiesi, new for New Guinea. 2923

Stenus obconicus royi, redescribed. 1855

Stenus seaetus, aedeagus illustrated for first time. 4285

Stenus solutus, new for Jylland, Denmark. 2201 Stenus toxopei, new for New Guinea. 2923 Stereum (Fungi), Thysanoptera associated with in Southern Blue Ridge region, Western N. Carolina, USA. 3586

Stereum chaillettii, feeding and reproduction of Acarus siro and Tyrophagus putrescentiae.

Stereum fasciatum, Phthirothrips morgani associated with in N.Carolina, USA. 3586 Sterility,

apparatus for external application of sterilants to insects. 3839

autochemosterilization of Culex pipiens by means of modified light-trap. 5093

autocidal methods for insect control. 4414 between Aedes albopictus and Ae.polynesiensis.

blood-meal utilization and flight-muscle development in Glossina austeni following γ-sterilization. 5927

candidate chemosterilants for Popillia japonica. 5169

candidate chemosterilants for Tetranychus urticae. 5152

content of 2nd chromosomes in Drosophila melanogaster populations from Fusagasuga, Colombia. 3685

cytogenesis of inherited partial sterility in Oncopeltus fasciatus in relation to holokinetic chromosomes. 5546

development of Anaphes flavipes in X-raysterilized Oulema melanopus eggs. 4784

diet in relation to egg sterility in Ostrinia nubilalis. 5948

of eggs from crosses between eastern and western Hypera postica strains. 730

female-sterile factor in Tetranychus urticae. 4902

fertility and sperm-transfer recovered in Musca domestica exposed to 1, 3-propanediol DMS and X-rays. 4608

frequency of sterile chromosomes in a Drosophila melanogaster natural population. 3682

of hybrids between Drosophila paulistorum strains due to symbionts. 1691

induced in Anthonomus grandis. 2683 induced by anthramycin methyl ester in Drosophila melanogaster. 1636

induced by apholate in adult Diabrotica undecimpunctata howardi. 3100

induced by apholate in Musca domestica. 231 induced by 6-azauridine in Musca domestica.

induced by Babesia caballi infection in Dermacentor nitens eggs. 5151

induced by dieldrin in Aglais urticae. 1714 induced by hempa in Culex pipiens. 4622

induced by hempa in Musca domestica. 231 induced by irradiation in partially sterile

mutants Glossina austeni. 900

induced by 137Cs-irradiation in Spodoptera littoralis. 1224

Sterility, contd.

induced by  $\gamma\text{-irradiation}$  in pupae of Eucosma schistaceana . 1190

induced by  $\gamma\text{-irradiation}$  in Stomoxys calcitrans. 5300

induced X-irradiation in Callosobruchus chinensis. 246

induced by metepa in Blattella germanica. 1222

induced by metepa in Musca sorbens.
4621

induced by photoperiod in Locusta migratoria migratorioides. 5924

induced sterilization in relation to insect control. 1298

induced by Sulphuretylenchus elongatus infection in Scolytus ventralis . 4074

induced by tepa in Culex pipiens. 4622

induced by tepa in Musca domestica. 231

induced by thiosemicarbazones and vanadium in Cochliomyia hominivorax. 5318, 5319

of KL-1 of Drosophila melanogaster.

mechanism of thio-tepa induction in Musca vicina. 261

mycoplasma-like inclusions in testes of sterileof hybrids of Drosophila paulistorum complex. 5186

induced by hempa in Aedes aegypti. 5303

release of partially sterile Trichoplusia ni as method of population control. 1304

seasonal changes in Drosophila melanogaster natural populations in Japan. 3686

semi-sterility from translocations for control of Culex pipiens. 389

sterile 99 for insect control. 4694

sterile of for control of Musca domestica. 5328

sterile of for control of Dacus dorsalis on Mariana Is., Pacific Ocean. 4832

sterility due to lethal accumulation in Xirradiated Drosophila melanogaster populations, 917

tepa in relation to flight and respiration responses in Musca domestica. 4564

types of insect sterility. 1298

use of correlation between germ-cell differentiation and morphogenesis in sterility studies. 4587

Sternoppiidae fam.n. (Arach., Acari, Oribatei), established. 2462

Sternorrhyncha (Hem., Hom.), classification systems. 89

Sternostoma (Arach., Acari, Dermanyssidae), evolution. 510

new spp from Belém region, N.Brazil. 4975

Steroids,

of defence secretion of Cybister limbatus.

3563, 5995

of defence secretion of Ilybius fenestratus. 5387 Sterols,

biosynthesis, functions and structure in Insecta.

 $\triangle^7$  bond required for pupation in Xyleborus ferrugineus. 3140

of Cheirodendron leaves in relation to Drosophila in Hawaii. 647

of cuticle in Pteronarcys californica. 3049

in relation to development and reproduction of Xyleborus ferrugineus. 3140

distribution in larval Gonimbrasia belina in relation to diet. 3940

ecdysone analogue converted to α-ecdysone and 20-hydroxyecdysone in Manduca sexta. 2019

metabolism as basis for symbiosis between
Fusarium solani and Xyleborus ferrugineus.
3140

utilization by Drosophila melanogaster larva in relation to genotype. 4646

of Vespa orientalis queen. 659

Sterones, isolation from Blechnum niponicum. 5439

Sterrha cervantaria depressaria (Lep., Geometridae), new for Portugal. 6136

Sterrha vulpinaria, new for Portugal. 6136

Stethelmis (Col., Elminthidae), plastron studied by scanning electron microscopy. 174

Stethorus picipes (Col., Coccinellidae), massrelease in relation to Oligonychus punicae populations. 2796

Sthenarus nr.ochraceus (Hem., Het., Miridae), from Provence, France. 5705

Stictocephala bubalus (Hem., Hom., Membracidae), host-plant distribution on an island in the Mississippi R., USA. 3582

Stictochironomus caffarius (Dipt., Chironomidae), abundance in relation to water-level fluctuations in L.Kariba, Africa. 4087

Stictochironomus crassiforceps, o sexual behaviour. 4648

Stictococcidae (Hem., Hom.), 5433 biology and ecology in relation to the cocoa farm. 5433

Stictolampra (Blatt., Epilampridae), new spp described. 3756

Stictolobus (Hem., Hom., Membracidae), Brazilian spp reviewed and phleboleucus sp.n. described. 4337

Stictolobus solanophilus, transferred to Tapinolobus gen.n. 4337

Stigmasterol, of Cheirodendron gaudichaudi leaves in relation to Drosophila in Hawaii. 647

Stigmella (Lep., Nepticulidae), adaptation to the leaf-mining habit. 1706 mining plants in Romania. 2125

Stigmella loranthella, new for Romania. 2126 Stigmella malella, developmental period in relation

Stigmella malella, contd. to larval mines and temperature. 5916 Stigmella paradoxa, new for Britain. 5587 Stigmella spinosella, new for Britain. 6140 Stigmella ulmariae, re-recorded from Britain. 6141 Stilbina olympica sp.n. (Lep., Noctuidae), described. 5754 Stilbopteryx (Neur., Myrmeleonidae), differentiated from Aeropteryx. 3010 Stilpnochlora marginella (Orth., Phaneropteridae), reproductive morphology and biology. 3103 Stipa pennata (Gramineae), host of Neochrysocharis jazyga sp.n. in Hungary. 5049 Insecta associated with in Hungary. 5049, 5717 Stivalius cambodius sp.n. (Siphon., Pygiopsyllidae), described. 5770 Stizomolpus gen.n. (Col., Chrysomelidae), established. 1408 Stizus (Hym., Sphecidae), distinguendus, fasciatus and pubescens new for Romania. 2219 Stolotermes inopinus sp.n. (Isopt., Termopsidae), described. 3001 Stomatocerus (Hym., Chalcididae), parasitic on Glossina morsitans and G.pallidipes in Rhodesia. 798 Stomoxys (Dipt., Muscidae), oviposition by Stylogaster on adults. 1268 Stomoxys calcitrans, blood-meals and digestion on California (USA) poultry ranches. 5404 control by ULV applications of concentrated insecticides. 4698 cytology of y-irradiated gonads. 4609 fecundity in relation to ecdysones and ecdysoneanalogues. 4630 flight-activity in relation to environmental factors. 754 method for recording flight-activity. 754 poultry-manure removal in relation to predators in N.California, USA. 4836 probing, 1686, 4766 γ-sterilization. 5300 traps compared. 5111 Stored-product insects, additional records and revised list for Israel. distribution and relative abundance in California, USA. 5105 hymenopteran parasites and hemipteran predators in Israel. 5563 method for obtaining sample populations. 5105 Storthocnemis kulzeri sp.n. (Col., Tenebrionidae), described. 5017 Stosatea granulata (Myriap., Diplop.), synonomy. 3273 Stoypommisa hypographa neofurva subsp.n. (Dipt., Tabanidae), described. 987

from S.Spain. 1864 Stratiothyrea cheesmanae sp.n. (Dipt., Ephydridae described. 4304 Strawberry aphid, see Chaetosiphon fragaefolii Streams. biotope distribution of larval and pupal Tabanidae at Great Swamp, New Jersey. 3620 brief flooding in relation to insect community. communities at Mont St. Hilaire, Québec, Canada. 1711 device for sampling benthic arthropods. 2542 diel activity-patterns of trichopteran larvae. diel periodicity of invertebrate drift in an English Lake District stream. 2781 ecological segregation of insects. 1717 ecology of a hill stream in Shropshire, England ecology of insects. 5482 ecology of Odonata in Kuala Lumpur area, Malaysia. 3606 emergence of Trichoptera in N. Wales. 3198 emergence trap for aquatic insects. 3365 Ephemeroptera and Plecoptera in Lincolnshire, England. 3171 field key to invertebrate fauna of a hill-stream in Shropshire, England. 4132 Hydracarina in N.C.Colorado, USA. 3172 insect biocoenoses in Icelandic thermal waters. insect communities of upper Ruhr Valley, GFR. 1735 insect drift-nets. 2545 length-volume biomass regressions for Leptophlebia cupida and other stream invertebrates. 5459 life conditions in torrential streams. 3200 mass-movement of simuliid larvae in a dammed stream. 4814 movement of Philopotamus montanus along a stream in Swedish Lapland. 5516 occurrence of Cnephia ornithophilia and Prosimulium vernale in Maryland, USA. occurrence of Elmis maugei in Kaszuby Lake District, Poland. 3642 rearing devices for insect larvae. 4415 sand and silt in relation to arthropod fauna. standing crop of insect communities in a stream in Québec, Canada. 860 substrate particle-size in relation to microdistribution of insect larvae. 3180 upstream movements of insects in a S.Swedish stream, 2815 vertical distribution of invertebrate fauna in

2507, 2954, 3320, 5677

from Philippine Islands. 2507

from N.E. Danube Delta, Romania. 2206

Stratiomyidae (Dipt.),

77, 1433, 1434, 1864, 1970, 2010, 2206,

Streams, contd.

bed. 6062

Strebla molossa (Dipt., Streblidae),

Megaderma lyra sinensis type-host. 1880 syn.n. of Raymondia lobulata. 1880

Streblidae (Dipt.), 1880

Streblomastix (Protozoa), ultrastructure. 4129

Strehlia squamigera gen. et sp.n. (Col., Melolonthidae), described. 5011

Strepsiptera,

European taxa keyed. 5608

families keyed. 3690

phylogeny. 3690, 3692

Streptococcus (Bacteria), immunofluorescence for identification of insect-pathogenic strains.

5798

Streptococcus faecalis,

in development of an epizootic of Porthetria dispar. 4109, 6048

competition in gut of Calliphora vicina. 2013

from gut of Reduviidae. 2005

motile strains pathogenic to larval Porthetria dispar. 5798

Streptococcus pyogenes, contamination of Hippelates in Trinidad, W.Indies. 6044 Streptomycin,

causing mistakes in RNA translation in Bombyx mori. 4891

in relation to larval growth in Ceratitis capitata. 4612

Streptopelia (Aves), hosts of Argas streptopelia sp.n. 4220, 4777

Stricklandia marginalis sp.n. (Col., Carabidae), described. 3299

Stricticimex khmerensis sp.n. (Hem., Het., Cimicidae), described. 548

Strigidia (Col., Scarabaeidae), Ganonota syn.n. of. 4282

Stringomyia subobscura (Dipt., Tipulidae), redescribed. 2960

Striophytoecia mirei gen. et sp.n. (Col., Cerambycidae), described. 1407

Striopsylla (Siphon., Pygiopsyllidae), differentiated from Muesebeckella gen.n. 1949

Striped mealybug, see Ferrisia virgata
Strix aluco (Aves), Coleoptera associated with

nests in Norway. 1690 Strobl, Diptera collection reviewed. 5019, 5020,

5021
Strobliomyia plebeia (Dipt., Tachinidae),

parasitic on Earias in Gujarat, India. 4783 Strongylosoma jagueti (Myriap., Diplop.), new for Bulgaria. 3022

Strophomorphus porcellus (Col., Curculionidae), general and Italian distributions. 3240

Strychnine, responses of leg preparations of Gromphadorhina portentosa. 4468 Strymon pruni (Lep., Lycaenidae), ecology and

conservation. 3539 Strymonidia spini (Lep., Lycaenidae), feeding, host-range and phenology in relation to Rhamnaceae in Europe. 3591

Strymoninae (Lep., Lycaenidae), types designated for Edwards spp. 4376

Stuckenbergia gen.n. (Dipt., Empididae), established. 3772

Stygiotrechus, sp-groups defined and new spp described. 2481

Stygnocorisella (Hem., Het., Lygaeidae), new for Ethiopian Region. 993

Stygnocorisella linnavuorii sp.n., described. 993 Stylidia szechuana (Dipt., Nycteribiidae),

description supplemented . 2505

Styloctetor (Arach., Aran.), new for Ethiopian Region. 2470

Styloctetor benoiti sp.n., described. 2470 Stylogaster (Dipt., Conopidae),

oviposition on adult Calypteratae associated with animal dung and ants. 1268

probably not parasitic on Glossina morsitans. 1268

Stylopauropus pedunctulatus (Myriap., Pauropoda), ultrastructure of antennal flagellum and glomerulus. 1981

ultrastructure of tarsal apical organs. 5826

Stylozetes gen.n. (Arach., Acari, Oribatei), established. 2462

Styphocera subgen.n. (Dipt., Tabanidae), established in Stypommisa. 544

Stypommisa (Dipt., Tabanidae), Styphocera subgen.n. established. 544

Stypommisa (Styphocera) antennina sp.n., described. 544

Styracopterus (Col., Scolytidae), new spp described. 5652

SU-9064, in relation to endogenous activity of CNS in Nauphoeta cinerea. 618

Suarezius (Col., Tenebrionidae), inclusion in Cnodalonini argued. 533

Suarezius vadoni sp.n., described. 533

Subcoccinella vigintiquatuorpunctata (Col., Coccinellidae), overwintering at Kew, London, England. 2097

Subprionomitus paludosus sp.n. (Hym., Encyrtidae), described. 104

Succinate, mersalyl in relation to oxidation by flight-muscle mitochondria from Musca domestica. 4531

Succinate dehydrogenase,

activity in flight-muscle of Glossina morsitans and Sarcophaga nodosa. 3067

activity in mitochondrial preparations of Musca domestica. 3941

Succinylcholine, in relation to neuromuscular transmission in Blattodea, Lepidoptera and Orthoptera. 4467

Sucrase, activity and isozymes in Drosophila melanogaster. 2027

Sucrose,

acceptibility for Solenopsis saevissima. 4760

Sucrose, contd.

in relation to bait attractancy for Blattella germanica. 5813

concentration in relation to growth of Oncopeltus fasciatus. 5921

concentration in relation to wing-production in Myzus persicae. 4632

in relation to fecundity of Locusta m.migratoria under crowded conditions. 1208

food substrate for Laodelphax striatellus. 2740

increase in attractancy of Medicago sativa for Lygus lineolaris. 4838

nutritive value to Erioischia brassicae. 2722 in relation to perinatal mortality and phase in

Schistocerca gregaria. 2075

in relation to primary reception in type-3 waterreceptor of Phormia terrae-novae. 5199

receptors in Diabrotica virgifera larva. 300

regulation of ingestion in Pieris rapae crucivora.

response of mouthpart receptors in Locusta migratoria migratorioides and Schistocerca gregaria. 2731

substitution for sodium in relation to ocellar electroretinogram of Blaberus craniifer. 1074 utilization during flight in Apis mellifera. 4537 utilization during flight in Lucilia sericata.

1575, 3053

Suctobelba naginata (Arach., Acari, Oribatei), new for USSR. 4973

Sudan,

biology, distribution and economic importance of Isoptera. 4199

biology of Papilio demoleus in relation to Citrus.

biology of Phyllocnistis citrella. 5378

Chilo zonellus new for. 6011

control of cotton pests. 5338

distribution of Phyllocnistis citrella. 5378

Hyperchalcidia soudanensis new for. 6011

Isoptera genera keyed. 4199

new Argasidae from . 4220

new Coreidae from . 993

new Delphacidae from . 1897

new Lygaeidae from . 994

new Menoponidae from . 4386

new Miridae from . 995

new Piesmatidae from . 996

new Reduviidae from . 997, 3331

Piesmatidae new for. 996

Scolopendromorpha in relation to fauna of Eritrea. 1383

Shirakia new for . 6011

stem borers of maize and sorghum and their parasites. 6011

survival of  $\ensuremath{\text{\scriptsize Q}}$  Anopheles gambiae through dry season. 4859

Vipio new for . 6011

Sudan Black, use in combination with Flurol 7GA

for marking adult Anthonomus grandis. 1494 Sudangrass, see Sorghum sudanense

Sugars,

acceptibility for Solenopsis saevissima. 4760 behavioural and sensory responses in Carabus cancellatus and Phormia terrae-novae. 4497 carbohydrates in relation to sugar-receptor of Phormia regina. 163

concentration in relation to scenting behaviour of Apis mellifera. 4499

content of haemolymph in Androctonus australis. 5851

crop sugars of Chrysops vittatus. 4756 feeding behaviour of \$\mathbb{C}\$ Chrysops vittatus and Hybomitra lasiophthalma. 2108, 4761

invert sugar in relation to brood-rearing capacity of Apis mellifera. 4627

nectar sugars in relation to tarsal contact chemoreceptors of ♀ Chrysops vittatus. 4768 regulation of ingestion in Pieris rapae crucivora 2738

thresholds in Aedes aegypti. 5998

Sugar alcohols, nutritive value to Erioischia brassicae. 2722

Sugar-beet, see Beta vulgaris vulgaris

Sugar-beet mosaic virus, transmission by Myzus persicae in relation to food-plant. 1282

Sugar-beet root maggot, see Tetanops myopaeformis

Sugar-cane, see Saccharum officinarum

Sugar-cane froghopper, see Aeneolamia varia saccharina

Sugar-cane grey borer, see Eucosma schistaceana Sugar maple, see Acer saccharum

Sujitettix (Hem., Hom., Cicadellidae), syn.n. of Apheliona. 5694

Sula dactylatra melanops (Aves), host of Ornithodoros muesebecki sp.n. 1824

Sulawesi Island (Indonesia), new Lycaenidae from . 1930

Sulphatases, from thoracic muscles of Periplaneta americana. 4528

Sulphate, metabolism in Neomyzus circumflexus. 2079

Sulphonamides,

combined sulphonamide feed-additive for control of Ornithonyssus sylviarum. 4699 in relation to Rhodnius prolixus. 2120

Sulphur,

in relation to anticholinesterase activity of thioether N-methylcarbamates in Culex and Musca domestica. 5157

control of Neoschoengastia americana on turkeys. 5348

Sulphuretylenchus elongatus (Nematoda), biology in relation to Scolytus ventralis. 4074

Sulphuryl fluoride, repellent for Pyemotes boylei. 4026

Sumac, see Rhus

Sumatra (Indonesia),

Lucanidae from . 5001

new Cerambycidae from . 3300

new Lucanidae from . 5001

new Pyralidae from . 5758

Sumba Island (Indonesia), new Scarabaeidae from .

Sumithion 100 [O, O-dimethyl O-4-nitro-m-tolyl phosphorothioate],

control of Spodoptera littoralis in Egypt. 5352

toxicity to Neodiprion pratti banksianae, N. swainei and Pristiphora erichsonii. 5180

toxicity to Telmatoscopus albipunctatus. 5987

Sun,

insolation in relation to larval distribution on host leaf in Palaeolecanium bituberculatum.

in relation to oviposition of Pieris in S. Australia, 3995

reactions of Euphaedra to sunlight. 5846

Suncus murinus caerulescens (Insectivora), new Leptotrombidium from in Nepal. 4978

Sunflower, see Helianthus

Sunflower moth, see Homoeosoma electellum

Sunnepha livens gen. et sp.n. (Lep., Lasiocampidae), and other new spp described. 4371

Supella supellectilium (Blatt., Blattellidae),

compounds related to cyanoacetic acid as repellents. 5148

control, 6121

distribution in Switzerland. 6121

population changes when maintained with other Blattodea in small containers. 2806

Suphisellus bicolor (Col., Noteridae), new for California, USA. 5603

Supracide  $S-((2-methoxy-5-oxo-\Delta^2-1, 3, 4-thiadia$ zolin-4-yl)-methyl) O, O-dimethyl phosphorodithioatel, control of Epitrix hirtipennis on flue-cured tobacco. 5355

Suralcis (Col., Scarabaeidae), new name for Trigonochilus Brenske 1896. 4282

Suricatoecus (Mall., Trichodectidae), from Atilax paludinosus in Nigeria. 1940

Surinam,

Hydrachnellae from . 4203

new Gomphidae from . 5763

new Pompilidae from . 5738

new Trombiculidae from . 4239

Odonata from . 4203

Plecoptera from . 4203

Trombiculidae new for. 4239

Sus scrofa (Artiodactyla) (pig),

attraction of Scarabeidae to dung. 4753

feeding of Simulium on at Darjeeling, India.

host of Haemaphysalis darjeeling sp.n. in W. Bengal, India. 4222

Lepidoptera associated with carrion in S.

Carolina, USA. 3545

seasonal variation in captures of Psychodidae at

pigpens in Japan. 6053

Swammerdam, earliest to figure CA and CC of Insecta. 3281

Swarming,

of Aedes dorsalis in Dorset, England. 3128

of Calopteryx splendens at Ostfold, Norway.

of Cheiroplatys clunalis. 279

of Chironomus nuditarsis, 1223

of Chironomus salinarius. 1221

of Chironomus at Solberg Lake, Wisconsin, USA. 3558

of Chrysopa chrysops. 3701

of Clunio aquilonius and C.tusushimensis. 1971

of Culicidae in Dorset, England. 835

of Diamesa. 4189

of Diamesa arctica in mid-winter. 729

of Diptera. 1225

in relation to flight tone in Chironomus plumosus. 2045

of Leptoconops irritans and L.kerteszi. 4043

in relation to light and temperature in Trichocera. 2038

of Locustana pardalina in Republic of S. Africa in 1954 and 1965. 5474

of Nomadacris septemfasciata in Rukwa Valley, Tanzania, 5497

of Pseudodiamesa. 4189

of Psychidae. 5960

of Siphlonurus lacustris in Swedish Lapland.

in relation to temperature in Ips typographus.

of Termitidae of Ivory Coast. 350

Sweden,

abundance and distribution of Plecoptera in Kaltisjokk and associated waters. 1323

Acari new for . 4186

Aphidoidea of, 447

Aphidoidea list amended. 459

Badister anomalus new for. 445

Carabidae new for parts of. 450

Carabidae from Skane. 470

Chironomidae new for. 4189

Chlaenius nitidulus new for . 448

courtship behaviour of Hercostomus. 4014

Diamesini ranges extended. 4189

distribution of Orthoptera in Skåne. 3700

distribution of Pterochilus phalesatus. 461

distribution of Rhyacionia buoliana and Rh.

pinicolana. 1797

Dromus quadrisignatus new for . 454

ectoparasitic Acari from small mammals in C.Sweden. 4186

Ephemeroptera and Plecoptera of R. Vindelalven, Swedish Lapland. 4089

habitats and records of 15 spp of Coleoptera.

Hemiptera from . 6127

Jassargus allobrigicus new for . 472, 6127

Sweden, contd.

Miridae new for. 1380

movements of adult Philopotamus montanus along a stream in Swedish Lapland. 5516

new Braconidae from . 5052

new Coccinellidae from. 970

new Eulophidae from . 4350

new Ichneumonidae from . 1921

new Limnephilidae from . 2538

new localities for Auchenorrhyncha and Heteroptera. 472

new Mymaridae from . 3343

new Psyllidae from . 5703

new records of ectoparasitic Gamasidae.

314

new records of Mymaridae. 3343

new Staphylinidae from . 48

new Symphyta from . 330

new Tenthredinidae from . 115

Pompiloidea of. 446, 463

Psylla keyed. 5703

Salix pentandra as host-plant of Elasmostethus brevis. 4802

seasonal growth in dune-living Araneae.

Stenus list revised. 4926

upstream movements of insects in a stream in S.Sweden. 2815

Sweet potato, see Ipomoea batatas Switzerland,

Araneae from E.Switzerland. 934

commensals and parasites of Riparia riparia.  $4106\,$ 

diapause factors in Laspeyresia pomonella of C. and E.Switzerland. 1189

diseases affecting predators of Adelges on Abies. 5150

distribution of Supella supellectilium. 6121

Gloger's rule applied to Collembola of Alps. 2797

Ixodoidea as disease carriers. 4187

Lasius attacked by Entomophthora myrmecophaga sp.n. 4088

migrations of Diptera and Lepidoptera through Alpine passes in autumn 1968. 1287

new Aphididae from . 3786

new Braconidae from . 5052

new Ichneumonidae from . 1454

new records of Mymaridae. 3343

new records of Mymaridae . 501

new Syarinidae from caves. 961

overwintering population distribution of Lepidoptera on Larix in C.Switzerland. 4083

Pompilidae of Tournier collection of Muséum d'Histoire Naturelle, Genève, catalogued. 4358

present work on Acari at Naturhistorisches Museum, Basel. 4211

Syagrus oleracea (Palmae), Triatominae from in Uberaba Municipality, Minais Gerais,

Brazil. 5511

Syarinidae (Arach., Pseudoscorp.), of caves in Switzerland. 961

Sybra kaszabi sp.n. (Col., Cerambycidae), described. 3738

Sycamore aphid, see Drepanosiphum platanoides Sycophaga (Hym., Torymidae), from Ficus gnaphalocarpa. 2128

Sycophilomorpha gen.n. (Hym., Agaontidae), and new spp described. 99

Sycoscapter (Hym., Torymidae), from Ficus gnaphalocarpa. 2128

Sycoscapteridea (Hym., Torymidae), from Ficus gnaphalocarpa. 2128

Symbiella (Orth., Eumastacidae),

of Iles Comores. 3011

keyed and new taxa described. 3011

Symbiosis,

amino acids as nitrogen source for symbionts of Xyleborus ferrugineu. 3574

amino-acid and protein metabolism in relation to symbionts in Lasioderma serricorne. 790 antibiotics in relation to fecundity of Ceratitis capitata. 4611, 4612

antibiotics in relation to Nocardia rhodnii in Rhodnius prolixus. 2120

ascorbic acid synthesis of gut in relation to symbionts in Periplaneta americana. 178

bacteroids in Laodelphax striatellus cell cultures. 2059

between Acyrthosiphon pisum and gut bacteria.  $\ensuremath{5854}$ 

between Chrysomelidae and Formicidae. 4030 between Dendroctonus ponderosae and fungi.

between Drosophila melanogaster and bacterial flora. 3442

biochemistry of symbiosis between Atta colombica tonsipes and food fungus. 1689

cystine and methionine synthesis in relation to symbionts in Lasioderma serricorne and Stegobium paniceum. 2023

endosymbionts and their transmission in Aetalionidae, Cicadellidae and Eurymelidae. 4053

experimental infection of mycetocytes of Euscelis plebejus with symbiotic bacteria. 3918

between Fusarium solani and Xyleborus ferrugineus based on sterol metabolism. 3140

histochemistry and ultrastructure of symbionts in Psylla pyricola. 2743

in relation to hybrid sterility in Drosophila paulistorum. 1691

immature stages of Simulium dukei sp.n. associated with Atya africana. 1431

ionizing radiation and radio-isotopes for study of metabolic role of endosymbionts. 4414

lysozyme in relation to symbionts of Periplaneta americana. 1094, 1095, 2609

Symbiosis, contd.

midgut-diverticulum cell inclusions of Gyarina nigritarsis probably not symbionts. 1102

mycetome development in relation to symbionts of Euscelis plebejus. 310

pollination of Ficus by Agaonidae. 1707

primary ambrosia fungi of Xyloterinus politus. 3141

Projoenia sawayai from Neotermes of Brazil. 3637

protease activity in rectal fluid of Attini. 2618 sulphate metabolism in Neomyzus circumflexus. 2079

symbionts lacking from gut of neuter larvae of Schedorhinotermes. 4867

symbionts as vitamin sources for Lasioderma serricorne, 1181

between Symbocladius and Thraulodes speciosus in Arizona, USA. 789

taxonomy of Protozoa symbiotic in Blattodea and Isoptera. 4129

of Uloborus mundior in Nephila clavipes webs in Panama. 2805

ultrastructure of Protozoa symbiotic in Blattodea and Isoptera. 4129

ultrastructure of symbionts in Euscelis plebejus. 1693, 3142

ultrastructure of symbionts of Ornithodoros moubata. 788

wood digestion and presence of succinate dehydrogenase in flagellates of Kalotermes flavicollis and Reticulitermes lucifugus. 4868

Symbocladius (Dipt., Chironomidae), symbiotic with Thraulodes speciosus in Arizona, USA.

Symmictus costatus (Dipt., Nemestrinidae), prey of Machimus fimbriatus in Provence, France. 316

Symmocidae (Lep.), 2225 of Romania. 2225

Sympetrum (Odon., Libellulidae),

criteria for subgeneric grouping. 1502 cytotaxonomic affinities with Nesogonia. 4144 karyotypes. 929

larvae of obtrusum, rubicundulum and vicinum.

Sympetrum fonscolombei, new for Romania. 1808 Sympetrum meridionale, damage to wings by larval Arrenurus. 6006

Symphitoneuria ampla (Trich., Leptoceridae), redescribed. 1951

Symphorism, of Cheletomorpha lepidopterorum with Caradrina clavipalpis. 6022

Symphyla (Myriap.), 3447, 5606

Symphyta (Hym.),

behaviour and flight-activity on wheat in relation to solar near-UV-irradiation. 822

development of Curculionidae in galls. 4047 food-plants of Japanese spp, new synonymy and

new localities. 4799 from Tanzania. 5600

Symphytum officinale (Boraginaceae), overwintering host for Aphis gossypii. 6017

Sympiesis (Hym., Eulophidae),

Nearctic spp reviewed. 5725

new spp described. 1451, 5725 taxonomy of African spp. 1451

Sympiesis punctifrons, biology in relation to Zeiraphera diniana. 2115

Symploce (Blatt., Blattellidae), new spp described. 3756

Symplocodes (Blatt., Blattellidae), new spp described. 3756

Symplocus laurina (Symplocaceae), host-plant of Greenidea symplocosis sp.n. in India. 2979

Synanthedon pictipes (Lep., Aegeriidae),

diet in relation to sexual vigour. 1653

fluorescent powder for marking in dispersal studies. 5108

life extension of stored thinning apples for rearing. 5107

mating and sex attraction. 1653

method of puncturing thinning apples for rearing. 5113

Synapses,

associated with antennal axon pathways in
Calliphora vicina and Periplaneta americana.
3406

of corpora pedunculata in Acheta domestica. 3407

of first optic ganglion in Musca domestica. 5200

inhibition by  $\gamma\text{-aminobutyric}$  acid in Culicidae. 308

in larval CNS of Sarcophaga bullata and Tenebrio molitor. 2592

nicotine in relation to transmission in Periplaneta americana. 4473, 4479

pharmacology of transmission in Insecta. 1057 potentials of a giant axon in Periplaneta americana. 3877

potentials in 3rd thoracic ganglion of Periplaneta fuliginosa. 2590

Synargris analis (Hym., Eumenidae), host of Anthrax conspircuta. 6007

Syncalipsis scotochrysis sp.n. (Lep., Tineidae), described. 3827

Syncerus caffer (Artiodactyla),

Acari from excrement in Tanzania. 3718 host of Choriopsoroptes kenyensis gen. et sp.n. 4232

host of Psoroptes pienaari sp.n. in Republic of S.Africa and Uganda. 4233

new host for Psoroptes natalensis in Kenya. 4232

Synclera univoclis (Lep., Pyralidae), frequenting eyes of domestic mammals in Bangladesh. 4033

Syngrapha (Lep., Noctuidae), time of flight of

Syngrapha (Lep., Noctuidae), contd. circumflexa and cretica in Egypt. 6059

Synharmonia conglodata (Col., Coccinellidae), host of Degeeria luctuosa. 2116

Synlestidae (Odon.), types in British Museum (Natural History), London, England, listed and lectotypes designated. 4391

Synneuron (Dipt., Hyperoscelidae), annulipes redescribed and silvestre sp.n. described. 4305

Synopeas (Hym., Platygasteridae), differentiated from Leptacis. 1924

Synophrus (Hym., Cynipidae), oak-galls in Méhes collection in Museum of Natural History, Budapest, Hungary. 1278

Synoppia gen.n. (Arach., Acari, Oribatei), established. 2462

Syntermes (Isopt., Termitidae), gut. 4514

Synthesiomyia nudiseta (Dipt., Muscidae), bionomics. 4748

Syntomaspis (Hym., Torymidae), new for Britain. 4938

Syntomosphyrum albiclavus (Hym., Eulophidae), parasite of Glossina morsitans and G.pallidipes puparia in Rhodesia. 798

Syntropis longiunguis sp.n. (Arach., Scorp., Vejovidae), described. 2892

Syria,

Acari and Insecta injurious to crops. 4062 Nemopteridae from. 1942 Nemopteridae new for. 1942

Syringogaster (Dipt.),

new spp described. 5678

transferred to Syringogastridae fam.n. 5678 Syringogastridae fam.n. (Dipt.), established. 5678 Syrphidae (Dipt.),

78, 291, 319, 320, 335, 344, 986, 1166, 1230, 1287, 1306, 1365, 1432, 1798, 1881, 2010, 2210, 2939, 2955, 3279, 3535, 4743, 5030, 5479, 5575, 5679, 6055, 6098, 6123, 6124, 6125

abundance on cabbage in S.California, USA. 5479

bionomics and physiology of aphidophagous spp. 1230

of Dorset, England. 5575

generic revision of Palaearctic representatives.

larvae as predators of Phorodon humuli in Czechoslovakia. 6055

'melanoid' 99 of Melanostoma, Platycheirus and Sphaerophoria. 6098

migration through Alpine passes of Switzerland in autumn 1968. 1287

migration in Austria in August 1967. 335

from N.E. Danube Delta, Romania. 2210

from Netherlands. 6124

new aphidophagous spp from Gujarat, India. 319

from Okanagan Valley, British Columbia,

Canada. 3279

of Teruel Province, Spain and new records for Spain. 1365

Syrphinae (Dipt., Syrphidae), from N.W.Himalaya.

Syrphini (Dipt., Syrphidae),

Orphnabaccha transferred from Bacchini. 1881 World genera revised. 1881

Syrphoides (Dipt., Syrphidae), genus recognized.

Syrphophagus (Hym., Encyrtidae), parasitic on aphidophagous Syrphidae in Gujarat, India. 319

Syrphophagus nigrocyaneus, new for Republic of S.Africa. 5724

Syrphus balteatus (Dipt., Syrphidae), aphid predator in N.E.Belorussia. 1306

first record from Gujarat, India and larval parasites. 319

marking and recapture experiments on migration. 1287

migration in Australia in 1967. 335.

Syrphus corollae, aphid predator in N.E.Belorussia. 1306

Syrphus himalayanus sp.n., described. 5030 Syrphus latifasciatus, biology, distribution and parasites in S.India. 4743

Syrphus ribesii, aphid predator in N.E.Belorussia.

Syrphus torvus, migration in Austria in August 1967. 335

Syrphus venustus Meigen 1822, proposed recognition of specific name. 1432

Syrphus vitripennis, aphid predator in N.E. Belorussia. 1306

Syspasis (Hym., Ichneumonidae),

Burmese spp keyed and new spp described. 109 Coelichneumon tauma transferred to. 3341

Systena frontalis (Col., Chrysomelidae), larvae in roots of Zea mays and damage caused. 784.2767

Systemus (Dipt., Dolichopodidae),

oregonensis and utahensis transferred to Achalcus. 5026

reviewed and keyed. 5026

Systemus eucercus sp.n., described. 5026

Systoechus aurifacies maliensis subsp.n. (Dipt., Bombyliidae), described. 4297

Systole (Hym., Eurytomidae), differentiated from Pseudosystole gen.n. 106

Szentivanyiella gen.n. (Arach., Acari, Oribatei), established. 2462

T

Tabanidae (Dipt.),

79, 80, 81, 543, 544, 844, 987, 988, 1075, 1262, 1310, 1670, 1677, 1678, 1800, 1864, 2108, 2206, 2508, 2774, 2956, 3543, 3620, 3775, 4756, 4761, 4768, 4828, 4853, 4946, 5197, 5476, 5680, 5681, 5793, 6126

abundance and biotope seasonal distribution in Great Swamp, New Jersey, USA. 2774, 3620

additions and corrections for Palaearctic Region. 80

of alluvial and estuarine areas of Louisiana, USA. 1262

altitude distribution in Dagestan, USSR. 5476 biotope distribution of larvae in a New Jersey (USA) salt-marsh. 4828

classification, distribution and keys for Neotropical Region. 545

effectiveness of Manitoba fly-trap in Japan.  $1310\,$  of Finland revised.  $1800\,$ 

of GDR. 6126

of Kinshasa region, Congo. 2956

larvae and pupae of eastern N.American spp. 5680

larval habitats and population densities in S. Louisiana, USA. 844

morphology and synonymy of Neotropical spp. 987

from N.E.Danube Delta, Romania. 2206 of a New Jersey (USA) salt-marsh. 4828 from Okayama Prefecture, Japan. 1670 parasites of eastern N.American spp. 5680 of patuxent Wildlife Research Centre, Laurel,

Maryland, USA. 4946

phylogeny of Neotropical taxa. 545

from S.Spain. 1864

Tabaninae (Dipt., Tabanidae), tribes, genera and subgenera keyed. 545

Tabanus (Dipt., Tabanidae),

abundance and biotope and seasonal distribution at Great Swamp, New Jersey, USA. 2774 ecological distribution of larvae in a New Jersey

(USA) salt-marsh. 4828

larvae and pupae of eastern N.American spp. 5680

from Okayama Prefecture, Japan. 1670 taxonomy of nigrovittatus-quinquevittatus group. 4853

abanus abattenuis, new name for T.attenuatus.

Tabanus chrysurus, pupa described. 5793
Tabanus fulvimedioides, pupa described. 5793
Tabanus fusciostatus, larval habitats in S.Louisiana,

USA. 844

Tahanus iyoensis, biology. 1678

Tabanus lineola,

abundance and biotope seasonal distribution at Great Swamp, New Jersey, USA. 2774, 3620 contact chemoreceptors. 5197 emergence and flight-activity. 3543

larval habitats in S. Louisiana, USA. 844

Tabanus marginalis, biotope distribution at Great Swamp, New Jersey, USA. 3620

Tabanus multiguttatus, type-sp of Spilotabanus gen.n. 545

Tabanus nigrovittatus, emergence and flightactivity. 3543

Tabanus pumilus, abundance and seasonal distribution at Great Swamp, New Jersey, USA. 2774

Tabanus quinquevittatus, identity, habits and seasonal distribution in New Jersey, USA. 4853

Tabanus sapporoensis, pupa described. 5793 Tabanus similis, abundance and seasonal distribution at Great Swamp, New Jersey, USA. 2774

Tabanus sparus var.milleri, abundance and seasonal distribution at Great Swamp, New Jersey, USA. 2774

Tabanus sulcifrons, larval habitats in S.Louisiana, USA. 844

Tabuda anilis (Dipt., Therevidae), new for Romania. 2205

Tabuda fulvipes, not a Dialineura. 546 Tachinidae (Dipt.),

82, 316, 318, 320, 443, 732, 795, 796, 802, 989, 990, 1265, 1272, 1274, 1311, 1435, 1507, 1627, 1631, 1865, 1882, 2116,

2159, 2204, 2531, 2720, 2808, 2957, 3153,

3413, 3529, 3536, 3776, 4054, 4110, 4314, 4702, 4783, 5386, 5415, 5417, 5418, 5420,

5479, 5680, 5682, 5683, 5990

attractiveness of baited and unbaited lures. 2720 of Macquart in Bremi collection, Zürich, Switzerland. 5682

new for Romania. 2204

New Zealand genera classified and subfamilies and tribes keyed. 2957

parasites and pathogens of larvae. 802

from N.E.Danube Delta. 2204

parasitic on Bupalus piniarius in Poland in 1964-1968.5417

parasitic on Chorizagrotis auxiliaris. 802 parasitic on conifer type of Dechocrocis punctiferalis. 1272

parasitic on Homoeosoma electellum in Texas, USA. 2808

parasitic on Spodoptera mauritia acronyctoides in Sarawak. 732

parasitism in relation to egg-production of Neodiprion swainei. 4107

rate of parasitism on Choristoneura pinus in Michigan, USA. 2800

Tachinidae, contd. from Sainte-Baume Massif, S. France. 5683 from S.Spain. 1865 type-material described by N.Baranov. 4314 Tachininae (Dipt., Tachinidae), New Zealand genera. 2957 Tachorga gen.n. (Hem., Hom., Dictyopharidae),

established. 1002

Tachyancistrocerus serenus (Hym., Encyrtidae), new records. 3339

Tachycines (Orth., Stenopelmatidae), new spp described. 2537

Tachyderma triangularis (Col., Tenebrionidae), responses to light. 5848

Tachydromia (Dipt., Empididae), new spp described. 538

predation on Oscinella frit in oats. 2792

Tachyoryctes (Rodentia), Acari from nests in Tanzania. 3718

Tachypodoiulus niger (Myriap., Diplop.), mathematical model for sampling by pitfall traps. 5490

Tachyporus (Col., Staphylinidae), predation on Oscinella frit in oats. 2792

Tachyporus obtusus, from Stokholm I., Pembrokeshire, Wales. 3257

Tachys anceps (Col., Carabidae), populations in relation to insecticide usage, 825

Tadarida p.plicatus (Chiroptera), probable host of Araeopsylla phnomensis sp.n. and Stivalius cambodius sp.n. 5770

Taeniaptera (Dipt., Micropezidae), larval characters. 3388

Taeniocampa (Lep., Noctuidae), activity periods in relation to competition for nectar. 5986

Taeniocampa stabilis, host of Microplitis sispes sp.n. in Germany. 5052

Taeniopoda eques (Orth., Acrididae), O2consumption. 171

Taeniopterygidae (Plec.), 361, 1322, 1668, 2096, 3413, 5766 biology and ecology in Laurentides, Canada.

Taeniopteryx (Plec., Taeniopterygidae), control of activity and drift by light. 2096 fluorescent systems and UV-sensitivity of eyes. 3413

Polish spp. 5767

Taeniopteryx burksi, ecology and life-history in Laurentides, Canada. 1668

Taeniothrips (Thysanopt., Thripidae), Megalurothrips not synonym of. 3019 part transferred to Sciothrips gen.n. 4404

Taeniothrips brevis sp.n., described. 3018

Taeniothrips distalis Karny 1913, precedence over T.usitatus Bagnall 1913. 1484

Taeniothrips distalis var .infernalis, syn.n. of Megalurothrips distalis. 3019

Taeniothrips ditissimus, syn.n. of Megalurothrips morosus. 3019

Taeniothrips garriguae, 9 described. 3018 Taeniothrips nigricornis Schmutz 1913, biology of Orius indicus. 4715 published after T. distalis Karny 1913. 1484 Taeniothrips ononidis, ♀ described. 3018

chromosome numbers and karyotypes of Rhopalocera, 875, 876

Dacus dorsalis present. 3777 Hemisphaerius keyed. 560

Micronecta keyed. 549

Taiwan.

new Blattodea from . 3756

new Braconidae from . 2521

new Buprestidae from . 966

new Carabidae from. 20

new Chrysomelidae from . 25

new Corixidae from . 549

new Ixodidae from. 4223

new Lycidae from . 528, 2492

new Lygaeidae from . 2971

new Myobiidae from . 4230

new Nymphalidae from . 1936

new Pyralidae from . 2532 new Sarcophagidae from . 2951

new Scarabaeidae from . 3311 new Tydeidae from . 3291

Takagripopteryx minor sp.n. (Plec., Capniidae), described. 4395

Takanoa rugosa sp.n. (Dipt., Sarcophagidae), described. 4310

Talpa europaea (Insectivora),

Acarus nidicolous sp.n. from nests. 3721 German Siphonaptera. 4092

Tamarindus indicus (Leguminosae),

Caryedon gonagra as pest in India. 5443 Caryedon serratus on fruit in Queensland, Australia. 4206

host of Sitophilus linearis in Queensland, Australia. 4206

Tamiasciuris (Rodentia), reservoir for tick-borne relapsing fever in Spokane County, Washington, USA. 2756

Tanaoceridae (Orth.), 3899 tympanal organ absent. 3899

Tanymecini (Col., Curculionidae), genera discussed. 2911

of West Indies revised and keyed. 4277

Tanymecus palliatus (Col., Curculionidae), conife resistance. 5442

Tanypeza longimani (Dipt., Tanypezidae), larva described. 3386

Tanypezidae (Dipt.), 3386

systematic relationships. 3386

Tanypus neopunctipennis (Dipt., Chironomidae), life-cycle patterns in a floodplain lake in Minnesota, USA. 4098

Tanypus punctipennis, ecology in oxidation and waste-stabilization lagoons in Missouri, USA. 337, 1738, 3199

Tanypus stellatus, life-cycle patterns in a

Tanypus stellatus, contd.

floodplain lake in Minnesota, USA. 4098 Tanytarsini (Dipt., Chironomidae), position of Krenopsectra gen.n. 2503

Tanytarsus (Dipt., Chironomidae), abundance in relation to water-level fluctuations in L. Kariba, Africa. 4087

Tanytarsus dissimilis, pH in relation to life-cycle.
5934

Tanzania,

Acari associated with animal excrement and nests. 3718

biology and ecology of Simulium damnosum . \$24

chiasma-frequency and recombination in Locusta migratoria. 3645

control and swarming of Nomadacris septemfasciata in Rukwa Valley. 5497

Dictyoptera from. 748

Hymenoptera from . 5600

new Acari from. 2883, 3718

new Eulophidae from . 1451

new Labiidae from . 1861, 4293

new Languriidae from . 5000

new Muscidae from . 539

new Nymphalidae from . 4381

new Reduviidae from . 3330

new Tineidae from . 3826

Nymphalidae from . 4381

Orthoptera from . 748

Tineidae from. 3826

Taosa (Hem., Hom., Dictyopharidae), revised, new spp described, new synonymy and key. 1003, 1899

Taphozous melanopogon bicolor (Chiroptera), host of Cimex angkorae sp.n. in Cambodia. 2968

Taphramites gnathotrichus (Col., Scolytidae), description supplemented. 5651

Taphrocenus brevicannatus (Col., Buprestidae), new for Brazil. 3298

Taphroderinae (Col., Brentidae), keyed. 18

Taphropiestres (Col.), transferred to Cavognathidae fam.n. 964

Tapinolobus gen.n. (Hem., Hom., Membracidae), established and fasciatus sp.n. described. 4337

Tapinoma sessile (Hym., Formicidae),

feeding on photographic film. 2735 free amino acids and volatile compounds. 2016

Tapinoma simrothi, distribution, ecology and habits in Mamora Forest, Morocco. 4862

Tarachidia candefacta (Lep., Noctuidae), introduced into USSR for control of Ambrosia.

6019
sesquiterpene lactones (ambrosanolides)

required for larval development. 6019

Tarantulidae (Arach., Amblypygi),

key. 2877

metabolic rate in relation to respiratory surface and acclimation. 4503

Taraxacum (Compositae), pollen in relation to brood-rearing capacity of Apis mellifera. 4627

Taraxacum officinale,

pollen in relation to hypopharyngeal-gland development in Apis mellifera. 4571 relations to Andrenidae in Hokkaido, Japan.

2163
Tarentula (Arach., Aran.), relationships to

Melocoa. 1828

Targionia vitis (Hem., Hom., Coccidae), biology and damage to Vitis vinifera. 5427

Tarphius (Col., Colydiidae), Madeira spp redescribed and keyed. 3303

Tarsonemidae (Arach., Acari), associated with ipine Scolytidae keyed. 2465 placed in Tarsonemida within Actinotrichida. 4213

Tarsonemini (Arach., Acari), of Hungary. 2458
Tarsonemoidea (Arach., Acari), from Tatra Mts.,
Czechoslovakia and Poland. 6109

Tarsonemoides (Arach., Acari, Tarsonemidae), feeding on Collembola. 5504

Tarsonemoides limbatus sp.n., described. 4213

Tarsonemus (Arach., Acari, Tarsonemidae), ecology in bulk grain. 3185, 4822 new spp described. 1827, 2465

Tarsonemus crassus, new for Poland. 6110

Tarsonemus setifer, association with Medicago sativa in Imperial Valley, California, USA. 5454

Tartarogryllus bidentatus sp.n. (Orth., Gryllidae), described. 1945

Tasmania (Australia),

new Archaeidae from . 958 new Toxopidae from . 958

Tasmanoperla (Plec., Australoperlidae), redescribed. 1946

Tasmanoperla ruficosta, syn.n. of Pteronarcella atra. 1946

Taste.

discrimination in relation to tarsal chemoreceptors in Phormia regina. 1534 food location by taste in Carabus cancellatus

and Phormia terraenovae. 4497 response to acids in Phormia regina. 3887

response to acids in Phormia regina. 388/ response to carbohydrates in Phormia regina.

sensitivity in Aedes aegypti. 5998

Taudactylus (Amphibia Anura), host of Vercammenia gloriosa sp.n. in Queensland, Australia. 4245

Taurine, product of sulphate metabolism in Neomyzus circumflexus. 2079

Taxodium distichum (Taxodiaceae) (bald cypress), feeding responses in Coptotermes formosanus, Reticulitermes flavipes and R.virginicus. 4762

host of Paria wilcoxi sp.n. in Alabama, USA. 4272

Taxonomy,

in relation to alarm-pheromones. 1242 biology for taxonomy of Callosobruchus. 947 chemotaxonomy of Formicidae. 2016, 2017

chemotaxonomy of larval Sarcophaga 3774 ecology for taxonomy of Callosobruchus. 947

in relation to egg protein-patterns. 2625 esterases for chemotaxonomy. 4528

esterases for chemotaxonomy, 4528 immunology for taxonomy of Coleoptera, 434 'Morpho-species' concept in relation to

nature of taxonomic data. 2456

Ischyropsalis. 3728

nature and use of suffix -ellus, -ella and -ellum in species-group names. 4210

notation for segments of complex dendroids in insect wings. 3843

numerical classification of Canadian Aedes.64 numerical classification of Drosophila.65 numerical method leading to valid phylogenetic

conclusions. 1359

numerical methods criticized. 2456

numerical taxonomy of Argodrepana. 1359

numerical taxonomy of Callosobruchus. 947

numerical taxonomy of Coleoptera. 434 numerical taxonomy of Indo-Australian

Drepanidae. 3813 numerical taxonomy of S.American Melipona.

present status of systematic entomology in Israel. 4966

proper use of Latin genitive case in forming names of parasites. 2455

reality of taxonomic categories with reference to Coleoptera, Heteroptera and Orthoptera. 948

role in biological control. 5966

semi-spp, sibling spp and uniparental spp. 4967 validity of host subspecific name in parasites.

4968

Taxus baccata (Taxaceae), host of Anocaudus taxus gen. et sp.n. in Himachal Pradesh, India. 4327

TDE.

control of Epitrix hirtipennis on flue-cured tobacco. 5355

dehydrochlorination by DDT-susceptible strains of Blattella germanica. 1602

Tea, see Camellia sinensis

Tea red spider mites, see Oligonychus coffeae Tebelina (Lep., Glyphipterygidae), new spp described. 4369

Techniques,

application of wax to insects. 2553

bioassay of sex-pheromone of Prodenia eridania.  $5095\,$ 

collection of Pseudoscorpiones. 3383

collection and separation of flower aroma components from intact plants. 4122

confinement of insects to leaf surfaces and use in pathogen bioassay. 3033

control of Nosema algerae in Anopheles stephensi colony. 5101

cytological hybridization. 5538

detection of Anaplasma marginale in Dermacentor andersoni. 4788

examination of retina in Insecta. 1532 extraction of Collembola from soil. 3027

glutaraldehyde fixation of haemocytes for electron microscopy. 3025

identification of insect-pathogenic streptococci. 5798

isolation of ribosomes from adult Acheta domestica. 4534

 $\label{eq:maintenance} maintenance of Cybister lateralimarginal in \\ the laboratory. 2546$ 

maintenance of Simulium larvae in flowing water. 2555

making of insect-testing cages. 5132

mass-rearing of Heliothis zea and H.virescens larvae. 2572

mass-rearing of Sanninoidea exitiosa. 2558 mass-rearing of Typhlodromus gossypii. 5778 mating of Rhyacionia buoliana in the laboratory. 5777

measurement of locomotor muscles of Schistocerca gregaria, 3050

mechanical sexing of Lucilia cuprina pupae. 4694

mounting of Thysanoptera in Canada balsam . 3373

preparation of  $\mathcal{P}$  genitalia of Osmylidae. 5081 preparation of Scorpiones for study and display. 5129

preservation fluids for Collembola. 5779 prevention of ribosome contamination by nuclease in Acheta domestica. 4540 protection of Apis mellifera from insecticides.

rearing of Gretchena bolliana. 5126

rearing of Prodenia eridania. 5114 rearing of Tenebrio molitor. 5515

sampling of benthic stream arthropods. 2542

sampling of Culicidae. 2166

sound-synchronized ultra-high-speed photography for study of stridulation in Gryllidae and Tettigoniidae, 4420

stereoselective total synthesis of racemic pheromone of Anthonomus grandis. 5247

study of haemocytes. 3432

study of host-parasite relations between Eulophidae and Zeiraphera diniana. 2115

study of insecticide resistance in Diptera. 2851 study of neurosecretory cells of pars intercere-

study of neurosecretory system in Culicidae.
4418

bralis in Musca domestica. 3024

study of phospholipid metabolism in insects. 3449

transference of newly-hatched insect larvae. 59 ULV application of concentrated

Techniques, contd.

insecticides. 4698

workers investigating rearing procedures for Glossina listed. 5138

Tectona grandis (Verbenaceae), Cecidomyiidae causing galls in India. 3761

Tegenaria atrica (Arach., Aran., Agelenidae), aldrin treatment of food in relation to larva. 3923

induction of monstrosities by centrifugation and temperature-treatment. 3980, 5931 poison-glands. 3955

Telamatophilus olivascens (Col., Languriidae), placed in Loberonothini rib.n. 4252

Teldenia (Lep., Drepanidae), distribution and taxonomy. 495

Telebasis sanguinalis (Odon., Coenagrionidae), new for Lesser Antilles. 3830

Telegeusidae (Col.), 2927

Telegeusis panamaensis sp.n. (Col., Telegeusidae), described and spp keyed. 2977

Teleia saltuum (Lep., Gelechiidae), overwintering population distribution on Larix in C.Switzerland. 4083

Telenomus dignus (Hym., Scelionidae), parasitic on Chilo in Sarawak. 5498

Telenomus fariai, progeny production in relation to host availability. 5502

Telenomus remus, parasitic on Spodoptera mauritia acronyctoides ın Sarawak. 732

Telenomus rowani, parasitic on Tryporyza in Sarawak. 5498

Telenomus rufoniger, status. 2987

Teleogryllus (Orth., Gryllidae),

biometrics, geographical isolation and phylogeny. 3231

karyotypes of commodus and oceanicus in relation to hybridization. 867

Teleogryllus commodus, water permeability of eggshell. 1145, 1588

Teleopsis shillitoi sp.n. (Dipt., Diopsidae), described. 1871

Teleutaea japonica (Hym., Ichneumonidae), parasitic on Argyroploce electana in Japan. 321

Telmatoscopus albipunctatus (Dipt., Psychodidae), bionomics, insecticide susceptibility and lifecycle. 5987

seasonal variation of populations in Yokohama, Japan. 6053

Telmatoscopus ligusticus sp.n., described. 73

Teloleuca pellucens (Hem., Het., Saldidae), habitats in Inverness-shire, Scotland. 3183

Telone, use in combination with systemic insecticides for control of insects and nematodes in potatoes. 4692

Temelucha (Hym., Ichneumonidae), parasitic on Trichotaphe levisella in Minnesota, USA, and hyperparasites. 1274

Temelucha nigromaculata, new for Philippines. 799 parasitic on rice stem borers on Luzon I., Philippines. 799

Temnora fumosa albuquerqueae subsp.n. (Lep., Sphingidae), described. 5746

Temperature,

in relation to 'aa' gene in Drosophila hydei. 4155 in relation to abundance and distribution of Plecoptera in an English Lake District stream.

in relation to abundance of Lepinotus in grainbulk ecosystems. 3185

acclimation of respiration in Culex pipiens pipiens and effect of seasonal selection. 3910

acclimation in relation to survival of Ptinus tectus and Tenebrio molitor. 5888

acclimation temperature in relation to metabolic rate in Arachnida. 4503

acclimation and tolerance in Drosophila. 2641

in relation to activity of Agrilus ater. 1658

in relation to activity and behaviour of Acheta domestica. 5204

in relation to activity and behaviour of Pogonomyrmex occidentalis. 847

in relation to activity of Biorrhiza, Boreus, Chionea and Scoliocentra. 206

in relation to activity of cryptobiotic Formicidae. 336

in relation to activity of desert Calyptrata in Egypt. 4829

in relation to activity rhythms of Myrmeleon obscurus. 750

in relation to activity of trichopteran larvae. 3542

in relation to Acyrthosiphon pisum. 4606

in relation to amino-acid incorporation by template-active RNA from Tenebrio molitor. 3072

in relation to amylase and invertase activity in Aonidiella aurantii and Chrysomphalus aonidum. 5238

in relation to arthropods and fungi in bulk-grain ecosystems.  $4822\,$ 

in relation to behaviour of cave-dwelling Trichoptera of Italy. 863

in relation to behaviour of Cimex lectularius. 5205

in relation to behaviour of Contarinia medicaginis larva. 332

in relation to behaviour of Dacus ciliatus. 636

in relation to behaviour of Euphaedra, 5846

in relation to behaviour of Hodotermes mossambicus. 846

in relation to behaviour of overwintering Pterostichus brevicornis. 4548

in relation to behaviour of Potamophylax stellatus larva. 1540

in relation to behaviour of synantropic Diptera in Tyan'-Shan' Mts., Kirgizia, USSR. 4860

in relation to behaviour of Zeiraphera diniana. 1028

- in relation to biliverdin metabolism in Carausius morosus. 1143
- in relation to biology of Drosophila picta. 3130
- in relation to biting activity in Culicoides barbosai and C.furens. 1681
- in relation to biting and flight activity of Tabanus iyoensis. 1678
- in relation to black-light trapping of Laspeyresia pomonella. 5486
- in relation to blood digestion in Stomoxys calcitrans. 5404
- in relation to Chilo agamemnon. 5981
- in relation to X-chromosome non-disjunction in Drosophila melanogaster. 889
- in relation to climbing responses of larval Amathes c-nigrrum. 2605
- controlled-temperature apparatus for recording insect emergence. 3363
- in relation to cuticular permeability in Hyalomma dromedarii and Ornithodoros savignyi. 4458
- in relation to cuticular water-uptake in Ilyocoris cimicoides. 1590
- in relation to development of Acyrthosiphon pisum. 704
- in relation to development of Adalia bipunctata.
- in relation to development of Aedes sticticus. 1191
- in relation to development of Agrotis fucosa and A.ipsilon. 2071
- in relation to development of Albareda parabates. 3095
- in relation to development of Alphitobius diaperinus. 2072
- in relation to development of Amradiplosis allahabadensis. 4023
- in relation to development of Anaphes flavipes. 2677, 4834, 5363
- in relation to development of Anisoptera.
  703
- in relation to development of Anthonomus grandis. 3494
- in relation to development of Aphanostigma piri. 5384
- in relation to development of Aphidius smithi.
- in relation to development of Arge pagana.
- in relation to development of Ascoschoengastia latyshevi. 5365
- in relation to development of Avicularia avicularia. 4721
- in relation to development of Cactobrosis fernaldialis. 3095
- in relation to development of Ceratophyllus gallinae. 3124
- in relation to development of Cerura vinula.

- 5296
- in relation to development of Chaoborus crystallinus. 3547
- in relation to development of Chrysopa carnea. 5298
- in relation to development of Cycloneda limbifer. 2091
- in relation to development of Dendroctonus obesus. 3099
- in relation to development of Diatraea saccharalis, 1311
- in relation to development in Dioryctria amatella-zimmermanni complex.'
- in relation to development of Drosophila. 5308
- in relation to development of Ectomyelois ceratoniae. 5288
- in relation to development of Eriosoma ulmi. 4039
- in relation to development of Eucelatoria armigera. 1631
- in relation to development of Euxoa ochrogaster.  $4034\,$
- in relation to development of Euxoa tristicula. 2701
- in relation to development of Glossina morsitans orientalis.  $2100\,$
- in relation to development of Hyposoter pilosulus. 5412
- in relation to development and instar number in Rhyzopertha dominica.  $52\,92$
- in relation to development of Leucania separata. 245, 255, 1193
- in relation to development of Lyctidae.
  4016
- in relation to development of Microbracon kirkpatricki. 5991
- in relation to development of Microplitis croceipes. 2752
- in relation to development of Microplitis feltiae. 4713
- in relation to development of Monopis speculella. 5992
- in relation to development of Nematus ribessii. 1290
- in relation to development of Nilaparvata lugens. 3550
- in relation to development of Nosema mesnili in insect hosts. 5158
- in relation to development of Oligonychus ununguis. 5977
- in relation to development of Oxytelus rugosus.
- in relation to development of Panonychus ulmi. 3997
- in relation to development of Philonthus fuscipennis. 5367
- in relation to development of Pleolophus basizonus. 1619

- in relation to development of Plistophora schubergi in insect hosts. 5158
- in relation to development of Polydorus aristolochiae. 4747
- in relation to development of Praon exsoletum. 702
- in relation to development of Pseudaletia unipuncta. 2680
- in relation to development of Rhinacloa forticornis. 5307
- in relation to development of Schistocerca gregaria. 3098, 3991
- in relation to development of Spanagonicus albofasciatus. 5307
- in relation to development of Stigmella malella.
- in relation to development of Synthesiomyia nudiseta. 4748
- in relation to development of Thanasimus dubius. 3537
- in relation to development of Tribolium confusum. 705
- in relation to diapause in Baëtis embryo. 3977
- in relation to diapause in Bombyx mori. 3096
- in relation to diapause in Drosophila phalerata. 5925
- in relation to diapause in Euxoa ochrogaster egg. 4034
- diapause induction in Aelia acuminata. 2676
- diapause induction in Araschnia levana. 3470
- diapause induction in Celerio lineata. 4602 diapause induction in Chilo suppressalis. 1183
- diapause induction in Contarinia medicaginis.
- diapause induction in Heliothis zea. 5286
- diapause induction in Musca autumnalis. 700
- diapause induction and termination in Papilio polyxenes. 1185
- in relation to diapause in Nasonia vitripennis. 5283
- in relation to diapause in Pleolophus basizonus.
- in relation to diapause in Praon exsoletum. 702
- in relation to diapause in Psila rosae. 5923
- in relation to diapause termination in Contarinia
- in relation to diapause termination in Dociostaurus cervicercus. 277
- in relation to diapause termination in Laspeyresia pomonella of C. and E.Switzerland.
- differences between Alpine and Arctic meadows in relation to Drosophila. 5308
- in relation to dispersal of Acyrthosiphon pisum and Aphidius pulcher. 819
- in relation to distribution of Agrotis venustula in Hungary. 4031
- distribution of Diptera in hot-spring thermal gradients in New Zealand. 2783

- in relation to diurnal activity of Drosophila in S.W.Hokkaido, Japan. 746
- in relation to DNA duplex formation in Drosophila melanogaster. 199
- in relation to egestion and excretion in Aulacophora foveicollis. 3448
- in relation to egg hatch in Aedes abserratus and Ae.vexans. 2639
- in relation to egg hatch in Aedes aegypti. 4615
- in relation to egg hatch in Dendroctonus ponderosae. 5930
- in relation to egg hatch in Drosophila melanogaster. 253
- in relation to egg hatch of Leucania separata. 245
- in relation to egg hatch in Polydorus aristolochiae. 4747
- in relation to emergence of Conotrachelus nenuphar. 5299
- in relation to emergence in Margarodes vitium.
- in relation to emergence rhythm in Megachile rotundata. 4603
- in relation to emergence of Simuliidae in W. Cameroun. 2684
- engorgement in relation to host skin-temperature in subadult Hyalomma aegyptium. 4774
- in relation to extra dorsocentral bristles in Drosophila melanogaster. 2832
- in relation to eye-colour phenotypes in Calyptrata. 4162
- in relation to fat-body in overwintering ♀ Anopheles punctipennis. 4744
- in relation to fat-body of Rhodnius prolixus larva. 3452
- in relation to fecundity of Chrysopa carnea.
- in relation to fecundity of Conotrachelus nenuphar. 5299
- in relation to fecundity of Drosophila melanogaster. 253, 4091
- in relation to fecundity in Lespesia archippivora.
- in relation to fecundity of Psocoptera. 5315
- in relation to fecundity of Zeiraphera diniana.
- in relation to feeding in Adalia bipunctata. 1624
- in relation to feeding in Hylobius rhizophagus.  $281\,$
- in relation to feeding in Reticulitermes. 5886 in relation to fertility of Myrmica rubra. 4873
- in relation to flight activity of Laspeyresia
- pomonella. 5486
- in relation to flight-activity of ♂ Aonidiella aurantii. 3544
- in relation to flight-activity and settling behaviour of  $\ensuremath{\circ}$  Glossina morsitans. 3950
- in relation to flight in Cenocorixa of saline lakes of British Columbia, Canada. 3170
- in relation to flight initiation and take-off in

- Acanthoscelides obtectus. 2705
- in relation to flight-muscle metabolism in Calliphora. 2028
- in relation to flight and sucrose-utilization in Lucilia sericata. 3053
- in relation to foraging behaviour of Hodotermes mossambicus. 5517
- freezing-temperature distributions of Insecta. 5884
- in relation to glucose oxidation in flight-muscle of Schistocerca gregaria. 3401
- gradients in Tullgren funnels during extraction of Acari from poultry litter. 2566
- in relation to growth of Feltia subterranea. 1037 haemolymph during heat death in Centrioptera
- haemolymph during heat death in Centrioptera muricata. 5885
- in relation to hatching of Panonychus ulmi from winter eggs. 5305
- in relation to heart beat in Blattella germanica. 5258
- in relation to heart beat in Locusta migratoria. 5852
- heat-flux and temperature estimation in stubbed cotton-field microhabitats in winter. 1492
- in relation to honeydew production and honey yield for Abies alba. 2152
- in relation to host-plant orientation by Hypera postica. 1257
- in relation to host-plant preference of Therioaphis maculata. 2768
- in relation to incubation time of Xyletinus peltatus eggs. 4637
- induction of unequal division in Acrida lata spermatocytes. 5828
- in relation to instar number in Helicoverpa armigera. 3097
- in relation to instrumental insemination of queen Apis mellifera. 3495
- in relation to learning and memory in Tenebrio molitor. 1238
- in relation to life-cycle of Aleurocanthus spiniferus at Ooshima, Japan. 4729
- in relation to life-cycle of Amblyseius fallacis. 4708
- in relation to life-cycle of Patanga succinata. 4617
- in relation to life-cycle of Tetrastichus flavigaster. 4741
- in relation to light-response in Luciola lusitanica. 272
- limits for insects in thermal waters of Iceland.
- liquid-nitrogen-operated chamber for insect super-cooling studies. 4409
- in relation to longevity of Chrysopa carnea. 5298
- in relation to longevity of Conotrachelus nenuphar. 5299
- in relation to longevity in Lespesia

- archippivora. 1627
- in relation to malate dehydrogenase activity in Drosophila virilis. 4544
- in relation to mating advantage in Drosophila persimilis. 926
- in relation to maturation of  $\ensuremath{\mathtt{P}}$  Dacus tryoni. 5480
- in relation to melanotic tumours in Drosophila melanogaster. 3983
- in relation to migration of British Lepidoptera. 2131
- in relation to mitosis in Acrida lata spermatocytes. 5827
- modification by 4 types of insect cage. 2561
- in relation to moulting in Bombyx mori. 3096 natural heat sources for Anthonomus grandis. 3465
- in relation to nesting behaviour of Megachile rotundata. 2819
- in relation to net-spinning in Hydropsyche instabilis. 3118
- in relation to neurosecretion in Eurygaster integriceps. 5193
- in relation to neurosecretion in Galleria mellonella larva. 3517
- in relation to neurosecretion in Nezara viridula. 1524
- in relation to nuclear polyhedrosis in Galleria mellonella larva. 5149
- in relation to nucleic acid synthesis in Bombyx mori embryo. 2687
- in relation to oocyte maturation in Psocoptera. 5315
- in relation to organophosphate poisoning in Anthonomus grandis. 5259
- in relation to oviposition of Drosophila melanogaster. 4091, 5308
- in relation to oviposition of Oulema melanopus . 708
- in relation to oviposition of Pieris in S.Australia. 3995
- in relation to  ${\rm O_2\text{-}consumption}$  in Anax junius larva. 3427
- in relation to  ${\rm O}_2$ -consumption in Cryptocercus punctulatus and Popilius disjunctus. 4565
- in relation to pathogenicity of rice dwarf virus in Nephotettix cincticeps. 5458
- perception by antennae in Heliothis zea. 4485
- in relation to pheromone-trapping of ♂ Trichoplusia ni. 4566
- in relation to phoresy of Macrocheles muscaedomesticae on Musca domestica. 4502
- in relation to pigmentation in Collembola. 2797 in relation to population density of Sipha flava in Puerto Rico. 4847
- in relation to population dynamics of Culicidae in Changa Manga National Forest, Pakistan. 4075
- in relation to population growth in Drosophila

- melanogaster. 4091
- in relation to populations of Aphytis in Libya. 312
- in relation to populations of Porthetria dispar.
  4097
- in relation to populations of rice pests in Philippines. 346
- in relation to populations of Trioza erytreae. 5465
- possible temperature-sensitive organs in Cimex lectularius. 5205
- in relation to post-release dispersal in Anaphes flavipes. 4834
- post-treatment in relation to frequency of radiation-induced mutations in Bombyx mori oocytes. 3664
- in relation to preening in Blaberus craniifer.
  4563
- preferences of Euthypoda acutipennis. 4717 preferences of Melanoplus sanguinipes. 2607
- in relation to prey capture and transport by Coptoformica exsecta and Formica polyctena. 2721
- in relation to probing of Stomoxys calcitrans. 1686, 4766
- production of monstrosities in embryonic Tegenaria atrica. 5931
- in relation to protein synthesis in Bombyx mori embryo. 2687
- in relation to pupation of Simuliidae in W. Cameroun. 2684
- in relation to radio-sensitivity of 'forked' Drosophila melanogaster. 250
- in relation to re-aggregation of fat-body cells in Saturniidae. 3047
- reactions of stored-product Coleoptera. 5887
- in relation to reproduction in Chrysopa carnea.
- in relation to reproduction in Megoura viciae and Pterocomma jacksoni. 709
- requirements for prolonged flight of Chortoicetes terminifera. 1241
- in relation to respiration in Anthonomus grandis. 3464
- in relation to respiration in Cubitermes colonies.
  4866
- in relation to respiration of Donacia simplex.
- in relation to respiration of Hypoderma bovis larva. 5311
- in relation to respiration of Lycosa T-insignita.
- in relation to respiration of Tendipes. 3618
- response of antennal cold receptor of Periplaneta americana to slowly-changing temperature.
- responses of Apanteles militaris and Pseudaletia unipuncta. 2682
- responses of Ascoschoengastia latyshevi. 5365

- rhythm regulating diapause in Saturnia pyri. 5926
- in relation to salinity tolerance of Baltic brackish-water Trichoptera, 362
- in relation to seasonal cycles of Crambus leachellus cypridalis and C.trisectus. 4614
- in relation to seasonal dimorphism of Araschnia levana. 3470
- in relation to sex-determination in Pseudaulacaspis pentagona. 4165
- in relation to sex-ratio in Trichogramma embryophagum. 3524
- in relation to silk-production in Bombyx mori. 3096
- in relation to size in Culicoides furens. 4011
- in relation to size and weight in Acyrthosiphon pisum. 4607
- of soil in relation to emergence of Rhagoletis pomonella. 3032
- in relation to sound-production in Chironomus plumosus. 2045
- in relation to spontaneous electrical activity of CNS of Insecta. 1068
- in relation to spring emergence of Bothynus gibbosus. 2678
- in relation to scutellar bristle development in Drosophila melanogaster. 2679
- in relation to subimaginal instar duration of Ephemeroptera. 1216
- in relation to sucrose-utilization during flight in Lucilia sericata. 1515
- in relation to survival of Adalia bipunctata. 1624, 1665
- in relation to survival of Feltia subterranea.
  1037
- in relation to survival of Hodotermes mossambicus. 846
- in relation to survival of Leptocera caenosa.
  4045
- in relation to survival of Leucania separata prepupae and pupae. 255
- in relation to survival of Musca austumnalis eggs and early larvae. 1296
- in relation to survival of overwintering Diatraea grandiosella larvae in Louisiana, USA. 2814
- in relation to survival of stored-product insects exposed to atmospheric gas mixtures. 5257
- in relation to swarming in Chironomus salinarius. 1221
- in relation to synaptic inhibition by  $\gamma$ -aminobutyric acid in Culicidae. 308
- in relation to take-off activity of Blastophagus piniperda. 1237
- in relation to take-off of Rhopalosiphum maidis and Schizaphis graminum. 820
- temperature-sensitive lethal induced by thymidine in Drosophila melanogaster. 2187
- temperature-sensitive mutants induced by EMS in Drosophila melanogaster.  $412\,$
- in relation to teneral period duration of Myzus

persicae. 1171

thermal sum for calculation of hatching date of diapausing Panonychus ulmi eggs. 5305

thermoregulation behaviour of forest Oeneis. 3609

thermo-separator described. 2547

tolerance in adult Drosophila pseudoobscura.

tolerance in relation to age in Hypera postica.

tolerance in arthropods of Sahara. 155

tolerance of Biorrhiza, Boreus, Chionea and Scoliocentra. 206

tolerance of Dendrosoter protuberans. 5466

tolerance in Formicidae. 155

tolerance during post-embryonic development in Leptinotarsa decemlineata. 5289

tolerance of Pterostichus brevicornis, 1586

tolerance in relation to radio-resistance in Drosophila melanogaster. 2036

in relation to Trichocera. 2038

in relation to Trichogramma minutum. 3154

in relation to voltinism in Bombyx mori. 3096

in relation to water-loss in Anthonomus grandis.

in relation to water-loss in Cryptoglossa verrucosa and Eleodes armata. 3079

in relation to water-uptake by Chorthippus brunneus eggs. 1584

in relation to weight in Reticulitermes. 5886

in relation to wing reduction in Tipulidae. 931

in relation to wing development in "Us" mutant of Anagasta kuehniella. 3865

in relation to Zn excretion in Cryptocercus punctulatus and Popilius disjunctus. 4565

Tendipes (Dipt., Chironomidae), biomassproduction and ecology in a lake in Georgia, USA. 3618

Tendipes dorsalis,

ecology of immature stages. 1307 method for estimation of population density. 1307

Tendipes plumosus,

abundance in oxidation lagoons in Missouri, USA. 1738, 3199

biomass-production and ecology in a lake in Georgia, USA. 3618

Teneatopus (Col., Tenebrionidae), synonymous with Ariarathus. 2928

Tenebrio (Col., Tenebrionidae), protein-synthesis stimulated in vitro by RNA from pupal nuclei.

Tenebrio molitor,

acclimation in relation to survival at low temperatures. 5888

anemo-menotaxis. 635

antibiotics in relation to epidermal metamorphosis and nucleic-acid synthesis. 4610

apical cells of testis. 680

behaviour in temperature-gradient. 5887

calliphorin absent. 1134

cold in relation to learning and memory. 1238 cuticle. 2583

dietary requirements of larvae in relation to phospholipid synthesis. 1132

DMS in relation to insecticide toxicity. 3934

electrophoretic properties of fat-body, haemolymph and oocytes. 5861

electroretinogram. 1538, 2598

endocrine involvement in pheromone secretion. epicuticular depressions in rectal cuticle. 3444

and of scents in relation to reproductive maturation of young 99. 5297

fluorescent systems and UV-sensitivity of eyes.

geotaxis and gravity-perception. 3901

imaginal-disc transplantation into immature stages. 2064

γ-irradiation in relation to life-span. 254

JH activity of compounds with terpenoid backbones. 3944

JH activity of methyl-14, 15-epoxygeranylgeranate. 5879

JH activity of sesamex and related compounds.

JH in relation to wound-modelling of cuticle architecture. 4460

juvenilization by frass and microsporidan infection. 2665

learning transmitted from larva to adult. 3423

median-cord development. 2661 neutral lipids of larvae. 1132

phospholipid synthesis in larva. 1132

photo-geotactic angle-transposition. 5207

prey of Tenebrioides mauretanicus in cultures.

protein-synthesis in adult fat-body. 3938 quantitative determination of uric acid in faeces. 594

radiosensitivity in relation to free-water content of embryo. 3519

RNA-synthesis in adult fat-body. 4545 sex-pheromone. 666, 4568

sex-pheromone release in relation to age, crowding and mating. 666

spectral efficiency as a function of latency in vision. 168

synapses in CNS of larva. 2592

temperature-resistance. 155

template activity of RNA from pupal nuclei.

thoracic musculature of adult. 158

tryptophan oxidation via absent glutarate pathway

ultrastructure of fat-body and fore gut in pupalwinged adult. 1180, 2061

ultrastructure of haemocytes of larva. 3435 ultrastructure of rectal cuticle. 3444 water-permeability of integument. 155

in relation to flight and respiration responses

induction of chromosomal aberrations in

domestica. 231

in Musca domestica. 4564

Culex pipiens fatigans. 4152

Tenebrio obscurus, sound-production during mating. 1599 Tenebrionidae (Col.), 144, 158, 168, 203, 239, 249, 254, 283, 532, 533, 594, 635, 657, 666, 680, 695, 705, 738, 762, 831, 847, 922, 924, 935, 1132, 1134, 1162, 1180, 1238, 1364, 1508, 1538, 1578, 1599, 1608, 1780, 1782, 1834, 1856, 2057, 2061, 2064, 2072, 2497, 2498, 2583, 2592, 2598, 2661, 2665, 2681, 2928, 2929, 2930, 2931, 3040, 3072, 3079, 3413, 3423, 3435, 3444, 3449, 3488, 3519, 3573, 3660, 3754, 3901, 3934, 3938, 3944, 3993, 4080, 4082, 4086, 4171, 4179, 4288-4290, 4427, 4460, 4520, 4545, 4552, 4562, 4568, 4610, 4908, 4910, 5017, 5207, 5244, 5245, 5297, 5309, 5463, 5515, 5659, 5819, 5848, 5861, 5879, 5885, 5887, 5888, 6004, 6042, 6102 biological bases for control in the USSR. 5463 from Chile. 2497 Chilean genera keyed. 2497 from Congo-Brazzaville. 3754 new synonymy. 2928 new taxa from Chile. 2497 of Niokolo-Koba National Park, Senegal. 1856 of the R. Llobregat delta, Spain. 1364 teratology. 2057 Tenebroides mauretanicus (Col., Trogossitidae), larval penetration of aluminium-foil packages. O2-uptake at reduced atmospheric pressure. predator of Tenebrio molitor in culture. 5515 quantitative determination of uric acid in faeces. 594 Tentegia (Col., Curculionidae), coprophily and association with mammals and Formicidae. 4047 Tenthredinidae (Hym.), 115, 116, 833, 1290, 1378, 1458, 1506, 2119, 2217, 3000, 3538, 4025, 4063, 4353, 4363, 4797, 5180, 5293, 5399, 5741, 5801, 6027 new for Romania. 2217 as pests in New Zealand forests. 833 of the Poles'ye of Belorussia. 1378 Tenthredinoidea (Hym.), of Belorussia with new records. 1378 from N.E. Danube Delta, Romania. 2219 Tentyriinae (Col., Tenebrionidae), from S.E. Madagascar. 2929 Tenuipalpus eriophyoides (Arach., Acari, Tenuipalpidae), biology in relation to Phoenix dactylifera. 5370 Tenvialidae (Arach., Acari), relationships within Liacaroidea. 514

chemosterilant for Culex pipiens. 4622

howardii. 3428

chemosterilant for Diabrotica undecimpunctata

in relation to embryonic development in Musca

induction of dominant lethal mutations and polyspermy in Musca domestica. 2186 in relation to longevity, mating and spermatogenesis of o' Oncopeltus fasciatus. 3093 in relation to mating competitiveness of of Popillia japonica. 5304 in relation to respiration of ovarian mitochondria in Musca domestica. 3509 use with modified light-trap for autochemosterilization of Culex pipiens quinquefasciatus. Tephrella fulvescens (Dipt., Tephritidae), taxonomy. 5032 Tephritidae (Dipt.), 135, 326, 429, 636, 671, 785, 915, 933, 943, 991, 1113, 1217, 1298, 1704, 1883, 2081, 2136, 2212, 2548, 2557, 2569, 2627, 2712, 2720, 2836, 2859, 3032, 3114, 3219, 3221, 3321, 3584, 3777, 3952, 4139, 4315, 4611, 4612, 4660, 4686, 4832, 4894, 5032, 5125, 5127, 5137, 5143, 5212, 5322, 5332, 5339, 5346, 5436, 5480, 5928, 6014 attacking acorns in N.America. 785 distribution, ecology and systematics of synanthropic spp in Tyan'-Shan' Mts., Kirgizia, USSR. 4860 lectotypes designated. 1883 natural control of weed Compositae. 6014 Tephritis posis (Dipt., Tephritidae), new for Spain. 2212 Tephroclystia pumilata (Lep., Geometridae), predator on Prays oleae in Mediterranean Basin. 320 Tepp, control of Brevicoryne brassicae on cabbage and cauliflower in W.New York, USA. 5336 control of Trialeurodes vaporariorum. 5349 Tepper, authorship of synopses of N. American Rhopalocera. 3280 Teraschema (Col., Cerambycidae), distinguished from Plocaederus. 2900 Teration, resistance in Phorodon humuli. 6055 Teratocoris (Hem., Het., Miridae), elegans new for Sweden. 1380 Teratology, abnormal abdomen in adult Drosophila hydei due to "aa" gene. 4155 abnormalities in a ? Trirhabda virgata. 5280 of antennae and legs in Carabidae. 5918 in Choristoneura fumiferana due to hydrochlorination reaction mixture. 4618 in Coleoptera. 2057 of Corixidae from R.Grabia and its inundation area, Poland. 4934 in Ctenophthalmus assimilis. 234

Teratology, contd.

in Culex pipiens quinquefasciatus due to overcrowding factors. 4843

in development of Ascoschoengastia latyshevi.

of elytra and legs in Coleoptera. 5280

of furca in Rhodanella minos. 1857

in Haematopinus suis. 1980

of Hypolithus riparius. 452

in Leptinotarsa decemlineata due to Bacillus thuringiensis thermostable toxin. 2062

of Megasternum obscurum. 452

monstrosities induced by 137Cs irradiation in Spodoptera littoralis. 1224

monstrosities induced by JH-analogue in reproductive system of Pyrrhocoris apterus. 720

morphology of Camponotus infected by Bradylecithum mosquensis. 2816

production of morphological abnormalities and mutants in Drosophila. 699

radiation-induced body-malformations in relation to maternal age and length of irradiation in Dahlbominus. 901

in Tegenaria atrica due to centrifugation and heat-treatment. 3980, 5931

in Trichoplusia ni due to cytoplasmic polyhedro-

in Typhlodromus occidentalis in Utah, USA. 4429 ultrastructure of fat-body and foregut in pupalwinged adult Tenebrio molitor. 1180, 2061

Terellia serratulae (Dipt., Tephritidae), from Cirsium vulgare in England and Wales. 326

Termatophylidea (Hem., Het., Miridae), new spp described and spp keyed. 5039

Termatophylidae (Hem., Het.), 5983. 6047

Termatophylum insigne (Hem., Het., Termatophylidae),

life-history. 5983

predator of Gynaikothrips ficorum on Ficus nitida. 6047

Termes redemanni (Isopt., Termitidae), vitamin A in heads of alates. 634

Termitidae (Isopt.),

207, 214, 217, 350, 611, 634, 663, 852, 1115, 1460, 3195, 3779, 4026, 4866, 4869, 4877, 6065

types in Museum Zoologicum Bogoriense, Indonesia. 951

Termitinae (Isopt., Termitidae), biology in Ivory Coast. 350

Termitogastrina (Col., Staphylinidae), integumentary glands. 214

Termitohospitini (Col., Staphylinidae), integumentary glands. 214

Termitomimus (Col., Staphylinidae), integumentary glands. 214

Termitonannini (Col., Staphylinidae), integumentary glands. 214

Termitopullus (Col., Staphylinidae), integumentary glands. 214

Termitoxeninae (Dipt., Phoridae), recognised. 70 Termitusa (Col., Staphylinidae), integumentary

glands. 214 Termitusina (Col., Staphylinidae), integumentary glands. 214

Termopsidae (Isopt.), 3001

Ternate Island (Indonesia), new Nymphalidae from .

Terpenes, biosynthesis, functions and structure in Insecta. 1135

Terpenyl acetate, attraction for Chrysopa. 2741 Terpnosia nigricosta (Hem., Hom., Cicadidae),

fore-wing from early Pleistocene. 5692

Terratritia askewi gen. et sp.n. (Arach., Acari, Orbibotritiidae), described. 506

Tertiary,

Aphididae redescribed. 5689

colonization of Is. Baleares by cave-dwelling Coleoptera. 3643

Tesiroptes subgen.n. (Arach., Acari, Trombidiformes), established within Siteroptes. 2458

Tessaratomidae (Hem., Het.), 88, 1890, 3546, 5715

classification. 1890

genera transferred to Pentatomidae. 5715 Oncomerinae established as subfamily. 1890

Tessaratomini (Hem., Het., Tessaratomidae), World genera and key to subtribes and genera.

Testes.

apical tissue in Tenebrio molitor and Zophobas rugipes. 680

of Aspidiotus perniciosus. 677

of Byrsotria fumigata and Gromphadorhina portentosa. 3476

carnitine acetyltransferase activity in Drosophila melanogaster. 3998

development in Lithobius forficatus. 2048 development and spermatogenesis in Choristo-

neura fumiferana. 4587

development and spermatogenesis in Trichoplusia ni. 4593

DNA values of testis wall in Dermestes. 5539 fat-body layer in Ips confusus. 2656

hexokinase isozyme distribution in Drosophila robusta. 2830

of Insecta. 5273

iridescent virus present in larval Aedes stimulans, 5812

X-irradiation in relation to DNA thymidylate synthesis in Drosophila melanogaster. 1580

localization of alkaline phosphatase in Schistocerca gregaria. 4006

mycoplasma-like inclusions in sterile-o hybrids of Drosophila paulistorum complex. 5186

non-doubling-DNA distribution in Locusta migratoria. 6081

in relation to peripheral inhibition of flashing in Luciola lusitanica. 3960

of Tetrigidae. 170

Testes, contd.

thymidine incorporation in Culex pipiens. 3477

Testosterone, in defence secretion of Ilybius fenestratus. 5387

Tetanocera (Dipt., Sciomyzidae),

chromosomes. 3206

life-cycle and larval feeding-habits of clara, plebeia and valida. 4716

Tetanocerini (Dipt., Sciomyzinae), chromosomes. 3206

Tetanops myopaeformis (Dipt., Otitidae), attractants and colour-attraction. 1489 biology in S.C.Idaho, USA. 1489

Tetanura (Dipt., Sciomyzidae), systematic position. 5974

Tetanura pallidiventris, biology and immature stages. 5974

Tetefortina (Orth., Eumastacidae), karyotype and meiosis. 6075

Tethinidae (Dipt.), 5146

placed in Drosophiloidea. 5146

Tetracampe impressa (Hym., Tetracampidae), new for Finland. 2870

Tetracampidae (Hym.), 2870 of Finland. 2870

Tetracnemini (Hym., Encyrtidae), Bothriothoracini given precedence over. 3782

n-Tetradecane.

in Novomessor cockerelli. 194

from scent-glands of Dysdercus intermedius larva. 1149

cis-11-Tetradecenyl acetate [RiBLuKe],

probable sex-pheromone of Ostrinia nubilalis.

sex-pheromone of Argyrotaenia velutinana.

trapping of Argyrotaenia velutinana in Hudson Valley (USA) apple orchards. 5263

Tetradifon,

genetics of resistance in New Zealand Tetranychus urticae populations. 3678

resistance in Tetranychus cinnabarinus in Israel. 5358

Tetraethylammonium (TEA+),

in relation to  $K^{+}\text{-transport}$  in giant axons of Periplaneta americana. 1056

in relation to ocellar electroretinogram of Blaberus craniifer. 3890

suitability for studies on insect CNS in association with tetrodotoxin. 1056

Tetragnatha (Arach., Aran., Argiopidae), associated with Acer in Michigan, USA. 3592

Tetrahydrofolate, compounds as folic acid cofactors in Musca domestica. 3460 Tetralicia (Hem., Hom., Aleyrodidae),

differentiated from Ramsesseus gen.n. 2516

Tetralicia erianthi sp.n., described. 4326

Tetramesa (Hym., Eurytomidae), new spp described. 3802

phenology in relation to Stipa pennata in

Hungary. 5717

Tetramethrin,

control of Porthetria dispar. 4682 toxicity to Hemerocampa pseudotsugata. 5353

Tetramethylammonium, effects of substitution for Na<sup>+</sup> on ocellar electroretinogram of Blaberus craniifer. 1074

 $N, N^1$ -Tetramethylenebis[1-aziridine-carboxamide], fate in Cochliomyia hominivorax and Phormia regina. 5231

mutagenicity in relation to delayed fertilization in Cochliomyia hominivorax. 3665

Tetramorium (Hym., Formicidae), foraging on chrysomelid eggs. 4030

Tetramorium caespitum,

ecology on Mt. Terminillo, C.Italy. 1727 foraging activity. 1727

Tetraneura oligocenica (Hem., Hom., Aphididae), placed in Aixaphis gen.n. 5689

Tetraneura provincialis, taxonomic position. 5689

Tetraneura ulmi, laboratory rearing. 1031 Tetranodus (Col., Cerambycidae), new spp described and key. 2899

Tetranychidae (Arach., Acari),

of apple-orchards of Poland in relation to spraying. 5513

associated with Indoseius ricini gen. et sp.n. on Ricinus communis in India. 4231

biology, ecology and natural control. 1295 from Brazil. 3288

chemosterilization with trialkyl phosphates.

chromosomes. 4146

Collembola for biological control. 5504

parthenogenesis. 4146

Phytoseiidae predaceous on in Belorussia. 1305 prey of Dolicholepta gutierkezi sp.n. in

Madagascar. 5772

prey of overwintering Metaseiulus occidentalis. 5383

Tetranychinae (Arach., Acari), arrhenotoky. 4146 Tetranychus (Arach., Acari),

biology of Amblyseius fallacis in the laboratory.  $4708\,$ 

esterase inhibition by carbamates and phosphoric acid esters. 5904

prey of Geocoris tricolor in India. 782

Tetranychus (s.str.) armipenis sp.n., described. 3288

Tetranychus cinnabarinus,

acaricide resistance in Israel. 5358 development of Phytoseius plumifer. 2710 diet for Amblyseius chilenensis and A.hibisci. 5313

malathion tolerance in relation to host-plant nutrition. 5266

resistance of Lycopersicon and Solanum. 1705

Tetranychus evansi, biology. 743

Tetranychus pacificus, fine structure and complementation of albino locus. 2846 Tetranychus telarius, specific status of red and green forms on Egyptian cotton. 3289

Tetranychus urticae,

candidate chemosterilants. 5152

cannibalism and predation by adult of . 4028

chemical control on apple. 4670

complementation and fine structure of albino locus. 2846

daily egg-production on metal-chelate-treated leaves .  $52\,90\,$ 

deuterotoky. 5906

development, fecundity and longevity on cucumber varieties. 2707

Entomorphthora regulating populations on cotton. 5485

fat storage in midgut wall during overwintering. 4517

female-sterile factor. 4902

genetics of acaricide-resistance in laboratory strains. 6101

genetics of acaricide-resistance in New Zealand populations. 3677, 3678

inbreeding resulting from negative behaviour or response to crowding 4911

organophosphate-resistance in New Zealand populations. 3677

populations in relation to spraying in appleorchards of Poland. 5513

predation by Metaseiulus occidentalis and Phytoseiulus persimilus. 249, 4079

prey of Feltiella (?) tetranychi. 1240

prey of Typhlodromus mcgregori in apple orchards in Utah, USA. 2711

recognition of specific name [Koch 1836] proposed. 956

reproductive rate in relation to mineral deficiency of Fragaria. 4079

reproduction rate in relation to physiological state of apple. 1284

resistance of Lycopersicon and Solanum. 1705 tetradifon-resistance in New Zealand populations.

Tetranychus viennensis, populations in relation to spraying in apple-orchards of Poland. 5513

Tetranycopsis borealis sp.n. (Arach., Acari, Tetranychidae), described. 954

Tetraopes tetrophthalmus (Col., Cerambycidae), synergistic ratio of carbaryl with piperonyl butoxide. 4582

Tetrapolipus (Arach., Acari, Podapolipodidae), distribution. 2464

Tetrapolipus hippodamiae sp.n., described. 2464

Tetraponera (Hym., Formicidae). 1452

Tetraponera ledouxi sp.n. (Hym., Formicidae), described. 1452

Tetrastichus (Hym., Eulophidae),

Astichus minutus transferred to. 4350 parasitic on Contarinia tritici and Sitodiplosis mosellana. 4101

parasitic on aphidophagous Syrphidae in Gujarat,

India. 319

parasitic on Dasineura balsamicola in Maine, USA. 4786

relationships between flavigaster, radiatus and triozae. 4741

Tetrastichus flavigaster, biology in relation to Paurocephala calodendri, hyperparasites and immature stages. 4741

Tetrastichus incertus,

control of Hypera postica in Massachusetts, USA. 5331

distribution and establishment in eastern USA. 497

oviposition behaviour in relation to Hypera postica. 5324

Tetrastichus israeli, parasitic on Chilo suppressalis and Sesamia inferens in Sarawak. 5498

Tetrastichus japonicum, probably not established in Philippines. 799

Tetrastichus pyrillae, embryology. 3480 Tetrastichus radiatus,

host of Aphidencyrtus cassatus sp.n. 5724 parasitic on Trioza erytreae in Republic of S.Africa. 792

Tetrastichus schoenobii,

parasitic on rice stem borers on Luzon I., Philippines. 799

parasitic on Tryporyza in Sarawak. 5498 Tetrastichus xanthops, parasitic on Coleophora

laricella in British Columbia, Canada. 3152 Tetrasul, effects on Rhodnius prolixus. 2120

Tetrigidae (Orth.), 170, 2014 embryonic diapause lacking in Pyrenean spp.

Tetrix (Orth., Tetrigidae), organ systems of bigametata and subulata. 170

Tetrodotoxin, use with tetraethylammonium in studies of insect CNS. 1056

Tetrophthalmus (Mall., Menoponidae), new synonymy. 4385

Tetropium cinnamopterum (Col., Cerambycidae), biology, control and distribution in British Columbia, Canada, 3129

Tetropium velutinum, larvae of parasites described. 3039

Tetter bush, see Lyonia lucida

Tettigonia autans (Orth., Tettigoniidae), retina and vision. 162

Tettigonia cantans, auditory system and songs. 2044

Tettigonia viridissima,

new morph described. 6149 pigments. 1143

Tettigoniidae (Orth.),

127, 150, 162, 316, 369, 477, 581, 748, 1143, 1478, 1529, 2044, 3103, 3227, 3942, 3959, 4103, 4394, 4420, 4717, 4772, 5514, 5899

auditory system. 2044

Tettigoniidae (Orth.), contd.

defence behaviour of Panamanian spp. 5390

head and mouthparts. 150

host of Polynema oophaga sp.n. 3807

from Ivory Coast. 477

phylogenetic affinities. 150

songs. 2044

sound-synchronized ultra-high-speed photography for studying stridulation. 4420

stridulation mechanism. 5900

Teutana grossa (Arach., Aran., Theridiidae), courtship mating and stridulation. 5954

Thaia (Hem., Hom., Cicadellidae),

Hardiana syn.n. of. 5700

new spp described and known spp listed. 5700

Thaicorinae subfam.n. (Hem., Het., Piesmatidae), established. 2973

Thaicoris sedlaceki gen. et sp.n. (Hem., Het., Piesmatidae), described. 2973

Thailand,

Blissinae revised. 2969

Hydrachnellae from . 1821

Laelaps keyed. 4971

Lucanidae from . 5001

new Culicidae from . 4301

new Hydrachnellae from . 1821

new Ixodidae from . 4222

new Lygaeidae from . 2969

new Menoponidae from . 1475

new Nemouridae from . 3014

new Nymphalidae from . 1936

new Piesmatidae from . 2973

Plecoptera from. 3014

population dynamics of Aedes aegypti in relation to dengue haemorrhagic fever in Bangkok. 2145

Thallosia gen.n. (Dipt., Asilidae), established.

Thamnurgus elongatus sp.n. (Col., Scolytidae), described. 5652

Thanasimus dubius (Col., Cleridae),

bionomics and life-history, 3537 distance perception of prey. 2742

Thanatus pictus (Arach., Aran.), redescribed. 4246

Thaumalea (Dipt., Thaumaleidae), new spp described and sp-groups defined and keyed. 2958

Thaumalea bruyanti, reduced to variety of Th. austriaca. 2958

Thaumaleidae (Dipt.), 2958

of Alps and Carpathians reviewed. 2958

Thaumastocoridae (Hem., Het.), phylogeny. 1510

Thaumatoxeninae (Dipt., Phoridae), recognized. 70 Thea vigintiduopunctata (Col., Coccinellidae),

feeding on Erysiphaceae in Switzerland. 1258 previously undescribed abdominal structure.

Theama Hering 1958 (Lep., Oecophoridae), proposed replacement by Heringiana. 1018 Thecia betulae (Lep., Lycaenidae), conservation and ecology. 3539

Thecla ocrisia, type-sp of Ocaria gen.n. 4374 Thecla palegon, transferred to Thereus. 4374

Theclinae (Lep., Lycaenidae), types designated for spp of Edwards . 4376

Thelastoma figuli (Nematoda), from gut of Figulus sublaevis. 5184

Thelastoma toxi sp.n. (Nematoda), from midgut of Figulus sublaevis and Prosopocoelus serricornis. 5184

Thelaxes (Hem., Hom., Thelaxidae), damage to Quercus in Kurdistan, Iraq. 2121

Thelaxes suberis,

host of Lysiphlebus thelaxis on Quercus in Kurdistan, Iraq. 2121

host of Trioxys quercicola sp.n. 2121

Thelaxidae (Hem., Hom.), 1031, 2121, 3794

Thelycrania sanguinea (Cornaceae), preferred food for larval Peltoperla maria. 4755

Theobroma cacao (Sterculiaceae) (cocoa), entomology of the cocoa farm. 5433

host of Afroccidens gen.n. and new spp in Ghana. 557

Theocolaxia (Hym., Pteromalidae), new spp described. 1925

Thera juniperata (Lep., Geometridae), host of Microplitis fordi sp.n. in England. 5052

Thera obeliscata, suitability as host for Eucarcellia rutilla. 1265

Theraphosidae (Arach., Aran.), metabolic rate in relation to respiratory surface and acclimation. 4503

Thereus (Lep., Lycaenidae),

Heterosmaitia syn.n. of. 4374 sp-groups established. 4374

Thereus palegon, new for USA. 4950

Thereva (Dipt., Therevidae),

apicalis, aurata and neglecta new for Romania. 2206

argentata and crassicornis redescribed. 2509

Thereva cinifera, new for Spain. 1864

Thereva melanophleba, not a Dialineura. 546

Thereva willistoni, not a Dialineura. 546

Therevidae (Dipt.), 546, 1864, 2205, 2206, 2509, 5031

from N.E.Danube Delta, Romania. 2206 from Spain. 1864

Theridiidae (Arach., Aran.),

brood-care, feeding and reproductive biology of ground-dwelling spp. 1215

of Calabria, Italy. 3233

metabolic rate in relation to respiratory surface and acclimation. 4503

Theridion (Arach., Aran., Theridiidae), broodcare in impressum, pictum and sisyphium. 1215

Theridion ovatum, balanced polymorphism. 5551 Theridum aelleni sp.n. (Arach., Aran.),

described. 4248

Therioaphis (Hem., Hom., Aphididae), Hungarian spp keyed. 556

Therioaphis hillerislambersi sp.n., described. 556

Therioaphis hungarica sp.n., described. 556

Therioaphis maculata,

consumption by Lygus lineolaris. 4838 ecological imbalance between Praon exsoletum and Th.maculata. 702

host-plant preference in relation to temperature. 2768

interactions with Lygus lineolaris and Medicago sativa. 4838

migration of an anholocyclic strain into E. Nebraska, USA. 1710

parasites and damage caused in Delaware, Maryland and New Jersey, USA. 5503

Thermobia domestica (Thysanura, Lepismatidae), atmospheric water taken up via rectum. 3080, 3467

longevity in relation to  $\gamma\text{-irradiation.}\ 254$  median ocellus lacking deutocerebral connections. 5841

X-chromosomes, gametogenesis and sexdetermination. 4892

Theronia atalantae (Hym., Ichneumonidae), larva. 2580

Theronini (Hym., Ichneumonidae), larval characters and partial key to larvae. 2580

Thersamonia dispar (Lep., Lycaenidae), parasites and parasitism. 5990

Thespesia populnea (Malvaceae), in relation to dispersal and overwintering of Pectinophora scutigera in Queensland, Australia. 838

Thespidae (Mant.), 1863

Thienemannia schermeri (Arach., Acari, Trombiculidae), new for Czechoslovakia. 1377

Thiernogryllus rufipes gen. et sp.n. (Orth., Gryllidae), described. 1945

Thinobius miricornis sp.n. (Col., Staphylinidae), described. 3753

Thinocharis (Col., Staphylinidae), distinguished from Sciocharis. 5656

Thinorycter (Col., Scarabeidae), revised, keyed and new spp described. 5015

Thinoseius spinosus (Arach., Acari, Eviphididae), new for New World. 3189 unusual habitat. 3189

Thio-tepa, mechanism of sterilization in Musca vicina. 261

Thiodan, control of Chilo zonellus and Sesamia cretica in Sudan, 6011

Thioether N-methylcarbamates, anticholinesterase and insecticidal properties in Culex and Musca domestica, 5157

Thiometon, resistance in Phorodon humuli. 6055
Thiosemicarbazones, chemosterilants for Cochliomyia homivorax, 5318

Thiourea, activity of cuticular phenoloxidase from white puparia of Drosophila virilis. 1558

Thomasiella tomentosae (Dipt., Cecidomyiidae), bionomics, immature stages and parasites. 4027

Thomasomys laniger (Rodentia), host of Ixodes jonesae sp.n. in Venezuela. 4227

Thomisidae (Arach., Aran.), predaceous on Choristoneura pinus in Michigan, USA. 3615

Thomisus onustus (Arach., Aran., Thomisidae), life-cycle. 4728

Thorax.

axillary sclerites of Gryllus bimaculatus. 3052 length in relation to disruptive and stabilizing selection in Drosophila melanogaster. 2828 morphology of sclerites in Heteroptera. 149

musculature and structure in Chrysopa and Coniopterygidae larvae. 2579

musculature and structure in Melanagromyza obtusa. 147

size in relation to parental age in Drosophila melanogaster. 1175

yield of σ virus from CNS in Drosophila melanogaster. 5175

Thraulodes speciosus (Ephem., Leptophlebiidae), described. 789

Symbocladius associated with larva. 789 Thraulus pacificola sp.n. (Ephem., Leptophlebii-

dae), described. 1884 Three-cornered alfalfa hopper, see Spissistilus

festinus 6-(Threo-1',2',3'-trihydroxypropyl)-pterin, from of Formica polyctena. 4543

Thripidae (Thysanopt.),

346, 834, 1309, 1482, 1484, 1671, 3018, 3019, 3109, 3272, 3586, 3616, 3852, 4365, 4403, 4404, 4469, 4715, 5597, 6047

associated with Polyporales in Southern Blue Ridge region, Western N.Carolina, USA. 3586

populations in relation to predation by Orius insidiosus. 834

Thripini (Thysanopt., Thripidae), partial revision. 4404

Thripomorpha (Dipt., Scatopsidae), revised. 76
Thrips hawaiiensis Morgan 1913 (Thysanopt.,
Thripidae), precedence over Th.florum
Schmutz 1913.1484

Thrips oryzae, seasonal population fluctuations in Philippines. 346

Thrips tabaci,

phenology, population size and onion susceptibility in Hungary. 3616

transmission of yellow dwarf virus to onion in Hungary. 3616

Thrix Doherty 1891 (Lep., Lycaenidae), designation of type-sp. 3812

Throscidae (Col.), 464, 1364, 5660 from Congo-Brazzaville. 5660 of R.Llobregat delta, Spain. 1364 of S.Italy. 464

Thuja plicata (Cupressaceae), extract in relation

Thuja plicata (Cupressaceae), contd.
to development of Malacosoma californicum
pluviale. 2632

Thuricide, control of Achaea janata on Ricinus communis. 5357

Thyas palustris (Arach., Acari, Hydrachnellae), new for Czechoslovakia. 1377

Thyatiridae (Lep.), 1363, 5064 of Spain catalogued. 1363

Thychius flavus (Col., Curculionidae), general and Italian distribution. 3240

Thygater analis (Hym., Anthophoridae), rectal pads of o. 5215

Thymbrella tamminensis gen. et sp.n. (Hem., Hom., Cicadellidae), described. 2983 Thymidine.

incorporation into ovaries and testes of Culex pipiens. 3477

induction of temperature-sensitive lethal in Drosophila melanogaster. 2187

X-irradiation in relation to utilization for DNA-thymidylate synthesis in Drosophila melanogaster testis cells. 1580

metabolism in pupal Hyalophora cecropia. 4525 synthesis involved in aberrations in Drosophila melanogaster. 238

Thymidine diphosphate, in pupal Hyalophora cecropia. 4525

Thymidine-7-hydroxylase, activity in pupal Hyalophora cecropia. 4525

Thymidine kinase, activity in pupal Hyalophora cecropia. 4525

Thymidine triphosphate, in pupal Hyalophora cecropia. 4525

Thymidylate synthetase, inhibition causing aberrations in Drosophila melanogaster. 238

Thymidylic acid, production in pupal Hyalophora cecropia. 4525

Thyreostenius asiaticus sp.n. (Arach., Aran., Micryphantidae), described. 5618

Thyridanthrax (Dipt., Bombyliidae), parasitic on Glossina pallidipes puparia in Rhodesia. 798

Thyridanthrax pallescens sp.n., described. 4297 Thyridanthrax sokotrae, transferred to Petrorossia. 4296

Thyrididae (Lep.), 1363 of Spain catalogued. 1363

Thyridopteryx ephemeraeformis (Lep., Psychidae), γ-radiation in relation to eggs, larvae and case-building behaviour. 707

Thysanoptera,

associated with Halogeton sativus in Morocco and Spain. 3585

biology and control of pest spp in Middle East. 4062

collection, distribution and structure of leaflitter spp. 5773

of Polyporales in Southern Blue Ridge region, Western N.Carolina, USA. 3586 population dynamics in Medicago sativa fields in S.Moravia, Czechoslovakia. 6061

prey at Giza, Egypt. 5976

from Solomon Islands. 5773

technique for mounting in Canada balsam. 3373

Thysanura, of caves of Romania. 5562

distribution in Republic of S.Africa. 843

electrophoretic patterns of egg proteins. 2625 Lepismatidae of New Zealand. 3693

phylogeny. 4484

ultrastructure of corneal surface topography.
4484

Thysanotis danis latifascia comb.n. (Lep., Lycaenidae), Th.subsuleima syn.n. of. 440

Tibetan migratory locust, see Locusta migratoria tibetensis

Tibicen plebeja (Hem., Hom., Cicadidae), auditory system and songs. 2044

Tibicina intermedia (Hem., Hom., Cicadidae), auditory system and songs. 2044

Tick-borne relapsing fever, Ornithodoros hermsi responsible for outbreak in Spokane County, Washington, USA. 2756

Tiglic acid, in defensive secretion of Scaphinotus. 4750

Til, see Sesamum indicum

Tilia (Tiliaceae), energetics of honeydew production in Eucallipterus tiliae. 2727

Tilia platyphyllos, biology of Eupulvinaria hydrangeae in S.W.France. 3126

Tilia vulgaris, biology of Eupulvinaria hydrangeae in S.W.France. 3126

Tilimontia gen.n. (Hem., Hom., Dictyopharidae), established. 1002

Tillandsia usneoides (Bromeliaceae), host-plant of Pseudopariatoria tillandsiae sp.n. in Georgia, USA. 4335

Tillomorphini (Col., Cerambycidae), genera keyed. 2899

Timarcha (Col., Chrysomelidae), chromosomes and synonymy of goettingensis and normanna. 4993

Timelaea maculata (Lep., Nymphalidae), chromosome number and karyotype. 875 inclusion in Apaturinae justified. 875

Timia (Dipt., Ulidiidae), new spp described. 5687 Timmomenus nathani sp.n. (Derm., Forficulidae), described. 3755

Tinaminyssus (Arach., Acari., Rhinonyssidae), evolution. 510

new sp from Belem region, N.Brazil. 4975 Tinea phoenicopa (Lep., Tineidae), transferred to Perthida gen.n. 3814

Tineidae (Lep.),

1350, 1473, 3491, 3545, 3814, 3826, 3827, 4106, 5378, 5992

associated with pig carrion in S.Carolina, USA. 3545

from Ghana. 3827

new taxa from Tanzania described. 3826

Tineidae (Lep.), contd.

from Riparia riparia nests in Switzerland. 4106 from Tanzania. 3826

Tineola bisselliella (Lep., Tineidae), toxicity of Bacillus thuringiensis to larvae. 3491

Tingidae (Hem., Het.), 326, 782, 1061, 1792, 2782, 4706

relationship to Joppeicidae. 4706

Tingis buddleiae (Hem., Het., Tingidae), CNS, endocrine glands and sense-organs in relation to the biology. 1061

Tingis cardui, from Cirsium vulgare in England and Wales. 326

Tiniocellus asmarensis sp.n. (Col., Scarabaeidae), described. 1851

Tinocallaides montanus gen. et sp.n. (Hem., Hom., Aphididae), described. 4328

Tinodes assimilis (Trich., Psychomyiidae), time of emergence from a stream in N.Wales. 3198

Tiphia berbereti sp.n. (Hym., Tiphiidae), described and life-cycle in relation to Phyllophaga anxia. 4364, 4734

Tiphiidae (Hym.),

3345, 4338, 4364, 4734, 5062

Bruesia and Dermasothes transferred to. 4338 Tiphiinae (Hym., Tiphiidae),

new synonymy for Asian, African and Oceanian spp. 3345

types from Asia, Africa and Oceania at British Museum (Natural History) and Oxford University, England, redescribed. 3345

Tipula (Dipt., Tipulidae),
O<sub>2</sub>-consumption in larvae. 172
from S.Spain. 474

Tipula caloptera, microdistribution of larvae in relation to substrate particle-size. 3180
Tipula cinerea pyrenaei subsp.n., described. 84
Tipula excisa, absent from E.Pyrenees. 84
Tipula (Tipula Crishotirula) grapularyi

Tipula (Trichotipula) greenlovei sp.n., described.

Tipula griseipennis, new for Uttar Pradesh, India. 83

Tipula lunata, on Letea I., Romania. 2211
Tipula orientalis, on Letea I., Romania. 2211
Tipula palvedora, iridoscont virus inducing leth

Tipula paludosa, iridescent virus inducing lethal mutations in Drosophila melanogaster. 5549

Tipula seticellula glabricellula subsp.n., described. 547

Tipula subtincta, new for Uttar Pradesh, India. 83
Tipula vittata, soluble proteins of developmental
stages. 1134

Tipulidae (Dipt.),

83, 84, 85, 172, 206, 474, 547, 603, 931, 1420, 1505, 2090, 2174, 2211, 2510, 2959-2961, 3180, 3778, 5372, 5549, 5572, 5576, 5684, 5685

ecology and geography of spp with reduced wings. 931

Limoniinae of Hungary. 5572 from Spain. 474

new spp from Neotropical Region. 5684

Tipuloidea (Dipt.), additions and corrections to the British list. 1420

Tischeria ekebladella (Lep., Lyonetiidae), adaptation to the leaf-mining habit. 1706

Tischeria marginea, host of Chelonella contracta in Romania. 2221

Tissues.

choline utilization in tissue maintenance in adult Drosophila melanogaster. 1575 epithelia of Gnathotrichus and Trypodendron.

free amino acids of ageing 2 Aedes aegypti. 1641 in relation to lysozyme in Periplaneta americana. 1095

protein content of haemolymph not a reliable indicator of changes in tissues. 1091

tissue responses of Lepidoptera diapausing at egg stage and those diapausing as pupae. 1184

Tituboea (Col., Chrysomelidae), collection of eggs by Formicidae. 4030

Tmesisternus yorkensis (Col., Cerambycidae), new for Australia. 4206

Tobacco, see Nicotiana tabacum

Tobacco hornworm, see Manduca sexta

Todolachnus abieticola (Hem., Hom., Lachnidae), honeydew production on Abies alba in 1968. 2152 Togo,

Contarinia sorghicola present. 436 new Nymphalidae from. 4381

Tolmetothrips (Thysanopt., Phlaeothripidae), new spp described. 5773

Tomoceridae (Collem.), 534, 2160, 4291, 4769 Tomocerus, USSR spp described and keyed and new spp described. 534

Tomocerus longicornis, food preferences and gut contents. 4769

Tomocerus minor, biology and population structure in coniferous forest soil. 2160

Tomocerus petalospinus sp.n., described. 4291 Tomocerus serratospinus sp.n., described. 4291 Tomopterus (Col., Cerambycidae), new spp described. 5634

Topobates (Arach., Acari, Scheloribatidae), relationship to Scheloribates and Hemileius. 4236

Topobates holsaticus sp.n., described. 4236 Torrenticola extensa sp.n. (Arach., Acari, Hydrachnellae), described. 10

Torridincola (Col., Torridincolidae), plastron present in adults. 1999

Torridincolidae (Col.), 1999, 3036
larvae and pupae of African taxa. 3036
plastron present in adults. 1999

scanning electron microscopy of adult cuticle.
1999

Torrubiella arachnophila (Fungi), collection, preservation and insect hosts. 4056
Tortricidae (Lep.),

122, 323, 734, 1021, 1028, 1086, 1121, 1253,

Tortricidae (Lep.), contd.

1363, 1488, 1542, 1585, 1593, 1620, 1675,

1797, 2082, 2115, 2223, 2552, 2664, 2800,

3006, 3110, 3168, 3184, 4083, 4110, 4194,

4670, 4940, 5076, 5077, 5108, 5130, 5263,

5427, 5760, 5761, 5777

behaviour of larvae of dendrophile Tortricidae.

new for Orkney Is., North Sea. 4940

from N.E.Danube Delta, Romania. 2223

permanent whole-mount preparations of

genitalia to show sex-pheromone gland. 4412

of Spain catalogued. 1363

from Wiesbaden area, GFR. 4194

Tortricinae (Lep., Tortricidae), sex-pheromone glands compared with those of Olethreutidae. 4412

Torymidae (Hym.), 794, 2128, 4733, 4938, 5409 from Britain. 4938

from Ficus gnaphalocarpa. 2128

Torymus (Hym., Torymidae), new specific

character. 4938

Torymus cyanimus, parasitic on Urophora stylata on Cirsium vulgare. 326

in host selection by Tetrastichus flavigaster.

importance in particle selection in larva of Silo pallipes. 358

in mating in Musca autumnalis. 4665

receptors of stylet in Triatoma infestans. 4486

Toumeyella liriodenderi (Hem., Hom., Coccidae), biology and ecology. 3535

Toxaphene,

control of Neoschoengastia americana on

turkeys. 5348 control of Spodoptera littoralis in Egypt. 5352

use with DDT and methylparathion for control of cotton pests in Sudan. 5338

use with methylparathion for control of Anthonomus grandis and Heliothis zea in N. Carolina, USA. 5337

adequacy of Potter laboratory spray tower. 5819 of aldrin-treated food to Tegenaria atrica larvae. 3923

Bacillus thuringiensis crystals for control of Zeiraphera diniana. 4102

of Bacillus thuringiensis to Tineola bisselliella larvae. 3491

biotrol BTB Process 183 in relation to Anagasta kuehniella larvae. 3468, 3469

of boron compounds to Musca domestica. 3503

of chemosterilants to Oncopeltus fasciatus of. 3093

of DDT to simuliid larvae. 5472

of DDT to Tribolium castaneum and T.confusum.

of diazinon to Sphenophorus parvulus. 4824 fostothion in relation to Cycloneda limbifer. 2091 of fungal culture filtrates to Isoptera. 2168

of hempa to Musca autumnalis. 3514

of herbicides to Drosophila melanogaster. 1297

of insecticides to Conoderus falli, 5347

insecticide inhibition of cholinesterase in nervous system of Musca domestica. 3404

of Ixodes halocyclus to mouse. 3840

of lannate to Choristoneura occidentalis larvae.

of larval food infusions to Culex pipiens quinquefasciatus. 4843

of lysozyme to Periplaneta americana in relation to symbiosis. 2609

of metathion to Cycloneda limbifer. 2091

of metepa to Musca autumnalis. 3514

method for determining dosage mortality curve of malathion in Acyrthosiphon pisum. 3029

of methyl phenyldiazenecarboxylate azoester to Aedes aegypti and Culex molestus. 1254

mode of action of Bacillus thuringiensis toxin crystals in Bombyx mori larvae. 3440

of overcrowding factors produced by larval Culex pipiens quinquefasciatus. 4843

of parasporal crystals of Bacillus thuringiensis to larval Choristoneura fumiferana. 5800

of polychlorobiphenyls to Chorthippus brunneus.

of Pterinochilus venom to man and mice. 763

of Pyemotes boylei to hosts. 4026

of soldep to Cycloneda limbifer . 2091

of Sorghum vulgare roots to Diabrotica virgifera larvae. 818, 3594

teratology produced by thermo-stable toxin of Bacillus thuringiensis in Leptinotarsa decemlineata. 2062

Toxidiini (Col., Scaphidiidae), Palaearctic spp revised. 3747

Toxidium japonicum (Col., Scaphidiidae), transferred to Scaphobaeocera. 3747

Toxins, mycotoxins of entomophthoraceous fungi.

Toxochitona ankole (Lep., Lycaenidae), ♀ described. 1466

Toxoderidae (Mant.), 1863

Toxomerini (Dipt., Syrphidae), Toxomerus referred to. 1881

Toxomerus (Dipt., Syrphidae), referred to Toxomerini. 1881

Toxomyia brideliae (Dipt., Cecidomyiidae), status discussed. 2941

Toxomyia fungicola,

biology in Jamaica. 1662

Toxomyia rubida syn.n. of. 1662

Toxophora (Dipt., Bombyliidae), seminal receptacle. 5910

Toxoptera aurantii (Hem., Hom., Aphididae), host of Aphelinus flavipes in France. 5410

Toxoptera citricidus, prey of larval Syrphus latifasciatus in S.India. 4743

Toxorhynchites gigantulus (Dipt., Culicidae), redescribed. 1975

Trabaea paradoxa (Arach., Aran., Lycosidae), redescribed and Italian records. 2888

Tracheae,

abdominal air-sacs of Fidicina rana not resonance chambers. 1157

of adult Acentropus niveus. 3906

of antennae in Plecoptera. 4425

of cephalic neuro-endocrine system in Gryllus bimaculatus. 3884

crystalline-array virus present in Melanoplus bivattatus. 5818

in relation to denervation and high  ${\rm O}_2$ -tension in Antheraea pernyi. 1060

DNA-synthesis during moulting-cycle in Oryzaephilus surinamensis. 242 of ephemeropteran larvae. 1501

epithelium in relation to ecdysterone in vitro.

of head in Embia ramburi. 4447

of larval Donacia simplex. 1087

in relation to metabolic rate of Arachnida. 4503 multiplication site for Bergoldiavirus oleraceae sp.n. in Mamestra oleracea. 5345

phosphomonoesterase activity in Schistocerca gregaria. 4535

symbionts in Ornithodoros moubata. 788 of tegmina in Gryllus bimaculatus. 3846 tracheole system of brain in Notonecta glauca.

3861 Trachelas purus sp.n. (Arach., Aran.), described.

Tracheliodes curvitarsus (Hym., Sphecidae), new for Romania. 2217

Trachusa flavorufula (Hym., Megachilidae), described. 5734

Trachycormocephalus (Myriap., Chil.), species separation. 1383

Trachymyrmex septentrionalis obscura (Hym , Formicidae), volatile compounds. 2017

Trachysphyrus altatorius (Hym., Ichneumonidae), populations after outbreak of Oporinia autumnata on Betula in Finland. 2153

Trachysphyrus praeclarus sp.n., described. 2995 Trans, trans-3, 7-dimethyl-2, 6-decadien-1-10-

dioic acid, from pheromone of Danaus plexippus. 213

Trans-dec-2-enal, in odoriferous secretion of Libyaspis angolensis. 1155

Trans-hex-2-enal, in odoriferous secretion of Libyaspis angolensis. 1155

Trans-hex-2-enyl acetate, from metasternal scent-glands of Lethocerus . 4572

Trans-7-tetradecen-1-ol acetate, attractant for  $\sigma'$  Heliothis zea. 5120

Transaminase, of haemolymph in relation to viral polyhedrosis in Bombyx mori. 5229

Transdetermination, stability of position-effect variegation in larval blastemas from

Drosophila melanogaster. 4583

Tranylcypromine, in relation to endogenous activity of CNS in Nauphoeta cinerea. 618

Trapezonotus quadratus (Hem., Het., Lygaeidae), new for France. 5705

Trapezonotus singularis sp.n., described. 4319 Trapezostigma virginea (Odon., Libellulidae), captures at weather-station 'Tango' in the Pacific. 2133

Trappezoppia gen.n. (Arach., Acari, Oribatei), established. 2462

Trapping,

abiotic factors in relation to black-light trapping of Laspeyresia pomonella. 5486

of adult Culicidae. 1490

of Argyrotaenia velutinana in pheromone-baited traps. 5130

bait trapping of Ceratitis capitata and Dacus cucurbitae in relation to height. 2712 Betalight trap for larval Culicidae. 5094

correction formula for light-trap studies on population dynamics of Laspeyresia pomonella. 5486

of Culicidae with Betalights in Sarawak. 5094 dispensers for pheromone black-light traps for Trichoplusia ni. 4408

dry-ice traps for Tabanus iyoensis. 1678 emergence trap for aquatic insects. 1498, 3365 environmental and seasonal factors in relation

to captures of  $\ensuremath{\sigma}$  Trichoplusia ni in pheromone-baited traps. 4566

factors affecting captures of Aphididae. 596 factors affecting captures of Dacus tryoni. 5137 flight-trap for Hypera postica. 586

host and non-host plants as sites for baited traps for Ceratitis capitata. 5346

of laboratory-reared of Trichoplusia ni by use of synthetic sex-pheromones. 4693

large-scale trapping-device for use in marking migrating insects. 1029

light-trapping of Blissinae in Indochina and Thailand. 2969

Manitoba fly-trap for Tabanidae in Japan. 1310 mathematical model for sampling Diplopoda by means of pitfall traps. 5490

methods for Laspeyresia pomonella. 134 modification of Frick trap baited with sex-

attractant for Pectinophora gossypiella. 3361 modified light-trap for autochemosterilization of Culex pipiens. 5093

of Rhagoletis pomonella. 2720

Robinson mercury-vapour light-trap adapted to field operation. 5775

a simple light-trap. 597

spacing of screen traps baited with synthetic sex-pheromone in relation to captures of Trichoplusia ni . 4421

suction-traps for sampling Culicidae. 2166 of Tachinidae. 2720

trap height in relation to captures of of

# Trapping, contd.

Trichoplusia ni in pheromone-baited traps.

traps for Dacus tryoni. 5137

traps for Musca domestica and Stomoxys calitrans. 5111

traps for sampling populations of Culicidae. 2574

of Triatoma gerstaeckeri in black-light traps. 4707

truck trapping of Culicidae in Gunma Prefecture, Japan. 1679

ultrasound in relation to captures of Heliothis zea and Ostrinia nubilalis with UV lamps. 2550

use of Turnbull and Nicholls' quick traps in Alpine grassland communities. 1499

UV traps for Heliothis zea and Manduca. 3374 weather conditions in relation to bait and UV trapping of Macrolepidoptera in Netherlands

in 1968. 3121 weather conditions in relation to trapping of

Lepidoptera with sugar and UV-lamps. 6133
Trathala flavoorbitalis (Hym., Ichneumonidae),
parasitic on fruit-tree and conifer types of
Dechocrocis punctiferalis. 1272

parasitic on Micractis varialis in Japan. 321 Trechiama (s.str.) fugitai sp.n. (Col., Carabidae),

described. 5631
Trechnites insidiosus (Hym., Encyrtidae),

parasitic on Psylla pyricola in Nova Scotia, Canada. 6057

Trechus quadristriatus (Col., Carabidae), predaceous on Oscinella frit in oats. 2695, 2792

Tree hoppers, see Membracidae Trehalase,

activity in Drosophila melanogaster. 2027 activity of flight-muscle in Glossina and Sarcophaga. 3067, 5874

from symbiotic gut bacterium of Blaberus craniifer. 5873

# Trehalose,

absent from haemolymph of Androctonus australis. 5851

in Ceratitis capitata following selection for starvation resistance. 4139

during development in Aulocara elliotti eggs. 1635

during flight in Schistocerca gregaria. 1557 food substrate for Laodelphax striatellus. 2740 glucose as diluent in relation to instrumental insemination of queen Apis mellifera. 3495

host trehalose as respiratory substrate for Apanteles congregatus. 4512

in relation to maternal age in Aulocara elliotti eggs. 722

metabolism in adult of Schistocerca gregaria. 3456

metabolism in relation to CC. 5898 and metabolism during flight in Musca

domestica, 616

in relation to parasitism in Manduca sexta. 4512 in resting adult of Calliphora erythrocephala. 3943

rhythmicity of content in Aedes taeniorhynchus larvae. 697

Trepsichrois Hübner 1816 (Lep., Papilionidae), official designation of type-sp requested. 3822

Tretamine, in relation to longevity, mating and spermatogenesis in of Oncopeltus fasciatus. 3093

Tri-ortho-cresyl phosphate, in relation to aliesterase activity in Blattella germanica. 711

Triaenodes reuteri (Trich., Leptoceridae), new for Netherlands. 4197

Triaenodes simulans, new for Lithuanian SSR and Netherlands . 4187, 6156

Trialeurodes vaporariorum (Hem., Hom., Aleyrodidae),

chemical control. 5349

integrated control on cucumber. 5351

Trialkyl phosphates, chemosterilization of adult Tetranychus urricae. 3102

Triassic, phylogeny of Triassic Ephemeroptera. 3323

Triatoma (Hem., Het., Reduviidae), bacteria from gut of 6 spp. 2005

Triatoma dimidiata, host of Pimeliaphilus zeledoni sp.n. 4234

Triatoma gerstaeckeri, biology and vector capacity. 4707

Triatoma infestans,

bacteria from gut. 2005 electrophysiology of stylet receptors. 4486 haemolymph protein-patterns. 2029

median-cord development. 2661

Trypanosoma cruzi from Desmodus rotundus infective in. 5967

Triatoma phyllosoma, host availability in relation to progeny production of Telenomus fariai. 5502

Triatoma rubrofasicata,

biology. 442

bionomics, feeding, immature stages and medical importance. 5988

distribution in Indonesia. 5988

distribution in Philippines . 442

reproductive potential. 442

Triatoma sanguisuga texana, biology and vector capacity. 4707

Triatoma sordida,

from palm trees in Uberaba Municipality, Minais Gerais, Brazil. 5511

Trypanosoma cruzi from Desmodus rotundus infective in. 5967

Triatominae (Hem., Het., Reduviidae), on palm trees in Uberaba Municipality, Minais Gerais, Brazil. 5511

S-Triazine derivatives, screening of candidate chemosterilants against Popillia japonica 5169

Tribelocephala tricuspis sp.n. (Hem., Het., Reduviidae), described. 3329

Tribolium (Col., Tenebrionidae),

Darwinian and population fitnesses in competition between castaneum and confusum. 1780

extra-terrestrial radiation in relation to lethal induction and life-span. 249

genetic effects on survival in mixed cultures of castaneum and confusum. 6102

histopathology of anterior midgut in Euscelis lineolatus following clover-phyllody mycoplasm ingestion. 3920

occurrence in cultures of Tenebrio molitor.

organophosphate susceptibility for castaneum and confusum. 5819

predaceous on Pseudaletia separata. 6004 species classification on pupal characters. 1508

Tribolium anaphe, pupa. 1508

Tribolium brevicornis, pupa. 1508

Tribolium castaneum,

adult weight determined genetically. 4082 artificial selection for dispersal. 4910 behaviour in temperature gradient. 5887

body-weight. 5309

body-weight in relation to environment and geography. 924

CO<sub>2</sub>-anaesthesia in relation to malathiontoxicity. 4562

Darwinian fitness in relation to competition with confusum. 922

DDT in relation to mortality and reproduction. 3993

dehydrogenase activity. 5309

ecology of selection in hybrid populations. 1782 growth components in genetically diverse

populations. 4171

handling in relation to developmental abnormality. 2681

inbreeding in relation to larval weight. 239 intermediate gene-frequency equilibrium due to linkage disequilibrium. 4179

X-irradiation in relation to mortality and reproduction. 3993

larval age-range in relation to survival in mixed cultures. 4086

linkage and dominance level of genes for pupal weight. 3660

linkage and elimination of deleterious mutant genes from experimental populations. 4179 mating systems in relation to larval weight. 239 not controlled by dichlorvos slow-release strips in Kenya. 4697

optic-ganglion structure during metamorphosis.

population parameters in environments of different shapes. 4082

proteins, 5309

pupa. 1508

reproduction rates in relation to cereal sp. 738

response to repellent substance from Trogoderma granarium. 762

RNA. 5309

selection in relation to larval weight. 239 sound-production during mating. 1599

Tribolium confusum,

artificial selection for dispersal. 4910
CO<sub>2</sub>-anaesthesia in relation to malathion-toxicity.
4562

Darwinian fitness in relation to competition with castaneum. 922

DDT in relation to mortality and reproduction. 3993

"depressed" (dep) and "red" allele mutations analyzed. 4908

deterministic matrix model for birth, death and migration in spatially distributed populations. 4080

handling in relation to developmental abnormality. 2681

Hymenolepis microstoma infection in relation to growth of larvae and pupae. 3488

X-irradiation in relation to mortality and reproduction. 3993

X-irradiation in relation to pupal development.
705

phospholipid metabolism. 3449 pupa. 1508

reproduction rates in relation to cereal sp. 738

sound-production during mating. 1599 temperature in relation to pupal development. 705

two-headed pupa in a culture. 695

Tribolium destructor, pupa. 1508

Tribolium madens, pupa. 1508

Tribulus (Zygophyllaceae), Microlarinus lypriformis established in Hawaii for control. 4110

Tribulus ochroleucus, ecology of Schistocerca gregaria in Niger Republic. 3120

S,S,S-tributyl phosphorotrithioate (DEF), possible potentiation of organophosphate toxicity in Anthonomus grandis. 5159

Tricarboxylic acid cycle, in flight-muscle of Glossina morsitans and Sarcophaga nodosa. 3067

Tricaudatus indicus sp.n. (Hem., Hom., Aphididae), described. 2979

Trichacis auripes (Hym., Platygasteridae), status discussed. 2987

Trichatelura manni (Thysanura, Nicoletiidae), morphology, reproductive system and reproductive biology. 2087

Trichexocentrus anterufus gen. et sp.n. (Col., Cerambycidae), described. 1407

Trichlorfon,

control of Hypera postica in N.Utah, USA. 4681 control of Porthetria dispar. 4672, 4682 environmental contamination when applied

Trichlorfon, contd.

ULV. 4672

toxicity to Diptera. 4578

toxicity to Porthetria dispar. 4682

Trichoblatta (Blatt., Perisphaeriidae), new spp described. 3756

Trichocera (Dipt., Trichoceridae),

behaviour, biology and ecology of Danish spp. 5364

in relation to light, RH and temperature. 2038

Trichoceridae (Dipt.), 1420, 2038, 5364, 5684 additions and corrections to the British list. 1420

new spp from Neotropical Region. 5684

Trichochermes (Hem., Hom., Psyllidae), control of Rhamnaceae. 3591

Trichodectes zorillae (Mall., Trichodectidae), on Poecilictis libyca in Nigeria. 1940

Trichodectidae (Mall.), 240, 1293, 1940

Trichoderma viride (Fungi), strains toxic to larval Hylotrupes bajulus. 692

Trichoecius (Arach., Acari, Mycoptidae), postembryonic development. 6008

Trichoglossus haematodus (Aves), host of Ameroseius senarius sp.n. 4216

Trichogramma (Hym., Trichogrammatidae), adaptations to parasitic habit in cacoecia and evanescens. 5407

cage for maintenance. 4419

in relation to importance of systematics in biological control. 5966

method for laboratory rearing. 137

new spp described. 5135

parasitic on Ectomyelois ceratoniae in Israel.

parasitic on Prays oleae in Greece. 320 parasitic on fruit-tree type of Dechocrocis punctiferalis. 1272

parasitic on Oulema melanopus in Michigan, USA. 2753

parasitic on Scirpophaga in Bangladesh. 4841 reproductive compatibility of 4 American spp. 4789

thelytokous hybrid from cross between T. perkinsi and Trichogramma D-67. 5527

Trichogramma australicum,

established in Philippines. 799

parasitic on Corcyra cephalonica. 137

Trichogramma embryophagum,

parasitic on Bupalus piniarius in Poland in 1964-1968. 5417

reproduction and sex-ratio. 3524

Trichogramma evanescens,

biology in relation to Thersamonia dispar. 5990 colour discrimination. 166 parasitic on Chilo agamemnon. 5981 parasitic on Laspeyresia pomonella. 5430 parasitism in relation to age of Cadra cautella eggs. 2759

phototaxis. 166

Trichogramma japonicum, parasitic on Chilo in Sarawak. 5498

Trichogramma minutum,

behaviour and biology. 3154 not established in Philippines. 799 parasitic on Diatraea saccharalis in Cuba. 1311 parasitism in relation to host age. 2750

Trichogramma pretiosum, distribution in southwestern USA and hosts. 4789

Trichogramma semifumatum,

parasitic on Herpetogramma licarsisalis. 4736 parasitization rate on Heliothis zea, H.virescens and Trichoplusia ni in lower Rio Grande Valley, Texas, USA. 5499

Trichogrammatidae (Hym.),

137, 318, 320, 799, 1272, 1311, 2526, 2750, 2753, 2755, 2759, 3154, 3524, 4365, 4366,

4419, 4736, 4789, 4841, 5135, 5407, 5417, 5430, 5498, 5499, 5527, 5966, 5981, 5990

colour discrimination and phototaxis. 166

Tricholepidion gertschii (Thysanura, Lepismatidae), brain, compound eyes and ocelli. 5841

Trichonotus debile meridionatur comb.n. (Hym., Ichneumonidae), described. 110

Trichonympha agilis (Protozoa), wood-digestion and presence of succinate dehydrogenase. 4868

Trichoplusia ni (Lep., Noctuidae),

abundance on cabbage in S. California, USA. 5479

age in relation to parasitism by Trichogramma  $\min$ utum. 2750

antennal responsiveness of  $\ensuremath{\mbox{\scriptsize d}}$  to sex-pheromones. 4489

anticomplementary activity lacking from haemolymph. 2613

artificial diet. 131

biology of Voria ruralis. 3536

captures of of in pheromone-baited traps in relation to environment and season. 4566

captures in relation to spacing of screen traps baited with synthetic pheromone in cabbage. 4421

cytoplasmic polyhedrosis. 2055, 5804 dark mutant. 5555

dispensers for black-light pheromone traps.  $4408\,$ 

field responses of laboratory-reared of to synthetic sex-pheromone. 4693

granulosis virus multiplication in larval midgut cells. 3921

growth of epithelial cells and haemocytes in primary culture. 5282

heteroploid cell-line from adult tissue. 5805 host of Campoletis perdistinctus. 5413

insecticidal activity of HD-1 strain of Bacillus thuringiensis var.alesti. 5964

 $\gamma\text{-irradiation}$  in relation to spermatogenesis. 1192

nuclear polyhedrosis virus from larvae in

Trichoplusia ni (Lep., Noctuidae), contd. S.California, USA. 3153 organophosphate-resistance in New York, USA. parasites of larvae in S.California, USA. 3153 parasitism of eggs by Trichogramma minutum in the laboratory. 3154 parasitization of eggs by Trichogramma semifumatum in lower Rio Grande Valley, Texas, USA. 5499 pest activity in Ontario, Canada, in 1968. 3158 population control by release of partially sterile adults. 1304 preferred host of Campoletis perdistinctus in the laboratory. 5413 pupal development in relation to nuclear polyhedrosis. 2060 routes of granulosis virus movement from midgut to haemocoel. 3921 short-range visual orientation by pheromonestimulated of. 4662 spermatogenesis and testis development. 4593 testing of larvicides and ovicides. 5160 transmission of nuclear-polyhedrosis virus in relation to mode of infection. 1204 virulent nuclear-polyhedrosis virus recovered from bird faeces. 6049 viruses for control. 5961 Trichopoda pennipes (Col., Hydrophilidae), establishment in Hawaii for control of Nezara viridula. 4110 Trichopria (Hym., Diapriidae), parasitic on Haematobia irritans in N.E. Mississippi, USA. 2751 parasitic on N.American Tabanidae. 5680 Trichopsocus (Psoc., Pseudocaecilliidae), ovarial number and oocyte maturation. 5315 Trichopsocus dalii, immature stages and lifehistory. 4435 Trichoptera, bibliography for Africa and adjacent islands. biology and ecology of cave spp in Italy. 863 biology and ecology in L.Chad, Africa. 3597 of caves of Romania. 5562 chromosomes. 1743 in relation to DDD and DDT in St. Lawrence R., Canada, 1033 dispersal of Algae, Fungi and Protozoa. 4131 downstream drift in Speed R., Ontario, Canada. ecological segregation. 1717 emergence from a stream in N.Wales. 3198 of Jamaica revised and keyed and new taxa described. 4405 from Jiu and Olt rivers, Romania. 2359 of L.Chad, Africa. 3597 mimicry. 5774

from N.E.Danube Delta, Romania. 2230

phylogeny in relation to cornea structure. 4484

of rivers in the 'Iron Gates' dam area, Romania. 2776 salinity preferences and tolerances of Baltic brackish-water spp. 362 from S. Lithuania. 4197 spermatozoa, 679 ultrastructure of corneal surface topography. 4484 Trichosia pubescens sp.n. (Dipt., Sciaridae), described. 5029 Trichotaphe levisella (Lep., Gelechiidae), Hymenoptera and Tachinidae parasitic on larvae and pupae in Minnesota, USA. 1274 Trichotelocera (Hem., Het.), reviewed and suprageneric taxa and families keyed. 2511 Trichotichnus (Col., Carabidae), nanus group keyed and uenoi sp.n. described. 1841 Tricladida (Platyhelminthes). food of larval Odonata and Plecoptera. 4765 not prey of Gyrinus larvae. 1739 Tricontarinia luzonensis (Dipt., Cecidomyiidae), transferred to Lestodiplosis. 2941 Tricorythidae (Ephem.), 1436, 2964 Tricorythodes ocellus sp.n. (Ephem., Trichorythidae), described. 1436, 2964 Tricyclea (Dipt., Calliphoridae), oviposition by Stylogaster on adults. 1268 Tridecane, in Novomessor cockerelli . 194 from scent-glands of larval Dysdercus intermedius. 1149 Trieces (Hym., Ichneumonidae), spp keyed, Nearctic spp of onitis group revised and new spp described. 2524 Triethylenemelamine, induced mutations compared with those from irradiation in Drosophila sperm. 392 in relation to mutational response of Drosophila spermatozoa after storage. 392, 394 1, 1, 1-Trifluoro-methylheptanone, in relation to alarm behaviour of Conomyrma pyramica. 3562 1, 1, 1-Trifluoroheptanol, in relation to alarm behaviour of Conomyrma pyramica. 3562 Trifolium (Leguminosae) (clover), Apion on in Israel. 5510 Apioninae associated with in Leningrad (USSR) area. 4794 feeding responses of Hypera postica. 5400 histopathology of mycoplasma ingestion in Euscelidius and Euscelis. 806, 3920. Trifolium agrarium, feeding response of Hypera postica. 5400 Trifolium alexandrinum, fecundity of Pyrgomorpha conica. 6003 Trifolium campestre, feeding response of Hypera postica. 5400 Trifolium incarnatum, control of Hypera meles. 467

predation by Limnesia maculata on eggs. 1320

prey of Acroneuria californica. 2110

relationships to Strepsiptera. 3692

Trifolium pratense,

overwintering of Curculionidae. 6043 oviposition by Hypera postica in Ohio, USA. 4846

Trifolium repens,

feeding response of adult Hypera postica. 5400 nutritive value of nectar to Erioischia brassicae. 2722

relations to Andrenidae in Hokkaido, Japan. 2163

soil moisture and organic matter in relation to damage by Scarabeidae. 2122

Triglycerides,

action of midgut lipase of Blaberus craniifer and Periplaneta americana. 1550

in relation to allatectomy in ♀ Spodoptera littoralis. 4631

carbon-number distribution in Insecta. 3070 of cuticle in Pteronarcys californica. 3049 during development of Heliothis virescens. 192 of fats from Ceroplastes japonicus and C.rubens. 5875

in relation to JH titre at metamorphosis in Hyalophora cecropia. 4623

reserve material in adult of Schistocerca gregaria. 4596

Triglyphus (Dipt., Syrphidae), separation from Pipiza supported. 986

Triglyphus primus, description expanded. 986
Trigona (Hym., Apidae), biology, morphology and taxonomy. 1316

Trigona beccarii, nest structure. 5519 Trigona eburnensis, caste determination. 3635 Trigona gribodoi, nest structure. 5519

Trigona staudingeri, caste determination. 3635 Trigona subterranea, isolation and function of

citral. 5260
Trigonaspis (Hym., Cynipidae), oak-galls in
Méhes collection in Museum of Natural

History, Budapest, Hungary. 1278

Trigonella (Leguminosae), feeding responses of
Hypera postica. 5400

Trigonella foenumgraecum, fecundity of Pyrgomorpha conica. 6003

Trigonochilus Brenske 1896 (Col., Scarabaeidae), renamed Suralcis. 4282

Trigonopterygidae (Orth.), tympanal organ absent.

Trigonoscelis nodosa (Col., Tenebrionidae), light-responses in relation to external disturbance and time of day. 5848

Trigonostoma Dejean (Col., Scarabaeidae), Adoroleptus syn.n. of. 4282

Trigonotarbida (Arach.), 945

Trigonotylus (Hem., Het., Miridae), new spp from N. America described. 3783

Trimedlure, response of  $\circ$  Ceratitis capitata in the relative absence of  $\circ \circ$ . 4660

Trimenus adpressus (Col., Tipidulidae), new for Australia. 4206

Trimeprazine tartrate, treatment of cattle in relation to resistance to Boophilus microplus. 3576

Trimethylalkanes, of cuticle in Atta colombica.
5225

Trimium (Col., Pselaphidae), new spp described.

Trinervitermes trinervoides (Isopt., Termitidae), trail substances. 217

Trinidad (West Indies),

biology of Belostoma malkini and Lethocerus maximus. 1661

contamination of Hippelates with Streptococcus pyogenes. 6044

new Diaspididae attacking coconut. 559 new Schizopteridae from. 552

Schizopteridae described and keyed. 552 Trioxys complanatus (Hym., Aphidiidae),

parasitic on Therioaphis maculata in Delaware, Maryland and New Jersey, USA. 5503

Trioxys quercicola sp.n., described. 2121 Trioza (Hem., Hom., Psyllidae), new for Egypt. 6052

Trioza erytreae,

biology and ecology in Republic of S.Africa. 805 in relation to flushing rhythm of citrus in Republic of S.Africa. 805

host of Aphidencyrtus cassatus sp.n. 5724 parasitization in citrus areas of Republic of S.Africa. 792

survival in relation to extremes of weather.  $5465\,$ 

Triphaena pronuba (Lep., Noctuidae), ultrastructure of flight-muscles. 3873

Triphosa dubitata (Lep., Lycaenidae), feeding, host-range and phenology in relation to Rhamnaceae in Europe. 3591

 $2\beta, 3\beta, 14\mbox{-Triphydroxy-}5\beta\mbox{-cholest-7-en-6-one},$  in relation to fecundity of Stomoxys calcitrans . 4630

Triplochiton scleroxylon (Sterculiaceae), host of Diclidophlebia harrisoni sp.n. 564 rate of infestation by Diclidophlebia. 5891

Tripteroides (Dipt., Culicidae),

eggs of caledonicus and melanesiensis described. 4436

larval head-width for instar determination. 2576

Trirhabda virgata (Col., Chrysomelidae), abnormalities in a ♀. 5280

Trisetacus cembrae (Arach., Acari, Phytoptidae), systematic position. 1826

Trishormomyia crataegifolia (Dipt., Cecidomyiidae), life-history in relation to Crataegus mollis in Illinois, USA. 755

Trispilotilla (Hym., Mutillidae), from Congo-Brazzaville. 1447

Trissolcus basalis (Hym., Proctotrupidae), establishment in Hawaii for control of Nezara viridula. 4110 Tristephanus cynodontis sp.n. (Dipt., Cecidomyiidae), described. 3764

Trithyreus (Arach., Uropygi, Schizomidae), synonymous with Schizomus. 492

Triticum (Gramineae) (wheat),

behaviour and locomotor activity of Cryptolestes ferrugineus in dry and damp wheat. 2039 biology of Potrobio latons in Rajasthan India

biology of Petrobia latens in Rajasthan, India. 4718

damage caused by Cadra cautella to stored grain. 786

development of pests on wheat and bulgur compared. 693

ecological distribution of Eleodes suturalis, E. opacus and Pasimachus elongatus in a wheat field. 831

ecology of Aceria tulipae in Ohio, USA. 2769 germination of grain damaged by larval Sitotroga cerealella. 4812

host of Schizaphis graminum biotype attacking Sorghum bicolor. 2724

ovipara of Rhopalosiphum maidis from Delhi, India. 4809

populations and sex-index of Thripidae in Finland. 1309

proteolytic activity of saliva of Aelia acuminata, Ae.sibirica and Eurygaster integriceps. 210

Pseudaletia separata as pest at Delhi, India. 4861

rearing of Ostrinia nubilalis on diets containing corn leaf and wheat germ • 4417

solar near-UV-irradiation in relation to behaviour and flight-activity of wheat-stem Symphyta.822

stunting of Molon wheat and survival in Mayetiola destructor. 1329

Triticum dicoccum, resistance to stored-grain insects. 738

Tritomegas bicolor (Hem., Het., Cydnidae), mating, songs and sound-production. 673

Trixoscelidae (Dipt.), 5686 from Spain. 5686

Trixoscelis (Dipt., Trixoscelidae), new spp described and Palaearctic spp keyed. 5686

Trochospongilla (Porifera), host of larval Sisyridae in Louisiana and Texas, USA. 861

Trogaspidia kelnerae sp.n. (Hym., Mutillidae), described. 1447

Trogiidae (Psoc.), 4822, 5515

Trogiocollops latecavus sp.n. (Col., Cantharidae), described. 4987

Troglodromus bucheti graveti (Col., Leiodidae), egg weight during embryonic development. 4634 time of release of moulting-hormone precursor in larva. 4550

Troglorhynchus (Col., Curculionidae), baldensis group revised. 2912

Troglorhynchus blesioi sp.n., described. 2912

Trogoderma (Col., Dermestidae),

interspecific response to sex pheromones. 1151, 4650

method for sexing pupae. 2559

Trogoderma glabrum,

9 assembling scent in relation to Tr.granarium.
3902

light-responses in relation to external disturbance and time of day. 5848

mortality in relation to atmospheric gas composition and temperature. 5257 sound-production during mating. 1599

Trogoderma granarium,

behaviour of of in relation to assembling scent of other Dermestidae. 3902

behaviour in temperature gradient. 5887

development on Leguminosae. 2666

electroretinogram. 2598

fat-body in normal and diapausing larvae. 1130

of response to  $\mbox{\ensuremath{$\mathfrak{P}$}}$  sex-pheromone in relation to age and previous mating. 270

olfactory and tactile behaviour in relation to assembling scent. 3902

repellent a defensive secretion not a sexattractant. 762

tolerance to inorganic salt concentration in diet. 257

Tribolium castaneum response to excreted repellent substance. 762

Trogoderma inclusum,

 $\circ$  assembling scent in relation to of T. granarium. 3902

♀ sex-attractant. 1151

larval penetration of aluminium-foil packages. 5403

Trogoderma parabile, meconium-formation and defecation. 5217

Trogoderma variabile, hastate setae of larvae in defence. 295

Trogopyga microcephala gen. et sp.n. (Hym., Ichneumonidae), described. 1006

Trogossitidae (Col.), 594, 2608, 4985, 5403, 5515 subfamilies keyed. 4985

Trombicula yorkei (Arach., Acari, Trombiculidae), transferred to Vercammenia. 4245

Trombicula zachvatkini,

new for Sweden. 4186

type-sp of Hirsutiella gen.n. 4238

Trombiculidae (Arach., Acari),

coloration, ecology and habits in relation to epidemiology of scrub typhus in Malaya. 5471

distribution in N.E. Azerbaydzhan, USSR. 1726 ecological groupings of Malayan spp. 5471 ecology in Raif district, Volga-Kama State

Reserve, USSR. 4835 evolution of blind gut. 3917

intranasal taxa reviewed. 4237

New Guinea intranasal spp keyed. 4237

new for Surinam. 4239

Trombiculidae (Arach., Acari), contd. stylostome. 6001

of Transcarpathia, USSR. 4238

Trombididium tiliarum J.Herman 1804, recognition of specific name proposed. 956

Trombidiformes (Arach., Acari),

forestry practices in relation to soil spp. 3179 parasitic on small mammals in Aomori Prefecture, Japan. 3150

soil populations at a farm at Giza, Egypt. 6054 unusual features of reproductive physiology in Allothrombium lerouxi. 3974

Trombidiidae (Arach., Acari), laboratory prev for Cryptocellus dorotheae. 757

Tropaeolaceae, suitability as host-plants for Phyllotreta. 4763

Tropisternus (Col., Hydrophilidae), abundance in oxidation lagoons in Missouri, USA. 3199

Tropisternus lateralis nimbatus,

behaviour in solutions of inorganic ions. 859 internal injury after exposure to sublethal concentrations of inorganic ions. 859 method for determining inorganic ion content

of habitat, 859 Tropistethus fasciatus (Hem., Het., Lygaeidae),

new for France. 5705 Troponin, alkaline extraction in relation to ATPase and contraction in Lethocerus maximus muscle-fibres. 1042

Trotteriini (Dipt., Cecidomyiidae), reviewed. 1869 Trycherus decellei sp.n. (Col., Endomychidae),

Tryonia (Mollusca), food of larval Dictya fontinalis

sp.n. in California, USA. 1878
Trypanea amoena (Dipt., Tephritidae), control of weed Compositae in Hungary. 6014

Trypanosoma (Protozoa), method for establishing rate of natural infection of Rhodnius prolixus. 4687

Trypanosoma congolense,

Glossina morsitans submorsitans and Gl. palpalis gambiensis as vectors in Niokolo-Koba National Park, Senegal. 2236

infection rates in mouthparts of Glossina in Zambia. 1277

Trypanosoma cruzi,

from Desmodus rotundus infective in Reduviidae.

infection rate in Rhodnius neglectus and Triatoma sordida in Uberaba Municipality, Minais Gerais, Brazil. 5511

natural infection of Rhodnius prolixus in Colombia, 4687

vector capacity of Triatoma gerstaeckeri and T. sanguisuga texana. 4707

Trypanosoma rangeli,

development in haemocoel of Rhodnius prolixus.

natural infection of Rhodnius prolixus in Colombia. 4687

Trypanosoma vivax, Glossina morsitans submorsitans and G.palpalis gambiensis as vectors in Niokolo-Koba National Park, Senegal. 2236

Trypetidae, see Tephritidae

Tryphon (Hym., Ichneumonidae), 1454 Cteonyx subgen.n. and Stenocrotaphon subgen.n. established. 1454, 4357

Palaearctic taxa reviewed. 1454

Palaearctic taxa of subgenera Cteonyx, Stenocrotaphon and Symboethus reviewed and new taxa described. 4357

subgenera and Tryphon s.str. keyed. 1454 Tryphoninae (Hym., Ichneumonidae), new for

France. 110

Trypocalliphora (Dipt., Calliphoridae), distinct from Protocalliphora. 322

Trypocalliphora lindneri, parasitic on Oenanthe oenanthe in N.Finland. 322

Trypodendron lineatum (Col., Scolytidae),

alimentary and reproductive systems in relation to sexual maturation. 684

fat content during attack and brood-production.

flight-behaviour in relation to sex-pheromones. 1491

pheromone production by hindgut. 2652

Tryporyza (Lep., Pyralidae), parasites of incertulas and innotata in Sarawak. 5498

Tryporyza incertulas,

parasites of eggs and larvae on Luzon I., Philippines. 799

population fluctuations in Philippines. 346 reproductive system. 227

Trypoxylon (Hym., Sphecidae), larva described for clavicerum, exiguum and malaisei. 2963

Trypoxylon (Trypargillum), Greater Antilles spp discussed and keyed. 4362

Trypoxylon figulus, feeding and other behaviour of larva. 2083

Trypoxylon (s.str.) orientinum sp.n., described. 4362

Tryptophan,

accumulation of metabolites in pupal diapause.

accumulation in 's' mutant of Apis mellifera.

binding with soluble proteins in silk-glands of Bombyx mori. 3954

brood-rearing capacity of Apis mellifera not stimulated. 4627

nutritional value in Dysdercus fasciatus. 3380 oxidation in Euscorpius carpathicus. 657

oxidation via glutarate pathway absent from Insecta, 657

in protocerebral neurosecretory cells of Musca domestica. 3879

Tryptophan pyrrolase,

and genetic effects of DNA in Anagasta kuehniella, 3655

Tryptophan pyrrolase, contd.

lacking in 's' mutant of Apis mellifera. 1582 regulation by vermilion-suppressor of vermilion system in Drosophila melanogaster. 3659

Tryssaturus minutus sp.n. (Arach., Acari, Hydrachnellae), described. 3375

Tsetse fly, see Glossina

Tsuga (Pinaceae),

biology of Florinia externa in Maryland, USA.

JH-mimicry of wood and bark extracts. 3462 life-cycle of Florinia externa in Maryland, USA.

Tsuga heterophylla, host of Masonaphis patriciae sp.n. 2517

Tubella pennsylvanica (Porifera), host of larval Sisvridae in Louisiana and Texas, USA. 861

Tuberculitermes flexuosus sp.n. (Isopt., Termitidae), described, 1929

Tuberculoides annulatus (Hem., Hom., Callaphididae), as honeydew producer on Quercus in Hungary. 2761

Tuberculosis, Argas persicus as reservoir and possible vector of avian tuberculosis in USSR . 4776

Tuberolachnus salignus (Hem., Hom., Lachnidae), gustatory sense-organs in fore-gut. 2594

Tubocurarine chloride.

blocking of nerve impulses in Periplaneta americana. 4481

failure of leg contraction in Periplaneta americana. 5254

Tuckerella flabellifera (Arach., Acari, Tuckerellidae), new for New Zealand. 3290

Tuckerella litoralis sp.n., described. 3290 Tularaemia, possible involvement of Ixodoidea in Switzerland. 4187

Tuliptree scale, see Toumeyella liriodenderi Tullbergia callipygos (Collem., Onychiuridae), aggregation in Pinus sylvestris forest in Perthshire, Scotland. 2162

Tullbergia krausbaueri.

food substrates and gut contents. 5996 soil populations in Hidaka-Mombetsu, S.Hokkaido, Japan. 2146

Tullgren apparatus,

modification for extraction of Oribatei from

physical gradients during extraction of Acari from poultry litter. 2566

for sampling Pseudoscorpiones. 4854

Tumours.

biochemical basis of hereditary melanotic tumours in Drosophila melanogaster. 4150 carcinogenesis in Aphanostigma piri. 5384 carcinogenesis in Aphycus apicalis. 5408 and carcinogens in Periplaneta americana. 3430 cytogenetic studies on hereditary ovarian tumours in Drosophila melanogaster. 4151 genetic control of melanotic tumours in

Drosophila. 4137

haemolymph, protein deficiency and tumour susceptibility in Periplaneta americana. 4449

histology and transmission in Locusta migratoria. 3439

in relation to hormones and viruses in Drosophila melanogaster. 3986

melanotic lesions in Drosophila melanogaster and Melanoplus sanguinipes. 5814

melanotic tumours of Drosophila melanogaster.

neoplasms in mutant and cultured wild-type tissues of Drosophila melanogaster. 4160

nomenclature of haemocytes and techniques of study . 3432

oncogeny in relation to phylogeny in invertebrates. 4924

ovaries in relation to tumour development after nerve-section in Periplaneta americana. 3443 produced by metepa in follicular epithelium of

Musca domestica, 3509 pseudotumour defined as a melanotic tumour composed of blood or fat cells. 4137

rectal tumefactions in Periplaneta americana.

systems control of tumorigenesis. 4924 tumorigenesis in Insecta. 4160

tumorigenic effect of ovaries in Periplaneta americana. 4449

tumorigenic effect of severance of recurrent nerve in Periplaneta americana. 4449

tumour-like lesions after decapitation in Leucophaea maderae. 3438

tumour-like lesions transferred by injection in Leucophaea maderae. 2612

Tundra, life-histories of alpine tundra Arachnida in Colorado, USA. 4730

Araneae from caves. 4248

new Andrenidae from . 4340

new Anobiidae from . 3731

new Araneae from . 4248

new Cantharidae from . 3734

new Histeridae from . 974

Tuponia michalki (Hem., Het., Miridae), new for continental France. 5705

Turkey, see Meleagris gallopavo Turkey,

> diseases affecting predators of Adelges on Abies. 5150

Nemopteridae new for. 1942

new Anobiidae from . 3731

new Curculionidae from . 2485

new Helodidae from . 38

new Megachilidae from . 3806, 5735

new records of Masaridae, 112

new Scaphidiidae from . 3748

new Scydmaenidae from . 3751 new Sphecidae from . 1008

Turkey, contd.

Osmia of Asia Minor redescribed. 3806

Sphecidae new for. 1008

Zodarion morosum redescribed. 1802 Zygaena from. 3270

Turneria gen.n. (Hym., Pteromalidae), established. 4360

Turtles (Reptilia, Chelonia), host-feeding associations with Aedes canadensis in Wisconsin, USA, 4752

Turtur abyssinica delicatula (Aves), presence of larvae of Argas streptopelia in Senegal. 4777

Tuxenidia balcanica gen. et sp.n. (Prot., Acerentomidae), described. 4398

Tychus (Col., Pselaphidae), new spp described. 981 Tydeidae (Arach., Acari), indirect spermtransfer. 5956

Tydeus (Arach., Acari, Tydeidae),

association with Gynaikothrips ficorum in leafrolls on Ficus nitida, 6047

revised, Atrotydens subgen.n. established and new spp described. 3291

Tydeus interruptus,

in relation to fungi and environmental variables in bulk-grain ecosystems. 4822 new for Poland. 5434

Tydeus schusteri, indirect sperm-transfer. 5956
Tylocerus (Col., Cantharidae), new synonomies.

Tylocerus montivagus, type-sp of Silvanotelus gen. n. 1837

Tylonycteris (Chiroptera), ecology of Basilia hispida. 2789

Tylopsis lilifolia (Orth., Tettigoniidae), new record for C.Asia. 1478

Tylosin, for control of American foulbrood disease in Apis mellifera. 5185

Tympanal organs,

absence from 2 spp of Philonthus. 2925 detection of pulsed ultrasound in Heliothis zea. 167

external morphology in Acridoidea. 3899 sensitivity in Ostrinia nubilalis. 1992

Tyndarichus pulcherrimus sp.n. (Hym., Encyrtidae), described. 104

Tynomma (Myriap., Diplop., Lysiopetalidae), revised, new synonymy and magnum sp.n. described. 1487

Typha angustifolia var.angustata (Typhaceae), fauna in Danube Delta, Romania. 2824

Typha latifolia, Erioptera squalida and Notiphila riparia in relation to. 2174

Typhaea africana sp.n. (Col., Mycetophagidae), described. 5647

Typhlochoromus (Col., Carabidae), new taxa from Italy and spp keyed. 5632

Typhlocyba (Hem., Hom., Cicadellidae), spp transferred to Agnesiella and Warodia. 5696

Typhlocyba nigrobilineata, transferred to Bakera. 5694

Typhlocyba tristis, transferred to Mahmoodia gen.n. 5694

Typhlocybidae, see Cicadellidae

Typhlodromus (Arach., Acari, Phytoseiidae),

association with Gynaikothrips ficorum in leaf-rolls on Ficus nitida. 6047

Egyptian spp keyed. 3726

spp predaceous on Tetranychidae in Belorussia, USSR . 1305

Typhlodromus filiae, redescribed. 5616

Typhlodromus gossipi, laboratory technique for mass-rearing. 5778

Typhlodromus mcgregori,

distribution and searching behaviour in relation to apple. 4796

life-history in apple orchards of Utah, USA. 2711

Typhlodromus meridionalis,

Apodemus sylvaticus new host for. 2746 new for Romania. 2746

Typhlodromus occidentalis, anatomical variation in Utah, USA, populations . 4429

Typhlodromus pedoni sp.n., described. 3726

Typhlodromus potentillae, supposed nematode larvae on a  $\mbox{$\lozenge$}$  from Zale minerea. 4700

Typhlodromus pyri, lack of effect of Animert V-101.6046

Typhlodromus sycomorus sp.n., described. 3726 Typhloiulus georgievi (Myriap., Diplop.), systematic position. 3022

Typhloponemys (Col., Staphylinidae), new spp described. 50

Tyramine, intermediate in dopamine synthesis by
Periplaneta americana haemocytes in vitro.
1512

Tyranninyssus (Arach., Acari, Rhinonyssidae), new sp from Belém region, N.Brazil. 4975

Tyria jacobaeae (Lep., Arctiidae), biological control of Senecio jacobaea in New Zealand. 6027

Tyroglyphidae (Arach., Acari), toxicity of Aspergillus flavus and Penicillium spp. 1722

Tyroglyphus (Arach., Acari, Tyroglyphidae), predator of Herpystis cuscutae in Pakistan. 323

Tyrophagus (Arach., Acari, Acaridae), as pests of stored sugarbeet seeds. 5434

Tyrophagus putrescentiae,

feeding and reproduction on wood-inhabiting Hymenomycetes. 1684

meridic and ologidic agar-based diets. 587

Tyrosinase,

activity in 1ethal albino larvae of Bombyx mori. 3666

activity in lethal lemon larvae of Bombyx mori. 4158

possible storage form for substrates in Drosophila melanogaster. 1574

Tyrosine,

 $\beta$ -alanine noradrenalin dopamine in relation to tyrosine metabolism in Drosophila

Tyrosine, contd.

melanogaster. 1561

conversion to tyramine in Periplaneta americana haemocytes in vitro. 1512

glutamic acid and tyrosine concentration in Drosophila melanogaster. 5235

haemocyte permeability during ecdysis in Periplaneta americana. 2633

haemolymph level in larval Sarcophaga bullata. 3459

level in Musca domestica tissues during metamorphosis. 4647

metabolism in adult Periplaneta americana. 3461 metabolism in lethal albino and lethal lemon larvae of Bombyx mori. 3937

Tyrosine decarboxylase, in haemocytes of Periplaneta americana. 1512

Tyrosine-O-phosphate, metabolism in larval Drosophila melanogaster. 198

Tyrothricin, and larval growth in Ceratitis capitata. 4612

# U

Ubiquinones, in queen Vespa orientalis. 659Udamopyga (Dipt., Sarcophagidae), new spp described. 5675

Udumbaria nainiensis (Dipt., Cecidomyiidae), larval populations in soil at Allahabad, India. 4099

Uganda,

Coccus viridulus new for. 5040 Contarinia coffeae sp.n.a pest. 3762 ecology of larval Chaoboridae and Chironomidae

in L.George. 3619 new Acrididae from. 1480

new Cecidomyiidae from . 3762

new Dipsocoridae/Hypsipterygidae stat.n. from. 2511

new Eulophiidae from . 1451

new Mymaridae from . 3807

new Nymphalidae from . 4381

new Pselaphidae from . 3307

new Psoroptidae from . 4233

Nymphalidae from . 4381

Ulex europaeus (Papilionaceae), biological control by Apion ulicis in New Zealand. 6027

Ulidiidae (Dipt.), 5687

Ulmus (Ulmaceae).

host-plants of Phyllonorycter spp. 5745 leaves as preferred food for larval Peltoperla maria. 4755

plant effects on oviposition in Dendrosoter protuberans. 4779

Rhynchaenus alni mining. 5642

Scolytus multistriatus and S.scolytus as transmitters of Ophiosoma ulmi at Wrockaw, Poland. 6018

Ulmus americana, feeding stimulants for Scolytus multistriatus derived from bark. 4049

Ulmus montana, biology of Eriosoma ulmi in Warszawa area, Poland. 4039

Ulobaris loricata (Col., Curculionidae),

biology in relation to Corispermum marschallii. 2098

probable host of Exeristes roborator in Romania, 2098

Uloborus mundior (Arach., Aran.), populations and habits in Panama. 2805

Ulopa reticulata (Hem., Hom., Cercopidae), histology of ovaries and oogenesis. 3964 Ultrastructure,

abdominal air-guide contractor muscles in Lethocerus americanus. 1545

accessory tubules of sperm flagella in Leptinotarsa decemlineata. 2658

age-related changes in the heart of Drosophila repleta. 2615

antennal flagellum and glomerulus in Pauropoda. 1981

antennal sense-organs of Q Culex tarsalis. 2593 antennal sensory dendrite in Forficula auricularia. 4487

bacteria in gut of Acyrthosiphon pisum. 5854 band period links of collagen in Articulata. 4542 brain cells of young larvae of Bombyx mori. 1052 brain of Notonecta glauca. 3861

CA of Antheraea pernyi and Rhodnius prolixus. 5896

CA of Locusta migratoria. 3463

CA gland-cells in Eurygaster integriceps. 5894 campaniform sensilla of Drosophila melanogaster halteres. 3412

cell degeneration in development of mutant Drosophila melanogaster. 230

chemoreceptors of Arthropoda. 4490

chromosome pairing and polarization in Locusta migratoria spermatocytes. 5533

ciliary fibril continuity with microtubule in antennal dendrites of Forficula auricularia. 4487

compound eye in Apis mellifera, 627

contact and distance chemoreceptors of Insecta.  $1083\,$ 

corneagen in lateral eye of Limulus polyphemus.  $2601\,$ 

corneal surface topography in Insecta. 4484 cornicles of Acyrthosiphon pisum. 607 corpora pedunculata in Acheta domestica. 3407

coxal organs in Ornithodoros. 1107

cuticle formation in adult Sarcophaga. 3397 cuticle and scales of Galleria mellonella. 3398

defence glands in Amphizoidae, Cicindelidae and Hygrobiidae. 3134

Ultrastructure, contd.

defensive fluids, haemolymph and egg fluids of Lep., Col., Hym. and Siphon. 4457

degenerating and regenerating neck connectives in Schistocerca gregaria. 1053

degeneration and development in sperm flagellum of Drosophila melanogaster. 3967 dermal glands in Rhodnius prolixus. 4570

development of mutant Drosophila melanogaster.

egg-membranes of Apanteles glomeratus. 4594 egg-shell of Acheta domestica. 3863

egg shells of Insecta. 5791

embryonic cells of Periplaneta americana producing chitinase in vitro. 3860

eyes of Apis mellifera. 630

eyes of Attagenus megatoma in early adult life. 2597

eyes of Bothropolys fasciatus. 169

eyes of Dytiscus marginalis. 1993

eyes of Opiliones. 3059

eyes of Rhodnius prolixus. 5195

fat-body and foregut in pupal-winged adult Tenebrio molitor. 1180, 2061

femoral muscle of Musca domestica. 615 flight-muscle mitochondria in Locusta

migratoria. 5893

flight-muscles of Pieris brassicae and Triphaena pronuba. 3873

follicle-cells of Leptinotarsa decemlineata. 2659

germarium and early oocyte in Drosophila melanogaster. 5274

gill cartilage of Limulus polyphemus. 1543 glandular epithelium of accessory reproductive glands in Schistocerca gregaria. 1160

glycogen from flight-muscle of Phormia regina. 5239

gustatory sense-organs in foregut of Aphidoidea. 2594

gut of virus-infected Panonychus ulmi. 4842 haemocytes involved in wound-repair in Rhodnius prolixus. 4510

haemocytes of healthy Spodoptera littoralis. 2002 haemocytes of larval Tenebrio molitor.  $3435\,$ 

haemocytes of Pseudaletia unipuncta. 3025 haemocytes of Spodoptera littoralis infected with

nuclear polyhedrosis. 2003

heart of Insecta. 4511

hindgut of adult 9 Aedes aegypti. 3065

ileum of larval Ostrinia nubilalis. 1105 integument and oenocytes during pupal stage in

Culex pipiens. 4459

interpseudotracheal papillae of Boettcherisca peregrina. 1077

intracellular migration of centrioles in germarium of Drosophila melanogaster. 5274
 Johnston's organ in Oncopsis flavicollis. 5196
 Koshevnikov gland of Apis mellifera. 2040
 labial gland of Lepisma saccharina. 1147

larval epicuticle of Calpodes ethlius. 4462

localization of catecholamines in corpora pedunculata of Periplaneta americana. 3409

localization of monoglyceride lipase in flightmuscle of Lepidoptera. 1128

localization of phosphatases in larval midgut of Bombyx mori. 1104

longitudinal muscles of larval abdomen in Baëtis rhodani and Ecdyonurus helveticus. 5834

Malpighian tubules of Culex pipiens pallens.

Malpighian tubules of Drosophila melanogaster. 3446

mandibular gland of Lestimelitta limao. 5897 mandibular and maxillary nerves of Rhodnius prolixus. 4486

maxillary nephridia of Scutigerella immaculata. 3447

meconium of Attagenus megatoma in relation to Pyxinia frenzeli infection. 5217

meiotic chromosome polarization and pairing in spermatocytes of Locusta migratoria. 869

membranous lobe of antenna in Speophyes lucidulus. 1085

metamorphosis of prolegs in Galleria mellonella. 1988

metamorphosis of prothoracic glands in Locusta migratoria. 2672

Metarrhizium anisopliae attacking Elateridae. 5153, 5154

microcylinders of flagellar fibres in spermatids of Gryllidae. 5271

microsomal preparations from Musca domestica and Prodenia eridania. 1103

microtubule system associated with cytoplasmic movement in Notonecta glauca ovarioles.

4588

midgut diverticula in Gyarina nigritarsis. 1102 midgut diverticula of Hylotrupes bajulus. 4523 midgut epithelium of larval Trichoplusia ni. 3921

midgut epithelium of Periplaneta americana in relation to neurosecretion release. 5218

mineral accumulations in Polydesmus complanatus oocytes. 3858

mitochondrial pleomorphism in CA of adult Locusta migratoria migratorioides. 3393

muscle attachment to cuticle in Collembola, Diplura and Thysanura. 4464

muscle attachments in Latrodectus mactans.  $2584\,$ 

muscle of Carausius morosus and Locusta migratoria migratorioides in relation to excitation-contraction coupling. 5189

muscle-fibres of legs in Periplaneta americana. 1519

muscle and nerve-muscle synapses in Insecta. 1057

musculature of Cetonia aurata. 156

Ultrastructure, contd.

musculature of Chilopoda and Diplopoda. 157 x-7 and tan mutants of Drosophila melanogaster. 896

mycetome and symbionts in Psylla pyricola. 2743

mycoplasma-like inclusions in larval Melolontha melolontha, 5163

mycoplasma-like inclusions in testes of sterile of hybrids of Drosophila paulistorum complex. 5186

nerve-sheath in Euscorpius carpathicus and Roncus lubricus. 1989

neural lamella in Geophilus longicornis and Lithobius forficatus. 5191

neurosecretory cells of Insecta. 1064 nucleoli of nurse-cells in Drosophila melanogaster. 3506

nucleoli of oocytes in Acheta domestica, 1603 nucleoli of polytene nuclei in Drosophila melanogaster, 368

oocyte envelope in Aeshna. 232 oocytes of Drosophila melanogaster. 4585 oothecal protein in Sphodromantis centralis. 1211

osmeterium of Papilio machaon larva. 2043 ovary of allatectomized Leptinotarsa decemlineata. 5950

ovary and oocytes of Panorpa communis. 1209 parathion-activating microsomes from fat-body of Periplaneta americana. 4579

pedipalpal setae of Nemastoma lugubre. 3395 peritrophic membrane of Calliphora erythrocephala. 4521

peritrophic membrane in worker larvae of Apis mellifera. 5222

photoreceptors of Insecta. 1084 photoreceptors of Mitopus morio. 3893

Polypoxvirus chironomi from Chironomus luridus. 5806

prothoracic gland of Locusta migratoria migratorioides. 1152, 1153, 1154 protozoan symbionts of Isoptera. 4129

pylorus of Rhodnius prolixus. 5223

Pyrsonympha vertens from Reticulitermes. 3143

rectal intima of Insecta. 3444

rectal pads of Periplaneta americana. 648 region X 1-4E of Drosophila melanogaster Xchromosome mapped. 5535

ring canal system of ovarian cystocytes in Drosophila melanogaster. 3475

ring glands in wild-type and '1(2)gl' mutant
Drosophila melanogaster. 3221

RNase in relation to nuclear ultrastructure in larval salivary glands of Drosophila virilis. 3929

salivary glands of Anopheles stephensi. 1146 salivary glands of Centrotus cornutus. 3859 scanning electron microscopy of antennae of Pauropoda. 1981

scanning electron microscopy of aphid

siphunculi. 3382

scanning electron microscopy of cuticle in Hydroscaphidae, Sphaeriidae and Torridincolidae. 1999

scanning electron microscopy of diffractiongrating in Necrophorus nepalensis. 2033

scanning electron microscopy of haltere surface in Calliphora erythrocephala. 1994

scanning electron microscopy of Isotomidae from Solomon Islands. 2932

scanning electron microscopy of mouthparts in Aedes stimulans, Ae.atropalpus and Wyeomyia smithii. 3922

scanning electron microscopy of tarsi in Macrocheles muscaedomesticae. 4502

scanning electron microscopy of wing-scales of Eriocraniidae, Micropterygidae and Mnesarchaeidae. 4461

scent-glands of Notonecta glauca. 5261 secondary nerve degeneration in Formica lugubris. 2588

sensilla of halteres in Calliphora erythrocephala.

sensilla of labium in larval Spheophyes lucidulus. 1995

sensilla of rostrum in Cenocorixa bifida. 1595 sensory nerve-fibres of Bombyx mori and Rhodnius prolixus. 160

sperm flagella of Araneae. 5276

sperm of Insecta. 5273

spermatogenesis in Leiobunum sp. 3969 spermatogenesis in Lithobius forficatus. 2047

spermatogenesis in Locusta migratoria migratorioides after CA implantation and  $\gamma$ -irradiation. 3502

spermatogenesis in Pisaurina. 5277 spermatozoa of Apis mellifera. 5272

spermatozoa of Blaberus craniifer and Periplaneta americana. 223

starvation in relation to venom system of Nasonia vitripennis. 4751

sternal gland and its innervation in Kalotermes flavicollis. 1058

supercontraction of visceral muscles in Glossina austeni. 4470

symbionts of Euscelis plebejus. 1693, 3142 symbionts of Ornithodoros moubata. 788

synapses in larval CNS of Sarcophaga bullata and Tenebrio molitor. 2592

synaptinemal complexes in Acheta domestica. 5334

tarsal apical organs of Stylopauropus pedunculatus. 5826

testes in Ips confusus. 2656

ventral photoreceptor cells of Limulus polyphemus. 2602

vinblastine sulphate and microtubular organization of ovary in Rhodnius prolixus. 5908 virus development in Anoplonyx destructor.

5801

Ultrastructure, contd.

virus infestion of fat-body in larval Plutella xylostella. 5344

wax glands of Ceroplastes pseudoceriferus. 1597

wing imaginal discs of Drosophila melanogaster during metamorphosis. 2054

Zebulonia massoudi gen. et sp.n. 5662

Umbelliferone phosphonate, DMS in relation to toxicity for Tenebrio molitor. 3934

Uncaria gambir (Naucleaceae) (gambir), Poropoea orientalis sp.n. from pests of. 4366

Undulozetes gen.n. (Arach., Acari, Oribatei),
 established. 2462

Ungla (Neur., Chrysopidae), Argentine distribution. 4205

Unipterus (Paoliella) nirmalae sp.n. (Hem., Hom., Aphididae), described. 96

Upis ceramboides (Col., Tenebrionidae), lifehistory at Fairbanks, Alaska, USA. 283

Upper Volta,

Contarinia sorghicola present. 436 new Pentatomidae from. 5713 new Scarabaeidae from. 3310

Uranotaenia (Dipt., Chironomidae), larval headwidth for instar determination. 2576

Uranotaenia sapphirina, polyhedrosis virus infections of gut. 2009

Urbanus (Lep., Hesperiidae), body-weight and head-width for separation of instars. 4428

Urbanus proteus, egg-hatch in relation to diet.

Urea.

excretory product of Aedes aegypti larvae. 190 excretory product of Lipaphis erysimi. 5858 in relation to type-3 water-receptor in Phormia terrae-novae. 5199

Uredinales (Fungi), biology of Toxomyia fungicola in Jamaica, 1662

Urentius sentis (Hem., Het., Tingidae), prey of Geocoris tricolor in India. 782

Uresiiphita polygonalis (Lep., Pyralidae), new for Monmouthshire, Wales. 5581

Uric acid.

degradation in Schistocerca gregaria. 3451 densonucleosis in relation to formation in larval fat-body of Galleria mellonella. 3455

excretion by Culex pipiens during eggmaturation. 726

of faeces as indicator of food utilization. 643 haemolymph titre during heat death in Centrioptera muricata. 5885

and nuclear-polyhedrosis infection in Neodiprion swainei larvae. 2022

production in lethal albino larvae of Bombyx mori. 3666

quantitative determination in insect faeces. 594

synthesis from formate and glycine in Rhodnius prolixus. 1579

use in evaluating Bruchophagus raddi infestation in alfalfa seed. 1962

Uricase, activity in adult Schistocerca gregaria. 3451

Uroblaniulus canadensis (Myriap., Diplop, Julida), defence gland and secretion. 2653

Urocerus argonautarium (Hym., Siricidae), ecology of parasites. 5481

Urocerus gigas, flight-period, size variation and taxonomy. 1455

Uroctea druandi (Arach., Aran.), association with Oichillus minutus. 3573

Urodacus abruptus (Arach., Scorp.), embryonic nutrition. 1255

Urolabida (Hem., Het., Urostylidae), claw setae. 3853

Uroleucon cichorii (Hem., Hom., Aphididae),
 cornicles. 3382

Uroleucon kumaroni sp.n., described. 2978 Urophora stylata (Dipt., Tephritidae), galls, parasites and predators. 326

Uropodidae (Arach., Acari),

control of Diptera in caged-poultry houses. 5350 of Riparia riparia in Switzerland. 4106

Uropygi (Arach.), 492, 3525 reproductive biology. 3525 stridulatory organ present. 492

Urosaurus nigricaudus (Lacertilia), host of Odontacarus robbinsi sp.n. in Mexico . 4243

Uroscelio luteipes (Hym., Scelionidae),  $\sigma$  described for first time. 1928

Urostylidae (Hem., Het.), 3853 relationships to Acanthosomatidae. 3853

Ursicoptes americanus sp.n. (Arach., Acari, Audycoptidae), described. 5614

Ursus americanus (Carnivora), host of Ursicoptes americanus sp.n. 5614

Uruguay,

Contarinia sorghicola present. 436 Neuroptera catalogued. 1387

new Ixodidae from . 508

new Oribatei from . 2462 new Sarcophagidae from . 5675

new Sarcophagidae from . 5675

Oribatei from . 2462

Sarcophagidae from Gastropoda. 5675

Usia martini sp.n. (Dipt., Bombyliidae), described. 60

USA,

abundance and seasonal distribution of Tabanidae at Great Swamp, New Jersey. 2774

activity and local distribution of surface-active woodland Collembola in Indiana . 4020

aerial application of ULV organophosphates against Haematobia irritans and Musca autumnalis. 5329

aestivation and hibernation habits of Hypera postica in W.Virginia. 5376

altitudinal and seasonal distributions of

Orthoptera in Rocky Mts., N.Colorado. 2775

aggregation behaviour of adult Chironomus at Solberg L., Wisconsin, USA. 3558

Anabrus simplex new for Tennessee. 4951

anatomical variation in Typhlodromus occidentalis populations in Utah. 4429

Andrenidae revised. 1901

annual spring seeding of alfalfa in relation to Hypera postica population size. 3613

annual treatment in relation to size and intratree distribution of Aonidiella aurantii populations on citrus in S.Carolina. 5488

Arachnida and Insecta collections of Frost Entomological Museum, Pennsylvania State University, 949

Araneae on Acer in Michigan, 3592

Araneae and Insecta predaceous on Choristoneura pinus in Michigan. 3615

arthropod recolonization of islands off Florida Kevs. 821

association of Aceria medicaginis and Tarsonemus setifer with Medicago sativa in Imperial Valley, California. 5454

attack and flight patterns of Platypus flavicornis in relation to Dendroctonus frontalis infestations in Texas. 751

attempt to establish Hylemya seneciella. 2777 Atypus milberti established in S.Michigan. 3708 autogeny in a Florida population of Culicoides furens. 4011

Baenotidae fam.n. from. 1423, 2940 bibliography of Insecta and other animal groups in Ohio, 1389

biological control of Hypera postica in Massachusetts. 5331

biology of Conophthorus ponderosae in relation to Pinus ponderosa in S.New Mexico. 4703

biology of Conotrachelus nenuphar in the Missouri Ozarks. 2717

biology of Cosmobaris americana on Beta vulgaris in North-Western USA. 4710

biology and ecology of Anthophora edwardsii in California. 2817

biology, ecology, morphology and systematics of Epicauta albida group. 1413

biology and ecology of Tabanidae in New Jersey. 3543

biology and economic importance of Neoschoengastia americana on turkeys in Texas. 1660

biology, feeding and populations of Phytobia in S.C.Pennsylvania. 3587

biology of Florinia externa in Maryland. 2718 biology of gall-making Nematinae in California. 3538

biology of hymenopteran parasites of Ips in Virginia. 4733

biology of Hypera postica in N.E.Mississippi. 2708 biology and life-cycle of Satyrium sylvinus dryope in California. 4038

biology of Nepytia phantasmaria in Pseudotsuga menziesii in California. 2703

biology of Ostrinia nubilalis in S.Carolina. 2716 biology of parasites associated with Nabis americoferus in S.California. 4702

biology and phenology of Pseudatomoscelis seriatus in Rio Grande Valley. 2798

biology of Sphenophorus venatus confluens in relation to orchard grass in Oregon, 1655

biology of Tetanops myopaeformis in S.C. Idaho. 1489

biomass production and ecology of Tendipes in a lake in Georgia. 3618 bionomics of Eucosma monitorana in relation to

red pine in Wisconsin. 2762

biotope distribution of larval Tabanidae at Great Swamp, New Jersey. 3620

birds in relation to overwintering populations of Diatraea grandiosella in Mississippi. 4851

bites by Loxosceles in Arizona and California. 1244, 5388

blood-meals of Stomoxys calcitrans on California poultry ranches. 5404

Callanthidium new for Idaho. 1817

Cephaloscymnus reviewed. 4996

Cephenemyia jellisoni in Odocoileus virginianus populations. 837

Ceratopogonidae from Mississippi. 1426 Ceratopogonidae from S.Mississippi and S.E. Louisiana. 2944

Cheiloneurus inimicus as primary parasite of Saissetia oleae in Florida, 4778

chemical control of Dendroctonus terebrans in C.Louisiana. 4676

chemical control of Hypera postica in N.Utah and effects on Bathyplectes curculionis. 4681

chemical control of pests on Phaseolus and Medicago in New York State. 4678

X-chromosome inversions in eastern and western strains of Drosophila athabasca. 3652

Cnephia ornithophilia and Prosimulium vernale new for Patuxent Wildlife Research Centre, Maryland. 4884

cold-hardiness in relation to glycerol content in Pterostichus brevicornis in Alaska. 4548

Colias eurytheme as host of Trichogramma pretiosum in California. 4789

collections of Musca autumnalis in Yellow Stone National Park, Montana and Wyoming. 4701

colour-morphs of Nemoria pulcherrima in a Sierra Nevada, California, population. 4121

commensalism between Hololena curta and Ranzovius moerens in California. 3138

Contarinia sorghicola present. 436 control of Adelges cooleyi on Pseudotsuga

York. 5336

menziesii in Washington. 4667 control of Brevicoryne brassicae in W.New

554

control of Chrysomphalus aonidum by Aphytis holoxanthus in Florida. 1694

control of Diabrotica virgifera and Ostrinia nubilalis. 5334

control of Noctuidae on Zea mays in C. and S. Florida. 5335

control of Porthetria dispar with ULV trichlorfon in New York State. 4672

control and status of Sphenophorus parvulus in W.New York. 4824

cytoplasmic-polyhedrosis and nuclear-polyhedrosis infections in Louisiana Culicidae. 2009

damage caused to soybeans by Dectes in Arkansas and Missouri. 808

DDT, methyl parathion and toxaphene for control of Anthonomus grandis and Heliothis zea in N.Carolina, 5337

decline in insect populations in New Jersey in 1968. 4949

Diamesinae, Orthocladiinae and Podonominae reviewed. 2945

diapause characteristics of geographical strains of Manduca sexta. 2065

diapause sensitivity of Alabama and Georgia populations of Ostrinia nubilalis. 701

diapause sensitivity of Ostrinia nubilalis. 701 diapause and wing-polymorphism in California populations of Psylla pyricola. 3989

Dibrachoides druso as parasite of Hypera brunneipennis in S.California. 3148

dieldrin, dimethoate and endosulphan for control of Hylobius pales and Pissodes approximatus in C.Pennsylvania. 5340

Dione moneta poeyii present in S.Texas. 3595

Dipt., Neur. and Trich. associated with Spongilla fragilis in Savannah River. 1692

dispersal of microorganisms by Lethocerus uhleri in Texas. 3169

dispersal and flight-activity of of Aonidiella aurantii in California. 3544

dispersal and phenology of Pachylobius picivorus in Upper S.Carolina. 4725

distribution and relative abundance of storedproduct insects in California, 5105

distribution and seasonal occurrence of Culicoides in States of Gulf of Mexico Coast. 941

distribution of Cercyonis meadi in Colorado. 3352

distribution of Cordulegaster, 580

distribution of Diapheromera femorata in relation to host-plants. 3703

distribution of Hemerocampa pseudotsugata cocoons on Abies concolor and parasitization in California, 4084

distribution, host-preferences and seasonal abundance of Siphonaptera in New England. 5605

distribution of Malthodes in California. 520 distribution of Membracidae in Wisconsin in

relation to tension zone. 349

distribution of Scutigerella immaculata. 5606 distribution of Trichogramma pretiosum in

south-western USA. 4789

distribution of Tynomma in California. 1487 distribution of Typhlodromus mcgregori in apple orchards of Utah. 4796

distribution of Zealeuctra. 1947

duration of life-cycle of Triatoma sanguisuga texana and T.gerstaeckeri in S.W.Texas. 4707

Dursban in relation to pond populations of Corisella. 4880

Dytiscidae new for. 5603

ecological distribution of Formicidae in Gregory Canyon, Colorado. 3632

ecological distribution of Hydracarina in N.C. Colorado, 3172

ecological distribution of larval Tabanidae in a New Jersey salt marsh. 4828

ecology of carrion beetles in Hutcheson Memorial Forest, New Jersey. 4085

ecology of Dermacentor andersoni in relation to small mammals. 5469

ecology of grass-infesting Eriophyidae in Ohio.

ecology of Hexagenia in an Oklahoma reservoir.

ecology of insect populations on cabbage in S.California. 5479

ecology and populations of Coccus hesperidum in citrus groves of lower Rio Grande Valley. 830

ecology of sandspit ponds in L.Erie, Pennsylvania. 3166

emergence times of Dipt. in relation to imaginal drift in Praters' Creek, S.Carolina. 5477

Entomophthora as factor regulating Tetranychus urticae populations on cotton in Alabama.

Eurema salome new for Texas. 3704

evolution and geographical variation in Pseudosinella in Texas. 2858

Exoteleia burkei present in Sierra Nevada, California. 2242

extensions of ranges of Papilionidae in Michigan. 4948

fecundity and longevity of Anthonomus grandis complex in Arizona. 3552

feeding levels of Pristiphora erichsonii on Larix. 5399

field relations of Apanteles congregatus and Manduca sexta in Kentucky. 793

food habits of Solenopsis saevissima richteri in S.E.Louisiana. 3136

feeding and oviposition of Ephydra bruesi in Yellowstone National Park. 3621

frequency distribution of Adelges piceae on Fraser fir in N.Carolina, 1957

gene variation in central and marginal populations

of Drosophila pseudoobscura. 1787

Glaucopsyche of California. 3707

habits and life-cycle of Acrobasis comptoniella in Michigan. 4037

Hexagenia limbata californica in a warmwater reservoir in California. 4947, 5604

host-feeding associations of Culicidae in Wisconsin. 4752

host-plant, larval habits and parasites of Molorchus bimaculatus semiustus and Rhopolophora rugicollis in Texas. 5445

host-plants of Bruchidae. 2479

hosts and occurrence of Ixodidae in E.C. Oklahoma. 4775

Hyalomyodes triangulifer parasitic on Oulema melanopus in Michigan. 795

Hydracarina new for Colorado. 3172

Hymenoptera parasitic on Neodiprion tsugae in S.E.Alaska. 3149

Hymenoptera parasitic on Dasineura balsamicola and their life-cycles in Maine. 4786

Hyposoter pilosulus new for Arizona. 5412

identity of 'Malacosoma fragile' on bitter-brush in California, 3387

identity, habits and seasonal distribution of
Tabanus quinquevittatus in New Jersey. 4853

incidence of Demodex in eyelids of domestic ungulates in south-western USA. 1698

infestation of harbour seal with Echinophthirius horridus in Florida. 2749

infestation of peaches by Rhagoletis suavis in New York. 1704

infestation of Quercus rubra by Pamphilius phyllisae in Pennsylvania. 3623

Insecta of oxidation lagoons in Missouri. 1738,
3199

Insecta of Potomac River. 3164

Insecta emerging from brown slime-fluxes in S. New England, 4096

integrated control in relation to aphids and their enemies in an Ohio apple orchard. 5461

integrated control of Hypera postica in Indiana. 5330

introduction of Apanteles rubecula as parasite
 of Pieris rapae. 5414

Isoptera of Wisconsin. 2821

isozymes in natural populations of Pogonomyrmex barbatus in Texas. 2831

Ixodes ochotonae in S.W.Montana. 5469

Ixodes scapularis established in N.Wisconsin. 4945

larvae and pupae of eastern N.American Tabanidae. 5680

larvae of Arizona Stenoporpia described and keyed. 1966

larval habitats and population densities of Tabanidae in S.Louisiana. 844

larval mine in leaf from Miocene of E.Washington. 944

Latrodectus hesperus the black-widow spider of Pacific States. 3277

Lema trilineata of S.California renamed L.t. daturaphila. 4270

Lepidoptera associated with pig carrion in S. Carolina. 3545

Lepidoptera new for Michigan. 4948

Leptus parasitic on Anthonomus grandis in S. Carolina. 5419

life-cycle of alpine tundra Arachnida in Colorado. 4730

life-cycle of Hylobius pales and Pissodes approximatus in C.Pennsylvania. 4738

life-cycle patterns of Chaoboridae and Chironomidae in a floodplain lake in Minnesota. 4098

life-cycle and phenology of Grapholitha molesta in S.Missouri. 5507

life-cycle of Tiphia berbereti in relation to Phyllophaga anxia in Nebraska. 4734

life-cycle of Typhlodromus mcgregori in apple orchards of Utah. 2711

Loxosceles laeta new for Los Angeles County, California. 2867

Lycaenidae new for . 4950

mammal hosts of Tabanidae of alluvial and estuarine areas of Louisiana. 1262

mass-releases of Stethorus picipes in relation to Oligonychus punicae populations on avocado in S.California. 2796

mating preferences of eastern and western strains of Hypera postica. 5323

Megachile rotundata and Nomia melanderi for pollination of Medicago sativa. 5962

Meleoma tezcucana comb.n. new for Arizona. 4389

Michigan populations of Cicindela repanda with reduced elytral maculae. 3191

migration of anholocyclic strain of Therioaphis maculata into E.Nebraska. 1710

migrations of Pseudatomoscelis seriatus from Mexico. 2798

Musca autumnalis as pest of bison and other mammals in Montana. 4701

Nematoda and Protozoa parasitic in Blattella germanica in New York City. 4689

new Acaridae from . 3321

new Aphididae from . 3333, 3334, 5691

new Apidae from . 4342

new Argidae from . 4344

new Asiliidae from . 1422, 2939

new Audycoptidae from . 5614

new Braconidae from . 1909, 1910

new Bruchidae from . 1401, 2479

new Buprestidae from . 1403

new buprestidae from . 140

new Carabidae from . 3736

new Ceraphronidae from. 566

new Ceratopogonidae from . 1426, 2944

new Chironomidae from . 2945

new Chrysididae from . 1914

new Chrysomelidae from . 4272

USA, contd. new Cicadellidae from . 3691, 5045 new Coccidae from . 5040 new Coccinellidae from . 4994, 4996 new Cordulegasteridae from . 580 new Culicidae from . 1870, 3765, 3766 new Curculionidae from . 3304, 4276 new Diaspididae from . 1898, 4335, 4336 new distribution and host records for Meringis in California. 6009 new Dolichopodidae from . 5026 new Ephydridae from . 4303 new Eriocraniidae from . 3347 new Eulophidae from . 5725 new Eurytomidae from . 4353 new Eylaidae from . 2882 new Gracilariidae from. 3004 new Ichneumonidae from . 3340, 3341, 3342 new Leuctridae from . 1947, 3355 new Limnephilidae from. 3356 new Limnesiidae from . 13 new localities for Aphaereta varipedis in Virginia. 1909 new localities for Paria. 4272 new localities for Sisyridae and spongillid hosts in Louisiana and Texas. 861 new localities for Nemouridae in New Hampshire. 3355 new Lycaenidae from . 4374, 5069 new Lycosidae from . 1829 new Machilidae from . 3834 new Meloidae from . 3745 new Menoponidae from . 1474 new Miocene Trichoptera. 4406 new Miridae from . 3783, 4320 new Nitidulidae from . 978. 2919 new Oligoneuriidae from . 5034 new Oonopidae from . 2889 new Podopolipidae from . 2464 new Pselaphidae from . 2920 new Pseudoscorpiones from . 5 new Pteromalidae from . 1926, 4360 new Pterygosomidae from . 4234 new Pyralidae from . 2534, 2535, 3825 new records of Amitermes in Arizona. 3195 new records of Culicoides in Virginia. 1818 new records of Masaridae from Arizona. 112 new records of Masaridae from California. 112 new records for Tricorythidae in Georgia, S. Carolina and Texas. 2964 new Rhagionidae from . 1430 new Satyridae from . 3352 new Sciomyzidae from . 541, 1878 new Scorpiones from . 3296 new Sminthuridae from . 1858 new Sphecidae from . 1457, 2998 . 2999 new Stratiomyidae from . 1433, 1434

new Tephritidae from . 3321

new Trombiculidae from . 4240, 4241, 4242

new Tiphiidae from . 4364

new Zerconidae from. 955 Noctuidae new for California and Nevada. 42.02 Noctuidae new for New Jersey. 4949 Noteridae new for. 5603 nuclear-polyhedrosis virus and parasites from noctuid larvae in S.California. 3153 Nysius raphanus as pest of tobacco in Florida and Georgia. 5446 Ornithodoros hermsi responsible for outbreak of tick-borne relapsing fever in Spokane County, Washington. 2756 Orocharis of. 125 Orthosia hibisci as pest of azaleas, rhodendrons and roses in Maryland and Virginia. 5447 Oulema melanopus parasitized by Trichogramma in Michigan. 2753 overwintering of Dendrosoter protuberans in Missouri and Ohio. 4779 overwintering of inseminated ♀ Anopheles punctipennis in California. 4744 overwintering of Rhodnius prolixus in San Antonio area of Texas. 4707 Pandeleteinus submetallicus new for Wayne County, Utah. 2911 parasites associated with Eucosma rescissoriana in Pinus monticola in N.Idaho. 2531 parasites of Heliothis zea larvae on Zea mays tassels in S.California. 5420 parasites and hyperparasites of Diprion similis in Wisconsin. 794 parasites of Platyptilia pica cratea in California. 3580 parasites in relation to populations of Choristoneura pinus in Michigan. 2800 parasites, populations and damage caused by Therioaphis maculata in Delaware, Maryland and New Jersey. 5503 parasitization of Heliothis and Trichoplusia eggs by Trichogramma semifumatum in lower Rio Grande Valley, Texas. 5499 phenology of Anaphes flavipes in N.Indiana. phenology of Anax junius in C.Pennsylvania. phenology of Draeculacephala mollipes in Kentucky. 4711 phenology and population dynamics of Bathyplectes curculionis in Indiana. 3599 physiological condition of overwintering ♀ Anopheles freeborni in California, 3518 Pissodes strobi infesting Pinus virginiana and Pinus strobus, 1286 plant host distribution of Stictocephala bubalus on an island in the Mississippi River. 3582 Plecoptera new for Wyoming. 3355 Plecoptera of Bridge Wilderness area, Wyoming. 3355 population dynamics of Hypera postica in

new Tydeidae from. 3291

Ohio. 4846

population levels of Diabrotica longicornis and D.virgifera in Minnesota. 940

populations of Culicidae in areas of Texas treated and untreated with ULV malathion. 4831

poultry-manure removal in relation to dipteran larvae and predators in N.California. 4836 predation on Diatraea saccharalis eggs in

Louisiana. 2795

predation by Laphria gilva on Dendroctonus ponderosae in S.Dakota. 1666

predation by woodpeckers on insects of hardwood trees in Arkansas and Mississippi. 1312

predators in natural control of Heliothis zea in California. 3600

predatory behaviour of Scatophaga stercoraria in California. 3556

primary parasites of Saissetia oleae in Florida. 4778

production of Diptera in garbage pits in S. Carolina. 3177

Pseudoscorpiones new for Michigan. 3706 Pseudoscorpiones of Michigan. 3706

Pterophylla camellifolia populations differing in behaviour and morphology. 5514

records of Argas. 4219

records of Williamsonia fletcheri. 3710 reproducing populations of Loxosceles laeta present in Massachusetts and of L.rufescens in Texas. 939

resistance of Hylemya platura to aldrin in Illinois. 2810

resistance of simuliid larvae to p,p'-DDT in New York State. 5472

resistance of Trichoplusia ni to organophosphates in New York. 5506

Rhagoletis from cherry in Wisconsin. 943, 5436 Scarabaeidae as intermediate hosts for swine

spirurids in S.Georgia. 4669

seasonal abundance and parasites of Homoeosoma electellum in Texas. 2808

seasonal dynamics of Chaoboridae and Chironomidae in a pond in Tennessee, 3631

seasonality of oviposition by Hypera postica in Ohio. 739

Siphonaptera from N.New York. 4196 status of Anax junius in S.Minnesota. 758 Stempellia lunata sp.n., attacking larval Culex polosus in Florida. 5172

survival of overwintering Diatraea grandiosella larvae in corn stalks in Louisiana. 2814

Systema frontalis larvae feeding on roots of corn in Ohio. 784

Systemus reviewed. 5026

Tabanidae of Patuxent Wildlife Research Centre, Laurel, Maryland. 4946

cis-11-tetradecenyl acetate (RiBLuKe) for trapping Argyrotaenia velutinana in Hudson

Valley apple orchards. 5263

Tetrastichus incertus as parasite of Hypera postica in E.States. 497

Thysanoptera of Polyporales in S.Blue Ridge region, western N.Carolina. 3586

uncommon Rhopalocera of N.E.Indiana. 3709
West Coast populations of Polygonia satyrus.
1937

windbreaks in relation to abundance and distribution of Coccus hesperidum in citrus groves in Texas. 4837

Usia martini sp.n. (Dipt., Bombyliidae), described.

R.L.Usinger, bibliography and list of names proposed in Homoptera. 1390

Utamphorophora (Hem., Hom., Aphididae), new for Europe and alpicola sp.n., described. 3786

Utetheisa (Lep., Arctiidae), Indian spp revised and keyed and new spp described. 1931

Utetheisa ornatrix,

Caribbean populations not separate sp. 930 subspp discussed. 930

Utetheisa pulchella, an assemblage of spp. 1931 Utetheisa pulchelloides vaga, taken at Palmerston North, New Zealand, in 1968, 3697

UTP [wridine triphosphate], in relation to choline kinase of Periplaneta americana. 3936
USSR,

Aedes rempeli new for . 4432 Aedes thibaulti new for . 4927

Aleyrodidae of C.Asia and Kazakhstan . 4326 altitude distribution of Tabanidae . 5476

Apion spp new for Kavkaz. 938

Apion of Kavkaz. 938

Apioninae on wild Leguminosae in Leningrad area. 4794

Argas boueti new for. 5564

Argasidae new for. 4218

BHC-resistance in Phytonomus variabilis in Ararat Valley, Armenia. 4845

biological bases for control of Elateridae. 5463 biology of Aphanostigma piri in Krym. 5384

biology of Arge pagana in relation to Rosa in Belorussia. 1277

biology and control of Edwardsiana crataegi and E.froggatti on Malus in Tambov region. 2093 biology, control and ecology of Laspyresia

funebrana in Rostov area. 1675 biology and ecology of Agrilus ater in relation to

Populus . 1658 biology and ecology of Agriotes ponticus and

Melanotus fusciceps in Krasnodar region. 1659

biology and ecology of Cabera pusaria and C.exanthemata in Belorussia. 1236

Amur district. 5366

biology and ecology of Dermestes laniarius in Rostov area. 4826 biology and ecology of Holotrichia diomphalia in

USSR, contd.

biology and ecology of Nematus ribessii in Belorussia. 1290

biology and ecology of Palaeolecanium bituberculatum in Armenian SSR. 4825

biology and ecology of Parlatoria oleae in Lenkoran'. 1674

biology and ecology of phytoseiid predators of Tetranychidae in Belorussia, 1305

biology, ecology and natural enemies of Quadraspidiotus perniciosus on Sakhalin. 1289

biology of Gilpinia hercyniae in Lithuanian SSR. 5369

breeding-sites of Culicidae in Donetsk region. 4881

Bruchidae of Gruziya, 1791

Carabidae keyed on proventricular anatomy.
4518

C.Asian Bemisia keyed. 4326

Ceratopogonidae from Kedrovskaya Pad' Reserve, Primor'e. 5024

Ceratopogonidae new for . 5024

Chironomus ex gr.salinarius new for S.Primor'e. 6039

Chloropidae new for Primor'e. 5571

chromosomal polymorphism in a Moskva population of Drosophila funebris. 6096

Chrysomela (Pezogrosita) of C.Asia and Kazakhstan, 5635

Coccinellidae of Festuca-Stipa steppe of Ukraina. 2147

Coleoptera from nests of small mammals in

Transcarpathian region. 4078 Cribellatae, Ecribellatae, Haplogynae and

Trionychae of Tadzhikistan. 959 DDT-susceptibility of Ceratophyllus fasciatus and Xenopsylla cheopis. 4581

distribution of Acaroidea in rodent-nests in Belorussia, 1292

distribution of Diplopoda in mixed forests in Kavkaz. 5396

distribution of Ixodes persulcatus. 5565

distribution of Trombiculidae in N.E.Azerbaydzhan. 1726

dynamics of mutation process in Drosophila melanogaster populations. 6089

ecology of benthos in brackish-water basins of Primor'e, 6039

ecology of Chrysopidae and Syrphidae in relation to aphid populations in N.E.Belorussia. 1306

ecology, distribution and systematics of synanthropic Diptera in Tyan'-Shan' Mts., Kirgizia. 4860

ecology and faunistics of Coccinellidae in Festuca-Stipa steppe of Ukraina. 2147

ecology and host distributions of Ornithodoros tartakovskyi and O.coniceps on Mangyshlak Peninsula. 4785

ecology of parasites of Sirex dux and Urocerus argonautarium in N.W.Kavkaz. 5481

ecology and species composition of Heteroptera in Volga Delta. 2786

Gamasoidea of Lagurus luteus in Zaysanskiy Depression, Kazakhstan. 5487

Halticinae of Dagestan. 466

Harpalus (Actephilus) revised. 1406

Hirstionyssus blanchardi parasitic on Marmota in Kazakhstan. 4781

introduction of Tarachidia candefacta for control of Ambrosia, 6019

larvae of Anthaxia and Cratomerus described and keyed. 5795

larva of Rhyacophila pascoei from Latvian SSR. 1486

Leptanillinae new for. 5054

Micryphantidae of Tadzhikistan. 5618

Neotrombicula of Transcarpathia keyed. 4238 new Acerentomidae and Protentomidae from.

5769

new Acrididae from . 581, 582, 1478

new Aleyrodidae. 4326

new Anthocoridae and Microphysidae from . 2966

new Araneae from . 959

new Argasidae from . 12

new Bombyliidae from . 1424

new Cantharidae from . 4990

new Capniidae from . 1481, 4395, 5768

new Carabidae from . 1406, 5627

new Ceratophyllidae from . 5771

new Ceratopogonidae from . 5024

new Ceratozetidae from . 4970

new Chamaemyiidae from . 5668 new Chrysomelidae from . 466, 5635

new Cicadellidae from. 558, 5042, 5043, 5044, 5698

new Delphacidae from . 5042, 5701, 5702

new Elateridae from . 4997

new Eumastacidae from . 581, 1478

new Formicidae from. 5054, 5729, 5730

new Glyciphagidae from . 5615

new Glyphipterygidae from . 4369

new Helodidae from . 38

new Hemerobiidae from . 124

new Hemisarcoptidae from . 1393

new Histeridae from . 974

new Hydrenidae from . 4998

new Hyperoscelidae from . 4305

new Ichneumonidae from . 1454, 4357, 5731

new Incurvariidae from . 5066

new Isotimidae from . 4982

new Margarodidae from. 1445

new Micryphantidae from . 5618

new Nycteribiidae from . 2505

new Oribatei from . 4973

new Perlidae from . 5768

new Phytoseiidae from . 5616

new Platygastridae from . 5716

new Ptilonyssidae from . 4235

new records of Ochthebius from Turkmenistan.

4998

USSR, contd.

new Sarcophagidae from. 4310

new Scaphidiidae from . 3748

new Scarabaeidae from . 5013, 5015

new Scelionidae from . 5716

new Staphylinidae from . 1416, 3753

new Stratiomyidae from . 77

new Tenebrionidae from . 4288

new Teneriffiidae from . 4976

new Tephritidae from . 5032

new Tettigoniidae from . 581, 1478

new Therevidae from . 5031

new Tortricidae from . 1021

new Trombiculidae from . 4238, 4979

Nycteribiidae from Kavkaz and C.Asia. 2505

Oribatei new for . 4973

Oribatei from wetland forests of S.Primorskiy

Kray. 4973

Ornithomyia comosa new for. 4930

Orthoptera of S. Krasnoyarsk region. 6150

Orthopteroidea of E. and C. Predkavkaz'e. 4195

Paradichosia new for . 6122

Paradichosia of Primor'e keyed. 6122

phenology of Drosophila phalerata. 5925

phenology of Drosophila phalerata. 3923 phenology of univoltine Pyraloidea in Belorussia.

1235

Plecoptera of C.Asia. 1481

Plutomurus, Pogonognathellus and Tomocerus

described and keyed. 534

Pyraloidea of Belorussia, with new records. 1372

Sciaridae new for. 4190

Simuliidae of Taimyr National District. 4719

Siphonaptera of Belorussia. 1809

Sphingonotus of Kazakhstan keyed. 582

Staphylinidae of Kabardino-Balkariya, Kavkaz. 1416

surface distribution of Phlebotominae in anchored sands of E. Turkmenia. 6050

taxonomy and zoogeography of Ixodes persul-

catus group. 1394

Tenthredinoidea of the Poles'ye of Belorussia, with new records, 1378

with new records. 13/8

Trichoptera new for Lithuanian SSR. 4197

Trombiculidae new for Transcarpathian Region.
4238

Trombiculidae of Raif district of Volga-Kama State Reserve, 4835

Trombiculidae of Transcarpathia. 4238

Tylopsis lilifolia new for C.Asia. 1478

types of Palaearctic Scolytidae in Zoologisches-

kiy Institut AN SSSR, Leningrad. 4284

zoogeography of C.Asian Nycteribiidae. 2505

V

cis-Vaccenyl acetate, in ejaculatory bulb of adult of Drosophila melanogaster. 4002

Vaccinium (Ericaceae),

biology of Acalitus vaccinii. 4709

fumigants for control of Rhagoletis mendax and Rh.pomonella. 5339

serology of Rhagoletis pomonella populations.

Vacuum-cleaner, use for collecting and counting Apis mellifera. 5098

Vadonaxia peyrierasi gen. et sp.n. (Col., Buprestidae), described. 4260

Vadonaxiini trib.n. (Col.), established within Buprestidae. 4260

Vadonus subgen.n. (Col., Histeridae), established in Bacanius. 39

Vanadium, compounds as reproduction inhibitors in Cochliomyia hominiyorax. 5319

Vandex pophami sp.n. (Derm., Labiidae), described and spp keyed. 1861

Vanessa atalanta (Lep., Nymphalidae), rearing.

Vanessa itea,

new for Philip Islands. 2865

seasonal occurrence on Norfolk I., Pacific

Ocean. 4953

Vanessa kershawi,

migrations in Australia in 1963-1968. 2772 new for Norfolk Island, Pacific Ocean. 2865 at Palmerston North, New Zealand, in 1968. 3697

seasonal occurrence on Norfolk Island, Pacific Ocean. 4953

Vanessa urticae, external disturbance and time of day in relation to reactions to light. 5848

Vagoiavirus melolonthae (viruses), for control of larval Melolontha melolontha in France. 5173

Valanga nigricorne (Orth., Acrididae), species name and neotype designation. 1022

Valine, level in Musca domestica tissues during metamorphosis. 4647

Vapour pressure deficit, in relation to development in Dioryctria amatella-zimmermanni complex. 5491

Variation,

in Agulla xanthostigma and Raphidia ophiopsis.

of coloration in Cryptocephalus amiculus. 146

in Costelytra zealandica. 828 genetic variation in Acraea encedon in Uganda.

1302 genetic variation through recombination in Variation, contd.

Drosophila melanogaster. 379

genetic variation of wing-venation in Ischnura.
432

geographical races of Laspeyresia pomonella with respect to diapause. 1189

geographical races of Orgyia antiqua with respect to sub-oesophageal ganglion neurosecretion. 1188

geographical variation in biology, bionomics
 and ecology of Callosobruchus chinensis.
 3610

geographical variation in diapause and development characteristics of Chilo suppressalis. 4723

geographical variation and evolution in Pseudosinella violenta and P.hirsuta. 2858

geographical variation in Kalotermes flavicollis of Italv. 354

in Morabinae. 1982

of wing morphology in Drosophila virilis populations. 153

Vatesus (Col., Staphylinidae), immature stages and behaviour in relation to Eciton and Labidus praedator. 3137

VCS-506 [O-(4-bromo 2,5-dichlorophenyl) O-methyl phenylphosphonothioate], control of Spodoptera littoralis in Egypt. 5352

Vegetables,

damage by Acari and Insecta in Ontario, Canada, in 1968. 3158

pests in Philippines. 3593

Vejovidae (Arach., Scorp.),

birth and post-birth behaviour in N.American spp. 4013

Charmus transferred to Buthidae. 4250

Vejovis (Arach., Scorp., Vejovidae), new spp from Mexico. 4251

Vejovis mesaensis, biology. 2892

Velvet mite, see Allothrombium lerouxi

Velia (Hem., Het., Veliidae), taxa occurring in Carpathian Basin, Hungary. 1376

Velia caprai,

photo-geotactic angle-transposition. 5207 upstream movements in a stream in S.Sweden. 2815

Veliidae (Hem., Het.), 1376, 1891, 2815, 5207 Velocipedidae (Hem., Het.), 148, 2515

Venezuela,

biology of Haeterini and Biini. 4819

new Anthicidae from . 3732

new Apidae from . 5050

new Aulacigastridae from . 57

new Chirorhyncobiidae from . 4221

new Chrysomelidae from . 4255

new Cicadellidae from . 5045

new Ixodidae from . 508, 4227

new Leiodidae from . 1842

new Miridae from . 4321, 5038, 5039

new Odonata from . 5082

new Pieridae from . 3823

new records of Heliconius antiochus salvinii.

new Scarabaeidae from . 5649

Odonata of Mt.Auyantepui and Sierra de Lema region. 5082

Venoms,

collection by electrical stimulation from Apis mellifera, 3948

effects of bites of Loxosceles arizonica and L. unicolor on rabbit and man. 1244

effects of Pterinochilus venom. 763

human complement inhibitor in Loxosceles reclusa venom. 2104

inhibitor of insect mitochondrial respiration in Myrmecia gulosa venom. 5237

Latrodectus venom in relation to evoked action potentials in Periplaneta americana nervecord. 1247, 5391

Latrodectus venom in relation to end-plate potential, nerve terminal spike and ultra-structure in Rana pipiens muscles. 3560, 3561 leptinotarsin from Leptinotarsa decemlineata.

5392

Loxosceles reclusa venom in relation to Heliothis virescens larvae. 1245 MCD-peptide of Apis mellifera venom. 760

melittin in relation to membranes of rabbit polymorphonuclear leucocytes. 1246

poison glands of Aphidiidae. 5912

poison glands of Tegeneria atrica. 3955 polymorphonuclear leucocytes in relation to

lesion from Loxosceles reclusa venom. 4048 production in larval Tetanocera plebeia. 4716 proteolytic activity of Pamphobeteus roseus venom. 5994

reduviid and scorpion venoms in relation to puparium-formation in Sarcophaga argyrostoma. 5287

secretion by Asilidae. 3082

secretion by Ixodes halocyclus on engorgement. 3840

secretion by Pterinochilus. 763

starvation in relation to ultrastructure of venom system in Nasonia vitripennis. 4751

Verbascum thapsiforme (Scrophulariaceae),

behaviour of Clytiomyia continua and Gymnosoma spp in relation to. 3529

Vercammenia (Arach., Acari, Trombiculidae), biology and spp keyed. 4245

Vercammenia gloriosa sp.n., described. 4245 Vernonia guineensis (Compositae), importance in nutrition of savannah ants. 1729

Veronica (Scrophulariaceae), overwintering host for Aphis gossypii. 6017

Verrallia aucta (Dipt., Pipunculidae), larval biology in Neophilaenus spp and Philaenus spumarius. 1267

Vertagopus (Collem., Isotomidae), new spp described. 4982 Vesbius seyrigi sp.n. (Hem., Het., Reduviidae). described. 4323

Vesiculaphis verbasci sp.n. (Hem., Hom., Aphididae), described. 90

Vespa binotata Fabricius, transferred to Parancistrocerus. 3346

Vespa cincta (Hym., Vespidae), relative density. 1983

Vespa crabro, chymotrypsin-like protease from larval midgut. 655

Vespa orientalis,

biochemical analysis of queen. 659 chymotrypsin-like protease from larval midgut. 655

head-capsule and mouthparts. 5796

queen pheromone identified as delta-n-hexadecalactone. 1150

Vespa quadripunctata Fabricius, identical with Antepipona ovalis. 3346

Vespidae (Hym.),

164, 355, 356, 655, 659, 1150, 1355, 1459, 1983, 2101, 2554, 3346, 3553, 3569, 4457, 4746, 4754, 5409, 5742, 5796, 5811

Vespoidea (Hym.),

in relation to honeydew-production by Buchneria pectinatae. 2152

of Italy. 2

from N.E. Danube Delta, Romania. 2219 types described by Fabricius re-examined. 3346 Vespula (Hym., Vespidae),

attractancy of dimethyl benzyl carbinyl acetate and n-butyl benzoate. 5811

attractancy of heptyl butyrate. 2554

Vespula germanica,

for biological control of Paropsis charybdis in New Zealand. 3553

foraging behaviour. 4754

particles present in haemolymph. 4457 prey of Neoitamus bulbus in New Zealand. 3569

Vespula pensylvanica, attractancy of heptyl butyrate. 2554

Vespula vulgaris, foraging behaviour. 4754 Vestria viridis (Orth., Phaneropteridae), biology and reproductive morphology. 3103

Vesubia jugorum (Arach., Aran., Lycosidae), ♀ redescribed. 2888

M.Vetukhiv, sexual isolation in Vetukhiv's experimental populations of Drosophila pseudoobscura. 3209

Veurise (Neur., Nemopteridae), Argentine distribution. 4205

Vianodes paraguaya sp.n. (Col., Brentidae), described. 965

Vibration.

egg-production and embryo lethality in Habrobracon juglandis after vibration. 3994

mechanical vibrations in relation to positive phototaxis in Locusta migratoria. 639 perception and associated behaviour in Apis mellifera. 6064 substrate vibration in relation to flight activity in Apis mellifera. 2571

Viburnum opulus (Caprifoliaceae), host-plant of Pamphilius ochreipes in Ontario, Canada. 4044

Viceroy butterfly, see Limenitis archippus Vicia (Leguminosae),

Apion on in Israel. 5510

Apioninae on in the Leningrad, USSR, area. 4794

Vicia faba,

alate production in Acyrthosiphon pisum. 1617 Apion on in Israel. 5510

diversity of insect fauna. 2785

fecundity of Pyrgomorpha conica. 6003

feeding by Oncopeltus fasciatus. 5397

oviposition by Empoasca fabae. 740, 4657 parasitization of Acyrthosiphon pisum in relation

plant nutrition in relation to malathion tolerance of Tetranychus cinnabarinus. 5266 starvation in relation to feeding behaviour of

Acyrthosiphon pisum. 1259 take-off time for Schizaphis graminum 4466

Viciria pavesii (Arach., Aran., Salticidae),

Vietnam,

Hydrachnellae from . 1821

Laelapidae from . 4971

Lucanidae from . 5001

new Blattodea from. 3756

new Cerambycidae from. 3300

new Cicadellidae from . 5694, 5696

new Gomphidae from . 1477

new Hydrachnellae from . 1821

new Leuctridae from . 3014

new Scarabaeidae from . 4986

Odonata from . 1477

Plecoptera from. 3014

Vigna catjung (Leguminosae), Pediculoides ventricosus parasitic on Callosobruchus maculatus in seeds. 4844

Vigna sinensis, relations of Bruchus sp. 2130 Villa albogilva sp.n. (Dipt., Bombyliidae),

described. 1868

Villa dioscoridae sp.n., described. 4296.

Villa lateralis, parasites of N.American Tabanidae. 5680

Villa nomadorum sp.n., described. 4297

Vine, see Vitis

Vineblastine sulphate, in relation to microtubular organization of ovary in Rhodnius prolixus. 5908

Vipio sp (Hym., Braconidae),

new for Sudan. 6011

parasite of Chilo zonellus and Sesamia cretica in Sudau. 6011

Virgin Islands (West Indies), new Oonopidae from US Virgin Islands. 2889

Viridicatine, toxicity to Glyciphagus domesticus

Viridicatine, contd.

and Histiostoma sp. 1722

### Viruses.

Acari as vectors of plant viruses. 5440 actinomycin in relation to replication of cytoplasmic polyhedrosis virus in Malacosoma disstria. 5540

Acyrthosiphon pisum transmission of bean yellow mosaic virus correlated with salivation, 2105

anti-viral substance in relation to diet in Bombyx mori larva. 2011

application to soil and foliage for control of Pieris rapae and Trichoplusia ni. 5961

Argas streptopelia sp.n. on viraemic avian hosts. 4220

Bergoldiavirus oleraceae sp.n. from Mamestra oleracea. 5345

bioassay technique for nuclear polyhedrosis virus of Heliothis zea. 3033

biology and ecology of Culex modestus in relation to West Nile virus in Camargue, France, 6037

Chilo iridescent virus in relation to metamorphosis of Bombyx mori. 3092

CO<sub>2</sub>-sensitivity from σ-virus in Drosophila melanogaster due to nerve infection. 5175

crystalline-array virus from Melanoplus bivittatus. 5818

Culex vishnui complex in Japanese-encephalitisinfected localities of Madras State, India. 1654

culture in established cell-line from adult tissue of Trichoplusia ni. 5805

cyst formation as defence reaction in Neodiprion swainei. 3431

cytoplasmic polyhedrosis in adult Trichoplusia ni and progeny. 2055, 5804

cytoplasmic polyhedrosis of Anoplonyx destructor. 5801

cytoplasmic polyhedrosis in relation to development and fecundity in Pectinophora gossypiella. 3963, 5268, 5802

cytoplasmic-polyhedrosis and nuclearpolyhedrosis infections of Culicidae in Louisiana, USA. 2009

cytoplasmic polyhedrosis in relation to Trichoplusia ni, 5804

densonucleosis in relation to uric-acid formation in larval fat-body of Galleria mellonella. 3455

disruption of cytoplasmic polyhedrosis virus of Malacosoma disstria. 5104

ecology of Dermacentor andersoni in relation to Colorado tick fever virus. 5469

epizootiology of African swine fever in Africa. 3147

granulosis of larval Plutella xylostella. 5344 granulosis virus for control of Pieris rapae and Trichoplusia ni. 5961 granulosis virus multiplication in larval midgut cells of Trichoplusia ni. 3921

granulosis virus route from gut to haemocoel in larval Trichoplusia ni. 3921

haemocyte ultrastructure in Spodoptera littoralis with nuclear-polyhedrosis virus. 2003

haemolymph proteins in relation to nuclear polyhedrosis in Mamestra brassicae. 3433

histopathology of nuclear polyhedrosis in pupal Trichoplusia ni. 5823

hormone-mimics in relation to polyhedrosis in Malacosoma californicum pluviale. 2632

incidence of Tungro virus in diazinon-treated and untreated rice in Philippines. 2141

infection rate of Japanese-encephalitis virus in Culex tritaeniorhynchus summorosus in Toyama Prefecture, Japan. 1676

infectious components of granulosis virus of Laspeyresia pomonella. 5808

insect-spread viruses and the cocoa farm. 5433 insecticidal control of Macrosteles fascifrons in relation to incidence of aster yellows in carrot. 4830

iridescent virus infecting larval Aedes stimulans, 5812

Ixodoidea in relation to human viroses in Switzerland, 4187

lethal mutations induced by insect viruses in Drosophila melanogaster. 5549

ligaturing in relation to development of nuclear polyhedrosis in larval Galleria mellonella.

media for serological testing of iridescent virus. 5147

melanotic lesions due to rous sarcoma virus in Drosophila melanogaster and Melanoplus sanguinipes. 5814

micro-chamber for insect virus studies. 3841 Neodiprion sertifer mass-reared for production of nuclear polyhedrosis virus. 5116

non-occluded virus of Nudaurelia cytherea capensis. 5820

nuclear polyhedrosis in relation to protein synthesis in silk-gland of Bombyx mori. 1563 nuclear polyhedrosis in Trichoplusia ni. 1204

nuclear polyhedrosis in relation to uric-acid formation in Neodiprion swainei larvae. 2022, 2060

nuclear polyhedrosis virus for control of Pieris rapae and Trichoplusia ni. 5961

nuclear-polyhedrosis virus in epizootic of Porthetria dispar. 4109, 6048

nuclear-polyhedrosis virus in ligatured Galleria mellonella larvae. 5149

nuclear-polyhedrosis virus from noctuid larvae in S.California, USA. 3153

nuclear-polyhedrosis virus susceptibility in Porthetria dispar. 2063

nuclear-polyhedrosis virus transmission in

Viruses, contd.

Trichoplusia ni. 1204

nuclear-polyhedrosis virus transmitted transovarially in Porthetria dispar. 2063

nuclear-polyhedrosis virus of Trichoplusia ni from bird faeces. 6049

nuclear-polyhedrosis virus in relation to Voria ruralis parasitizing Trichoplusia ni. 3536

overwintering of Čalovo virus in artificially infected ♀ Anopheles maculipennis messeae. 5356

overwintering of Tahyňa arbovirus in Culex modestus in France. 4018

pathogenicity of rice dwarf virus for Nephotettix cincticeps. 5458

pathology of Polypoxvirus chironomi in Chironomus luridus. 5806

poliomyelitis virus and lethal-mutation induction in Drosophila melanogaster. 2847

polyhedrosis and haemolymph transaminases in Bombyx mori. 5229

Polypoxvirus chironomi of Chironomus luridus. 5806

pre-acquisition starvation in relation to virus transmission by Acyrthosiphon pisum. 1259 prevention of cytoplasmic polyhedrosis in

Pectinophora gossypiella eggs. 1959 protein metabolism of Bombyx mori midgut

epithelium during cytoplasmic polyhedrosis.
5855

rate of transmission of beet yellows virus by Myzus persicae in relation to food-plant. 1282

Rhabdionvirus oryctes established in Oryctes rhinoceros populations in W.Samoa. 2801

rous sarcoma virus in relation to chromosomes and tumour incidence in Drosophila melanogaster. 3987

sac brood in relation to haemolymph proteins of Apis mellifera. 3911

serology of microsomes in relation to cytoplasmic polyhedrosis in Bombyx mori. 5870

site of inoculation in relation to  $\text{CO}_2\text{-sensitivity}$  due to  $\sigma\text{-virus}$  in Drosophila melanogaster. 5174

SV40 virus in relation to tumour incidence in Drosophila melanogaster. 3986

Tahyňa arbovirus overwintering in Culex modestus in France. 4018

temperate viruses and 'controlling element' of 'white-crimson' gene in Drosophila melanogaster. 1763

Thrips tabaci in transmission of yellow dwarf virus of onion in Hungary. 3616

tick-borne encephalitis foci in C.Europe. 5509

tomato spotted wilt virus transmitted by Frankliniella schultzei. 3109

toxicity of Heliothis zea nuclear-polyhedrosis virus to white mice. 5181

transmission of bean yellow mosaic virus by

Acyrthosiphon pisum correlated with salivation, 2105

transmission by Myzus persicae in relation to food-plant. 1282

transmission of plant-pathogenic 'phytarboviruses' by insects. 5441

in relation to tumours in Drosophila melanogaster. 3986

Tungro virus in diazinon-treated and untreated rice in Philippines. 2141

Vagoiavirus melolonthae for control of larval Melolontha melolontha. 5173

viral disease of Panonychus ulmi. 4842

viral diseases of Insecta. 5166

viral pathogen of Paropsis charybdis. 3553

viroses in collapse of Dendrolimus pini outbreak in Hungary. 4077

virus-like particles in foregut epithelium of pupal-winged adult Tenebrio molitor. 2061

virus and egg-chamber development in Drosophila melanogaster. 5821

σ-virus yield after inoculation into abdomen and thorax in Drosophila melanogaster. 5175

weeds in relation to Graminella nigrifrons in epidemiology of corn stunt disease. 5512 wound tumour virus in Agallia constricta. 3984

yield of  $\sigma$ -virus from CNS in Drosophila melanogaster. 5175

Viscum album (Loranthaceae), food-plant of Orthops viscicola. 3327

Vision,

abnormalities in 'tan' and 'ebony' mutants of Drosophila melanogaster. 890

barium and tetraethylammonium chloride in relation to ocellar ERG in Blaberus craniifer. 3890

binocular vision for estimation of long distances in Stagmatoptera biocellata. 4493

colour- and shape-perception in drone Apis mellifera. 5522

colour-vision in Apis mellifera and Bombus. 1073

colour-vision in Colias eurythema, 2596 colour-vision in Glossina morsitans and G. pallidipes, 2734

colour-vision in Epargyreus clarus. 628 colour-vision in Metaphidippus aeneolus and Phidippus johnsoni. 1537

colour-vision in relation to ultrastructure in Apis mellifera. 627

connection patterns of 1st- and 2nd-order neurons in Calliphora vomitoria, 5194

contrast in relation to oviposition-site selection by Manduca sexta. 4661

courtship abnormalities of mutant Drosophila melanogaster as indicators of impairment.

daytime vision by Exyra rindingsi. 4032 ERG of pupal and adult Tenebrio molitor. 1538 1st optic ganglion of Musca domestica. 5200

# Vision, contd.

flicker-frequency discrimination in Apis mellifera. 626

flicker-fusion frequency in Epargyreus clarus. 628

fovea in eye of Stagmatophora biocellata. 3895 generalization of visual stimuli in Apis mellifera. 1069, 5209

in Gryllus bimaculatus and Tettigonia autans.

in host-finding by Glossina morsitans and G. pallidipes. 2734

in host-selection in Eucarcellia rutilla. 1265 importance of contrast in oviposition-site selection by Manduca sexta. 4661

information-processing in optic lobes of Romalea microptera. 3880

light-conduction and image perception in Anagasta kuehniella eye. 1076

in mating of Musca autumnalis. 4665

method for calculating coefficient of dichroicity of absorption for rhabdomere microvilli. 1084 method for study of pattern discrimination. 1034 mode of prey perception in Salticidae. 1532 of Musca domestica in flight. 1034

mutations of visual pathways in Drosophila melanogaster. 896

neural basis of colour-vision in Papilio troilus.

neural projection of visual fields on 1st and 2nd ganglia of eye in Insecta. 3891

and olfaction in Lasius fuliginosus. 353

optic-ganglion structure during metamorphosis in Tribolium castaneum. 1608

optic-lobe interneurons in relation to colourvision in Calliphora phaenicia and Musca domestica. 1080

optical orientation in Cataglyphis bicolor. 1541 optics and retina of principal eyes of Metaphidippus aeneolus and Phidippus johnsoni. 1537

in organization of courtship song of Gomphocerippus rufus. 3958

perception of polarized light by Apis mellifera. 627

prey-catching distance estimated by means of fovea in Stagmatoptera biocellata. 3894

properties and potentialities of the arthropod eye. 1084

receptors in Notonecta eye. 1536

resolving power of eye in Locusta migratoria and Schistocerca gregaria. 1533

shape perception in drone Apis mellifera. 5522 short-range visual orientation in pheromonestimulated of Trichoplusia ni. 4662

spectral efficiency in Tenebrio molitor. 168

spectral sensitivity of dark-adapted eyes of Manduca sexta. 3898

spectral sensitivity and visual system of larval stemmata of Bombyx mori. 1081 ultrastructure of photoreceptors in Insecta. 1084 ultrastructure of ventral photoreceptor cells in Limulus polyphemus. 2602

ventral photoreceptor cells of Limulus polyphemus, 2603, 2604

visual learning in Apoidea and Formicidae. 5849 visual orientation in Agelena labyrinthica. 3905

visual pigments of Insecta. 1072

visual responses of Rhagoletis cerasi. 5212

visual social displays in Arphia conspersa. 3083 wavelength discrimination in Tenebrio molitor.

Vitacea polistiformis (Lep., Aegeriidae), burial of pupae in relation to adult emergence. 3526

Vitamin A, in heads of alate Termes redemanni.

Vitamin  $\mathrm{B}_{12}$ , food acceptability for Solenopsis saevissima. 4760

Vitamin E,

and ovary maturation in migrant Herse convolvuli. 4012

required for ovary maturation in Autographa gamma in Hungary. 3533

Vitamins.

concentration in artificial diet in relation to wing-production in Myzus persicae. 4632

food acceptability of B vitamins for Solenopsis saevissima. 4760

requirements of aposymbiotic and normal Lasioderma serricorne. 1181

vitamins E and C of host-plants in relation to phenology and physiology in Barathra brassicae. 4516

Vitellogenesis,

aliesterase in Blattella germanica. 711

in Argas persicus. 4635

in autogenous and non-autogenous Culex pipiens.  $726\,$ 

control mechanisms in  $\mathcal{P}$  Lepismodes inquilinus. 1637

haemolymph-protein transport into oocytes of Panorpa communis. 1209

and haemolymph proteins in Leptinotarsa decemlineata. 1646

and haemolymph proteins in Leucophaea maderae. 1202

and haemolymph proteins in Ornithodoros moubata. 1201

incorporation and synthesis of yolk-proteins in

Acheta domestica. 4645 in relation to JH in Periplaneta americana. 718

in Nasonia vitripennis. 4642

origin of protein yolk-spheres in Drosophila melanogaster. 4585

ultrastructural changes in oocyte of Aeshna. 232

vitellogenic stages of oogenesis in Drosophila melanogaster. 1604

yolk-deposition in oocyte cortex in Hyalophora cecropia. 1634

yolk development in relation to hormone supply

Vitellogenesis, contd.

yolk formation in relation to follicle-cell structure in Leptinotarsa decemlineata. 2659

yolk formation by follicle cells in Hyalophora cecropia. 2688

yolk formation in ovaries of Galleria mellonella. 3966

volk uptake in Aeshna. 232

yolk uptake by oocytes in Periplaneta americana. 3101

yolk and vitellogenins in Periplaneta americana. 2623

Vitellogenins,

amino-acid composition in Leptinotarsa decemlineata. 1646

and fat-body in Hyalophora cecropia and Periplaneta americana. 1212

hormonal control of synthesis in Leptinotarsa decemlineata. 5878

of Periplaneta americana. 2623

as yolk precursors in Periplaneta americana.

Viteus vitifolii (Hem., Hom., Phylloxeridae), galls produced chemically on Vitis. 325

Vitis (Vitaceae), Phylloxera vitifoliae strains occurring in Ontario, Canada, and damage caused. 4811

Vitis sylvestris, biology of Phymatodes fasciatus. 2127

Vitis vinifera,

Acari and Insecta attacking in the Cinque Terre zone, Spezia Province, Italy. 5427

chemical control of Phylloxera vitifoliae in Ontario, Canada. 4677

host of Eotetranychus geniculatus sp.n. in Japan. 16

Scelodonta dillwyni infesting in Rajasthan, India. 3742

Vitronura subgen.n. (Collem., Hypogastruridae), established within Neanura. 2499

Vitruvius (Hem., Het.,), transferred from Tessaratomidae to Pentatomidae. 5715

Vittabotys mediomaculalis gen. et sp.n. (Lep., Pyralidae), described. 3824

Vitula edmandsae (Lep., Pyralidae),

fatty-acid composition of larvae. 1121 new for Denmark. 2871

Vladimirea magna sp.n. (Lep., Gelechiidae), described. 1012

Vlieland Island (North Sea), Ornithomyia of. 2208 Vogtia malloi (Lep., Phycitidae), sex-characters of pupae. 1041

Volatile compounds, of Formicidae. 2017

Volutaphis alpinae sp.n. (Hem., Hom., Aphididae), described and spp keyed. 4330

Voria ruralis (Dipt., Tachinidae),

abundance in relation to lepidopteran larvae on cabbage in S.California, USA 5479 biology in relation to Trichoplusia ni. 3536 parasitic on noctuid larvae in S.California, USA, 3153

Voriinae (Dipt., Tachinidae), New Zealand genera reviewed. 2957

Vulgarogamasus subgen.n. (Arach., Acari,
Parasitidae), established in Parasitus. 4974

Vulpes vulpes (Carnivora), Siphonaptera from Ireland. 5595

W

Wadden Islands (North Sea), Odonata. 437
Wagneria prunicia sp.n. (Dipt., Tachinidae), described. 1865

Wagneriunia thecata gen. et sp.n. (Hem., Hom., Cicadellidae), described. 1894

Walkerella temeraria (Hym., Agaonidae), redescribed. 99

Warodia gen.n. (Hem., Hom., Cicadellidae), established. 5696

Wasps, see Vespidae, Vespoidea, Vespula, etc. Water.

absorption in relation to egg diapause in Chorthippus brunneus. 1584

absorption in gut of Lytta nuttalli. 5220 absorptive function of rectal pads in Apoidea. 5215

atmospheric water taken up via rectum in Thermobia domestica. 3080

cone moisture-content in relation to development of Dioryctria amatella and D.zimmermanni. 5492

conservation in Drosophila. 2641

conservation in Narceus americanus. 205

conserving behaviour of adult Chironomus at Solberg Lake, Wisconsin, USA. 3558

conserving effect of oothecal foam in Schistocerca gregaria. 3515

content in relation to acclimation in Ptinus tectus and Tenebrio molitor. 5888

content in relation to development in cave Catopidae. 4634

content during laboratory development of Culex pipiens molestus. 235

content and loss in Cryptoglossa verrucosa and Eleodes armata. 3079

content and loss in Drosophila melanogaster in relation to age. 5889

content during metamorphosis in Antheraea pernyi. 2614

content of overwintered adult Perillus bioculatus.

crowding and water-content in larval Bombyx mori. 5929

Water, contd.

dehydration and rehydration effects in Periplaneta americana. 4559

depth in relation to development of Aedes sticticus. 1191

desiccation resistance in Diplopoda. 4558 desiccation resistance of eggs of Euxoa ochrogaster. 4034

desiccation resistance in Hodotermes mossambicus. 846

and diapause-termination in Dociostaurus cervicercus. 277

in relation to distribution of Lepismatidae and Machilidae in Republic of S.Africa. 843

diuretic and anti-diuretic hormones in Schistocerca gregaria and Locusta migratoria. 4560

drinking by ♀ Chrysops vittatus. 2108

drinking water and egg production by Ostrinia nubilalis in mass-rearing. 3364

effects of summer floods at Woodwalton Fen, Cambridgeshire, England, in 1968-1969. 5484

and egg-pod production in Zonocerus variegatus.  $4444\,$ 

endocrine control of water-budget in larval Chaoborus crystallinus. 3947

evaporative loss during heat death in Centrioptera muricata. 5885

exchange and uptake in eggs of Schistocerca gregaria. 4561

flooding in relation to egg-hatch in Aedes aegypti. 4615

flooding tolerance in Anaphothrips validus. 5597 free water of embryo in Tenebrio molitor in relation to radiosensitivity. 3519

ion and water movements in Malpighian tubules of Rhodnius prolixus. 1108

larval behaviour of Brachyptera risi in relation
to current. 361

loss in relation to age in Anthonomus grandis.

loss from eggs of Aedes abserratus and Ae. yexans. 2639

loss from eggs of Euthypoda acutipennis. 4717 loss from eggs of Leucania separata at high temperature. 245

loss from eggs of terrestrial Insecta. 5791 loss from spiracles in Hyalomma dromedarii and Ornithodoros savignyi. 4557

loss and uptake by eggs of Aedes vexans. 2640 lysozyme injection and water-distribution in Periplaneta americana. 1095

movement across rectal epithelium in Ilyocoris cimicoides. 1589

movement of water and entry and retention of bases in termite-mounds. 855

neurohormone D of Periplaneta americana in relation to permeability of membranes. 4551 in relation to occurrence of Colopterus truncatus in Pinus echinata cones. 5492 osmoregulation in Calliphora erythrocephala. 2035

 $\rm O_2\text{-}consumption$  of larval and pupal Chironomus strenzkei in relation to water- and O2- contents, 3908

permeability of egg-shell of Locusta migratoria migratorioides and Teleogryllus commodus. 1145, 1588

rectal lumen concentration in relation to waterreabsorption in Periplaneta americana. 3946 relations of eggs in Blattodea. 5269

release-sites for neurosecretion affecting

water-uptake in Periplaneta americana. 5218 requirement for development and hatching in Euthypoda acutipennis eggs. 4717

respiratory energetics of larval Pycnopsyche in relation to water-flow. 3907

salt stress and brain neurosecretion in Melanoplus sanguinipes. 1055

secretion across midgut epithelium in Periplaneta americana. 3466

secretion in salivary glands of Anopheles stephensi. 1146

sensillum sensitive to water vapour on antennae of  $\mbox{\ensuremath{\wp}}$  Aedes aegypti. 1539

site of uptake from subsaturated atmospheres in Thermobia domestica. 3467

soil moisture in relation to scarabaeid damage to clover and grasses. 2122

submersion of Eurygaster integriceps eggs in relation to embryonic viability. 5295

tarsal receptor absent from Phormia regina.

transport in relation to rectal glands of Halosalda lateralis and Hydrometra stagnorum. 1552

transport in rectum of Periplaneta americana.

in relation to tunnel form and size in Agrilus ater. 1658

type-3 water receptor of Phormia terrae-novae. 5199

uptake control in Pieris rapae crucivora. 2738 uptake through cuticle in Ilyocoris cimicoides. 1590

uptake by egg of Acheta domestica in relation to ultrastructure. 3863

uptake by larvae of aphidophagous Syrphidae. 1230

uptake in Narceus americanus. 205

uptake of water vapour by Hyalomma dromedarii and Ornithodoros savignyi. 4556

velocity in relation to activity patterns of trichopteran larvae. 3542

velocity in relation to net-spinning in Hydropsyche instabilis. 3118

water-swallowing in Agriotes ponticus larva. 1659

Water-mites, see Hydracarina, Hydrachnellae, etc. Water-strider, see Gerris and Gerridae

### Waxes.

cuticular wax of adults and puparia of Lucilia cuprina. 5187

esters of cuticle in larvae and adults of Pteronarcys californica. 3049

esters from egg-sac of Lecanium horii. 5944

for extending life of stored thinning apples for rearing Synanthedon pictipes. 5107

X-ray diffraction patterns in scales of Coccoidea. 1987

secretion in Ceroplastes pseudoceriferus. 1597 thermo-adjustable wire loop for application to insects. 2553

transition temperature of cuticular waxes in Hyalomma dromedarii and Ornithodoros savignyi. 4458

wax-processes of developmental stages of Ceroplastes floridensis. 5792

Waxmoth, see Galleria mellonella Webs.

construction by Araneae on Acer in Michigan, USA. 3592

construction in Gea heptagon. 3111

construction in Steatoda bipunctata and Teutana grossa. 5954

types formed by web-spiders. 1233

Weberia pseudofunesta (Dipt., Tachinidae), mating behaviour. 3529

Weeds, biological control in New Zealand in 1927-1948.6027

### Weight,

in Acyrthosiphon pisum. 4607

adult weight genetically determined in Tribolium castaneum. 4082

allometry of body-weight in Formica japonica. 3483

body-weight versus body-length in Pytho depressus. 4042

body-weight characteristics of a Tribolium castaneum population. 5309

body-weight in relation to climbing ability in Sitophilus. 5830

body-weight in relation to fecundity in Cochliomyia hominivorax. 5171

body-weight in relation to fecundity in Platyptilia carduidactyla. 3528

body-weight in relation to food-uptake in Pterostichus. 2107

body-weight in genetically diverse populations of Tribolium castaneum. 4171

body-weight and head-widths for separation of instars in Urbanus proteus. 4428

body-weight in relation to 02-consumption in

larval Anax junius. 3427 body-weight in relation to O<sub>2</sub>-consumption in Oncopeltus fasciatus. 3424

corn pollen and pupal weight in Ostrinia nubilalis. 4639

and crowding in Bombyx mori. 5929

cytoplasmic polyhedrosis and pupal weight in

Pectinophora gossypiella. 5268, 5802

diet and pupal weight in Ostrinia nubilalis. 4417 dominance and linkage of genes for pupal weight in Tribolium castaneum. 3660

ecological factors affecting adult weight in 2 strains of Musca domestica. 4176

egg-weight during embryonic development in Catopidae. 4634

egg-weight in a Tribolium castaneum population.  $5309\,$ 

Fumidil B and pupal weight in Ostrinia nubilalis. 5183

and glutamic acid in Drosophila melanogaster. 5235

host-plant leaf age in relation to larval weight in Ennomos subsignarius. 4633

in relation to humidity and temperature in Reticulitermes. 5886

during laboratory development in Culex pipiens molestus. 235

during larval development in Lema trilineata daturaphila. 4712

larval weight in Avicularia avicularia. 4721 mating systems and selection in relation to in Tribolium castaneum larvae. 239

of pupal Glossina palpalis in the laboratory. 5470

of pupal Gretchena bolliana. 5126

pupal weight in geographical strains of Lucilia sericata. 4792

pupal weight in hybrid, inbred and outbred strains of Musca domestica. 4411

royal jelly in relation to body-weight in Locusta migratoria cinerascens. 3508

selection for insecticide-resistance in Ostrinia nubilalis in relation to larval and pupal weight. 4914

sterols and larval weight in Drosophila melanogaster. 4646

tepa sterilization in relation to body-weight in o Diabrotica undecimpunctata howardi. 3428

vitamin E and pupal weight in Barathra brassicae. 4516

Werneckia funisciuri sp.n. (Anopl., Hoplopleuridae), described. 2475

Wertanekiella (Hym., Mymaridae), syn.n. of Sphegilla. 3343

Wesmaelia pendula (Hym., Braconidae), biology in relation to Nabis americoferus in S.California, USA. 4702

Wesmaelius sufuensis sp.n. (Neur., Hemerobiidae), described. 124

West Indies,

new Curculionidae from . 4277

new Oonopidae from . 2889

new Tabanidae from . 545

new Thomisidae from. 1397

records of Argas miniatus from Trinidad. 4219 Tanymecini revised and keyed. 4277

Trichoptera of Jamaica revised and keyed and

West Indies, contd.

new taxa described. 4405

Western alfalfa weevil, see Hypera postica Western budworm, see Choristoneura occidentalis Western corn rootworm, see Diabrotica virgifera

Western horse-lubber grasshopper, see Taeniopoda eques

Western tent caterpillar, see Malacosoma californicum pluviale

Weyrauchimyia peruviana gen. et sp.n. (Dipt., Sarcophagidae), and bicoloricauda sp.n. described. 5675

Wheat, see Triticum

Whirligig beetles, see Gyrinidae

White ash, see Fraxinus americana

White-bellied stork, see Sphenoorhynchus abdimii

White-fringed beetle, see Graphognathus

White-lined sphinx, see Celerio lineata

White pine, see Pinus strobus

White-pine weevil, see Pissodes strobi

White stork, see Ciconia ciconia

Wideria capito (Arach., Aran., Micryphantidae), new for Poland. 6111

Wilhelminia salopiensis (Dipt., Simuliidae), autogeny and physiological-age estimation. 5907

F.X.Williams, scientific works and insect taxa published in 1882-1967. 3715

Williamsonia fletcheri (Odon., Corduliidae), USA records. 3710

Willinkapis (Hym., Colletidae), new spp described.

Willinkiella argentina gen. et sp.n. (Hym., Sphecidae), described. 1009

Wind,

antennae as wind-sensitive organs in Locusta migratoria. 4483

dispersal agent for larval Boophilus microplus.
4071

in relation to dispersal of Euprepocnemis plorans. 6021

in relation to egg-deposition in Haematobia irritans. 3540

and flight-direction in nocturnal insects. 4732 in relation to migration of Nymphalis antiopa.

in relation to post-release dispersal patterns in Anaphes flavipes. 4834

velocity and air-temperature in relation to trapping of Laspeyresia pomonella. 5486

velocity in relation to biting activity in Culicoides furens and C.barbosai. 1681

velocity monitoring by head receptors in Schistocerca gregaria. 5843

velocity receptors in yaw-correction in flying Schistocerca gregaria. 5845

velocity in relation to respiration and waterloss in Anthonomus grandis. 3464

windbreaks in relation to abundance and distribution of Coccus hesperidum in Texas, USA, citrus groves. 4837 wind-sensitive hairs of head in Locusta migratoria. 4491

Wings,

abnormalities in a ? Trirhabda virgata. 5280 activity of heart and thoracic pulsatile organs during expansion in Bombyx mori. 4508 aptery in British Bradycellus s.str. 3045

artificial-diet composition and wing-production in Myzus persicae. 4632

axillary sclerites in extension and flexion in Gryllus bimaculatus. 3052

beat-frequency, flight-speed and sucrose utilization in Lucilia sericata. 1515

brachyptery in 9 Limnophila platyptera. 2510 brachyptery in Parapsectra uliginosa sp.n. 2504 cell degeneration in development of wing mutants of Drosophila melanogaster. 230

cell-loss during in vitro culture in relation to differentiation of wing-disc parts in Drosophila virilis. 4598

coloration in Utetheisa ornatrix complex. 930 damage caused by larval Arrenurus to wings of Sympetrum meridionale. 6006

development in British Bradycellus. 3045 diapause and wing-polymorphism in California, USA, populations of Psylla pyricola. 3989

differences among Drosophila pseudoobscura populations selected for opposite geotaxes and phototaxes. 3676

dimorphism in relation to diet in green strain of Acyrthosiphon pisum. 1617

ecdysterone and in vitro development of wingdiscs of Chilo suppressalis. 1610

and flight in Oncopeltus fasciatus. 3054 in relation to flight and predation in Lepidoptera.

5188 folding mechanism in Coccinellidae. 1972

genetic analysis of 'loboid-ophthalmoptera' in Drosophila melanogaster, 4903

genetic variability of venation in Ischnura. 432 hindwing venation in Bruchidae. 152

hindwing venation in Cerambycidae. 152 hindwing venation in Chrysomeloidea. 152

hormonal control of imaginal wing-disc regeneration in Galleria mellonella. 5877

hormones in relation to RNA- and proteinsynthesis in imaginal wing-discs of Philosamia cynthia ricini. 3510

infection with nuclear-polyhedrosis virus in pupal Trichoplusia ni. 5823

length in a Florida, USA, population of Culicoides furens. 4011

lift in relation to angle of incidence in Melolontha vulgaris. 3867

macroptery in relation to dispersal in Carabidae. 5457

macroptery in Gerris najas, Micronecta griseola and M.minutissima in R.Grabia and its inundation area, Poland. 4934 method for permanent preparations in Wings, contd.

Lepidoptera. 592

microptery in Brithrothrips fuscus. 3043

microptery in Reikosiella melina gen. et sp.n. in Hawaii. 2002

modifications in Embioptera. 5033

morphological variation in Drosophila virilis populations. 153

mutations in Dahlbominus fuscipennis. 4161 naming of segments of complex dendroids in venation. 3843

nerve-cord activity in response to wing-nerve stimulation in Schistocerca gregaria. 5835

nucleic acid metabolism in wing-discs of Pieris brassicae. 3505

papiliochrome II in Papilio xuthus. 4554

Permian stenoviciid (?) wing from Sentinel Mts., Antarctic. 946

phyletic significance of venation for Baetiscidae and Prosopistomatidae. 2246

pigments in seasonal-dimorphic forms of Araschnia levana-prorsa. 4555

reduction in Acridoidea of Hes Comores. 3011 reduction in Tipulidae. 931

relative size of tympanal membrane in macropterous Acridoidea. 3899

scale-development on forewing in "Us" mutant of Anagasta kuehniella. 3865

scanning electron microscopy of wing-scales in Eriocraniidae, Micropterygidae and Mnesarchaeidae. 4461

size of tympanal membrane in relation to microptery in Acridoidea. 3899

and sound-production in Apis mellifera. 675

and sound-production in Gryllotalpa. 5901

and sound-production in Gryllus bimaculatus. 2654

sound-synchronized ultra-high-speed photography for study of forewing movements of Gryllidae and Tettigoniidae. 4420

tegmina in control of stridulation in Gryllus campestris. 3957

tegmina in sound-production in Paktia gardezae gen. et sp.n. 5086

tegminal stridulation generator in Homorocoryphus nitidulus vicinus. 5899, 5900

tegminal veins of Gryllus bimaculatus reinterpreted. 3846

tympanal organ components of tegmina in Acridoidea, 3899

venation in Aenigmephemeridae. 2245

venation re-interpreted in tegmina of Gryllus bimaculatus. 3846

vibration in courtship behaviour of Drosophila melanogaster. 2697

wing-locking device in Xyleutes durvillei and other Lepidoptera. 3855

Winter cress, see Barbarea vulgaris

Wiseana (Lep., Hepialidae), land use in relation to populations in New Zealand. 828 Witelsus gen.n. (Col., Staphylinidae), established. 3312, 5653

Witlesia murana (Lep., Pyralidae), sex-chromosome trivalent. 5547

Wohlfahrtia (Dipt., Sarcophagidae), biology and ecology of desert spp in Egypt . 4829

Wohlfahrtia grunini sp.n., described. 4310

Wollaston, collections and researches in Madeira and Is.Canarias. 5639

Wood,

digestion by flagellate symbionts of Kalotermes flavicollis and Reticulitermes lucifugus. 4868

feeding responses to sound wood in Coptotermes formosanus, Reticulitermes flavipes and R. virginicus. 4762

"mandibular grooves" due to adult Lyctus brunneus. 4016

survival of Coptotermes formosanus, Reticulitermes flavipes and R.virginicus on 11 spp. 4773

Wood rat, see Neotoma

Woodpeckers, see Picidae

Wool, preferred food-substrate of Monopis speculella. 5992

World,

bibliography of superspecific taxa of Empididae. 3772

genera of Syrphini revised. 1881 Iziphya keyed. 3789

Pithitis reviewed. 2988

Wormaldia occipitalis (Trich., Philopotamidae), emergence from a stream in N.Wales. 3198 flooding in relation to stream populations. 5489 Wounds.

cyst formation as defence reaction in Neodiprion swainei. 3431

in relation to frequency of redirected preening in Blaberus craniifer. 4563

haemocyte reactions to gut lesions in Leucophaea maderae. 1100

haemocytes and wound-repair in Rhodnius prolixus. 4510

healing in Periplaneta americana. 3857 healing reactions following administration of

carcinogens to Periplaneta americana. 3430

JH and wound modelling of cuticle architecture in Tenebrio molitor. 4460

orientation of Locusta migratoria migratorioides to light after unilateral injury. 3903

plasmatocytes and wound-repair in Insecta. 175 respiratory metabolism of Rhodnius prolixus

following injury. 5256 tumour-like lesions produced in Leucophaea

maderae by decapitation. 3438 tumours as defence mechanism in Periplaneta

americana gut. 3441 in relation to vitellogenesis in Lepismodes

in relation to vitellogenesis in Lepismodes inquilinus. 1637

wounding of Musca domestica by Macrocheles muscadomesticae during phoresy. 4502

Wuchereria bancrofti (Nematoda),

and survival of Culex fatigans. 725

transmission in relation to physiological age of Culex fatigans. 725

Wyeomyia (Dipt., Chironomidae), larvae in pitchers of Sarracenia purpurea at Lac Carré, Québec, Canada. 3589

Wyeomyia smithii, scanning electron microscopy of mouthparts. 3922



Xanthandrus comtus (Dipt., Syrphidae), predaceous on Prays oleae in Mediterranean Basin. 320

Xanthesma (Hym., Colletidae), revised and new spp described. 1916

Xanthine dehydrogenase,

activity in inbred and outbred strains of Drosophila melanogaster. 3207

'maroon-like' mutations of Drosophila melanogaster analyzed. 1759

Xanthogramma indica sp.n. (Dipt., Syrphidae), described. 5030

Xanthogramma scutellare, new for Gujarat, India, and parasites of. 319

Xantholinus azuganus trellai subsp.n. (Col., Staphylinidae), described. 5658

Xantholinus hungaricus, probably synonymous with azuganus. 5658

Xanthommatin,

possibly present in Enoplognatha ovata. 2032 present in Chrysopa carnea. 5249

Xanthomorda garambaensis gen. et sp.n. (Col., Mordellidae), described. 5008

Xanthophyll, in haemolymph of larval Gonimbrasia belina. 1581

Xanthopimpla stemmator (Hym., Ichneumonidae), parasite of Chilo suppressalis in Sarawak. 5498

atmospheric O<sub>2</sub>-pressure in relation to synthesis in Mylothris. 1583

in Atteva punctella. 5250

in integument of Palomena prasina. 5248

Xenanoetus vestigialis gen. et sp.n. (Arach., Acari, Anoetidae), described. 3719

Xenillidae (Arach., Acari), relationships within Liacaroidea. 514

Xenochironomus xenolabis (Dipt., Chironomidae), associated with Spongilla fragilis in Savannah R., USA. 1692

Xenofranzia spinipennis gen. et sp.n. (Col., Pselaphidae), described. 2496

Xenomastax (Orth., Eumastacidae), karyotypes, meiosis and sex-chromosome mechanism. 6075 Xenomyza complecta sp.n. (Dipt., Asilidae), described. 59

Xenomyzus alpestris sp.n. (Hem., Hom., Aphididae), described. 3786

Xenopacarus africanus gen. et sp.n. (Arach., Acari, Ereynetidae), described. 3284

Xenopsylla cheopis (Siphon., Pulicidae),

DDT susceptibility in USSR. 4581

food concentrates in pellet form for standard culture. 4423

host hormones in relation to development and insemination. 4640

Xenopsylla skrjabini, life-cycle. 5460

Xenopus laevis (Amphibia Anura), Xenopacarus africanus gen.et sp.n. parasitic on. 3284

Xenyllodes armatus (Collem., Hypogastruridae), soil populations in Hidaka-Mombetsu, S.Hokkaido, Japan. 2146

Xestobium declive (Col., Anobiidae), new for Czechoslovakia. 935

Xiengia (Hem., Het.), transferred from Tessaratomidae to Pentatomidae. 5715

Xiphosomella setoni sp.n. (Hym., Ichneumonidae), described. 3340

Xiphosura (Arach.),

1522, 1543, 2595, 2599, 2601, 2602, 2603, 2604, 4490

structure of chemoreceptors. 4490

Xiphozele (Hym., Braconidae), Japanese spp revised and compressiventris redescribed. 1912

Xoridinae (Hym., Ichneumonidae), new for France.

Xylaphora (Hym., Figitidae), parasitic on Musca autumnalis at Guelph, Ontario, Canada. 273

Xylaria nigripes (Fungi), growth in Odontotermes redemanni fungus gardens connected with caprylic acid secretion. 852

Xylastodoris luteolis (Hem., Het., Thaumastocoridae), described. 1510

Xyleborus (Col., Scolytidae), new spp described. 1850

Xyleborus ferrugineus,

amino acids as source of  $\mathrm{N}_2$  for fungal symbionts. 3574

sterol metabolism and symbiosis with Fusarium solani. 3140

Xyleborus fornicatus, chemical control on tea in Ceylon. 2164

Xyletinastes decellei sp.n. (Col., Anobiidae), described. 17

Xyletinus peltatus (Col., Anobiidae), incubation time of eggs. 4637

Xyleutes durvillei (Lep., Cossidae), wing-locking/ stridulatory device described. 3855

Xylocopa latipes (Hym., Anthophoridae), relative density. 1983

Xylocopinae (Hym., Anthophoridae), of Congo-Brazzaville. 1813 Xylocoris altaicus sp.n. (Hem., Het., Anthocoridae), described. 2966

Xylocoris formicetorum, habitats in Invernessshire, Scotland. 3183

Xyloryctidae (Lep.), 5368

Xylose, nutritive value for Erioischia brassicae. 2722

α- and β-Xylosidases, demonstrated in Melanoplus bivittatus. 1573

Xyloterinus politus (Col., Scolytidae), primary
'ambrosia' fungi. 3141

Xyphosia miliaria (Dipt., Tephritidae), natural control of weed Compositae in Hungary. 6014

Xyronotidae (Orth.), 3899

tympanal organ absent. 3899

Xysticus (Arach., Aran., Thomisidae), Nearctic spp of labradorensis group keyed. 9

Xysticus ninnii, redescribed. 4246

Xysticus rugosus, o' described for first time. 9



Yeasts (Fungi),

brewers' yeast in relation to egg-hatch in Urbanus proteus. 5312

brewers' yeast in relation to larval growth of Rhagoletis pomonella. 2569 and longevity of Drosophila melanogaster. 4453

nutritional value for Papilio protentor demetrius.

Yellow-fever mosquito, see Aedes aegypti Yellow jackets, see Vespidae and Vespula Yellow poplar, see Liriodendron tulipifera Yellow sugarcane aphid, see Sipha flava Yemen,

new Blattodea from . 3756 new Reduviidae from . 3331

Yezobotys ainualis gen. et sp.n. (Lep., Pyralidae), described. 2533

Yllenus (Arach., Aran., Salticidae), revised and new spp described. 8

Yponomeuta mahalebellus (Lep., Yponomeutidae), resurrected. 5762

Yponomeutidae (Lep.), 320 4940, 5250, 5313, 5762

new for Orkney Is., North Sea. 4940

Yugoslavia,

Arach., Diplop. and Insecta from a cave. 6069 chironomid communities of Yugoslavian section of R.Danube. 3601

distribution and economic importance of Kalotermes flavicollis and Reticulitermes lucifugus. 936 fruit-piercing Lepidoptera. 5999
new Acerentomidae from. 4398
new Leuctridae and Perlidae from. 5766
new Phalangiidae from. 1398
new record for Scarabaeidae. 6118
Pnetodon bidens new for. 6118

Yungaseremaeus gen.n. (Arach., Acari, Oribatei), established. 2462

Z

Zaboba (Lep., Pyralidae), Acallis mitchelli transferred to. 3825

Zaboba unicoloralis sp.n., described. 3825 Zabrotes subfasciatus (Col., Bruchidae), o' genitalia described. 1164

Zaglyphus (Hym., Ichneumonidae), new synonymy. 110

Zale galbanata (Lep., Noctuidae), unusual abundance in Ontario, Canada, in 1968. 3184

Zale minerea, supposed nematode larvae from a Typhlodromus potentillae on. 4700 Zambia.

biology and control of Buphonella murina on maize. 804

new Nymphalidae from. 4381 new Staphylinidae from. 3312

Nymphalidae from . 4381

Rhipicephalus sanguineus introduced from Zambia into Denmark. 2196

trypanosome infection rates in Glossina. 1277 Zea mays (Gramineae),

artificial infestation with Heliothis zea eggs. 5091

Atherigona orientalis as pest in India. 4806 attractancy and oviposition-preference in Dalbulus maidis and Graminella nigrifrons. 727, 728

attractant for Glischrochilus quadrisignalus.

biology of Chilo partellus in Peshawar, Pakistan. 1657

biology and control of Buphonella murina in Zambia. 804

biology of Draeculacephala mollipes. 4711 biology of Sesamia cretica in Egypt. 5969

control of Noctuidae in C. and S.Florida, USA.

corn stunt agent transmitted by Dalbulus elimatus. 4067

damage by Cadra cautella to stored grain. 786 damage and establishment by larvae of Ostrinia nubilalis. 815 Zea mays (Gramineae), contd.

ecology of Aceria tulipae in Ohio, USA. 2769 ecology of insect predator and prey spp in N. America. 834

egg source in relation to Ostrinia nubilalis infestation. 5948

fecundity and fertility of Ostrinia nubilalis. 736 germination of seeds damaged by larval Sitrotroga cerealella. 4812

Heliothis zea response to extracts of silks and kernels. 4764

hybrid response to artificial Heliothis zea infestations. 5091

infestation rate of Heliothis zea larvae in S. California, USA. 5420

larval migration of Diabrotica virgifera. 5455 larval Systena frontalis feeding on roots in Iowa, USA. 784

mortality of 2nd-brood Ostrinia nubilalis larvae. 803

Nomadacris septemfasciata as pest in Iles Comores. 3011

overwintering larval populations of Diatraea grandiosella in Mississippi, USA. 4851

oviposition of Dalbulus maidis and Graminella nigrifrons in relation to corn stunt. 727, 728 parasites of Heliothis zea larvae in S.California, USA. 5420

phenology of Ostrinia nubilalis in S.Carolina, USA. 2716

pollen as diet for Amblyseius chilenensis and A. hibisci. 5313

pollen in relation to development and survival of 2nd-brood larvae of Ostrinia nubilalis. 4639

pollen and larval establishment of Ostrinia nubilalis. 696

rearing of Ostrinia nubilalis on diets containing corn leaf and wheat germ. 4417

resistance to Atherigona. 4806

resistance to 2nd-brood Ostrinia nubilalis in inbred lines. 5452

stem-borers and their parasites in Sudan. 6011 survival of overwintering Diatraea grandiosella in Louisiana, USA. 2814

susceptibility to Chilo zonellus. 4798 Systema frontalis larvae in roots. 2767

transmission of corn stunt agent by Dalbulus elimatus. 4067

weeds in relation to Graminella nigrifrons in epidemiology of corn stunt disease. 5512

Zealeuctra (Plec., Leuctridae), revised, new spp described and spp keyed. 1947

Zebulonia massoudi gen. et sp.n. (Collem., Sminthuridae), described. 5662

Zectran [4-dimethylamino-3,5-xylyl methylcarba-mate].

for control of Porthetria dispar. 4682 toxicity to Hemerocampa pseudotsugata. 5353 toxicity to Neodiprion pratti banksianae, N. swainei and Pristiphora erichsonii. 5180 Zeiraphera diniana (Lep., Olethreutidae),

circadian rhythmicity of behaviour. 1028 control with Bacillus thuringiensis. 4102

light and temperature in relation to behaviour and fecundity. 1028

methods for laboratory rearing and observation of adult behaviour. 1028

overwintering population distribution on Larix in C.Switzerland. 4083

parasitism by Eulophidae in Engadin, Switzerland. 2115

strains in Engadin, Switzerland. 2115

supercooling-point of overwintering eggs. 1585

Zelandobius (Plec., Gripopterygidae), revised and new synonymy. 3831

Zelandobius illiesi sp.n., described. 3831

Zele (Hym., Braconidae), Japanese spp revised and keyed. 1912

Zelotes milleri sp.n. (Arach., Aran.), described.

Zelotes semirufus, o' described. 2886

Zelus socius (Hem., Het., Reduviidae),

predaceous on Choristoneura pinus in Michigan, USA. 3615

Zercon (Arach., Acari, Zerconidae), new spp described. 955

Zeugloptera (Lep.),

relationships of Strepsiptera to. 3692

Zeuxidiplosis giardi (Dipt., Cecidomyiidae). establishment in Hawaii for control of Hypericum perforatum. 4110

host of Platygaster aciculosis sp.n. in Hawaii. 4359

Zinc, faeces re-ingestion in relation to excretion of  $^{65}{\rm Zn}$  in Cryptocercus punctulatus and Popilius disjunctus. 4565

Zinc sulphate, banding produced in spermatid chromosomes of Acrididae. 3214

Zizeeria otis labradus (Lep., Nymphalidae), new for Nepean Island. 2865

Zizina otis (Lep., Lycaenidae), seasonal occurrence on Norfolk I., Pacific Ocean. 4953

Zizina otis lampra subsp.n., described. 440

Zodarion morosum (Arach., Aran., Zodariidae), redescribed. 1802

Zodion americanum (Dipt., Conopidae), parasitic on Agapostemon nasutus. 1728, 3193

Zohrana (Col., Chrysomelidae), differentiated from Atomyria and Afroeurydemus. 2477

Zomaero (Dipt., Syrphidae), recognised as subgenus of Meligramma. 78

Zonabris (Col., Meloidae), transfer of spp to Croscherichia and Mylabris. 4280

Zonabris alepensis, Z.diversithorax reduced to variety of. 4280

Zonabris reducticornis, syn.n. of Gorrizia silbermanni. 4280

Zonocerus (Orth., Pyrgomorphidae), type-sp. 1023 Zonocerus variegatus, egg and egg-pod. 4444 Zonophora solitaria sp.n. (Odon., Gomphidae), described. 5082

Zonotrichia (Aves), hosts of Bakericheyla chanayi in California, USA. 317

Zoogeography,

bibliography of trichopteran zoogeography for Africa and adjacent islands. 4960

composition and origin of alpine coleopteran faunas. 5560

criticism of Hennig-Brundin 'Phylogenetic Systematics' in relation to Antarctic biogeography. 6107

decline in species diversity of Acanthoderes from South to North. 4952

evidence for Gondwana Palaeozoic insect distribution in Antarctic. 946

of Loricera s.str. 1840

numerical analysis of biogeography of Indian Rhopalocera. 2879

of parasites of Coccidae, Aleyrodidae and Aphididae on citrus in Israel. 5578 possible relict distribution of Stenischia. 4399

Zootermopsis angusticollis (Isopt., Hodotermitidae), electron microscopy of Streblomastix strix

symbiotic in. 4129 Zophobas rugipes (Col., Tenebrionidae), apical cells of testis. 680

Zopyrothips subgen.n. (Thysanopt., Phlaeothripiddae), established within Liothrips. 1024

Zoraida kuwayamae (Hem., Hom., Derbidae), new for Shikoku, Japan. 937

Zorka ariadnae gen. et sp.n. (Hem., Hom., Cicadellidae), described. 5696

Zygaena (Lep., Zygaenidae), from Turkey. 3270 Zygaena filipendulae,

attraction of ob to ♀ Lasiocampa quercus. 5327 particles present in defence fluid. 4457

Zygaena loti erythristica subsp.n., described. 1938 Zygaenidae (Lep.), 1363, 1938, 3270, 4457, 5078, 5327

Spanish taxa catalogued, 1363

Zygentoma, see also Thysanura

anatomy of brain, compound eyes and ocelli. 5841

Zygina (Hem., Hom., Cicadellidae),

new for Pakistan. 3793

new sp described. 5042

new spp described and Pakistan spp keyed. 3793

Zygoponium ericetorum (?) (Algae), feeding and oviposition of Ephydra bruesi. 3621

Zygonychidium gracile gen. et sp.n. (Odon., Libellulidae), described. 5084

Zygoptera (Odon.), labial gland of larvae. 2649 Zygoribatula dubita sp.n. (Arach., Acari,

Oribatulidae), described. 515

Zygoribatula incurva sp.n., described. 3725 Zyras (Col., Staphylinidae), new spp described. 2476





general, the abbreviations are those of IUPAC and SIU systems. e following are additional to those in the systems:

active ingredient Anoplura Araneae Blattodea corpora allata corpora cardiaca Chilopoda central nervous system n. nov Collembola

new combination

Dermaptera Diplura Diplopoda Diptera electron microscopy

Embioptera Ephemeroptera endoplasmic reticulum

new form
ov. new family
ov. new genus
Heteroptera Homoptera

Hymenoptera insect growth regulator

juvenile hormone Lepidoptera Mallophaga Mantodea

Mecoptera Megaloptera Myriapoda Neuroptera ov. new name

Onychophora Opiliones Phasmatodea Plecoptera Protura scorp.

Pseudoscorpiones Psocoptera Scorpiones scanning electron microscopy

Siphonaptera Strepsiptera

nov. new subfamily

. nov

new subgenus p). nov.

new subspecies

v. new synonym opt Thysanoptera v. new tribe Trichoptera

Zoraptera

### Language abbreviations

text		summaries
Af	af	Afrikaans
Ar	ar	Arabic
Be	be	Belorussian
Bg	bg	Bulgarian
Ch	ch	Chinese
Cs	CS	Czech
Da	da	Danish
De	de	German
Ee	ee	Estonian
En	еп	English
Es	es	Spanish
Fi	fi	Finnish
FI	f)	Flemish
Fr	fr	French
Gr	gr	Greek
He	he	Hebrew
Hu	'nυ	Hungarian
lt	it	Italian
Ja	ja	Japanese
Ko	ko	Korean
Li	li .	Lithuanian
Lv	lv	Latvian
Ma	ma	Macedoniar
NI	ni	Dutch
No	NO.	Norwegian
PI	pl	Polish
Pt	pt	Portuguese
Ro	ro	Romanian
Ru	ru	Russian
Sh	sh	Serbo-croat
Sk	sk	Slovak
Sn	SA	Slovenian
Sv	SV	Swedish
Tr	tr	Turkish

Uk uk Ukrainian

# **Entomology Abstracts**